



TORRENTE LIMBIONE SEZIONI DI RILIEVO CON LIVELLO IDRICO TR500, TR200 E TR50 SCALA X 1:200 SCALA Y 1:200







e P			ATTRAVERSAMENTO FERROVIA RINGHIERA	
SEZIONE 56 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			95.13 94.99 94.59	
90 PICCHETTO	1 2		34 5 6 7 8 9 101112 13	
DISTANZE PROGRESSIVE [m]	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		22.84 22.84 24.51 27.14 33.96.52 36.52	•
DISTANZE PARZIALI [m]	9.62	13.22	9 2.63 2.83	
QUOTE TERRENO [m s.l.m.m.]	96.12		96.73 - 96.73 -	







4 E		96.61			
SEZIONE 59 SCALA X 1:200 90					
PICCHETTO	1	2 3 4 5 6 7 8 9 10 11	12		
DISTANZE PROGRESSIVE [m]	0	14.09 15.09 17.07 18.56 25.36 27.37	38.17		
DISTANZE PARZIALI [m]	14.09	10.8 10.8			
QUOTE TERRENO [m s.l.m.m.]	95.37	95.57 95.78 92.39 92.87 95.13	95.09		









Nota: l'ubicazione delle sezioni considerate è riportata nell'elaborato codificato IQO101R09P6ID0002007A.

LEGENDA				
97.48	LIVELLO TR500			
97.38	LIVELLO TR200			
97.28	LIVELLO TR50			

