

SO ₂ - Periodo 24h - Valore Limite 125 µg/m ³ più di 3 volte/anno																						
Giorno - ora	R1	R2	R3	R4	R5	R6	X1	X2	X3	X4	Val. Rif. Meucci	R1-BG	R2-BG	R3-BG	R4-BG	R5-BG	R6-BG	X1-BG	X2-BG	X3-BG	X4-BG	
01/01	0.0	1.1	0.0	1.6	0.0	1.8	0.0	0.0	1.1	2.4	3.0	3.0	4.1	3.0	4.6	3.0	4.7	3.0	3.0	4.1	5.4	
02/01	0.9	0.9	0.0	1.4	0.0	0.0	0.0	0.6	1.2	1.2	2.0	2.9	2.9	2.0	3.4	2.0	2.0	2.0	2.6	3.2	3.2	
03/01	0.5	0.5	0.0	1.4	0.0	0.9	0.1	0.0	0.5	1.5	2.8	3.3	3.3	2.8	4.2	2.8	3.7	2.9	2.8	3.2	4.3	
04/01	0.5	0.3	0.0	0.4	0.1	0.0	1.3	0.0	0.3	0.8	3.1	3.7	3.4	3.2	3.5	3.2	3.1	4.4	3.1	3.4	4.0	
05/01	0.2	0.2	0.1	1.8	0.0	0.0	0.1	1.1	0.4	2.0	3.7	3.9	3.9	3.8	5.4	3.7	3.7	3.8	4.8	4.0	5.7	
06/01	0.4	0.3	0.0	1.1	0.2	0.2	0.3	0.0	0.3	1.4	2.7	3.1	3.0	2.7	3.8	2.9	2.9	3.0	2.7	3.1	4.1	
07/01	0.0	0.3	0.0	1.4	0.0	0.4	0.0	0.0	0.4	1.7	2.8	2.8	3.2	2.8	4.2	2.8	3.2	2.8	2.9	3.2	4.5	
08/01	0.3	0.1	0.2	2.2	0.3	0.0	1.1	0.1	0.2	1.8	2.9	3.2	3.0	3.0	5.0	3.2	2.9	3.9	3.0	3.1	4.7	
09/01	0.8	1.2	0.1	0.2	0.1	3.0	1.7	0.0	1.0	0.6	2.9	3.6	4.1	3.0	3.0	3.0	5.9	4.6	2.9	3.9	3.5	
10/01	1.1	0.3	0.0	0.4	0.0	0.5	0.3	0.0	0.6	0.9	2.9	4.0	3.2	2.9	3.3	2.9	3.4	3.2	2.9	3.5	3.8	
11/01	0.1	0.1	0.0	0.7	0.0	0.0	0.0	0.1	0.1	1.0	2.9	3.0	3.0	2.9	3.6	2.9	3.0	2.9	3.1	3.1	4.0	
12/01	0.2	0.3	0.0	0.9	0.0	0.1	0.0	0.2	0.3	1.8	3.4	3.6	3.7	3.4	4.3	3.4	3.5	3.4	3.6	3.7	5.2	
13/01	0.2	1.1	0.0	1.6	0.0	0.0	0.0	1.3	1.2	2.7	3.8	4.0	4.8	3.8	5.4	3.8	3.8	3.8	5.1	5.0	6.5	
14/01	1.1	0.2	0.0	0.8	0.0	0.0	0.2	1.0	2.2	1.1	3.4	4.5	3.6	3.4	4.2	3.4	3.4	3.5	4.4	5.6	4.5	
15/01	1.0	1.6	0.0	0.8	0.0	1.2	0.0	0.0	1.2	1.9	2.8	3.8	4.4	2.8	3.6	2.8	4.0	2.8	4.8	4.1	4.8	
16/01	0.4	0.1	0.1	0.1	3.6	0.7	1.4	0.0	0.2	0.8	2.9	3.3	3.0	3.1	3.1	6.5	3.6	4.3	2.9	3.1	3.7	
17/01	0.3	0.1	0.0	0.5	0.0	0.3	0.2	0.1	0.3	1.2	4.0	4.3	4.1	4.0	4.5	4.0	4.3	4.2	4.0	4.3	5.2	
18/01	0.2	0.4	0.0	0.9	0.0	0.3	0.1	0.0	0.4	1.5	4.2	4.4	4.6	4.2	5.1	4.2	4.5	4.3	4.2	4.6	5.7	
19/01	0.1	0.2	0.0	0.5	0.0	0.1	0.0	0.0	0.2	1.3	3.4	3.5	3.5	3.4	3.9	3.4	3.5	3.4	3.4	3.6	4.7	
20/01	0.0	0.4	0.0	1.4	0.0	1.2	0.0	0.2	0.4	2.0	3.6	3.7	4.0	3.6	5.0	3.6	4.8	3.6	3.8	4.1	5.7	
21/01	0.3	0.2	0.0	1.7	0.0	0.0	0.6	1.4	0.2	2.5	3.6	3.8	3.8	3.6	5.3	3.6	3.6	4.2	5.0	3.8	6.1	
22/01	0.3	1.3	0.0	0.5	0.1	0.7	1.5	1.5	1.3	0.9	3.3	3.6	4.5	3.3	3.7	3.4	3.9	4.8	4.8	4.6	4.1	
23/01	0.3	0.1	0.0	1.5	0.0	0.9	0.0	0.0	0.3	1.2	3.2	3.5	3.4	3.2	4.7	3.2	4.1	3.2	3.2	3.5	4.4	
24/01	0.0	0.4	0.0	0.7	0.0	0.0	0.0	0.0	0.5	1.8	3.5	3.5	3.9	3.5	4.3	3.5	3.5	3.5	3.5	4.0	5.3	
25/01	0.2	0.1	0.0	0.5	0.0	0.0	0.3	0.1	0.2	1.8	3.5	3.7	3.6	3.5	4.0	3.5	3.5	3.8	3.6	3.7	5.2	
26/01	0.0	0.4	0.0	1.3	0.0	0.1	0.0	0.1	0.5	2.3	3.7	3.8	4.2	3.7	5.0	3.7	3.9	3.7	3.8	4.2	6.1	
27/01	0.6	0.7	0.0	1.5	0.0	0.1	0.0	0.0	0.7	2.3	3.8	4.5	4.6	3.8	5.3	3.9	3.9	3.9	3.8	4.5	6.1	
28/01	0.8	1.3	0.0	1.1	0.0	0.0	0.0	0.0	1.3	1.1	3.7	4.5	5.0	3.7	4.8	3.7	3.7	3.7	3.7	5.0	4.8	
29/01	0.8	0.3	0.2	0.2	0.0	3.8	2.3	0.0	0.4	0.9	2.8	3.6	3.1	2.9	3.0	2.8	6.6	5.0	2.8	3.2	3.7	
30/01	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.8	0.0	1.8	2.8	2.8	2.8	2.8	4.0	2.8	2.8	2.8	3.6	2.8	4.6	
31/01	0.5	0.6	0.0	1.2	0.0	0.1	0.1	0.0	0.6	1.0	3.9	4.5	4.6	4.0	5.2	3.9	4.0	4.0	4.0	4.6	5.0	
01/02	0.1	0.2	0.0	1.1	0.0	0.0	0.1	0.1	0.2	1.3	3.8	3.8	4.0	3.8	4.9	3.8	3.8	3.9	3.9	4.0	5.1	
02/02	0.0	0.1	0.0	1.1	0.0	0.1	0.0	0.2	0.1	1.8	3.8	3.8	3.8	3.8	4.9	3.8	3.9	3.8	4.0	3.9	5.6	
03/02	0.0	0.1	0.0	1.2	0.0	0.7	0.0	0.0	0.1	1.7	3.5	3.6	3.6	3.5	4.7	3.5	4.3	3.5	3.5	3.6	5.2	
04/02	0.1	0.0	0.0	0.5	0.2	1.6	0.2	0.0	0.0	0.8	3.0	3.1	3.0	3.0	3.5	3.2	4.5	3.2	3.0	3.0	3.8	
05/02	1.1	0.4	0.6	0.6	0.0	0.0	0.8	2.0	0.7	1.7	2.0	3.1	2.4	2.7	2.6	2.0	2.0	2.8	4.0	2.7	3.7	
06/02	1.0	1.0	0.1	0.3	0.0	0.2	0.4	6.0	1.7	3.0	2.6	3.6	3.6	2.7	2.9	2.6	2.8	3.0	8.6	4.3	5.6	
07/02	0.0	0.1	0.0	2.0	0.0	0.1	0.0	0.8	0.2	3.2	3.7	3.7	3.7	3.7	5.6	3.7	3.8	3.7	4.5	3.8	6.9	
08/02	0.4	1.2	0.0	0.6	0.1	0.3	0.1	0.0	1.2	0.7	3.3	3.7	4.5	3.3	3.9	3.4	3.5	3.4	3.3	4.5	4.0	
09/02	0.0	0.3	0.0	1.0	0.3	0.3	0.0	0.0	0.4	1.8	2.3	2.3	2.6	2.3	3.2	2.5	2.6	2.3	2.3	2.7	4.1	
10/02	1.0	0.3	0.4	0.6	0.0	1.2	2.1	0.0	0.3	1.0	1.4	2.5	1.7	1.8	2.0	1.4	2.7	3.5	1.4	1.7	2.4	
11/02	1.3	0.3	0.0	2.1	0.0	0.0	0.3	0.0	1.1	1.3	2.1	3.4	2.3	2.1	4.1	2.1	2.1	2.4	2.1	3.2	3.3	
12/02	0.1	0.4	0.0	0.7	1.2	0.2	0.3	0.0	0.5	1.1	1.9	2.0	2.3	1.9	2.6	3.2	2.1	2.2	1.9	2.4	3.1	
13/02	0.4	0.2	0.0	2.2	0.1	0.3	0.1	0.0	0.2	2.1	1.7	2.2	1.9	1.7	3.9	1.9	2.0	1.8	1.7	1.9	3.8	
14/02	0.1	0.1	0.0	1.4	1.3	0.8	0.2	0.0	0.1	3.3	2.4	2.6	2.5	2.5	3.9	3.7	3.2	2.6	2.5	2.5	5.7	
15/02	0.0	0.6	0.0	0.9	0.0	0.4	0.0	0.1	0.7	1.1	2.7	2.8	3.3	2.7	3.6	2.7	3.1	2.7	2.8	3.4	3.8	
16/02	0.1	0.0	0.0	1.7	0.0	0.0	0.0	0.5	0.1	2.2	2.4	2.5	2.4	2.4	4.1	2.4	2.4	2.4	2.9	2.5	4.6	
17/02	0.3	0.2	0.0	0.8	0.1	0.3	0.0	0.1	0.3	1.2	2.1	2.4	2.3	2.1	2.9	2.1	2.3	2.1	2.2	2.3	3.3	
18/02	0.1	0.5	0.0	0.9	0.0	0.0	0.0	0.0	0.6	0.8	2.2	2.4	2.7	2.2	3.2	2.2	2.2	2.2	2.2	2.8	3.0	
19/02	0.8	0.4	0.0	1.0	0.0	0.0	0.1	0.0	0.9	1.1	2.1	2.9	2.5	2.1	3.1	2.1	2.1	2.2	2.1	3.0	3.2	
20/02	0.0	0.0	0.0	1.2	0.0	0.1	0.0	1.4	0.1	1.7	2.0	2.0	2.0	2.0	3.2	2.0	2.1	2.0	3.4	2.1	3.7	
21/02	0.3	0.0	0.0	0.1	0.2	0.5	0.4	0.0	0.1	0.6	2.6	2.9	2.6	2.6	2.7	2.8	3.1	3.0	2.6	2.7	3.2	
22/02	0.2	0.3	0.0	1.5	1.0	0.0	0.1	0.1	0.4	1.8	2.6	2.8	2.9	2.6	4.1	3.6	2.6	2.7	3.0	4.4		
23/02	0.1	0.3	0.0	1.1	0.9	0.0	0.9	0.0	0.5	1.2	2.1	2.3	2.4	2.1	3.2	3.0	2.1	3.0	2.2	2.6	3.3	
24/02	0.5	0.1	0.0	0.8	0.0	0.0	0.0	0.0	0.3	1.8	2.1	2.6	2.2	2.1	2.9	2.1	2.1	2.2	2.1	2.5	3.9	
25/02	0.4	0.2	0.0	1.0	0.0	0.2	0.0	0.1	0.3	0.9	2.3	2.6	2.5	2.3	3.3	2.3	2.5	2.3	2.3	2.5	3.2	
26/02	0.3	0.2	0.0	1.0	0.0	0.0	0.0	0.0	0.3	1.3	1.8	2.2	2.1	1.8	2.9	1.8	1.8	1.9	1.9	2.1	3.1	
27/02	0.0	0.1	0.0	0.4	0.4	0.6	0.1	1.0	0.2	2.2	1.6	1.6	1.7	1.6	1.9	2.0	2.2	1.7	2.5	1.7	3.8	
28/02	0.1	0.2	0.0	1.6	0.0	0.4	0.0	0.0	0.3	1.3	2.5	2.6	2.7	2.5	4.0	2.5	2.8	2.5	2.5	2.8	3.8	
01/03	0.0	0.2	0.0	0.4	0.0	0.0	0.0	0.1	0.4	0.9	2.2	2.2	2.3	2.2	2.6	2.2	2.2	2.2	2.3	2.5	3.1	
02/03	1.0	0.6	0.4	0.4	0.5	0.2	1.9	0.0	0.7	0.3	1.5	2.5	2.2	1.9	1.9	2.0	1.7	3.5	1.5	2.3	1.9	
03/03	1.0	0.2	0.2	0.5	0.0	0.0	0.4	0.0	0.3	1.0	2.1	3.1	2.3	2.3	2.6	2.1	2.1	2.5	2.1	2.4	3.1	
04/03	0.1	0.4	0.0	0.7	0.0	0.3	0.0	0.0	0.4	1.4	2.1	2.2	2.5	2.1	2.8	2.1	2.5	2.1	2.1	2.5	3.5	
05/03	0.4	0.1	0.0	1.1	0.0	0.1	1.7	0.0	0.5	1.3	1.7	2.1	1.8	1.7	2.8	1.7	1.8	3.4	1.8	2.2	3.0	
06/03	0.8	0.2	0.5	0.4	0.0	0.7	0.9	0.1	0.2	1.6	1.4	2.3	1.6	1.9	1.8	1.4	2.1	2.3	1.5	1.6	3.0	
07/03	0.1	0.3	0.0	0.6	0.3	0.3	0.1	0.0	0.2	0.9	1.7	1.										

SO ₂ - Periodo 24h - Valore Limite 125 µg/m ³ più di 3 volte/anno																					
Giorno - ora	R1	R2	R3	R4	R5	R6	X1	X2	X3	X4	Val. Rif. Meucci	R1-BG	R2-BG	R3-BG	R4-BG	R5-BG	R6-BG	X1-BG	X2-BG	X3-BG	X4-BG
20/03	0.7	0.4	0.0	0.1	0.2	0.4	0.1	0.0	0.9	0.5	0.9	1.5	1.2	0.9	1.0	1.0	1.3	1.0	0.9	1.8	1.4
21/03	0.6	0.2	0.0	0.4	0.2	1.0	0.3	0.1	0.5	0.5	1.6	2.2	1.8	1.6	2.0	1.8	2.6	1.9	1.7	2.1	2.1
22/03	0.4	0.1	0.0	1.3	0.1	0.4	0.3	0.5	0.2	1.1	1.5	1.9	1.5	1.5	2.8	1.5	1.9	1.8	2.0	1.7	2.6
23/03	0.2	0.2	0.0	0.7	0.3	0.1	0.0	0.0	0.3	1.4	1.4	1.7	1.7	1.4	2.1	1.7	1.5	1.4	1.4	1.7	2.8
24/03	0.9	0.1	0.2	0.6	0.9	1.0	1.7	0.0	0.3	0.5	1.3	2.3	1.4	1.5	1.9	2.3	2.4	3.0	1.3	1.6	1.9
25/03	0.0	0.2	0.0	1.1	0.0	0.0	0.0	0.5	0.2	3.4	1.5	1.6	1.7	1.5	2.7	1.5	1.5	1.5	2.1	1.8	5.0
26/03	0.7	0.4	0.2	0.7	3.1	0.1	2.5	0.9	0.6	0.5	1.0	1.7	1.5	1.2	1.8	4.1	1.2	3.6	1.9	1.6	1.5
27/03	0.5	0.3	0.0	0.3	1.1	0.0	0.0	0.8	0.0	0.6	0.4	1.3	1.8	1.6	1.3	1.6	2.4	1.4	2.1	1.3	1.7
28/03	0.2	0.6	0.0	0.4	0.0	0.0	0.0	0.0	0.6	1.4	1.4	1.6	2.0	1.4	1.8	1.4	1.4	1.4	1.4	2.0	2.7
29/03	1.2	0.4	0.0	0.2	0.0	0.0	0.3	0.0	1.0	0.7	1.7	3.0	2.1	1.7	2.0	1.7	1.7	2.0	1.8	2.7	2.4
30/03	0.2	0.2	0.0	0.5	0.0	0.0	0.0	0.1	0.2	0.8	1.5	1.6	1.7	1.5	1.9	1.5	1.5	1.5	1.6	1.7	2.3
31/03	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.2	0.1	1.2	1.7	1.7	1.7	1.7	1.9	1.7	1.7	1.7	1.9	1.7	2.9
01/04	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.1	0.0	1.3	1.8	1.8	1.8	1.8	2.2	1.8	1.8	1.8	1.9	1.8	3.0
02/04	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.2	0.1	1.0	1.6	1.6	1.6	1.6	1.9	1.6	1.8	1.6	1.8	1.7	2.6
03/04	0.8	0.8	0.0	0.3	0.1	0.3	0.7	0.0	0.8	0.9	1.2	2.0	2.0	1.2	1.5	1.3	1.4	1.9	1.2	2.0	2.1
04/04	0.8	0.6	0.0	0.0	0.3	0.1	0.2	0.0	0.9	0.2	1.2	2.1	1.9	1.2	1.2	1.5	1.3	1.4	1.2	2.1	1.4
05/04	0.1	0.4	0.0	0.3	0.0	0.0	0.2	0.5	0.4	1.4	1.6	1.8	2.0	1.6	1.9	1.6	1.6	1.8	2.1	2.1	3.0
06/04	0.4	0.1	0.1	0.8	0.0	0.1	0.4	0.0	0.3	0.9	1.5	1.9	1.7	1.6	2.3	1.6	1.6	2.0	1.6	1.8	2.5
07/04	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.4	0.8	1.8	1.9	2.1	1.8	2.1	1.8	1.8	1.8	1.8	2.2	2.6
08/04	1.2	0.4	0.5	0.6	0.0	0.0	0.5	0.0	0.4	0.8	1.3	2.6	1.7	1.8	2.0	1.3	1.4	1.8	1.4	1.8	2.1
09/04	0.5	1.1	0.0	0.3	0.0	0.1	0.0	0.0	0.9	0.6	1.3	1.8	2.4	1.3	1.6	1.3	1.4	1.3	1.3	2.1	1.9
10/04	0.2	0.5	0.0	0.2	0.1	0.4	0.1	0.0	0.6	1.2	1.2	1.4	1.7	1.2	1.4	1.3	1.6	1.2	1.2	1.8	2.3
11/04	0.1	0.6	0.0	0.3	0.0	0.0	0.0	0.2	0.7	0.3	1.7	1.8	2.3	1.7	1.9	1.7	1.7	1.7	1.9	2.4	1.9
12/04	0.7	0.6	0.0	0.5	0.0	0.0	0.0	0.0	0.6	1.3	1.8	2.5	2.4	1.8	2.4	1.8	1.9	1.8	1.9	2.5	3.1
13/04	0.0	0.1	0.0	0.9	0.0	0.0	0.0	0.1	0.2	1.5	1.7	1.7	1.8	1.7	2.6	1.7	1.7	1.7	1.8	1.9	3.2
14/04	0.8	0.7	0.0	0.3	0.0	0.0	0.1	0.0	0.8	1.1	1.6	2.4	2.3	1.6	1.8	1.6	1.6	1.6	2.3	2.7	2.7
15/04	0.1	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.4	1.6	2.2	2.2	2.5	2.2	2.6	2.2	2.2	2.2	2.2	2.6	3.7
16/04	0.1	1.0	0.0	0.6	0.0	0.0	0.0	0.1	1.0	1.0	1.8	1.9	2.8	1.8	2.4	1.8	1.8	1.8	1.9	2.8	2.8
17/04	0.1	0.4	0.0	0.4	0.0	0.0	0.1	0.8	0.6	1.4	1.6	1.7	2.1	1.6	2.0	1.6	1.6	1.7	2.5	2.3	3.0
18/04	0.2	0.1	0.0	0.2	0.0	0.0	0.2	0.3	0.2	0.5	1.8	2.0	1.9	1.8	2.0	1.8	1.8	2.0	2.1	2.0	2.3
19/04	0.5	0.7	0.0	0.7	0.0	0.1	0.1	0.0	1.0	0.4	1.9	2.4	2.6	1.9	2.5	1.9	2.0	2.0	1.9	2.9	2.3
20/04	0.2	0.7	0.0	0.6	0.0	0.0	0.0	0.0	0.7	1.2	1.8	2.0	2.5	1.8	2.4	1.8	1.8	1.8	1.8	2.5	3.0
21/04	0.1	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.6	1.1	1.9	2.0	2.5	1.9	2.4	1.9	1.9	1.9	2.0	2.5	3.1
22/04	0.0	0.2	0.0	0.8	0.0	0.0	0.0	0.0	0.3	1.7	2.4	2.4	2.6	2.4	3.2	2.4	2.4	2.4	2.4	2.7	4.1
23/04	0.1	0.2	0.0	0.1	0.0	0.0	0.1	0.8	0.3	0.9	1.8	1.9	2.0	1.8	1.9	1.8	1.8	1.8	2.6	2.1	2.6
24/04	0.8	0.2	0.1	0.2	0.0	0.5	0.3	0.0	0.5	0.4	1.5	2.3	1.7	1.6	1.7	1.5	2.0	1.8	1.5	2.0	1.9
25/04	0.5	1.4	0.0	0.4	0.2	0.1	0.2	0.2	1.4	0.6	1.4	1.9	2.8	1.4	1.8	1.6	1.5	1.6	1.6	2.8	2.0
26/04	0.3	0.6	0.0	0.6	0.0	0.2	0.5	0.1	0.7	1.2	1.5	1.8	2.1	1.5	2.1	1.5	1.7	2.0	1.6	2.2	2.7
27/04	0.0	0.0	0.0	2.4	0.1	0.6	0.2	2.8	0.0	2.9	1.7	1.7	1.7	1.7	4.1	1.8	2.3	1.9	4.6	1.7	4.6
28/04	1.2	0.2	0.4	0.9	0.1	0.0	1.2	0.4	0.4	2.0	1.2	2.4	1.4	1.6	2.1	1.3	1.2	2.4	1.5	1.6	3.1
29/04	0.3	0.0	0.0	0.2	0.0	0.2	0.1	0.0	0.2	1.3	1.7	2.0	1.7	1.7	1.9	1.7	1.9	1.8	1.7	1.9	3.1
30/04	0.7	1.0	0.0	0.1	0.0	0.0	0.0	0.0	1.1	0.6	1.8	2.5	2.8	1.8	1.9	1.8	1.8	1.8	1.8	2.9	2.4
01/05	0.0	0.1	0.0	1.9	0.0	0.4	0.0	0.0	0.1	2.8	1.5	1.5	1.6	1.5	3.4	1.5	1.9	1.5	1.5	1.6	4.3
02/05	1.0	0.2	0.3	0.1	0.0	0.0	2.7	0.0	0.4	0.3	1.6	2.5	1.8	1.8	1.7	1.6	1.6	4.3	1.6	1.9	1.9
03/05	0.1	0.1	0.0	0.8	0.0	0.1	0.0	0.4	0.2	2.1	1.6	1.7	1.6	1.6	2.4	1.6	1.6	1.6	2.0	1.8	3.7
04/05	0.4	0.1	0.3	1.4	0.2	0.0	0.5	0.0	0.1	1.2	1.3	1.7	1.4	1.6	2.6	1.5	1.3	1.8	1.3	1.4	2.5
05/05	0.7	0.7	0.0	0.6	0.0	0.0	0.0	0.0	0.6	0.9	1.9	2.7	2.6	1.9	2.6	1.9	1.9	1.9	1.9	2.5	2.8
06/05	0.1	0.1	0.0	1.1	0.0	0.0	0.0	0.2	0.1	1.5	1.6	1.7	1.7	1.6	2.7	1.6	1.6	1.6	1.8	1.7	3.1
07/05	0.2	0.8	0.0	0.2	0.0	0.0	0.0	0.0	0.8	0.5	1.7	1.9	2.4	1.7	1.9	1.7	1.7	1.7	1.7	2.5	2.1
08/05	0.1	0.1	0.0	0.2	0.0	0.1	0.0	0.0	0.2	1.4	1.8	1.9	1.9	1.8	2.0	1.8	1.9	1.8	1.8	2.0	3.2
09/05	0.6	0.1	0.3	0.1	0.5	0.2	1.2	0.0	0.1	0.9	1.5	2.0	1.6	1.8	1.6	2.0	1.6	2.7	1.5	1.6	2.4
10/05	0.3	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.8	0.6	1.9	2.2	2.6	1.9	2.1	1.9	1.9	1.9	1.9	2.7	2.5
11/05	0.2	0.4	0.0	0.3	0.0	0.1	0.0	0.1	0.5	1.5	2.1	2.3	2.6	2.1	2.4	2.1	2.2	2.1	2.2	2.6	3.6
12/05	0.5	0.5	0.0	0.4	0.0	0.0	0.1	0.0	0.5	0.9	1.9	2.4	2.4	2.0	2.4	2.0	2.0	2.0	2.0	2.5	2.8
13/05	0.4	0.7	0.0	0.1	0.0	0.0	0.1	0.0	0.9	0.5	2.2	2.6	2.9	2.2	2.3	2.2	2.2	2.3	2.2	3.1	2.7
14/05	0.4	0.2	0.0	0.2	0.1	0.0	0.2	0.1	0.3	0.6	2.0	2.4	2.2	2.0	2.2	2.0	2.0	2.2	2.1	2.3	2.6
15/05	0.4	0.3	0.0	0.0	0.0	0.4	0.4	0.0	0.3	0.2	2.0	2.4	2.2	2.0	2.0	2.0	2.4	2.4	2.0	2.3	2.2
16/05	0.6	0.5	0.0	0.2	0.0	0.0	0.0	0.1	0.6	0.3	2.2	2.8	2.7	2.2	2.4	2.2	2.2	2.2	2.4	2.8	2.5
17/05	0.5	0.6	0.0	0.2	0.0	0.0	0.1	0.0	0.6	0.5	2.3	2.8	2.9	2.3	2.6	2.3	2.3	2.4	2.4	3.0	2.8
18/05	1.2	1.2	0.0	0.3	0.0	0.0	0.0	0.0	1.1	1.2	2.0	3.2	3.2	2.0	2.3	2.0	2.1	2.1	2.0	3.1	3.2
19/05	0.4	0.3	0.0	0.1	0.0	0.0	0.1	0.4	0.5	0.5	2.2	2.6	2.5	2.2	2.3	2.2	2.2	2.3	2.6	2.7	2.7
20/05	0.6	0.4	0.0	0.2	0.1	0.0	0.0	1.4	0.5	0.9	2.3	2.9	2.8	2.3	2.5	2.4	2.3	2.4	3.8	2.9	3.2
21/05	0.3	0.3	0.0	0.3	0.0	0.1	0.0	0.1	0.5	1.2	2.4	2.7	2.7	2.4	2.7	2.4	2.5	2.4	2.5	2.9	3.6
22/05	0.3	1.1	0.0	0.0	0.0	0.0	0.0	0.9	1.2	0.8	2.4	2.7	3.5	2.4	2.4	2.4	2.4	2.4	3.3	3.6	3.2
23/05	0.4	0.8	0.0	0.1	0.0	0.1	0.0	0.1	0.9	0.6	2.5	3.0	3.3	2.5	2.6	2.5	2.6	2.5	2.6	3.4	3.1
24/05	0.0	0.5	0.0	0.1	0.0	0.1	0.0	0.1	0.5	0.6	2.4										

SO ₂ - Periodo 24h - Valore Limite 125 µg/m ³ più di 3 volte/anno																					
Giorno - ora	R1	R2	R3	R4	R5	R6	X1	X2	X3	X4	Val. Rif. Meucci	R1-BG	R2-BG	R3-BG	R4-BG	R5-BG	R6-BG	X1-BG	X2-BG	X3-BG	X4-BG
06/06	0.1	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.1	1.0	1.3	1.4	1.4	1.3	1.5	1.3	1.3	1.3	1.3	1.4	2.3
07/06	0.1	0.4	0.0	0.2	0.0	0.0	0.0	0.1	0.6	0.4	1.3	1.5	1.8	1.3	1.5	1.3	1.3	1.3	1.4	1.9	1.7
08/06	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.9	1.4	1.5	1.5	1.4	1.5	1.4	1.4	1.4	1.4	1.5	2.3
09/06	0.8	0.6	0.0	0.2	0.0	0.2	0.1	0.0	0.6	1.1	1.4	2.2	2.0	1.4	1.6	1.4	1.6	1.5	1.4	2.0	2.5
10/06	0.1	0.3	0.0	0.2	0.0	0.0	0.1	0.2	0.9	0.8	1.5	1.6	1.7	1.5	1.7	1.5	1.5	1.5	1.6	2.3	2.3
11/06	0.4	0.5	0.0	0.2	0.0	0.2	0.0	0.0	0.5	0.3	1.5	2.0	2.0	1.5	1.7	1.5	1.8	1.5	1.5	2.0	1.9
12/06	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.1	0.0	2.7	1.5	1.5	1.5	1.5	2.7	1.5	1.5	1.5	1.6	1.5	4.1
13/06	0.2	0.1	0.0	0.2	0.0	0.0	0.1	0.0	0.1	1.2	1.7	1.8	1.7	1.7	1.8	1.7	1.7	1.8	1.7	1.8	2.9
14/06	0.6	0.7	0.5	0.5	0.0	0.2	0.8	0.0	0.7	1.1	1.2	1.8	1.9	1.7	1.7	1.2	1.4	2.0	1.3	1.9	2.3
15/06	0.4	0.2	0.0	0.6	0.0	0.0	0.0	0.0	0.3	1.3	1.7	2.1	1.9	1.7	2.3	1.7	1.7	1.7	1.7	2.0	3.0
16/06	0.1	0.1	0.0	0.2	0.0	0.0	0.0	0.1	0.1	1.7	1.6	1.6	1.7	1.6	1.8	1.6	1.6	1.6	1.6	1.7	3.3
17/06	0.9	0.3	0.0	0.0	0.0	0.1	0.2	0.0	0.9	0.5	1.7	2.6	2.0	1.7	1.7	1.7	1.8	1.8	1.7	2.6	2.2
18/06	1.0	0.4	0.0	0.1	0.0	0.1	0.1	0.0	1.1	0.5	1.6	2.5	2.0	1.6	1.7	1.6	1.6	1.7	1.6	2.6	2.1
19/06	0.3	0.1	0.0	0.2	0.1	0.0	0.8	0.0	0.2	0.8	1.9	2.2	2.0	1.9	2.1	2.1	1.9	2.7	1.9	2.1	2.7
20/06	0.4	0.1	0.0	0.0	0.4	0.0	2.7	0.0	0.2	0.0	2.2	2.6	2.3	2.2	2.2	2.6	2.2	4.9	2.2	2.4	2.2
21/06	0.2	0.7	0.0	0.1	0.0	0.0	0.0	0.0	0.7	0.5	2.1	2.3	2.8	2.1	2.2	2.1	2.1	2.1	2.1	2.8	2.5
22/06	0.7	0.5	0.0	0.1	0.0	0.0	0.2	0.0	0.7	0.6	1.6	2.3	2.1	1.7	1.8	1.7	1.6	1.8	1.6	2.3	2.2
23/06	0.1	0.1	0.0	0.3	0.0	0.0	0.2	0.4	0.1	1.1	1.5	1.6	1.6	1.5	1.8	1.5	1.5	1.7	1.9	1.6	2.6
24/06	0.6	0.7	0.0	0.0	0.0	0.3	0.0	0.1	0.8	0.2	1.5	2.1	2.2	1.5	1.5	1.5	1.8	1.6	1.6	2.3	1.7
25/06	0.4	0.6	0.0	0.1	0.0	0.0	0.1	0.0	0.7	0.6	1.4	1.8	2.0	1.4	1.5	1.4	1.4	1.5	1.4	2.1	2.0
26/06	0.5	0.8	0.0	0.4	0.0	0.0	0.0	0.1	0.8	0.7	1.5	2.0	2.3	1.5	1.9	1.5	1.5	1.5	1.6	2.3	2.2
27/06	0.1	0.1	0.0	0.2	0.2	0.0	1.1	0.0	0.2	0.9	2.0	2.1	2.1	2.0	2.2	2.2	2.0	3.0	2.0	2.2	2.8
28/06	0.6	0.6	0.0	0.1	0.0	0.0	0.0	0.0	0.6	0.5	1.7	2.3	2.3	1.7	1.9	1.7	1.7	1.8	1.8	2.3	2.2
29/06	0.9	0.2	0.0	0.1	0.0	0.0	0.3	0.0	0.5	0.8	1.5	2.4	1.7	1.5	1.6	1.5	1.5	1.8	1.5	2.0	2.3
30/06	0.8	0.9	0.0	0.2	0.0	0.2	0.1	0.0	0.8	0.6	1.3	2.1	2.3	1.3	1.5	1.3	1.5	1.4	1.4	2.2	1.9
01/07	1.0	0.6	0.0	0.1	0.0	0.0	0.0	0.0	0.6	0.4	1.5	2.4	2.0	1.5	1.6	1.5	1.5	1.5	1.5	2.1	1.9
02/07	0.7	0.2	0.4	0.0	0.0	0.2	0.5	0.0	0.3	0.6	1.4	2.1	1.6	1.8	1.4	1.4	1.6	1.9	1.4	1.7	1.9
03/07	0.2	0.1	0.0	0.3	0.1	0.0	0.1	0.0	0.2	0.7	1.3	1.6	1.4	1.3	1.6	1.5	1.3	1.5	1.4	1.6	2.1
04/07	0.6	0.7	0.0	0.1	0.0	0.0	0.1	0.0	0.8	0.5	1.4	2.0	2.1	1.5	1.6	1.5	1.4	1.5	1.5	2.2	1.9
05/07	0.9	0.5	0.0	0.3	0.0	0.1	0.0	0.1	0.6	1.1	1.5	2.4	2.1	1.5	1.8	1.5	1.6	1.6	1.6	2.1	2.6
06/07	1.1	0.3	0.3	0.1	0.0	0.0	0.7	0.0	0.5	0.5	1.1	2.3	1.5	1.4	1.2	1.1	1.1	1.8	1.2	1.6	1.6
07/07	0.5	1.1	0.0	0.2	0.0	0.0	0.0	0.0	1.1	1.0	1.4	1.9	2.5	1.4	1.7	1.4	1.4	1.5	1.4	2.5	2.4
08/07	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.7	0.2	0.3	1.5	1.6	1.6	1.5	1.6	1.5	1.5	1.6	2.2	1.8	1.9
09/07	0.6	0.2	0.1	0.0	0.0	0.7	0.3	0.0	0.4	0.2	1.3	1.9	1.5	1.4	1.3	1.3	2.0	1.5	1.3	1.6	1.4
10/07	0.6	0.8	0.0	0.1	0.0	0.0	0.1	0.0	0.8	0.7	1.4	2.1	2.3	1.4	1.6	1.4	1.5	1.5	1.4	2.3	2.2
11/07	0.1	0.5	0.0	0.2	0.0	0.0	0.0	0.0	0.6	1.3	1.5	1.6	2.0	1.5	1.7	1.5	1.5	1.5	1.5	2.0	2.8
12/07	0.5	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.6	1.1	1.6	2.1	2.2	1.6	1.8	1.6	1.6	1.6	1.6	2.2	2.7
13/07	1.1	0.4	0.0	0.2	0.1	0.4	0.6	0.0	0.7	0.5	1.3	2.4	1.7	1.4	1.5	1.4	1.8	1.9	1.4	2.1	1.9
14/07	1.1	0.2	0.1	0.3	0.1	0.0	1.2	0.0	0.3	1.3	1.2	2.4	1.4	1.4	1.6	1.3	1.2	2.4	1.3	1.5	2.5
15/07	0.7	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.7	0.8	1.6	2.2	2.3	1.6	1.7	1.6	1.6	1.6	1.6	2.3	2.4
16/07	0.4	0.6	0.0	0.4	0.0	0.1	0.0	0.0	0.8	0.5	1.6	2.1	2.3	1.6	2.1	1.6	1.8	1.6	1.6	2.4	2.1
17/07	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.6	1.6	1.7	1.8	1.7	1.8	1.6	1.7	1.7	1.7	1.9	2.3
18/07	0.3	0.4	0.0	0.2	0.0	0.0	0.0	0.1	0.8	1.0	1.7	1.9	2.1	1.7	1.9	1.7	1.7	1.7	1.7	2.4	2.7
19/07	0.2	0.4	0.0	0.1	0.0	0.0	0.1	0.0	0.5	0.8	1.5	1.8	1.9	1.5	1.7	1.6	1.5	1.6	1.5	2.0	2.4
20/07	0.5	0.5	0.0	0.1	0.0	0.1	0.1	0.1	0.6	0.6	1.6	2.1	2.1	1.6	1.7	1.7	1.7	1.7	1.7	2.3	2.2
21/07	0.4	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.4	1.0	1.6	1.9	1.9	1.6	1.8	1.6	1.6	1.6	1.6	2.0	2.6
22/07	0.3	0.5	0.0	0.3	0.0	0.0	0.0	0.0	0.6	0.8	1.6	1.8	2.0	1.6	1.9	1.6	1.6	1.6	1.6	2.1	2.3
23/07	0.1	0.2	0.0	0.2	0.0	0.5	0.0	0.0	0.3	0.8	1.5	1.6	1.7	1.5	1.6	1.5	1.9	1.5	1.5	1.8	2.2
24/07	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.1	0.3	0.7	1.4	1.5	1.6	1.4	1.5	1.4	1.4	1.4	1.4	1.6	2.1
25/07	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.3	0.5	1.6	1.7	1.7	1.6	1.7	1.6	1.7	1.7	1.7	1.9	2.1
26/07	0.7	0.2	0.0	0.0	0.0	0.0	1.2	0.0	0.4	0.1	1.4	2.0	1.5	1.4	1.4	1.4	1.4	2.6	1.4	1.8	1.5
27/07	0.2	0.4	0.0	0.3	0.0	0.0	0.2	0.1	0.5	1.0	0.9	1.1	1.4	0.9	1.2	0.9	0.9	1.1	1.0	1.4	1.9
28/07	0.2	0.3	0.0	0.3	0.0	0.1	0.0	0.0	0.4	1.4	0.9	1.0	1.1	0.9	1.2	0.9	0.9	0.9	0.9	1.2	2.2
29/07	0.3	0.3	0.0	0.2	0.0	0.0	0.0	0.4	0.5	1.1	1.0	1.2	1.3	1.0	1.1	1.0	1.0	1.0	1.4	1.4	2.1
30/07	0.7	0.2	0.1	0.0	0.0	0.0	0.5	0.0	0.3	0.1	1.0	1.6	1.2	1.1	1.0	1.0	1.0	1.5	1.0	1.3	1.1
31/07	1.0	0.3	0.2	0.0	0.0	0.1	0.5	0.0	0.5	0.2	0.9	1.9	1.2	1.1	0.9	0.9	1.0	1.4	0.9	1.4	1.1
01/08	0.1	0.0	0.0	0.7	0.0	0.7	0.1	0.0	0.1	1.6	1.2	1.3	1.2	1.2	1.9	1.2	1.9	1.3	1.2	1.3	2.8
02/08	0.2	0.3	0.0	0.3	0.0	0.5	0.1	0.1	0.4	1.4	1.1	1.3	1.5	1.1	1.4	1.1	1.6	1.2	1.2	1.6	2.5
03/08	0.6	0.4	0.0	0.5	0.0	0.0	0.0	0.1	0.5	1.2	0.9	1.5	1.3	0.9	1.4	0.9	0.9	1.0	1.0	1.4	2.1
04/08	0.3	0.1	0.0	0.2	0.0	0.4	0.0	0.0	0.2	1.2	1.0	1.3	1.1	1.0	1.1	1.0	1.4	1.0	1.0	1.2	2.1
05/08	0.3	0.5	0.0	0.6	0.0	0.0	0.0	0.0	0.5	1.7	1.2	1.4	1.7	1.2	1.8	1.2	1.2	1.2	1.2	1.7	2.9
06/08	0.3	0.6	0.0	0.4	0.0	0.0	0.1	0.0	0.7	0.8	1.0	1.3	1.6	1.0	1.4	1.0	1.0	1.1	1.1	1.7	1.9
07/08	0.2	0.4	0.0	1.1	0.0	0.0	0.0	0.0	0.5	1.8	0.4	0.6	0.9	0.4	1.5	0.4	0.5	0.4	0.5	1.0	2.3
08/08	0.3	0.4	0.0	0.9	0.0	0.0	0.0	0.0	0.5	1.6	0.7	1.0	1.1	0.7	1.5	0.7	0.7	0.7	0.7	1.1	2.2
09/08	0.1	0.1	0.0	0.4	0.0	0.1	0.0	0.0	0.1	1.8	0.6	0.6	0.6	0.6	0.9	0.6	0.6	0.6	0.6	0.7	2.3
10/08	0.4	0.3	0.0	0.4	0.0	0.1	0.2	0.1	0.4	0.8	0.6										

SO ₂ - Periodo 24h - Valore Limite 125 µg/m ³ più di 3 volte/anno																						
Giorno - ora	R1	R2	R3	R4	R5	R6	X1	X2	X3	X4	Val. Rif. Meucci	R1-BG	R2-BG	R3-BG	R4-BG	R5-BG	R6-BG	X1-BG	X2-BG	X3-BG	X4-BG	
23/08	0.7	0.7	0.0	0.6	0.0	0.0	0.0	0.0	0.7	1.6	0.9	1.6	1.6	0.9	1.5	0.9	0.9	0.9	0.9	1.6	2.5	
24/08	0.6	0.6	0.0	1.2	0.0	0.0	0.0	0.0	0.7	1.8	0.9	1.5	1.4	0.9	2.1	0.9	0.9	0.9	0.9	1.6	2.7	
25/08	0.5	0.2	0.0	0.2	0.0	0.6	0.0	0.0	0.5	0.6	1.0	1.4	1.2	1.0	1.1	1.0	1.6	1.0	1.0	1.4	1.5	
26/08	0.9	0.7	0.1	0.3	0.0	0.0	0.4	0.0	0.7	0.9	1.0	1.9	1.6	1.0	1.3	1.0	1.0	1.3	1.0	1.7	1.9	
27/08	0.3	0.6	0.0	0.6	0.0	0.0	0.0	0.1	0.6	1.9	1.0	1.3	1.5	1.0	1.6	1.0	1.0	1.0	1.0	1.5	2.8	
28/08	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.5	0.2	2.3	1.4	1.4	1.5	1.4	2.3	1.4	1.4	1.4	1.9	1.6	3.7	
29/08	0.3	0.1	0.0	1.3	0.0	0.0	0.0	0.0	0.2	1.8	1.8	2.1	1.9	1.8	3.1	1.8	1.8	1.8	1.8	1.9	3.5	
30/08	0.0	0.0	0.0	1.3	0.0	0.1	0.0	0.1	0.0	2.8	1.5	1.5	1.5	1.5	2.7	1.5	1.5	1.5	1.5	1.5	4.2	
31/08	0.2	0.2	0.0	1.3	0.0	0.0	0.0	0.0	0.2	2.2	2.0	2.2	2.2	2.0	3.3	2.0	2.0	2.0	2.0	2.2	4.2	
01/09	0.4	0.8	0.0	0.4	0.0	0.2	0.0	0.4	1.0	1.0	1.9	2.3	2.6	1.9	2.3	1.9	2.1	1.9	2.3	2.8	2.9	
02/09	0.3	0.2	0.0	0.1	0.0	0.5	0.3	0.0	0.3	0.9	1.5	1.8	1.8	1.6	1.6	1.6	2.0	1.8	1.5	1.8	2.5	
03/09	0.2	0.2	0.0	0.2	0.0	0.0	0.1	0.1	0.3	1.2	1.5	1.8	1.7	1.6	1.8	1.6	1.6	1.6	1.6	1.6	2.8	
04/09	0.1	0.5	0.0	0.6	0.0	0.0	0.0	0.1	0.9	1.7	1.7	1.8	2.2	1.7	2.3	1.7	1.7	1.7	1.8	2.6	3.4	
05/09	0.2	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.3	1.1	1.8	2.0	2.0	1.8	2.0	1.8	1.8	1.8	1.8	2.0	2.9	
06/09	0.4	0.3	0.0	0.7	0.0	0.0	0.0	0.0	0.3	1.7	1.8	2.2	2.1	1.8	2.5	1.8	1.8	1.8	1.8	2.1	3.5	
07/09	0.1	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.2	1.8	1.7	1.8	1.9	1.7	2.0	1.7	1.7	1.7	1.7	2.0	3.6	
08/09	0.1	1.1	0.0	0.4	0.0	0.0	0.0	0.0	1.2	1.1	1.6	1.7	2.7	1.6	2.0	1.6	1.6	1.6	1.6	2.7	2.6	
09/09	0.8	0.1	0.1	0.1	0.0	0.0	1.2	0.0	0.4	0.7	1.9	2.7	2.1	2.0	2.0	1.9	1.9	3.1	2.0	2.3	2.7	
10/09	0.7	0.4	0.2	0.1	0.2	0.8	0.9	0.0	0.4	0.5	1.6	2.3	2.0	1.8	1.8	1.8	2.4	2.5	1.7	2.1	2.1	
11/09	0.1	0.4	0.0	1.0	0.1	0.1	0.1	0.5	0.5	1.9	2.0	2.0	2.3	2.0	2.9	2.0	2.0	2.0	2.4	2.5	3.9	
12/09	0.3	0.2	0.0	0.8	0.0	0.0	0.0	0.4	0.2	2.1	2.1	2.4	2.2	2.1	2.9	2.1	2.1	2.1	2.5	2.3	4.1	
13/09	0.1	1.1	0.0	0.4	0.0	0.1	0.1	0.0	1.2	0.5	1.9	2.1	3.0	1.9	2.3	1.9	2.0	2.1	1.9	3.2	2.5	
14/09	0.2	0.1	0.0	0.2	0.1	0.3	0.1	0.0	0.2	1.2	1.7	2.0	1.8	1.8	1.9	1.8	2.0	1.9	1.7	1.9	3.0	
15/09	0.2	0.0	0.0	0.0	0.2	0.5	0.5	0.0	0.1	0.6	1.8	2.0	1.8	1.8	1.8	2.0	2.3	2.3	1.8	1.9	2.3	
16/09	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	2.0	1.9	1.9	1.9	1.9	2.1	1.9	2.1	1.9	1.9	1.9	3.9	
17/09	0.1	0.1	0.0	1.2	0.0	0.0	0.2	0.3	0.1	1.6	2.0	2.1	2.0	2.0	3.2	2.0	2.0	2.2	2.3	2.1	3.5	
18/09	0.2	0.2	0.0	0.5	0.0	0.1	0.2	0.4	0.5	0.6	1.9	2.1	2.1	1.9	2.4	1.9	2.0	2.1	2.3	2.4	2.5	
19/09	0.3	0.3	0.0	0.2	0.0	0.2	0.0	0.1	0.4	0.8	2.2	2.5	2.5	2.2	2.4	2.2	2.4	2.3	2.3	2.6	3.0	
20/09	0.1	0.3	0.0	0.5	0.0	0.0	0.1	0.0	0.4	0.7	2.1	2.3	2.5	2.1	2.7	2.1	2.1	2.2	2.2	2.6	2.8	
21/09	0.2	0.8	0.0	0.6	0.0	0.0	0.0	0.0	1.0	1.8	2.0	2.2	2.8	2.0	2.6	2.0	2.0	2.0	2.0	2.9	3.8	
22/09	0.1	0.3	0.0	0.1	0.1	0.7	0.4	0.0	0.3	0.6	2.0	2.1	2.2	2.0	2.0	2.0	2.6	2.3	2.0	2.3	2.6	
23/09	0.4	0.2	0.0	0.3	0.7	0.1	0.3	0.1	0.3	0.7	2.2	2.5	2.4	2.2	2.4	2.8	2.2	2.5	2.3	2.4	2.8	
24/09	0.6	0.9	0.0	0.5	0.0	0.0	0.0	0.0	1.0	0.9	2.0	2.6	2.9	2.0	2.5	2.0	2.0	2.0	2.0	3.0	2.9	
25/09	1.0	0.3	0.0	0.5	0.0	0.3	0.2	0.0	0.9	1.2	2.4	3.4	2.7	2.4	2.9	2.4	2.7	2.6	2.4	3.3	3.6	
26/09	0.7	0.7	0.1	0.1	0.0	1.0	1.3	0.0	0.7	0.8	2.2	2.9	2.9	2.3	2.3	2.2	3.2	3.4	2.2	2.9	2.9	
27/09	0.6	0.0	0.1	0.8	0.2	0.6	0.8	0.0	0.2	0.7	2.0	2.6	2.1	2.1	2.8	2.2	2.6	2.8	2.0	2.3	2.8	
28/09	0.5	0.1	0.0	0.2	0.3	1.8	1.2	0.0	0.5	0.6	2.2	2.6	2.3	2.2	2.4	2.4	4.0	3.4	2.2	2.7	2.8	
29/09	0.2	0.6	0.0	0.2	0.1	0.3	0.1	0.1	1.0	0.5	2.4	2.7	3.0	2.5	2.7	2.6	2.8	2.6	2.5	3.5	3.0	
30/09	0.4	0.5	0.0	0.1	0.0	0.4	0.1	0.1	0.7	0.7	2.1	2.6	2.6	2.1	2.2	2.1	2.5	2.2	2.2	2.8	2.8	
01/10	0.2	1.2	0.0	0.3	0.0	0.0	0.0	0.1	1.4	0.9	1.8	2.0	3.0	1.8	2.1	1.8	1.8	1.8	1.9	3.2	2.7	
02/10	0.5	0.8	0.0	0.3	0.3	0.4	1.3	0.0	0.9	1.6	1.6	2.1	2.4	1.6	1.9	1.9	2.0	2.9	1.6	2.5	3.2	
03/10	0.3	0.4	0.2	0.1	0.1	0.6	0.4	0.5	0.4	0.7	1.7	2.1	2.1	1.9	1.8	1.8	2.3	2.1	2.2	2.1	2.5	
04/10	0.1	0.5	0.0	0.3	0.0	0.3	0.0	0.1	0.6	0.7	1.8	1.9	2.3	1.8	2.1	1.8	2.1	1.8	1.9	2.4	2.5	
05/10	0.0	1.1	0.0	0.4	0.0	0.1	0.0	0.1	1.1	1.8	1.9	2.0	3.0	2.0	2.4	2.0	2.0	2.0	2.0	3.0	3.8	
06/10	0.4	0.6	0.0	0.4	0.0	0.2	0.0	5.4	0.7	2.9	1.7	2.1	2.3	1.7	2.1	1.7	1.9	1.7	7.1	2.4	4.6	
07/10	0.8	0.7	0.0	0.8	0.2	0.6	1.4	0.6	0.9	1.7	1.8	2.6	2.5	1.8	2.6	2.0	2.3	3.1	2.3	2.6	3.5	
08/10	0.7	0.6	0.0	0.6	0.0	0.2	0.0	0.2	0.6	1.4	2.2	3.0	2.8	2.2	2.9	2.2	2.5	2.3	2.4	2.8	3.6	
09/10	1.0	0.8	0.0	0.3	0.0	0.0	0.1	0.0	1.2	1.4	1.8	2.9	2.6	1.9	2.2	1.9	1.9	1.9	1.9	3.0	3.3	
10/10	0.3	0.7	0.0	1.0	0.0	0.0	0.0	1.8	0.8	3.9	2.6	3.0	3.3	2.6	3.6	2.6	2.6	2.6	4.4	3.5	6.5	
11/10	0.3	0.8	0.0	0.6	0.0	0.0	0.0	0.4	1.0	1.2	2.3	2.5	3.1	2.3	2.9	2.3	2.3	2.3	2.7	3.3	3.5	
12/10	0.2	1.2	0.0	0.2	0.0	0.0	0.0	0.0	1.3	0.8	1.8	2.0	3.0	1.8	2.0	1.8	1.8	1.8	1.8	3.1	2.6	
13/10	1.8	0.1	0.5	0.0	0.1	0.9	1.9	0.0	0.6	0.5	1.3	3.2	1.4	1.9	1.4	1.5	2.2	3.3	1.4	1.9	1.8	
14/10	0.8	1.7	0.0	0.0	0.0	0.3	0.0	0.0	1.5	0.3	2.4	3.1	4.1	2.4	2.4	2.4	2.4	2.4	3.9	2.7	2.7	
15/10	0.8	0.1	0.3	0.0	0.2	0.7	1.1	0.0	0.2	0.3	2.2	3.0	2.2	2.4	2.2	2.4	2.9	3.2	2.2	2.4	2.4	
16/10	0.3	0.1	0.0	0.4	0.9	0.7	0.4	0.0	0.2	1.4	1.9	2.2	2.0	1.9	2.3	2.8	2.7	2.4	2.0	2.2	3.3	
17/10	0.1	0.7	0.0	0.8	0.0	0.0	0.0	0.0	0.7	1.7	1.8	1.9	2.5	1.8	2.5	1.8	1.8	1.8	1.8	2.5	3.5	
18/10	0.9	1.0	0.0	0.7	0.2	0.1	0.1	0.1	1.6	1.5	2.3	3.2	3.3	2.3	3.0	2.6	2.4	2.4	4.0	3.8	3.8	
19/10	0.0	0.3	0.0	0.9	0.0	0.0	0.0	0.0	0.4	2.0	1.8	1.9	2.1	1.8	2.7	1.8	1.8	1.8	1.8	2.2	3.9	
20/10	0.3	0.6	0.0	0.5	0.2	0.0	0.1	0.0	0.6	1.2	1.7	2.0	2.2	1.7	2.2	1.8	1.7	1.7	1.7	2.3	2.8	
21/10	0.4	0.3	0.0	1.1	0.0	0.0	0.1	1.0	0.4	2.0	1.6	2.0	1.9	1.6	2.6	1.6	1.6	1.7	2.6	2.0	3.6	
22/10	0.1	1.0	0.0	0.9	0.0	0.0	0.0	0.0	0.9	1.5	1.7	1.7	2.6	1.7	2.5	1.7	1.7	1.7	1.7	2.6	3.2	
23/10	0.1	0.5	0.0	0.8	0.0	0.0	0.0	0.3	1.1	1.8	1.9	2.0	2.4	1.9	2.7	1.9	1.9	1.9	2.2	3.0	3.7	
24/10	0.1	0.4	0.0	1.6	0.0	0.0	0.0	0.0	0.5	2.3	2.1	2.2	2.6	2.1	3.8	2.1	2.1	2.1	2.2	2.6	4.5	
25/10	0.1	0.5	0.0	0.4	0.0	0.0	0.0	0.0	0.5	2.1	2.4	2.4	2.9	2.4	2.8	2.4	2.4	2.4	2.4	2.9	4.5	
26/10	0.2	0.3	0.0	1.6	0.0	0.0	0.0	0.0	0.3	2.6	2.7	2.8	2.9	2.7	4.2	2.7	2.7	2.7	2.7	3.0	5.3	
27/10	0.1	0.3	0.0	1.5	0.0	0.0	0.0	0.2	2.2	0.4	2.2											

SO ₂ - Periodo 24h - Valore Limite 125 µg/m ³ più di 3 volte/anno																					
Giorno - ora	R1	R2	R3	R4	R5	R6	X1	X2	X3	X4	Val. Rif. Meucci	R1-BG	R2-BG	R3-BG	R4-BG	R5-BG	R6-BG	X1-BG	X2-BG	X3-BG	X4-BG
09/11	0.0	0.3	0.0	1.8	0.0	0.0	0.0	1.4	0.4	1.9	3.3	3.3	3.6	3.3	5.1	3.3	3.3	3.3	4.7	3.7	5.1
10/11	1.6	0.3	0.0	0.8	0.0	0.1	0.4	0.0	1.3	1.4	3.1	4.7	3.4	3.1	3.9	3.2	3.2	3.6	3.1	4.4	4.5
11/11	0.1	0.7	0.0	1.3	0.0	0.0	0.0	0.1	0.9	2.1	3.2	3.4	4.0	3.2	4.5	3.2	3.2	3.2	3.4	4.1	5.3
12/11	0.5	0.9	0.0	1.1	0.0	0.3	0.0	0.0	0.8	1.8	3.7	4.2	4.6	3.7	4.9	3.7	3.7	3.7	3.7	4.6	5.5
13/11	2.2	1.3	0.3	1.2	0.0	0.3	2.8	0.0	1.4	2.1	3.6	5.8	4.9	3.9	4.8	3.6	3.9	6.4	3.6	5.0	5.7
14/11	2.4	2.1	0.5	0.0	2.5	0.0	5.2	0.0	1.8	0.0	2.8	5.1	4.8	3.2	2.8	5.3	2.8	8.0	2.8	4.5	2.8
15/11	1.2	2.1	0.0	0.3	0.1	0.0	0.7	0.1	2.0	0.4	3.0	4.2	5.1	3.0	3.3	3.2	3.0	3.7	3.1	5.0	3.5
16/11	0.7	0.8	0.1	0.0	5.4	0.7	4.1	0.0	0.8	0.4	2.5	3.2	3.3	2.6	2.5	7.9	3.2	6.6	2.5	3.3	2.9
17/11	1.1	2.4	0.0	1.6	0.0	0.1	0.0	0.1	2.3	0.6	2.7	3.8	5.1	2.7	4.2	2.7	2.8	2.7	2.7	5.0	3.3
18/11	1.6	1.5	0.0	0.1	0.0	1.0	0.3	0.0	2.6	0.9	3.1	4.7	4.5	3.1	3.1	3.1	4.1	3.3	3.1	5.7	3.9
19/11	0.2	1.6	0.0	1.3	3.3	0.0	3.0	0.0	1.7	1.0	2.5	2.7	4.1	2.5	3.8	5.8	2.5	5.5	2.5	4.2	3.5
20/11	0.9	0.5	0.0	0.8	0.0	1.5	0.1	0.0	0.7	1.0	3.2	4.1	3.7	3.2	4.0	3.2	4.6	3.2	3.2	3.9	4.1
21/11	1.0	0.9	0.2	0.0	0.0	0.0	1.1	0.2	1.1	0.0	3.8	4.8	4.7	4.0	3.8	3.8	3.8	4.9	4.0	5.0	3.8
22/11	1.0	0.1	0.3	0.3	0.2	0.9	1.5	0.0	0.4	0.7	3.2	4.1	3.3	3.4	3.5	3.4	4.1	4.6	3.2	3.5	3.9
23/11	0.1	0.1	0.0	1.1	0.0	0.0	0.0	0.0	0.1	1.8	2.5	2.6	2.5	2.5	3.5	2.5	2.5	2.5	2.5	2.6	4.3
24/11	0.2	0.6	0.0	1.1	0.0	0.0	0.0	0.0	0.6	2.4	3.2	3.4	3.9	3.2	4.3	3.2	3.2	3.2	3.2	3.8	5.7
25/11	0.2	1.2	0.0	1.0	0.0	0.0	0.0	0.0	1.2	1.6	2.9	3.1	4.1	2.9	4.0	2.9	2.9	2.9	2.9	4.1	4.5
26/11	0.1	0.3	0.0	1.2	0.6	0.4	0.3	0.0	0.4	1.2	2.9	3.0	3.3	2.9	4.1	3.5	3.3	3.3	2.9	3.3	4.1
27/11	0.9	0.4	0.0	1.4	0.0	0.0	0.2	0.0	0.6	2.2	2.7	3.5	3.1	2.7	4.0	2.7	2.7	2.8	2.7	3.2	4.9
28/11	0.1	0.9	0.0	1.2	0.0	0.0	0.0	0.0	1.0	1.3	3.8	3.9	4.7	3.8	5.0	3.8	3.8	3.8	3.8	4.8	5.1
29/11	0.4	0.3	0.0	1.5	0.0	0.0	0.0	0.1	0.8	1.7	3.5	3.9	3.8	3.5	5.0	3.5	3.5	3.5	3.7	4.3	5.2
30/11	0.8	1.0	0.1	0.9	0.5	0.8	0.3	0.1	1.1	0.7	3.9	4.7	4.9	4.0	4.8	4.4	4.6	4.2	4.0	5.0	4.5
01/12	1.8	0.5	0.8	1.2	0.0	0.2	1.0	0.0	0.5	1.2	2.7	4.4	3.1	3.5	3.8	2.7	2.8	3.7	2.7	3.2	3.9
02/12	0.0	0.3	0.0	2.8	0.0	0.0	0.0	0.0	0.3	2.2	3.3	3.3	3.5	3.3	6.1	3.3	3.3	3.3	3.3	3.6	5.5
03/12	0.4	1.0	0.1	0.9	0.1	0.7	0.3	0.0	1.0	0.7	2.9	3.3	3.9	3.0	3.8	3.0	3.6	3.2	2.9	3.9	3.6
04/12	1.7	0.9	0.2	0.5	2.1	1.2	4.7	0.2	1.1	0.4	2.6	4.2	3.4	2.7	3.1	4.6	3.7	7.3	2.8	3.7	3.0
05/12	0.6	1.0	0.0	1.1	0.0	0.3	0.0	0.2	1.0	1.8	3.3	3.9	4.3	3.3	4.5	3.4	3.6	3.3	3.5	4.3	5.1
06/12	0.2	0.7	0.0	1.2	0.1	2.0	0.0	2.3	0.7	4.6	4.8	5.0	5.5	4.8	6.0	4.9	6.8	4.8	7.1	5.5	9.4
07/12	1.0	0.7	0.0	1.1	0.0	0.5	0.0	0.8	1.1	1.2	5.8	6.8	6.5	5.8	6.9	5.8	6.3	5.8	6.6	6.9	7.0
08/12	0.4	0.7	0.0	2.5	0.0	0.3	0.0	0.0	0.7	1.6	3.8	4.2	4.5	3.8	6.3	3.8	4.1	3.8	3.8	4.5	5.4
09/12	0.1	1.7	0.0	1.1	0.1	1.1	0.0	0.2	1.9	1.2	4.8	4.9	6.5	4.8	6.0	5.0	6.0	4.9	5.1	6.7	6.1
10/12	0.5	0.7	0.0	2.3	0.0	0.0	0.0	0.6	0.7	1.9	3.8	4.4	4.6	3.9	6.1	3.8	3.8	3.9	4.5	4.6	5.8
11/12	2.3	1.4	0.0	0.8	0.0	0.0	0.2	0.0	2.6	0.8	3.7	6.0	5.1	3.7	4.5	3.7	3.7	3.9	3.7	6.3	4.5
12/12	1.1	1.2	0.3	0.6	0.0	1.8	0.3	0.0	1.2	0.8	4.0	5.1	5.2	4.3	4.5	4.0	5.8	4.3	4.0	5.2	4.8
13/12	2.2	0.9	0.3	1.0	0.7	0.3	0.8	0.0	0.9	0.9	4.6	6.8	5.5	4.9	5.6	5.3	4.9	5.4	4.6	5.5	5.5
14/12	0.1	0.2	0.0	2.4	0.0	0.1	0.0	0.0	0.3	2.0	4.7	4.7	4.9	4.7	7.0	4.7	4.7	4.7	4.7	4.9	6.7
15/12	1.5	0.8	1.6	1.0	0.0	0.8	1.3	0.0	0.8	1.2	2.8	4.3	3.6	4.4	3.7	2.8	3.6	4.1	2.8	3.6	3.9
16/12	0.0	0.2	0.0	2.8	0.0	0.1	0.0	0.3	0.3	3.3	4.5	4.5	4.7	4.5	7.4	4.5	4.6	4.5	4.8	4.8	7.8
17/12	0.0	0.6	0.0	1.4	0.0	0.0	0.0	0.0	0.7	1.4	6.0	6.1	6.7	6.0	7.4	6.0	6.0	6.0	6.0	6.7	7.5
18/12	0.9	0.3	0.9	2.2	0.1	0.0	1.7	0.4	0.3	1.9	3.7	4.6	4.0	4.6	5.9	3.7	3.7	5.3	4.1	4.0	5.6
19/12	0.0	0.1	0.0	2.0	0.0	0.0	0.0	0.2	0.2	1.6	4.5	4.5	4.6	4.5	6.5	4.5	4.5	4.5	4.7	4.7	6.1
20/12	0.2	0.5	0.0	1.2	0.6	0.0	0.1	0.0	0.5	1.8	5.5	5.7	6.0	5.5	6.6	6.1	5.5	5.6	5.5	6.0	7.3
21/12	0.7	0.8	0.4	2.3	1.7	1.6	1.4	0.8	1.0	2.2	4.4	5.1	5.2	4.8	6.7	6.1	6.0	5.8	5.2	5.4	6.6
22/12	0.3	1.0	0.0	1.6	1.2	0.2	0.7	0.0	1.2	1.5	4.4	4.7	5.4	4.4	6.0	5.6	4.6	5.1	4.4	5.6	5.9
23/12	1.8	0.7	0.4	0.2	0.0	1.0	1.0	0.0	1.1	0.3	3.6	5.4	4.3	4.0	3.8	3.6	4.6	4.5	3.6	4.7	3.9
24/12	0.0	0.9	0.0	1.7	0.0	0.0	0.0	2.1	1.3	1.7	3.7	3.7	4.5	3.7	5.4	3.7	3.7	3.7	5.7	5.0	5.4
25/12	1.9	0.7	0.0	1.3	0.6	0.7	0.4	0.0	2.4	1.3	2.9	4.8	3.6	2.9	4.2	3.5	3.6	3.2	2.9	5.3	4.2
26/12	1.9	0.9	1.8	1.2	0.0	0.3	3.5	3.4	0.9	4.2	1.2	3.1	2.1	3.0	2.4	1.3	1.5	4.8	4.6	2.1	5.4
27/12	3.4	1.3	1.4	0.3	1.7	0.0	1.9	0.0	1.8	0.8	2.1	5.6	3.4	3.6	2.4	3.8	2.1	4.1	2.1	4.0	3.0
28/12	0.7	2.4	0.0	0.6	0.0	0.0	0.0	3.1	2.5	4.3	3.2	3.9	5.5	3.2	3.7	3.2	3.2	3.2	6.3	5.7	7.5
29/12	0.0	0.4	0.0	1.8	0.0	0.5	0.0	0.0	0.4	2.1	4.0	4.0	4.4	4.0	5.8	4.0	4.5	4.0	4.0	4.4	6.1
30/12	0.3	0.6	0.0	0.7	1.3	1.3	0.1	0.0	0.6	1.2	4.3	4.6	4.9	4.3	5.0	5.6	5.6	4.4	4.3	4.9	5.5
31/12	4.4	2.2	2.6	0.0	0.2	0.2	8.6	0.0	2.6	0.3	1.6	6.0	3.8	4.2	1.7	1.8	1.9	10.2	1.6	4.2	2.0