

IMMISSIONE - STATO DI PROGETTO - VENTO 4 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC 2	4 m/s	29.6	29.2	70	60	OK	OK
RC 3	4 m/s	35.4	30.6	70	60	OK	OK
RC 5	4 m/s	36.3	30.7	70	60	OK	OK
RC 7	4 m/s	33.0	29.9	70	60	OK	OK
RC 9	4 m/s	31.2	29.2	70	60	OK	OK
RC 11	4 m/s	35.7	30.2	70	60	OK	OK
RC 12	4 m/s	32.9	29.7	70	60	OK	OK
RC 14	4 m/s	30.6	30.0	70	60	OK	OK
RC 15	4 m/s	29.9	29.1	70	60	OK	OK
RC 17	4 m/s	40.9	30.6	70	60	OK	OK
RC 18	4 m/s	31.6	29.5	70	60	OK	OK
RC 19	4 m/s	37.0	29.9	70	60	OK	OK
RC 20	4 m/s	29.9	29.2	70	60	OK	OK
RC 23	4 m/s	31.2	29.2	70	60	OK	OK
RC 24	4 m/s	30.6	30.2	70	60	OK	OK
RC 30	4 m/s	32.4	32.2	70	60	OK	OK
RC 31	4 m/s	32.4	32.1	70	60	OK	OK
RC 34	4 m/s	32.1	29.3	70	60	OK	OK
RC 44	4 m/s	44.4	32.7	70	60	OK	OK
RC 45	4 m/s	57.1	42.3	70	60	OK	OK
RC 66	4 m/s	33.8	30.1	70	60	OK	OK
RC 99	4 m/s	45.5	32.9	70	60	OK	OK
RC 106	4 m/s	33.4	31.0	70	60	OK	OK
RC 109	4 m/s	37.7	33.8	70	60	OK	OK
RC 111	4 m/s	52.2	44.3	70	60	OK	OK
RC 124	4 m/s	35.6	31.2	70	60	OK	OK
RC 125	4 m/s	37.2	32.0	70	60	OK	OK
RC 126	4 m/s	38.3	32.9	70	60	OK	OK
RC 127	4 m/s	34.1	30.5	70	60	OK	OK
RC 129	4 m/s	45.4	36.4	70	60	OK	OK
RC 134	4 m/s	30.8	30.7	70	60	OK	OK
RC 138	4 m/s	35.3	31.0	70	60	OK	OK
RC 143	4 m/s	40.4	40.0	70	60	OK	OK
RC 149	4 m/s	38.7	32.3	70	60	OK	OK
RC 150	4 m/s	42.4	31.8	70	60	OK	OK
RC 151	4 m/s	30.9	29.5	70	60	OK	OK
RC 152	4 m/s	37.8	30.5	70	60	OK	OK
RC 153	4 m/s	39.6	30.2	70	60	OK	OK
RC 154	4 m/s	30.4	29.2	70	60	OK	OK
RC 159	4 m/s	36.7	29.9	70	60	OK	OK
RC 165	4 m/s	39.6	30.4	70	60	OK	OK
RC 166	4 m/s	36.6	29.9	70	60	OK	OK
RC 168	4 m/s	29.4	29.0	70	60	OK	OK
RC 169	4 m/s	32.7	29.8	70	60	OK	OK
RC 170	4 m/s	30.8	30.4	70	60	OK	OK
RC 176	4 m/s	29.8	28.9	70	60	OK	OK
RC 179	4 m/s	32.6	30.4	70	60	OK	OK
RC 185	4 m/s	55.7	41.0	70	60	OK	OK
RC 190	4 m/s	29.2	29.0	70	60	OK	OK
RC 201	4 m/s	50.8	43.0	70	60	OK	OK
RC 205	4 m/s	48.4	40.6	70	60	OK	OK
RC 250	4 m/s	43.1	31.4	70	60	OK	OK
RC 254	4 m/s	43.3	31.7	70	60	OK	OK
RC 256	4 m/s	43.8	31.8	70	60	OK	OK
RC 260	4 m/s	42.7	31.4	70	60	OK	OK
RC 261	4 m/s	33.9	29.3	70	60	OK	OK
RC 262	4 m/s	35.1	29.5	70	60	OK	OK
RC 265	4 m/s	30.2	30.0	70	60	OK	OK
RC 266	4 m/s	39.2	30.3	70	60	OK	OK
RC 267	4 m/s	33.3	29.5	70	60	OK	OK
RC 268	4 m/s	41.8	31.1	70	60	OK	OK
RC 269	4 m/s	37.0	29.7	70	60	OK	OK
RC 270	4 m/s	40.4	30.7	70	60	OK	OK
RC 271	4 m/s	36.5	29.8	70	60	OK	OK
RC 272	4 m/s	37.0	30.3	70	60	OK	OK
RC 273	4 m/s	34.4	29.6	70	60	OK	OK
RC 274	4 m/s	47.5	34.6	70	60	OK	OK
RC 275	4 m/s	43.3	32.7	70	60	OK	OK
RC 279	4 m/s	31.9	29.3	70	60	OK	OK
RC 280	4 m/s	36.7	30.1	70	60	OK	OK
RC 339	4 m/s	44.0	32.0	70	60	OK	OK
RC 340	4 m/s	31.4	28.9	70	60	OK	OK
RC 341	4 m/s	49.4	35.5	70	60	OK	OK
RC 343	4 m/s	35.8	29.4	70	60	OK	OK

IMMISSIONE - STATO DI PROGETTO - VENTO 5 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC 2	5 m/s	30.9	30.6	70	60	OK	OK
RC 3	5 m/s	35.8	31.8	70	60	OK	OK
RC 5	5 m/s	36.6	31.8	70	60	OK	OK
RC 7	5 m/s	33.7	31.2	70	60	OK	OK
RC 9	5 m/s	32.2	30.7	70	60	OK	OK
RC 11	5 m/s	36.1	31.4	70	60	OK	OK
RC 12	5 m/s	33.6	31.1	70	60	OK	OK
RC 14	5 m/s	31.7	31.3	70	60	OK	OK
RC 15	5 m/s	31.2	30.6	70	60	OK	OK
RC 17	5 m/s	41.0	31.7	70	60	OK	OK
RC 18	5 m/s	32.5	30.8	70	60	OK	OK
RC 19	5 m/s	37.2	31.2	70	60	OK	OK
RC 20	5 m/s	31.1	30.6	70	60	OK	OK
RC 23	5 m/s	32.1	30.7	70	60	OK	OK
RC 24	5 m/s	31.7	31.5	70	60	OK	OK
RC 30	5 m/s	33.2	33.1	70	60	OK	OK
RC 31	5 m/s	33.3	33.1	70	60	OK	OK
RC 34	5 m/s	32.9	30.7	70	60	OK	OK
RC 44	5 m/s	44.4	33.4	70	60	OK	OK
RC 45	5 m/s	57.1	42.4	70	60	OK	OK
RC 66	5 m/s	34.3	31.3	70	60	OK	OK
RC 99	5 m/s	45.5	33.6	70	60	OK	OK
RC 106	5 m/s	34.1	32.1	70	60	OK	OK
RC 109	5 m/s	38.0	34.5	70	60	OK	OK
RC 111	5 m/s	52.2	44.4	70	60	OK	OK
RC 124	5 m/s	35.9	32.2	70	60	OK	OK
RC 125	5 m/s	37.5	32.8	70	60	OK	OK
RC 126	5 m/s	38.5	33.6	70	60	OK	OK
RC 127	5 m/s	34.7	31.6	70	60	OK	OK
RC 129	5 m/s	45.4	36.7	70	60	OK	OK
RC 134	5 m/s	32.0	31.8	70	60	OK	OK
RC 138	5 m/s	35.7	32.0	70	60	OK	OK
RC 143	5 m/s	40.4	40.0	70	60	OK	OK
RC 149	5 m/s	38.9	33.1	70	60	OK	OK
RC 150	5 m/s	42.4	32.7	70	60	OK	OK
RC 151	5 m/s	31.9	30.9	70	60	OK	OK
RC 152	5 m/s	38.0	31.6	70	60	OK	OK
RC 153	5 m/s	39.7	31.4	70	60	OK	OK
RC 154	5 m/s	31.5	30.7	70	60	OK	OK
RC 159	5 m/s	37.0	31.2	70	60	OK	OK
RC 165	5 m/s	39.8	31.5	70	60	OK	OK
RC 166	5 m/s	36.9	31.2	70	60	OK	OK
RC 168	5 m/s	30.8	30.5	70	60	OK	OK
RC 169	5 m/s	33.4	31.1	70	60	OK	OK
RC 170	5 m/s	31.9	31.6	70	60	OK	OK
RC 176	5 m/s	31.1	30.4	70	60	OK	OK
RC 179	5 m/s	33.3	31.6	70	60	OK	OK
RC 185	5 m/s	55.7	41.1	70	60	OK	OK
RC 190	5 m/s	30.6	30.5	70	60	OK	OK
RC 201	5 m/s	50.8	43.1	70	60	OK	OK
RC 205	5 m/s	48.4	40.8	70	60	OK	OK
RC 250	5 m/s	43.1	32.3	70	60	OK	OK
RC 254	5 m/s	43.3	32.6	70	60	OK	OK
RC 256	5 m/s	43.9	32.7	70	60	OK	OK
RC 260	5 m/s	42.8	32.3	70	60	OK	OK
RC 261	5 m/s	34.4	30.7	70	60	OK	OK
RC 262	5 m/s	35.5	30.8	70	60	OK	OK
RC 265	5 m/s	31.5	31.3	70	60	OK	OK
RC 266	5 m/s	39.3	31.5	70	60	OK	OK
RC 267	5 m/s	33.9	30.9	70	60	OK	OK
RC 268	5 m/s	41.9	32.1	70	60	OK	OK
RC 269	5 m/s	37.3	31.0	70	60	OK	OK
RC 270	5 m/s	40.6	31.7	70	60	OK	OK
RC 271	5 m/s	36.8	31.1	70	60	OK	OK
RC 272	5 m/s	37.3	31.5	70	60	OK	OK
RC 273	5 m/s	34.9	30.9	70	60	OK	OK
RC 274	5 m/s	47.5	35.0	70	60	OK	OK
RC 275	5 m/s	43.3	33.4	70	60	OK	OK
RC 279	5 m/s	32.7	30.7	70	60	OK	OK
RC 280	5 m/s	37.0	31.3	70	60	OK	OK
RC 339	5 m/s	44.1	32.8	70	60	OK	OK
RC 340	5 m/s	32.3	30.4	70	60	OK	OK
RC 341	5 m/s	49.5	35.9	70	60	OK	OK
RC 343	5 m/s	36.2	30.8	70	60	OK	OK

IMMISSIONE - STATO DI PROGETTO - VENTO 6 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC 2	6 m/s	32.8	32.6	70	60	OK	OK
RC 3	6 m/s	36.7	33.8	70	60	OK	OK
RC 5	6 m/s	37.2	33.3	70	60	OK	OK
RC 7	6 m/s	35.0	33.4	70	60	OK	OK
RC 9	6 m/s	33.6	32.6	70	60	OK	OK
RC 11	6 m/s	36.7	33.0	70	60	OK	OK
RC 12	6 m/s	34.9	33.1	70	60	OK	OK
RC 14	6 m/s	33.9	33.7	70	60	OK	OK
RC 15	6 m/s	32.8	32.5	70	60	OK	OK
RC 17	6 m/s	41.2	33.1	70	60	OK	OK
RC 18	6 m/s	34.0	32.9	70	60	OK	OK
RC 19	6 m/s	37.7	32.8	70	60	OK	OK
RC 20	6 m/s	32.9	32.6	70	60	OK	OK
RC 23	6 m/s	33.6	32.6	70	60	OK	OK
RC 24	6 m/s	34.2	34.0	70	60	OK	OK
RC 30	6 m/s	36.6	36.5	70	60	OK	OK
RC 31	6 m/s	36.5	36.4	70	60	OK	OK
RC 34	6 m/s	34.1	32.6	70	60	OK	OK
RC 44	6 m/s	44.6	35.2	70	60	OK	OK
RC 45	6 m/s	57.1	42.6	70	60	OK	OK
RC 66	6 m/s	35.1	32.8	70	60	OK	OK
RC 99	6 m/s	45.6	34.6	70	60	OK	OK
RC 106	6 m/s	35.8	34.5	70	60	OK	OK
RC 109	6 m/s	39.5	37.3	70	60	OK	OK
RC 111	6 m/s	52.3	44.5	70	60	OK	OK
RC 124	6 m/s	36.9	34.2	70	60	OK	OK
RC 125	6 m/s	38.1	34.4	70	60	OK	OK
RC 126	6 m/s	39.2	35.4	70	60	OK	OK
RC 127	6 m/s	35.6	33.3	70	60	OK	OK
RC 129	6 m/s	45.6	37.9	70	60	OK	OK
RC 134	6 m/s	34.7	34.6	70	60	OK	OK
RC 138	6 m/s	36.6	33.8	70	60	OK	OK
RC 143	6 m/s	40.4	40.0	70	60	OK	OK
RC 149	6 m/s	39.4	34.7	70	60	OK	OK
RC 150	6 m/s	42.7	34.5	70	60	OK	OK
RC 151	6 m/s	33.5	32.8	70	60	OK	OK
RC 152	6 m/s	38.6	33.8	70	60	OK	OK
RC 153	6 m/s	40.0	32.9	70	60	OK	OK
RC 154	6 m/s	33.2	32.6	70	60	OK	OK
RC 159	6 m/s	37.6	33.1	70	60	OK	OK
RC 165	6 m/s	40.1	33.2	70	60	OK	OK
RC 166	6 m/s	37.5	33.1	70	60	OK	OK
RC 168	6 m/s	32.5	32.3	70	60	OK	OK
RC 169	6 m/s	34.8	33.3	70	60	OK	OK
RC 170	6 m/s	34.4	34.2	70	60	OK	OK
RC 176	6 m/s	32.5	32.1	70	60	OK	OK
RC 179	6 m/s	35.0	33.9	70	60	OK	OK
RC 185	6 m/s	55.7	41.4	70	60	OK	OK
RC 190	6 m/s	32.4	32.3	70	60	OK	OK
RC 201	6 m/s	50.9	43.2	70	60	OK	OK
RC 205	6 m/s	48.4	41.0	70	60	OK	OK
RC 250	6 m/s	43.2	33.4	70	60	OK	OK
RC 254	6 m/s	43.5	34.0	70	60	OK	OK
RC 256	6 m/s	44.0	33.8	70	60	OK	OK
RC 260	6 m/s	42.9	33.6	70	60	OK	OK
RC 261	6 m/s	35.2	32.4	70	60	OK	OK
RC 262	6 m/s	36.2	32.6	70	60	OK	OK
RC 265	6 m/s	33.9	33.8	70	60	OK	OK
RC 266	6 m/s	39.6	33.1	70	60	OK	OK
RC 267	6 m/s	34.8	32.4	70	60	OK	OK
RC 268	6 m/s	42.1	33.6	70	60	OK	OK
RC 269	6 m/s	37.7	32.5	70	60	OK	OK
RC 270	6 m/s	40.8	33.3	70	60	OK	OK
RC 271	6 m/s	37.3	32.8	70	60	OK	OK
RC 272	6 m/s	37.7	32.9	70	60	OK	OK
RC 273	6 m/s	35.7	32.7	70	60	OK	OK
RC 274	6 m/s	47.5	35.7	70	60	OK	OK
RC 275	6 m/s	43.5	34.5	70	60	OK	OK
RC 279	6 m/s	33.8	32.4	70	60	OK	OK
RC 280	6 m/s	37.5	33.0	70	60	OK	OK
RC 339	6 m/s	44.2	33.9	70	60	OK	OK
RC 340	6 m/s	33.4	32.0	70	60	OK	OK
RC 341	6 m/s	49.5	36.4	70	60	OK	OK
RC 343	6 m/s	36.7	32.3	70	60	OK	OK

IMMISSIONE - STATO DI PROGETTO - VENTO 7 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC 2	7 m/s	34.7	34.6	70	60	OK	OK
RC 3	7 m/s	37.9	35.9	70	60	OK	OK
RC 5	7 m/s	38.0	35.0	70	60	OK	OK
RC 7	7 m/s	36.7	35.6	70	60	OK	OK
RC 9	7 m/s	35.2	34.5	70	60	OK	OK
RC 11	7 m/s	37.5	34.7	70	60	OK	OK
RC 12	7 m/s	36.5	35.3	70	60	OK	OK
RC 14	7 m/s	36.3	36.1	70	60	OK	OK
RC 15	7 m/s	34.7	34.4	70	60	OK	OK
RC 17	7 m/s	41.5	34.7	70	60	OK	OK
RC 18	7 m/s	35.7	35.0	70	60	OK	OK
RC 19	7 m/s	38.3	34.5	70	60	OK	OK
RC 20	7 m/s	34.8	34.6	70	60	OK	OK
RC 23	7 m/s	35.3	34.6	70	60	OK	OK
RC 24	7 m/s	36.7	36.6	70	60	OK	OK
RC 30	7 m/s	38.7	36.8	70	60	OK	OK
RC 31	7 m/s	39.6	39.5	70	60	OK	OK
RC 34	7 m/s	35.6	34.5	70	60	OK	OK
RC 44	7 m/s	44.9	37.3	70	60	OK	OK
RC 45	7 m/s	57.1	42.9	70	60	OK	OK
RC 66	7 m/s	36.1	34.3	70	60	OK	OK
RC 99	7 m/s	45.7	35.9	70	60	OK	OK
RC 106	7 m/s	37.8	37.0	70	60	OK	OK
RC 109	7 m/s	41.5	40.3	70	60	OK	OK
RC 111	7 m/s	52.3	44.7	70	60	OK	OK
RC 124	7 m/s	38.2	36.3	70	60	OK	OK
RC 125	7 m/s	39.0	36.3	70	60	OK	OK
RC 126	7 m/s	40.2	37.6	70	60	OK	OK
RC 127	7 m/s	36.8	35.2	70	60	OK	OK
RC 129	7 m/s	45.9	39.6	70	60	OK	OK
RC 134	7 m/s	37.4	37.4	70	60	OK	OK
RC 138	7 m/s	37.8	35.9	70	60	OK	OK
RC 143	7 m/s	40.4	40.0	70	60	OK	OK
RC 149	7 m/s	40.1	36.5	70	60	OK	OK
RC 150	7 m/s	43.1	36.6	70	60	OK	OK
RC 151	7 m/s	35.3	34.9	70	60	OK	OK
RC 152	7 m/s	39.5	36.1	70	60	OK	OK
RC 153	7 m/s	40.4	34.6	70	60	OK	OK
RC 154	7 m/s	35.0	34.6	70	60	OK	OK
RC 159	7 m/s	38.4	35.2	70	60	OK	OK
RC 165	7 m/s	40.5	35.0	70	60	OK	OK
RC 166	7 m/s	38.4	35.2	70	60	OK	OK
RC 168	7 m/s	34.3	34.1	70	60	OK	OK
RC 169	7 m/s	36.6	35.6	70	60	OK	OK
RC 170	7 m/s	37.0	36.9	70	60	OK	OK
RC 176	7 m/s	34.0	33.7	70	60	OK	OK
RC 179	7 m/s	37.0	36.3	70	60	OK	OK
RC 185	7 m/s	55.7	41.8	70	60	OK	OK
RC 190	7 m/s	34.2	34.1	70	60	OK	OK
RC 201	7 m/s	50.9	43.4	70	60	OK	OK
RC 205	7 m/s	48.5	41.4	70	60	OK	OK
RC 250	7 m/s	43.4	34.7	70	60	OK	OK
RC 254	7 m/s	43.7	35.7	70	60	OK	OK
RC 256	7 m/s	44.1	35.1	70	60	OK	OK
RC 260	7 m/s	43.1	35.1	70	60	OK	OK
RC 261	7 m/s	36.3	34.2	70	60	OK	OK
RC 262	7 m/s	37.1	34.4	70	60	OK	OK
RC 265	7 m/s	36.3	36.3	70	60	OK	OK
RC 266	7 m/s	40.1	34.9	70	60	OK	OK
RC 267	7 m/s	35.8	34.1	70	60	OK	OK
RC 268	7 m/s	42.4	35.2	70	60	OK	OK
RC 269	7 m/s	38.3	34.1	70	60	OK	OK
RC 270	7 m/s	41.2	35.0	70	60	OK	OK
RC 271	7 m/s	38.1	34.7	70	60	OK	OK
RC 272	7 m/s	38.3	34.5	70	60	OK	OK
RC 273	7 m/s	36.7	34.5	70	60	OK	OK
RC 274	7 m/s	47.6	36.6	70	60	OK	OK
RC 275	7 m/s	43.7	35.8	70	60	OK	OK
RC 279	7 m/s	35.1	34.1	70	60	OK	OK
RC 280	7 m/s	38.3	34.8	70	60	OK	OK
RC 339	7 m/s	44.3	35.3	70	60	OK	OK
RC 340	7 m/s	34.7	33.7	70	60	OK	OK
RC 341	7 m/s	49.5	37.2	70	60	OK	OK
RC 343	7 m/s	37.4	33.9	70	60	OK	OK

IMMISSIONE - STATO DI PROGETTO - VENTO 8 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC 2	8 m/s	36.7	35.5	70	60	OK	OK
RC 3	8 m/s	39.5	37.5	70	60	OK	OK
RC 5	8 m/s	39.0	35.8	70	60	OK	OK
RC 7	8 m/s	38.6	37.2	70	60	OK	OK
RC 9	8 m/s	37.0	35.4	70	60	OK	OK
RC 11	8 m/s	38.5	35.4	70	60	OK	OK
RC 12	8 m/s	38.2	36.7	70	60	OK	OK
RC 14	8 m/s	38.6	37.9	70	60	OK	OK
RC 15	8 m/s	36.5	35.3	70	60	OK	OK
RC 17	8 m/s	41.9	35.3	70	60	OK	OK
RC 18	8 m/s	37.6	36.3	70	60	OK	OK
RC 19	8 m/s	39.2	35.2	70	60	OK	OK
RC 20	8 m/s	36.7	35.6	70	60	OK	OK
RC 23	8 m/s	37.0	35.6	70	60	OK	OK
RC 24	8 m/s	39.2	38.6	70	60	OK	OK
RC 30	8 m/s	40.4	38.7	70	60	OK	OK
RC 31	8 m/s	42.4	42.1	70	60	OK	OK
RC 34	8 m/s	37.2	35.4	70	60	OK	OK
RC 44	8 m/s	45.3	38.9	70	60	OK	OK
RC 45	8 m/s	57.1	43.1	70	60	OK	OK
RC 66	8 m/s	37.3	34.8	70	60	OK	OK
RC 99	8 m/s	45.9	36.4	70	60	OK	OK
RC 106	8 m/s	40.0	39.0	70	60	OK	OK
RC 109	8 m/s	43.7	42.8	70	60	OK	OK
RC 111	8 m/s	52.3	44.9	70	60	OK	OK
RC 124	8 m/s	39.7	37.9	70	60	OK	OK
RC 125	8 m/s	40.2	37.6	70	60	OK	OK
RC 126	8 m/s	41.5	39.3	70	60	OK	OK
RC 127	8 m/s	38.3	36.4	70	60	OK	OK
RC 129	8 m/s	46.5	41.3	70	60	OK	OK
RC 134	8 m/s	40.0	39.5	70	60	OK	OK
RC 138	8 m/s	39.2	37.2	70	60	OK	OK
RC 143	8 m/s	40.4	40.0	70	60	OK	OK
RC 149	8 m/s	41.1	38.0	70	60	OK	OK
RC 150	8 m/s	43.7	38.2	70	60	OK	OK
RC 151	8 m/s	37.2	36.0	70	60	OK	OK
RC 152	8 m/s	40.7	37.7	70	60	OK	OK
RC 153	8 m/s	40.9	35.2	70	60	OK	OK
RC 154	8 m/s	36.9	35.7	70	60	OK	OK
RC 159	8 m/s	39.6	36.4	70	60	OK	OK
RC 165	8 m/s	41.1	35.9	70	60	OK	OK
RC 166	8 m/s	39.5	36.4	70	60	OK	OK
RC 168	8 m/s	36.1	34.8	70	60	OK	OK
RC 169	8 m/s	38.4	37.1	70	60	OK	OK
RC 170	8 m/s	39.5	38.9	70	60	OK	OK
RC 176	8 m/s	35.6	34.0	70	60	OK	OK
RC 179	8 m/s	39.1	38.0	70	60	OK	OK
RC 185	8 m/s	55.8	42.1	70	60	OK	OK
RC 190	8 m/s	36.0	34.8	70	60	OK	OK
RC 201	8 m/s	51.0	43.6	70	60	OK	OK
RC 205	8 m/s	48.6	41.7	70	60	OK	OK
RC 250	8 m/s	43.6	34.9	70	60	OK	OK
RC 254	8 m/s	44.0	36.6	70	60	OK	OK
RC 256	8 m/s	44.4	35.6	70	60	OK	OK
RC 260	8 m/s	43.4	35.7	70	60	OK	OK
RC 261	8 m/s	37.5	34.9	70	60	OK	OK
RC 262	8 m/s	38.2	35.2	70	60	OK	OK
RC 265	8 m/s	38.7	38.1	70	60	OK	OK
RC 266	8 m/s	40.7	35.7	70	60	OK	OK
RC 267	8 m/s	37.0	34.4	70	60	OK	OK
RC 268	8 m/s	42.8	36.1	70	60	OK	OK
RC 269	8 m/s	39.0	34.5	70	60	OK	OK
RC 270	8 m/s	41.7	35.9	70	60	OK	OK
RC 271	8 m/s	39.1	35.6	70	60	OK	OK
RC 272	8 m/s	39.1	35.0	70	60	OK	OK
RC 273	8 m/s	38.0	35.4	70	60	OK	OK
RC 274	8 m/s	47.7	36.8	70	60	OK	OK
RC 275	8 m/s	43.9	36.5	70	60	OK	OK
RC 279	8 m/s	36.6	34.7	70	60	OK	OK
RC 280	8 m/s	39.2	35.7	70	60	OK	OK
RC 339	8 m/s	44.5	35.8	70	60	OK	OK
RC 340	8 m/s	36.0	33.9	70	60	OK	OK
RC 341	8 m/s	49.6	37.5	70	60	OK	OK
RC 343	8 m/s	38.2	34.3	70	60	OK	OK