

COMMITTENTE:



ALTA SORVEGLIANZA:



GENERAL CONTRACTOR:



INFRASTRUTTURE FERROVIARIE STRATEGICHE DEFINITE DALLA LEGGE OBIETTIVO N. 443/01

PROGETTO DEFINITIVO

**LINEA AV/AC VERONA - PADOVA
SUB TRATTA VERONA – VICENZA
1° SUB LOTTO VERONA - MONTEBELLO VICENTINO**

STUDIO DI INCIDENZA

SCHEDE DEI SIC E ZPS INTERFERITI DALL'OPERA

GENERAL CONTRACTOR		ITALFERR S.p.A.		SCALA:
ATI bonifica IL PROGETTISTA INTEGRATORE Franco Persio Bocchetto iscritto all'Ordine degli Ingegneri della Provincia di Roma al n° 8664 – Sez. A settore Civile ed Ambientale Data: Luglio 2015	Consorzio IRICAV DUE Il Direttore		-	

COMMESSA LOTTO FASE ENTE TIPO DOC. OPERA/DISCIPLINA PROGR. REV.

I N 0 D 0 0 D I 2 R H I M 0 0 0 4 0 0 2 B

ATI bonifica	VISTO ATI BONIFICA	
	Firma	Data
	Ing. F.P.Bocchetto	Luglio 2015

Progettazione

Rev.	Descrizione	Redatto	Data	Verificato	Data	Approvato	Data	Autorizzato
A	EMISSIONE	Dott. F.Lillo	Maggio 2015	Ing.C.Cilento	Maggio 2015	Prof.ssa R.Sciarrillo	Maggio 2015	Prof.ssa R.Sciarrillo
		Dott. G.Baiamonte						
B	REVISIONE	Dott. F.Lillo	Luglio 2015	Ing.C.Cilento	Luglio 2015	Prof.ssa R.Sciarrillo	Luglio 2015	Luglio 2015
		Dott. G.Baiamonte						

File: IN0D00DI2RHIM0004002B_00A.DOCX	CUP: J41E9100000009	n. Elab.:
	CIG: 3320049F17	



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT3220038
SITENAME Torrente Valdiezza

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT3220038	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Torrente Valdiezza

1.4 First Compilation date 2006-04	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Veneto Segreteria Regionale per il Bilancio - Unità di Progetto Foreste e Parchi
Address: Via Torino 110 - 30172 Mestre (VE)
Email: foreste.parchi@regione.veneto.it

Date site proposed as SCI:	2006-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

11.445142

Latitude

45.556921

2.2 Area [ha]:

33.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

17.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD3

Veneto




2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3260 			18.15			B	C	B	B
6410 			3.3			C	C	C	C
91E0 			1.65			C	C	C	C

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

--	--	--

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Glo.
F	6152	Lampetra zanandreai			p				C	DD	B	B	B	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N07	5.0
N06	90.0
N23	5.0
Total Habitat Cover	100

Other Site Characteristics

Corso d'acqua di risorgiva con una importante popolazione di lampreda padana.

4.2 Quality and importance

Importante la qualità delle acque di risorgiva che caratterizza tutto il corso.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	100.0				

6. SITE MANAGEMENT

6.2 Management Plan(s):

[Back to top](#)

An actual management plan does exist:

--

- Yes
 No, but in preparation
 No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

125060 125020 1:10000 Gauss-Boaga Ovest



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT3210012
SITENAME Val Galina e Progno Borago

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT3210012	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Val Galina e Progno Borago

1.4 First Compilation date 1996-06	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Veneto Segreteria Regionale per il Bilancio - Unità di Progetto Foreste e Parchi
Address: Via Torino 110 - 30172 Mestre (VE)
Email: foreste.parchi@regione.veneto.it

Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

P		Paeonia officinalis							C							X
P		Pulsatilla montana							R							X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N21	10.0
N23	10.0
N12	5.0
N16	30.0
N18	5.0
N15	30.0
N14	10.0
Total Habitat Cover	100

Other Site Characteristics

Formazioni erbose secche seminaturali su substrati calcarei e loro fasi di incespugliamento. L'habitat 6210 è da considerarsi prioritario.

4.2 Quality and importance

L'ambiente è caratterizzato da una vegetazione di carattere xerofilo (Festuco-Brometalia) insediata su pascoli abbandonati ed ex coltivi. Interessante è la presenza di molte specie di orchidee e di altre entità rare nella flora della regione. Area con numerose specie di invertebrati endemici.

4.5 Documentation

GOIRAN A., 1897-1904. Le piante Fanerogame dell' Agro Veronese. Verona BIANCHINI F., 1979-1994 , Flora della Regione Veronese. Voll. I e II. Mus. Civ. St. Nat. Ver. I vol.: Mem. Mus. Civ. St. Nat. pp. 1-311. II vol.: Boll. Mus. Civ. St. Nat. pp. 1-338.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]

6. SITE MANAGEMENT

[Back to top](#)

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input checked="" type="checkbox"/>	No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

124090 124050 123120 123080 1:10000 Gauss-Boaga Ovest



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT3210014
SITENAME Palude del Feniletto - Sguazzo del Vallese

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type C	1.2 Site code IT3210014	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Palude del Feniletto - Sguazzo del Vallese

1.4 First Compilation date 1996-06	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Veneto Segreteria Regionale per il Bilancio - Unità di Progetto Foreste e Parchi
Address: Via Torino 110 - 30172 Mestre (VE)
Email: foreste.parchi@regione.veneto.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2003-08
National legal reference of SPA designation	No data

Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data

National legal reference of SAC designation:

No data

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

11.1129

Latitude

45.3181

2.2 Area [ha]:

167.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

8.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD3

Veneto

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3150			16.7			C	C	C	C

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A298	Acrocephalus arundinaceus			r				C	DD	C	A	C	B
B	A297	Acrocephalus scirpaceus			r				C	DD	C	A	C	B
B	A054	Anas acuta			c				C	DD	C	C	C	C
B	A056	Anas clypeata			c				C	DD	C	C	C	C
B	A052	Anas crecca			c				C	DD	C	C	C	C
B	A055	Anas querquedula			c				P	DD	C	C	C	B
B	A028	Ardea cinerea			c				P	DD	C	C	C	B
B	A029	Ardea purpurea			c				P	DD	C	C	C	B
B	A024	Ardeola ralloides			c				R	DD	D			
B	A061	Aythya fuligula			c				R	DD	D			
B	A060	Aythya nyroca			c				R	DD	D			
B	A087	Buteo buteo			p				R	DD	C	C	C	C
B	A081	Circus aeruginosus			r				R	DD	C	C	C	C
B	A027	Egretta alba			c				P	DD	D			
B	A381	Emberiza schoeniclus			p				C	DD	C	C	C	C
B	A153	Gallinago gallinago			c				C	DD	C	C	C	C
B	A131	Himantopus himantopus			r				R	DD	C	B	C	B
B	A022	Ixobrychus minutus			r				C	DD	C	C	C	C
B	A292	Locustella luscinioides			r				R	DD	C	B	C	B
B	A152	Lymnocyptes minimus			c				R	DD	D			
B	A094	Pandion haliaetus			c				R	DD	C	C	C	C
B	A118	Rallus aquaticus			p				R	DD	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory

- species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species				Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		Nymphoides peltata						V						X
P		Sagittaria sagittifolia						C			X			

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N08	25.0
N23	5.0
N12	50.0
N07	10.0
N09	10.0
Total Habitat Cover	100

Other Site Characteristics

Laghi eutrofici naturali con vegetazione di tipo Hydrocharition e Magnopotamion.

4.2 Quality and importance

Il biotopo è occupato soprattutto da canneti a *Phragmites australis*. Da segnalare la presenza di alcune entità rare.

4.5 Documentation

GOIRAN A., 1897-1904, Le piante Fanerogame dell' Agro Veronese. Verona BIANCHINI F., 1979-1994 . Flora della Regione Veronese. Voll. I e II. Mus. Civ. St. Nat. Ver. I vol.: Mem. Mus. Civ. St. Nat. pp. 1-311. II vol.: Boll. Mus. Civ. St. Nat. pp. 1-338.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	100.0				

6. SITE MANAGEMENT

[Back to top](#)

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input checked="" type="checkbox"/>	No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

145060 1:10000 Gauss-Boaga Ovest



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT3210019
SITENAME Sguazzo di Rivalunga

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type C	1.2 Site code IT3210019	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Sguazzo di Rivalunga

1.4 First Compilation date 1996-06	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Veneto Segreteria Regionale per il Bilancio - Unità di Progetto Foreste e Parchi
Address: Via Torino 110 - 30172 Mestre (VE)
Email: foreste.parchi@regione.veneto.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2003-08
National legal reference of SPA designation	No data

Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data

National legal reference of SAC designation:

No data

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

11.105

Latitude

45.34861111111111

2.2 Area [ha]:

186.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

6.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD3

Veneto

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3260			18.6			C	C	C	C
91F0			18.6			C	C	C	C

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment					
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D			A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.		
B	A298	Acrocephalus arundinaceus			r				C	DD	C	B	C	C		
B	A297	Acrocephalus scirpaceus			r				C	DD	C	B	C	C		
B	A054	Anas acuta			c				C	DD	C	C	C	C		
B	A056	Anas clypeata			c				C	DD	C	C	C	C		
B	A055	Anas querquedula			r				C	DD	C	C	C	C		
B	A059	Aythya ferina			c				C	DD	C	B	C	B		
B	A061	Aythya fuligula			c				C	DD	C	B	C	B		
B	A381	Emberiza schoeniclus			p				C	DD	C	C	C	C		
R	1220	Emys orbicularis			p				V	DD	C	C	C	C		
B	A097	Falco vespertinus			c				P	DD	C	C	C	C		
B	A153	Gallinago gallinago			c				P	DD	C	B	C	C		
B	A022	Ixobrychus minutus			c	1	1	p		G	C	C	C	C		
B	A152	Lymnocyptes minimus			c				P	DD	C	B	C	C		
B	A073	Milvus migrans			c				C	DD	C	C	C	C		
B	A140	Pluvialis apricaria			c				C	DD	C	B	C	C		
B	A155	Scolopax rusticola			c				P	DD	C	C	C	C		
B	A142	Vanellus vanellus			c				C	DD	C	B	C	C		

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size

can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site			Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		Acorus calamus						V						X
F		Padogobius martensi						P						X
P		Sagittaria sagittifolia						C			X			

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N08	5.0
N06	10.0
N23	5.0
N12	40.0
N07	30.0
N16	10.0
Total Habitat Cover	100

Other Site Characteristics

Boschi misti di quercia, olmo e frassino. Vegetazione sommersa di ranuncoli dei fiumi submontani e delle pianure.

4.2 Quality and importance

Il carattere floristico più evidente è dato dalla relativa abbondanza di farnia ed ontano nero, accompagnati da salici, acero campestre ed olmo. Nelle zone con maggiore presenza d'acqua si rinviene abbondante il canneto, mentre quelle interessate direttamente dall'acqua sorgiva ospitano interessanti idrofite.

4.5 Documentation

GOIRAN A., 1897-1904. Le piante Fanerogame dell' Agro Veronese. Verona BIANCHINI F., 1979-1994 , Flora della Regione Veronese. Voll. I e II. Mus. Civ. St. Nat. Ver. I vol.: Mem. Mus. Civ. St. Nat. pp. 1-311. II vol.: Boll. Mus. Civ. St. Nat. pp. 1-338.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	100.0				

6. SITE MANAGEMENT

6.2 Management Plan(s):

[Back to top](#)

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input checked="" type="checkbox"/>	No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

145060 145020 1:10000 Gauss-Boaga Ovest



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT3210042
SITENAME Fiume Adige tra Verona Est e Badia Polesine

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT3210042	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Fiume Adige tra Verona Est e Badia Polesine

1.4 First Compilation date 2006-04	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Veneto Segreteria Regionale per il Bilancio - Unità di Progetto Foreste e Parchi
Address: Via Torino 110 - 30172 Mestre (VE)
Email: foreste.parchi@regione.veneto.it

Date site proposed as SCI:	2006-07
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

11.26661

Latitude

45.2508

2.2 Area [ha]:

2090.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

149.0

2.5 Administrative region code and name

NUTS level 2 code**Region Name**

ITD3

Veneto





2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3220 			104.5			C	C	B	C
3260 			418.0			C	C	B	C
6430 			104.5			C	C	B	C
91E0 			209.0			C	C	B	C

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive

92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A298	Acrocephalus arundinaceus			r				P	DD	C	C	C	C
B	A296	Acrocephalus palustris			r				P	DD	C	C	C	C
B	A168	Actitis hypoleucos			p				P	DD	C	C	C	C
B	A229	Alcedo atthis			p				C	DD	C	C	C	C
B	A028	Ardea cinerea			w				C	DD	C	C	C	C
B	A029	Ardea purpurea			c				C	DD	C	C	C	C
B	A027	Egretta alba			c				P	DD	C	C	C	C
B	A026	Egretta garzetta			c				P	DD	C	C	C	C
B	A123	Gallinula chloropus			p				C	DD	C	C	C	C
B	A022	Ixobrychus minutus			r				P	DD	C	C	C	C
F	6152	Lampetra zanandreaei			p				V	DD	C	B	B	B
B	A262	Motacilla alba			p				P	DD	C	C	C	C
B	A261	Motacilla cinerea			p				P	DD	C	C	C	C
F	1095	Petromyzon marinus			c				V	DD	D			
B	A249	Riparia riparia			r				V	DD	C	C	C	C
F	1107	Salmo marmoratus			p				V	DD	C	B	B	B
B	A166	Tringa glareola			c				P	DD	C	C	C	C

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N23	5.0
N06	90.0
N07	5.0
Total Habitat Cover	100

Other Site Characteristics

Tratto del fiume Adige con presenza di ampie zone di argine ricoperte da vegetazione arbustiva idrofila e con qualche relitta zona golenale.

4.2 Quality and importance

Il tratto fluviale in questione riveste notevole importanza per varie entità legate alle acque correnti non troppo rapide. Potrebbe rivestire importanza per la specie *Petromyzon marinus* non più segnalata dal 1987.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00					

6. SITE MANAGEMENT

[Back to top](#)

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

167050 167010 166040 145160 145120 145080 145070 145040 145030 145020 145010 124130
1:10000 Gauss-Boaga Ovest



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT3210043

SITENAME Fiume Adige tra Belluno Veronese e Verona Ovest

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT3210043	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Fiume Adige tra Belluno Veronese e Verona Ovest

1.4 First Compilation date 2006-04	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Veneto Segreteria Regionale per il Bilancio - Unità di Progetto Foreste e Parchi
Address: Via Torino 110 - 30172 Mestre (VE)
Email: foreste.parchi@regione.veneto.it

Date site proposed as SCI:	2006-07
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

10.875817

Latitude

45.473449

2.2 Area [ha]:

476.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

95.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD3

Veneto





2.6 Biogeographical Region(s)

Alpine (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3220 			23.8			C	C	B	C
3260 			142.8			C	C	B	C
6430 			23.8			C	C	B	C
91E0 			47.6			C	C	B	C

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive

92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A298	Acrocephalus arundinaceus			r				P	DD	C	C	C	C
B	A296	Acrocephalus palustris			r				P	DD	C	C	C	C
B	A168	Actitis hypoleucos			c				C	DD	C	C	C	B
B	A229	Alcedo atthis			p				P	DD	C	C	C	C
B	A052	Anas crecca			c				C	DD	C	C	C	B
B	A053	Anas platyrhynchos			p				P	DD	C	C	C	B
B	A055	Anas querquedula			c				C	DD	C	C	C	B
B	A028	Ardea cinerea			w				C	DD	C	B	C	B
B	A029	Ardea purpurea			c				P	DD	C	C	C	C
B	A026	Egretta garzetta			c				P	DD	C	C	C	C
B	A123	Gallinula chloropus			p				C	DD	C	C	C	B
B	A022	Ixobrychus minutus			r				P	DD	C	C	C	C
F	6152	Lampetra zanandreaei			p				V	DD	C	B	B	B
B	A262	Motacilla alba			p				P	DD	C	B	C	B
B	A261	Motacilla cinerea			p				C	DD	C	B	C	B
F	1107	Salmo marmoratus			p				V	DD	C	B	B	B
B	A166	Tringa glareola			c				P	DD	C	C	C	C

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N07	10.0
N10	5.0
N06	85.0
Total Habitat Cover	100

Other Site Characteristics

Tratto di fiume con ampie fasce ripariali e con vegetazione igrofila arboreo-arbustiva. Qualche residua zona golenale.

4.2 Quality and importance

Il sito nel suo insieme riveste notevole importanza per le specie legate alle zone di acqua corrente. La presenza di tratti golenali, seppur limitati, offre possibilità riproduttive per le specie della fauna vertebrata.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT11	100.0	IT13	100.0		

6. SITE MANAGEMENT

[Back to top](#)

6.2 Management Plan(s):

An actual management plan does exist:

- Yes
 No, but in preparation
 No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

123120 123110 123100 123060 123030 123020 101150 101120 101110 1:10000 Gauss-Boaga Ovest



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT3220037
SITENAME Colli Berici

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT3220037	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Colli Berici

1.4 First Compilation date 1996-06	1.5 Update date 2014-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Regione Veneto Segreteria Regionale per il Bilancio - Unità di Progetto Foreste e Parchi
Address:	Via Torino 110 - 30172 Mestre (VE)
Email:	foreste.parchi@regione.veneto.it

Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

B	A300	polyglotta			r					C	DD	D			
B	A022	Ixobrychus minutus			r	5	10	p			M	C	C	C	C
B	A233	Jynx torquilla			r					R	DD	D			
B	A338	Lanius collurio			r	20	50	p			M	C	C	C	C
B	A340	Lanius excubitor			w	1	5	i			P	D			
B	A341	Lanius senator			r		2	p			M	D			
B	A292	Locustella luscinioides			c					V	DD	D			
B	A272	Luscinia svecica			c					P	DD	D			
B	A230	Merops apiaster			r					R	DD	D			
B	A230	Merops apiaster			c					C	DD	D			
B	A383	Miliaria calandra			r	10	20	p			M	D			
B	A073	Milvus migrans			c					R	DD	D			
B	A074	Milvus milvus			c					R	DD	D			
M	1310	Miniopterus schreibersii			p					P	DD	C	B	C	B
M	1310	Miniopterus schreibersii			c	800	1500	i			M	C	B	C	B
B	A281	Monticola solitarius			r	2	4	p			M	D			
B	A261	Motacilla cinerea			r	5	10	p			M	D			
B	A260	Motacilla flava			r					C	DD	D			
B	A319	Muscicapa striata			r					C	DD	D			
M	1323	Myotis bechsteinii			p					P	DD	D	C	C	C
M	1307	Myotis blythii			r	500	1500	i			M	C	B	C	A
M	1307	Myotis blythii			p					P	DD	D			
M	1321	Myotis emarginatus			p					P	DD	D			
M	1324	Myotis myotis			p					P	DD	C	B	C	A
M	1324	Myotis myotis			r	500	1500	i			M	C	B	C	A
B	A337	Oriolus oriolus			r					C	DD	D			
B	A094	Pandion haliaetus			c					P	DD	D			
B	A329	Parus caeruleus			r					C	DD	D			
B	A072	Pernis apivorus			r	8	12	p			M	C	B	B	B
B	A273	Phoenicurus ochruros			r	1	5	p			M	D			
B	A273	Phoenicurus ochruros			w					R	DD	D			
B	A274	Phoenicurus phoenicurus			r					C	DD	D			
B	A315	Phylloscopus collybita			r					C	DD	D			

B	A285	philomelos			r	10	20	p		M	D			
B	A285	Turdus philomelos			c				C	DD	D			
B	A287	Turdus viscivorus			c				R	DD	D			
B	A232	Upupa epops			r				C	DD	D			

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species		Population in the site				Motivation								
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		Allium angulosum						R			X			
M		Arvicola terrestris						P						X
P		Asplenium lepidum						R						X
P		Athamanta turbith						R						X
P		Coronilla scorpioides						R						X
P		Echinops sphaerocephalus						V						X
P		Hottonia palustris						R			X			
A		Hyla intermedia						P					X	
P		Linum tryginum						R						X
P		Ludwigia palustris						R			X			
P		Lythrum hyssopifolia						V						X
M		Micromys minutus						C						X
M	1341	Muscardinus avellanarius						C	X					

R	1292	Natrix tessellata						R	X						
F		Orsinigobius punctatissimus						P			X				
F		Padogobius martensi						P			X				
P		Philadelphus coronarius						R							X
R	1250	Podarcis sicula						R	X						
P		Polypodium australe						R							X
P		Pulsatilla montana						V							X
A	1209	Rana dalmatina						R	X						
P		Rhagadiolus stellatus						R							X
P		Sagittaria sagittifolia						R			X				
P		Salvinia natans						V			X				
P		Senecio paludosus						R			X				
P		Thelypteris palustris						R							X
P		Trapa natans						C			X				
A		Triturus vulgaris						P						X	
P		Utricularia australis						V			X				
R		Vipera aspis						R						X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N06	0.53
N15	8.74
N27	0.52
N07	0.004

N17	0.05
N25	9.39
N16	53.9
N23	8.0
N20	0.01
N12	7.42
N21	11.43
Total Habitat Cover	99.994

Other Site Characteristics

Comprensorio collinare parzialmente carsico rivestito da boschi (ostrio-querceti, castagneti, acero-tilieti, querceti di rovere); presenza di prati aridi (Festuco-Brometalia) e ambienti umidi tra i quali un lago eutrofico di sbarramento alluvionale con ampio lamineto, canneti e cariceti. Scogliera oligocenica con pareti verticali, grotte, sorgenti e profonde forre; vegetazioni rupestri termofile.

4.2 Quality and importance

Ambiente di notevole interesse per la presenza di specie rare e relitte sia di carattere xero che microtermo. Presenza di endemismi e fauna troglobia. Ambienti umidi di massima importanza per la presenza di tipica fauna stanziale e migrante. Per la varietà, la diffusione, lo stato di conservazione e l'estensione di habitat presenti, il SIC che occupa gran parte della superficie dei Colli Berici viene a costituire un'isola di rilevante valore per quanto riguarda la biodiversità, relativamente alla matrice ambientale in cui questo comprensorio è inserito. Questo valore è esaltato dall'evidente povertà ecologica osservabile nella pianura circostante, altamente urbanizzata e sottoposta a notevoli pressioni antropiche (industriali, agricole, infrastrutturali, residenziali ecc.). Dal punto di vista floristico l'area si segnala per il fatto di ospitare popolazioni di specie mediterranee, con carattere di relittualità, altrove assenti nella fascia prealpina. Al contempo sono presenti negli ambienti forestali più freschi alcune specie mesoterme a distribuzione montana che trovano nei colli stazioni di crescita extrazonali talora ai limiti meridionali della loro distribuzione. Fino a tempi recenti, misurabili nell'ordine di una decina d'anni, erano anche molto diffuse nella fitta rete idraulica di bonifica idrofite di estremo interesse conservazionistico a livello nazionale che tuttavia sono andate scomparendo, salvo in parte permanere nel bacino lacustre di Fimon. Il comprensorio collinare è l'unico luogo di crescita della stenoendemita *Saxifraga berica*, che, congiuntamente a *Himantoglossum adriaticum*, rappresenta l'unica specie inserita nell'allegato IV della Direttiva Habitat. Per quanto riguarda le specie di uccelli presenti con popolazioni almeno in parte nidificanti (tortora selvatica, cuculo, civetta, allocco, upupa, torcicollo, picchio verde, picchio rosso maggiore, cappellaccia, allodola, cutrettola capocenerino, cutrettola gialla, ballerina gialla, usignolo di fiume, canapino, lui piccolo, pigliamosche, cinciarella, rigogolo, verzellino, frosone), l'area berica offre condizioni ambientali idonee ad ospitare nuclei riproduttivi con densità significative e tali da garantirne la sopravvivenza locale e potenziali capacità di colonizzazione dei residui habitat adatti nella pianura limitrofa. Relativamente alle specie migratrici (marzaiola, beccaccia, rondone, gruccione, allodola, prispolone, tordela, canapino maggiore, beccafico, lui verde, lui piccolo, lui grosso, fiorrancino, balia nera, cinciarella, rigogolo, peppola, frosone) i Berici costituiscono un'importante area di sosta per quei contingenti di migratori di origine transalpina che necessitano di ricostituire le scorte energetiche indispensabili per il completamento dei percorsi migratori e che trovano sempre maggiori difficoltà di reperire adeguate risorse alimentari nelle aree di pianura. L'inclusione delle specie di anfibi (*salamandra pezzata*, rospo comune) e di rettili (orbettino, ramarro, colubro di Esculapio, biacco), è motivata dalla quasi totale scomparsa di ambienti adatti in tutta la pianura circostante il SIC; in particolare questo accade per *salamandra pezzata*, rospo comune, ramarro, colubro di Esculapio, assenti da quest'ultimo comprensorio e le cui popolazioni beriche risultano pertanto isolate dal restante areale. Per quanto concerne ramarro, colubro di Esculapio, biacco, queste specie sono inserite nell'allegato IV della direttiva Habitat che elenca "specie animali e vegetali di interesse comunitario che richiedono una protezione rigorosa". L'area dei Berici si presenta di elevato interesse per l'entomofauna e in particolare per i ditteri Sirfidi, dei quali nell'ambito del progetto LIFE+ sono state identificate ben 131 specie, molte delle quali assenti dalle aree limitrofe, che trovano soprattutto nei prati aridi condizioni adeguate per la loro permanenza. Questi dati confermano l'elevato valore in termini di biodiversità presente nell'area dei Berici. Per quanto riguarda i chiropteri, i monitoraggi svolti nell'ambito del progetto LIFE+ hanno confermato la presenza di 16 specie: già il solo dato numerico permette di affermare che la diversità è piuttosto alta e si delinea come ben rappresentativa del mosaico di habitat presenti. Otto specie erano già segnalate in letteratura e ne è stata riconfermata la presenza anche durante le ultime indagini intraprese (*Rhinolophus ferrumequinum*, *Pipistrellus kuhlii*, *Pipistrellus savii*, *Eptesicus serotinus*, *Myotis myotis*, *Myotis blythii*, *Miniopterus schreibersii*, *Plecotus auritus*). Tre specie catturate (*Myotis daubentonii*, *Myotis nattereri* e *Plecotus macrobullaris*) e tre rilevate con bat-detector (*Myotis emarginatus*, *Myotis bechsteinii* e *Pipistrellus pipistrellus*) sono risultate completamente nuove per l'area e anche per l'intera provincia di Vicenza. Infine per *Tadarida teniotis*, determinato solo attraverso rilevamento acustico, è

stato riconfermato il dato bibliografico di presenza nell'area di Lumignano, ambiente ideale per questa specie.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	I01		b
H	J03.01		b
L	G01.01.02		i
M	G01.03.02		i
H	G01.04.01		i
M	A02.02		i
M	H01		b
M	G01.05		i
M	K02.01		i
M	J02.02.01		b
M	J03.02		b
H	J02.05.03		b
L	F03.01		i
M	G01.02		i
H	J02.10		b
L	C01.04.01		i
M	D01.02		b
H	G05.07		b
M	A03.03		i
L	E01.03		i
L	G05.01		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.5 Documentation

Baron L. et al., 2000 - Segnalazioni floristiche vicentine: 1-51. *Natura Vicentina*, 4: 121-158. Bertani F. et al., 2006 - Segnalazioni floristiche venete: 169-225. *Natura Vicentina*, 9 (2005): 151-185. BirdLife International 2004. *Birds in Europe: population estimates, trends and conservation status*. BirdLife Conserv. Series n. 12, Cambridge. Bonato L., Fracasso G., Pollo R., Richard J., Semenzato M. (red.) 2007. *Atlante degli Anfibi e dei rettili del Veneto*. AsFaVe, Nuovadimensione Ed., Portogruaro VE. Brichetti P., Fracasso G. 2003-2011. *Ornitologia Italiana*. Vol. 1-7. Perdisa Ed., Ozzano Emilia BO. Casarotto N. et al., 2005 - Segnalazioni floristiche venete: 128-168. *Natura Vicentina*, 8 (2004): 127-157. Casarotto N., Scortegagna S., Tasinazzo S., 2001 - Segnalazioni floristiche vicentine: 52-85. *Natura Vicentina*, 5: 93-116. Cerato E., Fracasso G. 2013. *Anfibi e Rettili dei Colli Berici*. Progetto Life+ "Colli Berici Natura2000", Provincia di Vicenza. Cerato E., Fracasso G. (in prep.). *Gli Uccelli dei Colli Berici*. Progetto Life+ "Colli Berici Natura2000", Provincia di Vicenza. Conti F., Manzi A, Pedrotti F., 1997 – *Liste Rosse Regionali delle Piante d'Italia*. WWF e SBI, Camerino. Corti C., Capula M., Luiselli L., Razzetti E., Sindaco R. (red.) 2011. *Fauna d'Italia*. Vol. XLV - Reptilia. Calderini, Bologna. Girardi A., Mezzalana F. (red.) 1991. *Il lago e le valli di Fimon*. Publigráfica Ed., Vicenza. Gruppo Nisoria 1997. *Atlante degli uccelli nidificanti nella provincia di Vicenza*. G. Padovan Ed., Vicenza. Gruppo Nisoria & Museo nat arch Vicenza 2000. *Atlante degli Anfibi e dei Rettili della provincia di Vicenza*. G. Padovan ed., Vicenza. Hagemeyer E.J.M., Blair M.J. (eds.) 1997. *The EBCC Atlas of European breeding birds: their distribution and abundance*. Poyser, London. Lanza B., Andreone F., Bologna M., Corti C., Razzetti E. (red.) 2007. *Fauna d'Italia*. Vol. XLII - Ampjibia. Calderini, Bologna. Meschini E., Frugis S. (red.) 1993. *Atlante degli uccelli nidificanti in Italia*. Suppl. Ric. Biol. Selvaggina, Vol. XX. PECMBS 2012.

Population trends of common European birds 2012. CSO, Praga. Rondinini C., Battistoni A., Peronace V., Teofili C. (red.) 2013. Lista Rissa IUCN dei Vertebrati italiani. Comitato italiano IUCN e Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Roma. Tasinazzo S., 2011 – Addenda alla flora vascolare berica (Vicenza – NE Italia). Natura Vicentina, 14 (2010): 43-56. Tasinazzo S., in stampa - Teucrium flavum L.: un relitto stenomediterraneo sui Colli Berici (Vicenza – NE Italia). Inform. Bot. Ital.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	100.0				

6. SITE MANAGEMENT

6.2 Management Plan(s):

[Back to top](#)

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input checked="" type="checkbox"/>	No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

146030 146020 146010 125160 125150 125140 125130 125120 125110 125100 125060 1:10000
Gauss-Boaga Ovest