



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT2080008
SITENAME Boschetto di Scaldasole

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT2080008	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Boschetto di Scaldasole

1.4 First Compilation date 1995-11	1.5 Update date 2017-01
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Lombardia Direzione Generale Ambiente, Energia e Sviluppo Sostenibile -
Struttura Valorizzazione aree protette e biodiversità
Address: Piazza Città di Lombardia 1, 20124 Milano
Email: ambiente@pec.regione.lombardia.it

Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2016-07
National legal reference of SAC designation:	DM 15/07/2016 G.U. 186 del 10-08-2016

2. SITE LOCATION

[Back to top](#)

G	Code	Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D			
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A296	Acrocephalus palustris			r				P	DD	D			
B	A324	Aegithalos caudatus			p				P	DD	D			
B	A247	Alauda arvensis			r				P	DD	D			
B	A229	Alcedo atthis			p				P	DD	D			
B	A053	Anas platyrhynchos			p				P	DD	D			
B	A221	Asio otus			p				P	DD	D			
B	A218	Athene noctua			p				P	DD	D			
B	A087	Buteo buteo			r	1	1	p		G	D			
B	A288	Cettia cetti			p				P	DD	D			
B	A208	Columba palumbus			r				P	DD	D			
B	A349	Corvus corone			p				C	DD	D			
B	A212	Cuculus canorus			r				P	DD	D			
B	A237	Dendrocopos major			p				P	DD	D			
B	A359	Fringilla coelebs			r				P	DD	D			
B	A123	Gallinula chloropus			p				P	DD	D			
B	A271	Luscinia megarhynchos			r				P	DD	D			
B	A337	Oriolus oriolus			r				P	DD	D			
B	A329	Parus caeruleus			p				P	DD	D			
B	A330	Parus major			p				P	DD	D			
B	A356	Passer montanus			p				P	DD	D			
B	A235	Picus viridis			r	1	1	p		G	D			
B	A351	Sturnus vulgaris			p				P	DD	D			
B	A311	Sylvia atricapilla			p				P	DD	D			
B	A265	Troglodytes troglodytes			p				P	DD	D			
B	A283	Turdus merula			p				P	DD	D			

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation							
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max			C R V P	IV	V	A	B	C	D
P		Butomus umbellatus						P							X
P		Convallaria majalis						P							X
R		Hierophis viridiflavus						P						X	
A		Hyla intermedia						P						X	
P		Iris pseudacorus						P							X
R		Lacerta bilineata						P						X	
M		Lepus europaeus						P						X	
M		Myocastor coypus						P							X
R		Natrix natrix						P						X	
M		Oryctolagus cuniculus						P							X
R	1256	Podarcis muralis						P	X						
A		Rana synklepton esculenta						P							X
M		Vulpes vulpes						P							X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N16	8.0
N21	14.0
N12	4.0
N13	69.0
N06	5.0
Total Habitat Cover	100

Other Site Characteristics

Non si evidenziano altre caratteristiche nel sito.

4.2 Quality and importance

Si segnala la presenza di una piccola area occupata da uno degli ultimi lembi relitti di querceti xero-termofili insediati su di uno degli ultimi dossi sabbiosi di loess della Lomellina. La qualità del sito è ritenuta sufficiente per un ripristino della serie Corynephorretum-Quercetum e l'importanza del sito deriva dal fatto che si tratta dell'ultimo relitto disponibile.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	F03.01		o
H	K03.05		i
M	I01		o
H	A07		b
H	K04.02		i
M	K03.05		o
M	A08		b
M	A01		b
H	I01		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
H	A09		b

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	0
Joint or Co-Ownership	0	
Private	100	

Unknown	0
sum	100

4.5 Documentation

1) AAVV Studio interdisciplinare per il piano di Gestione del Boschetto di Scaldasole, Università di Pavia e Provincia di Pavia, 2000. 2) Banca Dati - Progetto Atlante Erpetologico della Lombardia. Sezione Lombardia "F. Barbieri" Societas Herpetologica Italica. 3) G. Bogliani Università di Pavia (comunicazione personale) 4) P. Galeotti - Università di Pavia (comunicazione personale).

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT05	100.0				

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Provincia di Pavia
Address:	Settore Faunistico Naturalistico, Via Taramelli 2, 27100 Pavia
Email:	daniela.greguoldo@provincia.pv.it

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: PIANO DI GESTIONE DEL SIC IT 2080008 "BOSCHETTO DI SCALDASOLE" Link: http://www.natura2000.servizirl.it/
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

Misure di conservazione sito-specifiche (DGR 4429 del 30/11/2015)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

