



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT3240029

SITENAME **Ambito fluviale del Livenza e corso inferiore del Monticano**

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

|                      |                                   |                             |
|----------------------|-----------------------------------|-----------------------------|
| <b>1.1 Type</b><br>B | <b>1.2 Site code</b><br>IT3240029 | <a href="#">Back to top</a> |
|----------------------|-----------------------------------|-----------------------------|

### 1.3 Site name

Ambito fluviale del Livenza e corso inferiore del Monticano

|  |                                   |
|--|-----------------------------------|
| <b>1.4 First Compilation date</b><br>2006-04 | <b>1.5 Update date</b><br>2013-10 |
|--|-----------------------------------|

### 1.6 Respondent:

**Name/Organisation:** Regione Veneto Segreteria Regionale per il Bilancio - Unità di Progetto Foreste e Parchi  
**Address:** Via Torino 110 - 30172 Mestre (VE)  
**Email:** foreste.parchi@regione.veneto.it

|   |         |
|---|---------|
| <b>Date site proposed as SCI:</b>                   | 2006-07 |
| <b>Date site confirmed as SCI:</b>                  | No data |
| <b>Date site designated as SAC:</b>                 | No data |
| <b>National legal reference of SAC designation:</b> | No data |

## 2. SITE LOCATION

[Back to top](#)

## 2.1 Site-centre location [decimal degrees]:

**Longitude**

12.4468

**Latitude**

45.7896

**2.2 Area [ha]:**

1955.0

**2.3 Marine area [%]**

0.0

**2.4 Sitelength [km]:**

270.0

## 2.5 Administrative region code and name

**NUTS level 2 code**

**Region Name**

ITD3

Veneto




## 2.6 Biogeographical Region(s)

Continental (100.0  
%)

## 3. ECOLOGICAL INFORMATION

### 3.1 Habitat types present on the site and assessment for them

[Back to top](#)

| Annex I Habitat types  |    |    |            |               |              | Site assessment  |                  |              |        |
|--|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code   | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D          | A B C            |              |        |
|  |    |    |            |               |              | Representativity | Relative Surface | Conservation | Global |
| 3260  |    |    | 195.5      |               |              | B                | C                | B            | B      |
| 6430  |    |    | 117.3      |               |              | C                | C                | B            | C      |
| 91E0  |    |    | 195.5      |               |              | B                | C                | B            | B      |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|

| Species |      |                                       |   |    | Population in the site |      |     |      |      |         | Site assessment |       |      |      |
|---------|------|---------------------------------------|---|----|------------------------|------|-----|------|------|---------|-----------------|-------|------|------|
| G       | Code | Scientific Name                       | S | NP | T                      | Size |     | Unit | Cat. | D.qual. | A B C D         | A B C |      |      |
|         |      |                                       |   |    |                        | Min  | Max |      |      |         | Pop.            | Con.  | Iso. | Glo. |
| B       | A229 | <a href="#">Alcedo atthis</a>         |   |    | p                      |      |     |      | C    | DD      | C               | A     | B    | B    |
| F       | 1103 | <a href="#">Alosa fallax</a>          |   |    | r                      |      |     |      | P    | DD      | C               | B     | C    | C    |
| B       | A053 | <a href="#">Anas platyrhynchos</a>    |   |    | p                      |      |     |      | R    | DD      | C               | B     | B    | B    |
| A       | 1193 | <a href="#">Bombina variegata</a>     |   |    | p                      |      |     |      | C    | DD      | C               | A     | C    | A    |
| B       | A197 | <a href="#">Chlidonias niger</a>      |   |    | c                      |      |     |      | C    | DD      | C               | A     | B    | B    |
| B       | A081 | <a href="#">Circus aeruginosus</a>    |   |    | w                      |      |     |      | P    | DD      | C               | B     | C    | B    |
| B       | A122 | <a href="#">Crex crex</a>             |   |    | c                      |      |     |      | P    | DD      | C               | A     | B    | A    |
| B       | A022 | <a href="#">Ixobrychus minutus</a>    |   |    | r                      |      |     |      | C    | DD      | C               | A     | B    | B    |
| F       | 6152 | <a href="#">Lampetra zanandreaei</a>  |   |    | p                      |      |     |      | V    | DD      | C               | A     | C    | A    |
| B       | A338 | <a href="#">Lanius collurio</a>       |   |    | r                      |      |     |      | C    | DD      | C               | A     | C    | A    |
| B       | A023 | <a href="#">Nycticorax nycticorax</a> |   |    | c                      |      |     |      | C    | DD      | C               | A     | B    | C    |
| B       | A235 | <a href="#">Picus viridis</a>         |   |    | p                      |      |     |      | R    | DD      | C               | A     | B    | A    |
| B       | A119 | <a href="#">Porzana porzana</a>       |   |    | c                      |      |     |      | C    | DD      | C               | A     | B    | C    |
| A       | 1215 | <a href="#">Rana latastei</a>         |   |    | p                      |      |     |      | R    | DD      | C               | A     | C    | A    |
| F       | 1991 | <a href="#">Sabanejewia larvata</a>   |   |    | p                      |      |     |      | P    | DD      | C               | B     | C    | B    |
| F       | 1107 | <a href="#">Salmo marmoratus</a>      |   |    | p                      |      |     |      | P    | DD      | C               | A     | C    | A    |
| B       | A166 | <a href="#">Tringa glareola</a>       |   |    | c                      |      |     |      | P    | DD      | C               | A     | B    | B    |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

| Species | Population in the site | Motivation |
|---------|------------------------|------------|
|---------|------------------------|------------|

| Group | CODE | Scientific Name                          | S | NP | Size |     | Unit | Cat. | Species Annex |    | Other categories |   |   |   |   |
|-------|------|--|---|----|------|-----|------|------|---------------|----|------------------|---|---|---|---|
|       |      |  |   |    | Min  | Max |      |      | C R V P       | IV | V                | A | B | C | D |
| P     |      | <a href="#">Butomus umbellatus</a>       |   |    |      |     |      | R    |               |    |                  |   |   | X |   |
| P     |      | <a href="#">Hippurus vulgaris</a>        |   |    |      |     |      | R    |               |    |                  |   |   | X |   |
| M     | 1341 | <a href="#">Muscardinus avellanarius</a> |   |    |      |     |      | C    | X             |    |                  |   |   |   |   |
| M     | 1358 | <a href="#">Mustela putorius</a>         |   |    |      |     |      | V    |               | X  |                  |   |   |   |   |
| M     |      | <a href="#">Neomys fodiens</a>           |   |    |      |     |      | C    |               |    |                  |   |   | X |   |
| F     | 1109 | <a href="#">Thymallus thymallus</a>      |   |    |      |     |      | R    |               | X  |                  |   |   |   |   |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

| Habitat class              | % Cover    |
|----------------------------|------------|
| N23                        | 2.0        |
| N06                        | 85.0       |
| N21                        | 1.0        |
| N15                        | 1.0        |
| N07                        | 8.0        |
| N12                        | 1.0        |
| N10                        | 1.0        |
| N08                        | 1.0        |
| <b>Total Habitat Cover</b> | <b>100</b> |

### Other Site Characteristics

Corso d'acqua di pianura meandriforme a dinamica naturale e seminaturale. Presenza di fasce conboschi igrofili ripariali contenenti elementi di bosco planiziale, prati umidi, canneti anfibi e vegetazione acquatica composita.

### 4.2 Quality and importance

Fiume di pianura con valenze faunistiche e vegetazionali. Si tratta di un sistema di popolamenti fluviali compenetrati, tipici di acque lente costituito da vegetazioni sommerse del Ranunculion fluitantis, del Potamogetonion pectinati e del Myriophyllo-Nupharetum, da lamineti dei Lemnatea minoris e da cariceti e canneti ad elofite del Magnocaricion elatae e del Phragmition. Sono inoltre presenti boschetti ripari inquadabili nei Salicetea purpureae e Alnetea glutinosae.

#### 4.5 Documentation

ZANETTI M., 1986. Flora notevole della pianura veneta orientale. Appunti di Geografia e di Storia naturale del territorio. Nuova dimensione, Portogruaro, Venezia. MEZZAVILLA F., 1989. Atlante degli uccelli nidificanti nelle province di Treviso e Belluno (Veneto). 1983-1988. Museo Civico di Storia e Scienze naturali di Montebelluna LORO R., ZANETTI M., TURIN P. , 1990. Carta ittica Provincia di Treviso ANOE' N., FURLAN I., ZANABONI A., 1994. Monitoraggio ambientale sulle acque del Fiume Livenza (Italia Nord-Orientale) mediante lo studio Floristico e vegetazionale delle macrofite. Lavori - Soc. Ven. Sc. Nat. Venezia. 19 : 124-144.

## 5. SITE PROTECTION STATUS (optional)

### 5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| IT00 |           |      |           |      |           |

## 6. SITE MANAGEMENT

### 6.2 Management Plan(s):

[Back to top](#)

An actual management plan does exist:

|                                     |                        |
|-------------------------------------|------------------------|
| <input type="checkbox"/>            | Yes                    |
| <input type="checkbox"/>            | No, but in preparation |
| <input checked="" type="checkbox"/> | No                     |

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

107050 106080 106040 106030 106020 106010 085160 085150 085140 085130 085110 085100  
085090 084120 084110 084070 1:10000 Gauss-Boaga Ovest