

PARCO NAZIONALE DEL CILENTO VALLO DI DIANO E ALBURNI

VALUTAZIONE DI IMPATTO AMBIENTALE INTEGRATA
CON LA VALUTAZIONE DI INCIDENZA

REALIZZAZIONE E GESTIONE DEL SERVIZIO DI
DISTRIBUZIONE DEL GAS NATURALE NEI COMUNI DI:
BELLOSGUARDO - CAMPORA - CERASO - CORLETO
MONFORTE - CUCCARO VETERE - LAUREANA CILENTO -
LAURINO - LUSTRA - MAGLIANO VETERE - MOIO DELLA
CIVITELLA - MONTEFORTE CILENTO - OMIGNANO - ORRIA -
PIAGGINE - PRIGNANO CILENTO - RUTINO - SACCO -
SANT'ANGELO A FASANELLA - STIO

Concessionaria A.T.I.: Amalfitana GAS S.r.l. (capogruppo mandataria) Via Fanelli 206/4 - 70125 Bari tel.: 080/5010277 - fax.:080/5019728	n° commessa	Anno	n° elaborato					
		2017	AII.3					
	Data:							
	Località:							
	codice elaborato:							
		codice file:						
Concedente:	Comune di							
Nome Progetto / Commessa:								
Fase Progettuale: Definitivo	Formato UNI:							
	Scala:							
Progettista: Dott. Ing. Alberto DE FLAMMINEIS Ordine degli Ingegneri della Provincia di Salerno Sez. A n° 5404	Titolo dell'elaborato: Formulari							
Tecnico Incaricato: Dott. Gabriele DE FILIPPO Ordine Nazionale dei Biologi n. 29055								
Revisions	n°	data						
Eseguito da:		Verificato da:		Controllo Aziendale da:				
data	nome	firma	data	nome	firma	data	nome	firma



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT8050002

SITENAME Alta Valle del Fiume Calore Lucano (Salernitano)

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT8050002	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Alta Valle del Fiume Calore Lucano (Salernitano)

1.4 First Compilation date 1995-05	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Campania, Assessorato all'Ecologia e alla Tutela dell'Ambiente, AGC 05, Settore Ecologia

Address: Via Arenella 104 - 80128 Napoli

Email: ac.esposito@maildip.regione.campania.it

Date site proposed as SCI:	1995-05
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

		46.68			A		C	A	A
9210		933.6			B		B	B	B
92A0		466.8			B		C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	AIBICID		AIBIC	
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A085	Accipiter gentilis			c				P	DD	C	B	C	B
F	1120	Alburnus albidus			p				R	DD	C	A	B	A
B	A229	Alcedo atthis			p	6	10	p		P	C	C	C	C
A	5357	Bombina pachipus			p				C	DD	C	A	C	A
B	A215	Bubo bubo			p	1	1	p		P	C	C	C	C
M	1352	Canis lupus			p				P	DD	C	B	B	B
B	A224	Caprimulgus europaeus			r	1	5	p		P	C	B	C	B
B	A224	Caprimulgus europaeus			c				R	DD	C	B	C	B
B	A080	Circaetus gallicus			r	1	1	p		P	C	C	C	C
I	1044	Coenagrion mercuriale			p				P	DD	C	A	C	A
B	A208	Columba palumbus			c				P	DD	C	B	C	B
B	A208	Columba palumbus			r				P	DD	C	B	C	B
B	A231	Coracias garrulus			r	1	5	p		P	C	C	C	C
I	1047	Cordulegaster trinacriae			p				C	DD	B	A	C	A
B	A113	Coturnix coturnix			c				R	DD	C	B	C	B
B	A113	Coturnix coturnix			r				P	DD	C	B	C	B

B	A287	viscivorus			c				P	DD	C	B	C	B
B	A287	Turdus viscivorus			r				P	DD	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species				Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		CIRIVIP	IV	V	A	B	C	D
I		Boyeria irene						P					X	
I		Ceriagrion tenellum						P					X	
R	1284	Coluber viridiflavus						C	X					
R	1281	Elaphe longissima						R	X					
M	1363	Felis silvestris						V	X					
A		Hyla italica						R			X			
R		Lacerta bilineata						C					X	
I		Lestes dryas						P					X	
R	1292	Natrix tessellata						R	X					
I		Onychogomphus forcipatus						P					X	
R	1250	Podarcis sicula						C	X					
A	1209	Rana dalmatina						R	X					
A	1206	Rana italica						C	X					
A		Salamandra salamandra						R					X	
A	1168	Triturus italicus						C	X					

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N16	10.0
N22	5.0
N20	10.0
N08	10.0
N06	30.0
N15	10.0
N09	25.0
Total Habitat Cover	100

Other Site Characteristics

Valle fluviale con depositi alluvionali che si snoda tra profonde gole nell'Appennino campano. Substrato costituito prevalentemente da arenarie.

4.2 Quality and importance

Vegetazione rappresentata da un mosaico di popolamenti di bosco misto, macchia mediterranea e praterie xerofile miste a colture erbacee e arboree. Avifauna nidificante (Milvus milvus, Falco biarmicus, Alcedo atthis). Presenza di lontra e lupo. Particolarmente interessanti le comunità di anfibi e pesci.

4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	30
Joint or Co-Ownership	0	
Private	70	
Unknown	0	
sum	100	

4.5 Documentation

AAVV 2011. I Rapaci diurni della Campania. Monografia n. 10 ASOIM, Napoli.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT01	100.0	IT05	100.0		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT01	P.N. Cilento e Vallo di Diano		100.0

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	<u>Regione Campania</u>
Address:	<u></u>
Email:	<u></u>

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: <u>Piano di Gestione</u>
	Link: <u></u>
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

<u>D.G.R. n. 2295/2007</u>

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

<u>184-IVSE 1:25000 UTM</u>



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT8050012
SITENAME Fiume Alento

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT8050012	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Fiume Alento

1.4 First Compilation date 1995-05	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Regione Campania, Assessorato all'Ecologia e alla Tutela dell'Ambiente, AGC 05, Settore Ecologia
Address:	Via Arenella 104 - 80128 Napoli
Email:	ac.esposito@maildip.regione.campania.it

Date site proposed as SCI:	1995-05
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

15.1733333333333

Latitude

40.2688888888889

2.2 Area [ha]:

3024.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITF3

Campania





2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	AIBICID	AIBIC		
						Representativity	Relative Surface	Conservation	Global
3250 			604.8			B	C	C	C
5330 			1209.6			C	C	C	B
92A0 			302.4			B	C	C	C
92C0 			151.2			A	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive

92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	AIBICID	AIBIC		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A247	Alauda arvensis			w				R	DD	C	B	C	B
B	A247	Alauda arvensis			c				C	DD	C	B	C	B
F	1120	Alburnus albidus			p				C	DD	B	A	A	A
B	A229	Alcedo atthis			r	6	10	i		P	C	C	C	C
F	1103	Alosa fallax			p				R	DD	C	B	C	B
A	5357	Bombina pachipus			p				C	DD	C	A	C	A
B	A133	Burhinus oedicephalus			c				V	DD	C	C	C	C
B	A081	Circus aeruginosus			c				P	DD	C	B	C	B
I	1044	Coenagrion mercuriale			p				P	DD	C	A	C	A
B	A208	Columba palumbus			c				P	DD	C	B	C	B
B	A208	Columba palumbus			r	11	50	i		P	C	B	C	B
B	A231	Coracias garrulus			c				R	DD	C	B	C	B
B	A113	Coturnix coturnix			c				C	DD	C	B	C	B
R	1279	Elaphe quatuorlineata			p				R	DD	C	B	C	B
R	1220	Emys orbicularis			p				V	DD	C	B	B	B
B	A123	Gallinula chloropus			r	6	10	i		P	C	B	C	B
B	A338	Lanius collurio			r	11	50	i		P	C	B	C	B
M	1355	Lutra lutra			p				R	DD	B	A	B	A
B	A242	Melanocorypha calandra			r	6	10	i		P	C	C	C	C
M	1310	Miniopterus schreibersii			r				R	DD	C	A	C	A
M	1307	Myotis blythii			p				R	DD	C	A	C	A
M	1324	Myotis myotis			p				R	DD	C	A	C	A
I	1041	Oxygastra curtisii			p				R	DD	C	A	C	A
M	1304	Rhinolophus ferrumequinum			p				R	DD	C	A	C	A

M	1303	Rhinolophus hipposideros			p				R	DD	C	A	C	A
F	1136	Rutilus rubilio			p				C	DD	D			
A	1175	Salamandrina terdigitata			p				R	DD	C	A	B	A
B	A155	Scolopax rusticola			w				C	DD	C	B	C	B
B	A210	Streptopelia turtur			r				P	DD	C	B	C	B
B	A210	Streptopelia turtur			c				C	DD	C	B	C	B
B	A285	Turdus philomelos			w				C	DD	C	B	C	B
B	A142	Vanellus vanellus			w				R	DD	C	B	C	B
B	A142	Vanellus vanellus			c				C	DD	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site			Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		CIRIVIP	IV	V	A	B	C	D
I		Boyeria irene						P					X	
I		Ceriagrion tenellum						P					X	
R	1284	Coluber viridiflavus						C	X					
I		Cordulegaster boltoni						P					X	
A		Hyla italica						R			X			
R		Lacerta bilineata						C					X	
I		Lestes dryas						P					X	
I		Onychogomphus forcipatus						P					X	
R	1250	Podarcis sicula						C	X					

A	1209	Rana dalmatina						R	X				
A	1206	Rana italica						C	X				
A		Salamandra salamandra						R				X	
A	1168	Triturus italicus						C	X				

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N19	25.0
N08	40.0
N06	30.0
N15	5.0
Total Habitat Cover	100

Other Site Characteristics

Bacino fluviale che scorre per gran parte su terreni arenacei (serie del "flish del Cilento) e nel tratto terminale su calcareniti.

4.2 Quality and importance

Sui versaanti della valle sono presenti lembi di macchia mediterranea discontinui e misti a coltivi (Oliveti). Avifauna nidificante (*Alcedo atthis*) e migratrice (*Coracias garrulus*). Diverse specie di chiroteri e del pesce endemico *Alburnus albidus*.

4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	90
Joint or Co-Ownership	0	
Private	10	
Unknown	0	
sum	100	

4.5 Documentation

AAVV 2011. I Rapaci diurni della Campania. Monografia n. 10 ASOIM, Napoli. Picariello O., Fraissinet M., Maio N., 1999 - The fauna of the National Parks of Vesuvius and Cilento-Vallo di Diano [Part III], 323-356 pp.

- In: The MAB network in the Mediterranean area - The National Parks of Cilento-Vallo di Diano and Vesuvius. Edited by F. Lucarelli. - Ente Parco Nazionale del Cilento e Vallo di Diano [Studio Idea Editrice]. 456 pp. FUSCO L., CANONICO F. E CALIENDO M.F. 2005 The migratory ways of Accipitriformes and Falconiformes in Cilento . Boll. Soc. Nature. Napoli, III, 1-9. MANCUSO C., 2006c. Nidificazione del Gabbiano reale *Larus michaelis* all'invaso del Fiume Alento (Provincia di Salerno). Gli Uccelli d'Italia, 31: 112-113.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT01	100.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT01	P.N. Cilento e Vallo di Diano		100.0

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regione Campania
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Piano di Gestione
	Link: _____
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

D.G.R. n. 2295/2007

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

— —

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

196-INE 1:25000 UTM



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT8050024

SITENAME Monte Cervati, Centaurino e Montagne di Laurino

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT8050024	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Monte Cervati, Centaurino e Montagne di Laurino

1.4 First Compilation date 1995-05	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Campania, Assessorato all'Ecologia e alla Tutela dell'Ambiente, AGC 05, Settore Ecologia
Address: Via Arenella 104 - 80128 Napoli
Email: ac.esposito@maildip.regione.campania.it

Date site proposed as SCI:	1995-05
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

B	A113	coturnix			c				R	DD	C	B	C	B
B	A113	Coturnix coturnix			r				P	DD	C	B	C	B
B	A238	Dendrocopos medius			p				P	DD	C	C	C	C
B	A236	Dryocopus martius			p	1	5	p		P	C	C	C	C
R	1279	Elaphe quatuorlineata			p				V	DD	C	B	C	B
I	1065	Euphydryas aurinia			p				P	DD	C	B	C	B
B	A101	Falco biarmicus			p	2	2	p		P	C	C	C	C
B	A103	Falco peregrinus			p	3	3	p		P	C	B	C	B
B	A321	Ficedula albicollis			r				P	DD	C	B	C	B
P	4104	Himantoglossum adriaticum			p				P	DD	D			
B	A338	Lanius collurio			r	51	100	p		P	C	B	C	A
B	A246	Lullula arborea			r				P	DD	C	B	C	B
M	1355	Lutra lutra			p				R	DD	B	A	B	A
I	1062	Melanargia arge			p				C	DD	C	A	C	A
B	A073	Milvus migrans			r	5	5	p		P	C	B	C	C
B	A074	Milvus milvus			w	6	10	i		P	B	B	C	C
B	A074	Milvus milvus			r	3	3	p		P	B	B	C	C
M	1310	Miniopterus schreibersii			r				P	DD	C	A	C	A
M	1323	Myotis bechsteinii			p				R	DD	C	A	C	A
M	1307	Myotis blythii			p				P	DD	C	A	C	A
M	1321	Myotis emarginatus			p				R	DD	C	A	C	A
M	1324	Myotis myotis			p				P	DD	C	A	C	A
B	A277	Oenanthe oenanthe			r				P	DD	C	B	C	B
I	1084	Osmoderma eremita			p				R	G	B	C	A	C
B	A072	Pernis apivorus			r	1	1	p		P	C	C	C	C
B	A273	Phoenicurus ochruros			r				P	DD	C	B	C	B
B	A346	Pyrrhocorax pyrrhocorax			p	11	50	p		P	C	B	B	B
M	1305	Rhinolophus euryale			p				P	DD	C	A	C	A
M	1304	Rhinolophus ferrumequinum			p				P	DD	C	A	C	A
M	1303	Rhinolophus hipposideros			p				P	DD	C	A	C	A
I	1087	Rosalia alpina			p				V	DD	C	A	B	A

A	1175	Salamandrina terdigitata			p				R	DD	B	A	B	A
B	A155	Scolopax rusticola			w				C	DD	C	B	C	B
B	A210	Streptopelia turtur			c				C	DD	C	B	C	B
B	A210	Streptopelia turtur			r				P	DD	C	B	C	B
B	A285	Turdus philomelos			w				C	DD	C	B	C	B
B	A284	Turdus pilaris			w	51	100	i		P	C	B	C	B
B	A287	Turdus viscivorus			c				P	DD	C	B	C	B
B	A287	Turdus viscivorus			p				P	DD	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		CIRIVIP	IV	V	A	B	C	D
P		Alnus cordata						P						X
P		Armeria macropoda						P						X
P		Asperula calabra						P						X
P		Botrychium matricariifolium						P					X	
I		Boyeria irene						P					X	
P		Campanula fragilis						P						X
I		Ceriagrion tenellum						P					X	
R		Chalcides chalcides						C					X	
I		Coenagrion caerulescens						P					X	

R	1284	Coluber viridiflavus						C	X					
I		Cordulegaster boltoni						P					X	
R	1283	Coronella austriaca						V	X					
R	1281	Elaphe longissima						R	X					
M	1363	Felis silvestris						V	X					
P		Festuca calabrica						P						X
A		Hyla italica						R			X			
R		Lacerta bilineata						C					X	
I		Lestes dryas						P					X	
I		Lucanus tetraodon						P						X
I		Onychogomphus forcipatus						P					X	
R	1256	Podarcis muralis						R	X					
R	1250	Podarcis sicula						C	X					
A	1209	Rana dalmatina						R	X					
A	1206	Rana italica						C	X					
P		Rhinanthus wettsteinii						P						X
A		Salamandra salamandra						C					X	
A	1168	Triturus italicus						C	X					

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N08	10.0
N12	10.0
N19	20.0

N16	15.0
N21	10.0
N09	25.0
N22	5.0
N18	5.0
Total Habitat Cover	100

Other Site Characteristics

Massicci appenninici prevalentemente calcarei culminanti nel Monte Cervati (m. 1890). Diffusi fenomeni carsici (inghiottitoi, doline e grotte) e depositi morenici glaciali.

4.2 Quality and importance

Complesso particolarmente significativo per la presenza di numerosi tipi di vegetazione appenninica. Faggeti e vegetazione rupestre di notevole valore. Presenza del lupo, uccelli nidificanti (Aquila chrysaetos e Falco biornicus), importante fauna erpetologica. Presenza del coleottero Rosalia alpina.

4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	90
Joint or Co-Ownership	0	
Private	10	
Unknown	0	
sum	100	

4.5 Documentation

Istituto di Gestione della Fauna 2012. Banca dati del monitoraggio del SIC e ZPS del Cervati. www.gestione fauna.com Piciocchi S., Mastronardi D., Fraissinet M. 2013. I rapaci diurni della Campania. Monogr. n. 10 ASOIM, Napoli. AA.VV. 2012. Atlante degli Anfibi e dei rettili della Campania. Massa ed., Napoli. Milone M. 1999. Atlante degli uccelli svernanti in Campania. Monografia n.6 dell'ASOIM, Napoli. AAVV 2011. I Rapaci diurni della Campania. Monografia n. 10 ASOIM, Napoli. PICIOCCHI S., MASTRONARDI D., DE FILIPPO G., 2007. Stato delle conoscenze su Aquila reale Aquila chrysaetos, Lanario Falco biarmicus e Pellegrino Falco peregrinus in Campania. In: Magrini M., Perna P., Scotti M. (Eds). Atti del convegno Aquila reale, Lanario e Pellegrino nell'Italia peninsulare Stato delle conoscenze e problemi di conservazione. Serra San Quirico (AN), 26-28 marzo 2004, pp: 117-119. RIPPA D., MASELLI V., SOPPELSA O., FULGIONE D., 2011. The impact of agro-pastoral abandonment on the Rock Partridge Alectoris graeca in the Apennines. Ibis, 153, 721 -734. RIPPA D., CALIENDO M.F., FUSCO L., ZACCARA A.T., VALORE M., FULGIONE D., 2009. Rock Partridge Alectoris graeca a good candidate for an umbrella species in rocky mountains in Italy. Avocetta 33, 211-216. RIPPA D., ZACCARA A. T., VALORE M., CARPINO F., FULGIONE F., 2005. La coturnice Alectoris graeca in Campania. Avocetta, 29: 204. FUSCO L., CANONICO F. E CALIENDO M.F. 2005 The migratory ways of Accipitriformes and Falconiformes in Cilento . Boll. Soc. Natur. Napoli, III, 1-9. FULGIONE D., RIPPA D. e MILONE M., 2002. La Conservazione della Coturnice (Alectoris graeca) in Campania: un'esperienza di restocking in provincia di Salerno. Atti del 63 Congresso Nazionale Unione Zoologica Italiana. Rende (CS) 22-26 settembre 2002. FULGIONE D., RIPPA D. e MILONE M., 2001. La conservazione della coturnice in Campania. Piani di introduzione e miglioramenti ambientali nella politica di conservazione delle aree protette e non. Provincia di Salerno - Assessorato alle attività faunistiche Ittiche -Venatorie. Pp 40-53. Audisio P. & Biscaccianti A., 2008. Relazione tecnica per il Monitoraggio alla rete dei boschi vetusti del Parco Nazionale del Cilento e Vallo di Diano?. POR Campania 2000-2006 Progetto Integrato PNCVD. Volpe G. e Palmieri R. 2001. Farfalle italiane: 1. Campania e territori limitrofi. Arion edizioni, Castel Volturno, CE. Volpe G. e Palmieri R. 2005. Le farfalle a volo diurno nel Parco Nazionale del Cilento e Vallo di Diano. Arion edizioni, Castel Volturno, CE.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT01	100.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT01	P.N. Cilento e Vallo di Diano		100.0

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regione Campania
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Piano di Gestione Link: _____
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

D.G.R. n. 2295/2007

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

186-INO 1:25000 UTM



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT8050028
SITENAME Monte Motola

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT8050028	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Monte Motola

1.4 First Compilation date 1995-05	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Campania, Assessorato all'Ecologia e alla Tutela dell'Ambiente, AGC 05, Settore Ecologia
Address: Via Arenella 104 - 80128 Napoli
Email: ac.esposito@maildip.regione.campania.it

Date site proposed as SCI:	1995-05
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

15.4763888888889

Latitude

40.365

2.2 Area [ha]:

4690.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITF3

Campania

2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	AIBICID	AIBIC		
						Representativity	Relative Surface	Conservation	Global
6210B			492.45			B	C	B	C
6210B	X		211.05			B	C	B	C
6220B			703.5			B	C	B	C
8210B			234.5			B	C	B	B
8310B			46.9			A	C	A	A
9210B			469.0			B	B	B	B
9220B			469.0			A	C	A	A
9260B			469.0			C	C	B	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species				Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		CIRIVIP	IV	V	A	B	C	D
P		Abies alba						P					X	
P		Alnus cordata						P						X
P		Armeria macropoda						P						X
I		Boyeria irene						P					X	
I		Ceriagrion tenellum						P					X	
I		Coenagrion caerulescens						P					X	
R	1284	Coluber viridiflavus						C	X					
I		Cordulegaster boltoni						V					X	
M	1363	Felis silvestris						V	X					
A		Hyla italica						R			X			
R		Lacerta bilineata						C					X	
I		Lestes dryas						P					X	
I		Lucanus tetraodon						P						X
I		Onychogomphus forcipatus						P					X	
R	1256	Podarcis muralis						R	X					
R	1250	Podarcis sicula						C	X					
A	1209	Rana dalmatina						R	X					
A	1206	Rana italica						C	X					
A		Salamandra salamandra						R					X	

I		Sympecma fusca						V					X	
A	1168	Triturus italicus						C	X					

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N22	5.0
N09	30.0
N19	25.0
N16	30.0
N17	10.0
Total Habitat Cover	100

Other Site Characteristics

Massiccio appenninico di natura calcarea con ripidi versanti meridionali.

4.2 Quality and importance

Unica abetina ad *Abies alba* ben conservata della Campania, circondata da foreste di caducifoglie in discreto stato. Presenza di specie ornitiche nidificanti (*Pyrrhocorax pyrrhocorax* e *Milvus migrans*, del lupo e di una interessante chiroterofauna ed entomofauna.

4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	90
Joint or Co-Ownership	0	
Private	10	
Unknown	0	
sum	100	

4.5 Documentation

AAVV 2011. I Rapaci diurni della Campania. Monografia n. 10 ASOIM, Napoli. FUSCO L., CANONICO F. E CALIENDO M.F. 2005 The migratory ways of Accipitriformes and Falconiformes in Cilento . Boll. Soc. Nature. Napoli, III, 1-9. Volpe G. e Palmieri R. 2001. Farfalle italiane: 1. Campania e territori limitrofi. Arion edizioni, Castel Volturno, CE. Volpe G. e Palmieri R. 2005. Le farfalle a volo diurno nel Parco Nazionale del Cilento e Vallo di Diano. Arion edizioni, Castel Volturno, CE.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT01	100.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT01	P.N. Cilento e Vallo di Diano		100.0

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Regione Campania
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Piano di Gestione Link: _____
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

D.G.R. n. 2295/2007

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

--



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT8050031
SITENAME Monte Soprano e Monte Vesole

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT8050031	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Monte Soprano e Monte Vesole

1.4 First Compilation date 2001-06	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Campania, Assessorato all'Ecologia e alla Tutela dell'Ambiente, AGC 05, Settore Ecologia
Address: Via Arenella 104 - 80128 Napoli
Email: ac.esposito@maildip.regione.campania.it

Date site proposed as SCI:	2001-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

M	1303	Rhinolophus hipposideros			p				R	DD	C	B	C	B
A	1175	Salamandrina terdigitata			p				R	DD	C	A	C	A
B	A155	Scolopax rusticola			w				C	DD	C	B	C	B
B	A285	Turdus philomelos			w				C	DD	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		CIRIVIP	IV	V	A	B	C	D
P		Alnus cordata						P				X		
P		Armeria macropoda						P				X		
P		Asperula calabra						P				X		
I		Boyeria irene						P						X
I		Ceriagrion tenellum						P			X			
R		Chalcides chalcides						R				X		
I		Coenagrion caerulescens						P			X			
R	1284	Coluber viridiflavus						C	X					
I		Cordulegaster boltoni						P			X			
M	1363	Felis silvestris						P	X					
A		Hyla italica						R			X			
R		Lacerta bilineata						C					X	
I		Lestes dryas						P					X	
I		Lucanus tetraodon						P						X

I		Onychogomphus forcipatus						P					X	
R	1256	Podarcis muralis						R	X					
R	1250	Podarcis sicula						C	X					
A	1209	Rana dalmatina						R	X					
A	1206	Rana italica						C	X					
A		Salamandra salamandra						R					X	
A	1168	Triturus italicus						C	X					

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N22	5.0
N16	25.0
N09	25.0
N21	10.0
N08	10.0
N18	25.0
Total Habitat Cover	100

Other Site Characteristics

Massiccio appenninico carbonatico interessato da notevole carsismo. Ampie pianori d'altura.

4.2 Quality and importance

Vaste superfici pari ai tre quarti dell'area sono ricoperti da boschi di sempreverdi e di caducifoglie e da arbusteti il che conferisce un buon valore ambientale. Riproduzione in zona del capovaccaio. Probabile presenza del lupo.

4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	70
Joint or Co-Ownership	0	
Private	30	

Unknown	0
sum	100

4.5 Documentation

AAVV 2011. I Rapaci diurni della Campania. Monografia n. 10 ASOIM, Napoli. FUSCO L., CANONICO F. E CALIENDO M.F. 2005 The migratory ways of Accipitriformes and Falconiformes in Cilento . Boll. Soc. Nature. Napoli, III, 1-9. LA VALVA V., RICCIARDI M. e CAPUTO G., 1985 - La tutela dell'ambiente in Campania: situazione attuale e proposte. Inf. Bot. Ital., 17 (1-2-3): 144-154.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT01	100.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT01	P.N. Cilento e Vallo di Diano	/	100.0

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Regione Campania
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Piano di Gestione Link: _____
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

D.G.R. n. 2295/2007

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

186-IVSE 186-IINO 186-IIISO 186-IIISE 186-IIINO 186-IIINE 1:25000 UTM



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT8050033
SITENAME Monti Alburni

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT8050033	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Monti Alburni

1.4 First Compilation date 1995-05	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Regione Campania, Assessorato all'Ecologia e alla Tutela dell'Ambiente, AGC 05, Settore Ecologia
Address:	Via Arenella 104 - 80128 Napoli
Email:	ac.esposito@maildip.regione.campania.it

Date site proposed as SCI:	1995-05
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

		4724.4			A	C	A	A
9220		236.22			B	C	B	A
9260		2362.2			A	C	A	A
9340		1181.1			A	C	A	A

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	AIBICID	AIBIC		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A247	Alauda arvensis			w				C	DD	C	B	C	B
B	A247	Alauda arvensis			r				P	DD	C	B	C	B
B	A109	Alectoris graeca			p				P	DD	C	B	C	B
B	A255	Anthus campestris			r				P	DD	C	B	C	B
B	A091	Aquila chrysaetos			c	2	2	i		P	C	B	C	C
A	5357	Bombina pachipus			p				C	DD	C	A	C	A
M	1352	Canis lupus			p	1	5	i		P	C	B	B	A
I	1088	Cerambyx cerdo			p				P	DD	C	A	B	A
B	A080	Circaetus gallicus			r	1	1	p		P	C	B	C	B
B	A082	Circus cyaneus			w	1	5	i		P	C	B	C	C
I	1044	Coenagrion mercuriale			p				P	DD	C	A	C	A
B	A208	Columba palumbus			p				P	DD	C	B	C	B
B	A208	Columba palumbus			c				C	DD	C	B	C	B
B	A113	Coturnix coturnix			r				P	DD	C	B	C	B
I	1086	Cucujus cinnaberinus			p				V	G	B	C	A	C
B	A238	Dendrocopos medius			p	5	10	p		P	C	A	B	B

B	A236	Dryocopus martius			p	1	5	p		P	C	C	C	C
I	1065	Euphydryas aurinia			p				P	DD	C	B	C	B
B	A101	Falco biarmicus			p	1	1	p		P	C	C	C	C
B	A103	Falco peregrinus			p	2	2	p		P	C	B	C	B
B	A321	Ficedula albicollis			r				P	DD	C	B	C	B
P	4104	Himantoglossum adriaticum			p				P	DD	D			
B	A338	Lanius collurio			r				C	DD	C	B	C	B
B	A246	Lullula arborea			r				P	DD	C	B	C	B
I	1062	Melanargia arge			p				C	DD	C	A	C	A
B	A073	Milvus migrans			r	1	2	p		P	C	B	C	B
B	A074	Milvus milvus			r	1	1	p		P	C	B	C	C
M	1310	Miniopterus schreibersii			r				R	DD	C	A	C	A
M	1323	Myotis bechsteinii			p				P	DD	C	A	C	A
M	1307	Myotis blythii			p				P	DD	C	A	C	A
M	1316	Myotis capaccinii			p				P	DD	C	A	C	A
M	1321	Myotis emarginatus			p				P	DD	C	A	C	A
M	1324	Myotis myotis			p				R	DD	C	A	C	A
I	1084	Osmoderma eremita			p				V	G	B	C	A	C
B	A072	Pernis apivorus			c				V	DD	C	B	C	B
B	A346	Pyrrhocorax pyrrhocorax			p	11	50	p		P	C	B	B	B
M	1305	Rhinolophus euryale			p				R	DD	C	A	C	A
M	1304	Rhinolophus ferrumequinum			p				V	DD	C	A	C	A
M	1303	Rhinolophus hipposideros			p				R	DD	C	A	C	A
A	1175	Salamandrina terdigitata			p				V	DD	C	B	C	B
B	A210	Streptopelia turtur			r				P	DD	C	B	C	B
A	1167	Triturus carnifex			p				P	DD	C	B	A	C
B	A286	Turdus iliacus			c				R	DD	C	B	C	B
B	A286	Turdus iliacus			w				R	DD	C	B	C	B
B	A285	Turdus philomelos			c				C	DD	C	B	C	B
B	A285	Turdus philomelos			w				C	DD	C	B	C	B
B	A284	Turdus pilaris			w	11	50	i		P	C	B	C	B

B	A287	Turdus viscivorus			c				C	DD	C	B	C	B
B	A287	Turdus viscivorus			p				P	DD	C	B	C	B
I	1016	Vertigo moulinsiana			p				P	DD	C	B	A	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		CIRVIP	IV	V	A	B	C	D
P		Abies alba						P				X		
P		Alnus cordata						P				X		
P		Armeria macropoda						P				X		
I		Boyeria irene						P						X
P		Campanula fragilis						P				X		
I		Ceriagrion tenellum						P			X			
R		Chalcides chalcides						R				X		
R	1284	Coluber viridiflavus						C	X					
P		Dianthus ferrugineus						P				X		
R	1281	Elaphe longissima						R	X					
M	1363	Felis silvestris						V	X					
R		Lacerta bilineata						C			X			
I		Lestes dryas						P						X
I		Onychogomphus forcipatus						P						X
R	1256	Podarcis muralis						R	X					

R	1250	Podarcis sicula						C	X					
A	1209	Rana dalmatina						R	X					
A	1206	Rana italica						C	X					
P		Rhinanthus wettsteinii						P				X		
A		Salamandra salamandra						R			X			
P		TRIFOLIUM BRUTIUM TEN.						P				X		
A	1168	Triturus italicus						C	X					

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N16	45.0
N09	20.0
N08	10.0
N22	20.0
N21	5.0
Total Habitat Cover	100

Other Site Characteristics

Massiccio carbonatico caratterizzato da estesi fenomeni carsici ed importanti sistemi di cavita' di notevole interesse speleofaunistico, attraversato dai fiumi Calore e Tanagro.

4.2 Quality and importance

Significativi popolamenti di faggete, bosco misto e prati di quota con importanti siti di orchidee. Importante la vegetazione rupestre. Presenza di specie ornitiche nidificanti (Falco biarmicus e Dryocopus martius), del lupo, di numerose specie di chiroterteri e di numerose popolazioni di Triturus carnifex e Triturus italicus.

4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	90
Joint or Co-Ownership	0	

Private	10
Unknown	0
sum	100

4.5 Documentation

AAVV 2011. I Rapaci diurni della Campania. Monografia n. 10 ASOIM, Napoli. PICIOCCHI S., MASTRONARDI D., DE FILIPPO G., 2007. Stato delle conoscenze su Aquila reale *Aquila chrysaetos*, Lanario Falco *biarmicus* e Pellegrino Falco *peregrinus* in Campania. In: Magrini M., Perna P., Scotti M. (Eds). Atti del convegno Aquila reale, Lanario e Pellegrino nell'Italia peninsulare Stato delle conoscenze e problemi di conservazione. Serra San Quirico (AN), 26-28 marzo 2004, pp: 117-119. FUSCO L., CANONICO F. E CALIENDO M.F. 2005 The migratory ways of Accipitriformes and Falconiformes in Cilento. Boll. Soc. Nature. Napoli, III, 1-9. RIPPA D., MASELLI V., SOPPELSA O., FULGIONE D., 2011. The impact of agro-pastoral abandonment on the Rock Partridge *Alectoris graeca* in the Apennines. Ibis, 153, 721-734. RIPPA D., CALIENDO M.F., FUSCO L., ZACCARA A.T., VALORE M., FULGIONE D., 2009. Rock Partridge *Alectoris graeca* a good candidate for an umbrella species in rocky mountains in Italy. Avocetta 33, 211-216. RIPPA D., ZACCARA A. T., VALORE M., CARPINO F., FULGIONE F., 2005. La coturnice *Alectoris graeca* in Campania. Avocetta, 29: 204. FULGIONE D., RIPPA D. e MILONE M., 2002. La Conservazione della Coturnice (*Alectoris graeca*) in Campania: un'esperienza di restocking in provincia di Salerno. Atti del 63 Congresso Nazionale Unione Zoologica Italiana. Rende (CS) 22-26 settembre 2002. FULGIONE D., RIPPA D. e MILONE M., 2001. La conservazione della coturnice in Campania. Piani di introduzione e miglioramenti ambientali nella politica di conservazione delle aree protette e non. Provincia di Salerno - Assessorato alle attività Faunistiche Ittiche - Venatorie. Pp 40-53. AA.VV., 1984 - Flora da proteggere. Istituto e Orto Botanico dell'Università "Federico II" di Pavia. Pavia. Agostini R., 1959 - Alcuni reperti interessanti alla flora della Campania. Delpinoa, n.s., 1:42-68. Agostini R., 1981 - Contributo alla conoscenza della distribuzione della betulla (*Betula pendula* Roth) nell'Appennino centro-meridionale e in Sicilia e del suo significato fitogeografico. Studi Trentini Sci. Nat. Acta Biologica, 58: 41-48. Caputo G., La Valva V., Ricciardi M., 1987 - Nuove aggiunte alla flora del Monte Alburno (Appennino Campano-Lucano). Webbia, 41(2): 273-287. Caputo G., Ricciardi M., Moggi G., 1977 - Nuovi reperti floristici per il Monte Alburno (Appennino Campano-Lucano). Webbia, 31(2): 295-311. Lacaita C., 1921 - Catalogo delle piante vascolari dell'ex Principato Citra. Bull. Orto Bot. Napoli, 6: 101-256. La Valva V., Moraldo B., Ricciardi M., Caputo G., 1987-88 - Appunti di floristica meridionale. Delpinoa, n.s., 29-30: 107-115. La Valva V., Ricciardi M., Caputo G., 1985 - La tutela dell'ambiente in Campania: situazione attuale e proposte. Inf. Bot. Ital., 17(1-2-3): 144-154. Longo B., 1907 - Contribuzione alla flora del Cilento. Ann. Bot. (Roma), 5: 653-655. Moggi G., 1955 - La Flora del Monte Alburno (Appennino Lucano). Webbia, 10(2): 461-465. Moraldo B., 1986 - Il genere *Stipa* (Gramineae) in Italia. Webbia, 40(2): 203-278. Motti R., Ricciardi M., 1993 - Primo contributo alla conoscenza della flora del Vallo di Diano (Salerno). Istituto di Botanica Generale e Sistematica dell'Università "Federico II" di Napoli "Federico II". Geoproter. Napoli. Pignataro C., Vicidomini S., 2007 - *Osmoderma italicum* Sparacio 2000 (Coleoptera: Cetoniidae): ritrovato nei pressi del locus typicus dopo circa un secolo (Campania). - Il Naturalista Campano (pubbl. Aperiod. Mus. Nat. Alburni, Corleto Monforte), 4: 1-3. Vicidomini S., Pignataro C., 2007 - Recente conferma della presenza di una vitale popolazione di *Saga pedo* (Pallas, 1771) (Orthoptera: Tettigonidae) sui Monti Alburni (Campania: SA: Parco Nazionale del Cilento e Vallo di Diano). - Il Naturalista Campano (pubbl. Aperiod. Mus. Nat. Alburni, Corleto Monforte), 3: 1-3. Pignataro C., Vicidomini S., 2005 - La cavalletta gigante sui Monti Alburni (Campania: SA): individuazione della popolazione più cospicua d'Italia di *Saga pedo* (Orthoptera: Tettigonidae). - Natur. Campano (Pubbl. Aperiod. Mus. Nat. Alburni, C. Monforte), 15: 1-2. Caputo E., Kalby M. e de Filippo G., 1985 Gli Anfibi e i Rettili del Massiccio degli Alburni (Appennino Campano Lucano). Natura, 76: 94-104. Audisio P. & Biscaccianti A., 2008. Relazione tecnica per il Monitoraggio alla rete dei boschi vetusti del Parco Nazionale del Cilento e Vallo di Diano. POR Campania 2000-2006 Asse I Risorse Misura 1.9 Azione C Progetto Integrato PNCVD). Volpe G. e Palmieri R. 2001. Farfalle italiane: 1. Campania e territori limitrofi. Arion edizioni, Castel Volturno, CE. Volpe G. e Palmieri R. 2005. Le farfalle a volo diurno nel Parco Nazionale del Cilento e Vallo di Diano. Arion edizioni, Castel Volturno, CE.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT01	100.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT01	P.N. Cilento e Vallo di Diano		100.0

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regione Campania
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Piano di Gestione Link: _____
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

D.G.R. n. 2295/2007

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

186-IVSO 186-IVNO 185-ISE 185-INE 1:25000 UTM



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT8050046
SITENAME Monte Cervati e dintorni

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type A	1.2 Site code IT8050046	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Monte Cervati e dintorni

1.4 First Compilation date 1999-10	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Campania, Assessorato all'Ecologia e alla Tutela dell'Ambiente, AGC 05, Settore Ecologia
Address: Via Arenella 104 - 80128 Napoli
Email: ac.esposito@maildip.regione.campania.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	1999-10
National legal reference of SPA designation	D.G.R. n. 631 del 08/02/2000

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

		3691.2			B	B	A	A
9220		1845.6			A	C	A	A
9260		3691.2			B	B	B	B
92A0		738.24			B	C	B	B
9340		1845.6			B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	AIBICID		AIBIC	
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A247	Alauda arvensis			r				C	DD	C	B	C	B
B	A247	Alauda arvensis			c				C	DD	C	B	C	B
B	A247	Alauda arvensis			w				P	DD	C	B	C	B
B	A109	Alectoris graeca			p	11	50	p		P	C	B	C	B
B	A255	Anthus campestris			r				C	DD	C	B	C	B
B	A259	Anthus spinoletta			r				P	DD	C	B	C	B
B	A256	Anthus trivialis			r				P	DD	C	B	C	B
B	A091	Aquila chrysaetos			p	1	1	p		P	C	B	C	B
A	5357	Bombina pachipus			p				C	DD	C	A	C	A
B	A215	Bubo bubo			p	1	1	p		P	C	B	C	B
M	1352	Canis lupus			p				R	DD	C	B	B	B
B	A224	Caprimulgus europaeus			r				P	DD	C	B	C	B
B	A366	Carduelis cannabina			r				P	DD	C	B	C	B
I	1088	Cerambyx cerdo			p				P	DD	C	B	B	B
B	A080	Circaetus gallicus			r	2	2	p		P	C	B	C	B
B	A082	Circus cyaneus			w	2	4	i		P	C	B	C	B

I	1084	eremita			p				R	G	B	C	A	C
B	A072	Pernis apivorus			r	2	2	p		P	C	B	C	B
B	A273	Phoenicurus ochruros			r				P	DD	C	B	C	B
B	A346	Pyrrhocorax pyrrhocorax			p	51	100	p		P	C	B	C	B
M	1305	Rhinolophus euryale			p				P	DD	C	A	C	A
M	1304	Rhinolophus ferrumequinum			p				P	DD	C	A	C	A
M	1303	Rhinolophus hipposideros			p				P	DD	C	A	C	A
I	1087	Rosalia alpina			p				V	DD	C	A	B	A
A	1175	Salamandrina terdigitata			p				R	DD	B	A	B	A
B	A155	Scolopax rusticola			w				C	DD	C	B	C	B
B	A210	Streptopelia turtur			c				C	DD	C	B	C	B
B	A210	Streptopelia turtur			r				C	DD	C	B	C	B
B	A286	Turdus iliacus			c				R	DD	C	B	C	B
B	A285	Turdus philomelos			w				C	DD	C	B	C	B
B	A285	Turdus philomelos			r	1	5	p		P	C	B	C	B
B	A285	Turdus philomelos			c				C	DD	C	B	C	B
B	A284	Turdus pilaris			w				P	DD	C	B	C	B
B	A287	Turdus viscivorus			c				C	DD	C	B	C	B
B	A287	Turdus viscivorus			p				C	DD	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species	Population in the site	Motivation

Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max			CIRIVIP	IV	V	A	B	C
P		Abies alba						V			X			
P		Alnus cordata						R			X			
P		Armeria macropoda						R			X			
P		Asperula calabra						C			X			
P		Botrichium matricarifolium						C			X			
I		Boyeria irene						C			X			
P		Campanula fragilis						C				X		
I		Ceriagrion tenellum						V					X	
R		Chalcides chalcides						C				X		
I		Coenagrion coerulescens						R			X			
R	1284	Coluber viridiflavus						C	X					
I		Cordulegaster boltoni						R			X			
R	1283	Coronella austriaca						C	X					
P		Dianthus ferrugineus						P			X			
R	1281	Elaphe longissima						P	X					
M	1363	Felis silvestris						P	X					
P		Festuca calabrica						P						X
A		Hyla italica						P						X
R		Lacerta bilineata						P						X
I		Lester dryas						P				X		
I		Onychogomphus forcipatus						P				X		
R	1256	Podarcis muralis						P	X					
R	1250	Podarcis sicula						P	X					
A	1209	Rana dalmatina						P	X					
A	1206	Rana italica						P	X					
P		Rhinanthus wettsteinii						P			X			
A		Salamandra salamandra gigliolii						P						X
A	1168	Triturus italicus						P	X					

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N17	15.0
N09	30.0
N08	5.0
N20	20.0
N18	5.0
N22	5.0
N12	10.0
N14	5.0
N19	5.0
Total Habitat Cover	100

Other Site Characteristics

Massiccio appenninico prevalentemente di natura calcarea, diffusi fenomeni carsici (doline, grotte, ecc.). Depositi morenici glaciali.

4.2 Quality and importance

Complesso particolarmente significativo per la presenza di vari tipi vegetazionali (faggeta, abetina). Foreste di caducifoglie in buono stato. Presenza del lupo e di uccelli nidificanti (aquila). Importante erpetofauna.

4.5 Documentation

Istituto di Gestione della Fauna 2012. Banca dati del monitoraggio del SIC e ZPS del Cervati. www.gestione fauna.com Piciocchi S., Mastronardi D., Fraissinet M. 2013. I rapaci diurni della Campania. Monogr. n. 10 ASOIM, Napoli. AA.VV. 2012. Atlante degli Anfibi e dei rettili della Campania. Massa ed., Napoli. Milone M. 1999. Atlante degli uccelli svernanti in Campania. Monografia n.6 dell'ASOIM, Napoli. AAVV 2011. I Rapaci diurni della Campania. Monografia n. 10 ASOIM, Napoli. PICIOCCHI S., MASTRONARDI D., DE FILIPPO G., 2007. Stato delle conoscenze su Aquila reale *Aquila chrysaetos*, Lanario *Falco biarmicus* e Pellegrino *Falco peregrinus* in Campania. In: Magrini M., Perna P., Scotti M. (Eds). Atti del convegno Aquila reale, Lanario e Pellegrino nell'Italia peninsulare Stato delle conoscenze e problemi di conservazione. Serra San Quirico (AN), 26-28 marzo 2004, pp: 117-119. RIPPA D., MASELLI V., SOPPELSA O., FULGIONE D., 2011. The impact of agro-pastoral abandonment on the Rock Partridge *Alectoris graeca* in the Apennines. *Ibis*, 153, 721 -734. RIPPA D., CALIENDO M.F., FUSCO L., ZACCARA A.T., VALORE M., FULGIONE D., 2009. Rock Partridge *Alectoris graeca* a good candidate for an umbrella species in rocky mountains in Italy. *Avocetta* 33, 211-216. RIPPA D., ZACCARA A. T., VALORE M., CARPINO F., FULGIONE F., 2005. La coturnice *Alectoris graeca* in Campania. *Avocetta*, 29: 204. FUSCO L., CANONICO F. E CALIENDO M.F. 2005 The migratory ways of Accipitriformes and Falconiformes in Cilento . *Boll. Soc. Natur. Napoli*, III, 1-9. FULGIONE D., RIPPA D. e MILONE M., 2002. La Conservazione della Coturnice (*Alectoris graeca*) in Campania: un'esperienza di restocking in provincia di Salerno. Atti del 63 Congresso Nazionale Unione

Zoologica Italiana. Rende (CS) 22-26 settembre 2002. FULGIONE D., RIPPA D. e MILONE M., 2001. La conservazione della coturnice in Campania. Piani di introduzione e miglioramenti ambientali nella politica di conservazione delle aree protette e non. Provincia di Salerno - Assessorato alle attività faunistiche - Venatorie. Pp 40-53. Audisio P. & Biscaccianti A., 2008. Relazione tecnica per il Monitoraggio alla rete dei boschi vetusti del Parco Nazionale del Cilento e Vallo di Diano?. POR Campania 2000-2006 Progetto Integrato PNCVD. Volpe G. e Palmieri R. 2001. Farfalle italiane: 1. Campania e territori limitrofi. Arion edizioni, Castel Volturno, CE. Volpe G. e Palmieri R. 2005. Le farfalle a volo diurno nel Parco Nazionale del Cilento e Vallo di Diano. Arion edizioni, Castel Volturno, CE. AAVV 2011. I Rapaci diurni della Campania. Monografia n. 10 ASOIM, Napoli. Lacaíta C., 1921 - Catalogo delle piante vascolari dell'ex principato Citra. Bull. Orto Bot. Napoli, 6: 101-256. La Valva V., Moraldo B., Ricciardi M. e Caputo G., 1987-88 - Appunti di floristica meridionale. Delpinoa, n.s., 29-30: 107-115. La Valva V., Ricciardi M. e Caputo G., 1985 - La tutela dell'ambiente in Campania: situazione attuale e proposte. Inf. Bot. Ital., 17(1-2-3): 144-154. Longo B., 1907 - Contribuzione alla flora del Cilento. Ann. Bot. (Roma), 5: 653-655. Santangelo A., La Valva V., Di Novella N. e Caputo G., 1989-90 - La flora cacuminale del Monte Cervati (Appennino campano). Delpinoa, n.s., 31-32: 99-139. Moggi G., 1958 - Notizie floristiche sull'abetina di Monte Motola nel Cilento (Appennino lucano). N. Giorn. Bot. Ital., n.s., 65: 455-460.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT01	100.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT01	Cilento e Valle di Diano		100.0

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Regione Campania
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: Piano di Gestione Link: _____
<input type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

6.3 Conservation measures (optional)

D.G.R. n. 2295/2007

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

199-IIISO 198-IIIE 1:25000 UTM



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT8050053

SITENAME Monti Soprano, Vesole e Gole del Fiume Calore Salernitano

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type A	1.2 Site code IT8050053	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Monti Soprano, Vesole e Gole del Fiume Calore Salernitano

1.4 First Compilation date 2003-10	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Campania, Assessorato all'Ecologia e alla Tutela dell'Ambiente, AGC 05, Settore Ecologia
Address: Via Arenella 104 - 80128 Napoli
Email: ac.esposito@maildip.regione.campania.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2003-10
National legal reference of SPA designation	D.G.R. n. 3431 del 12/07/2002

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

		298.7				B		B	B	B
9260		896.1				C		C	B	B
92A0		298.7				B		C	B	B
9340		896.1				C		C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	AIBICID	AIBIC		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A293	Acrocephalus melanopogon			r	1	5	p		P	C	C	C	C
B	A229	Alcedo atthis			p	6	10	p		P	C	C	C	C
A	5357	Bombina pachipus			p				C	DD	C	A	C	A
B	A215	Bubo bubo			p	1	1	p		P	C	C	C	A
M	1352	Canis lupus			p				P	DD	C	B	B	B
B	A224	Caprimulgus europaeus			r	1	5	p		P	C	B	C	B
B	A224	Caprimulgus europaeus			c				R	DD	C	B	C	B
I	1088	Cerambyx cerdo			p				P	DD	C	A	B	A
B	A080	Circaetus gallicus			r	1	1	p		P	C	C	C	C
B	A081	Circus aeruginosus			c				C	DD	C	C	C	C
I	1044	Coenagrion mercuriale			p				P	DD	C	A	C	A
B	A208	Columba palumbus			p				P	DD	C	B	C	B
B	A208	Columba palumbus			c				R	DD	C	B	C	B
B	A208	Columba palumbus			r				P	DD	C	B	C	B
B	A231	Coracias garrulus			r	1	5	p		P	C	C	C	C

R		chalcides						R				X		
I		Coenagrion coerulescens						P			X			
I		Coenagrion tenellum						P			X			
R	1284	Coluber viridiflavus						C	X					
I		Cordulegaster boltoni						P			X			
R	1281	Elaphe longissima						R	X					
M	1363	Felis silvestris						V	X					
A		Hyla intermedia						V			X			
A		Hyla italica						R			X			
R		Lacerta bilineata						C			X			
I		Lestes dryas						P						X
R	1292	Natrix tessellata						R	X					
I		Onychogomphus forcipatus						P						X
R	1256	Podarcis muralis						R	X					
R	1250	Podarcis sicula						C	X					
A	1209	Rana dalmatina						R	X					
A	1206	Rana italica						C	X					
A		Salamandra salamandra gigliolii						R			X			
A	1168	Triturus italicus						C	X					

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N18	15.0
N21	10.0
N15	5.0

N08	10.0
N09	25.0
N22	5.0
N06	5.0
N16	25.0
Total Habitat Cover	100

Other Site Characteristics

Massiccio appenninico carbonatico, interessato da notevole carsismo; presenza di ampi pianori d'altura. Profonde gole scavate dal Fiume Calore Salernitano.

4.2 Quality and importance

Vegetazione rappresentata da boschi di sempreverdi e di caducifoglie. Presenza di praterie xerofile, miste a coltivazioni. Importante l'avifauna. Interessanti comunità di anfibi, rettili e pesci.

4.5 Documentation

AAVV 2011. I Rapaci diurni della Campania. Monografia n. 10 ASOIM, Napoli. La Valva V., Ricciardi N. e Caputo G., 1985. La tutela dell'ambiente in Campania: situazione attuale e proposte. Inf. Bot. Ital. 17 (1-2-3): 144-154.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT01	100.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT01	Cilento e Vallo di Diano		100.0

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Regione Campania
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: Piano di Gestione Link: _____
<input type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>		

No

6.3 Conservation measures (optional)

D.G.R. n. 2295/2007

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

209-ISE 209-INE 209-IISO 209-IISE 209-IINE 1:25000 UTM



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT8050055

SITENAME Alburni

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type A	1.2 Site code IT8050055	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Alburni

1.4 First Compilation date 2003-10	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Regione Campania, Assessorato all'Ecologia e alla Tutela dell'Ambiente, AGC 05, Settore Ecologia
Address:	Via Arenella 104 - 80128 Napoli
Email:	ac.esposito@maildip.regione.campania.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2000-08
National legal reference of SPA designation	D.G.R. n. 631 del 08/02/2000

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

		253.68			B		C	B	A
9260		2536.8			A		C	A	A
9340		1268.4			A		C	A	A

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	AIBICID	AIBIC		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A247	Alauda arvensis			r				C	DD	C	C	C	C
B	A247	Alauda arvensis			w				C	DD	C	C	C	C
B	A247	Alauda arvensis			c				C	DD	C	C	C	C
B	A109	Alectoris graeca			p				P	DD	C	B	C	B
B	A255	Anthus campestris			r				C	DD	C	C	C	C
B	A091	Aquila chrysaetos			c				R	DD	C	C	C	C
B	A091	Aquila chrysaetos			w				R	DD	C	C	C	C
A	5357	Bombina pachipus			p				C	DD	C	A	C	A
M	1352	Canis lupus			p	1	5	i		P	C	B	B	A
I	1088	Cerambyx cerdo			p				P	DD	C	A	B	A
B	A080	Circus gallicus			r	1	1	p		P	C	C	C	C
B	A082	Circus cyaneus			w	1	5	i		P	C	C	C	C
I	1044	Coenagrion mercuriale			p				P	DD	C	A	C	A
B	A208	Columba palumbus			p				C	DD	C	C	C	C
B	A208	Columba palumbus			c				C	DD	C	C	C	C

M	1304	ferrumequinum							V	DD	C	A	C	A
M	1303	Rhinolophus hipposideros							R	DD	C	A	C	A
A	1175	Salamandrina terdigitata							V	DD	C	B	C	B
B	A210	Streptopelia turtur							C	DD	C	C	C	C
A	1167	Triturus carnifex							P	DD	C	B	A	C
B	A286	Turdus iliacus							R	DD	C	B	C	B
B	A286	Turdus iliacus							R	DD	C	B	C	B
B	A285	Turdus philomelos							C	DD	C	B	C	B
B	A285	Turdus philomelos							P	C	C	B	C	B
B	A285	Turdus philomelos							C	DD	C	B	C	B
B	A284	Turdus pilaris							P	C	C	C	C	C
B	A287	Turdus viscivorus							C	DD	C	C	C	C
B	A287	Turdus viscivorus							C	DD	C	C	C	C

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		CIRIVIP	IV	V	A	B	C	D
P		Abies alba						P				X		
P		Alnus cordata						P				X		
P		Armeria macropoda						P				X		
I		Boyeria irene						P						X
P		Campanula fragilis						P				X		

I		Ceriagrion tenellum						P			X			
R		Chalcides chalcides						R				X		
R	1284	Coluber viridiflavus						C	X					
P		Dianthus ferrugineus						P				X		
R	1281	Elaphe longissima						R	X					
M	1363	Felis silvestris						V	X					
R		Lacerta bilineata						C			X			
I		Lestes dryas						P						X
I		Onychogomphus forcipatus						P						X
R	1256	Podarcis muralis						R	X					
R	1250	Podarcis sicula						C	X					
A	1209	Rana dalmatina						R	X					
A	1206	Rana italica						C	X					
P		Rhinanthus wettsteini						P				X		
A		Salamandra salamandra						R			X			
P		Trifolium brutium						P				X		
A	1168	Triturus italicus						C	X					

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N08	10.0
N21	5.0
N09	20.0
N22	20.0

N16	45.0
Total Habitat Cover	100

Other Site Characteristics

Massiccio carbonatico, caratterizzato da estesi fenomeni carsici ed importanti sistemi di cavità di notevole interesse speleofaunistico, attraversato dai fiumi Calore e Tanagro.

4.2 Quality and importance

Significativi popolamenti di faggete, bosco misto e prati di quota con importanti siti di orchidee. Importante la vegetazione rupestre. Presenza di specie ornitiche nidificanti (Falco biarmicus e Dryocopus martius), del lupo, di numerose specie di chiroterri e di numerose popolazioni di Triturus carnifex e Triturus italicus.

4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	90
Joint or Co-Ownership	0	
Private	10	
Unknown	0	
sum	100	

4.5 Documentation

AAVV 2011. I Rapaci diurni della Campania. Monografia n. 10 ASOIM, Napoli. PICIOCCHI S., MASTRONARDI D., DE FILIPPO G., 2007. Stato delle conoscenze su Aquila reale *Aquila chrysaetos*, Lanario Falco *biarmicus* e Pellegrino Falco *peregrinus* in Campania. In: Magrini M., Perna P., Scotti M. (Eds). Atti del convegno Aquila reale, Lanario e Pellegrino nell'Italia peninsulare Stato delle conoscenze e problemi di conservazione. Serra San Quirico (AN), 26-28 marzo 2004, pp: 117-119. FUSCO L., CANONICO F. E CALIENDO M.F. 2005 The migratory ways of Accipitriformes and Falconiformes in Cilento. Boll. Soc. Nature. Napoli, III, 1-9. RIPPA D., MASELLI V., SOPPELSA O., FULGIONE D., 2011. The impact of agro-pastoral abandonment on the Rock Partridge *Alectoris graeca* in the Apennines. Ibis, 153, 721-734. RIPPA D., CALIENDO M.F., FUSCO L., ZACCARA A.T., VALORE M., FULGIONE D., 2009. Rock Partridge *Alectoris graeca* a good candidate for an umbrella species in rocky mountains in Italy. Avocetta 33, 211-216. RIPPA D., ZACCARA A. T., VALORE M., CARPINO F., FULGIONE F., 2005. La coturnice *Alectoris graeca* in Campania. Avocetta, 29: 204. FULGIONE D., RIPPA D. e MILONE M., 2002. La Conservazione della Coturnice (*Alectoris graeca*) in Campania: un'esperienza di restocking in provincia di Salerno. Atti del 63 Congresso Nazionale Unione Zoologica Italiana. Rende (CS) 22-26 settembre 2002. FULGIONE D., RIPPA D. e MILONE M., 2001. La conservazione della coturnice in Campania. Piani di introduzione e miglioramenti ambientali nella politica di conservazione delle aree protette e non. Provincia di Salerno - Assessorato alle attività Faunistiche Ittiche - Venatorie. Pp 40-53. NAPPI A., MAIO N., VICIDOMINI S. E PIGNATARO C., 2004. Some specimens of faunistic value in the ornithological collection of the Museo Naturalistico degli Alburni. Riv. It. Orn., 74: 159-160. AA.VV., 1984 - Flora da proteggere. Istituto e Orto Botanico dell'Università di Pavia. Pavia. Agostini R., 1959 - Alcuni reperti interessanti la flora della Campania. Delpinoa, n.s., 1:42-68. Agostini R., 1981 - Contributo alla conoscenza della distribuzione della betulla (*Betula pendula* Roth) nell'Appennino centro-meridionale e in Sicilia e del suo significato fitogeografico. Studi Trentini Sci. Nat. Acta Biologica, 58: 41-48. Caputo G., La Valva V., Ricciardi M., 1987 - Nuove aggiunte alla flora del Monte Alburno (Appennino Campano-Lucano). Webbia, 41(2): 273-287. Caputo G., Ricciardi M., Moggi G., 1977 - Nuovi reperti floristici per il Monte Alburno (Appennino Campano-Lucano). Webbia, 31(2): 295-311. Lacaia C., 1921 - Catalogo delle piante vascolari dell'ex Principato Citra. Bull. Orto Bot. Napoli, 6: 101-256. La Valva V., Moraldo B., Ricciardi M., Caputo G., 1987-88 - Appunti di floristica meridionale. Delpinoa, n.s., 29-30: 107-115. La Valva V., Ricciardi M., Caputo G., 1985 - La tutela dell'ambiente in Campania: situazione attuale e proposte. Inf. Bot. Ital., 17(1-2-3): 144-154. Longo B., 1907 - Contribuzione alla flora del Cilento. Ann. Bot. (Roma), 5: 653-655. Moggi G., 1955 - La Flora del Monte Alburno (Appennino Lucano). Webbia, 10(2): 461-465. Moraldo B., 1986 - Il genere *Stipa* (Gramineae) in Italia. Webbia, 40(2): 203-278. Motti R., Ricciardi M., 1993 - Primo contributo alla conoscenza della flora del Vallo di Diano (Salerno). Istituto di Botanica Generale e Sistematica dell'Università di Napoli "Federico II". Geoprot. Napoli. Pignataro C., Vicidomini S., 2007 - *Osmoderma italicum* Sparacio 2000 (Coleoptera: Cetoniidae): ritrovato nei pressi del locus typicus dopo circa un secolo (Campania). - Il Naturalista Campano (pubbl. Aperiod. Mus. Nat. Alburni, Corleto Monforte), 4: 1-3. Vicidomini S., Pignataro C., 2007 - Recente conferma della presenza di una vitale popolazione di *Saga pedo* (Pallas, 1771) (Orthoptera: Tettigoniidae) sui Monti Alburni (Campania: SA: Parco

Nazionale del Cilento e Vallo di Diano). - Il Naturalista Campano (pubbl. Aperiod. Mus. Nat. Alburni, Corleto Monforte), 3: 1-3. Pignataro C., Vicidomini S., 2005 - La cavalletta gigante sui Monti Alburni (Campania: SA): individuazione della popolazione pi cospicua d'Italia di Saga pedo (Orthoptera: Tettigonidae). - Natur. Campano (Pubbl. Aperiod. Mus. Nat. Alburni, C. Monforte), 15: 1-2. Caputo E., Kalby M. e de Filippo G., 1985 Gli Anfibi e i Rettili del Massiccio degli Alburni (Appennino Campano Lucano). Natura, 76: 94 104. Audisio P. & Biscaccianti A., 2008. Relazione tecnica per il Monitoraggio alla rete dei boschi vetusti del Parco Nazionale del Cilento e Vallo di Diano. POR Campania 2000-2006 - Asse I Risorse Misura 1.9 - Azione C - Progetto Integrato PNCVD. Volpe G. e Palmieri R. 2001. Farfalle italiane: 1. Campania e territori limitrofi. Arion edizioni, Castel Volturno, CE. Volpe G. e Palmieri R. 2005. Le farfalle a volo diurno nel Parco Nazionale del Cilento e Vallo di Diano. Arion edizioni, Castel Volturno, CE.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT01	100.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT01	Cilento - Vallo di Diano		100.0

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regione Campania
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: Piano di Gestione Link: _____
<input type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

6.3 Conservation measures (optional)

D.G.R. n. 2295/2007

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

209-IVNO-bis 1:25000 UTM