

ALLEGATO 9

Tabelle riassuntive dei risultati superiori ai limiti stabiliti dal D.M. 471/99 riscontrati
durante le tre sessioni di monitoraggio delle acque di falda

ID campione			Anallta	torbidità 30/03/04	torbidità 17/06/04	torbidità 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99			
			unità di misura	NTU	NTU	NTU
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		60	201	223
P02P_20-00	P02P_20-00	P02p_19-50		2	<1	30
P03P_14-80	P03P_15-00	P03p_15-20		79	52,4	10
P03P_24-00	P03P_28-00	P03p_28-00		56	12,9	143
P04P_16-30	P04P_16-50	P04p_16-70		370	153	40
P04P_19-00	P04P_19-00	P04p_18-00		18	364	170
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		960	457	580
P03S_08-50	P03S_08-50	P03s_08-00		39	9,13	28
P04S_04-30	P04S_05-70	P04s_05-70		595	593	1000
P04S_06-50	P04S_07-00	P04s_06-00		1190	302	170
S01_06-00	S01_06-40	S01_06-20		100	362	276
S01_07-00	S01_07-50	S01_07-50		5	34,3	104
S02_07-00	S02_07-10	S02_04-20		1760	1020	1200
S02_08-00	S02_08-00	S02_07-50		180	<1	47
S03_03-90	S03_04-00	S03_03-90		1200	349	156
S03_05-00	S03_05-00	S03_06-00		19	<1	1
S04_03-50	S04_03-60	S04_03-20		80	538	8
S04_05-00	S04_05-00	S04_04-50		13	<1	3
S05_03-80	S05_04-00	S05_03-15		345	180	105
S05_07-00	S05_06-50	S05_06-00		76	<1	7
S06_02-90	S06_02-80	S06_02-50		193	1,76	148
S06_06-00	S06_06-50	S06_06-50		77	68,9	5
S07_03-50	S07_03-70	S07_03-55		640	440	205
S07_05-00	S07_05-50	S07_06-00		24	24,7	5
S08_03-20	S08_02-90	S08_02-90		260	409	105
S08_07-00	S08_08-00	S08_07-50		48	610	74
S09_02-90	S09_03-00	S09_02-85		84	98	80
S09_05-00	S09_05-00	S09_06-00		14	83	11
S10_04-70	S10_05-00	S10_05-10		480	119	541
S10_07-50	S10_07-00	S10_06-50		10	248	23
S11_03-30	S11_03-30	S11_03-10		50	150	170
S11_08-00	S11_08-00	S11_08-50		72	<1	393
S12_03-20	S12_03-30	S12_03-10		131	79	330
S12_07-00	S12_07-00	S12_06-00		66	45	5

ID campione			Analita	cianuri 30/03/04	cianuri 17/06/04	cianuri 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	50	50	50
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		<2	<1,17	<1,17
P02P_20-00	P02P_20-00	P02p_19-50		<2	<1,17	<1,17
P03P_14-80	P03P_15-00	P03p_15-20		<2	1,49	<1,17
P03P_24-00	P03P_28-00	P03p_28-00		<2	<1,17	<1,17
P04P_16-30	P04P_16-50	P04p_16-70		<2	<1,17	<1,17
P04P_19-00	P04P_19-00	P04p_18-00		<2	<1,17	<1,17
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		<2	1,42	<1,17
P03S_08-50	P03S_08-50	P03s_08-00		<2	<1,17	<1,17
P04S_04-30	P04S_05-70	P04s_05-70		<2	<1,17	<1,17
P04S_06-50	P04S_07-00	P04s_06-00		<2	<1,17	<1,17
S01_06-00	S01_06-40	S01_06-20		<2	1,35	<1,17
S01_07-00	S01_07-50	S01_07-50		<2	<1,17	<1,17
S02_07-00	S02_07-10	S02_04-20		<2	<1,17	<1,17
S02_08-00	S02_08-00	S02_07-50		<2	<1,17	<1,17
S03_03-90	S03_04-00	S03_03-90		<2	<1,17	<1,17
S03_05-00	S03_05-00	S03_06-00		<2	1,3	<1,17
S04_03-50	S04_03-60	S04_03-20		<2	<1,17	5,47
S04_05-00	S04_05-00	S04_04-50		<2	<1,17	5,32
S05_03-80	S05_04-00	S05_03-15		<2	3,69	3,43
S05_07-00	S05_06-50	S05_06-00		2,34	8,46	6,54
S06_02-90	S06_02-80	S06_02-50		<2	1,23	<1,17
S06_06-00	S06_06-50	S06_06-50		<2	<1,17	<1,17
S07_03-50	S07_03-70	S07_03-55		<2	<1,17	359
S07_05-00	S07_05-50	S07_06-00		<2	<1,17	285
S08_03-20	S08_02-90	S08_02-90		144	157	134
S08_07-00	S08_08-00	S08_07-50		98,9	<1,17	35,4
S09_02-90	S09_03-00	S09_02-85		<2	<1,17	<1,17
S09_05-00	S09_05-00	S09_06-00		<2	<1,17	<1,17
S10_04-70	S10_05-00	S10_05-10		28,2	15,2	<1,17
S10_07-50	S10_07-00	S10_06-50		45,1	19,6	<1,17
S11_03-30	S11_03-30	S11_03-10		5,5	5,32	2,36
S11_08-00	S11_08-00	S11_08-50		6,89	4,55	<1,17
S12_03-20	S12_03-30	S12_03-10		<2	<1,17	<1,17
S12_07-00	S12_07-00	S12_06-00		<2	<1,17	<1,17

ID campione			Analita	nitriti 30/03/04	nitriti 17/06/04	nitriti 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99			
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		17400	17500	27900
P02P_20-00	P02P_20-00	P02p_19-50		14800	15300	22100
P03P_14-80	P03P_15-00	P03p_15-20		3700	7460	2110
P03P_24-00	P03P_25-00	P03p_25-00		9780	9880	4450
P04P_16-30	P04P_16-50	P04p_16-70		1890	788	3540
P04P_19-00	P04P_19-00	P04p_18-00		1540	501	5980
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		<50	361	2470
P03S_08-50	P03S_08-50	P03s_08-00		<50	<3,8	2070
P04S_04-30	P04S_05-70	P04s_05-70		1240	149	1260
P04S_06-50	P04S_07-00	P04s_06-00		1340	<3,8	887
S01_06-00	S01_06-40	S01_06-20		<50	2240	6390
S01_07-00	S01_07-50	S01_07-50		64,6	2320	<3,8
S02_07-00	S02_07-10	S02_04-20		5560	4060	1510
S02_08-00	S02_08-00	S02_07-50		5490	5170	2960
S03_03-90	S03_04-00	S03_03-90		7240	3690	2610
S03_05-00	S03_05-00	S03_06-00		6630	3300	2070
S04_03-50	S04_03-60	S04_03-20		12600	6390	1380
S04_05-00	S04_05-00	S04_04-50		13700	6990	1140
S05_03-80	S05_04-00	S05_03-15		4180	5600	2490
S05_07-00	S05_06-50	S05_06-00		<50	220	237
S06_02-90	S06_02-80	S06_02-50		2900	237	8960
S06_06-00	S06_06-50	S06_06-50		4570	840	5590
S07_03-50	S07_03-70	S07_03-55		157	730	288
S07_05-00	S07_05-50	S07_06-00		97,6	196	12,4
S08_03-20	S08_02-90	S08_02-90		384	1350	992
S08_07-00	S08_08-00	S08_07-50		1030	1730	2430
S09_02-90	S09_03-00	S09_02-85		3820	2100	3020
S09_05-00	S09_05-00	S09_06-00		3130	1670	3400
S10_04-70	S10_05-00	S10_05-10		<50	48	1470
S10_07-50	S10_07-00	S10_06-50		155	27,1	<3,8
S11_03-30	S11_03-30	S11_03-10		81,4	494	946
S11_08-00	S11_08-00	S11_08-50		<50	31,4	1770
S12_03-20	S12_03-30	S12_03-10		2500	12400	9130
S12_07-00	S12_07-00	S12_06-00		4170	7340	7230

ID campione

Analisa	cloruri 30/03/04	cloruri 17/06/04	cloruri 27/09/04
---------	------------------	------------------	------------------

30-mar-04 17-giu-04 27-set-04

lim. D.M. 471/99			
unità di misura	µg/L	µg/L	µg/L

Falda profonda

P02P_16-60	P02P_16-90	P02p_17-00		1450000	1200000	1310000
P02P_20-00	P02P_20-00	P02p_19-50		1490000	1270000	1330000
P03P_14-80	P03P_15-00	P03p_15-20		9750000	6490000	5690000
P03P_24-00	P03P_28-00	P03p_28-00		1300000	1630000	1290000
P04P_16-30	P04P_16-50	P04p_16-70		282000	480000	2570000
P04P_19-00	P04P_19-00	P04p_18-00		305000	521000	1760000

Falda superficiale

P03S_03-60	P03S_03-80	P03s_03-75		1610000	1160000	1950000
P03S_08-50	P03S_08-50	P03s_08-00		1990000	1560000	2380000
P04S_04-30	P04S_05-70	P04s_05-70		200000	413000	3650000
P04S_06-50	P04S_07-00	P04s_06-00		200000	462000	3660000
S01_06-00	S01_06-40	S01_06-20		7390000	3830000	2500000
S01_07-00	S01_07-50	S01_07-50		7420000	3920000	2590000
S02_07-00	S02_07-10	S02_04-20		254000	200000	184000
S02_08-00	S02_08-00	S02_07-50		197000	165000	199000
S03_03-90	S03_04-00	S03_03-90		5240000	5720000	4680000
S03_05-00	S03_05-00	S03_06-00		5260000	5350000	4990000
S04_03-50	S04_03-60	S04_03-20		365000	773000	351000
S04_05-00	S04_05-00	S04_04-50		341000	770000	345000
S05_03-80	S05_04-00	S05_03-15		259000	294000	131000
S05_07-00	S05_06-50	S05_06-00		317000	283000	176000
S06_02-90	S06_02-80	S06_02-50		312000	281000	301000
S06_06-00	S06_06-50	S06_06-50		629000	584000	671000
S07_03-50	S07_03-70	S07_03-55		1200000	1740000	350000
S07_05-00	S07_05-50	S07_06-00		1330000	848000	447000
S08_03-20	S08_02-90	S08_02-90		3220000	3710000	2600000
S08_07-00	S08_08-00	S08_07-50		5400000	5730000	6790000
S09_02-90	S09_03-00	S09_02-85		643000	188000	784000
S09_05-00	S09_05-00	S09_06-00		899000	258000	1000000
S10_04-70	S10_05-00	S10_05-10		852000	586000	1580000
S10_07-50	S10_07-00	S10_06-50		815000	484000	1530000
S11_03-30	S11_03-30	S11_03-10		1360000	916000	403000
S11_08-00	S11_08-00	S11_08-50		1430000	949000	400000
S12_03-20	S12_03-30	S12_03-10		12100000	1040000	1860000
S12_07-00	S12_07-00	S12_06-00		3390000	3990000	3900000

ID campione			Analita	nitriti 30/03/04	nitriti 17/06/04	nitriti 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	500	500	500
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		<10	<0,744	<74,4
P02P_20-00	P02P_20-00	P02p_19-50		<10	<0,744	<74,4
P03P_14-30	P03P_15-00	P03p_15-20		<10	<0,744	<0,744
P03P_24-00	P03P_28-00	P03p_28-00		<10	<0,744	2,1
P04P_16-30	P04P_16-50	P04p_16-70		<10	<0,744	23
P04P_19-00	P04P_19-00	P04p_18-00		<10	<0,744	<0,744
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		<10	<0,744	5,8
P03S_08-50	P03S_08-50	P03s_08-00		26,6	<0,744	<0,744
P04S_04-30	P04S_05-70	P04s_05-70		<10	<0,744	<0,744
P04S_06-50	P04S_07-00	P04s_06-00		<10	<0,744	<0,744
S01_06-00	S01_06-40	S01_06-20		<10	<0,744	<0,744
S01_07-00	S01_07-50	S01_07-50		<10	<0,744	<0,744
S02_07-00	S02_07-10	S02_04-20		<10	<0,744	<0,744
S02_08-00	S02_08-00	S02_07-50		<10	<0,744	2,5
S03_03-90	S03_04-00	S03_03-90		31,5	<0,744	<0,744
S03_05-00	S03_05-00	S03_06-00		34,5	1,6	<0,744
S04_03-50	S04_03-60	S04_03-20		<10	1,1	3500
S04_05-00	S04_05-00	S04_04-50		<10	<0,744	3470
S05_03-80	S05_04-00	S05_03-15		<10	1,6	<0,744
S05_07-00	S05_06-50	S05_06-00		<10	<0,744	<0,744
S06_02-90	S06_02-80	S06_02-50		110	<0,744	150
S06_06-00	S06_06-50	S06_06-50		<10	<0,744	<74,4
S07_03-50	S07_03-70	S07_03-55		<10	<0,744	626
S07_05-00	S07_05-50	S07_06-00		23,7	<0,744	505
S08_03-20	S08_02-90	S08_02-90		<10	<0,744	14000
S08_07-00	S08_08-00	S08_07-50		<10	<0,744	78,1
S09_02-90	S09_03-00	S09_02-85		<10	<0,744	<0,744
S09_05-00	S09_05-00	S09_06-00		<10	<0,744	<0,744
S10_04-70	S10_05-00	S10_05-10		<10	<0,744	691
S10_07-50	S10_07-00	S10_06-50		<10	<0,744	<0,744
S11_03-30	S11_03-30	S11_03-10		<10	<0,744	<0,744
S11_08-00	S11_08-00	S11_08-50		<10	<0,744	6730
S12_03-20	S12_03-30	S12_03-10		<10	1,3	<0,744
S12_07-00	S12_07-00	S12_06-00		<10	2	<0,744

ID campione			Analita	solfati 30/03/04	solfati 17/06/04	solfati 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	250000	250000	250000
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		335000	263000	292000
P02P_20-00	P02P_20-00	P02p_19-50		344000	282000	309000
P03P_14-80	P03P_15-00	P03p_15-20		979000	714000	286000
P03P_24-00	P03P_28-00	P03p_28-00		293000	359000	280000
P04P_16-30	P04P_16-50	P04p_16-70		130000	103000	296000
P04P_19-00	P04P_19-00	P04p_18-00		137000	108000	257000
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		248000	167000	269000
P03S_08-50	P03S_08-50	P03s_08-00		288000	193000	285000
P04S_04-30	P04S_05-70	P04s_05-70		98300	96100	297000
P04S_06-50	P04S_07-00	P04s_06-00		98900	98900	298000
S01_06-00	S01_06-40	S01_06-20		1120000	622000	338000
S01_07-00	S01_07-50	S01_07-50		1140000	630000	337000
S02_07-00	S02_07-10	S02_04-20		35500	41800	32700
S02_08-00	S02_08-00	S02_07-50		32000	33800	35500
S03_03-90	S03_04-00	S03_03-90		792000	792000	629000
S03_05-00	S03_05-00	S03_06-00		780000	727000	662000
S04_03-50	S04_03-60	S04_03-20		123000	180000	124000
S04_05-00	S04_05-00	S04_04-50		123000	179000	120000
S05_03-80	S05_04-00	S05_03-15		58300	89500	58900
S05_07-00	S05_06-50	S05_06-00		66400	93000	69800
S06_02-90	S06_02-80	S06_02-50		99200	86500	87600
S06_06-00	S06_06-50	S06_06-50		145000	147000	242000
S07_03-50	S07_03-70	S07_03-55		183000	236000	104000
S07_05-00	S07_05-50	S07_06-00		192000	166000	143000
S08_03-20	S08_02-90	S08_02-90		464000	539000	447000
S08_07-00	S08_08-00	S08_07-50		793000	886000	1000000
S09_02-90	S09_03-00	S09_02-85		161000	76300	186000
S09_05-00	S09_05-00	S09_06-00		184000	80500	143000
S10_04-70	S10_05-00	S10_05-10		160000	121000	266000
S10_07-50	S10_07-00	S10_06-50		157000	93600	237000
S11_03-30	S11_03-30	S11_03-10		84300	169000	136000
S11_08-00	S11_08-00	S11_08-50		90400	163000	136000
S12_03-20	S12_03-30	S12_03-10		1750000	198000	278000
S12_07-00	S12_07-00	S12_06-00		761000	580000	525000

ID campione

Analita	calcio 30/03/04	calcio 17/06/04	calcio 27/09/04
---------	-----------------	-----------------	-----------------

30-mar-04 17-giu-04 27-set-04

lim. D.M. 471/99			
unità di misura	µg/L	µg/L	µg/L

Falda profonda

P02P_16-60	P02P_16-90	P02p_17-00		79700	188000	171000
P02P_20-00	P02P_20-00	P02p_19-50		74600	172000	166000
P03P_14-80	P03P_15-00	P03p_15-20		860000	600000	143000
P03P_24-00	P03P_28-00	P03p_28-00		217000	217000	198000
P04P_16-30	P04P_16-50	P04p_16-70		125000	81400	198000
P04P_19-00	P04P_19-00	P04p_18-00		38700	197000	159000

Falda superficiale

P03S_03-60	P03S_03-80	P03s_03-75		268000	181000	111000
P03S_08-50	P03S_08-50	P03s_08-00		124000	120000	142000
P04S_04-30	P04S_05-70	P04s_05-70		997000	692000	246000
P04S_06-50	P04S_07-00	P04s_06-00		2030000	96100	240000
S01_06-00	S01_06-40	S01_06-20		262000	250000	36000
S01_07-00	S01_07-50	S01_07-50		126000	61700	34800
S02_07-00	S02_07-10	S02_04-20		605000	4500000	65400
S02_08-00	S02_08-00	S02_07-50		104000	69200	66300
S03_03-90	S03_04-00	S03_03-90		151000	371000	166000
S03_05-00	S03_05-00	S03_06-00		172000	178000	180000
S04_03-50	S04_03-60	S04_03-20		86300	1960000	44700
S04_05-00	S04_05-00	S04_04-50		35900	36600	40500
S05_03-80	S05_04-00	S05_03-15		473000	158000	66700
S05_07-00	S05_06-50	S05_06-00		150000	107000	73000
S06_02-90	S06_02-80	S06_02-50		113000	53000	56700
S06_06-00	S06_06-50	S06_06-50		88000	74700	78000
S07_03-50	S07_03-70	S07_03-55		199000	820000	39200
S07_05-00	S07_05-50	S07_06-00		143000	69300	53100
S08_03-20	S08_02-90	S08_02-90		434000	528000	418000
S08_07-00	S08_08-00	S08_07-50		387000	443000	416000
S09_02-90	S09_03-00	S09_02-85		62400	78800	152000
S09_05-00	S09_05-00	S09_06-00		43300	45900	92300
S10_04-70	S10_05-00	S10_05-10		12500	442000	111000
S10_07-50	S10_07-00	S10_06-50		22100	49500	96400
S11_03-30	S11_03-30	S11_03-10		132000	147000	83600
S11_08-00	S11_08-00	S11_08-50		212000	141000	82600
S12_03-20	S12_03-30	S12_03-10		323000	239000	191000
S12_07-00	S12_07-00	S12_06-00		145000	224000	157000

ID campione

Analita	magnesio 30/03/04	magnesio 17/06/04	magnesio 27/09/04
---------	-------------------	-------------------	-------------------

30-mar-04 17-giu-04 27-set-04

lim. D.M. 471/99			
unità di misura	µg/L	µg/L	µg/L

Falda profonda

P02P_16-60	P02P_16-90	P02p_17-00		120000	110000	116000
P02P_20-00	P02P_20-00	P02p_19-50		126000	125000	119000
P03P_14-80	P03P_15-00	P03p_15-20		492000	322000	31900
P03P_24-00	P03P_28-00	P03p_28-00		127000	125000	114000
P04P_16-30	P04P_16-50	P04p_16-70		25900	22300	248000
P04P_19-00	P04P_19-00	P04p_18-00		23800	29300	169000

Falda superficiale

P03S_03-60	P03S_03-80	P03s_03-75		32300	22800	17800
P03S_08-50	P03S_08-50	P03s_08-00		30300	29800	31900
P04S_04-30	P04S_05-70	P04s_05-70		42400	45800	418000
P04S_06-50	P04S_07-00	P04s_06-00		92800	20200	418000
S01_06-00	S01_06-40	S01_06-20		306000	121000	66700
S01_07-00	S01_07-50	S01_07-50		314000	106000	70700
S02_07-00	S02_07-10	S02_04-20		86900	208000	55600
S02_08-00	S02_08-00	S02_07-50		58500	51400	60100
S03_03-90	S03_04-00	S03_03-90		268000	276000	236000
S03_05-00	S03_05-00	S03_06-00		245000	257000	244000
S04_03-50	S04_03-60	S04_03-20		32000	127000	25000
S04_05-00	S04_05-00	S04_04-50		30600	36600	24600
S05_03-80	S05_04-00	S05_03-15		44300	31300	15000
S05_07-00	S05_06-50	S05_06-00		28000	25800	17000
S06_02-90	S06_02-80	S06_02-50		11900	11700	12500
S06_06-00	S06_06-50	S06_06-50		25600	31300	30900
S07_03-50	S07_03-70	S07_03-55		32100	275000	13200
S07_05-00	S07_05-50	S07_06-00		37300	24600	18800
S08_03-20	S08_02-90	S08_02-90		43000	172000	242000
S08_07-00	S08_08-00	S08_07-50		134000	239000	1220
S09_02-90	S09_03-00	S09_02-85		20100	10000	52100
S09_05-00	S09_05-00	S09_06-00		35200	10200	35700
S10_04-70	S10_05-00	S10_05-10		31700	54500	108000
S10_07-50	S10_07-00	S10_06-50		50500	35900	96900
S11_03-30	S11_03-30	S11_03-10		38200	25400	15200
S11_08-00	S11_08-00	S11_08-50		40300	25700	16900
S12_03-20	S12_03-30	S12_03-10		605000	60100	124000
S12_07-00	S12_07-00	S12_06-00		246000	198000	216000

ID campione			Analita	potassio 30/03/04	potassio 17/06/04	potassio 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99			
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		29100	26400	25500
P02P_20-00	P02P_20-00	P02p_19-50		30300	28300	27100
P03P_14-80	P03P_15-00	P03p_15-20		91600	60300	25400
P03P_24-00	P03P_28-00	P03p_28-00		27400	27600	23400
P04P_16-30	P04P_16-50	P04p_16-70		19600	21300	68100
P04P_19-00	P04P_19-00	P04p_18-00		19100	21200	47100
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		39300	31800	21400
P03S_08-50	P03S_08-50	P03s_08-00		33200	27100	25800
P04S_04-30	P04S_05-70	P04s_05-70		25000	28700	80800
P04S_06-50	P04S_07-00	P04s_06-00		37300	22500	85000
S01_06-00	S01_06-40	S01_06-20		130000	74400	65500
S01_07-00	S01_07-50	S01_07-50		136000	69600	61300
S02_07-00	S02_07-10	S02_04-20		37100	58300	22000
S02_08-00	S02_08-00	S02_07-50		28000	23700	26400
S03_03-90	S03_04-00	S03_03-90		89800	91800	103000
S03_05-00	S03_05-00	S03_06-00		83300	89400	109000
S04_03-50	S04_03-60	S04_03-20		16400	36900	17500
S04_05-00	S04_05-00	S04_04-50		16000	19200	16900
S05_03-80	S05_04-00	S05_03-15		16800	15200	10200
S05_07-00	S05_06-50	S05_06-00		14600	13200	11400
S06_02-90	S06_02-80	S06_02-50		8140	7060	7320
S06_06-00	S06_06-50	S06_06-50		9100	8830	9090
S07_03-50	S07_03-70	S07_03-55		21700	52500	13100
S07_05-00	S07_05-50	S07_06-00		21000	16900	14500
S08_03-20	S08_02-90	S08_02-90		100000	114000	200000
S08_07-00	S08_08-00	S08_07-50		112000	143000	142000
S09_02-90	S09_03-00	S09_02-85		16400	11000	32800
S09_05-00	S09_05-00	S09_06-00		22400	11600	24300
S10_04-70	S10_05-00	S10_05-10		23800	24400	36400
S10_07-50	S10_07-00	S10_06-50		24600	19500	29200
S11_03-30	S11_03-30	S11_03-10		61900	50900	43200
S11_08-00	S11_08-00	S11_08-50		58600	49700	46900
S12_03-20	S12_03-30	S12_03-10		197000	33300	54200
S12_07-00	S12_07-00	S12_06-00		95700	74400	82000

ID campione			Analita	sodio 30/03/04	sodio 17/06/04	sodio 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99			
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		720000	540000	583000
P02P_20-00	P02P_20-00	P02p_19-50		752000	596000	601000
P03P_14-80	P03P_15-00	P03p_15-20		4450000	2780000	1340000
P03P_24-00	P03P_29-00	P03p_29-00		7030000	6460000	5640000
P04P_16-30	P04P_16-50	P04p_16-70		2500000	2510000	11400000
P04P_19-00	P04P_19-00	P04p_18-00		2820000	2760000	6880000
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		992000	870000	1100000
P03S_08-50	P03S_08-50	P03s_08-00		1240000	1120000	1320000
P04S_04-30	P04S_05-70	P04s_05-70		2110000	2630000	1110000
P04S_06-50	P04S_07-00	P04s_06-00		2120000	2420000	1120000
S01_06-00	S01_06-40	S01_06-20		3750000	1980000	1650000
S01_07-00	S01_07-50	S01_07-50		3900000	1860000	1490000
S02_07-00	S02_07-10	S02_04-20		1570000	1670000	1680000
S02_08-00	S02_08-00	S02_07-50		1450000	1270000	1440000
S03_03-90	S03_04-00	S03_03-90		2810000	2650000	2450000
S03_05-00	S03_05-00	S03_06-00		2280000	2480000	2640000
S04_03-50	S04_03-60	S04_03-20		2520000	4020000	3080000
S04_05-00	S04_05-00	S04_04-50		2530000	3740000	2940000
S05_03-80	S05_04-00	S05_03-15		569000	938000	1000000
S05_07-00	S05_06-50	S05_06-00		1010000	1060000	1370000
S06_02-90	S06_02-80	S06_02-50		2300000	1850000	1860000
S06_06-00	S06_06-50	S06_06-50		3560000	3170000	3120000
S07_03-50	S07_03-70	S07_03-55		5310000	3510000	4110000
S07_05-00	S07_05-50	S07_06-00		7400000	4980000	5380000
S08_03-20	S08_02-90	S08_02-90		1620000	1450000	3870000
S08_07-00	S08_08-00	S08_07-50		2330000	2850000	1400000
S09_02-90	S09_03-00	S09_02-85		3400000	1370000	6530000
S09_05-00	S09_05-00	S09_06-00		5010000	1590000	4450000
S10_04-70	S10_05-00	S10_05-10		3990000	2690000	9140000
S10_07-50	S10_07-00	S10_06-50		4370000	2450000	7150000
S11_03-30	S11_03-30	S11_03-10		5910000	4230000	4620000
S11_08-00	S11_08-00	S11_08-50		6090000	4940000	5260000
S12_03-20	S12_03-30	S12_03-10		5650000	4900000	9760000
S12_07-00	S12_07-00	S12_06-00		2460000	1650000	1860000

ID campione			Analita	alluminio 30/03/04	alluminio 17/06/04	alluminio 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	200	200	200
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		2,74	284	66,8
P02P_20-00	P02P_20-00	P02p_19-50		11	7,91	6
P03P_14-80	P03P_15-00	P03p_15-20		1620	1820	<0,552
P03P_24-00	P03P_28-00	P03p_29-00		861	240	1,43
P04P_16-30	P04P_16-50	P04p_16-70		7810	3730	78,5
P04P_19-00	P04P_19-00	P04p_18-00		339	14600	25,8
Falda superficiale						
P03S_03-60	P03S_03-90	P03s_03-75		41500	25600	97,9
P03S_08-50	P03S_08-50	P03s_08-00		167	33,8	<0,552
P04S_04-30	P04S_05-70	P04s_05-70		23200	38000	184
P04S_06-50	P04S_07-00	P04s_06-00		65600	6050	11,5
S01_06-00	S01_06-40	S01_06-20		4440	5740	111
S01_07-00	S01_07-50	S01_07-50		31,6	252	52,1
S02_07-00	S02_07-10	S02_04-20		54600	168000	327
S02_08-00	S02_08-00	S02_07-50		6980	1290	9,09
S03_03-90	S03_04-00	S03_03-90		3,49	6990	12,6
S03_05-00	S03_05-00	S03_06-00		94,1	39,4	21,6
S04_03-50	S04_03-60	S04_03-20		2480	66700	13,3
S04_05-00	S04_05-00	S04_04-50		277	59,1	19,4
S05_03-80	S05_04-00	S05_03-15		16200	2530	19,9
S05_07-00	S05_06-50	S05_06-00		1340	3,72	<0,552
S06_02-90	S06_02-80	S06_02-50		1760	529	272
S06_06-00	S06_06-50	S06_06-50		563	23,2	23,2
S07_03-50	S07_03-70	S07_03-55		19900	10600	73,6
S07_05-00	S07_05-50	S07_06-00		3120	207	2,39
S08_03-20	S08_02-90	S08_02-90		3110	9380	18,1
S08_07-00	S08_08-00	S08_07-50		215	93,8	6,73
S09_02-90	S09_03-00	S09_02-85		441	1370	712
S09_05-00	S09_05-00	S09_06-00		80,9	655	54
S10_04-70	S10_05-00	S10_05-10		<0,84	19500	135
S10_07-50	S10_07-00	S10_06-50		<0,84	614	6,53
S11_03-30	S11_03-30	S11_03-10		4,31	2990	28,8
S11_08-00	S11_08-00	S11_08-50		832	18,4	214
S12_03-20	S12_03-30	S12_03-10		1150	4080	2960
S12_07-00	S12_07-00	S12_06-00		352	4180	85,9

ID campione			Anallita			
			arsenico 30/03/04	arsenico 17/06/04	arsenico 27/09/04	
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	10	10	10
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		1,54	1,97	1,72
P02P_20-00	P02P_20-00	P02p_19-50		1,61	1,72	1,51
P03P_14-80	P03P_15-00	P03p_15-20		<0,11	1,98	3,67
P03P_24-00	P03P_28-00	P03p_28-00		3,47	1,99	1,33
P04P_16-30	P04P_16-50	P04p_16-70		10,5	7	3,44
P04P_19-00	P04P_19-00	P04p_18-00		2,95	11,7	1,7
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		11,6	10	4,82
P03S_08-50	P03S_08-50	P03s_08-00		3,92	4,99	3,77
P04S_04-30	P04S_05-70	P04s_05-70		17,2	28,5	2,3
P04S_06-50	P04S_07-00	P04s_06-00		45,2	7,33	2,3
S01_06-00	S01_06-40	S01_06-20		6,69	9,55	4,68
S01_07-00	S01_07-50	S01_07-50		5,52	3,52	3,77
S02_07-00	S02_07-10	S02_04-20		34,1	27,3	2,23
S02_08-00	S02_08-00	S02_07-50		12,3	5,87	4,24
S03_03-90	S03_04-00	S03_03-90		<0,11	6,76	3,55
S03_05-00	S03_05-00	S03_06-00		<0,11	2,4	3,47
S04_03-50	S04_03-60	S04_03-20		4,61	21,7	1,63
S04_05-00	S04_05-00	S04_04-50		2,99	2,27	1,62
S05_03-80	S05_04-00	S05_03-15		42,2	47	69,9
S05_07-00	S05_06-50	S05_06-00		33	44,2	78,8
S06_02-90	S06_02-80	S06_02-50		22,2	24,2	24,6
S06_06-00	S06_06-50	S06_06-50		17,5	18,8	18,8
S07_03-50	S07_03-70	S07_03-55		13,9	6,11	17,7
S07_05-00	S07_05-50	S07_06-00		9,84	5,52	17,3
S08_03-20	S08_02-90	S08_02-90		1,75	13,5	2,6
S08_07-00	S08_08-00	S08_07-50		0,51	4,15	<0,0657
S09_02-90	S09_03-00	S09_02-85		2,85	4,41	3,2
S09_05-00	S09_05-00	S09_06-00		2,55	4,22	2,46
S10_04-70	S10_05-00	S10_05-10		0,718	11,9	2,02
S10_07-50	S10_07-00	S10_06-50		3,52	2,83	2,93
S11_03-30	S11_03-30	S11_03-10		36,2	47,7	31
S11_08-00	S11_08-00	S11_08-50		49,2	34,3	13,4
S12_03-20	S12_03-30	S12_03-10		<0,11	6,65	5,71
S12_07-00	S12_07-00	S12_06-00		<0,11	8,06	4,73

ID campione			Analita	cobalto 30/03/04	cobalto 17/06/04	cobalto 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	50	50	50
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		0,192	3,52	4,37
P02P_20-00	P02P_20-00	P02p_19-50		0,137	0,379	0,534
P03P_14-80	P03P_15-00	P03p_15-20		2,86	2,34	2,07
P03P_24-00	P03P_28-00	P03p_28-00		1,18	0,532	<0,0107
P04P_16-30	P04P_16-50	P04p_16-70		5,11	3,1	1,05
P04P_19-00	P04P_19-00	P04p_18-00		0,34	7	0,185
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		17,4	9,7	1,4
P03S_08-50	P03S_08-50	P03s_08-00		2,09	1,63	2,13
P04S_04-30	P04S_05-70	P04s_05-70		23,8	19,9	0,164
P04S_06-50	P04S_07-00	P04s_06-00		75,3	3,58	0,197
S01_06-00	S01_06-40	S01_06-20		4,98	5,33	0,3
S01_07-00	S01_07-50	S01_07-50		1,54	0,885	0,147
S02_07-00	S02_07-10	S02_04-20		40,1	149	0,217
S02_08-00	S02_08-00	S02_07-50		4,83	1,46	0,415
S03_03-90	S03_04-00	S03_03-90		0,29	5,9	0,145
S03_05-00	S03_05-00	S03_06-00		0,415	0,62	0,225
S04_03-50	S04_03-60	S04_03-20		2,3	49,7	1,62
S04_05-00	S04_05-00	S04_04-50		0,923	0,356	1,62
S05_03-80	S05_04-00	S05_03-15		19,5	3,28	1,05
S05_07-00	S05_06-50	S05_06-00		3,66	2,13	1,64
S06_02-90	S06_02-80	S06_02-50		1,78	0,535	0,297
S06_06-00	S06_06-50	S06_06-50		0,833	0,404	0,381
S07_03-50	S07_03-70	S07_03-55		9,56	7,96	11,3
S07_05-00	S07_05-50	S07_06-00		3,29	1,57	12,1
S08_03-20	S08_02-90	S08_02-90		3,51	4,4	0,994
S08_07-00	S08_08-00	S08_07-50		1,26	1,16	0,913
S09_02-90	S09_03-00	S09_02-85		0,589	0,914	0,993
S09_05-00	S09_05-00	S09_06-00		0,303	0,619	0,334
S10_04-70	S10_05-00	S10_05-10		<0,0062	10,9	1,55
S10_07-50	S10_07-00	S10_06-50		<0,0062	0,517	<0,0107
S11_03-30	S11_03-30	S11_03-10		1,26	2,99	1,09
S11_08-00	S11_08-00	S11_08-50		2,62	1,52	1,24
S12_03-20	S12_03-30	S12_03-10		1,61	3,33	2,78
S12_07-00	S12_07-00	S12_06-00		0,599	3,45	0,483

ID campione			Analita	cromo totale 30/03/04	cromo totale 17/06/04	cromo totale 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	50	50	50
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		6,1	7,13	3,63
P02P_20-00	P02P_20-00	P02p_19-50		6,36	6,28	3,71
P03P_14-80	P03P_15-00	P03p_15-20		21,7	22,9	3,27
P03P_24-00	P03P_28-00	P03p_28-00		9,36	6,75	0,973
P04P_16-30	P04P_16-50	P04p_16-70		24,6	12,7	6,39
P04P_19-00	P04P_19-00	P04p_18-00		5,26	31,8	1,38
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		50	33,6	4,57
P03S_08-50	P03S_08-50	P03s_08-00		5,93	6,17	4,14
P04S_04-30	P04S_05-70	P04s_05-70		80,3	78,4	2,15
P04S_06-50	P04S_07-00	P04s_06-00		221	27,7	1,53
S01_06-00	S01_06-40	S01_06-20		28,2	43,8	9,63
S01_07-00	S01_07-50	S01_07-50		28,1	11,3	1,77
S02_07-00	S02_07-10	S02_04-20		102	441	1,34
S02_08-00	S02_08-00	S02_07-50		13,2	6,29	0,606
S03_03-90	S03_04-00	S03_03-90		8,04	20,3	2,19
S03_05-00	S03_05-00	S03_06-00		10,2	10,6	2,97
S04_03-50	S04_03-60	S04_03-20		11,5	180	0,948
S04_05-00	S04_05-00	S04_04-50		7,17	5,15	1,39
S05_03-80	S05_04-00	S05_03-15		59,8	15,5	1,07
S05_07-00	S05_06-50	S05_06-00		5,63	1,17	1,54
S06_02-90	S06_02-80	S06_02-50		5,19	4,06	2,35
S06_06-00	S06_06-50	S06_06-50		3,47	4,69	2,09
S07_03-50	S07_03-70	S07_03-55		45,5	39	1,66
S07_05-00	S07_05-50	S07_06-00		12,6	4,09	3,71
S08_03-20	S08_02-90	S08_02-90		17	23,8	3,1
S08_07-00	S08_08-00	S08_07-50		10,7	15,3	6,95
S09_02-90	S09_03-00	S09_02-85		4,38	4,04	10,1
S09_05-00	S09_05-00	S09_06-00		3,88	3,72	6,76
S10_04-70	S10_05-00	S10_05-10		3,42	51,6	6,88
S10_07-50	S10_07-00	S10_06-50		3,89	3,72	0,816
S11_03-30	S11_03-30	S11_03-10		3,16	11,6	1,43
S11_08-00	S11_08-00	S11_08-50		7,2	3,32	4,19
S12_03-20	S12_03-30	S12_03-10		17,8	24,9	24,1
S12_07-00	S12_07-00	S12_06-00		10,8	33,1	20

ID campione			Analita	ferro 30/03/04	ferro 17/06/04	ferro 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	200	200	200
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		200	707	242
P02P_20-00	P02P_20-00	P02p_19-50		182	309	196
P03P_14-80	P03P_15-00	P03p_15-20		3760	7060	50,5
P03P_24-00	P03P_28-00	P03p_28-00		1880	731	47,3
P04P_16-30	P04P_16-50	P04p_16-70		9970	5000	439
P04P_19-00	P04P_19-00	P04p_18-00		501	19600	66
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		35100	20700	66,8
P03S_08-50	P03S_08-50	P03s_08-00		423	262	52,8
P04S_04-30	P04S_05-70	P04s_05-70		38700	55000	198
P04S_06-50	P04S_07-00	P04s_06-00		133000	7080	93,6
S01_06-00	S01_06-40	S01_06-20		9180	20900	171
S01_07-00	S01_07-50	S01_07-50		210	1180	49,9
S02_07-00	S02_07-10	S02_04-20		68900	239000	240
S02_08-00	S02_08-00	S02_07-50		7620	1880	20,9
S03_03-90	S03_04-00	S03_03-90		385	9270	69,6
S03_05-00	S03_05-00	S03_06-00		658	415	105
S04_03-50	S04_03-60	S04_03-20		3420	95100	152
S04_05-00	S04_05-00	S04_04-50		539	151	150
S05_03-80	S05_04-00	S05_03-15		32900	4060	62,7
S05_07-00	S05_06-50	S05_06-00		2670	242	55,4
S06_02-90	S06_02-90	S06_02-50		2770	955	227
S06_06-00	S06_06-50	S06_06-50		1070	150	88,4
S07_03-50	S07_03-70	S07_03-55		22800	13600	170
S07_05-00	S07_05-50	S07_06-00		4920	395	125
S08_03-20	S08_02-90	S08_02-90		6450	9310	762
S08_07-00	S08_08-00	S08_07-50		1400	823	805
S09_02-90	S09_03-00	S09_02-85		1360	1950	1760
S09_05-00	S09_05-00	S09_06-00		324	930	332
S10_04-70	S10_05-00	S10_05-10		26,6	43600	416
S10_07-50	S10_07-00	S10_06-50		55,7	1310	57,9
S11_03-30	S11_03-30	S11_03-10		340	4110	62
S11_08-00	S11_08-00	S11_08-50		3040	336	300
S12_03-20	S12_03-30	S12_03-10		2760	5850	6110
S12_07-00	S12_07-00	S12_06-00		966	5740	508

ID campione			Analita	manganese 30/03/04	manganese 17/06/04	manganese 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	50	50	50
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		<0,27	25,2	8,21
P02P_20-00	P02P_20-00	P02p_19-50		<0,27	1,74	2,01
P03P_14-80	P03P_15-00	P03p_15-20		468	591	197
P03P_24-00	P03P_28-00	P03p_28-00		73,6	50	8,13
P04P_16-30	P04P_16-50	P04p_16-70		226	128	6,54
P04P_19-00	P04P_19-00	P04p_18-00		12,3	335	10,1
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		969	542	7,03
P03S_08-50	P03S_08-50	P03s_08-00		184	178	197
P04S_04-30	P04S_05-70	P04s_05-70		1550	1310	3,19
P04S_06-50	P04S_07-00	P04s_06-00		6150	159	21,4
S01_06-00	S01_06-40	S01_06-20		918	1070	9
S01_07-00	S01_07-50	S01_07-50		539	254	23,1
S02_07-00	S02_07-10	S02_04-20		2240	11000	7,99
S02_08-00	S02_08-00	S02_07-50		259	190	186
S03_03-90	S03_04-00	S03_03-90		0,706	1180	0,857
S03_05-00	S03_05-00	S03_06-00		37,4	40,3	50,7
S04_03-50	S04_03-60	S04_03-20		127	4700	82,1
S04_05-00	S04_05-00	S04_04-50		17,8	5,81	80,3
S05_03-80	S05_04-00	S05_03-15		2860	449	88,2
S05_07-00	S05_06-50	S05_06-00		450	407	242
S06_02-90	S06_02-80	S06_02-50		153	63	23
S06_06-00	S06_06-50	S06_06-50		68,8	53,9	65,2
S07_03-50	S07_03-70	S07_03-55		634	1170	38,3
S07_05-00	S07_05-50	S07_06-00		255	91,1	82,4
S08_03-20	S06_02-90	S08_02-90		172	514	1,81
S08_07-00	S08_08-00	S08_07-50		12,8	20,9	4,36
S09_02-90	S09_03-00	S09_02-85		60,1	70,3	263
S09_05-00	S09_05-00	S09_06-00		31,3	41	117
S10_04-70	S10_05-00	S10_05-10		1,65	1030	397
S10_07-50	S10_07-00	S10_06-50		4,09	89,7	147
S11_03-30	S11_03-30	S11_03-10		7,89	273	28,2
S11_08-00	S11_08-00	S11_08-50		418	255	65,1
S12_03-20	S12_03-30	S12_03-10		226	240	182
S12_07-00	S12_07-00	S12_06-00		101	253	93,9

ID campione			Analita	nicel 30/03/04	nicel 17/06/04	nicel 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	20	20	20
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		1,6	3,54	2,22
P02P_20-00	P02P_20-00	P02p_19-50		1,58	2,05	3,86
P03P_14-80	P03P_15-00	P03p_15-20		14,6	12,8	4
P03P_24-00	P03P_28-00	P03p_28-00		6,53	3,82	2,22
P04P_16-30	P04P_16-50	P04p_16-70		24,2	11,1	1,93
P04P_19-00	P04P_19-00	P04p_18-00		1,52	33	2,36
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		44,5	31,9	2,7
P03S_08-50	P03S_08-50	P03s_08-00		4,34	4,49	4,1
P04S_04-30	P04S_05-70	P04s_05-70		137	102	1,05
P04S_06-50	P04S_07-00	P04s_06-00		455	27,9	2,43
S01_06-00	S01_06-40	S01_06-20		24,5	37,2	<0,2
S01_07-00	S01_07-50	S01_07-50		2,75	3,04	0,888
S02_07-00	S02_07-10	S02_04-20		354	971	2,29
S02_08-00	S02_08-00	S02_07-50		36,8	9,64	3,61
S03_03-90	S03_04-00	S03_03-90		1,33	20,9	0,923
S03_05-00	S03_05-00	S03_06-00		2,61	2,02	2,34
S04_03-50	S04_03-60	S04_03-20		7,2	203	20,2
S04_05-00	S04_05-00	S04_04-50		1,74	1,34	22,3
S05_03-80	S05_04-00	S05_03-15		69,9	10,6	1,91
S05_07-00	S05_06-50	S05_06-00		9,09	3,26	2,59
S06_02-90	S06_02-80	S06_02-50		8,31	2,34	1,48
S06_06-00	S06_06-50	S06_06-50		3,69	1,61	1,77
S07_03-50	S07_03-70	S07_03-55		43,7	44,3	3,58
S07_05-00	S07_05-50	S07_06-00		13,4	4,82	4,28
S08_03-20	S08_02-90	S08_02-90		18,4	17,5	2,29
S08_07-00	S08_08-00	S08_07-50		5,59	3,86	1,91
S09_02-90	S09_03-00	S09_02-85		2,84	3,04	6,93
S09_05-00	S09_05-00	S09_06-00		1,12	3,63	6,81
S10_04-70	S10_05-00	S10_05-10		<0,36	49,2	5,17
S10_07-50	S10_07-00	S10_06-50		<0,36	2,25	1,08
S11_03-30	S11_03-30	S11_03-10		2,36	11,9	1,16
S11_08-00	S11_08-00	S11_08-50		7,96	2,09	3,05
S12_03-20	S12_03-30	S12_03-10		9,62	16,4	17,6
S12_07-00	S12_07-00	S12_06-00		4,16	22,5	4,03

ID campione			Analita	piombo 30/03/04	piombo 17/06/04	piombo 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	10	10	10
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		<0,14	12	2,9
P02P_20-00	P02P_20-00	P02p_19-50		<0,14	0,524	0,243
P03P_14-80	P03P_15-00	P03p_15-20		138	358	<0,0865
P03P_24-00	P03P_28-00	P03p_28-00		2,05	3,46	<0,0865
P04P_16-30	P04P_16-50	P04p_16-70		170	40,4	4,52
P04P_19-00	P04P_19-00	P04p_18-00		2,83	33,1	<0,0865
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		72	70	<0,0865
P03S_08-50	P03S_08-50	P03s_08-00		1,41	0,4	<0,0865
P04S_04-30	P04S_05-70	P04s_05-70		53,6	33,8	0,28
P04S_06-50	P04S_07-00	P04s_06-00		60,3	10,1	<0,0865
S01_06-00	S01_06-40	S01_06-20		53,7	150	1,4
S01_07-00	S01_07-50	S01_07-50		0,416	48,6	0,421
S02_07-00	S02_07-10	S02_04-20		47,5	415	0,473
S02_08-00	S02_08-00	S02_07-50		8,27	3,34	<0,0865
S03_03-90	S03_04-00	S03_03-90		<0,14	26,7	<0,0865
S03_05-00	S03_05-00	S03_06-00		0,89	0,379	0,865
S04_03-50	S04_03-60	S04_03-20		12,3	86,2	0,293
S04_05-00	S04_05-00	S04_04-50		1,43	0,462	<0,0865
S05_03-80	S05_04-00	S05_03-15		52,2	11	0,262
S05_07-00	S05_06-50	S05_06-00		2,44	0,163	<0,0865
S06_02-90	S06_02-80	S06_02-50		52,1	24,4	4,89
S06_06-00	S06_06-50	S06_06-50		6,58	0,279	0,305
S07_03-50	S07_03-70	S07_03-55		26,8	22,4	0,141
S07_05-00	S07_05-50	S07_06-00		3,83	0,579	0,196
S08_03-20	S08_02-90	S08_02-90		35,5	47,3	0,608
S08_07-00	S08_08-00	S08_07-50		1,42	0,994	<0,0865
S09_02-90	S09_03-00	S09_02-85		23,2	11,3	8,17
S09_05-00	S09_05-00	S09_06-00		1	1,36	1,08
S10_04-70	S10_05-00	S10_05-10		<0,14	54	0,987
S10_07-50	S10_07-00	S10_06-50		<0,14	1,58	<0,0865
S11_03-30	S11_03-30	S11_03-10		<0,14	32,8	0,187
S11_08-00	S11_08-00	S11_08-50		1,98	0,392	0,268
S12_03-20	S12_03-30	S12_03-10		41,2	153	51
S12_07-00	S12_07-00	S12_06-00		8,94	79,8	2,41

ID campione			Analita	cromo (VI) 30/03/04	cromo (VI) 17/06/04	cromo (VI) 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	5	5	5
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		<0,5	<0,0584	0,136
P02P_20-00	P02P_20-00	P02p_19-50		<0,5	<0,0584	0,18
P03P_14-80	P03P_15-00	P03p_15-20		<0,5	0,0742	<0,0584
P03P_24-00	P03P_28-00	P03p_28-00		<0,5	<0,0584	<0,0584
P04P_16-30	P04P_16-50	P04p_16-70		1,52	0,324	<0,0584
P04P_19-00	P04P_19-00	P04p_18-00		1,08	0,544	<0,0584
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		<0,5	0,09	<0,0584
P03S_08-50	P03S_08-50	P03s_08-00		1,36	0,101	<0,0584
P04S_04-30	P04S_05-70	P04s_05-70		0,783	0,316	<0,0584
P04S_06-50	P04S_07-00	P04s_06-00		0,889	0,606	0,0968
S01_06-00	S01_06-40	S01_06-20		<0,5	<0,0584	0,0695
S01_07-00	S01_07-50	S01_07-50		<0,5	<0,0584	<0,0584
S02_07-00	S02_07-10	S02_04-20		<0,5	<0,0584	0,0701
S02_08-00	S02_08-00	S02_07-50		<0,5	<0,0584	<0,0584
S03_03-90	S03_04-00	S03_03-90		<0,5	<0,0584	<0,0584
S03_05-00	S03_05-00	S03_06-00		<0,5	<0,0584	<0,0584
S04_03-50	S04_03-60	S04_03-20		5,02	<0,0584	0,407
S04_05-00	S04_05-00	S04_04-50		<0,5	<0,0584	0,62
S05_03-80	S05_04-00	S05_03-15		<0,5	0,128	0,288
S05_07-00	S05_06-50	S05_06-00		<0,5	0,105	0,208
S06_02-90	S06_02-80	S06_02-50		<0,5	0,163	0,187
S06_06-00	S06_06-50	S06_06-50		<0,5	0,133	0,0882
S07_03-50	S07_03-70	S07_03-55		<0,5	<0,0584	0,206
S07_05-00	S07_05-50	S07_06-00		<0,5	0,065	<0,0584
S08_03-20	S06_02-90	S06_02-90		<0,5	<0,0584	0,309
S08_07-00	S08_08-00	S08_07-50		<0,5	0,157	0,181
S09_02-90	S09_03-00	S09_02-85		0,62	0,287	0,124
S09_05-00	S09_05-00	S09_06-00		<0,5	0,269	0,572
S10_04-70	S10_05-00	S10_05-10		<0,5	0,449	0,338
S10_07-50	S10_07-00	S10_06-50		<0,5	0,29	<0,0584
S11_03-30	S11_03-30	S11_03-10		<0,5	0,183	<0,0584
S11_08-00	S11_08-00	S11_08-50		<0,5	0,127	0,62
S12_03-20	S12_03-30	S12_03-10		0,816	1,82	2,93
S12_07-00	S12_07-00	S12_06-00		<0,5	0,136	0,0758

ID campione

30-mar-04

17-giu-04

27-set-04

Analita	idrocarburi totali 30/03/04	idrocarburi totali 17/06/04	idrocarburi totali 27/09/04
lim. D.M. 471/99	350	350	350
unità di misura	µg/L	µg/L	µg/L

Falda profonda

P02P_16-60	P02P_16-90	P02p_17-00	<3	<3	197
P02P_20-00	P02P_20-00	P02p_19-50	<3	<3	<3
P03P_14-80	P03P_15-00	P03p_15-20	<3	<3	<3
P03P_24-00	P03P_28-00	P03p_28-00	<3	<3	<3
P04P_16-30	P04P_16-50	P04p_16-70	<3	<3	<3
P04P_19-00	P04P_19-00	P04p_18-00	<3	21,1	<3

Falda superficiale

P03S_03-60	P03S_03-80	P03s_03-75	22,5	<3	<3
P03S_08-50	P03S_08-50	P03s_08-00	<3	<3	<3
P04S_04-30	P04S_05-70	P04s_05-70	6,55	7,24	<3
P04S_06-50	P04S_07-00	P04s_06-00	9,25	33,3	<3
S01_06-00	S01_06-40	S01_06-20	21,8	182	55,1
S01_07-00	S01_07-50	S01_07-50	<3	40,9	<3
S02_07-00	S02_07-10	S02_04-20	17,4	15,1	<3
S02_08-00	S02_08-00	S02_07-50	<3	8,82	<3
S03_03-90	S03_04-00	S03_03-90	84,4	<3	<3
S03_05-00	S03_05-00	S03_06-00	<3	<3	<3
S04_03-50	S04_03-60	S04_03-20	10,4	<3	<3
S04_05-00	S04_05-00	S04_04-50	<3	<3	<3
S05_03-80	S05_04-00	S05_03-15	16,7	<3	<3
S05_07-00	S05_06-50	S05_06-00	<3	<3	<3
S06_02-90	S06_02-80	S06_02-50	<3	<3	6,57
S06_06-00	S06_06-50	S06_06-50	18	<3	<3
S07_03-50	S07_03-70	S07_03-55	<3	6,57	<3
S07_05-00	S07_05-50	S07_06-00	23,1	<3	<3
S08_03-20	S08_02-90	S08_02-90	66,5	36,8	<3
S08_07-00	S08_08-00	S08_07-50	<3	<3	<3
S09_02-90	S09_03-00	S09_02-85	11,5	17,4	<3
S09_05-00	S09_05-00	S09_06-00	<3	<3	<3
S10_04-70	S10_05-00	S10_05-10	31,9	373	22
S10_07-50	S10_07-00	S10_06-50	12,3	28,8	4,36
S11_03-30	S11_03-30	S11_03-10	<3	<3	<3
S11_08-00	S11_08-00	S11_08-50	<3	<3	<3
S12_03-20	S12_03-30	S12_03-10	19,7	<3	<3
S12_07-00	S12_07-00	S12_06-00	<3	<3	<3

ID campione			Analita	PCB 30/03/04	PCB 17/06/04	PCB 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	0,01	0,01	0,01
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		0,00367	<0,000741	<0,000741
P02P_20-00	P02P_20-00	P02p_19-50		<0,0008	<0,000741	<0,000741
P03P_14-90	P03P_15-00	P03p_15-20		0,0263	0,011	<0,000741
P03P_24-00	P03P_28-00	P03p_28-00		0,00467	<0,000741	<0,000741
P04P_16-30	P04P_16-50	P04p_16-70		0,00267	<0,000741	0,009
P04P_19-00	P04P_19-00	P04p_18-00		0,00233	<0,000741	<0,000741
Falda superficiale						
P03S_03-60	P03S_03-90	P03s_03-75		0,0253	0,0113	<0,000741
P03S_08-50	P03S_09-50	P03s_08-00		0,0113	<0,000741	<0,000741
P04S_04-30	P04S_05-70	P04s_05-70		0,00133	0,00167	<0,000741
P04S_06-50	P04S_07-00	P04s_06-00		0,001	<0,000741	<0,000741
S01_06-00	S01_06-40	S01_06-20		0,002	0,156	0,009
S01_07-00	S01_07-50	S01_07-50		0,002	<0,000741	0,0963
S02_07-00	S02_07-10	S02_04-20		0,00133	<0,000741	<0,000741
S02_08-00	S02_08-00	S02_07-50		0,00267	<0,000741	<0,000741
S03_03-90	S03_04-00	S03_03-90		0,006	0,401	0,138
S03_05-00	S03_05-00	S03_06-00		0,005	<0,000741	<0,000741
S04_03-50	S04_03-60	S04_03-20		5,88	94,7	8,57
S04_05-00	S04_05-00	S04_04-50		1,75	2,2	0,445
S05_03-80	S05_04-00	S05_03-15		0,13	0,0387	0,0573
S05_07-00	S05_06-50	S05_06-00		0,393	0,00167	<0,000741
S06_02-90	S06_02-60	S06_02-50		0,005	<0,000741	0,029
S06_06-00	S06_06-50	S06_06-50		<0,0008	<0,000741	<0,000741
S07_03-50	S07_03-70	S07_03-55		0,036	0,0317	<0,000741
S07_05-00	S07_05-50	S07_06-00		0,018	0,004	<0,000741
S08_03-20	S08_02-90	S08_02-90		0,0107	0,00967	<0,000741
S08_07-00	S08_08-00	S08_07-50		<0,0008	<0,000741	0,00467
S09_02-90	S09_03-00	S09_02-85		0,065	0,008	0,0747
S09_05-00	S09_05-00	S09_06-00		0,0693	0,00767	<0,000741
S10_04-70	S10_05-00	S10_05-10		0,0393	0,26	0,183
S10_07-50	S10_07-00	S10_06-50		<0,0008	0,003	0,0437
S11_03-30	S11_03-30	S11_03-10		0,0217	0,0263	0,0113
S11_08-00	S11_08-00	S11_08-50		0,0533	<0,000741	<0,000741
S12_03-20	S12_03-30	S12_03-10		0,207	0,451	0,277
S12_07-00	S12_07-00	S12_06-00		0,183	0,549	0,0703

ID campione

Analita	PCDD e PCDF (conv.T.E.) 30/03/04	PCDD e PCDF (conv.T.E.) 17/06/04	PCDD e PCDF (conv.T.E.) 27/09/04
lim. D.M. 471/99	0,004	0,004	0,004
unità di misura	ng/L	ng/L	ng/L

30-mar-04

17-giu-04

27-set-04

Falda profonda

P02P_16-60	P02P_16-90	P02p_17-00	0,000064	0,0008	
P02P_20-00	P02P_20-00	P02p_19-50	0,000003	0,000003	
P03P_14-80	P03P_15-00	P03p_15-20	0,000456	0,00018	
P03P_24-00	P03P_28-00	P03p_28-00	0,000325	0,000002	
P04P_16-30	P04P_16-50	P04p_16-70	0,000435	0,00021	0,00022
P04P_19-00	P04P_19-00	P04p_18-00	0,00118		

Falda superficiale

P03S_03-60	P03S_03-80	P03s_03-75	0,0319	0,000005	
P03S_08-50	P03S_08-50	P03s_08-00	0,00474	0,000003	0,000011
P04S_04-30	P04S_05-70	P04s_05-70	0,000611		
P04S_06-50	P04S_07-00	P04s_06-00	0,00115	0,00174	
S01_06-00	S01_06-40	S01_06-20	0,00223		0,0019
S01_07-00	S01_07-50	S01_07-50	0,000633	0,000119	0,00128
S02_07-00	S02_07-10	S02_04-20	0,000729	0,000002	
S02_08-00	S02_08-00	S02_07-50	0,000022		
S03_03-90	S03_04-00	S03_03-90	0,00153	0,00224	0,00235
S03_05-00	S03_05-00	S03_06-00	0,000495		
S04_03-50	S04_03-60	S04_03-20	0,00809		0,0174
S04_05-00	S04_05-00	S04_04-50	0,000073	0,0355	0,00516
S05_03-80	S05_04-00	S05_03-15	0,00112	0,000328	0,00023
S05_07-00	S05_06-50	S05_06-00	0,000063		
S06_02-90	S06_02-80	S06_02-50	0,000392	0,00001	0,00032
S06_06-00	S06_06-50	S06_06-50	0,00123	0,00001	
S07_03-50	S07_03-70	S07_03-55	0,0161	0,000253	0,00371
S07_05-00	S07_05-50	S07_06-00	0,00806	0,000006	0,00017
S08_03-20	S08_02-90	S08_02-90	0,000276		
S08_07-00	S08_08-00	S08_07-50	0,000654		0,0017
S09_02-90	S09_03-00	S09_02-85	0,00431	0,00999	0,00106
S09_05-00	S09_05-00	S09_06-00	0,00116	0,00189	0,0024
S10_04-70	S10_05-00	S10_05-10	0,00296	0,00174	0,00097
S10_07-50	S10_07-00	S10_06-50	0,000003	0,000001	
S11_03-30	S11_03-30	S11_03-10	0,000003		
S11_08-00	S11_08-00	S11_08-50	0,000054	0,000055	
S12_03-20	S12_03-30	S12_03-10	0,00831	0,0154	0,00462
S12_07-00	S12_07-00	S12_06-00	0,00218	0,0104	0,000241

ID campione

Analita	benzene 30/03/04	benzene 17/06/04	benzene 27/09/04
---------	------------------	------------------	------------------

30-mar-04 17-giu-04 27-set-04

lim. D.M. 471/99	1	1	1
unità di misura	µg/L	µg/L	µg/L

Falda profonda

P02P_16-60	P02P_16-90	P02p_17-00		0,15	0,15	<0,0311
P02P_20-00	P02P_20-00	P02p_19-50		2,25	<0,0311	<0,0311
P03P_14-80	P03P_15-00	P03p_15-20		0,13	<0,0311	<0,0311
P03P_24-00	P03P_28-00	P03p_28-00		<0,0306	0,12	<0,0311
P04P_16-30	P04P_16-50	P04p_16-70		<0,0306	<0,0311	<0,0311
P04P_19-00	P04P_19-00	P04p_18-00		0,12	<0,0311	0,09

Falda superficiale

P03S_03-60	P03S_03-80	P03s_03-75		0,38	0,3	0,21
P03S_08-50	P03S_08-50	P03s_08-00		0,39	0,6	0,54
P04S_04-30	P04S_05-70	P04s_05-70		<0,0306	<0,0311	<0,0311
P04S_06-50	P04S_07-00	P04s_06-00		<0,0306	<0,0311	<0,0311
S01_06-00	S01_06-40	S01_06-20		<0,0306	<0,0311	<0,0311
S01_07-00	S01_07-50	S01_07-50		<0,0306	<0,0311	0,06
S02_07-00	S02_07-10	S02_04-20		<0,0306	<0,0311	<0,0311
S02_08-00	S02_08-00	S02_07-50		<0,0306	<0,0311	<0,0311
S03_03-90	S03_04-00	S03_03-90		<0,0306	<0,0311	<0,0311
S03_05-00	S03_05-00	S03_06-00		<0,0306	<0,0311	<0,0311
S04_03-50	S04_03-60	S04_03-20		0,05	<0,0311	<0,0311
S04_05-00	S04_05-00	S04_04-50		0,09	<0,0311	<0,0311
S05_03-80	S05_04-00	S05_03-15		30,2	<0,0311	<0,0311
S05_07-00	S05_06-50	S05_06-00		32,6	6,39	<0,0311
S06_02-90	S06_02-80	S06_02-50		0,6	0,4	0,57
S06_06-00	S06_06-50	S06_06-50		0,8	0,81	0,47
S07_03-50	S07_03-70	S07_03-55		0,45	0,2	0,52
S07_05-00	S07_05-50	S07_06-00		0,42	1,1	0,24
S08_03-20	S08_02-90	S08_02-90		3,2	0,8	0,8
S08_07-00	S08_08-00	S08_07-50		6,74	1,02	0,88
S09_02-90	S09_03-00	S09_02-85		0,08	0,09	0,17
S09_05-00	S09_05-00	S09_06-00		0,17	0,14	0,25
S10_04-70	S10_05-00	S10_05-10		0,61	0,29	<0,0311
S10_07-50	S10_07-00	S10_06-50		3,04	0,31	0,29
S11_03-30	S11_03-30	S11_03-10		1090	125	<0,0311
S11_08-00	S11_08-00	S11_08-50		1350	149	<0,0311
S12_03-20	S12_03-30	S12_03-10		<0,0306	<0,0311	<0,0311
S12_07-00	S12_07-00	S12_06-00		<0,0306	<0,0311	<0,0311

ID campione

Analita	pentaclorofenolo 30/03/04	pentaclorofenolo 17/06/04	pentaclorofenolo 27/09/04
---------	---------------------------	---------------------------	---------------------------

30-mar-04

17-giu-04

27-set-04

lim. D.M. 471/99	0,5	0,5	0,5
unità di misura	µg/L	µg/L	µg/L

Falda profonda

P02P_16-60	P02P_16-90	P02p_17-00	<0,008	<0,00627	<0,00627
P02P_20-00	P02P_20-00	P02p_19-50	<0,008	<0,00627	<0,00627
P03P_14-80	P03P_15-00	P03p_15-20	<0,008	<0,00627	<0,00627
P03P_24-00	P03P_23-00	P03p_23-00	<0,008	<0,00627	<0,00627
P04P_16-30	P04P_16-50	P04p_16-70	<0,008	<0,00627	<0,00627
P04P_19-00	P04P_19-00	P04p_18-00	<0,008	<0,00627	<0,00627

Falda superficiale

P03S_03-60	P03S_03-80	P03s_03-75	<0,008	<0,00627	<0,00627
P03S_08-50	P03S_08-50	P03s_08-00	<0,008	<0,00627	<0,00627
P04S_04-30	P04S_05-70	P04s_05-70	<0,008	<0,00627	<0,00627
P04S_06-50	P04S_07-00	P04s_06-00	<0,008	<0,00627	<0,00627
S01_06-00	S01_06-40	S01_06-20	<0,008	<0,00627	<0,00627
S01_07-00	S01_07-50	S01_07-50	<0,008	<0,00627	<0,00627
S02_07-00	S02_07-10	S02_04-20	<0,008	<0,00627	<0,00627
S02_08-00	S02_08-00	S02_07-50	<0,008	<0,00627	<0,00627
S03_03-90	S03_04-00	S03_03-90	<0,008	<0,00627	<0,00627
S03_05-00	S03_05-00	S03_06-00	<0,008	<0,00627	<0,00627
S04_03-50	S04_03-60	S04_03-20	0,0174	<0,00627	<0,00627
S04_05-00	S04_05-00	S04_04-50	<0,008	<0,00627	<0,00627
S05_03-80	S05_04-00	S05_03-15	<0,008	<0,00627	<0,00627
S05_07-00	S05_06-50	S05_06-00	<0,008	<0,00627	<0,00627
S06_02-90	S06_02-80	S06_02-50	<0,008	<0,00627	<0,00627
S06_06-00	S06_06-50	S06_06-50	<0,008	1,52	<0,00627
S07_03-50	S07_03-70	S07_03-55	<0,008	<0,00627	<0,00627
S07_05-00	S07_05-50	S07_06-00	<0,008	<0,00627	<0,00627
S08_03-20	S08_02-90	S08_02-90	<0,008	<0,00627	<0,00627
S08_07-00	S08_08-00	S08_07-50	<0,008	<0,00627	<0,00627
S09_02-90	S09_03-00	S09_02-85	<0,008	<0,00627	<0,00627
S09_05-00	S09_05-00	S09_06-00	<0,008	<0,00627	<0,00627
S10_04-70	S10_05-00	S10_05-10	<0,008	<0,00627	<0,00627
S10_07-50	S10_07-00	S10_06-50	<0,008	<0,00627	<0,00627
S11_03-30	S11_03-30	S11_03-10	<0,008	<0,00627	<0,00627
S11_08-00	S11_08-00	S11_08-50	<0,008	<0,00627	<0,00627
S12_03-20	S12_03-30	S12_03-10	<0,008	<0,00627	<0,00627
S12_07-00	S12_07-00	S12_06-00	<0,008	<0,00627	<0,00627

ID campione			Analita	benzo[a]pirene 30/03/04	benzo[a]pirene 17/06/04	benzo[a]pirene 27/09/04
30-mar-04	17-giu-04	27-set-04	lim. D.M. 471/99	0,01	0,01	0,01
			unità di misura	µg/L	µg/L	µg/L
Falda profonda						
P02P_16-60	P02P_16-90	P02p_17-00		<0,003	<0,00414	<0,00414
P02P_20-00	P02P_20-00	P02p_19-50		<0,003	<0,00414	<0,00414
P03P_14-80	P03P_15-00	P03p_15-20		<0,003	<0,00414	<0,00414
P03P_24-00	P03P_28-00	P03p_28-00		<0,003	<0,00414	<0,00414
P04P_16-30	P04P_16-50	P04p_16-70		<0,003	<0,00414	<0,00414
P04P_19-00	P04P_19-00	P04p_18-00		<0,003	<0,00414	<0,00414
Falda superficiale						
P03S_03-60	P03S_03-80	P03s_03-75		<0,003	<0,00414	<0,00414
P03S_08-50	P03S_08-50	P03s_08-00		<0,003	<0,00414	<0,00414
P04S_04-30	P04S_05-70	P04s_05-70		<0,003	<0,00414	<0,00414
P04S_06-50	P04S_07-00	P04s_06-00		<0,003	<0,00414	<0,00414
S01_06-00	S01_06-40	S01_06-20		<0,003	<0,00414	<0,00414
S01_07-00	S01_07-50	S01_07-50		<0,003	<0,00414	<0,00414
S02_07-00	S02_07-10	S02_04-20		<0,003	<0,00414	<0,00414
S02_08-00	S02_08-00	S02_07-50		<0,003	<0,00414	<0,00414
S03_03-90	S03_04-00	S03_03-90		<0,003	<0,00414	<0,00414
S03_05-00	S03_05-00	S03_06-00		<0,003	<0,00414	<0,00414
S04_03-50	S04_03-60	S04_03-20		<0,003	<0,00414	<0,00414
S04_05-00	S04_05-00	S04_04-50		<0,003	<0,00414	<0,00414
S05_03-80	S05_04-00	S05_03-15		<0,003	<0,00414	<0,00414
S05_07-00	S05_06-50	S05_06-00		<0,003	<0,00414	<0,00414
S06_02-90	S06_02-80	S06_02-50		<0,003	<0,00414	<0,00414
S06_06-00	S06_06-50	S06_06-50		<0,003	<0,00414	<0,00414
S07_03-50	S07_03-70	S07_03-55		<0,003	<0,00414	<0,00414
S07_05-00	S07_05-50	S07_06-00		<0,003	<0,00414	<0,00414
S08_03-20	S08_02-90	S08_02-90		<0,003	0,0239	<0,00414
S08_07-00	S08_08-00	S08_07-50		<0,003	<0,00414	<0,00414
S09_02-90	S09_03-00	S09_02-85		0,0302	<0,00414	<0,00414
S09_05-00	S09_05-00	S09_06-00		<0,003	<0,00414	<0,00414
S10_04-70	S10_05-00	S10_05-10		<0,003	<0,00414	<0,00414
S10_07-50	S10_07-00	S10_06-50		<0,003	<0,00414	<0,00414
S11_03-30	S11_03-30	S11_03-10		<0,003	<0,00414	<0,00414
S11_08-00	S11_08-00	S11_08-50		<0,003	0,0119	<0,00414
S12_03-20	S12_03-30	S12_03-10		<0,003	<0,00414	<0,00414
S12_07-00	S12_07-00	S12_06-00		<0,003	<0,00414	<0,00414

ID campione

Analita	benzo[g,h,i]perilene 30/03/04	benzo[g,h,i]perilene 17/06/04	benzo[g,h,i]perilene 27/09/04
---------	-------------------------------	-------------------------------	-------------------------------

30-mar-04 17-giu-04 27-set-04

lim. D.M. 471/99	0,01	0,01	0,01
unità di misura	µg/L	µg/L	µg/L

Falda profonda

P02P_16-60	P02P_16-90	P02p_17-00		<0,002	<0,00396	<0,00396
P02P_20-00	P02P_20-00	P02p_19-50		<0,002	<0,00396	<0,00396
P03P_14-80	P03P_15-00	P03p_15-20		<0,002	<0,00396	<0,00396
P03P_24-00	P03P_28-00	P03p_28-00		<0,002	<0,00396	<0,00396
P04P_16-30	P04P_16-50	P04p_16-70		<0,002	<0,00396	<0,00396
P04P_19-00	P04P_19-00	P04p_18-00		<0,002	<0,00396	<0,00396

Falda superficiale

P03S_03-60	P03S_03-80	P03s_03-75		<0,002	<0,00396	<0,00396
P03S_08-50	P03S_08-50	P03s_08-00		<0,002	<0,00396	<0,00396
P04S_04-30	P04S_05-70	P04s_05-70		<0,002	<0,00396	<0,00396
P04S_06-50	P04S_07-00	P04s_06-00		<0,002	<0,00396	<0,00396
S01_06-00	S01_06-40	S01_06-20		<0,002	<0,00396	<0,00396
S01_07-00	S01_07-50	S01_07-50		<0,002	<0,00396	<0,00396
S02_07-00	S02_07-10	S02_04-20		<0,002	<0,00396	<0,00396
S02_08-00	S02_08-00	S02_07-50		0,0106	<0,00396	<0,00396
S03_03-90	S03_04-00	S03_03-90		<0,002	<0,00396	<0,00396
S03_05-00	S03_05-00	S03_06-00		<0,002	<0,00396	<0,00396
S04_03-50	S04_03-60	S04_03-20		<0,002	<0,00396	<0,00396
S04_05-00	S04_05-00	S04_04-50		<0,002	<0,00396	<0,00396
S05_03-80	S05_04-00	S05_03-15		<0,002	<0,00396	<0,00396
S05_07-00	S05_06-50	S05_06-00		<0,002	0,0494	<0,00396
S06_02-90	S06_02-80	S06_02-50		<0,002	<0,00396	<0,00396
S06_06-00	S06_06-50	S06_06-50		0,0107	<0,00396	<0,00396
S07_03-50	S07_03-70	S07_03-55		<0,002	<0,00396	<0,00396
S07_05-00	S07_05-50	S07_06-00		<0,002	<0,00396	<0,00396
S08_03-20	S08_02-90	S08_02-90		<0,002	0,0142	<0,00396
S08_07-00	S08_08-00	S08_07-50		<0,002	<0,00396	<0,00396
S09_02-90	S09_03-00	S09_02-85		0,0311	<0,00396	<0,00396
S09_05-00	S09_05-00	S09_06-00		<0,002	<0,00396	<0,00396
S10_04-70	S10_05-00	S10_05-10		<0,002	<0,00396	<0,00396
S10_07-50	S10_07-00	S10_06-50		<0,002	<0,00396	<0,00396
S11_03-30	S11_03-30	S11_03-10		<0,002	<0,00396	<0,00396
S11_08-00	S11_08-00	S11_08-50		<0,002	0,0203	<0,00396
S12_03-20	S12_03-30	S12_03-10		<0,002	<0,00396	<0,00396
S12_07-00	S12_07-00	S12_06-00		<0,002	<0,00396	<0,00396

ID campione

Analita	dibenzo[a,h]antracene 30/03/04	dibenzo[a,h]antracene 17/06/04	dibenzo[a,h]antracene 27/09/04
---------	--------------------------------	--------------------------------	--------------------------------

30-mar-04 17-giu-04 27-set-04

lim. D.M. 471/99	0,01	0,01	0,01
unità di misura	µg/L	µg/L	µg/L

Falda profonda

P02P_16-60	P02P_16-90	P02p_17-00	<0,002	<0,00192	<0,00317
P02P_20-00	P02P_20-00	P02p_19-50	<0,002	<0,00192	<0,00317
P03P_14-80	P03P_15-00	P03p_15-20	<0,002	<0,00192	<0,00317
P03P_24-00	P03P_28-00	P03p_28-00	<0,002	<0,00192	<0,00317
P04P_16-30	P04P_16-50	P04p_16-70	<0,002	<0,00192	<0,00317
P04P_19-00	P04P_19-00	P04p_18-00	<0,002	<0,00192	<0,00317

Falda superficiale

P03S_03-60	P03S_03-80	P03s_03-75	<0,002	<0,00192	<0,00317
P03S_08-50	P03S_08-50	P03s_08-00	<0,002	<0,00192	<0,00317
P04S_04-30	P04S_05-70	P04s_05-70	<0,002	<0,00192	<0,00317
P04S_06-50	P04S_07-00	P04s_06-00	<0,002	<0,00192	<0,00317
S01_06-00	S01_06-40	S01_06-20	<0,002	<0,00192	<0,00317
S01_07-00	S01_07-50	S01_07-50	<0,002	<0,00192	<0,00317
S02_07-00	S02_07-10	S02_04-20	<0,002	<0,00192	<0,00317
S02_08-00	S02_08-00	S02_07-50	0,0109	<0,00192	<0,00317
S03_03-90	S03_04-00	S03_03-90	<0,002	<0,00192	<0,00317
S03_05-00	S03_05-00	S03_06-00	<0,002	<0,00192	<0,00317
S04_03-50	S04_03-60	S04_03-20	<0,002	<0,00192	<0,00317
S04_05-00	S04_05-00	S04_04-50	<0,002	<0,00192	<0,00317
S05_03-80	S05_04-00	S05_03-15	<0,002	<0,00192	<0,00317
S05_07-00	S05_06-50	S05_06-00	<0,002	<0,00192	<0,00317
S06_02-90	S06_02-80	S06_02-50	<0,002	<0,00192	<0,00317
S06_06-00	S06_06-50	S06_06-50	<0,002	<0,00192	<0,00317
S07_03-50	S07_03-70	S07_03-55	<0,002	<0,00192	<0,00317
S07_05-00	S07_05-50	S07_06-00	<0,002	<0,00192	<0,00317
S08_03-20	S08_02-90	S08_02-90	<0,002	<0,00192	<0,00317
S08_07-00	S08_08-00	S08_07-50	<0,002	<0,00192	<0,00317
S09_02-90	S09_03-00	S09_02-85	0,0125	<0,00192	<0,00317
S09_05-00	S09_05-00	S09_06-00	<0,002	<0,00192	<0,00317
S10_04-70	S10_05-00	S10_05-10	<0,002	<0,00192	<0,00317
S10_07-50	S10_07-00	S10_06-50	<0,002	<0,00192	<0,00317
S11_03-30	S11_03-30	S11_03-10	<0,002	<0,00192	<0,00317
S11_08-00	S11_08-00	S11_08-50	<0,002	<0,00192	<0,00317
S12_03-20	S12_03-30	S12_03-10	<0,002	<0,00192	<0,00317
S12_07-00	S12_07-00	S12_06-00	<0,002	<0,00192	<0,00317

ID campione

Analita	coliformi totali 30/03/2004	coliformi totali 17/06/2004	coliformi totali 27/09/2004
---------	-----------------------------	-----------------------------	-----------------------------

30-mar-04

17-giu-04

27-set-04

lim. D.M. 471/99			
unità di misura	UFC/100mL	UFC/100mL	UFC/100mL

Falda profonda

ID	ID	ID				
P02P_16-60	P02P_16-90	P02p_17-00		50000	500	4000
P02P_20-00	P02P_20-00	P02p_19-50		6000	200	10000
P03P_14-80	P03P_15-00	P03p_15-20		500000	500	200
P03P_24-00	P03P_28-00	P03p_28-00		50000	300	2000
P04P_16-30	P04P_16-50	P04p_16-70		100000	6	1000
P04P_19-00	P04P_19-00	P04p_18-00		30000	3	8000

Falda superficiale

ID	ID	ID				
P03S_03-60	P03S_03-80	P03s_03-75		20000	1000	2000
P03S_08-50	P03S_08-50	P03s_08-00		6000	100	60
P04S_04-30	P04S_05-70	P04s_05-70		1000	0	12000
P04S_06-50	P04S_07-00	P04s_06-00		1000000	7	280
S01_06-00	S01_06-40	S01_06-20		16000	1000	6000
S01_07-00	S01_07-50	S01_07-50		50000	1	4800
S02_07-00	S02_07-10	S02_04-20		50000	500	8000
S02_08-00	S02_08-00	S02_07-50		2000	200	1600
S03_03-90	S03_04-00	S03_03-90		40000	200	800
S03_05-00	S03_05-00	S03_06-00		10000	600	6000
S04_03-50	S04_03-60	S04_03-20		10000	200	260
S04_05-00	S04_05-00	S04_04-50		8000	800	20
S05_03-80	S05_04-00	S05_03-15		100	10	2000
S05_07-00	S05_06-50	S05_06-00		8000	600	640
S06_02-90	S06_02-80	S06_02-50		10000	500	140
S06_06-00	S06_06-50	S06_06-50		2000	10	80
S07_03-50	S07_03-70	S07_03-55		14000	1000	60
S07_05-00	S07_05-50	S07_08-00		4000	400	1000
S08_03-20	S08_02-90	S08_02-90		5000	50	2000
S08_07-00	S08_08-00	S08_07-50		6000	9	20
S09_02-90	S09_03-00	S09_02-85		100000	20	180
S09_05-00	S09_05-00	S09_06-00		2000	3	120
S10_04-70	S10_05-00	S10_05-10		6000	4	18000
S10_07-50	S10_07-00	S10_06-50		30000	10	1000
S11_03-30	S11_03-30	S11_03-10		15000	500	4000
S11_08-00	S11_08-00	S11_08-50		11000	300	8000
S12_03-20	S12_03-30	S12_03-10		200000	600	200
S12_07-00	S12_07-00	S12_06-00		1000	600	260