

[illegible]

Accettazione	Sondaggio	Campione	Area Omogenea	Data prelievo	Profondità Top	Profondità Down	2,3,7,8-TCDD	1,2,3,7,8-PeCDD	1,2,3,4,7,8-HxCDD	1,2,3,6,7,8-HxCDD	1,2,3,7,8,9-HxCDD	1,2,3,4,6,7,8-HpCDD	1,2,3,4,6,7,8,9-OCDD	TCDD totali	PeCDD totali	HxCDD totali	HpCDD totali	2,3,7,8-TCDF	1,2,3,7,8-PeCDF	2,3,4,7,8-PeCDF	1,2,3,4,7,8-HxCDF	1,2,3,6,7,8-HxCDF	2,3,4,6,7,8-HxCDF	1,2,3,7,8,9-HxCDF	1,2,3,4,6,7,8-HpCDF	1,2,3,4,7,8,9-HpCDF	1,2,3,4,6,7,8,9-OCDF	TCDF totali	PeCDF totali	HxCDF totali	HpCDF totali	DIOSSINE TOTALI I-TE	DIOSSINE TOTALI WHO-TE	PCB	Amianto: Polveri e fibre libere
05-00336-016	SC-A-060	C01	I	23/03/2005	0.00	0.10																													<1000
05-00332-035	SC-A-061	C01	H	09/03/2005	0.00	0.10																													<1000
05-00332-036	SC-A-062	C01	H	09/03/2005	0.00	0.10																													<1000
05-00332-037	SC-A-063	C01	H	09/03/2005	0.00	0.10																													<1000
05-00332-038	SC-A-064	C01	C	09/03/2005	0.00	0.10																													<1000
05-00332-039	SC-A-065	C01	C	09/03/2005	0.00	0.10																													<1000
05-00332-040	SC-A-066	C01	C	09/03/2005	0.00	0.10																													<1000
05-00332-041	SC-A-067	C01	C	09/03/2005	0.00	0.10																													<1000
05-00332-042	SC-A-068	C01	K	09/03/2005	0.00	0.10																													<1000
05-00332-076	SC-A-069	C01	K	09/03/2005	0.00	0.10																													<1000
05-00332-077	SC-A-070	C01	K	09/03/2005	0.00	0.10																													<1000
05-00332-078	SC-A-071	C01	K	09/03/2005	0.00	0.10																													<1000
05-00332-079	SC-A-072	C01	K	09/03/2005	0.00	0.10																													<1000
05-00332-080	SC-A-073	C01	K	09/03/2005	0.00	0.10																													<1000
05-00332-081	SC-A-074	C01	K	09/03/2005	0.00	0.10																													<1000
05-00332-082	SC-A-075	C01	K	09/03/2005	0.00	0.10																													<1000
05-00332-083	SC-A-076	C01	K	09/03/2005	0.00	0.10																													<1000
05-00332-084	SC-A-077	C01	K	09/03/2005	0.00	0.10																													<1000
05-00332-085	SC-A-078	C01	K	09/03/2005	0.00	0.10																													<1000
05-00332-086	SC-A-079	C01	P	09/03/2005	0.00	0.10																													<1000
05-00332-087	SC-A-080	C01	P	09/03/2005	0.00	0.10																													<1000
05-00332-088	SC-A-081	C01	I	09/03/2005	0.00	0.10																													<1000
05-00332-089	SC-A-082	C01	I	09/03/2005	0.00	0.10																													<1000
05-00332-090	SC-A-083	C01	I	09/03/2005	0.00	0.10																													<1000
05-00332-043	SC-A-084	C01	I	10/03/2005	0.00	0.10																													<1000
05-00332-044	SC-A-085	C01	I	10/03/2005	0.00	0.10																													<1000
05-00332-045	SC-A-086	C01	I	10/03/2005	0.00	0.10																													<1000
05-00332-046	SC-A-087	C01	K	10/03/2005	0.00	0.10																													<1000
05-00332-047	SC-A-088	C01	K	10/03/2005	0.00	0.10																													<1000
05-00332-048	SC-A-089	C01	K	10/03/2005	0.00	0.10																													<1000
05-00332-049	SC-A-090	C01	K	10/03/2005	0.00	0.10																													<1000
05-00332-050	SC-A-091	C01	K	10/03/2005	0.00	0.10																													<1000
05-00332-051	SC-A-092	C01	K	10/03/2005	0.00	0.10																													<1000
05-00332-052	SC-A-093	C01	L	10/03/2005	0.00	0.10																													<1000
05-00332-053	SC-A-094	C01	L	10/03/2005	0.00	0.10																													<1000
05-00332-054	SC-A-095	C01	L	10/03/2005	0.00	0.10																													<1000
05-00332-055	SC-A-096	C01	L	10/03/2005	0.00	0.10																													<1000
05-00332-056	SC-A-097	C01	L	10/03/2005	0.00	0.10																													<1000
05-00332-057	SC-A-098	C01	L	10/03/2005	0.00	0.10																													<1000
05-00332-058	SC-A-099	C01	L	10/03/2005	0.00	0.10																													<1000
05-00332-059	SC-A-100	C01	L	10/03/2005	0.00	0.10																													<1000
05-00332-060	SC-A-101	C01	L	10/03/2005	0.00	0.10																													<1000
05-00332-061	SC-A-102	C01	L	10/03/2005	0.00	0.10																													<1000
05-00332-062	SC-A-103	C01	L	10/03/2005	0.00	0.10																													<1000
05-00332-063	SC-A-104	C01	L	10/03/2005	0.00	0.10																													<1000
05-00332-091	SC-A-105	C01	L	09/03/2005	0.00	0.10																													<1000
05-00332-092	SC-A-106	C01	L	09/03/2005	0.00	0.10																													<1000
05-00336-004	SC-A-107	C01	E	23/03/2005	0.00	0.10																													<1000
05-00336-005	SC-A-108	C01	C	23/03/2005	0.00	0.10																													<1000
05-00336-006	SC-A-109	C01	C	23/03/2005	0.00	0.10																													<1000
05-00336-007	SC-A-110	C01	S2	23/03/2005	0.00	0.10																													<1000
05-00336-008	SC-A-111	C01	S2	23/03/2005	0.00	0.10																													<1000
05-00336-009	SC-A-112	C01	S2	23/03/2005	0.00	0.10																													<1000
05-00336-010	SC-A-113	C01	S2	23/03/2005	0.00	0.10																													<1000
05-00314-001	SC-D-21	C01	P	14/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	8.4	19.8	0.8	<0.5	<3	12.8	10.5	5.5	16.9	36.8	4.5	4.3	<1	21.5	2.3	17	57	148	109	27	14.7	14.6		
05-00314-002	SC-D-22	C01	P	14/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	7.2	20.2	<0.5	<0.5	<3	12.2	50.2	24.4	95.7	66.2	<1	12.1	<1	29.6	6.4	38	282	485	135	50	62.4	62.3		
05-00314-003	SC-D-23	C01	P	14/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	7.3	29.5	<0.5	<0.5	<3	8.6	210	98	246	222	14	27	2	58	14	49	1112	1026	445	76	176	176		
05-00346-001	SC-D-23	C02	P	05/04/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1																								

Accettazione	Sondaggio	Campione	Area Omogenea	Data prelievo	Profondità Top	Profondità Down	2,3,7,8-TCDD	1,2,3,7,8-PeCDD	1,2,3,4,7,8-HxCDD	1,2,3,6,7,8-HxCDD	1,2,3,7,8,9-HxCDD	1,2,3,4,6,7,8-HpCDD	1,2,3,4,6,7,8,9-OCDD	TCDD totali	PeCDD totali	HxCDD totali	HpCDD totali	2,3,7,8-TCDF	1,2,3,7,8-PeCDF	2,3,4,7,8-PeCDF	1,2,3,4,7,8-HxCDF	1,2,3,6,7,8-HxCDF	2,3,4,6,7,8-HxCDF	1,2,3,7,8,9-HxCDF	1,2,3,4,6,7,8-HpCDF	1,2,3,4,7,8,9-HpCDF	1,2,3,4,6,7,8,9-OCDF	TCDF totali	PeCDF totali	HxCDF totali	HpCDF totali	DIOSSINE TOTALI I-TE	DIOSSINE TOTALI WHO-TE	PCB	Amianto: Polveri e fibre libere
05-00314-008	SC-D-28	C01	P	14/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	13	55	<0.5	<0.5	<3	23	318	112	262	235	35	39	<1	85	18	65	1793	1444	489	174	200.4	200.3		
05-00360-002	SC-D-28	C02	P	10/05/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1	<2	11.2	<0.5	<0.5	<3	<2	214	87	404	287	35	46	3.1	93	35	72	1841	2240	658	242	266	266		
05-00362-001	SC-D-28	C03	P	08/07/2005	0.50	1.00	<0.5	<0.5	<1	<1	<1	<2	<3	<0.5	<0.5	<3	<2	<0.5	<0.5	<0.5	<1	<1	<1	<1	<2	<2	<3	<0.5	<1	<4	<4	<0,003	<0,0003		
04-11903-019	SC-D-29	C01	P	20/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	8.5	24.4	0.5	<0.5	<3	14	180.5	43.9	154.1	117.7	9.3	22.5	200	33.9	8.8	27.8	110.5	879.8	313.9	70.9	133.06	133.01		
05-00314-013	SC-D-29	C02	P	14/02/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1	12	49	<0.5	<0.5	<3	21	121.2	30.2	105	130	19	14	1	67	18	63	698	689	272	122	83.5	83.4		
04-11903-020	SC-D-30	C01	P	20/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	5.4	21.7	3.5	<0.5	<3	14	763.3	106.6	195.8	119.8	21.7	20.5	<1	29	8.6	21.1	2173.4	1013.2	245.7	68.8	196.2	196.16		
05-00314-014	SC-D-30	C02	P	14/02/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1	8	21	<0.5	<0.5	<3	12	171.7	41.5	152	169	14	18	<1	35	9	24	858	967	369	66	115.9	115.8		
05-00364-001	SC-D-30	C03	P	12/05/2005	0.50	1.00	<0.5	<0.5	<1	<1	<1	<2	5.5	<0.5	<0.5	<3	<2	<0.5	<0.5	0.7	4.2	<1	<1	<1	11.2	<2	52	<0.5	0.8	4.5	12.9	0.92	0.87		
04-11903-021	SC-D-31	C01	P	20/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	6.3	<0.5	<0.5	<3	<2	22.3	5.4	16.8	17.4	2.2	<1	<1	4.4	<2	5.5	91.9	122.9	49.7	8.7	12.93	12.91		
04-11903-022	SC-D-32	C01	P	20/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	3.7	15.3	<0.5	<0.5	<3	4.7	173.6	52.4	154.3	96.3	10.2	23.7	<1	28.3	8.4	19.6	1021.2	812.6	234.2	67.1	110.57	110.54		
05-00314-015	SC-D-32	C02	P	14/02/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1	8	38	1.3	<0.5	<3	15	124.9	35.5	101	86	13	5	<1	35	5	27	760	791	231	61	75.7	75.6		
04-11903-023	SC-D-33	C01	M	16/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	12	26.2	2.1	<0.5	<3	21	26.7	54.4	23.3	208.5	33.1	<1	<1	87.6	35.3	74.4	66.9	127.1	308.1	153	42.67	42.57		
04-11903-024	SC-D-34	C01	M	16/12/2004	0.00	0.10	<0.5	0.6	<1	<1	<1	16.6	42.2	1.4	1.5	<3	38.5	34.2	77.8	33.8	219.4	54.3	20.2	15.9	112	40.2	106.6	93.7	191.5	410.1	199	57.33	57.49		
04-11903-025	SC-D-35	C01	M	16/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	13.9	47.2	1.7	2.1	3.7	27.2	28.5	71.7	28.6	198.6	33.5	14.2	3	88.5	37.3	86.8	90.1	159.7	272.6	138.6	47.18	47.06		
04-11903-026	SC-D-36	C01	M	16/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	11.3	31.6	4	<0.5	4	14.5	38.9	102.8	37.7	333.6	52.9	14.5	3.7	165.2	63.9	157.9	107.1	187.6	534.6	247.3	70.91	70.74		
04-11903-015	SC-D-37	C01	I	20/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	8.6	64	<0.5	<0.5	<3	16.8	21.8	59.6	21.4	346.6	39.5	<1	12.6	111.3	45.4	71.4	32.4	126	448.5	196.4	57.54	57.42		
04-11903-016	SC-D-38	C01	I	20/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	24.2	180.8	<0.5	<0.5	<3	48.6	94.8	300.6	89.4	1831.9	218.9	38.1	9.1	592.2	260.1	360.6	141.5	559.7	2430.1	916.7	288.32	287.83		
05-00314-016	SC-D-38	C02	I	14/02/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1	5	34	<0.5	<0.5	<3	10	63.7	208	67	1078	215	17	42	370	171	181	106	370	1121	571	191	191		
05-00359-001	SC-D-38	C03	I	12/05/2005	0.50	1.00	<0.5	<0.5	<1	<1	<1	<2	5.5	<0.5	<0.5	<3	<2	8.3	15.9	6.9	46.4	9.1	<1	<1	11.5	4	14	12.1	32	59	18	10.8	10.8		
04-11903-017	SC-D-39	C01	I	20/12/2004	0.00	0.10	<0.5	<0.5	<1	1.9	2	44.2	386.8	3.8	<0.5	18.1	82.7	69	74.2	44.1	353	53.4	15.7	3.8	153.7	59.8	134.7	171	251.4	540.2	234.5	78.7	78.23		
04-11903-018	SC-D-40	C01	I	20/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	2.4	15	<0.5	<0.5	<3	4.5	6.5	17.7	6.8	79.8	14.4	<1	4.1	28.9	11.3	18.9	10.4	32.6	119.7	49.5	15.23	15.2		
04-11889-004	SC-D-41	C01	O2	06/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	3.3	19	<0.5	<0.5	<3	7.3	16.1	11.5	18.9	52.2	5.1	6.1	<1	27.9	8.4	33.5	99.2	93.3	81.2	49.3	18.4	18.3		
04-11889-005	SC-D-42	C01	O2	06/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	2.2	13.8	<0.5	<0.5	<3	5.2	10.9	7.2	12.4	30.1	2.9	3.7	<1	12	3.6	16	7.8	82.3	42.1	20	11.5	11.5		
04-11889-006	SC-D-43	C01	O2	06/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	2.6	13.3	<0.5	<0.5	<3	4.7	21.1	12.9	15.5	46.8	9.3	<1	<1	21.9	7.9	24.6	115.5	153.7	96	32.7	16.48	16.44		
04-11889-007	SC-D-44	C01	O2	06/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	3	18.5	<0.5	<0.5	<3	7.3	8.1	5.7	9.5	26	3.4	4.3	<1	13.6	3.1	17.4	45	73.3	54.8	22.8	9.46	9.42		
05-00314-025	SC-D-45	C01	E	15/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	47	225	6.5	<0.5	<3	92	886	4077	1290	13832	3623	305	219	5928	2889	6579	2114	7157	18156	11816	2830	2824		
05-00346-003	SC-D-45	C02	E	05/04/2005	0.10	0.50	<0.5	<0.5	<1	<1	387	4.6	19	<0.5	<0.5	<3	7.3	387	1746	504	8481	1554	105	141	2432	1209	1452	652	3381	12898	4427	1444	1443		
05-00359-002	SC-D-45	C03	E	11/05/2005	0.50	1.00	<0.5	<0.5	<1	<1	<1	<2	3.6	<0.5	<0.5	<3	<2	<0.5	2.2	<0.5	10.7	2.1	<1	<1	6.7	<2	11	<0.5	3.8	13.2	9.4	1.5	1.4		
05-00314-026	SC-D-46	C01	E	15/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	36	191	<0.5	<0.5	21	71	549.8	453.1	340	863	274	70	14	672	258	706	1603	1885	1455	1264	380	379		
05-00341-004	SC-D-46	C02	E	05/04/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1	<2	7.2	<0.5	<0.5	<3	<2	17	159	35	684	130	7.7	17	201	100	128	27	238	1015	317	114	114		
05-00348-018	SC-D-46	C03	E	11/05/2005	0.50	1.00	<0.5	<0.5	<1	<1	<1	10	57	<0.5	<0.5	<3	15	57	560	113	2142	472	28	26	706	329	835	85	823	2704	1322	368	367		
05-00360-004	SC-D-46	C04	E	10/05/2005	1.00	1.50	<0.5	<0.5	<1	<1	<1	6	32.2	<0.5	<0.5	<3	8.9	1	2.7	2.1	21.2	4.7	<1	1.4	14.8	6.1	19	1.9	7.1	25.2	30.4	4.3	4.2		
05-00314-027	SC-D-47	C01	E	15/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	15	56	1.1	<0.5	11	26	205.8	608.9	228	2291	564	57	31	1198	515	873	449.8	1185	2978	2042	477	476		
05-00341-005	SC-D-47	C02	E	05/04/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1	24	114	<0.5	<0.5	7.4	51	776	6086	1543	20339	3849	232	503	4527	2552	2689	1525	10243	29815	8683	3720	3717		
05-00348-019	SC-D-47	C03	E	11/05/2005	0.50	1.00	<0.5	<0.5	<1	<1	<1	<2	5	<0.5	<0.5	<3	<2	<0.5	3.1	1.9	14.2	3.2	<1	<1	9.8	3.2	20	0.8	7.9	18.4	13.7	3	2.98		
05-00314-028	SC-D-48	C01	E	15/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	19	121	<0.5	<0.5	8	43	210.1	597.8	240	1725	448	54	28	925	446	820	399	1246	2284	1699	411	410		
05-00341-006	SC-D-48	C02	E	05/04/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1	6.6	42	<0.5	<0.5	<3	14	146	581	203	2252	473	34	44	797	364	605	362	1338	3249	1403	438	437		
05-00348-020	SC-D-48	C03	E	11/05/2005	0.50	1.00	<0.5	<0.5	<1	<1	<1	<2	8	<																					

Accettazione	Sondaggio	Campione	Area Omogenea	Data prelievo	Profondità Top	Profondità Down	2,3,7,8-TCDD	1,2,3,7,8-PeCDD	1,2,3,4,7,8-HxCDD	1,2,3,6,7,8-HxCDD	1,2,3,7,8,9-HxCDD	1,2,3,4,6,7,8-HpCDD	1,2,3,4,6,7,8,9-OCDD	TCDD totali	PeCDD totali	HxCDD totali	HpCDD totali	2,3,7,8-TCDF	1,2,3,7,8-PeCDF	2,3,4,7,8-PeCDF	1,2,3,4,7,8-HxCDF	1,2,3,6,7,8-HxCDF	2,3,4,6,7,8-HxCDF	1,2,3,7,8,9-HxCDF	1,2,3,4,6,7,8-HpCDF	1,2,3,4,7,8,9-HpCDF	1,2,3,4,6,7,8,9-OCDF	TCDF totali	PeCDF totali	HxCDF totali	HpCDF totali	DIOSSINE TOTALI I-TE	DIOSSINE TOTALI WHO-TE	PCB	Amianto: Polveri e fibre libere
04-11903-009	SC-D-73	C01	L	20/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	4.8	23.5	<0.5	0.7	<3	10	1.6	1	<0.5	3.2	<1	<1	<1	6.1	<2	14	4.6	7.5	6	9.3	0.67	0.63		
04-11903-010	SC-D-74	C01	L	20/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	4.8	23.9	0.8	<0.5	<3	10.1	1.7	1.2	1.1	3.3	<1	<1	<1	6.5	<2	12.8	5.2	9.3	7.2	9	1.26	1.22		
04-11903-011	SC-D-75	C01	L	20/12/2004	0.00	0.10	<0.5	<0.5	1.4	1.4	<1	24.5	132.7	<0.5	<0.5	19.4	48.1	58.6	59.1	48	65.8	15.6	11.1	3.4	43	6.7	82.5	265.4	295.4	123.4	63	43.63	43.43		
04-11903-012	SC-D-76	C01	L	20/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	8.5	34.7	0.9	1.1	<3	17.9	4.6	2.4	<0.5	9.9	2	2.5	<1	15.7	2.8	38.7	23	32.5	28.4	17.6	2.36	2.29		
04-11903-013	SC-D-77	C01	L	20/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	13.7	63.1	1.8	<0.5	10.3	35.4	4.1	3.1	3.7	10.3	3.1	<1	<1	18.9	3	34	9.2	26.9	62.7	26.1	4.23	4.14		
05-00320-003	SC-P-100	C01	K	17/02/2005	0.00	0.10																											0.49		
05-00320-004	SC-P-100	C02	K	17/02/2005	0.10	0.50																											1.25		
05-00320-005	SC-P-101	C01	K	17/02/2005	0.00	0.10																											0.45		
05-00320-006	SC-P-101	C02	K	17/02/2005	0.10	0.50																											0.24		
05-00320-007	SC-P-102	C01	K	17/02/2005	0.00	0.10																											0.54		
05-00320-008	SC-P-102	C02	K	17/02/2005	0.10	0.50																											1.96		
05-00320-009	SC-P-103	C01	K	17/02/2005	0.00	0.10																											8.32		
05-00336-019	SC-P-103	C02	K	23/03/2005	0.10	0.50																											0.01		
05-00320-011	SC-P-104	C01	K	17/02/2005	0.00	0.10																											1.62		
05-00320-012	SC-P-104	C02	K	17/02/2005	0.10	0.50																											0.64		
05-00336-020	SC-P-105	C01	K	23/03/2005	0.00	0.10																											9.59		
05-00320-014	SC-P-105	C02	K	17/02/2005	0.10	0.50																											0.2		
05-00306-002	SC-P-106	C01	E	03/02/2005	0.00	0.10																											0.2		
05-00306-003	SC-P-106	C02	E	03/02/2005	0.10	0.50																											1.4		
05-00303-003	SC-P-107	C01	E	01/02/2005	0.00	0.10																											0.97		
05-00306-004	SC-P-107	C02	E	03/02/2005	0.10	0.50																											1.1		
05-00306-005	SC-P-108	C01	E	03/02/2005	0.00	0.10																											0.04		
05-00306-006	SC-P-108	C02	E	03/02/2005	0.10	0.50																											0.53		
05-00306-007	SC-P-109	C01	E	03/02/2005	0.00	0.10																											0.09		
05-00306-008	SC-P-109	C02	E	03/02/2005	0.10	0.50																											0.26		
05-00344-001	SC-P-110	C01	E	10/03/2005	0.00	0.10																											14.8		
05-00344-002	SC-P-110	C02	E	10/03/2005	0.10	0.50																											6		
05-00355-001	SC-P-110	C03	E	10/03/2005	0.50	1.00																											0.35		
05-00344-003	SC-P-111	C01	E	10/03/2005	0.00	0.10																											2.38		
05-00344-004	SC-P-111	C02	E	10/03/2005	0.10	0.50																											0.83		
05-00344-005	SC-P-112	C01	E	10/03/2005	0.00	0.10																											0.77		
05-00344-006	SC-P-112	C02	E	10/03/2005	0.10	0.50																											0.61		
05-00364-002	SC-P-113	C01	O2	02/03/2005	0.00	0.10																											0.17		
05-00327-024	SC-P-113	C02	O2	02/03/2005	0.10	0.50																											0.03		
05-00327-025	SC-P-113	C03	O2	02/03/2005	0.50	1.00																											<0.01		
05-00327-013	SC-P-114	C01	O2	03/03/2005	0.00	0.10																											0.06		
05-00327-014	SC-P-114	C02	O2	03/03/2005	0.10	0.50																											6.14		
05-00352-004	SC-P-114	C03	O2	03/03/0005	0.50	1.00																											0.7		
05-00327-022	SC-P-115	C01	O2	02/03/2005	0.00	0.10																											0.1		
05-00327-023	SC-P-115	C02	O2	02/03/2005	0.10	0.50																											0.08		
05-00327-034	SC-P-116	C01	O2	02/03/2005	0.00	0.10																											19.5		
05-00327-035	SC-P-116	C02	O2	02/03/2005	0.10	0.50																											0.06		
05-00318-003	SC-P-117	C01	L	16/02/2005	0.00	0.10																											0.02		
05-00318-004	SC-P-117	C02	L	16/02/2005	0.10	0.50																											0.04		
05-00318-005	SC-P-118	C01	L	16/02/2005	0.00	0.10																											0.02		
05-00318-006	SC-P-118	C02	L	16/02/2005	0.10	0.50																											0.01		
05-00318-007	SC-P-119	C01	L	16/02/2005	0.00	0.10																											0.04		
05-00318-008	SC-P-119	C02	L	16/02/2005	0.10	0.50																											0.02		
05-00327-027	SC-P-28	C01	P	02/03/2005	0.00	0.10																											0.28		
05-00327-028	SC-P-28	C02	P	02/03/2005	0.10	0.50																											0.01		
05-00327-029	SC-P-29	C01	P	02/03/2005	0.00	0.10																											0.12		
05-00327-030	SC-P-29	C02	P	02/03/2005	0.10	0.50																											<0.01		
05-00327-008	SC-P-30	C01	P	03/03/2005	0.00	0.10																											35.1		
05-00327-009	SC-P-30	C02	P	03/03/2005	0.10	0.50																											0.2		
05-00327-031	SC-P-31	C01	P	02/03/2005	0.00	0.10																											1.13		
05-00327-032	SC-P-31	C02	P	02/03/2005	0.10	0.50																											0.04		
05-00325-027	SC-P-32	C01	S2	24/02/2005	0.00	0.10																											0.03		
05-00325-028	SC-P-32	C02	S2	24/02/2005	0.10	0.50																											0.25		
05-00325-029	SC-P-33	C0																																	

Accettazione	Sondaggio	Campione	Area Omogenea	Data prelievo	Profondità Top	Profondità Down	2,3,7,8-TCDD	1,2,3,7,8-PeCDD	1,2,3,4,7,8-HxCDD	1,2,3,6,7,8-HxCDD	1,2,3,7,8,9-HxCDD	1,2,3,4,6,7,8-HpCDD	1,2,3,4,6,7,8,9-OCDD	TCDD totali	PeCDD totali	HxCDD totali	HpCDD totali	2,3,7,8-TCDF	1,2,3,7,8-PeCDF	2,3,4,7,8-PeCDF	1,2,3,4,7,8-HxCDF	1,2,3,6,7,8-HxCDF	2,3,4,6,7,8-HxCDF	1,2,3,7,8,9-HxCDF	1,2,3,4,6,7,8-HpCDF	1,2,3,4,7,8,9-HpCDF	1,2,3,4,6,7,8,9-OCDF	TCDF totali	PeCDF totali	HxCDF totali	HpCDF totali	DIOSSINE TOTALI I-TE	DIOSSINE TOTALI WHO-TE	PCB	Amianto: Polveri e fibre libere
05-00327-047	SC-P-36	C01	M	01/03/2005	0.00	0.10																											<0.01		
05-00327-048	SC-P-36	C02	M	01/03/2005	0.10	0.50																											0.02		
05-00327-049	SC-P-37	C01	M	01/03/2005	0.00	0.10																											0.02		
05-00327-050	SC-P-37	C02	M	01/03/2005	0.10	0.50																											0.01		
05-00327-036	SC-P-38	C01	I	02/03/2005	0.00	0.10																											0.44		
05-00327-037	SC-P-38	C02	I	02/03/2005	0.10	0.50																											0.83		
05-00327-038	SC-P-39	C01	I	02/03/2005	0.00	0.10																											0.1		
05-00327-039	SC-P-39	C02	I	02/03/2005	0.10	0.50																											0.01		
05-00327-051	SC-P-40	C01	M	01/03/2005	0.00	0.10																											0.53		
05-00327-052	SC-P-40	C02	M	01/03/2005	0.10	0.50																											0.03		
05-00325-019	SC-P-41	C01	I	23/02/2005	0.00	0.10																											0.03		
05-00325-020	SC-P-41	C02	I	23/02/2005	0.10	0.50																											0.02		
05-00325-001	SC-P-42	C01	I	23/02/2005	0.00	0.10																											0.14		
05-00325-002	SC-P-42	C02	I	23/02/2005	0.10	0.50																											0.04		
05-00325-003	SC-P-43	C01	I	23/02/2005	0.00	0.10																											0.06		
05-00325-004	SC-P-43	C02	I	23/02/2005	0.10	0.50																											0.03		
05-00325-005	SC-P-44	C01	I	23/02/2005	0.00	0.10																											0.12		
05-00325-006	SC-P-44	C02	I	23/02/2005	0.10	0.50																											<0.01		
05-00325-007	SC-P-45	C01	I	23/02/2005	0.00	0.10																											0.43		
05-00325-008	SC-P-45	C02	I	23/02/2005	0.10	0.50																											0.01		
05-00325-009	SC-P-46	C01	I	23/02/2005	0.00	0.10																											0.17		
05-00325-010	SC-P-46	C02	I	23/02/2005	0.10	0.50																											0.03		
05-00325-011	SC-P-47	C01	I	23/02/2005	0.00	0.10																											0.16		
05-00325-012	SC-P-47	C02	I	23/02/2005	0.10	0.50																											<0.01		
05-00325-013	SC-P-48	C01	I	23/02/2005	0.00	0.10																											0.41		
05-00325-014	SC-P-48	C02	I	23/02/2005	0.10	0.50																											0.01		
05-00325-015	SC-P-49	C01	I	23/02/2005	0.00	0.10																											10		
05-00325-016	SC-P-49	C02	I	23/02/2005	0.10	0.50																											0.14		
05-00323-025	SC-P-50	C01	I	22/02/2005	0.00	0.10																											0.9		
05-00323-026	SC-P-50	C02	I	22/02/2005	0.10	0.50																											0.47		
05-00323-027	SC-P-51	C01	I	22/02/2005	0.00	0.10																											0.02		
05-00323-028	SC-P-51	C02	I	22/02/2005	0.10	0.50																											0.01		
05-00325-017	SC-P-52	C01	I	23/02/2005	0.00	0.10																											0.05		
05-00325-018	SC-P-52	C02	I	23/02/2005	0.10	0.50																											<0.01		
05-00325-023	SC-P-53	C01	I	23/02/2005	0.00	0.10																											0.02		
05-00325-024	SC-P-53	C02	I	24/02/2005	0.10	0.50																											<0.01		
05-00325-021	SC-P-54	C01	I	23/02/2005	0.00	0.10																											0.63		
05-00325-022	SC-P-54	C02	I	23/02/2005	0.10	0.50																											<0.01		
05-00325-025	SC-P-55	C01	I	24/02/2005	0.00	0.10																											<0.01		
05-00325-026	SC-P-55	C02	I	24/02/2005	0.10	0.50																											<0.01		
05-00327-053	SC-P-56	C01	I	01/03/2005	0.00	0.10																											255		
05-00327-040	SC-P-56	C02	I	02/03/2005	0.10	0.50																											0.35		
05-00327-041	SC-P-57	C01	I	02/03/2005	0.00	0.10																											0.02		
05-00327-042	SC-P-57	C02	I	02/03/2005	0.10	0.50																											0.51		
05-00327-043	SC-P-58	C01	I	02/03/2005	0.00	0.10																											0.06		
05-00327-044	SC-P-58	C02	I	02/03/2005	0.10	0.50																											0.12		
05-00327-054	SC-P-59	C01	I	01/03/2005	0.00	0.10																											0.7		
05-00327-026	SC-P-59	C02	I	02/03/2005	0.10	0.50																											0.14		
05-00323-013	SC-P-60	C01	H	22/02/2005	0.00	0.10																											3.55		
05-00323-014	SC-P-60	C02	H	22/02/2005	0.10	0.50																											40		
05-00337-002	SC-P-60	C03	H	22/02/2005	0.50	1.00																											0.87		
05-00323-015	SC-P-61	C01	H	22/02/2005	0.00	0.10																											362		
05-00323-016	SC-P-61	C02	H	22/02/2005	0.10	0.50																											0.24		
05-00323-017	SC-P-62	C01	H	22/02/2005	0.00	0.10																											3.61		
05-00323-018	SC-P-62	C02	H	22/02/2005	0.10	0.50																											0.01		
05-00323-019	SC-P-63	C01	H	22/02/2005	0.00	0.10																											3.78		
05-00323-020	SC-P-63	C02	H	22/02/2005	0.10	0.50																											0.14		
05-00323-007	SC-P-64	C01	H	22/02/2005	0.00	0.10																											0.06		
05-00323-008	SC-P-64	C02	H	22/02/2005	0.10	0.50																											0.05		
05-00323-009	SC-P-65	C01	H	22/02/2005	0.00	0.10																											0.05		
05-00323-010	SC-P-65	C02	H	22/02/2005	0.10	0.50																											0.03		
05-00323-011	SC-P-66	C01	H	22/02/2005	0.00	0.10						</																							

Accettazione	Sondaggio	Campione	Area Omogenea	Data prelievo	Profondità Top	Profondità Down	2,3,7,8-TCDD	1,2,3,7,8-PeCDD	1,2,3,4,7,8-HxCDD	1,2,3,6,7,8-HxCDD	1,2,3,7,8,9-HxCDD	1,2,3,4,6,7,8-HpCDD	1,2,3,4,6,7,8,9-OCDD	TCDD totali	PeCDD totali	HxCDD totali	HpCDD totali	2,3,7,8-TCDF	1,2,3,7,8-PeCDF	2,3,4,7,8-PeCDF	1,2,3,4,7,8-HxCDF	1,2,3,6,7,8-HxCDF	2,3,4,6,7,8-HxCDF	1,2,3,7,8,9-HxCDF	1,2,3,4,6,7,8-HpCDF	1,2,3,4,7,8,9-HpCDF	1,2,3,4,6,7,8,9-OCDF	TCDF totali	PeCDF totali	HxCDF totali	HpCDF totali	DIOSSINE TOTALI I-TE	DIOSSINE TOTALI WHO-TE	PCB	Amianto: Polveri e fibre libere
05-00323-002	SC-P-67	C02	H	22/02/2005	0.10	0.50																											19.8		
05-00337-001	SC-P-67	C03	H	22/02/2005	0.50	1.00																											0.08		
05-00323-003	SC-P-68	C01	H	22/02/2005	0.00	0.10																											34.7		
05-00323-004	SC-P-68	C02	H	22/02/2005	0.10	0.50																											5.24		
05-00340-001	SC-P-68	C03	H	22/02/2005	0.50	1.00																											0.07		
05-00323-005	SC-P-69	C01	H	22/02/2005	0.00	0.10																											7.72		
05-00323-006	SC-P-69	C02	H	22/02/2005	0.10	0.50																											0.14		
05-00320-037	SC-P-70	C01	C	18/02/2005	0.00	0.10																											1.58		
05-00320-038	SC-P-70	C02	C	18/02/2005	0.10	0.50																											1.6		
05-00320-039	SC-P-71	C01	C	18/02/2005	0.00	0.10																											0.64		
05-00320-040	SC-P-71	C02	C	18/02/2005	0.10	0.50																											0.39		
05-00320-041	SC-P-72	C01	C	18/02/2005	0.00	0.10																											1.72		
05-00320-042	SC-P-72	C02	C	18/02/2005	0.10	0.50																											0.07		
05-00320-043	SC-P-73	C01	C	18/02/2005	0.00	0.10																											1.08		
05-00320-044	SC-P-73	C02	C	18/02/2005	0.10	0.50																											0.4		
05-00327-011	SC-P-74	C01	C	03/03/2005	0.00	0.10																											0.78		
05-00327-012	SC-P-74	C02	C	03/03/2005	0.10	0.50																											0.48		
05-00327-033	SC-P-75	C01	C	02/03/2005	0.00	0.10																											63.7		
05-00327-010	SC-P-75	C02	C	03/03/2005	0.10	0.50																											2.8		
05-00323-029	SC-P-76	C01	C	22/02/2005	0.00	0.10																											92.4		
05-00323-030	SC-P-76	C02	C	22/02/2005	0.10	0.50																											0.28		
05-00323-031	SC-P-77	C01	C	22/02/2005	0.00	0.10																											32.8		
05-00323-032	SC-P-77	C02	C	22/02/2005	0.10	0.50																											0.18		
05-00320-045	SC-P-78	C01	C	18/02/2005	0.00	0.10																											0.57		
05-00320-046	SC-P-78	C02	C	18/02/2005	0.10	0.50																											0.02		
05-00320-047	SC-P-79	C01	C	18/02/2005	0.00	0.10																											0.07		
05-00320-048	SC-P-79	C02	C	18/02/2005	0.10	0.50																											0.1		
05-00323-021	SC-P-80	C01	C	21/02/2005	0.00	0.10																											0.09		
05-00323-022	SC-P-80	C02	C	21/02/2005	0.10	0.50																											0.02		
05-00320-015	SC-P-81	C01	C	17/02/2005	0.00	0.10																											22.4		
05-00320-016	SC-P-81	C02	C	17/02/2005	0.10	0.50																											8.7		
05-00340-002	SC-P-81	C03	C	17/02/2005	0.50	1.00																											<0.01		
05-00320-017	SC-P-82	C01	C	17/02/2005	0.00	0.10																											37.8		
05-00320-018	SC-P-82	C02	C	17/02/2005	0.10	0.50																											0.04		
05-00320-019	SC-P-83	C01	C	17/02/2005	0.00	0.10																											2.9		
05-00320-020	SC-P-83	C02	C	17/02/2005	0.10	0.50																											0.07		
05-00320-021	SC-P-84	C01	C	17/02/2005	0.00	0.10																											58.7		
05-00320-022	SC-P-84	C02	C	17/02/2005	0.10	0.50																											8.64		
05-00340-003	SC-P-84	C03	C	17/02/2005	0.50	1.00																											0.04		
05-00320-029	SC-P-85	C01	C	18/02/2005	0.00	0.10																											11.2		
05-00320-030	SC-P-85	C02	C	18/02/2005	0.10	0.50																											0.06		
05-00320-031	SC-P-86	C01	C	18/02/2005	0.00	0.10																											63.9		
05-00320-032	SC-P-86	C02	C	18/02/2005	0.10	0.50																											0.21		
05-00320-033	SC-P-87	C01	C	18/02/2005	0.00	0.10																											0.78		
05-00320-034	SC-P-87	C02	C	18/02/2005	0.10	0.50																											0.78		
05-00320-035	SC-P-88	C01	C	18/02/2005	0.00	0.10																											25.2		
05-00320-036	SC-P-88	C02	C	18/02/2005	0.10	0.50																											0.1		
05-00320-023	SC-P-89	C01	C	18/02/2005	0.00	0.10																											0.06		
05-00320-024	SC-P-89	C02	C	18/02/2005	0.10	0.50																											<0.01		
05-00320-025	SC-P-90	C01	C	18/02/2005	0.00	0.10																											0.38		
05-00320-026	SC-P-90	C02	C	18/02/2005	0.10	0.50																											0.11		
05-00320-027	SC-P-91	C01	C	18/02/2005	0.00	0.10																											11.3		
05-00320-028	SC-P-91	C02	C	18/02/2005	0.10	0.50																											0.45		
05-00318-013	SC-P-92	C01	K	16/02/2005	0.00	0.10																											0.58		
05-00318-014	SC-P-92	C02	K	16/02/2005	0.10	0.50																											0.15		
05-00318-015	SC-P-93	C01	K	16/02/2005	0.00	0.10																											<0.01		
05-00318-016	SC-P-93	C02	K	16/02/2005	0.10	0.50																											0.01		
05-00318-017	SC-P-94	C01	K	16/02/2005	0.00	0.10																											0.03		
05-00318-018	SC-P-94	C02	K	16/02/2005	0.10	0.50																											0.01		
05-00318-019	SC-P-95	C01	K	16/02/2005	0.00	0.10																											0.01		
05-00318-020	SC-P-95	C02	K	16/02/2005	0.10	0.50																											0.03		
05-00318-021	SC-P-96	C01	K	16/02/2005	0.00	0.10								</																					

Accettazione	Sondaggio	Campione	Area Omogenea	Data prelievo	Profondità Top	Profondità Down	2,3,7,8-TCDD	1,2,3,7,8-PeCDD	1,2,3,4,7,8-HxCDD	1,2,3,6,7,8-HxCDD	1,2,3,7,8,9-HxCDD	1,2,3,4,6,7,8-HpCDD	1,2,3,4,6,7,8,9-OCDD	TCDD totali	PeCDD totali	HxCDD totali	HpCDD totali	2,3,7,8-TCDF	1,2,3,7,8-PeCDF	2,3,4,7,8-PeCDF	1,2,3,4,7,8-HxCDF	1,2,3,6,7,8-HxCDF	2,3,4,6,7,8-HxCDF	1,2,3,7,8,9-HxCDF	1,2,3,4,6,7,8-HpCDF	1,2,3,4,7,8,9-HpCDF	1,2,3,4,6,7,8,9-OCDF	TCDF totali	PeCDF totali	HxCDF totali	HpCDF totali	DIOSSINE TOTALI I-TE	DIOSSINE TOTALI WHO-TE	PCB	Amianto: Polveri e fibre libere
05-00318-002	SC-P-97	C02	K	16/02/2005	0.10	0.50																												<0.01	
05-00320-001	SC-P-98	C01	K	17/02/2005	0.00	0.10																												0.44	
05-00320-002	SC-P-98	C02	K	17/02/2005	0.10	0.50																												0.2	
05-00318-011	SC-P-99	C01	K	16/02/2005	0.00	0.10																												0.49	
05-00318-012	SC-P-99	C02	K	16/02/2005	0.10	0.50																												0.01	
05-00331-001	SD 259	C04	P	08/03/2005	0.00	0.10																												<1000	
04-11894-002	SD 261	C04	P	11/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	3.3	18.6	<0.5	<0.5	<3	7.1	8.7	2.4	5.2	6.4	<1	1.9	<1	5.7	<2	6	40.9	39	15	7.5	4.52	4.5	0.31	
04-11861-001	SD 264	C04	P	06/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	<3	<0.5	<0.5	<3	<2	1	<0.5	1.1	2	<1	<1	<1	<2	<2	<3	1.1	7.6	4	<4	0.86	0.862	0.118	
04-11810-001	SD 266	C04	P	13/09/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	10.10	49.50	2.40	2.00	8.40	19.80	15.40	21.20	17.80	51.40	11.30	7.00	<1	31.40	7.30	43.10	48.20	93.30	88.00	44.10	19.03	18.94	0.75	
04-11812-020	SD 267	C04	P	15/09/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	7.10	37.30	6.70	5.90	5.20	13.60	4.80	5.10	4.10	32.40	4.90	2.60	<1	18.20	4.20	15.40	35.90	31.30	48.40	24.40	7.11	7.06	0.01	<1000
05-00327-017	SD 268	C04	P	03/03/2005	0.00	0.10																												<1000	
05-00327-018	SD 269	C04	P	03/03/2005	0.00	0.10																												<1000	
04-11889-003	SD 274	C04	P	09/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	7.5	30.6	11.3	<0.5	5.7	7.5	185.6	36.1	60.1	47.1	12.8	11.5	<1	19.9	7	22.8	591.9	308.5	134.4	50.1	58	57.9		
05-00348-016	SD 274	C04	P	10/05/2005	0.00	0.10																												1.97	
05-00316-005	SD 277	C03	P	08/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	<3	<0.5	<0.5	<3	<2	<0.5	<0.5	1	3	<1	<1	<1	<2	<2	4	1	2	<4	<4	0.83	0.82	0.07	
04-11859-007	SD 279	C04	P	05/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	7	<0.5	<0.5	<3	<2	8.4	3	6.4	7.5	<1	<1	<1	3.5	<2	5	25.1	23	17.6	3.3	4.96	4.95	0.449	
04-11894-001	SD 286	C04	P	11/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	2.4	10.5	27.3	<0.5	<0.5	<3	24.6	1008.1	326.9	1790.3	3946.6	273.9	963.4	6	1824	62.2	1436.1	3127.8	9395.7	5236.2	2035.8	1552	1550.6	238	
05-00309-005	SD 286	C05	P	11/12/2004	0.10	0.50	<0.5	<0.5	<1	<1	<1	<2	9.3	<0.5	<0.5	<3	<2	26.1	6.8	48.6	115.1	10.3	29.9	<1	77.1	<2	76.7	98.6	164.3	276.7	111.3	43.69	43.55	5.2	
05-00330-002	SD 286	C06	P	11/12/2004	0.50	1.00																												5.2	
05-00360-005	SD 286	C07	P	10/05/2005	1.00	1.50																												0.77	
05-00336-034	SD 287	C04	P	23/03/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	5	22	1.5	<0.5	<3	10	18.9	9.7	25	44	43	11	<1	28	2	31	95.5	117	112	32	25.1	25	2.35	
05-00327-019	SD 291	C05	R2	03/03/2005	0.00	0.10																													<1000
05-00327-020	SD 294	C04	P	03/03/2005	0.00	0.10																												<1000	
05-00336-037	SD 299	C07	P	23/03/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	2	11	<0.5	<0.5	<3	4	2	1	2	3	<1	<1	<1	9	2	32	6.9	9	10	13	1.63	1.59	0.01	
05-00341-008	SD 300	C04	P	05/04/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	4.9	27	<0.5	<0.5	<3	5.7	107	41	108	81	14	10	<1	63	19	138	712	941	301	155	79	78	6.1	
05-00310-002	SD 300	C05	P	14/12/2004	0.10	0.50																												11.67	
05-00338-001	SD 300	C06	P	14/12/2004	0.50	1.00																												1	
05-00327-021	SD 302	C04	P	03/03/2005	0.00	0.10																													<1000
05-00306-009	SD 303	C04	P	02/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	5.8	17.5	<0.5	<0.5	<3	12.5	17.7	9.1	14.1	23.9	3.9	2.8	<1	10.3	2.1	21	93	128	53	17	12.54	12.5	0.32	
04-11859-003	SD 304	C04	P	05/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	13.4	<0.5	<0.5	<3	2.7	30.5	4.7	12.3	10.1	1.2	<1	<1	4.4	<2	3.5	88.6	52.7	18.3	4.9	10.61	10.59	1.385	
04-11900-006	SD 305	C04	P	15/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	7	35.7	<0.5	<0.5	<3	12.7	2	0.8	2.2	<1	<1	<1	<1	7.2	<2	12.9	7	16	<4	12.3	1.51	1.46	0.11	
05-00331-002	SD 307	C04	P	08/03/2005	0.00	0.10																												<1000	
04-11810-002	SD 308	C04	P	13/09/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	4.20	12.90	<0.5	<0.5	<3	7.10	22.20	5.90	21.50	20.10	4.70	<1	<1	10.10	3.20	18.70	126.40	149.30	63.00	24.30	15.94	15.91	1.89	
05-00327-001	SD 308	C05	P	03/03/2005	0.00	0.10																												<1000	
04-11861-002	SD 313	C04	P	06/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	6.8	<0.5	<0.5	<3	<2	1.3	1	1.8	3.4	<1	<1	<1	2.1	<2	<3	2.4	8.9	4.7	2.8	1.47	1.46	0.226	
04-11859-008	SD 314	C04	P	05/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	8.2	44.8	<0.5	<0.5	<3	17	34	8.6	17.2	25.1	4.5	4.1	<1	15.3	4	16.9	127	102.3	51.6	21.2	16.14	16.08	2.058	
05-00327-002	SD 314	C05	P	03/03/2005	0.00	0.10																												<1000	
04-11859-002	SD 318	C04	P	05/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	30.2	138.6	<0.5	<0.5	11.6	63.6	75.2	25	79.8	92.1	23.1	21.6	<1	59.9	12.2	55.5	567.5	394.2	223.1	99.2	63.59	63.41	9.366	
04-11892-003	SD 318	C05	P	10/12/2004	0.10	0.50																												0.11	
05-00336-035	SD 322	C04	P	23/03/2005	0.00	0.10																												0.98	
04-11813-004	SD 324	C04	P	15/09/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	20.60	116.40	0.60	<0.5	<3	38.50	45.10	10.40	33.60	30.10	5.20	6.60	<1	18.60	3.30	35.50	270.90	248.20	91.80	42.60	26.58	26.45	0.25	<1000
05-00303-001	SD 328	C05	P	01/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	5.4	23.2	<0.5	<0.5	<3	10.2	337	135	414	424	51	102	15	153	18	60	1118	1499	940	166	345.2	345.1	33	
05-00334-001	SD 328	C06	P	01/02/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1	6.2	44	<0.5	<0.5	<3	11	6.2	2.1	5.7	13	2.1	1.6	1.4	71	9.4	340	27	38	48	120	6.68	6.335		
05-00335-001	SD 328	C06	P	01/02/2005	0.10	0.50																												0.72	
05-00331-022	SD 329	C04	P	07/03/2005	0.00	0.10																												<1000	
05-00331-023	SD 330	C04	P	07/03/2005	0.00	0.10																												<1000	
05-00331-024																																			

Accettazione	Sondaggio	Campione	Area Omogenea	Data prelievo	Profondità Top	Profondità Down	2,3,7,8-TCDD	1,2,3,7,8-PeCDD	1,2,3,4,7,8-HxCDD	1,2,3,6,7,8-HxCDD	1,2,3,7,8,9-HxCDD	1,2,3,4,6,7,8-HpCDD	1,2,3,4,6,7,8,9-OCDD	TCDD totali	PeCDD totali	HxCDD totali	HpCDD totali	2,3,7,8-TCDF	1,2,3,7,8-PeCDF	2,3,4,7,8-PeCDF	1,2,3,4,7,8-HxCDF	1,2,3,6,7,8-HxCDF	2,3,4,6,7,8-HxCDF	1,2,3,7,8,9-HxCDF	1,2,3,4,6,7,8-HpCDF	1,2,3,4,7,8,9-HpCDF	1,2,3,4,6,7,8,9-OCDF	TCDF totali	PeCDF totali	HxCDF totali	HpCDF totali	DIOSSINE TOTALI I-TE	DIOSSINE TOTALI WHO-TE	PCB	Amianto: Polveri e fibre libere
04-11863-001	SD 361	C04	S2	09/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	3.3	13.5	<0.5	<0.5	<3	4.9	10.3	13.9	9.5	53.3	10.7	<1	<1	16.1	6.9	17.5	27.2	57	116.2	27.7	13.12	13.11	0.788	
05-00331-004	SD 362	C06	S2	08/03/2005	0.00	0.10																													<1000
05-00327-016	SD 363	C04	S2	03/03/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	4	20	<0.5	6.8	14	8	8.9	48.2	8	45	8	<1	<1	24	7	27	30	99	94	26	13	12.9	0.03	
05-00331-030	SD 365	C04	N	07/03/2005	0.00	0.10																													<1000
05-00336-030	SD 365	C04	N	23/03/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	6	66	<0.5	<0.5	<3	11	11.1	19.9	11	79	19	3	6	47	17	142	11.1	36	107	72	19.1	18.9		
05-00306-012	SD 366	C03	N	02/02/2005	0.00	0.10	<0.5	<0.5	4.8	5	3.7	126	1033	3.2	<0.5	20	102	1566	1936	1268	3403	782	87	121	1381	592	3393	4723	5625	5154	2567	1353	1349	0.44	
05-00336-042	SD 366	C04	N	23/03/2005	0.10	0.50	6.3	<0.5	4	8	1	123	1773	6.6	<0.5	30	149	3345	4467	2674	9011	1561	164	251	3788	1734	10698	8920	11300	11510	6648	3070	3059		
04-11875-001	SD 369	C04	C	19/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	<3	<0.5	<0.5	<3	<2	<0.5	<0.5	<0.5	2	<1	<1	<1	2.2	<2	6.5	<0.5	<1	<4	2.3	0.23	0.22	0.016	
05-00331-005	SD 369	C08	C	08/03/2005	0.00	0.10																													<1000
04-11829-002	SD 371	C04	N	05/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	7.3	31.9	13.8	3.5	6.1	12.4	33.2	31.8	29.1	100.9	23	8	1.1	74.6	26.7	88.3	76.6	154.6	163.4	147.5	33.96	33.85	0.389	
05-00331-006	SD 371	C05	N	08/03/2005	0.00	0.10																													<1000
04-11829-001	SD 374	C04	N	05/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	14.9	<0.5	<0.5	<3	3.9	1.6	2.6	1.8	7.9	2.1	1	1.3	7.2	2	13.6	3.5	10.4	16.5	13.2	2.54	2.52	0.066	
04-11828-005	SD 377	C04	N	04/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	2.1	12	<0.5	0.8	<3	3.8	6.4	33.4	9.7	139.3	20.7	1.4	<1	34.9	15.6	26.7	9	56.6	217.7	59.2	23.86	23.82	0.067	
05-00331-031	SD 377	C05	N	07/03/2005	0.00	0.10																													<1000
05-00331-032	SD 378	C04	M	07/03/2005	0.00	0.10																													<1000
05-00331-033	SD 380	C04	M	07/03/2005	0.00	0.10																													<1000
04-11823-001	SD 382	C04	M	30/09/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	7.2	<0.5	0.7	<3	3.3	4.5	1.4	1.6	4.9	<1	<1	<1	2.6	<2	4.5	8.1	6.9	7	4	1.86	1.85	0.045	
04-11828-002	SD 384	C04	M	01/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	10.7	<0.5	<0.5	<3	2.7	4.6	6.5	4.6	24.5	5.1	<1	<1	15.7	4.6	25	14.2	25	33.1	29.9	6.28	6.24	0.144	
05-00331-034	SD 386	C04	M	07/03/2005	0.00	0.10																													<1000
04-11828-001	SD 387	C04	M	01/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	6.5	29.8	2.2	1.7	4.5	11.9	4.7	5.3	3.5	20	4.8	2	<1	14.7	3	33.5	13.5	24.8	33.2	23.8	5.48	5.42	0.152	
05-00331-035	SD 388	C04	M	07/03/2005	0.00	0.10																													<1000
05-00331-007	SD 391	C04	I	08/03/2005	0.00	0.10																													<1000
05-00331-036	SD 392	C07	I	07/03/2005	0.00	0.10																													<1000
05-00331-008	SD 395	C04	I	08/03/2005	0.00	0.10																													<1000
05-00336-031	SD 396	C04	I	23/03/2005	0.00	0.10	<0.5	<0.5	<1	2	1	24	99	7.3	<0.5	19	45	18.6	20.2	20	50	13	7	1	43	12	129	60.4	114	88	77	21.5	21.3		
04-11878-001	SD 397	C04	I	23/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	6.6	41.4	1.2	<0.5	3.6	12.7	119.3	302.1	102.6	812.8	134.9	21.8	5	230.2	103.3	159	209.4	548.9	1222.8	355.6	179.38	179.2	1.379	
04-11907-004	SD 397	C05	I	23/11/2004	0.10	0.50	<0.5	1.1	<1	<1	<1	5.3	26.9	<0.5	1.1	<3	15.7	24.6	21.5	20.1	41	7.6	3.9	2.3	15.3	4.1	13.2	64.5	106.9	69.9	26.4	19.9	20.4		
05-00336-036	SD 403	C04	I	23/03/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	10	95	2	<0.5	<3	21	12.5	6.2	12	16	<1	<1	<1	14	3	39	35	68	32	16	9.5	9.4	0.7	
05-00316-001	SD 406	C04	I	10/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	6	35	<0.5	<0.5	<3	13	<0.5	4.7	8	20	5	<1	<1	20	6	39	16.1	33	34	28	7.3	7.2	0.2	
05-00336-038	SD 407	C04	I	23/03/2005	0.00	0.10																													0.04
04-11866-001	SD 408	C04	I	11/11/2004	0.00	0.10	<0.5	<0.5	1.1	6.5	<1	64.1	199.4	<0.5	<0.5	45.6	152.9	149.2	37.1	71.5	70.3	19.7	14.2	<1	41.3	8.7	54.1	799.6	360.3	233.6	51.7	65.08	64.85		
05-00348-015	SD 408	C04	I	10/05/2005	0.00	0.10																													0.71
05-00336-033	SD 410	C04	H	23/03/2005	0.00	0.10																													0.54
04-11856-001	SD 413	C04	H	02/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	103	1432.5	13.5	<0.5	22.8	212.1	732.6	204.5	400.9	820.4	122.2	65.3	5.9	309.5	112	223.2	2735.9	2287.2	1743.9	560	392.2	390.7	6.219	
05-00309-004	SD 413	C05	H	02/11/2004	0.10	0.50	<0.5	<0.5	1.4	2.5	1.3	62.7	350.7	7.9	<0.5	<3	123.6	1481.8	48.1	93.5	150	36.1	22	7.7	59.5	16.8	49.2	682.2	461.5	230.5	105.1	87.21	86.25	5	
05-00336-032	SD 414	C04	H	23/03/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	12	<0.5	<0.5	3	3	3.7	3	3	15	2	<1	<1	6	<2	11	7.5	13	19	9	3.82	3.8	0.02	
05-00336-039	SD 418	C04	H	23/03/2005	0.00	0.10																													0.06
04-11859-001	SD 420	C04	O2a	04/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	5.8	31	<0.5	<0.5	<3	11.7	23.7	8.6	10.8	29.1	<1	<1	<1	18.8	5.3	20.3	75	109.4	54.9	25.6	11.47	11.43	0.883	
05-00331-009	SD 423	C04	O2a	08/03/2005	0.00	0.10																													<1000
04-11870-002	SD 426	C04	O2	15/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	2.4	15.5	<0.5	<0.5	<3	5.2	6.1	5.1	4.8	12.2	3.4	<1	<1	8.8	2.3	12	26.2	39.6	26.4	15.2	4.99	4.96	0.479	
05-00331-010	SD 426	C08	O2a	08/03/2005	0.00	0.10																													<1000
05-00331-037	SD 431	C04	C	07/03/2005	0.00	0.10																													<1000
04-11885-003	SD 432	C04	C	01/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	2.4	11.8	<0.5	<0.5	<3	<2	22.1	6.3	15.3	16.2	2.4	2.7	<1	7.4	2.4	6.7	116.3	146	54.8	16.4	12.46	12.45	1.662	
05-00331-038	SD 432	C08	C	07/03/2005	0.00	0.10																													<1000
05-00336-003	SD 433	C04	C	23/03/2005	0.00	0.10																													<1000
04-11889-008	SD 434	C04	C	09/12/2004																															

Accettazione	Sondaggio	Campione	Area Omogenea	Data prelievo	Profondità Top	Profondità Down	2,3,7,8-TCDD	1,2,3,7,8-PeCDD	1,2,3,4,7,8-HxCDD	1,2,3,6,7,8-HxCDD	1,2,3,7,8,9-HxCDD	1,2,3,4,6,7,8-HpCDD	1,2,3,4,6,7,8,9-OCDD	TCDD totali	PeCDD totali	HxCDD totali	HpCDD totali	2,3,7,8-TCDF	1,2,3,7,8-PeCDF	2,3,4,7,8-PeCDF	1,2,3,4,7,8-HxCDF	1,2,3,6,7,8-HxCDF	2,3,4,6,7,8-HxCDF	1,2,3,7,8,9-HxCDF	1,2,3,4,6,7,8-HpCDF	1,2,3,4,7,8,9-HpCDF	1,2,3,4,6,7,8,9-OCDF	TCDF totali	PeCDF totali	HxCDF totali	HpCDF totali	DIOSSINE TOTALI I-TE	DIOSSINE TOTALI WHO-TE	PCB	Amianto: Polveri e fibre libere
05-00306-001	SD 478	C04	K	03/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	16.4	<0.5	<0.5	<3	<2	18.2	51.7	23.3	137.9	31.9	2.4	4	85.6	40.9	145	43.2	170.7	203.6	166	35.12	34.97	0.22	
05-00306-011	SD 483	C04	E	02/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	24	136	<0.5	<0.5	10	43	168	143	151	416	111	33	23	481	204	1185	611	1065	880	1070		165.1	3	
05-00341-013	SD 483	C04	E	05/04/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	4.4	32	<0.5	<0.5	<3	4.5	32	75	35	237	51	5.6	6	204	61	245	91	207	375	349	57.6	57.4		
05-00331-014	SD 485	C04	O2b	08/03/2005	0.00	0.10																													<1000
05-00331-045	SD 487	C04	C	07/03/2005	0.00	0.10																													<1000
05-00316-003	SD 489	C04	C	09/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	29	210	<0.5	<0.5	<3	49	54.8	66.9	37	218	55	<1	20	226	60	820	126	189	288	375	60.6	59.7	2.3	
05-00331-015	SD 490	C05	C	08/03/2005	0.00	0.10																													<1000
05-00312-001	SD 492	C04	O2	06/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	5	24	<0.5	<0.5	<3	9.7	29.4	18.9	34.7	78.6	19.4	7.1	3	73.5	25.5	99	121	186	146	156	33.2	33.1	0.28	
05-00331-046	SD 492	C08	O2b	07/03/2005	0.00	0.10																													<1000
05-00331-016	SD 497	C06	L	08/03/2005	0.00	0.10																													<1000
05-00331-047	SD 500	C04	L	07/03/2005	0.00	0.10																													<1000
04-11853-005	SD 502	C04	L	26/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	6	<0.5	<0.5	<3	<2	7	30.2	7.2	137.6	23	<1	<1	48.3	21.3	214.4	9.3	47.4	176.2	88.8	22.8	22.6	0.084	
04-11856-002	SD 503	C04	L	29/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	11.6	60.4	1.4	1.6	6.5	22.5	26.9	21.4	31.2	39	8.3	7.1	<1	25.6	4.9	56	125.6	163.6	88.5	49.8	25.34	25.23	1.863	
05-00327-003	SD 503	C08	L	03/03/2005	0.00	0.10																													<1000
04-11863-006	SD 506	C06	L	08/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	3.2	19	<0.5	<0.5	<3	8.4	7.5	4.8	6	8.7	<1	2	<1	9.8	<2	18	22.2	29.3	19.2	13.5	5.25	5.22	0.326	
05-00327-004	SD 506	C10	L	03/03/2005	0.00	0.10																													<1000
05-00336-001	SD 507	C06	L	23/03/2005	0.00	0.10																													<1000
04-11853-002	SD 508	C04	L	28/10/2004	0.00	0.10	<0.5	2.9	<1	1.3	3.7	53.7	470.2	4	5.6	26.9	210.2	8.3	2.9	4.9	12.4	2.5	2.3	<1	14.2	2.2	32.2	36.2	44.3	30.9	22	8.24	9.29	0.18	
05-00327-006	SD 508	C08	L	03/03/2005	0.00	0.10																													<1000
04-11856-003	SD 509	C04	L	29/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	4.2	22.7	<0.5	<0.5	<3	6.8	7.5	2.5	2.7	6.6	<1	<1	<1	2.1	<2	10.3	22.2	20.7	11.2	2.3	3.01	2.98	0.3	
04-11850-001	SD 510	C04	L	25/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	4.5	<0.5	<0.5	<3	<2	<0.5	<0.5	<0.5	<1	<1	<1	<1	<2	<2	<3	<0.5	<1	<4	<4	0.004	0.0004	<0.01	
05-00331-048	SD 513	C04	L	07/03/2005	0.00	0.10																													<1000
04-11850-002	SD 514	C06	L	22/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	16.9	75.6	4.8	5.1	13	30	6.5	3.9	4.4	13	<1	2.2	<1	11.7	<2	19.9	9.8	30	28.7	21.5	4.92	4.84	0.195	
05-00331-017	SD 515	C04	M	08/03/2005	0.00	0.10																													<1000
05-00331-049	SD 516	C04	L	07/03/2005	0.00	0.10																													<1000
04-11853-003	SD 522	C04	L	26/10/2004	0.00	0.10	1.2	0.9	1	1.5	<1	22.1	102.9	7.3	7.2	14.4	40.2	41.3	24.7	24.3	64.7	15	8.7	<1	69.1	17.1	178.3	149.1	145.1	110	117.5	29.58	29.76	1.354	
04-11844-001	SD 526	C04	L	18/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	14.6	79.1	7.4	<0.5	<3	39.1	157.2	327	138.9	1367.7	341.5	52.3	10.8	355.7	176.8	230.8	532.8	758	2338.6	602.1	284.55	284.27	0.807	
05-00309-003	SD 526	C05	L	18/10/2004	0.10	0.50	<0.5	<0.5	<1	<1	<1	2.8	30.4	2.2	<0.5	<3	6.5	5.1	9.6	4.2	46.7	12.8	<1	<1	20.4	9.9	27.4	11.8	31	61.3	35.5	9.41	9.36		
05-00336-028	SD 527	C04	L	23/03/2005	0.00	0.10	<0.5	<0.5	<1	2	2	18	133	4	<0.5	19	38	64.2	22.3	34	64	18	7	<1	72	24	207	190.7	158	134	125	35.4	35.1	0.18	
04-11853-004	SD 532	C04	L	26/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	6.1	34	1	<0.5	3.7	12.2	12.4	8.5	9.4	20.6	3.5	2.6	<1	17	4	20.6	37.4	53.7	34.6	28.3	9.38	9.33	0.807	
04-11847-004	SD 539	C04	L	19/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	4.3	28.3	1.6	0.5	<3	8.5	8.4	16.7	7.9	103.5	20	3.8	<1	56	17	55.9	30.2	51.1	148	83.6	19.22	19.14		
05-00322-001	SD 539	C04	L	19/10/2004	0.00	0.10																												0.08	
04-11847-001	SD 543	C04	L	21/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	7.7	<0.5	<0.5	<3	2.7	2.6	5.6	2.6	20.9	2.9	<1	<1	9.5	3	15.4	6.3	13.6	27.8	16.6	4.36	4.34	0.04	
05-00331-050	SD 543	C05	L	07/03/2005	0.00	0.10																													<1000
05-00331-018	SD 546	C04	L	08/03/2005	0.00	0.10																													<1000
04-11844-002	SD 548	C04	V	14/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	21.2	0.7	1.1	<3	6.2	12.7	31.7	13.5	129.2	20.9	5.4	1.7	40	23.4	33.2	13.1	66.1	175.3	83.6	26.04	25.98	0.152	
05-00331-051	SD 551	C07	V	07/03/2005	0.00	0.10																													<1000
04-11839-001	SD 552	C04	V	11/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	5.8	2.1	<0.5	<3	2.6	<0.5	2	1.2	14.8	2.1	<1	<1	6.3	2.2	5.5	4.8	6.7	19.4	10.7	2.47	2.46	0.01	
05-00331-052	SD 554	C03	V	07/03/2005	0.00	0.10																													<1000
04-11844-004	SD 555	C04	V	14/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	10.7	62.2	10.1	7.9	8.7	21.7	7.9	4.1	5.4	9.3	3.7	2.7	<1	11.6	<2	17.9	58.9	51.7	37.5	15.9	5.58	5.5	0.382	
05-00331-019	SD 555	C05	V	08/03/2005	0.00	0.10																													<1000
04-11840-003	SD 556	C05	V	13/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	16.4	123.5	3	7.9	10.7	33	6.4	4.1	3.9	10.3	2.1	2	<1	10.9	<2	15.2	25.6	30.3	20.3	14.6	4.66	4.53	0.185	
04-11840-002	SD 557	C03	V	13/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	6.2	<0.5	<0.5	<3	<2	1.2	0.8	1.2	3.6	<1	<1	<1	<2	<2	<3	3.5	8.3	5	<4	1.14	1.13	0.09	
05-00331-053	SD 557	C07	V	07/03/2005	0.00	0.10																													<1000
04-11844-003	SD 564	C04	V	14/10/2004	0.00	0.10	<0.5	0.6	<1	<1	<1	9.6	53.1	10.3	9.3	13.2	19.1	6.4	8.4	5.1	26.9	5.9	3	<1	13.9	3.7</									

Accettazione	Sondaggio	Campione	Area Omogenea	Data prelievo	Profondità Top	Profondità Down	2,3,7,8-TCDD	1,2,3,7,8-PeCDD	1,2,3,4,7,8-HxCDD	1,2,3,6,7,8-HxCDD	1,2,3,7,8,9-HxCDD	1,2,3,4,6,7,8-HpCDD	1,2,3,4,6,7,8,9-OCDD	TCDD totali	PeCDD totali	HxCDD totali	HpCDD totali	2,3,7,8-TCDF	1,2,3,7,8-PeCDF	2,3,4,7,8-PeCDF	1,2,3,4,7,8-HxCDF	1,2,3,6,7,8-HxCDF	2,3,4,6,7,8-HxCDF	1,2,3,7,8,9-HxCDF	1,2,3,4,6,7,8-HpCDF	1,2,3,4,7,8,9-HpCDF	1,2,3,4,6,7,8,9-OCDF	TCDF totali	PeCDF totali	HxCDF totali	HpCDF totali	DIOSSINE TOTALI I-TE	DIOSSINE TOTALI WHO-TE	PCB	Amianto: Polveri e fibre libere
05-00316-002	SD 581	C04	P	10/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	7	30	<0.5	<0.5	<3	21	23.7	8.6	25	36	6	8	<1	29	5	63	109	193	96	32	20.8	20.7		
04-11832-002	SD 582	C01	M	06/10/2004	1.00	2.00	<0.5	<0.5	<1	<1	<1	<2	5	<0.5	<0.5	<3	<2	0.9	1.9	1	7	1.7	<1	<1	3.8	<2	4.7	1.9	4.5	11.1	5.3	1.61	1.6		
04-11832-003	SD 582	C02	M	06/10/2004	4.00	5.00	<0.5	<0.5	2	3.4	2.3	25.4	81.7	27.2	38.9	49.6	49.8	46.8	50.1	29.8	121.7	28.5	10.2	1.4	121.5	30.9	157.1	126.4	158.2	229.5	234.5	41.06	40.84		
04-11832-004	SD 582	C03	M	06/10/2004	6.50	7.50	<0.5	<0.5	<1	1.5	<1	11.4	32.3	16.7	18.8	26.1	25.5	11.8	14.1	9.1	44	11.6	5.7	<1	33.4	8.2	28.3	43.5	57.1	72.3	54	13.31	13.25		
04-11830-002	SD 582	C04	M	06/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	4.1	39.7	<0.5	<0.5	<3	8.3	73.6	146.6	64.2	367.9	78.7	17.4	32.9	136.6	73	127.9	112.4	300.3	587.2	276.6	99.8	98.6		
04-11907-002	SD 582	C05	M	06/10/2004	0.10	0.50	<0.5	<0.5	<1	<1	<1	4.9	19.4	<0.5	<0.5	<3	8.5	27.5	23.6	20.5	46.8	5.3	6	1.1	22.7	8.9	27.4	86.6	121.1	74.7	39.5	20.49	20.44		
05-00341-014	SD 583	C04	M	05/04/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	12	34	1.3	0.5	<3	13	63	133	65	315	53	6.4	7.3	160	74	265	149	308	522	317	86.4	86.2		
04-11907-003	SD 583	C05	M	04/10/2004	0.10	0.50	<0.5	3.1	1.3	3.2	1.9	17.6	46.5	<0.5	3.3	25.7	28.9	29.6	75.3	37.5	220.5	58.5	16.9	5.8	109.8	40	79.9	66.5	235	485.7	189.8	59.62	61.06		
04-11828-004	SD 584	C04	M	04/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	4.7	22.4	<0.5	<0.5	4.1	7.6	9.9	12.2	10.4	31.1	10.9	4.5	<1	19.9	5.2	19	46.5	64	81.6	27.4	11.78	11.74		
04-11832-001	SD 585	C02	M	06/10/2004	4.00	5.00	<0.5	<0.5	<1	<1	<1	<2	<3	<0.5	<0.5	<3	<2	1.6	4.9	2	17.4	3.4	<1	<1	6.8	3.1	<3	2.6	11.3	23.2	13	3.57	3.57		
04-11830-001	SD 585	C04	M	06/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	12.3	43.8	4.4	2.5	14.9	22.1	57.5	90.3	36.4	229.2	46.6	12	14.9	120.9	39.1	99.7	121.1	231.8	386.5	228.9	60.75	60.62		
04-11873-001	SD 586	C04	I	17/11/2004	0.00	0.10	2.5	7.1	5.4	4.7	4.5	109.8	707.5	66.6	44.3	47.2	255.4	400.2	357.8	274.9	1532.4	325.5	68	68.3	532.5	221.7	361	2845.6	2964.7	2724.5	910	412.05	414.65		
05-00327-015	SD 586	C05	I	03/03/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1	14	86	3	1	<3	28	3.5	2.6	2	<1	2	1	<1	20	3	47	18.5	18	19	26	2.24	2.12		
04-11873-002	SD 587	C04	I	18/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	5.9	30.7	<0.5	<0.5	<3	15.1	12.7	14	7	43	9	<1	<1	18.2	7.1	17.4	41.7	65.6	188.3	30.7	11.05	11.01		
04-11881-002	SD 588	C04	I	24/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	11	<0.5	<0.5	<3	<2	9.1	22.3	8.7	61.3	11	2.5	<1	19.2	8.1	13.7	13.3	33.3	79.3	29.3	14.13	14.11		
04-11868-001	SD 589	C04	I	15/11/2004	0.00	0.10	<0.5	<0.5	1.8	3.7	2.6	77.1	549.8	44.7	<0.5	66.2	149.7	741.7	706.9	361.1	1166.6	202	41.4	18.9	245	114.4	194.3	1560.4	1933.5	2064.9	466.9	438.88	438.21		
04-11903-014	SD 589	C05	I	20/12/2004	0.10	0.50	<0.5	<0.5	<1	<1	<1	<2	7.3	<0.5	<0.5	<3	<2	6.1	16.6	7.7	53.9	10	<1	1.4	17	6.7	14.5	11.8	40.1	78.3	30.5	12.07	12.05		
04-11870-004	SD 590	C04	O2	16/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	4.3	36.1	<0.5	<0.5	<3	8.6	23.8	21.3	22.9	87.4	20	4.2	<1	67	21.4	124.1	154	152.7	137.5	121.2	27.14	26.99		
04-11870-003	SD 591	C04	O2	16/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	2.5	43.4	1416.8	<0.5	<0.5	27.2	106.6	34.5	14.8	59	69.6	6.1	5.1	<1	25.7	9.2	23.4	354.8	380.7	200.6	59.2	44.24	43		
04-11881-001	SD 592	C04	O2	24/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	2.4	5.8	<0.5	<0.5	<3	7.8	40.8	5	14.3	12.8	1.8	2.8	<1	4.2	<2	4.6	88.2	57.4	33.1	2.4	13.23	13.22		
04-11870-001	SD 593	C04	O2	16/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	4.2	27.8	<0.5	<0.5	<3	7.6	32.6	21.7	30.1	53	9.6	5	<1	24.9	7.6	34.2	153.2	169.1	77.9	46.3	26.6	26.54		
05-00306-013	SD 594	C04	E	02/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	8.2	34	<0.5	<0.5	4	14	84	302	101	834	205	31	47	293	133	201	226	651	1229	547	190	190		
05-00334-005	SD 594	C05	E	02/02/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1	<2	11	<0.5	<0.5	<3	<2	3.2	5.4	2.5	16	2.7	<1	<1	15	3.2	52	11	15	21	20	3.916	3.859		
04-11878-002	SD 595	C06	C	23/11/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	2.9	15.1	0.8	<0.5	<3	7.2	10.8	14.6	10.8	51.5	10.1	3	<1	19.4	7.5	23.3	37.1	56.1	67.4	36.4	13.98	13.94		
05-00306-010	SD 596	C04	E	02/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	58	289	11	18	49	105	361	1151	435	5869	1328	147	79	3117	1202	3461	1143	3844	10291	5217	1101	1097	0.59	
05-00334-003	SD 596	C05	E	02/02/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1	<2	14	<0.5	<0.5	<3	<2	<0.5	<0.5	<0.5	2.5	<1	<1	<1	13	<2	82	<0.5	1.2	<4	23	0.48	0.393		
04-11894-004	SD 598	C04	O2	11/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	5	31.9	<0.5	<0.5	<3	12.8	12.4	10.1	7.9	25	5.9	3.2	3.5	11.5	4.4	16.3	44.5	65.9	52.9	23	9.69	9.6		
04-11894-003	SD 599	C04	O2	11/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	23.9	84.7	6.2	<0.5	114.9	45	53	60	65.3	232.2	39.6	27.8	17.9	114.8	41.6	118	242	314.8	332.5	215.3	74.7	74.5		
05-00331-021	SD 599	C08	O2b	08/03/2005	0.00	0.10																													<1000
04-11897-002	SD 600	C06	O2	14/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	<2	13	0.8	<0.5	<3	2.3	11.2	23.1	11.9	100.5	14.6	<1	<1	52.6	19.9	136.8	46.6	55.5	163	90.7	20.61	20.48		
04-11903-027	SD 600	C07	O2	16/12/2004	0.10	0.50	<0.5	<0.5	<1	<1	<1	<2	3.5	<0.5	<0.5	<3	<2	0.7	0.8	0.6	2.3	<1	<1	<1	4.4	<2	11.7	1.9	3.7	5.1	5.5	0.7	0.68		
04-11903-028	SD 600	C08	O2	16/12/2004	0.50	1.00	<0.5	<0.5	<1	<1	<1	<2	4.8	<0.5	<0.5	<3	<2	<0.5	<0.5	<0.5	1.5	<1	<1	<1	<2	<2	4.4	<0.5	<1	<4	<4	0.16	0.15		
04-11903-029	SD 600	C09	O2	16/12/2004	1.00	1.50	<0.5	<0.5	<1	<1	<1	<2	4.9	<0.5	<0.5	<3	<2	<0.5	0.6	<0.5	1.4	<1	<1	<1	<2	<2	6.8	<0.5	1.4	5.5	<4	0.18	0.17		
05-00316-004	SD 601	C04	O2b	08/02/2005	0.00	0.10	<0.5	<0.5	<1	<1	<1	18	64	2.9	<0.5	3	32	205	618	296	2619	570	62	54	1436	679	1548	366	1269	3337	2649	552	551		
05-00359-003	SD 601	C05	O2b	08/02/2005	0.10	0.50	<0.5	<0.5	<1	<1	<1	3.1	16.1	7.6	<0.5	<3	5.6	27.1	54.8	32.9	523	92	3.1	2.5	427	143	364	102	161	748	698	90	89		
04-11894-005	SD 602	C04	K	11/12/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	8.9	113.5	<0.5	<0.5	<3	12	1.7	1.6	1.1	2.5	<1	<1	<1	2.9	<2	5.5	11.2	9.9	7.2	5.8	1.26	1.15		
04-11847-002	SD 603	C04	L	19/10/2004	0.00	0.10	<0.5	<0.5	1.1	2.2	<1	30	218.4	13.4	6	21.5	57.3	50.2	82.7	44.4	264.6	45.7	8.8	3	70.9	26.6	56.7	231.6	311.4	390.2	132.5	65.44	65.19		
04-11853-001	SD 604	C05	L	28/10/2004	0.00	0.10	<0.5	<0.5	<1	<1	<1	6.7	44.6	2.7	<0.5	3.3	14.4	15.6	26.8	11.5	89.5	18.3	<1	1.1</											