



COMMISSARIO DELEGATO PER L'EMERGENZA  
DETERMINATASI NEL SETTORE DEL TRAFFICO E DELLA MOBILITÀ NEL  
TERRITORIO DELLE PROVINCE DI TREVISO E VICENZA

# SUPERSTRADA A PEDAGGIO PEDEMONTANA VENETA

CONCESSIONARIO		PROGETTISTA																										
<p><b>SPV srl</b> Via Invorio, 24/A 10146 Torino</p>	<p>Società di progetto ai sensi dell'art. 156 D.LGS 163/06 subentrato all'ATI</p> <p style="text-align: center;">Consorzio Stabile fra le Imprese:</p> <div style="display: flex; justify-content: space-around; align-items: center;"> </div> <p style="font-size: 8px;"> <small>SJS Scpa Via Invorio, 24/A 10146 Torino</small>  <small>Sacyr Construcción S.A.U. INC S.p.A.</small>  <small>SIPAL S.p.A. Your global engineering partner</small>  <small>INFRAESTRUCTURAS S.A. Paseo de la Castellana, 63-65 28046 Madrid</small> </p>	<p><b>SIPAL S.p.A.</b> Via Invorio, 24/A 10146 Torino</p>	<p><b>SIPAL S.p.A.</b> Via Invorio, 24/A 10146 TORINO</p>																									
RESPONSABILE PROGETTAZIONE	RESPONSABILE INTEGRAZIONE PRESTAZIONI SPECIALISTICHE	SUPPORTO ALLA PROGETTAZIONE DELL'INFRASTRUTTURA E DELLE OPERE CIVILI																										
<p><b>ORDINE DEGLI INGEGNERI DELLA PROVINCIA DI CUNEO</b> <b>1211</b> Dott. Ing. <i>Claudio Dogliani</i></p>	<p>Dott. Ing. <b>GEORGIOS KALAMARAS</b> n° 8178 H</p>	<p>Dott. Ing. <b>TURSO Adriano</b> n° 1400</p>																										
COORDINATORE PER LA SICUREZZA IN FASE DI PROGETTAZIONE	GEOLOGO	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;"><b>ORDINE INGEGNERI PROVINCIA TARANTO</b></td> </tr> <tr> <td style="width: 70%;">                 Dott. Ing. <b>TURSO Adriano</b> n° 1400             </td> <td style="width: 30%; text-align: center;"> <b>Sezione A</b>                  Settore:                  Civile Ambientale                  Industriale                  Informazione             </td> </tr> </table>		<b>ORDINE INGEGNERI PROVINCIA TARANTO</b>		Dott. Ing. <b>TURSO Adriano</b> n° 1400	<b>Sezione A</b> Settore: Civile Ambientale Industriale Informazione																					
<b>ORDINE INGEGNERI PROVINCIA TARANTO</b>																												
Dott. Ing. <b>TURSO Adriano</b> n° 1400	<b>Sezione A</b> Settore: Civile Ambientale Industriale Informazione																											
<p>Arch. <b>Roberto BONOMI</b> P. 3101</p>	<p><b>ALESSIO Carlo</b> - N° 255 -</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">N. Progr. _____</td> <td style="width: 60%; text-align: center;"><b>PROGETTO ESECUTIVO</b></td> <td style="width: 20%;">LOTTO 2 - TRATTA "B"</td> </tr> <tr> <td style="width: 20%;">CARTELLA N. _____</td> <td style="width: 60%; text-align: center;">(C.U.P. H51B03000050009)</td> <td style="width: 20%;">Dal Km 29+300 al Km 38+700</td> </tr> </table>		N. Progr. _____	<b>PROGETTO ESECUTIVO</b>	LOTTO 2 - TRATTA "B"	CARTELLA N. _____	(C.U.P. H51B03000050009)	Dal Km 29+300 al Km 38+700																			
N. Progr. _____	<b>PROGETTO ESECUTIVO</b>	LOTTO 2 - TRATTA "B"																										
CARTELLA N. _____	(C.U.P. H51B03000050009)	Dal Km 29+300 al Km 38+700																										
<b>TITOLO ELABORATO: PROGETTO DELL'INFRASTRUTTURA</b> <b>OPERE D'ARTE MINORI: OPERE DI ATTRAVERSAMENTO (Strutture)</b> <b>SOTTOVIA SCATOLARE CICLO-PEDONALE SO.2B.14</b> Allegati alla relazione di calcolo																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">P</td><td style="width: 20px; text-align: center;">V</td><td style="width: 20px; text-align: center;">E</td><td style="width: 20px; text-align: center;">S</td><td style="width: 20px; text-align: center;">R</td><td style="width: 20px; text-align: center;">V</td><td style="width: 20px; text-align: center;">S</td><td style="width: 20px; text-align: center;">S</td><td style="width: 20px; text-align: center;">O</td><td style="width: 20px; text-align: center;">2</td><td style="width: 20px; text-align: center;">B</td><td style="width: 20px; text-align: center;">0</td><td style="width: 20px; text-align: center;">1</td><td style="width: 20px; text-align: center;">4</td><td style="width: 20px; text-align: center;">-</td><td style="width: 20px; text-align: center;">0</td><td style="width: 20px; text-align: center;">0</td><td style="width: 20px; text-align: center;">1</td><td style="width: 20px; text-align: center;">0</td><td style="width: 20px; text-align: center;">0</td><td style="width: 20px; text-align: center;">0</td><td style="width: 20px; text-align: center;">2</td><td style="width: 20px; text-align: center;">R</td><td style="width: 20px; text-align: center;">A</td><td style="width: 20px; text-align: center;">0</td> </tr> </table>		P	V	E	S	R	V	S	S	O	2	B	0	1	4	-	0	0	1	0	0	0	2	R	A	0	SCALA: -	
P	V	E	S	R	V	S	S	O	2	B	0	1	4	-	0	0	1	0	0	0	2	R	A	0				
REV.	DESCRIZIONE	REDATTO	DATA	VERIFICATO	DATA	APPROVATO	DATA																					
0	PRIMA EMISSIONE	SIPAL	25/11/2013	SIPAL	26/11/2013	SIS	27/11/2013																					
<b>IL RESPONSABILE DEL PROCEDIMENTO:</b>  Ing. Giuseppe FASIOL		<b>IL COMMISSARIO:</b>  Ing. Silvano VERNIZZI		<input type="checkbox"/> <b>VALIDAZIONE:</b>  PROTOCOLLO : _____  DEL: _____																								

## 1. FILE DI INPUT

### TABLE: "PROGRAM CONTROL"

ProgramName=SAP2000 Version=15.0.1 ProgLevel=Advanced LicenseNum=0X1F6AD LicenseOS=No LicenseSC=No LicenseBR=No LicenseHT=No CurrUnits="KN, m, C" SteelCode=AISC-LRFD93 ConcCode="ACI 318-05/IBC2003" \_  
AlumCode="AA-ASD 2000" ColdCode=AISI-ASD96 BridgeCode="AASHTO LRFD 2007" RegenHinge=Yes

### TABLE: "ACTIVE DEGREES OF FREEDOM"

UX=Yes UY=No UZ=Yes RX=No RY=Yes RZ=No

### TABLE: "ANALYSIS OPTIONS"

Solver=Advanced SolverProc=Auto Force32Bit=No StiffCase=None GeomMod=No

### TABLE: "COORDINATE SYSTEMS"

Name=GLOBAL Type=Cartesian X=0 Y=0 Z=0 AboutZ=0 AboutY=0 AboutX=0

### TABLE: "GRID LINES"

CoordSys=GLOBAL AxisDir=X XRYZCoord=0 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start AllVisible=No BubbleSize=0.25  
CoordSys=GLOBAL AxisDir=X XRYZCoord=0.15 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=X GridID=A XRYZCoord=0.3 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=X XRYZCoord=1.3 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=X XRYZCoord=1.8 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=X XRYZCoord=2.2 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=X XRYZCoord=6.9 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=X XRYZCoord=7.3 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=X XRYZCoord=7.8 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=X XRYZCoord=8.8 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=X XRYZCoord=8.95 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=X XRYZCoord=9.1 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=Y GridID=1 XRYZCoord=0 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=Z GridID=Z1 XRYZCoord=0 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=End  
CoordSys=GLOBAL AxisDir=X XRYZCoord=0.225 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=Z XRYZCoord=0.45 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=Z XRYZCoord=5.95 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=Z XRYZCoord=6.2125 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start  
CoordSys=GLOBAL AxisDir=Z GridID=Z2 XRYZCoord=6.475 LineType=Primary LineColor=Gray8Dark Visible=Yes BubbleLoc=Start

### TABLE: "MATERIAL PROPERTIES 01 - GENERAL"

Material=A615Gr60 Type=Rebar SymType=Uniaxial TempDepend=No Color=White Notes="ASTM A615 Grade 60 added 25/09/2008 17.49.28"  
Material=A992Fy50 Type=Steel SymType=Isotropic TempDepend=No Color=Yellow Notes="ASTM A992 Fy=50 ksi added 13/11/2010 12.34.57"  
Material=Cls\_25/30 Type=Concrete SymType=Isotropic TempDepend=No Color=Blue Notes="ASTM A36 added 13/11/2010 11.57.40"  
Material=Cls\_28/35 Type=Concrete SymType=Isotropic TempDepend=No Color=Blue Notes="ASTM A36 added 13/11/2010 11.57.40"

### TABLE: "MATERIAL PROPERTIES 02 - BASIC MECHANICAL PROPERTIES"

Material=A615Gr60 UnitWeight=76.9728639422648 UnitMass=7.84904737995992 E1=199947978.795958 A1=0.000017  
Material=A992Fy50 UnitWeight=76.9728639422648 UnitMass=7.84904737995992 E1=199947978.795958 G12=76903068.767676 U12=0.3 A1=0.000017  
Material=Cls\_25/30 UnitWeight=25 UnitMass=2.54929048055605 E1=31447161 G12=14294164.0909091 U12=0.1 A1=0.00001  
Material=Cls\_28/35 UnitWeight=25 UnitMass=2.54929048055605 E1=32588108 G12=14812776.3636364 U12=0.1 A1=0.00001

### TABLE: "MATERIAL PROPERTIES 03A - STEEL DATA"

Material=A992Fy50 Fy=344737.894475789 Fu=448159.262818526 EffFy=379211.683923368 EffFu=492975.189100378 SSCurveOpt=Simple SSHysType=Kinematic  
SHard=0.015 SMax=0.11 SRup=0.17 FinalSlope=-0.1

### TABLE: "MATERIAL PROPERTIES 03B - CONCRETE DATA"

Material=Cls\_25/30 Fc=20684.2736685473 LtWtConc=No SSCurveOpt=Mander SSHysType=Takeda SFc=0.002 SCap=0.005 FinalSlope=-0.1 FAngle=0 DAngle=0  
Material=Cls\_28/35 Fc=20684.2736685473 LtWtConc=No SSCurveOpt=Mander SSHysType=Takeda SFc=0.002 SCap=0.005 FinalSlope=-0.1 FAngle=0 DAngle=0

### TABLE: "MATERIAL PROPERTIES 03E - REBAR DATA"

Material=A615Gr60 Fy=413685.473370947 Fu=620528.21005642 EffFy=455054.020708041 EffFu=682581.031062062 SSCurveOpt=Simple SSHysType=Kinematic  
SHard=0.01 SCap=0.09 FinalSlope=-0.1 UseCTDef=No

### TABLE: "MATERIAL PROPERTIES 06 - DAMPING PARAMETERS"

Material=A615Gr60 ModalRatio=0 VisMass=0 VisStiff=0 HysMass=0 HysStiff=0  
Material=A992Fy50 ModalRatio=0 VisMass=0 VisStiff=0 HysMass=0 HysStiff=0  
Material=Cls\_25/30 ModalRatio=0 VisMass=0 VisStiff=0 HysMass=0 HysStiff=0  
Material=Cls\_28/35 ModalRatio=0 VisMass=0 VisStiff=0 HysMass=0 HysStiff=0

PV\_E\_SR\_VS\_SO\_2\_B\_014\_001\_0\_002\_R\_A\_0

TABLE: "FRAME SECTION PROPERTIES 01 - GENERAL"

SectionName=RITTO\_DX Material=Cls\_28/35 Shape=Rectangular t3=0.35 t2=1  
 SectionName=RITTO\_SX Material=Cls\_28/35 Shape=Rectangular t3=0.35 t2=1  
 SectionName=SOLETTA\_INF Material=Cls\_25/30 Shape=Rectangular t3=0.45 t2=1  
 SectionName=SOL\_SUP\_SEZ\_1 Material=Cls\_28/35 Shape=Rectangular t3=0.39 t2=1  
 SectionName=SOL\_SUP\_SEZ\_2 Material=Cls\_28/35 Shape=Rectangular t3=0.39 t2=1

TABLE: "FRAME SECTION PROPERTIES 02 - CONCRETE COLUMN"

SectionName=RITTO\_DX RebarMatL=A615Gr60 RebarMatC=A615Gr60 ReinfConfig=Rectangular LatReinf=Ties Cover=0.04 NumBars3Dir=3 NumBars2Dir=3  
 BarSizeL=#9 BarSizeC=#4 SpacingC=0.15 NumCBars2=3 NumCBars3=3 ReinfType=Design  
 SectionName=RITTO\_SX RebarMatL=A615Gr60 RebarMatC=A615Gr60 ReinfConfig=Rectangular LatReinf=Ties Cover=0.04 NumBars3Dir=3 NumBars2Dir=3  
 BarSizeL=#9 BarSizeC=#4 SpacingC=0.15 NumCBars2=3 NumCBars3=3 ReinfType=Design  
 SectionName=SOL\_SUP\_SEZ\_2 RebarMatL=A615Gr60 RebarMatC=A615Gr60 ReinfConfig=Rectangular LatReinf=Ties Cover=0.04 NumBars3Dir=3 NumBars2Dir=3  
 BarSizeL=#9 BarSizeC=#4 SpacingC=0.15 NumCBars2=3 NumCBars3=3 ReinfType=Design

TABLE: "FRAME SECTION PROPERTIES 03 - CONCRETE BEAM"

SectionName=SOLETTA\_INF RebarMatL=A615Gr60 RebarMatC=A615Gr60 TopCover=0.06 BotCover=0.06 TopLeftArea=0 TopRightArea=0 BotLeftArea=0  
 BotRightArea=0  
 SectionName=SOL\_SUP\_SEZ\_1 RebarMatL=A615Gr60 RebarMatC=A615Gr60 TopCover=0.06 BotCover=0.06 TopLeftArea=0 TopRightArea=0 BotLeftArea=0  
 BotRightArea=0

TABLE: "REBAR SIZES"

RebarID=#2 Area=0.000032258 Diameter=0.00635  
 RebarID=#3 Area=7.09675996154547E-05 Diameter=0.009525  
 RebarID=#4 Area=1.29032001922727E-04 Diameter=0.0127  
 RebarID=#5 Area=1.99999601538181E-04 Diameter=0.015875  
 RebarID=#6 Area=2.83870398461819E-04 Diameter=0.01905  
 RebarID=#7 Area=3.87096015381813E-04 Diameter=0.022225  
 RebarID=#8 Area=5.09676413843632E-04 Diameter=0.0254  
 RebarID=#9 Area=0.00064516 Diameter=2.86512005329132E-02  
 RebarID=#10 Area=8.1935318769455E-04 Diameter=3.22579995155334E-02  
 RebarID=#11 Area=1.00644956308365E-03 Diameter=3.58139991521835E-02  
 RebarID=#14 Area=0.00145161 Diameter=4.30021989583969E-02  
 RebarID=#18 Area=0.00258064 Diameter=5.73277992248535E-02  
 RebarID=10M Area=1.0000004162606E-04 Diameter=1.13000003604438E-02  
 RebarID=15M Area=2.00000008325212E-04 Diameter=1.60000002402959E-02  
 RebarID=20M Area=3.00000012487818E-04 Diameter=1.95000002928606E-02  
 RebarID=25M Area=5.00000020813031E-04 Diameter=2.52000011414055E-02  
 RebarID=30M Area=7.00000029138243E-04 Diameter=2.99000000675832E-02  
 RebarID=35M Area=1.00000004162606E-03 Diameter=3.57000012990997E-02  
 RebarID=45M Area=1.50000006243909E-03 Diameter=4.37000014192476E-02  
 RebarID=55M Area=2.50000010406515E-03 Diameter=6.056400002372922  
 RebarID=6d Area=2.83000004150781E-05 Diameter=6.00000009011096E-03  
 RebarID=8d Area=5.03000013308514E-05 Diameter=8.00000012014795E-03  
 RebarID=10d Area=7.85000032676458E-05 Diameter=1.00000001501849E-02  
 RebarID=12d Area=1.13000004703745E-04 Diameter=1.20000001802219E-02  
 RebarID=14d Area=1.54000006410413E-04 Diameter=1.40000002102589E-02  
 RebarID=16d Area=2.01000008366838E-04 Diameter=1.60000002402959E-02  
 RebarID=20d Area=3.14000013070583E-04 Diameter=2.00000003003699E-02  
 RebarID=25d Area=4.91000020438396E-04 Diameter=2.50000003754623E-02  
 RebarID=26d Area=5.31000022103439E-04 Diameter=2.60000003904808E-02  
 RebarID=28d Area=6.16000025641654E-04 Diameter=2.80000004205178E-02

TABLE: "LOAD PATTERN DEFINITIONS"

LoadPat=DEAD DesignType=DEAD SelfWtMult=1  
 LoadPat=MASSETTO DesignType=OTHER SelfWtMult=0  
 LoadPat=RICOPRIMENTO DesignType=OTHER SelfWtMult=0  
 LoadPat=PAVIMENTAZIONE\_SUP DesignType=OTHER SelfWtMult=0  
 LoadPat=SOTTOSPINTA\_IDR DesignType=OTHER SelfWtMult=0  
 LoadPat=PAVIMENTAZIONE\_INF DesignType=OTHER SelfWtMult=0  
 LoadPat=SPINTA\_SX\_STR DesignType=OTHER SelfWtMult=0  
 LoadPat=SPINTA\_DX\_STR DesignType=OTHER SelfWtMult=0  
 LoadPat=SPINTA\_SX\_IDR DesignType=OTHER SelfWtMult=0  
 LoadPat=SPINTA\_DX\_IDR DesignType=OTHER SelfWtMult=0  
 LoadPat=RITIRO DesignType=OTHER SelfWtMult=0  
 LoadPat=TEMP\_A DesignType=OTHER SelfWtMult=0

PV\_E\_SR\_VS\_SO\_2\_B\_014-001\_0\_002\_R\_A\_0

## Allegati alla relazione di Calcolo

LoadPat=TEMP\_B DesignType=OTHER SelfWtMult=0  
 LoadPat=GRAD\_A DesignType=OTHER SelfWtMult=0  
 LoadPat=GRAD\_B DesignType=OTHER SelfWtMult=0  
 LoadPat=TRAFF\_INT DesignType=OTHER SelfWtMult=0  
 LoadPat=TRAFF\_A DesignType=OTHER SelfWtMult=0  
 LoadPat=TRAFF\_C DesignType=OTHER SelfWtMult=0  
 LoadPat=TRAFF\_UD DesignType=OTHER SelfWtMult=0  
 LoadPat=INCR\_SPINTA\_SX DesignType=OTHER SelfWtMult=0  
 LoadPat=INCR\_SPINTA\_DX DesignType=OTHER SelfWtMult=0  
 LoadPat=QUAKE\_X DesignType=QUAKE SelfWtMult=0 AutoLoad="USER COEFF"  
 LoadPat=FRENATURA DesignType=OTHER SelfWtMult=0  
 LoadPat=SPINTA\_SOVR\_SX\_STR DesignType=OTHER SelfWtMult=0  
 LoadPat=SPINTA\_SOVR\_DX\_STR DesignType=OTHER SelfWtMult=0  
 LoadPat=NEVE DesignType=OTHER SelfWtMult=0  
 LoadPat=INCR\_SPINTA\_IDR\_SX DesignType=OTHER SelfWtMult=0  
 LoadPat=INCR\_SPINTA\_IDR\_DX DesignType=OTHER SelfWtMult=0  
 LoadPat=SPINTA\_SX\_GEO DesignType=OTHER SelfWtMult=0  
 LoadPat=SPINTA\_DX\_GEO DesignType=OTHER SelfWtMult=0  
 LoadPat=TRAFF\_B DesignType=OTHER SelfWtMult=0  
 LoadPat=SPINTA\_SOVR\_SX\_GEO DesignType=OTHER SelfWtMult=0  
 LoadPat=SPINTA\_SOVR\_DX\_GEO DesignType=OTHER SelfWtMult=0  
 LoadPat=QUAKE\_X\_SLD DesignType=QUAKE SelfWtMult=0 AutoLoad="USER COEFF"  
 LoadPat=INCR\_SPINTA\_IDR\_SX\_SLD DesignType=OTHER SelfWtMult=0  
 LoadPat=INCR\_SPINTA\_IDR\_DX\_SLD DesignType=OTHER SelfWtMult=0  
 LoadPat=INCR\_SPINTA\_SX\_SLD DesignType=OTHER SelfWtMult=0  
 LoadPat=INCR\_SPINTA\_DX\_SLD DesignType=OTHER SelfWtMult=0  
 LoadPat=Unitario DesignType=OTHER SelfWtMult=0

## TABLE: "AUTO SEISMIC - USER COEFFICIENT"

LoadPat=QUAKE\_X Dir=X PercentEcc=0.05 EccOverride=No UserZ=Yes MaxZ=6.41 MinZ=0.01 C=0.557 K=1  
 LoadPat=QUAKE\_X\_SLD Dir=X PercentEcc=0.05 EccOverride=No UserZ=Yes MaxZ=6.41 MinZ=0.01 C=0.265 K=1

## TABLE: "AUTO WAVE 3 - WAVE CHARACTERISTICS - GENERAL"

WaveChar=Default WaveType="From Theory" KinFactor=1 SWaterDepth=1800 WaveHeight=720 WavePeriod=12 WaveTheory=Linear

## TABLE: "COMBINATION DEFINITIONS"

ComboName=A\_COMB\_0\_0\_STR ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=DEAD ScaleFactor=1.35 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB\_0\_1\_STR ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SOTTOSPINTA\_IDR ScaleFactor=1.5  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB\_0\_1\_STR CaseType="Response Combo" CaseName=A\_COMB\_0\_0\_STR ScaleFactor=1  
 ComboName=A\_COMB\_0\_2\_STR ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_STR ScaleFactor=1.5 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB\_0\_2\_STR CaseType="NonLin Static" CaseName=SPINTA\_DX\_STR ScaleFactor=1.5  
 ComboName=A\_COMB\_0\_2\_STR CaseType="Response Combo" CaseName=A\_COMB\_0\_1\_STR ScaleFactor=1  
 ComboName=A\_COMB\_0\_2\_1\_STR ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_2\_STR ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB\_0\_2\_1\_STR CaseType="NonLin Static" CaseName=MASSETTO ScaleFactor=1.35  
 ComboName=A\_COMB\_0\_2\_1\_STR CaseType="NonLin Static" CaseName=RICOPRIMENTO ScaleFactor=1.35  
 ComboName=A\_COMB\_0\_2\_1\_STR CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_INT ScaleFactor=1.35  
 ComboName=A\_COMB\_0\_2\_1\_STR CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_SUP ScaleFactor=1.35  
 ComboName=A\_COMB\_0\_3\_STR ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_IDR ScaleFactor=1.5 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB\_0\_3\_STR CaseType="NonLin Static" CaseName=SPINTA\_DX\_IDR ScaleFactor=1.5  
 ComboName=A\_COMB\_0\_3\_STR CaseType="Response Combo" CaseName=A\_COMB\_0\_2\_1\_STR ScaleFactor=1  
 ComboName=A\_COMB\_0\_4\_STR ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=RITIRO ScaleFactor=1.2 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB\_0\_4\_STR CaseType="Response Combo" CaseName=A\_COMB\_0\_3\_STR ScaleFactor=1  
 ComboName=B\_COMB\_0\_1\_GEO ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SOTTOSPINTA\_IDR ScaleFactor=1.3  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB\_0\_1\_GEO CaseType="Response Combo" CaseName=A\_COMB\_0\_0\_STR ScaleFactor=1  
 ComboName=B\_COMB\_0\_2\_GEO ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_GEO ScaleFactor=1.3 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB\_0\_2\_GEO CaseType="NonLin Static" CaseName=SPINTA\_DX\_GEO ScaleFactor=1.3  
 ComboName=B\_COMB\_0\_2\_GEO CaseType="Response Combo" CaseName=B\_COMB\_0\_1\_GEO ScaleFactor=1  
 ComboName=B\_COMB\_0\_0\_GEO ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=DEAD ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None

PV\_E\_SR\_VS\_SO\_2\_B\_014-001\_0\_002\_R\_A\_0

## Allegati alla relazione di Calcolo

ComboName=B\_COMB\_0\_2\_1\_GEO ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_2\_GEO ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB\_0\_2\_1\_GEO CaseType="NonLin Static" CaseName=MASSETTO ScaleFactor=1  
 ComboName=B\_COMB\_0\_2\_1\_GEO CaseType="NonLin Static" CaseName=RICOPRIMENTO ScaleFactor=1  
 ComboName=B\_COMB\_0\_2\_1\_GEO CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_INT ScaleFactor=1  
 ComboName=B\_COMB\_0\_2\_1\_GEO CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_SUP ScaleFactor=1  
 ComboName=B\_COMB\_0\_3\_GEO ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_IDR ScaleFactor=1.3 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB\_0\_3\_GEO CaseType="NonLin Static" CaseName=SPINTA\_DX\_IDR ScaleFactor=1.3  
 ComboName=B\_COMB\_0\_3\_GEO CaseType="Response Combo" CaseName=B\_COMB\_0\_2\_1\_GEO ScaleFactor=1  
 ComboName=B\_COMB\_0\_4\_GEO ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=RITIRO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB\_0\_4\_GEO CaseType="Response Combo" CaseName=B\_COMB\_0\_3\_GEO ScaleFactor=1  
 ComboName=A\_COMB1 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB1 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB1 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB1 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.35  
 ComboName=A\_COMB1 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=1.0125  
 ComboName=A\_COMB1 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.72  
 ComboName=A\_COMB1 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.72  
 ComboName=A\_COMB2 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB2 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB2 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB2 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.35  
 ComboName=A\_COMB2 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=1.0125  
 ComboName=A\_COMB2 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.72  
 ComboName=A\_COMB2 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.72  
 ComboName=A\_COMB3 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB3 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB3 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB3 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.35  
 ComboName=A\_COMB3 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=1.0125  
 ComboName=A\_COMB3 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.72  
 ComboName=A\_COMB3 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.72  
 ComboName=A\_COMB4 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB4 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB4 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB4 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.35  
 ComboName=A\_COMB4 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=1.0125  
 ComboName=A\_COMB4 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.72  
 ComboName=A\_COMB4 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.72  
 ComboName=A\_COMB5 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB5 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB5 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB5 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.35  
 ComboName=A\_COMB5 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=1.0125  
 ComboName=A\_COMB5 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.72  
 ComboName=A\_COMB5 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.72  
 ComboName=A\_COMB6 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB6 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB6 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB6 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.35  
 ComboName=A\_COMB6 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=1.0125  
 ComboName=A\_COMB6 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.72  
 ComboName=A\_COMB6 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.72  
 ComboName=A\_COMB7 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB7 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB7 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB7 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.35  
 ComboName=A\_COMB7 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=1.0125

PV\_E\_SR\_VS\_SO\_2\_B\_014-001\_0\_002\_R\_A\_0



























## Allegati alla relazione di Calcolo

ComboName=A\_COMB88 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.72  
 ComboName=A\_COMB88 CaseType="NonLin Static" CaseName=FRENATURA ScaleFactor=1.0125  
 ComboName=A\_COMB88 CaseType="NonLin Static" CaseName=TRAFF\_INT ScaleFactor=1.5  
 ComboName=A\_COMB\_0\_2\_STR\_SBIL ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_STR ScaleFactor=1.5  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB\_0\_2\_STR\_SBIL CaseType="NonLin Static" CaseName=SPINTA\_DX\_STR ScaleFactor=1  
 ComboName=A\_COMB\_0\_2\_STR\_SBIL CaseType="Response Combo" CaseName=A\_COMB\_0\_1\_STR ScaleFactor=1  
 ComboName=A\_COMB\_0\_2\_1\_STR\_SBIL ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_2\_STR\_SBIL ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB\_0\_2\_1\_STR\_SBIL CaseType="NonLin Static" CaseName=MASSETTO ScaleFactor=1.35  
 ComboName=A\_COMB\_0\_2\_1\_STR\_SBIL CaseType="NonLin Static" CaseName=RICOPRIMENTO ScaleFactor=1.35  
 ComboName=A\_COMB\_0\_2\_1\_STR\_SBIL CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_SUP ScaleFactor=1.35  
 ComboName=A\_COMB\_0\_2\_1\_STR\_SBIL CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_INT ScaleFactor=1.35  
 ComboName=A\_COMB\_0\_3\_STR\_SBIL ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_IDR ScaleFactor=1.5  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB\_0\_3\_STR\_SBIL CaseType="NonLin Static" CaseName=SPINTA\_DX\_IDR ScaleFactor=1.5  
 ComboName=A\_COMB\_0\_3\_STR\_SBIL CaseType="Response Combo" CaseName=A\_COMB\_0\_2\_1\_STR\_SBIL ScaleFactor=1  
 ComboName=A\_COMB\_0\_4\_STR\_SBIL ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=RITIRO ScaleFactor=1.2 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB\_0\_4\_STR\_SBIL CaseType="Response Combo" CaseName=A\_COMB\_0\_3\_STR\_SBIL ScaleFactor=1  
 ComboName=A\_COMB89 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR\_SBIL ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB89 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB89 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB89 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.35  
 ComboName=A\_COMB89 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=1.0125  
 ComboName=A\_COMB89 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.72  
 ComboName=A\_COMB89 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.72  
 ComboName=A\_COMB90 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR\_SBIL ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB90 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB90 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB90 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.35  
 ComboName=A\_COMB90 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=1.0125  
 ComboName=A\_COMB90 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.72  
 ComboName=A\_COMB90 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.72  
 ComboName=A\_COMB91 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR\_SBIL ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB91 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB91 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB91 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.35  
 ComboName=A\_COMB91 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=1.0125  
 ComboName=A\_COMB91 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.72  
 ComboName=A\_COMB91 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.72  
 ComboName=A\_COMB92 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR\_SBIL ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB92 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB92 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB92 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.35  
 ComboName=A\_COMB92 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=1.0125  
 ComboName=A\_COMB92 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.72  
 ComboName=A\_COMB92 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.72  
 ComboName=A\_COMB93 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR\_SBIL ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB93 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB93 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB93 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.35  
 ComboName=A\_COMB93 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=1.0125  
 ComboName=A\_COMB93 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.72  
 ComboName=A\_COMB93 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.72  
 ComboName=A\_COMB94 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR\_SBIL ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB94 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB94 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.35  
 ComboName=A\_COMB94 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.35  
 ComboName=A\_COMB94 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=1.0125  
 ComboName=A\_COMB94 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.72

PV\_E\_SR\_VS\_SO\_2\_B\_014\_001\_0\_002\_R\_A\_0

























## Allegati alla relazione di Calcolo

ComboName=A\_COMB176 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR\_SBIL ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB176 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1.0125  
 ComboName=A\_COMB176 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1.0125  
 ComboName=A\_COMB176 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.0125  
 ComboName=A\_COMB176 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=1.0125  
 ComboName=A\_COMB176 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.72  
 ComboName=A\_COMB176 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.72  
 ComboName=A\_COMB176 CaseType="NonLin Static" CaseName=FRENATURA ScaleFactor=1.0125  
 ComboName=A\_COMB176 CaseType="NonLin Static" CaseName=TRAFF\_INT ScaleFactor=1.5  
 ComboName=A\_COMB177\_0\_0 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=DEAD ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB177\_0\_1 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SOTTOSPINTA\_IDR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB177\_0\_1 CaseType="Response Combo" CaseName=A\_COMB177\_0\_0 ScaleFactor=1  
 ComboName=A\_COMB177\_0\_2 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_STR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB177\_0\_2 CaseType="NonLin Static" CaseName=SPINTA\_DX\_STR ScaleFactor=1  
 ComboName=A\_COMB177\_0\_2 CaseType="Response Combo" CaseName=A\_COMB177\_0\_1 ScaleFactor=1  
 ComboName=A\_COMB177\_0\_2\_1 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB177\_0\_2 ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB177\_0\_2\_1 CaseType="NonLin Static" CaseName=MASSETTO ScaleFactor=1  
 ComboName=A\_COMB177\_0\_2\_1 CaseType="NonLin Static" CaseName=RICOPRIMENTO ScaleFactor=1  
 ComboName=A\_COMB177\_0\_2\_1 CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_INT ScaleFactor=1  
 ComboName=A\_COMB177\_0\_2\_1 CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_SUP ScaleFactor=1  
 ComboName=A\_COMB177\_0\_3 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_IDR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB177\_0\_3 CaseType="NonLin Static" CaseName=SPINTA\_DX\_IDR ScaleFactor=1  
 ComboName=A\_COMB177\_0\_3 CaseType="Response Combo" CaseName=A\_COMB177\_0\_2\_1 ScaleFactor=1  
 ComboName=A\_COMB177\_0\_4 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=RITIRO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB177\_0\_4 CaseType="Response Combo" CaseName=A\_COMB177\_0\_3 ScaleFactor=1  
 ComboName=A\_COMB177 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB177\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB177 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=1  
 ComboName=A\_COMB177 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=1  
 ComboName=A\_COMB177 CaseType="Response Combo" CaseName=A\_COMB177\_0\_0 ScaleFactor=0.194  
 ComboName=A\_COMB177 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=1  
 ComboName=A\_COMB178 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB177\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB178 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=1  
 ComboName=A\_COMB178 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=1  
 ComboName=A\_COMB178 CaseType="Response Combo" CaseName=A\_COMB177\_0\_0 ScaleFactor=0.194  
 ComboName=A\_COMB178 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=1  
 ComboName=A\_COMB178 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_DX ScaleFactor=1  
 ComboName=A\_COMB178 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_SX ScaleFactor=1  
 ComboName=A\_COMB181 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB177\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB181 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=0.5  
 ComboName=A\_COMB181 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=0.5  
 ComboName=A\_COMB181 CaseType="Response Combo" CaseName=A\_COMB177\_0\_0 ScaleFactor=0.388  
 ComboName=A\_COMB181 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=0.5  
  
 ComboName=A\_COMB182 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=0.5  
 ComboName=A\_COMB182 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=0.5  
 ComboName=A\_COMB182 CaseType="Response Combo" CaseName=A\_COMB177\_0\_0 ScaleFactor=0.388  
 ComboName=A\_COMB182 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=0.5  
 ComboName=A\_COMB182 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_DX ScaleFactor=0.5  
 ComboName=A\_COMB182 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_SX ScaleFactor=0.5  
 ComboName=B\_COMB185 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB185 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB185 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB185 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.15  
 ComboName=B\_COMB185 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=0.8625  
 ComboName=B\_COMB185 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.6  
 ComboName=B\_COMB185 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.6

PV\_E\_SR\_VS\_SO\_2\_B\_014-001\_0\_002\_R\_A\_0

## Allegati alla relazione di Calcolo

ComboName=B\_COMB186 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB186 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB186 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB186 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.15  
 ComboName=B\_COMB186 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=0.8625  
 ComboName=B\_COMB186 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.6  
 ComboName=B\_COMB186 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.6  
 ComboName=B\_COMB189 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB189 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB189 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB189 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.15  
 ComboName=B\_COMB189 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=0.8625  
 ComboName=B\_COMB189 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.6  
 ComboName=B\_COMB189 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.6  
 ComboName=B\_COMB190 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB190 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB190 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB190 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.15  
 ComboName=B\_COMB190 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=0.8625  
 ComboName=B\_COMB190 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.6  
 ComboName=B\_COMB190 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.6  
 ComboName=B\_COMB\_0\_2\_GEO\_SBIL ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_GEO ScaleFactor=1.3  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB\_0\_2\_GEO\_SBIL CaseType="NonLin Static" CaseName=SPINTA\_DX\_GEO ScaleFactor=1  
 ComboName=B\_COMB\_0\_2\_GEO\_SBIL CaseType="Response Combo" CaseName=B\_COMB\_0\_1\_GEO ScaleFactor=1  
 ComboName=B\_COMB\_0\_2\_1\_GEO\_SBIL ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_2\_GEO\_SBIL ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB\_0\_2\_1\_GEO\_SBIL CaseType="NonLin Static" CaseName=MASSETTO ScaleFactor=1  
 ComboName=B\_COMB\_0\_2\_1\_GEO\_SBIL CaseType="NonLin Static" CaseName=RICOPRIMENTO ScaleFactor=1  
 ComboName=B\_COMB\_0\_2\_1\_GEO\_SBIL CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_INT ScaleFactor=1  
 ComboName=B\_COMB\_0\_2\_1\_GEO\_SBIL CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_SUP ScaleFactor=1  
 ComboName=B\_COMB\_0\_3\_GEO\_SBIL ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_IDR ScaleFactor=1.3  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB\_0\_3\_GEO\_SBIL CaseType="NonLin Static" CaseName=SPINTA\_DX\_IDR ScaleFactor=1.3  
 ComboName=B\_COMB\_0\_3\_GEO\_SBIL CaseType="Response Combo" CaseName=B\_COMB\_0\_2\_1\_GEO\_SBIL ScaleFactor=1  
 ComboName=B\_COMB\_0\_4\_GEO\_SBIL ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=RITIRO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB\_0\_4\_GEO\_SBIL CaseType="Response Combo" CaseName=B\_COMB\_0\_3\_GEO\_SBIL ScaleFactor=1  
 ComboName=B\_COMB193 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB193 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_GEO ScaleFactor=0.8625  
 ComboName=B\_COMB193 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_GEO ScaleFactor=0.8625  
 ComboName=B\_COMB193 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=0.8625  
 ComboName=B\_COMB193 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=1.15  
 ComboName=B\_COMB193 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.6  
 ComboName=B\_COMB193 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.6  
 ComboName=B\_COMB194 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB194 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_GEO ScaleFactor=0.8625  
 ComboName=B\_COMB194 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_GEO ScaleFactor=0.8625  
 ComboName=B\_COMB194 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=0.8625  
 ComboName=B\_COMB194 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=1.15  
 ComboName=B\_COMB194 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.6  
 ComboName=B\_COMB194 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.6  
 ComboName=B\_COMB195 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB195 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_GEO ScaleFactor=0.8625  
 ComboName=B\_COMB195 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_GEO ScaleFactor=0.8625  
 ComboName=B\_COMB195 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=0.8625  
 ComboName=B\_COMB195 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=1.15  
 ComboName=B\_COMB195 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.6  
 ComboName=B\_COMB195 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=B\_COMB196 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None

PV\_E\_SR\_VS\_SO\_2\_B\_014-001\_0\_002\_R\_A\_0



















































## Allegati alla relazione di Calcolo

ComboName=B\_COMB358 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.6  
 ComboName=B\_COMB358 CaseType="NonLin Static" CaseName=FRENATURA ScaleFactor=0.8625  
 ComboName=B\_COMB358 CaseType="NonLin Static" CaseName=TRAFF\_INT ScaleFactor=1.3  
 ComboName=B\_COMB359 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO\_SBIL ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB359 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_GEO ScaleFactor=0.8625  
 ComboName=B\_COMB359 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_GEO ScaleFactor=0.8625  
 ComboName=B\_COMB359 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=0.8625  
 ComboName=B\_COMB359 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=0.8625  
 ComboName=B\_COMB359 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.6  
 ComboName=B\_COMB359 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=B\_COMB359 CaseType="NonLin Static" CaseName=FRENATURA ScaleFactor=0.8625  
 ComboName=B\_COMB359 CaseType="NonLin Static" CaseName=TRAFF\_INT ScaleFactor=1.3  
 ComboName=B\_COMB360 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO\_SBIL ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB360 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_GEO ScaleFactor=0.8625  
 ComboName=B\_COMB360 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_GEO ScaleFactor=0.8625  
 ComboName=B\_COMB360 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=0.8625  
 ComboName=B\_COMB360 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=0.8625  
 ComboName=B\_COMB360 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.6  
 ComboName=B\_COMB360 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=B\_COMB360 CaseType="NonLin Static" CaseName=FRENATURA ScaleFactor=0.8625  
 ComboName=B\_COMB360 CaseType="NonLin Static" CaseName=TRAFF\_INT ScaleFactor=1.3  
 ComboName=B\_COMB361\_0\_0 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=DEAD ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB361\_0\_1 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SOTTOSPINTA\_IDR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB361\_0\_1 CaseType="Response Combo" CaseName=B\_COMB361\_0\_0 ScaleFactor=1  
 ComboName=B\_COMB361\_0\_2 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_GEO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB361\_0\_2 CaseType="NonLin Static" CaseName=SPINTA\_DX\_GEO ScaleFactor=1  
 ComboName=B\_COMB361\_0\_2 CaseType="Response Combo" CaseName=B\_COMB361\_0\_1 ScaleFactor=1  
 ComboName=B\_COMB361\_0\_2\_1 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB361\_0\_2 ScaleFactor=1  
 SteelDesign=None ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB361\_0\_2\_1 CaseType="NonLin Static" CaseName=MASSETTO ScaleFactor=1  
 ComboName=B\_COMB361\_0\_2\_1 CaseType="NonLin Static" CaseName=RICOPRIMENTO ScaleFactor=1  
 ComboName=B\_COMB361\_0\_2\_1 CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_INT ScaleFactor=1  
 ComboName=B\_COMB361\_0\_2\_1 CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_SUP ScaleFactor=1  
 ComboName=B\_COMB361\_0\_3 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_IDR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB361\_0\_3 CaseType="NonLin Static" CaseName=SPINTA\_DX\_IDR ScaleFactor=1  
 ComboName=B\_COMB361\_0\_3 CaseType="Response Combo" CaseName=B\_COMB361\_0\_2\_1 ScaleFactor=1  
 ComboName=B\_COMB361\_0\_4 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=RITIRO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB361\_0\_4 CaseType="Response Combo" CaseName=B\_COMB361\_0\_3 ScaleFactor=1  
 ComboName=B\_COMB361 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB361\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB361 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=1  
 ComboName=B\_COMB361 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=1  
 ComboName=B\_COMB361 CaseType="Response Combo" CaseName=B\_COMB361\_0\_0 ScaleFactor=0.194  
 ComboName=B\_COMB361 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=1  
 ComboName=B\_COMB362 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB361\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB362 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=1  
 ComboName=B\_COMB362 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=1  
 ComboName=B\_COMB362 CaseType="Response Combo" CaseName=B\_COMB361\_0\_0 ScaleFactor=0.194  
 ComboName=B\_COMB362 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=1  
 ComboName=B\_COMB362 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_DX ScaleFactor=1  
 ComboName=B\_COMB362 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_SX ScaleFactor=1  
 ComboName=B\_COMB363 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB361\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB363 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=1  
 ComboName=B\_COMB363 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=1  
 ComboName=B\_COMB363 CaseType="Response Combo" CaseName=B\_COMB361\_0\_0 ScaleFactor=0.194  
 ComboName=B\_COMB363 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=1  
 ComboName=B\_COMB364 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB361\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None

PV\_E\_SR\_VS\_SO\_2\_B\_014-001\_0\_002\_R\_A\_0

## Allegati alla relazione di Calcolo

ComboName=B\_COMB364 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=1  
 ComboName=B\_COMB364 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=1  
 ComboName=B\_COMB364 CaseType="Response Combo" CaseName=B\_COMB361\_0\_0 ScaleFactor=-0.194  
 ComboName=B\_COMB364 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=1  
 ComboName=B\_COMB364 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_DX ScaleFactor=1  
 ComboName=B\_COMB364 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_SX ScaleFactor=1  
 ComboName=B\_COMB365 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB361\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB365 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=0.5  
 ComboName=B\_COMB365 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=0.5  
 ComboName=B\_COMB365 CaseType="Response Combo" CaseName=B\_COMB361\_0\_0 ScaleFactor=0.388  
 ComboName=B\_COMB365 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=0.5  
 ComboName=B\_COMB366 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB361\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB366 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=0.5  
 ComboName=B\_COMB366 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=0.5  
 ComboName=B\_COMB366 CaseType="Response Combo" CaseName=B\_COMB361\_0\_0 ScaleFactor=0.388  
 ComboName=B\_COMB366 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=0.5  
 ComboName=B\_COMB366 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_DX ScaleFactor=0.5  
 ComboName=B\_COMB366 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_SX ScaleFactor=0.5  
 ComboName=B\_COMB367 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB361\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB367 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=0.5  
 ComboName=B\_COMB367 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=0.5  
 ComboName=B\_COMB367 CaseType="Response Combo" CaseName=B\_COMB361\_0\_0 ScaleFactor=-0.388  
 ComboName=B\_COMB367 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=0.5  
 ComboName=B\_COMB368 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB361\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB368 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=0.5  
 ComboName=B\_COMB368 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=0.5  
 ComboName=B\_COMB368 CaseType="Response Combo" CaseName=B\_COMB361\_0\_0 ScaleFactor=-0.388  
 ComboName=B\_COMB368 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=0.5  
 ComboName=B\_COMB368 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_DX ScaleFactor=0.5  
 ComboName=B\_COMB368 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_SX ScaleFactor=0.5  
 ComboName=COMB\_0\_0\_SLE ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=DEAD ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=COMB\_0\_1\_SLE ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SOTTOSPINTA\_IDR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=COMB\_0\_1\_SLE CaseType="Response Combo" CaseName=COMB\_0\_0\_SLE ScaleFactor=1  
 ComboName=COMB\_0\_2\_SLE ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_STR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=COMB\_0\_2\_SLE CaseType="NonLin Static" CaseName=SPINTA\_DX\_STR ScaleFactor=1  
 ComboName=COMB\_0\_2\_SLE CaseType="Response Combo" CaseName=COMB\_0\_1\_SLE ScaleFactor=1  
 ComboName=COMB\_0\_2\_1\_SLE ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=COMB\_0\_2\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=COMB\_0\_2\_1\_SLE CaseType="NonLin Static" CaseName=MASSETTO ScaleFactor=1  
 ComboName=COMB\_0\_2\_1\_SLE CaseType="NonLin Static" CaseName=RICOPRIMENTO ScaleFactor=1  
 ComboName=COMB\_0\_2\_1\_SLE CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_INT ScaleFactor=1  
 ComboName=COMB\_0\_2\_1\_SLE CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_SUP ScaleFactor=1  
 ComboName=COMB\_0\_3\_SLE ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_IDR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=COMB\_0\_3\_SLE CaseType="NonLin Static" CaseName=SPINTA\_DX\_IDR ScaleFactor=1  
 ComboName=COMB\_0\_3\_SLE CaseType="Response Combo" CaseName=COMB\_0\_2\_1\_SLE ScaleFactor=1  
 ComboName=Z\_COMB\_0\_4\_SLE ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=RITIRO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=Z\_COMB\_0\_4\_SLE CaseType="Response Combo" CaseName=COMB\_0\_3\_SLE ScaleFactor=1  
 ComboName=C\_COMB369 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=C\_COMB369 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1  
 ComboName=C\_COMB369 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1  
 ComboName=C\_COMB369 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1  
 ComboName=C\_COMB369 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=0.75  
 ComboName=C\_COMB369 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.6  
 ComboName=C\_COMB369 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.6  
 ComboName=C\_COMB370 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=C\_COMB370 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1

PV\_E\_SR\_VS\_SO\_2\_B\_014-001\_0\_002\_R\_A\_0





























## Allegati alla relazione di Calcolo

ComboName=D\_COMB473 CaseType="NonLin Static" CaseName=TRAFF\_INT ScaleFactor=0.75  
 ComboName=D\_COMB473 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.5  
 ComboName=D\_COMB473 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.5  
 ComboName=D\_COMB474 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=D\_COMB474 CaseType="NonLin Static" CaseName=TRAFF\_INT ScaleFactor=0.75  
 ComboName=D\_COMB474 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.5  
 ComboName=D\_COMB474 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.5  
 ComboName=D\_COMB475 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=D\_COMB475 CaseType="NonLin Static" CaseName=TRAFF\_INT ScaleFactor=0.75  
 ComboName=D\_COMB475 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.5  
 ComboName=D\_COMB475 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.5  
 ComboName=D\_COMB476 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=D\_COMB476 CaseType="NonLin Static" CaseName=TRAFF\_INT ScaleFactor=0.75  
 ComboName=D\_COMB476 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.5  
 ComboName=D\_COMB476 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.5  
 ComboName=E\_COMB477 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=E\_COMB477 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.5  
 ComboName=E\_COMB477 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.5  
 ComboName=E\_COMB478 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=E\_COMB478 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.5  
 ComboName=E\_COMB478 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.5  
 ComboName=E\_COMB479 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=E\_COMB479 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.5  
 ComboName=E\_COMB479 CaseType="NonLin Static" CaseName=TEMP\_A ScaleFactor=0.5  
 ComboName=E\_COMB480 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=E\_COMB480 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.5  
 ComboName=E\_COMB480 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.5  
 ComboName=A\_COMB179 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB177\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB179 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=1  
 ComboName=A\_COMB179 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=1  
 ComboName=A\_COMB179 CaseType="Response Combo" CaseName=A\_COMB177\_0\_0 ScaleFactor=-0.194  
 ComboName=A\_COMB179 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=1  
 ComboName=A\_COMB180 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB177\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB180 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=1  
 ComboName=A\_COMB180 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=1  
 ComboName=A\_COMB180 CaseType="Response Combo" CaseName=A\_COMB177\_0\_0 ScaleFactor=-0.194  
 ComboName=A\_COMB180 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=1  
 ComboName=A\_COMB180 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_DX ScaleFactor=1  
 ComboName=A\_COMB180 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_SX ScaleFactor=1  
 ComboName=A\_COMB183 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB177\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB183 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=0.5  
 ComboName=A\_COMB183 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=0.5  
 ComboName=A\_COMB183 CaseType="Response Combo" CaseName=A\_COMB177\_0\_0 ScaleFactor=-0.388  
 ComboName=A\_COMB183 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=0.5  
 ComboName=A\_COMB184 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB177\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=A\_COMB184 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX ScaleFactor=0.5  
 ComboName=A\_COMB184 CaseType="NonLin Static" CaseName=QUAKE\_X ScaleFactor=0.5  
 ComboName=A\_COMB184 CaseType="Response Combo" CaseName=A\_COMB177\_0\_0 ScaleFactor=-0.388  
 ComboName=A\_COMB184 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX ScaleFactor=0.5  
 ComboName=A\_COMB184 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_DX ScaleFactor=0.5  
 ComboName=A\_COMB184 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_SX ScaleFactor=0.5  
 ComboName=B\_COMB187 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB187 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB187 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB187 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.15

PV\_E\_SR\_VS\_SO\_2\_B\_014\_001\_0\_002\_R\_A\_0

## Allegati alla relazione di Calcolo

ComboName=B\_COMB187 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=0.8625  
 ComboName=B\_COMB187 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.6  
 ComboName=B\_COMB187 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=B\_COMB188 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB188 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB188 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB188 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.15  
 ComboName=B\_COMB188 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=0.8625  
 ComboName=B\_COMB188 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.6  
 ComboName=B\_COMB188 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=B\_COMB191 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB191 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB191 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB191 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.15  
 ComboName=B\_COMB191 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=0.8625  
 ComboName=B\_COMB191 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.6  
 ComboName=B\_COMB191 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=B\_COMB192 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=B\_COMB\_0\_4\_GEO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=B\_COMB192 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB192 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_GEO ScaleFactor=1.15  
 ComboName=B\_COMB192 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1.15  
 ComboName=B\_COMB192 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=0.8625  
 ComboName=B\_COMB192 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.6  
 ComboName=B\_COMB192 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=C\_COMB371 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=C\_COMB371 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1  
 ComboName=C\_COMB371 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1  
 ComboName=C\_COMB371 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1  
 ComboName=C\_COMB371 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=0.75  
 ComboName=C\_COMB371 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.6  
 ComboName=C\_COMB371 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=C\_COMB372 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=C\_COMB372 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1  
 ComboName=C\_COMB372 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1  
 ComboName=C\_COMB372 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1  
 ComboName=C\_COMB372 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=0.75  
 ComboName=C\_COMB372 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.6  
 ComboName=C\_COMB372 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=C\_COMB375 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=C\_COMB375 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1  
 ComboName=C\_COMB375 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1  
 ComboName=C\_COMB375 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1  
 ComboName=C\_COMB375 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=0.75  
 ComboName=C\_COMB375 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.6  
 ComboName=C\_COMB375 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=C\_COMB376 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=C\_COMB376 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=1  
 ComboName=C\_COMB376 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=1  
 ComboName=C\_COMB376 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=1  
 ComboName=C\_COMB376 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=0.75  
 ComboName=C\_COMB376 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.6  
 ComboName=C\_COMB376 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=C\_COMB379 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=C\_COMB379 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=0.75  
 ComboName=C\_COMB379 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=0.75  
 ComboName=C\_COMB379 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=0.75  
 ComboName=C\_COMB379 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=1  
 ComboName=C\_COMB379 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.6  
 ComboName=C\_COMB379 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6

## Allegati alla relazione di Calcolo

ComboName=C\_COMB380 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=C\_COMB380 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=0.75  
 ComboName=C\_COMB380 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=0.75  
 ComboName=C\_COMB380 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=0.75  
 ComboName=C\_COMB380 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=1  
 ComboName=C\_COMB380 CaseType="NonLin Static" CaseName=GRAD\_A ScaleFactor=0.6  
 ComboName=C\_COMB380 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=C\_COMB383 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=C\_COMB383 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=0.75  
 ComboName=C\_COMB383 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=0.75  
 ComboName=C\_COMB383 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=0.75  
 ComboName=C\_COMB383 CaseType="NonLin Static" CaseName=TRAFF\_A ScaleFactor=1  
 ComboName=C\_COMB383 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.6  
 ComboName=C\_COMB383 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=C\_COMB384 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB\_0\_4\_SLE ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=C\_COMB384 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_SX\_STR ScaleFactor=0.75  
 ComboName=C\_COMB384 CaseType="NonLin Static" CaseName=SPINTA\_SOVR\_DX\_STR ScaleFactor=0.75  
 ComboName=C\_COMB384 CaseType="NonLin Static" CaseName=TRAFF\_C ScaleFactor=0.75  
 ComboName=C\_COMB384 CaseType="NonLin Static" CaseName=TRAFF\_B ScaleFactor=1  
 ComboName=C\_COMB384 CaseType="NonLin Static" CaseName=GRAD\_B ScaleFactor=0.6  
 ComboName=C\_COMB384 CaseType="NonLin Static" CaseName=TEMP\_B ScaleFactor=0.6  
 ComboName=COMB481\_0\_0 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=DEAD ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=COMB481\_0\_1 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SOTTOSPINTA\_IDR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=COMB481\_0\_1 CaseType="Response Combo" CaseName=COMB481\_0\_0 ScaleFactor=1  
 ComboName=COMB481\_0\_2 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_STR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=COMB481\_0\_2 CaseType="NonLin Static" CaseName=SPINTA\_DX\_STR ScaleFactor=1  
 ComboName=COMB481\_0\_2 CaseType="Response Combo" CaseName=COMB481\_0\_1 ScaleFactor=1  
 ComboName=COMB481\_0\_2\_1 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=COMB481\_0\_2 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=COMB481\_0\_2\_1 CaseType="NonLin Static" CaseName=MASSETTO ScaleFactor=1  
 ComboName=COMB481\_0\_2\_1 CaseType="NonLin Static" CaseName=RICOPRIMENTO ScaleFactor=1  
 ComboName=COMB481\_0\_2\_1 CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_INT ScaleFactor=1  
 ComboName=COMB481\_0\_2\_1 CaseType="NonLin Static" CaseName=PAVIMENTAZIONE\_SUP ScaleFactor=1  
 ComboName=COMB481\_0\_3 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=SPINTA\_SX\_IDR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=COMB481\_0\_3 CaseType="NonLin Static" CaseName=SPINTA\_DX\_IDR ScaleFactor=1  
 ComboName=COMB481\_0\_3 CaseType="Response Combo" CaseName=COMB481\_0\_2\_1 ScaleFactor=1  
 ComboName=Z\_COMB481\_0\_4 ComboType="Linear Add" AutoDesign=No CaseType="NonLin Static" CaseName=RITIRO ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=Z\_COMB481\_0\_4 CaseType="Response Combo" CaseName=COMB481\_0\_3 ScaleFactor=1  
 ComboName=F\_COMB481 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB481\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=F\_COMB481 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX\_SLD ScaleFactor=1  
 ComboName=F\_COMB481 CaseType="NonLin Static" CaseName=QUAKE\_X\_SLD ScaleFactor=1  
 ComboName=F\_COMB481 CaseType="Response Combo" CaseName=COMB481\_0\_0 ScaleFactor=0.0505  
 ComboName=F\_COMB481 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX\_SLD ScaleFactor=1  
 ComboName=F\_COMB482 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB481\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=F\_COMB482 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX\_SLD ScaleFactor=1  
 ComboName=F\_COMB482 CaseType="NonLin Static" CaseName=QUAKE\_X\_SLD ScaleFactor=1  
 ComboName=F\_COMB482 CaseType="Response Combo" CaseName=COMB481\_0\_0 ScaleFactor=0.0505  
 ComboName=F\_COMB482 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX\_SLD ScaleFactor=1  
 ComboName=F\_COMB482 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_DX\_SLD ScaleFactor=1  
 ComboName=F\_COMB482 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_SX\_SLD ScaleFactor=1  
 ComboName=F\_COMB483 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB481\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=F\_COMB483 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX\_SLD ScaleFactor=1  
 ComboName=F\_COMB483 CaseType="NonLin Static" CaseName=QUAKE\_X\_SLD ScaleFactor=1  
 ComboName=F\_COMB483 CaseType="Response Combo" CaseName=COMB481\_0\_0 ScaleFactor=-0.0505  
 ComboName=F\_COMB483 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX\_SLD ScaleFactor=1

## Allegati alla relazione di Calcolo

ComboName=F\_COMB484 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB481\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=F\_COMB484 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX\_SLD ScaleFactor=1  
 ComboName=F\_COMB484 CaseType="NonLin Static" CaseName=QUAKE\_X\_SLD ScaleFactor=1  
 ComboName=F\_COMB484 CaseType="Response Combo" CaseName=COMB481\_0\_0 ScaleFactor=-0.0505  
 ComboName=F\_COMB484 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX\_SLD ScaleFactor=1  
 ComboName=F\_COMB484 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_DX\_SLD ScaleFactor=1  
 ComboName=F\_COMB484 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_SX\_SLD ScaleFactor=1  
 ComboName=F\_COMB485 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB481\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=F\_COMB485 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB485 CaseType="NonLin Static" CaseName=QUAKE\_X\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB485 CaseType="Response Combo" CaseName=COMB481\_0\_0 ScaleFactor=0.101  
 ComboName=F\_COMB485 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB486 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB481\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=F\_COMB486 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB486 CaseType="NonLin Static" CaseName=QUAKE\_X\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB486 CaseType="Response Combo" CaseName=COMB481\_0\_0 ScaleFactor=0.101  
 ComboName=F\_COMB486 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB486 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_DX\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB486 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_SX\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB487 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB481\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=F\_COMB487 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB487 CaseType="NonLin Static" CaseName=QUAKE\_X\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB487 CaseType="Response Combo" CaseName=COMB481\_0\_0 ScaleFactor=-0.101  
 ComboName=F\_COMB487 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB488 ComboType="Linear Add" AutoDesign=No CaseType="Response Combo" CaseName=Z\_COMB481\_0\_4 ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=F\_COMB488 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_SX\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB488 CaseType="NonLin Static" CaseName=QUAKE\_X\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB488 CaseType="Response Combo" CaseName=COMB481\_0\_0 ScaleFactor=-0.101  
 ComboName=F\_COMB488 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_DX\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB488 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_DX\_SLD ScaleFactor=0.5  
 ComboName=F\_COMB488 CaseType="NonLin Static" CaseName=INCR\_SPINTA\_IDR\_SX\_SLD ScaleFactor=0.5  
 ComboName=INVILUPPO\_SLU ComboType="Envelope" AutoDesign=No CaseType="Response Combo" CaseName=A\_COMB\_0\_0\_STR ScaleFactor=1 SteelDesign=None  
 ConcDesign=None AlumDesign=None ColdDesign=None  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB\_0\_1\_STR ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB\_0\_2\_1\_STR ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB\_0\_2\_1\_STR\_SBIL ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB\_0\_2\_STR ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB\_0\_2\_STR\_SBIL ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB\_0\_3\_STR ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB\_0\_3\_STR\_SBIL ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB\_0\_4\_STR\_SBIL ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB1 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB2 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB3 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB4 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB5 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB6 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB7 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB8 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB9 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB10 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB11 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB12 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB13 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB14 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB15 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB16 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB17 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB18 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB19 ScaleFactor=1  
 ComboName=INVILUPPO\_SLU CaseType="Response Combo" CaseName=A\_COMB20 ScaleFactor=1

PV\_E\_SR\_VS\_SO\_2\_B\_014-001\_0\_002\_R\_A\_0













ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB333	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB334	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB335	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB336	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB337	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB338	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB339	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB340	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB341	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB342	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB343	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB344	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB345	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB346	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB347	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB348	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB349	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB350	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB351	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB352	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB353	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB354	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB355	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB356	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB357	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB358	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB359	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB360	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB361	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB362	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB363	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB364	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB365	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB366	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB367	ScaleFactor=1
ComboName=INVILUPPO_GEO	CaseType="Response Combo"	CaseName=B_COMB368	ScaleFactor=1

TABLE: "FUNCTION - RESPONSE SPECTRUM - USER"

Name=TU_2008_Horiz	Period=0	Accel=0.3083972412	FuncDamp=0.05
Name=TU_2008_Horiz	Period=0.02	Accel=0.370353444624233	
Name=TU_2008_Horiz	Period=0.04	Accel=0.432309648048466	
Name=TU_2008_Horiz	Period=0.06	Accel=0.494265851472699	
Name=TU_2008_Horiz	Period=0.08	Accel=0.556222054896932	
Name=TU_2008_Horiz	Period=0.1	Accel=0.618178258321164	
Name=TU_2008_Horiz	Period=0.12	Accel=0.680134461745397	
Name=TU_2008_Horiz	Period=0.14	Accel=0.74209066516963	
Name=TU_2008_Horiz	Period=0.16	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.18	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.2	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.22	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.24	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.26	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.28	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.3	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.32	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.34	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.36	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.38	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.4	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.42	Accel=0.7453961319804	
Name=TU_2008_Horiz	Period=0.44	Accel=0.716937416046388	
Name=TU_2008_Horiz	Period=0.46	Accel=0.685766224044371	
Name=TU_2008_Horiz	Period=0.48	Accel=0.657192631375855	
Name=TU_2008_Horiz	Period=0.5	Accel=0.630904926120821	
Name=TU_2008_Horiz	Period=0.52	Accel=0.606639352039251	
Name=TU_2008_Horiz	Period=0.54	Accel=0.584171227889649	
Name=TU_2008_Horiz	Period=0.56	Accel=0.563307969750733	

Name=TU\_2008\_Horiz Period=0.58 Accel=0.543883557000708  
Name=TU\_2008\_Horiz Period=0.6 Accel=0.525754105100684  
Name=TU\_2008\_Horiz Period=0.62 Accel=0.508794295258727  
Name=TU\_2008\_Horiz Period=0.64 Accel=0.492894473531892  
Name=TU\_2008\_Horiz Period=0.66 Accel=0.477958277364258  
Name=TU\_2008\_Horiz Period=0.68 Accel=0.463900680971192  
Name=TU\_2008\_Horiz Period=0.7 Accel=0.450646375800586  
Name=TU\_2008\_Horiz Period=0.72 Accel=0.438128420917237  
Name=TU\_2008\_Horiz Period=0.74 Accel=0.426287112243798  
Name=TU\_2008\_Horiz Period=0.76 Accel=0.415069030342645  
Name=TU\_2008\_Horiz Period=0.78 Accel=0.404426234692834  
Name=TU\_2008\_Horiz Period=0.8 Accel=0.394315578825513  
Name=TU\_2008\_Horiz Period=0.82 Accel=0.384698125683427  
Name=TU\_2008\_Horiz Period=0.84 Accel=0.375538646500489  
Name=TU\_2008\_Horiz Period=0.86 Accel=0.366805189605129  
Name=TU\_2008\_Horiz Period=0.88 Accel=0.358468708023194  
Name=TU\_2008\_Horiz Period=0.9 Accel=0.350502736733789  
Name=TU\_2008\_Horiz Period=0.92 Accel=0.342883112022185  
Name=TU\_2008\_Horiz Period=0.940000000000001 Accel=0.335587726660011  
Name=TU\_2008\_Horiz Period=0.960000000000001 Accel=0.328596315687928  
Name=TU\_2008\_Horiz Period=0.980000000000001 Accel=0.32189026842899  
Name=TU\_2008\_Horiz Period=1 Accel=0.315452463060411  
Name=TU\_2008\_Horiz Period=1.02 Accel=0.309267120647461  
Name=TU\_2008\_Horiz Period=1.04 Accel=0.303319676019626  
Name=TU\_2008\_Horiz Period=1.06 Accel=0.297596663264538  
Name=TU\_2008\_Horiz Period=1.08 Accel=0.292085613944825  
Name=TU\_2008\_Horiz Period=1.1 Accel=0.286774966418555  
Name=TU\_2008\_Horiz Period=1.12 Accel=0.281653984875367  
Name=TU\_2008\_Horiz Period=1.14 Accel=0.276712686895097  
Name=TU\_2008\_Horiz Period=1.16 Accel=0.271941778500354  
Name=TU\_2008\_Horiz Period=1.18 Accel=0.267332595813907  
Name=TU\_2008\_Horiz Period=1.2 Accel=0.262877052550342  
Name=TU\_2008\_Horiz Period=1.22 Accel=0.258567592672468  
Name=TU\_2008\_Horiz Period=1.24 Accel=0.254397147629363  
Name=TU\_2008\_Horiz Period=1.26 Accel=0.250359097666992  
Name=TU\_2008\_Horiz Period=1.28 Accel=0.246447236765946  
Name=TU\_2008\_Horiz Period=1.3 Accel=0.2426557408157  
Name=TU\_2008\_Horiz Period=1.32 Accel=0.238979138682129  
Name=TU\_2008\_Horiz Period=1.34 Accel=0.235412285865978  
Name=TU\_2008\_Horiz Period=1.36 Accel=0.231950340485596  
Name=TU\_2008\_Horiz Period=1.38 Accel=0.228588741348124  
Name=TU\_2008\_Horiz Period=1.4 Accel=0.225323187900293  
Name=TU\_2008\_Horiz Period=1.42 Accel=0.222149621873529  
Name=TU\_2008\_Horiz Period=1.44 Accel=0.219064210458618  
Name=TU\_2008\_Horiz Period=1.46 Accel=0.216063330863295  
Name=TU\_2008\_Horiz Period=1.48 Accel=0.213143556121899  
Name=TU\_2008\_Horiz Period=1.5 Accel=0.210301642040274  
Name=TU\_2008\_Horiz Period=1.52 Accel=0.207534515171323  
Name=TU\_2008\_Horiz Period=1.54 Accel=0.204839261727539  
Name=TU\_2008\_Horiz Period=1.56 Accel=0.202213117346417  
Name=TU\_2008\_Horiz Period=1.58 Accel=0.199653457633171  
Name=TU\_2008\_Horiz Period=1.6 Accel=0.197157789412757  
Name=TU\_2008\_Horiz Period=1.62 Accel=0.194723742629883  
Name=TU\_2008\_Horiz Period=1.64 Accel=0.192349062841714  
Name=TU\_2008\_Horiz Period=1.66 Accel=0.190031604253259  
Name=TU\_2008\_Horiz Period=1.68 Accel=0.187769323250244  
Name=TU\_2008\_Horiz Period=1.7 Accel=0.185560272388477  
Name=TU\_2008\_Horiz Period=1.72 Accel=0.183402594802564  
Name=TU\_2008\_Horiz Period=1.74 Accel=0.181294519000236  
Name=TU\_2008\_Horiz Period=1.76 Accel=0.179234354011597  
Name=TU\_2008\_Horiz Period=1.78 Accel=0.177220484865399  
Name=TU\_2008\_Horiz Period=1.8 Accel=0.175251368366895  
Name=TU\_2008\_Horiz Period=1.82 Accel=0.173325529154072  
Name=TU\_2008\_Horiz Period=1.84 Accel=0.171441556011093  
Name=TU\_2008\_Horiz Period=1.86 Accel=0.169598098419576  
Name=TU\_2008\_Horiz Period=1.88 Accel=0.167793863330006  
Name=TU\_2008\_Horiz Period=1.9 Accel=0.166027612137058

Name=TU\_2008\_Horiz Period=1.92 Accel=0.164298157843964  
Name=TU\_2008\_Horiz Period=1.94 Accel=0.162604362402273  
Name=TU\_2008\_Horiz Period=1.96 Accel=0.160945134214495  
Name=TU\_2008\_Horiz Period=1.98 Accel=0.159319425788086  
Name=TU\_2008\_Horiz Period=2 Accel=0.157726231530205  
Name=TU\_2008\_Horiz Period=2.02 Accel=0.156164585673471  
Name=TU\_2008\_Horiz Period=2.04 Accel=0.154633560323731  
Name=TU\_2008\_Horiz Period=2.06 Accel=0.153132263621558  
Name=TU\_2008\_Horiz Period=2.08 Accel=0.151659838009813  
Name=TU\_2008\_Horiz Period=2.1 Accel=0.150215458600195  
Name=TU\_2008\_Horiz Period=2.12 Accel=0.148798331632269  
Name=TU\_2008\_Horiz Period=2.14 Accel=0.147407693018883  
Name=TU\_2008\_Horiz Period=2.16 Accel=0.146042806972412  
Name=TU\_2008\_Horiz Period=2.18 Accel=0.14470296470661  
Name=TU\_2008\_Horiz Period=2.2 Accel=0.143387483209277  
Name=TU\_2008\_Horiz Period=2.22 Accel=0.142095704081266  
Name=TU\_2008\_Horiz Period=2.24 Accel=0.140826992437683  
Name=TU\_2008\_Horiz Period=2.26 Accel=0.139580735867438  
Name=TU\_2008\_Horiz Period=2.28 Accel=0.138356343447548  
Name=TU\_2008\_Horiz Period=2.3 Accel=0.137153244808874  
Name=TU\_2008\_Horiz Period=2.32 Accel=0.135970889250177  
Name=TU\_2008\_Horiz Period=2.34 Accel=0.134808744897611  
Name=TU\_2008\_Horiz Period=2.36 Accel=0.133666297906954  
Name=TU\_2008\_Horiz Period=2.38 Accel=0.132543051706055  
Name=TU\_2008\_Horiz Period=2.4 Accel=0.131438526275171  
Name=TU\_2008\_Horiz Period=2.42 Accel=0.13035225746298  
Name=TU\_2008\_Horiz Period=2.44 Accel=0.129283796336234  
Name=TU\_2008\_Horiz Period=2.46 Accel=0.128232708561142  
Name=TU\_2008\_Horiz Period=2.48 Accel=0.127198573814682  
Name=TU\_2008\_Horiz Period=2.5 Accel=0.126180985224164  
Name=TU\_2008\_Horiz Period=2.52 Accel=0.125179548833496  
Name=TU\_2008\_Horiz Period=2.54 Accel=0.12419388309465  
Name=TU\_2008\_Horiz Period=2.56 Accel=0.123223618382973  
Name=TU\_2008\_Horiz Period=2.58 Accel=0.122268396535043  
Name=TU\_2008\_Horiz Period=2.6 Accel=0.12132787040785  
Name=TU\_2008\_Horiz Period=2.62 Accel=0.120401703458172  
Name=TU\_2008\_Horiz Period=2.64 Accel=0.119489569341065  
Name=TU\_2008\_Horiz Period=2.66 Accel=0.11859115152647  
Name=TU\_2008\_Horiz Period=2.68 Accel=0.117706142932989  
Name=TU\_2008\_Horiz Period=2.7 Accel=0.116141894493023  
Name=TU\_2008\_Horiz Period=2.72 Accel=0.11444020475429  
Name=TU\_2008\_Horiz Period=2.74 Accel=0.112775642129861  
Name=TU\_2008\_Horiz Period=2.76 Accel=0.111147134380138  
Name=TU\_2008\_Horiz Period=2.78 Accel=0.109553647696049  
Name=TU\_2008\_Horiz Period=2.8 Accel=0.107994185057926  
Name=TU\_2008\_Horiz Period=2.82 Accel=0.106467784675587  
Name=TU\_2008\_Horiz Period=2.84 Accel=0.104973518505026  
Name=TU\_2008\_Horiz Period=2.86 Accel=0.103510490837467  
Name=TU\_2008\_Horiz Period=2.88 Accel=0.102077836956759  
Name=TU\_2008\_Horiz Period=2.9 Accel=0.100674721861372  
Name=TU\_2008\_Horiz Period=2.92 Accel=0.0993003390474457  
Name=TU\_2008\_Horiz Period=2.94 Accel=0.0979539093495929  
Name=TU\_2008\_Horiz Period=2.96 Accel=0.0966346798363474  
Name=TU\_2008\_Horiz Period=2.98 Accel=0.0953419227573241  
Name=TU\_2008\_Horiz Period=3 Accel=0.094074934539349  
Name=TU\_2008\_Horiz Period=3.02 Accel=0.0928330348289703  
Name=TU\_2008\_Horiz Period=3.04 Accel=0.0916155655789194  
Name=TU\_2008\_Horiz Period=3.06 Accel=0.0904218901762293  
Name=TU\_2008\_Horiz Period=3.08 Accel=0.0892513926098563  
Name=TU\_2008\_Horiz Period=3.1 Accel=0.0881034766757691  
Name=TU\_2008\_Horiz Period=3.12 Accel=0.0869775652175934  
Name=TU\_2008\_Horiz Period=3.14 Accel=0.0858730994010042  
Name=TU\_2008\_Horiz Period=3.16 Accel=0.0847895380201631  
Name=TU\_2008\_Horiz Period=3.18 Accel=0.0837263568345933  
Name=TU\_2008\_Horiz Period=3.2 Accel=0.0826830479349747  
Name=TU\_2008\_Horiz Period=3.22 Accel=0.0816591191364281  
Name=TU\_2008\_Horiz Period=3.24 Accel=0.080654093397933

Name=TU\_2008\_Horiz Period=3.26 Accel=0.0796675082666022  
Name=TU\_2008\_Horiz Period=3.28 Accel=0.0786989153456035  
Name=TU\_2008\_Horiz Period=3.3 Accel=0.077747879784586  
Name=TU\_2008\_Horiz Period=3.32 Accel=0.0768139797915283  
Name=TU\_2008\_Horiz Period=3.34 Accel=0.0758968061649881  
Name=TU\_2008\_Horiz Period=3.36 Accel=0.074995961845782  
Name=TU\_2008\_Horiz Period=3.38 Accel=0.0741110614871802  
Name=TU\_2008\_Horiz Period=3.4 Accel=0.0732417310427458  
Name=TU\_2008\_Horiz Period=3.42 Accel=0.072387607370998  
Name=TU\_2008\_Horiz Period=3.44 Accel=0.0715483378561166  
Name=TU\_2008\_Horiz Period=3.46 Accel=0.0707235800439491  
Name=TU\_2008\_Horiz Period=3.48 Accel=0.0699130012926197  
Name=TU\_2008\_Horiz Period=3.5 Accel=0.0691162784370727  
Name=TU\_2008\_Horiz Period=3.52 Accel=0.0683330974669212  
Name=TU\_2008\_Horiz Period=3.54 Accel=0.0675631532169987  
Name=TU\_2008\_Horiz Period=3.56 Accel=0.0668061490700465  
Name=TU\_2008\_Horiz Period=3.58 Accel=0.0660617966709951  
Name=TU\_2008\_Horiz Period=3.6 Accel=0.0653298156523257  
Name=TU\_2008\_Horiz Period=3.62 Accel=0.0646099333700239  
Name=TU\_2008\_Horiz Period=3.64 Accel=0.0639018846496604  
Name=TU\_2008\_Horiz Period=3.66 Accel=0.0632054115421587  
Name=TU\_2008\_Horiz Period=3.68 Accel=0.0625202630888278  
Name=TU\_2008\_Horiz Period=3.7 Accel=0.0618461950952623  
Name=TU\_2008\_Horiz Period=3.72 Accel=0.0611829699137285  
Name=TU\_2008\_Horiz Period=3.74 Accel=0.0605303562336742  
Name=TU\_2008\_Horiz Period=3.76 Accel=0.0598881288800179  
Name=TU\_2008\_Horiz Period=3.78 Accel=0.0592560686188895  
Name=TU\_2008\_Horiz Period=3.8 Accel=0.0586339619705084  
Name=TU\_2008\_Horiz Period=3.82 Accel=0.0580216010289014  
Name=TU\_2008\_Horiz Period=3.84 Accel=0.0574187832881769  
Name=TU\_2008\_Horiz Period=3.86 Accel=0.0568253114750826  
Name=TU\_2008\_Horiz Period=3.88 Accel=0.0562409933875904  
Name=TU\_2008\_Horiz Period=3.9 Accel=0.0556656417392598  
Name=TU\_2008\_Horiz Period=3.92 Accel=0.055099074009146  
Name=TU\_2008\_Horiz Period=3.94 Accel=0.0545411122970278  
Name=TU\_2008\_Horiz Period=3.96 Accel=0.0539915831837402  
Name=TU\_2008\_Horiz Period=3.98 Accel=0.053450317596408  
Name=TU\_2008\_Horiz Period=4 Accel=0.0529171506783838  
Name=TU\_2008\_Vert Period=0 Accel=0.271 FuncDamp=0.05  
Name=TU\_2008\_Vert Period=0.02 Accel=0.346729912399599  
Name=TU\_2008\_Vert Period=0.04 Accel=0.422459824799199  
Name=TU\_2008\_Vert Period=0.06 Accel=0.460324780998999  
Name=TU\_2008\_Vert Period=0.08 Accel=0.460324780998999  
Name=TU\_2008\_Vert Period=0.1 Accel=0.460324780998999  
Name=TU\_2008\_Vert Period=0.12 Accel=0.460324780998999  
Name=TU\_2008\_Vert Period=0.14 Accel=0.460324780998999  
Name=TU\_2008\_Vert Period=0.16 Accel=0.431554482186561  
Name=TU\_2008\_Vert Period=0.18 Accel=0.383603984165832  
Name=TU\_2008\_Vert Period=0.2 Accel=0.345243585749249  
Name=TU\_2008\_Vert Period=0.22 Accel=0.31385780522659  
Name=TU\_2008\_Vert Period=0.24 Accel=0.287702988124374  
Name=TU\_2008\_Vert Period=0.26 Accel=0.265571989037884  
Name=TU\_2008\_Vert Period=0.28 Accel=0.246602561249464  
Name=TU\_2008\_Vert Period=0.3 Accel=0.230162390499499  
Name=TU\_2008\_Vert Period=0.32 Accel=0.215777241093281  
Name=TU\_2008\_Vert Period=0.34 Accel=0.203084462205441  
Name=TU\_2008\_Vert Period=0.36 Accel=0.191801992082916  
Name=TU\_2008\_Vert Period=0.38 Accel=0.181707150394342  
Name=TU\_2008\_Vert Period=0.4 Accel=0.172621792874624  
Name=TU\_2008\_Vert Period=0.42 Accel=0.164401707499642  
Name=TU\_2008\_Vert Period=0.44 Accel=0.156928902613295  
Name=TU\_2008\_Vert Period=0.46 Accel=0.150105906847499  
Name=TU\_2008\_Vert Period=0.48 Accel=0.143851494062187  
Name=TU\_2008\_Vert Period=0.5 Accel=0.1380974342997  
Name=TU\_2008\_Vert Period=0.52 Accel=0.132785994518942  
Name=TU\_2008\_Vert Period=0.54 Accel=0.127867994721944  
Name=TU\_2008\_Vert Period=0.56 Accel=0.123301280624732

Name=TU\_2008\_Vert Period=0.58 Accel=0.119049512327327  
Name=TU\_2008\_Vert Period=0.6 Accel=0.11508119524975  
Name=TU\_2008\_Vert Period=0.62 Accel=0.11136889862879  
Name=TU\_2008\_Vert Period=0.64 Accel=0.10788862054664  
Name=TU\_2008\_Vert Period=0.66 Accel=0.104619268408863  
Name=TU\_2008\_Vert Period=0.68 Accel=0.10154223110272  
Name=TU\_2008\_Vert Period=0.7 Accel=0.0986410244997854  
Name=TU\_2008\_Vert Period=0.72 Accel=0.095900996041458  
Name=TU\_2008\_Vert Period=0.74 Accel=0.0933090772295267  
Name=TU\_2008\_Vert Period=0.76 Accel=0.0908535751971707  
Name=TU\_2008\_Vert Period=0.78 Accel=0.0885239963459612  
Name=TU\_2008\_Vert Period=0.8 Accel=0.0863108964373122  
Name=TU\_2008\_Vert Period=0.82 Accel=0.084205752621768  
Name=TU\_2008\_Vert Period=0.84 Accel=0.0822008537498211  
Name=TU\_2008\_Vert Period=0.86 Accel=0.0802892059881974  
Name=TU\_2008\_Vert Period=0.88 Accel=0.0784644513066474  
Name=TU\_2008\_Vert Period=0.9 Accel=0.0767207968331664  
Name=TU\_2008\_Vert Period=0.92 Accel=0.0750529534237497  
Name=TU\_2008\_Vert Period=0.940000000000001 Accel=0.0734560820743082  
Name=TU\_2008\_Vert Period=0.960000000000001 Accel=0.0719257470310935  
Name=TU\_2008\_Vert Period=0.980000000000001 Accel=0.0704578746427038  
Name=TU\_2008\_Vert Period=1 Accel=0.0690487171498497  
Name=TU\_2008\_Vert Period=1.02 Accel=0.0663674713089674  
Name=TU\_2008\_Vert Period=1.04 Accel=0.0638394204417989  
Name=TU\_2008\_Vert Period=1.06 Accel=0.0614531124509164  
Name=TU\_2008\_Vert Period=1.08 Accel=0.0591981457046037  
Name=TU\_2008\_Vert Period=1.1 Accel=0.0570650554957436  
Name=TU\_2008\_Vert Period=1.12 Accel=0.0550452145646123  
Name=TU\_2008\_Vert Period=1.14 Accel=0.0531307457293396  
Name=TU\_2008\_Vert Period=1.16 Accel=0.0513144449686755  
Name=TU\_2008\_Vert Period=1.18 Accel=0.0495897135520323  
Name=TU\_2008\_Vert Period=1.2 Accel=0.047950498020729  
Name=TU\_2008\_Vert Period=1.22 Accel=0.0463912369993615  
Name=TU\_2008\_Vert Period=1.24 Accel=0.0449068139632217  
Name=TU\_2008\_Vert Period=1.26 Accel=0.0434925152115455  
Name=TU\_2008\_Vert Period=1.28 Accel=0.0421439924010313  
Name=TU\_2008\_Vert Period=1.3 Accel=0.0408572290827513  
Name=TU\_2008\_Vert Period=1.32 Accel=0.039628510760933  
Name=TU\_2008\_Vert Period=1.34 Accel=0.0384543980562763  
Name=TU\_2008\_Vert Period=1.36 Accel=0.0373317026112942  
Name=TU\_2008\_Vert Period=1.38 Accel=0.0362574654221013  
Name=TU\_2008\_Vert Period=1.4 Accel=0.0352289373213519  
Name=TU\_2008\_Vert Period=1.42 Accel=0.0342435613716771  
Name=TU\_2008\_Vert Period=1.44 Accel=0.0332989569588396  
Name=TU\_2008\_Vert Period=1.46 Accel=0.0323929053996292  
Name=TU\_2008\_Vert Period=1.48 Accel=0.0315233369018671  
Name=TU\_2008\_Vert Period=1.5 Accel=0.0306883187332665  
Name=TU\_2008\_Vert Period=1.52 Accel=0.0298860444727535  
Name=TU\_2008\_Vert Period=1.54 Accel=0.0291148242325222  
Name=TU\_2008\_Vert Period=1.56 Accel=0.0283730757519106  
Name=TU\_2008\_Vert Period=1.58 Accel=0.0276593162753764  
Name=TU\_2008\_Vert Period=1.6 Accel=0.02697215513666  
Name=TU\_2008\_Vert Period=1.62 Accel=0.0263102869798238  
Name=TU\_2008\_Vert Period=1.64 Accel=0.025672485554171  
Name=TU\_2008\_Vert Period=1.66 Accel=0.0250575980366707  
Name=TU\_2008\_Vert Period=1.68 Accel=0.0244645398064944  
Name=TU\_2008\_Vert Period=1.7 Accel=0.0238922896712283  
Name=TU\_2008\_Vert Period=1.72 Accel=0.0233398854616853  
Name=TU\_2008\_Vert Period=1.74 Accel=0.022806419986078  
Name=TU\_2008\_Vert Period=1.76 Accel=0.0222910373030248  
Name=TU\_2008\_Vert Period=1.78 Accel=0.0217929292860276  
Name=TU\_2008\_Vert Period=1.8 Accel=0.0213113324536573  
Name=TU\_2008\_Vert Period=1.82 Accel=0.0208455250422201  
Name=TU\_2008\_Vert Period=1.84 Accel=0.020394824299932  
Name=TU\_2008\_Vert Period=1.86 Accel=0.0199585839836541  
Name=TU\_2008\_Vert Period=1.88 Accel=0.0195361920410394  
Name=TU\_2008\_Vert Period=1.9 Accel=0.0191270684625622



Name=TU\_2008\_Vert Period=1.92 Accel=0.0187306632893472  
Name=TU\_2008\_Vert Period=1.94 Accel=0.0183464547640158  
Name=TU\_2008\_Vert Period=1.96 Accel=0.0179739476129346  
Name=TU\_2008\_Vert Period=1.98 Accel=0.0176126714493036  
Name=TU\_2008\_Vert Period=2 Accel=0.0172621792874624  
Name=TU\_2008\_Vert Period=2.02 Accel=0.0169220461596534  
Name=TU\_2008\_Vert Period=2.04 Accel=0.0165918678272419  
Name=TU\_2008\_Vert Period=2.06 Accel=0.0162712595790955  
Name=TU\_2008\_Vert Period=2.08 Accel=0.0159598551104497  
Name=TU\_2008\_Vert Period=2.1 Accel=0.0156573054761564  
Name=TU\_2008\_Vert Period=2.12 Accel=0.0153632781127291  
Name=TU\_2008\_Vert Period=2.14 Accel=0.0150774559240654  
Name=TU\_2008\_Vert Period=2.16 Accel=0.0147995364261509  
Name=TU\_2008\_Vert Period=2.18 Accel=0.0145292309464375  
Name=TU\_2008\_Vert Period=2.2 Accel=0.0142662638739359  
Name=TU\_2008\_Vert Period=2.22 Accel=0.0140103719563854  
Name=TU\_2008\_Vert Period=2.24 Accel=0.0137613036411531  
Name=TU\_2008\_Vert Period=2.26 Accel=0.01351881845678  
Name=TU\_2008\_Vert Period=2.28 Accel=0.0132826864323349  
Name=TU\_2008\_Vert Period=2.3 Accel=0.0130526875519565  
Name=TU\_2008\_Vert Period=2.32 Accel=0.0128286112421689  
Name=TU\_2008\_Vert Period=2.34 Accel=0.0126102558897381  
Name=TU\_2008\_Vert Period=2.36 Accel=0.0123974283880081  
Name=TU\_2008\_Vert Period=2.38 Accel=0.0121899437098103  
Name=TU\_2008\_Vert Period=2.4 Accel=0.0119876245051822  
Name=TU\_2008\_Vert Period=2.42 Accel=0.0117903007222611  
Name=TU\_2008\_Vert Period=2.44 Accel=0.0115978092498404  
Name=TU\_2008\_Vert Period=2.46 Accel=0.0114099935801854  
Name=TU\_2008\_Vert Period=2.48 Accel=0.0112267034908054  
Name=TU\_2008\_Vert Period=2.5 Accel=0.0110477947439759  
Name=TU\_2008\_Vert Period=2.52 Accel=0.0108731288028864  
Name=TU\_2008\_Vert Period=2.54 Accel=0.0107025725633718  
Name=TU\_2008\_Vert Period=2.56 Accel=0.0105359981002578  
Name=TU\_2008\_Vert Period=2.58 Accel=0.0103732824274157  
Name=TU\_2008\_Vert Period=2.6 Accel=0.0102143072706878  
Name=TU\_2008\_Vert Period=2.62 Accel=0.0100589588529004  
Name=TU\_2008\_Vert Period=2.64 Accel=0.00990712769023325  
Name=TU\_2008\_Vert Period=2.66 Accel=0.00975870839926645  
Name=TU\_2008\_Vert Period=2.68 Accel=0.00961359951406907  
Name=TU\_2008\_Vert Period=2.7 Accel=0.00947170331273658  
Name=TU\_2008\_Vert Period=2.72 Accel=0.00933292565282354  
Name=TU\_2008\_Vert Period=2.74 Accel=0.00919717581515394  
Name=TU\_2008\_Vert Period=2.76 Accel=0.00906436635552532  
Name=TU\_2008\_Vert Period=2.78 Accel=0.00893441296385406  
Name=TU\_2008\_Vert Period=2.8 Accel=0.00880723433033797  
Name=TU\_2008\_Vert Period=2.82 Accel=0.00868275201823974  
Name=TU\_2008\_Vert Period=2.84 Accel=0.00856089034291927  
Name=TU\_2008\_Vert Period=2.86 Accel=0.0084415762567668  
Name=TU\_2008\_Vert Period=2.88 Accel=0.00832473923970989  
Name=TU\_2008\_Vert Period=2.9 Accel=0.00821031119498807  
Name=TU\_2008\_Vert Period=2.92 Accel=0.00809822634990731  
Name=TU\_2008\_Vert Period=2.94 Accel=0.00798842116130428  
Name=TU\_2008\_Vert Period=2.96 Accel=0.00788083422546677  
Name=TU\_2008\_Vert Period=2.98 Accel=0.00777540619227171  
Name=TU\_2008\_Vert Period=3 Accel=0.00767207968331663  
Name=TU\_2008\_Vert Period=3.02 Accel=0.00757079921383379  
Name=TU\_2008\_Vert Period=3.04 Accel=0.00747151111818837  
Name=TU\_2008\_Vert Period=3.06 Accel=0.00737416347877416  
Name=TU\_2008\_Vert Period=3.08 Accel=0.00727870605813055  
Name=TU\_2008\_Vert Period=3.1 Accel=0.00718509023411547  
Name=TU\_2008\_Vert Period=3.12 Accel=0.00709326893797765  
Name=TU\_2008\_Vert Period=3.14 Accel=0.00700319659518131  
Name=TU\_2008\_Vert Period=3.16 Accel=0.0069148290688441  
Name=TU\_2008\_Vert Period=3.18 Accel=0.00682812360565738  
Name=TU\_2008\_Vert Period=3.2 Accel=0.00674303878416501  
Name=TU\_2008\_Vert Period=3.22 Accel=0.00665953446528391  
Name=TU\_2008\_Vert Period=3.24 Accel=0.00657757174495596

Name=TU\_2008\_Vert Period=3.26 Accel=0.00649711290882699  
Name=TU\_2008\_Vert Period=3.28 Accel=0.00641812138885426  
Name=TU\_2008\_Vert Period=3.3 Accel=0.00634056172174928  
Name=TU\_2008\_Vert Period=3.32 Accel=0.00626439950916767  
Name=TU\_2008\_Vert Period=3.34 Accel=0.0061896013795627  
Name=TU\_2008\_Vert Period=3.36 Accel=0.00611613495162359  
Name=TU\_2008\_Vert Period=3.38 Accel=0.00604396879922356  
Name=TU\_2008\_Vert Period=3.4 Accel=0.00597307241780707  
Name=TU\_2008\_Vert Period=3.42 Accel=0.00590341619214884  
Name=TU\_2008\_Vert Period=3.44 Accel=0.00583497136542132  
Name=TU\_2008\_Vert Period=3.46 Accel=0.00576771000950998  
Name=TU\_2008\_Vert Period=3.48 Accel=0.00570160499651949  
Name=TU\_2008\_Vert Period=3.5 Accel=0.0056366299714163  
Name=TU\_2008\_Vert Period=3.52 Accel=0.00557275932575621  
Name=TU\_2008\_Vert Period=3.54 Accel=0.00550996817244803  
Name=TU\_2008\_Vert Period=3.56 Accel=0.00544823232150689  
Name=TU\_2008\_Vert Period=3.58 Accel=0.00538752825675304  
Name=TU\_2008\_Vert Period=3.6 Accel=0.00532783311341433  
Name=TU\_2008\_Vert Period=3.62 Accel=0.00526912465659242  
Name=TU\_2008\_Vert Period=3.64 Accel=0.00521138126055501  
Name=TU\_2008\_Vert Period=3.66 Accel=0.00515458188881795  
Name=TU\_2008\_Vert Period=3.68 Accel=0.00509870607498299  
Name=TU\_2008\_Vert Period=3.7 Accel=0.00504373390429873  
Name=TU\_2008\_Vert Period=3.72 Accel=0.00498964599591352  
Name=TU\_2008\_Vert Period=3.74 Accel=0.00493642348579096  
Name=TU\_2008\_Vert Period=3.76 Accel=0.00488404801025985  
Name=TU\_2008\_Vert Period=3.78 Accel=0.00483250169017172  
Name=TU\_2008\_Vert Period=3.8 Accel=0.00478176711564056  
Name=TU\_2008\_Vert Period=3.82 Accel=0.00473182733134026  
Name=TU\_2008\_Vert Period=3.84 Accel=0.00468266582233681  
Name=TU\_2008\_Vert Period=3.86 Accel=0.00463426650043288  
Name=TU\_2008\_Vert Period=3.88 Accel=0.00458661369100394  
Name=TU\_2008\_Vert Period=3.9 Accel=0.0045396921203057  
Name=TU\_2008\_Vert Period=3.92 Accel=0.00449348690323366  
Name=TU\_2008\_Vert Period=3.94 Accel=0.00444798353151651  
Name=TU\_2008\_Vert Period=3.96 Accel=0.00440316786232589  
Name=TU\_2008\_Vert Period=3.98 Accel=0.00435902610728578  
Name=TU\_2008\_Vert Period=4 Accel=0.00431554482186561

TABLE: "FUNCTION - TIME HISTORY - USER"

Name=RAMPTH Time=0 Value=0  
Name=RAMPTH Time=1 Value=1  
Name=RAMPTH Time=4 Value=1  
Name=UNIFTH Time=0 Value=1  
Name=UNIFTH Time=1 Value=1

TABLE: "FUNCTION - POWER SPECTRAL DENSITY - USER"

Name=UNIFPSD Frequency=0 Value=1  
Name=UNIFPSD Frequency=1 Value=1

TABLE: "FUNCTION - STEADY STATE - USER"

Name=UNIFSS Frequency=0 Value=1  
Name=UNIFSS Frequency=1 Value=1

TABLE: "GROUPS 1 - DEFINITIONS"

GroupName=ALL Selection=Yes SectionCut=Yes Steel=Yes Concrete=Yes Aluminum=Yes ColdFormed=Yes Stage=Yes Bridge=Yes AutoSeismic=No AutoWind=No  
SelDesSteel=No SelDesAlum=No SelDesCold=No MassWeight=Yes Color=Red  
GroupName=GROUP1 Selection=Yes SectionCut=Yes Steel=Yes Concrete=Yes Aluminum=Yes ColdFormed=Yes Stage=Yes Bridge=Yes AutoSeismic=No  
AutoWind=No SelDesSteel=No SelDesAlum=No SelDesCold=No MassWeight=Yes Color=Red

TABLE: "GROUPS 2 - ASSIGNMENTS"

GroupName=GROUP1 ObjectType=Frame ObjectLabel=3  
GroupName=GROUP1 ObjectType=Frame ObjectLabel=8  
GroupName=GROUP1 ObjectType=Frame ObjectLabel=12  
GroupName=GROUP1 ObjectType=Frame ObjectLabel=16  
GroupName=GROUP1 ObjectType=Frame ObjectLabel=20  
GroupName=GROUP1 ObjectType=Frame ObjectLabel=140

PV\_E\_SR\_VS\_SO\_2\_B\_014\_001\_0\_002\_R\_A\_0

TABLE: "JOINT PATTERN DEFINITIONS"

Pattern=Default

TABLE: "MASSES 1 - MASS SOURCE"

MassFrom=Loads LoadPat=DEAD Multiplier=1  
MassFrom=Loads LoadPat=MASSETTO Multiplier=1  
MassFrom=Loads LoadPat=RICOPRIMENTO Multiplier=1  
MassFrom=Loads LoadPat=PAVIMENTAZIONE\_SUP Multiplier=1  
MassFrom=Loads LoadPat=PAVIMENTAZIONE\_INF Multiplier=1

TABLE: "FUNCTION - PLOT FUNCTIONS"

PlotFunc="Input Energy" Type=Energy Component=Input Mode=All

TABLE: "LOAD CASE DEFINITIONS"

Case=DEAD	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=DEAD	DesActOpt="Prog Det"	DesignAct=Non-Composite	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=MODAL	Type=LinModal	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=MASSETTO	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=RICOPRIMENTO	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=PAVIMENTAZIONE_SUP	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=SOTTOSPINTA_IDR	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=PAVIMENTAZIONE_INT	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=SPINTA_SX_STR	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=SPINTA_DX_STR	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=RITIRO	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=TEMP_A	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=TEMP_B	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=GRAD_A	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=GRAD_B	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=TRAFF_INT	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=TRAFF_A	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=TRAFF_C	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=TRAFF_UD	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=QUAKE_X	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=QUAKE	DesActOpt="Prog Det"	DesignAct="Short-Term Composite"	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=INCR_SPINTA_SX	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=INCR_SPINTA_DX	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=FRENATURA	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=SPINTA_SX_IDR	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=SPINTA_DX_IDR	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=SPINTA_SOVR_SX_STR	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"
Case=SPINTA_SOVR_DX_STR	Type=NonStatic	InitialCond=Zero	DesTypeOpt="Prog Det"	DesignType=OTHER	DesActOpt="Prog Det"	DesignAct=Other	AutoType=None	RunCase=Yes	CaseStatus="Not Run"

PV\_E\_SR\_VS\_SO\_2\_B\_014\_001\_0\_002\_R\_A\_0

## Allegati alla relazione di Calcolo

Case=NEVE Type=NonStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=OTHER DesActOpt="Prog Det" DesignAct=Other AutoType=None RunCase=Yes CaseStatus="Not Run"

Case=INCR\_SPINTA\_IDR\_SX Type=NonStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=OTHER DesActOpt="Prog Det" DesignAct=Other AutoType=None RunCase=Yes CaseStatus="Not Run"

Case=INCR\_SPINTA\_IDR\_DX Type=NonStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=OTHER DesActOpt="Prog Det" DesignAct=Other AutoType=None RunCase=Yes CaseStatus="Not Run"

Case=SPINTA\_SX\_GEO Type=NonStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=OTHER DesActOpt="Prog Det" DesignAct=Other AutoType=None RunCase=Yes CaseStatus="Not Run"

Case=SPINTA\_DX\_GEO Type=NonStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=OTHER DesActOpt="Prog Det" DesignAct=Other AutoType=None RunCase=Yes CaseStatus="Not Run"

Case=TRAFF\_B Type=NonStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=OTHER DesActOpt="Prog Det" DesignAct=Other AutoType=None RunCase=Yes CaseStatus="Not Run"

Case=SPINTA\_SOVR\_SX\_GEO Type=NonStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=OTHER DesActOpt="Prog Det" DesignAct=Other AutoType=None RunCase=Yes CaseStatus="Not Run"

Case=SPINTA\_SOVR\_DX\_GEO Type=NonStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=OTHER DesActOpt="Prog Det" DesignAct=Other AutoType=None RunCase=Yes CaseStatus="Not Run"

Case=QUAKE\_X\_SLD Type=NonStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=QUAKE DesActOpt="Prog Det" DesignAct="Short-Term Composite" AutoType=None RunCase=Yes CaseStatus="Not Run"

Case=INCR\_SPINTA\_IDR\_SX\_SLD Type=NonStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=OTHER DesActOpt="Prog Det" DesignAct=Other AutoType=None RunCase=Yes CaseStatus="Not Run"

Case=INCR\_SPINTA\_IDR\_DX\_SLD Type=NonStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=OTHER DesActOpt="Prog Det" DesignAct=Other AutoType=None RunCase=Yes CaseStatus="Not Run"

Case=INCR\_SPINTA\_SX\_SLD Type=NonStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=OTHER DesActOpt="Prog Det" DesignAct=Other AutoType=None RunCase=Yes CaseStatus="Not Run"

Case=INCR\_SPINTA\_DX\_SLD Type=NonStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=OTHER DesActOpt="Prog Det" DesignAct=Other AutoType=None RunCase=Yes CaseStatus="Not Run"

Case=Unitario Type=LinStatic InitialCond=Zero DesTypeOpt="Prog Det" DesignType=OTHER DesActOpt="Prog Det" DesignAct=Other AutoType=None RunCase=Yes CaseStatus="Not Run"

## TABLE: "CASE - STATIC 1 - LOAD ASSIGNMENTS"

Case=DEAD LoadType="Load pattern" LoadName=DEAD LoadSF=1

Case=MASSETTO LoadType="Load pattern" LoadName=MASSETTO LoadSF=1

Case=RICOPRIMENTO LoadType="Load pattern" LoadName=RICOPRIMENTO LoadSF=1

Case=PAVIMENTAZIONE\_SUP LoadType="Load pattern" LoadName=PAVIMENTAZIONE\_SUP LoadSF=1

Case=SOTTOSPINTA\_IDR LoadType="Load pattern" LoadName=SOTTOSPINTA\_IDR LoadSF=1

Case=PAVIMENTAZIONE\_INT LoadType="Load pattern" LoadName=PAVIMENTAZIONE\_INT LoadSF=1

Case=SPINTA\_SX\_STR LoadType="Load pattern" LoadName=SPINTA\_SX\_STR LoadSF=1

Case=SPINTA\_DX\_STR LoadType="Load pattern" LoadName=SPINTA\_DX\_STR LoadSF=1

Case=RITIRO LoadType="Load pattern" LoadName=RITIRO LoadSF=1

Case=TEMP\_A LoadType="Load pattern" LoadName=TEMP\_A LoadSF=1

Case=TEMP\_B LoadType="Load pattern" LoadName=TEMP\_B LoadSF=1

Case=GRAD\_A LoadType="Load pattern" LoadName=GRAD\_A LoadSF=1

Case=GRAD\_B LoadType="Load pattern" LoadName=GRAD\_B LoadSF=1

Case=TRAFF\_INT LoadType="Load pattern" LoadName=TRAFF\_INT LoadSF=1

Case=TRAFF\_A LoadType="Load pattern" LoadName=TRAFF\_A LoadSF=1

Case=TRAFF\_C LoadType="Load pattern" LoadName=TRAFF\_C LoadSF=1

Case=TRAFF\_UD LoadType="Load pattern" LoadName=TRAFF\_UD LoadSF=1

Case=QUAKE\_X LoadType="Load pattern" LoadName=QUAKE\_X LoadSF=1

Case=INCR\_SPINTA\_SX LoadType="Load pattern" LoadName=INCR\_SPINTA\_SX LoadSF=1

Case=INCR\_SPINTA\_DX LoadType="Load pattern" LoadName=INCR\_SPINTA\_DX LoadSF=1

Case=FRENATURA LoadType="Load pattern" LoadName=FRENATURA LoadSF=1

Case=SPINTA\_SX\_IDR LoadType="Load pattern" LoadName=SPINTA\_SX\_IDR LoadSF=1

Case=SPINTA\_DX\_IDR LoadType="Load pattern" LoadName=SPINTA\_DX\_IDR LoadSF=1

Case=SPINTA\_SOVR\_SX\_STR LoadType="Load pattern" LoadName=SPINTA\_SOVR\_SX\_STR LoadSF=1

Case=SPINTA\_SOVR\_DX\_STR LoadType="Load pattern" LoadName=SPINTA\_SOVR\_DX\_STR LoadSF=1

Case=NEVE LoadType="Load pattern" LoadName=NEVE LoadSF=1

Case=INCR\_SPINTA\_IDR\_SX LoadType="Load pattern" LoadName=INCR\_SPINTA\_IDR\_SX LoadSF=1

Case=INCR\_SPINTA\_IDR\_DX LoadType="Load pattern" LoadName=INCR\_SPINTA\_IDR\_DX LoadSF=1

Case=SPINTA\_SX\_GEO LoadType="Load pattern" LoadName=SPINTA\_SX\_GEO LoadSF=1

Case=SPINTA\_DX\_GEO LoadType="Load pattern" LoadName=SPINTA\_DX\_GEO LoadSF=1

Case=TRAFF\_B LoadType="Load pattern" LoadName=TRAFF\_B LoadSF=1

Case=SPINTA\_SOVR\_SX\_GEO LoadType="Load pattern" LoadName=SPINTA\_SOVR\_SX\_GEO LoadSF=1

Case=SPINTA\_SOVR\_DX\_GEO LoadType="Load pattern" LoadName=SPINTA\_SOVR\_DX\_GEO LoadSF=1

Case=QUAKE\_X\_SLD LoadType="Load pattern" LoadName=QUAKE\_X\_SLD LoadSF=1

Case=INCR\_SPINTA\_IDR\_SX\_SLD LoadType="Load pattern" LoadName=INCR\_SPINTA\_IDR\_SX\_SLD LoadSF=1

Case=INCR\_SPINTA\_IDR\_DX\_SLD LoadType="Load pattern" LoadName=INCR\_SPINTA\_IDR\_DX\_SLD LoadSF=1

Case=INCR\_SPINTA\_SX\_SLD LoadType="Load pattern" LoadName=INCR\_SPINTA\_SX\_SLD LoadSF=1

PV\_E\_SR\_VS\_SO\_2\_B\_014-001\_0\_002\_R\_A\_0

## Allegati alla relazione di Calcolo

Case=INCR\_SPINTA\_DX\_SLD LoadType="Load pattern" LoadName=INCR\_SPINTA\_DX\_SLD LoadSF=1  
 Case=Unitario LoadType="Load pattern" LoadName=Unitario LoadSF=1

TABLE: "CASE - STATIC 2 - NONLINEAR LOAD APPLICATION"

Case=DEAD LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=MASSETTO LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=RICOPRIMENTO LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=PAVIMENTAZIONE\_SUP LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=SOTTOSPINTA\_IDR LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=PAVIMENTAZIONE\_INT LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=SPINTA\_SX\_STR LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=SPINTA\_DX\_STR LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=RITIRO LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=TEMP\_A LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=TEMP\_B LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=GRAD\_A LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=GRAD\_B LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=TRAFF\_INT LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=TRAFF\_A LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=TRAFF\_C LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=TRAFF\_UD LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=QUAKE\_X LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=INCR\_SPINTA\_SX LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=INCR\_SPINTA\_DX LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=FRENATURA LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=SPINTA\_SX\_IDR LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=SPINTA\_DX\_IDR LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=SPINTA\_SOVR\_SX\_STR LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=SPINTA\_SOVR\_DX\_STR LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=NEVE LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=INCR\_SPINTA\_IDR\_SX LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=INCR\_SPINTA\_IDR\_DX LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=SPINTA\_SX\_GEO LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=SPINTA\_DX\_GEO LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=TRAFF\_B LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=SPINTA\_SOVR\_SX\_GEO LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=SPINTA\_SOVR\_DX\_GEO LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=QUAKE\_X\_SLD LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=INCR\_SPINTA\_IDR\_SX\_SLD LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=INCR\_SPINTA\_IDR\_DX\_SLD LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=INCR\_SPINTA\_SX\_SLD LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11  
 Case=INCR\_SPINTA\_DX\_SLD LoadApp="Full Load" MonitorDOF=U1 MonitorJt=11

TABLE: "CASE - STATIC 4 - NONLINEAR PARAMETERS"

Case=DEAD Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40 ItConvTol=0.0001  
 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=MASSETTO Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40 ItConvTol=0.0001  
 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=RICOPRIMENTO Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40  
 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=PAVIMENTAZIONE\_SUP Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40  
 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=SOTTOSPINTA\_IDR Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40  
 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=PAVIMENTAZIONE\_INT Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40  
 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=SPINTA\_SX\_STR Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40  
 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=SPINTA\_DX\_STR Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40  
 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_

PV\_E\_SR\_VS\_SO\_2\_B\_014-001\_0\_002\_R\_A\_0



Allegati alla relazione di Calcolo

Case=TRAFF\_B Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=SPINTA\_SOVR\_SX\_GEO Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=SPINTA\_SOVR\_DX\_GEO Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=QUAKE\_X\_SLD Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=INCR\_SPINTA\_IDR\_SX\_SLD Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=INCR\_SPINTA\_IDR\_DX\_SLD Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=INCR\_SPINTA\_SX\_SLD Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No  
 Case=INCR\_SPINTA\_DX\_SLD Unloading="Unload Entire" GeoNonLin=None ResultsSave="Final State" MaxTotal=200 MaxNull=50 MaxIterCS=10 MaxIterNR=40 ItConvTol=0.0001 UseEvStep=Yes EvLumpTol=0.01 LSPerIter=20 LSTol=0.1 \_  
 LSStepFact=1.618 FrameTC=Yes FrameHinge=Yes CableTC=Yes LinkTC=Yes LinkOther=Yes TFMaxIter=10 TFTol=0.01 TFAccelFact=1 TFNoStop=No

TABLE: "CASE - MODAL 1 - GENERAL"

Case=MODAL ModeType=Eigen MaxNumModes=12 MinNumModes=1 EigenShift=0 EigenCutoff=0 EigenTol=0.000000001 AutoShift=Yes

TABLE: "BRIDGE DESIGN PREFERENCES - AASHTOLRFD07"

HingeOpt="Auto: AASHTO/Caltrans Hinge"

TABLE: "JOINT COORDINATES"

Joint=1 CoordSys=GLOBAL CoordType=Cartesian XorR=0 Y=0 Z=0 SpecialJt=No GlobalX=0 GlobalY=0 GlobalZ=0  
 Joint=2 CoordSys=GLOBAL CoordType=Cartesian XorR=0.0875 Y=0 Z=0 SpecialJt=No GlobalX=0.0875 GlobalY=0 GlobalZ=0  
 Joint=3 CoordSys=GLOBAL CoordType=Cartesian XorR=0.175 Y=0 Z=0 SpecialJt=No GlobalX=0.175 GlobalY=0 GlobalZ=0  
 Joint=4 CoordSys=GLOBAL CoordType=Cartesian XorR=3.175 Y=0 Z=0 SpecialJt=No GlobalX=3.175 GlobalY=0 GlobalZ=0  
 Joint=5 CoordSys=GLOBAL CoordType=Cartesian XorR=3.2625 Y=0 Z=0 SpecialJt=No GlobalX=3.2625 GlobalY=0 GlobalZ=0  
 Joint=6 CoordSys=GLOBAL CoordType=Cartesian XorR=3.35 Y=0 Z=0 SpecialJt=No GlobalX=3.35 GlobalY=0 GlobalZ=0  
 Joint=7 CoordSys=GLOBAL CoordType=Cartesian XorR=0 Y=0 Z=0.1125 SpecialJt=No GlobalX=0 GlobalY=0 GlobalZ=0.1125  
 Joint=8 CoordSys=GLOBAL CoordType=Cartesian XorR=0 Y=0 Z=0.225 SpecialJt=No GlobalX=0 GlobalY=0 GlobalZ=0.225  
 Joint=9 CoordSys=GLOBAL CoordType=Cartesian XorR=0 Y=0 Z=3.425 SpecialJt=No GlobalX=0 GlobalY=0 GlobalZ=3.425  
 Joint=10 CoordSys=GLOBAL CoordType=Cartesian XorR=0 Y=0 Z=3.5225 SpecialJt=No GlobalX=0 GlobalY=0 GlobalZ=3.5225  
 Joint=11 CoordSys=GLOBAL CoordType=Cartesian XorR=0 Y=0 Z=3.62 SpecialJt=No GlobalX=0 GlobalY=0 GlobalZ=3.62  
 Joint=12 CoordSys=GLOBAL CoordType=Cartesian XorR=0.0875 Y=0 Z=3.62 SpecialJt=No GlobalX=0.0875 GlobalY=0 GlobalZ=3.62  
 Joint=13 CoordSys=GLOBAL CoordType=Cartesian XorR=0.175 Y=0 Z=3.62 SpecialJt=No GlobalX=0.175 GlobalY=0 GlobalZ=3.62  
 Joint=14 CoordSys=GLOBAL CoordType=Cartesian XorR=1.175 Y=0 Z=3.62 SpecialJt=No GlobalX=1.175 GlobalY=0 GlobalZ=3.62  
 Joint=15 CoordSys=GLOBAL CoordType=Cartesian XorR=2.175 Y=0 Z=3.62 SpecialJt=No GlobalX=2.175 GlobalY=0 GlobalZ=3.62  
 Joint=16 CoordSys=GLOBAL CoordType=Cartesian XorR=3.175 Y=0 Z=3.62 SpecialJt=No GlobalX=3.175 GlobalY=0 GlobalZ=3.62  
 Joint=17 CoordSys=GLOBAL CoordType=Cartesian XorR=3.2625 Y=0 Z=3.62 SpecialJt=No GlobalX=3.2625 GlobalY=0 GlobalZ=3.62  
 Joint=18 CoordSys=GLOBAL CoordType=Cartesian XorR=3.35 Y=0 Z=3.62 SpecialJt=No GlobalX=3.35 GlobalY=0 GlobalZ=3.62  
 Joint=19 CoordSys=GLOBAL CoordType=Cartesian XorR=3.35 Y=0 Z=3.5225 SpecialJt=No GlobalX=3.35 GlobalY=0 GlobalZ=3.5225  
 Joint=20 CoordSys=GLOBAL CoordType=Cartesian XorR=3.35 Y=0 Z=3.425 SpecialJt=No GlobalX=3.35 GlobalY=0 GlobalZ=3.425  
 Joint=21 CoordSys=GLOBAL CoordType=Cartesian XorR=3.35 Y=0 Z=0.225 SpecialJt=No GlobalX=3.35 GlobalY=0 GlobalZ=0.225  
 Joint=22 CoordSys=GLOBAL CoordType=Cartesian XorR=3.35 Y=0 Z=0.1125 SpecialJt=No GlobalX=3.35 GlobalY=0 GlobalZ=0.1125

TABLE: "CONNECTIVITY - FRAME"

Frame=1 JointI=1 JointJ=2 IsCurved=No  
 Frame=2 JointI=2 JointJ=3 IsCurved=No  
 Frame=3 JointI=3 JointJ=4 IsCurved=No  
 Frame=4 JointI=4 JointJ=5 IsCurved=No  
 Frame=5 JointI=5 JointJ=6 IsCurved=No  
 Frame=6 JointI=1 JointJ=7 IsCurved=No  
 Frame=7 JointI=7 JointJ=8 IsCurved=No  
 Frame=8 JointI=8 JointJ=9 IsCurved=No  
 Frame=9 JointI=9 JointJ=10 IsCurved=No  
 Frame=10 JointI=10 JointJ=11 IsCurved=No  
 Frame=11 JointI=11 JointJ=12 IsCurved=No

Frame=12 JointI=12 JointJ=13 IsCurved=No  
 Frame=13 JointI=13 JointJ=14 IsCurved=No  
 Frame=140 JointI=14 JointJ=15 IsCurved=No  
 Frame=15 JointI=15 JointJ=16 IsCurved=No  
 Frame=16 JointI=16 JointJ=17 IsCurved=No  
 Frame=17 JointI=17 JointJ=18 IsCurved=No  
 Frame=18 JointI=18 JointJ=19 IsCurved=No  
 Frame=19 JointI=19 JointJ=20 IsCurved=No  
 Frame=20 JointI=20 JointJ=21 IsCurved=No  
 Frame=21 JointI=21 JointJ=22 IsCurved=No  
 Frame=22 JointI=22 JointJ=6 IsCurved=No

TABLE: "JOINT RESTRAINT ASSIGNMENTS"

Joint=1 U1=No U2=Yes U3=No R1=No R2=No R3=No  
 Joint=6 U1=No U2=Yes U3=No R1=No R2=No R3=No

TABLE: "FRAME SECTION ASSIGNMENTS"

Frame=1 SectionType=Rectangular AutoSelect=N.A. AnalSect=SOLETTA\_INF DesignSect=SOLETTA\_INF MatProp=Default  
 Frame=2 SectionType=Rectangular AutoSelect=N.A. AnalSect=SOLETTA\_INF DesignSect=SOLETTA\_INF MatProp=Default  
 Frame=3 SectionType=Rectangular AutoSelect=N.A. AnalSect=SOLETTA\_INF DesignSect=SOLETTA\_INF MatProp=Default  
 Frame=4 SectionType=Rectangular AutoSelect=N.A. AnalSect=SOLETTA\_INF DesignSect=SOLETTA\_INF MatProp=Default  
 Frame=5 SectionType=Rectangular AutoSelect=N.A. AnalSect=SOLETTA\_INF DesignSect=SOLETTA\_INF MatProp=Default  
 Frame=6 SectionType=Rectangular AutoSelect=N.A. AnalSect=RITTO\_SX DesignSect=RITTO\_SX MatProp=Default  
 Frame=7 SectionType=Rectangular AutoSelect=N.A. AnalSect=RITTO\_SX DesignSect=RITTO\_SX MatProp=Default  
 Frame=8 SectionType=Rectangular AutoSelect=N.A. AnalSect=RITTO\_SX DesignSect=RITTO\_SX MatProp=Default  
 Frame=9 SectionType=Rectangular AutoSelect=N.A. AnalSect=RITTO\_SX DesignSect=RITTO\_SX MatProp=Default  
 Frame=10 SectionType=Rectangular AutoSelect=N.A. AnalSect=RITTO\_SX DesignSect=RITTO\_SX MatProp=Default  
 Frame=11 SectionType=Rectangular AutoSelect=N.A. AnalSect=SOL\_SUP\_SEZ\_1 DesignSect=SOL\_SUP\_SEZ\_1 MatProp=Default  
 Frame=12 SectionType=Rectangular AutoSelect=N.A. AnalSect=SOL\_SUP\_SEZ\_1 DesignSect=SOL\_SUP\_SEZ\_1 MatProp=Default  
 Frame=13 SectionType=Rectangular AutoSelect=N.A. AnalSect=SOL\_SUP\_SEZ\_1 DesignSect=SOL\_SUP\_SEZ\_1 MatProp=Default  
 Frame=140 SectionType=Rectangular AutoSelect=N.A. AnalSect=SOL\_SUP\_SEZ\_2 DesignSect=SOL\_SUP\_SEZ\_2 MatProp=Default  
 Frame=15 SectionType=Rectangular AutoSelect=N.A. AnalSect=SOL\_SUP\_SEZ\_1 DesignSect=SOL\_SUP\_SEZ\_1 MatProp=Default  
 Frame=16 SectionType=Rectangular AutoSelect=N.A. AnalSect=SOL\_SUP\_SEZ\_1 DesignSect=SOL\_SUP\_SEZ\_1 MatProp=Default  
 Frame=17 SectionType=Rectangular AutoSelect=N.A. AnalSect=SOL\_SUP\_SEZ\_1 DesignSect=SOL\_SUP\_SEZ\_1 MatProp=Default  
 Frame=18 SectionType=Rectangular AutoSelect=N.A. AnalSect=RITTO\_DX DesignSect=RITTO\_DX MatProp=Default  
 Frame=19 SectionType=Rectangular AutoSelect=N.A. AnalSect=RITTO\_DX DesignSect=RITTO\_DX MatProp=Default  
 Frame=20 SectionType=Rectangular AutoSelect=N.A. AnalSect=RITTO\_DX DesignSect=RITTO\_DX MatProp=Default  
 Frame=21 SectionType=Rectangular AutoSelect=N.A. AnalSect=RITTO\_DX DesignSect=RITTO\_DX MatProp=Default  
 Frame=22 SectionType=Rectangular AutoSelect=N.A. AnalSect=RITTO\_DX DesignSect=RITTO\_DX MatProp=Default

TABLE: "FRAME SPRING ASSIGNMENTS"

Frame=1 Type=Simple Stiffness=12000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=2  
 Frame=2 Type=Simple Stiffness=12000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=2  
 Frame=3 Type=Simple Stiffness=12000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=2  
 Frame=4 Type=Simple Stiffness=12000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=2  
 Frame=5 Type=Simple Stiffness=12000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=2  
 Frame=6 Type=Simple Stiffness=20000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=2  
 Frame=7 Type=Simple Stiffness=20000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=2  
 Frame=8 Type=Simple Stiffness=20000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=2  
 Frame=9 Type=Simple Stiffness=20000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=2  
 Frame=10 Type=Simple Stiffness=20000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=2  
 Frame=18 Type=Simple Stiffness=20000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=-2  
 Frame=19 Type=Simple Stiffness=20000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=-2  
 Frame=20 Type=Simple Stiffness=20000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=-2  
 Frame=21 Type=Simple Stiffness=20000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=-2  
 Frame=22 Type=Simple Stiffness=20000 SimpleType="Compression Only" Dir1Type="Object Axes" Dir=-2

TABLE: "FRAME AUTO MESH ASSIGNMENTS"

Frame=1 AutoMesh=Yes AtJoints=Yes AtFrames=No NumSegments=0 MaxLength=0.25 MaxDegrees=0  
 Frame=2 AutoMesh=Yes AtJoints=Yes AtFrames=No NumSegments=0 MaxLength=0.25 MaxDegrees=0  
 Frame=3 AutoMesh=Yes AtJoints=Yes AtFrames=No NumSegments=0 MaxLength=0.25 MaxDegrees=0  
 Frame=4 AutoMesh=Yes AtJoints=Yes AtFrames=No NumSegments=0 MaxLength=0.25 MaxDegrees=0  
 Frame=5 AutoMesh=Yes AtJoints=Yes AtFrames=No NumSegments=0 MaxLength=0.25 MaxDegrees=0  
 Frame=6 AutoMesh=Yes AtJoints=Yes AtFrames=No NumSegments=0 MaxLength=0.5 MaxDegrees=0  
 Frame=7 AutoMesh=Yes AtJoints=Yes AtFrames=No NumSegments=0 MaxLength=0.5 MaxDegrees=0  
 Frame=8 AutoMesh=Yes AtJoints=Yes AtFrames=No NumSegments=0 MaxLength=0.5 MaxDegrees=0  
 Frame=9 AutoMesh=Yes AtJoints=Yes AtFrames=No NumSegments=0 MaxLength=0.5 MaxDegrees=0



Allegati alla relazione di Calcolo

Frame=10	AutoMesh=Yes	AtJoints=Yes	AtFrames=No	NumSegments=0	MaxLength=0.5	MaxDegrees=0
Frame=11	AutoMesh=Yes	AtJoints=Yes	AtFrames=No	NumSegments=0	MaxLength=0.5	MaxDegrees=0
Frame=12	AutoMesh=Yes	AtJoints=Yes	AtFrames=No	NumSegments=0	MaxLength=0.5	MaxDegrees=0
Frame=13	AutoMesh=Yes	AtJoints=Yes	AtFrames=No	NumSegments=0	MaxLength=0.5	MaxDegrees=0
Frame=140	AutoMesh=Yes	AtJoints=Yes	AtFrames=No	NumSegments=10	MaxLength=0.11	MaxDegrees=0
Frame=15	AutoMesh=Yes	AtJoints=Yes	AtFrames=No	NumSegments=0	MaxLength=0.5	MaxDegrees=0
Frame=16	AutoMesh=Yes	AtJoints=Yes	AtFrames=No	NumSegments=0	MaxLength=0.5	MaxDegrees=0
Frame=17	AutoMesh=Yes	AtJoints=Yes	AtFrames=No	NumSegments=0	MaxLength=0.5	MaxDegrees=0
Frame=18	AutoMesh=Yes	AtJoints=Yes	AtFrames=No	NumSegments=0	MaxLength=0.5	MaxDegrees=0
Frame=19	AutoMesh=Yes	AtJoints=Yes	AtFrames=No	NumSegments=0	MaxLength=0.5	MaxDegrees=0
Frame=20	AutoMesh=Yes	AtJoints=Yes	AtFrames=No	NumSegments=0	MaxLength=0.5	MaxDegrees=0
Frame=21	AutoMesh=Yes	AtJoints=Yes	AtFrames=No	NumSegments=0	MaxLength=0.5	MaxDegrees=0
Frame=22	AutoMesh=Yes	AtJoints=Yes	AtFrames=No	NumSegments=0	MaxLength=0.5	MaxDegrees=0

TABLE: "FRAME LOADS - POINT"

Frame=140 LoadPat=Unitario CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDist=0.5 AbsDist=3.45 Force=1

TABLE: "FRAME LOADS - DISTRIBUTED"

Frame=3	LoadPat=PAVIMENTAZIONE_INF	CoordSys=GLOBAL	Type=Force	Dir=Gravity	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=3
FOverLA=6.8 FOverLB=6.8									
Frame=3	LoadPat=TRAFF_INT	CoordSys=GLOBAL	Type=Force	Dir=Gravity	DistType=RelDist	RelDistA=0.483333333333333	RelDistB=0.516666666666667	AbsDistA=1.45	AbsDistB=1.55
FOverLA=57.6388897453489 FOverLB=57.6388897453489									
Frame=6	LoadPat=SPINTA_SX_STR	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.1125
FOverLA=39.3162525684336 FOverLB=38.3051163075298									
Frame=6	LoadPat=SPINTA_SX_GEO	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.1125
FOverLA=47.1406027279082 FOverLB=45.9282396550013									
Frame=6	LoadPat=SPINTA_SOVR_SX_STR	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.1125
FOverLA=24.7537182772069 FOverLB=24.7537182772069									
Frame=6	LoadPat=SPINTA_SOVR_SX_GEO	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.1125
FOverLA=29.6799700661518 FOverLB=29.6799700661518									
Frame=6	LoadPat=INCR_SPINTA_SX	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.1125
FOverLA=24.91849708896 FOverLB=24.91849708896									
Frame=6	LoadPat=INCR_SPINTA_SX_SLD	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.1125
FOverLA=11.34432 FOverLB=11.34432									
Frame=7	LoadPat=SPINTA_SX_STR	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.1125
FOverLA=38.3051163075298 FOverLB=37.293980046626									
Frame=7	LoadPat=SPINTA_SX_GEO	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.1125
FOverLA=45.9282396550013 FOverLB=44.7158765820945									
Frame=7	LoadPat=SPINTA_SOVR_SX_STR	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.1125
FOverLA=24.7537182772069 FOverLB=24.7537182772069									
Frame=7	LoadPat=SPINTA_SOVR_SX_GEO	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.1125
FOverLA=29.6799700661518 FOverLB=29.6799700661518									
Frame=7	LoadPat=INCR_SPINTA_SX	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.1125
FOverLA=24.91849708896 FOverLB=24.91849708896									
Frame=7	LoadPat=INCR_SPINTA_SX_SLD	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.1125
FOverLA=11.34432 FOverLB=11.34432									
Frame=8	LoadPat=SPINTA_SX_STR	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=3.2
FOverLA=37.293980046626 FOverLB=8.53277084758493									
Frame=8	LoadPat=SPINTA_SX_GEO	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=3.2
FOverLA=44.7158765820945 FOverLB=10.2308825082996									
Frame=8	LoadPat=SPINTA_SOVR_SX_STR	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=3.2
FOverLA=24.7537182772069 FOverLB=24.7537182772069									
Frame=8	LoadPat=SPINTA_SOVR_SX_GEO	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=3.2
FOverLA=29.6799700661518 FOverLB=29.6799700661518									
Frame=8	LoadPat=INCR_SPINTA_SX	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=3.2
FOverLA=24.91849708896 FOverLB=24.91849708896									
Frame=8	LoadPat=INCR_SPINTA_SX_SLD	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=3.2
FOverLA=11.34432 FOverLB=11.34432									
Frame=9	LoadPat=SPINTA_SX_STR	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.0975
FOverLA=8.53277084758493 FOverLB=7.65645275480165									
Frame=9	LoadPat=SPINTA_SX_GEO	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.0975
FOverLA=10.2308825082996 FOverLB=9.18016784511371									
Frame=9	LoadPat=SPINTA_SOVR_SX_STR	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.0975
FOverLA=24.7537182772069 FOverLB=24.7537182772069									
Frame=9	LoadPat=SPINTA_SOVR_SX_GEO	CoordSys=GLOBAL	Type=Force	Dir=X	DistType=RelDist	RelDistA=0	RelDistB=1	AbsDistA=0	AbsDistB=0.0975
FOverLA=29.6799700661518 FOverLB=29.6799700661518									

## Allegati alla relazione di Calcolo

Frame=9 LoadPat=INCR\_SPINTA\_SX CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975  
 FOverLA=24.91849708896 FOverLB=24.91849708896  
 Frame=9 LoadPat=INCR\_SPINTA\_SX\_SLD CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975  
 FOverLA=11.34432 FOverLB=11.34432  
 Frame=10 LoadPat=SPINTA\_SX\_STR CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975  
 FOverLA=7.65645275480165 FOverLB=6.78013466201837  
 Frame=10 LoadPat=SPINTA\_SX\_GEO CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975  
 FOverLA=9.18016784511371 FOverLB=8.12945318192777  
 Frame=10 LoadPat=SPINTA\_SOVR\_SX\_STR CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975  
 FOverLA=24.7537182772069 FOverLB=24.7537182772069  
 Frame=10 LoadPat=SPINTA\_SOVR\_SX\_GEO CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975  
 FOverLA=29.6799700661518 FOverLB=29.6799700661518  
 Frame=10 LoadPat=INCR\_SPINTA\_SX CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975  
 FOverLA=24.91849708896 FOverLB=24.91849708896  
 Frame=10 LoadPat=INCR\_SPINTA\_SX\_SLD CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975  
 FOverLA=11.34432 FOverLB=11.34432  
 Frame=11 LoadPat=PAVIMENTAZIONE\_SUP CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875  
 FOverLA=7 FOverLB=7  
 Frame=11 LoadPat=MASSETTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875 FOverLA=0  
 FOverLB=0  
 Frame=11 LoadPat=RICOPRIMENTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875 FOverLA=5  
 FOverLB=5  
 Frame=11 LoadPat=TRAFF\_UD CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875 FOverLA=3  
 FOverLB=3  
 Frame=11 LoadPat=FRENATURA CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875  
 FOverLA=28.7597952113831 FOverLB=28.7597952113831  
 Frame=12 LoadPat=PAVIMENTAZIONE\_SUP CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875  
 FOverLA=7 FOverLB=7  
 Frame=12 LoadPat=MASSETTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875 FOverLA=0  
 FOverLB=0  
 Frame=12 LoadPat=RICOPRIMENTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875 FOverLA=5  
 FOverLB=5  
 Frame=12 LoadPat=TRAFF\_UD CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875 FOverLA=3  
 FOverLB=3  
 Frame=12 LoadPat=FRENATURA CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875  
 FOverLA=28.7597952113831 FOverLB=28.7597952113831  
 Frame=16 LoadPat=PAVIMENTAZIONE\_SUP CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875  
 FOverLA=7 FOverLB=7  
 Frame=16 LoadPat=MASSETTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875 FOverLA=0  
 FOverLB=0  
 Frame=16 LoadPat=RICOPRIMENTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875 FOverLA=5  
 FOverLB=5  
 Frame=16 LoadPat=TRAFF\_UD CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875 FOverLA=3  
 FOverLB=3  
 Frame=16 LoadPat=FRENATURA CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875  
 FOverLA=28.7597952113831 FOverLB=28.7597952113831  
 Frame=17 LoadPat=PAVIMENTAZIONE\_SUP CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875  
 FOverLA=7 FOverLB=7  
 Frame=17 LoadPat=MASSETTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875 FOverLA=0  
 FOverLB=0  
 Frame=17 LoadPat=RICOPRIMENTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875 FOverLA=5  
 FOverLB=5  
 Frame=17 LoadPat=TRAFF\_UD CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875 FOverLA=3  
 FOverLB=3  
 Frame=17 LoadPat=FRENATURA CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0875  
 FOverLA=28.7597952113831 FOverLB=28.7597952113831  
 Frame=18 LoadPat=SPINTA\_DX\_STR CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975 FOverLA=-  
 6.78013466201837 FOverLB=-7.65645275480165  
 Frame=18 LoadPat=SPINTA\_DX\_GEO CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975 FOverLA=-  
 8.12945318192777 FOverLB=-9.18016784511371  
 Frame=18 LoadPat=INCR\_SPINTA\_DX CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975  
 FOverLA=24.91849708896 FOverLB=24.91849708896  
 Frame=18 LoadPat=INCR\_SPINTA\_DX\_SLD CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975  
 FOverLA=11.34432 FOverLB=11.34432  
 Frame=19 LoadPat=SPINTA\_DX\_STR CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975 FOverLA=-  
 7.65645275480165 FOverLB=-8.53277084758493

## Allegati alla relazione di Calcolo

Frame=19 LoadPat=SPINTA\_DX\_GEO CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975 FOverLA=9.18016784511371 FOverLB=-10.2308825082996

Frame=19 LoadPat=INCR\_SPINTA\_DX CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975 FOverLA=24.91849708896 FOverLB=24.91849708896

Frame=19 LoadPat=INCR\_SPINTA\_DX\_SLD CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.0975 FOverLA=11.34432 FOverLB=11.34432

Frame=20 LoadPat=SPINTA\_DX\_STR CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=3.2 FOverLA=8.53277084758493 FOverLB=-37.293980046626

Frame=20 LoadPat=SPINTA\_DX\_GEO CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=3.2 FOverLA=10.2308825082996 FOverLB=-44.7158765820945

Frame=20 LoadPat=INCR\_SPINTA\_DX CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=3.2 FOverLA=24.91849708896 FOverLB=24.91849708896

Frame=20 LoadPat=INCR\_SPINTA\_DX\_SLD CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=3.2 FOverLA=11.34432 FOverLB=11.34432

Frame=21 LoadPat=SPINTA\_DX\_STR CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.1125 FOverLA=37.293980046626 FOverLB=-38.3051163075298

Frame=21 LoadPat=SPINTA\_DX\_GEO CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.1125 FOverLA=44.7158765820945 FOverLB=-45.9282396550013

Frame=21 LoadPat=INCR\_SPINTA\_DX CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.1125 FOverLA=24.91849708896 FOverLB=24.91849708896

Frame=21 LoadPat=INCR\_SPINTA\_DX\_SLD CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.1125 FOverLA=11.34432 FOverLB=11.34432

Frame=22 LoadPat=SPINTA\_DX\_STR CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.1125 FOverLA=38.3051163075298 FOverLB=-39.3162552684336

Frame=22 LoadPat=SPINTA\_DX\_GEO CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.1125 FOverLA=45.9282396550013 FOverLB=-47.1406027279082

Frame=22 LoadPat=INCR\_SPINTA\_DX CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.1125 FOverLA=24.91849708896 FOverLB=24.91849708896

Frame=22 LoadPat=INCR\_SPINTA\_DX\_SLD CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=0.1125 FOverLA=11.34432 FOverLB=11.34432

Frame=13 LoadPat=PAVIMENTAZIONE\_SUP CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=7 FOverLB=7

Frame=13 LoadPat=MASSETTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=0 FOverLB=0

Frame=13 LoadPat=RICOPRIMENTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=5 FOverLB=5

Frame=13 LoadPat=TRAFF\_B CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=78.4262662127422 FOverLB=78.4262662127422

Frame=13 LoadPat=TRAFF\_UD CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=3 FOverLB=3

Frame=13 LoadPat=FRENATURA CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=28.7597952113831 FOverLB=28.7597952113831

Frame=140 LoadPat=PAVIMENTAZIONE\_SUP CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=7 FOverLB=7

Frame=140 LoadPat=MASSETTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=0 FOverLB=0

Frame=140 LoadPat=RICOPRIMENTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=5 FOverLB=5

Frame=140 LoadPat=TRAFF\_A CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=78.4262662127422 FOverLB=78.4262662127422

Frame=140 LoadPat=TRAFF\_B CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1.55016603056777 AbsDistA=0 AbsDistB=1.55016603056777 FOverLA=78.4262662127422 FOverLB=78.4262662127422

Frame=140 LoadPat=TRAFF\_UD CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=3 FOverLB=3

Frame=140 LoadPat=FRENATURA CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=28.7597952113831 FOverLB=28.7597952113831

Frame=15 LoadPat=PAVIMENTAZIONE\_SUP CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=7 FOverLB=7

Frame=15 LoadPat=MASSETTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=0 FOverLB=0

Frame=15 LoadPat=RICOPRIMENTO CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=5 FOverLB=5

Frame=15 LoadPat=TRAFF\_UD CoordSys=GLOBAL Type=Force Dir=Gravity DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=3 FOverLB=3

Frame=15 LoadPat=FRENATURA CoordSys=GLOBAL Type=Force Dir=X DistType=RelDist RelDistA=0 RelDistB=1 AbsDistA=0 AbsDistB=1 FOverLA=28.7597952113831 FOverLB=28.7597952113831

## Allegati alla relazione di Calcolo

TABLE: "FRAME LOADS - TEMPERATURE"

Frame=11	LoadPat=RITIRO	Type=Temperature	Temp=-20.887634375	JtPattern=None
Frame=11	LoadPat=TEMP_A	Type=Temperature	Temp=-15	JtPattern=None
Frame=11	LoadPat=TEMP_B	Type=Temperature	Temp=15	JtPattern=None
Frame=11	LoadPat=GRAD_A	Type=Gradient2	TempGrad2=-25.6410256410256	JtPattern=None
Frame=11	LoadPat=GRAD_B	Type=Gradient2	TempGrad2=25.6410256410256	JtPattern=None
Frame=12	LoadPat=RITIRO	Type=Temperature	Temp=-20.887634375	JtPattern=None
Frame=12	LoadPat=TEMP_A	Type=Temperature	Temp=-15	JtPattern=None
Frame=12	LoadPat=TEMP_B	Type=Temperature	Temp=15	JtPattern=None
Frame=12	LoadPat=GRAD_A	Type=Gradient2	TempGrad2=-25.6410256410256	JtPattern=None
Frame=12	LoadPat=GRAD_B	Type=Gradient2	TempGrad2=25.6410256410256	JtPattern=None
Frame=16	LoadPat=RITIRO	Type=Temperature	Temp=-20.887634375	JtPattern=None
Frame=16	LoadPat=TEMP_A	Type=Temperature	Temp=-15	JtPattern=None
Frame=16	LoadPat=TEMP_B	Type=Temperature	Temp=15	JtPattern=None
Frame=16	LoadPat=GRAD_A	Type=Gradient2	TempGrad2=-25.6410256410256	JtPattern=None
Frame=16	LoadPat=GRAD_B	Type=Gradient2	TempGrad2=25.6410256410256	JtPattern=None
Frame=17	LoadPat=RITIRO	Type=Temperature	Temp=-20.887634375	JtPattern=None
Frame=17	LoadPat=TEMP_A	Type=Temperature	Temp=-15	JtPattern=None
Frame=17	LoadPat=TEMP_B	Type=Temperature	Temp=15	JtPattern=None
Frame=17	LoadPat=GRAD_A	Type=Gradient2	TempGrad2=-25.6410256410256	JtPattern=None
Frame=17	LoadPat=GRAD_B	Type=Gradient2	TempGrad2=25.6410256410256	JtPattern=None
Frame=13	LoadPat=RITIRO	Type=Temperature	Temp=-20.887634375	JtPattern=None
Frame=13	LoadPat=TEMP_A	Type=Temperature	Temp=-15	JtPattern=None
Frame=13	LoadPat=TEMP_B	Type=Temperature	Temp=15	JtPattern=None
Frame=13	LoadPat=GRAD_A	Type=Gradient2	TempGrad2=-25.6410256410256	JtPattern=None
Frame=13	LoadPat=GRAD_B	Type=Gradient2	TempGrad2=25.6410256410256	JtPattern=None
Frame=140	LoadPat=RITIRO	Type=Temperature	Temp=-20.887634375	JtPattern=None
Frame=140	LoadPat=TEMP_A	Type=Temperature	Temp=-15	JtPattern=None
Frame=140	LoadPat=TEMP_B	Type=Temperature	Temp=15	JtPattern=None
Frame=140	LoadPat=GRAD_A	Type=Gradient2	TempGrad2=-25.6410256410256	JtPattern=None
Frame=140	LoadPat=GRAD_B	Type=Gradient2	TempGrad2=25.6410256410256	JtPattern=None
Frame=15	LoadPat=RITIRO	Type=Temperature	Temp=-20.887634375	JtPattern=None
Frame=15	LoadPat=TEMP_A	Type=Temperature	Temp=-15	JtPattern=None
Frame=15	LoadPat=TEMP_B	Type=Temperature	Temp=15	JtPattern=None
Frame=15	LoadPat=GRAD_A	Type=Gradient2	TempGrad2=-25.6410256410256	JtPattern=None
Frame=15	LoadPat=GRAD_B	Type=Gradient2	TempGrad2=25.6410256410256	JtPattern=None

TABLE: "FRAME DESIGN PROCEDURES"

Frame=1	DesignProc="From Material"
Frame=2	DesignProc="From Material"
Frame=3	DesignProc="From Material"
Frame=4	DesignProc="From Material"
Frame=5	DesignProc="From Material"
Frame=6	DesignProc="From Material"
Frame=7	DesignProc="From Material"
Frame=8	DesignProc="From Material"
Frame=9	DesignProc="From Material"
Frame=10	DesignProc="From Material"
Frame=11	DesignProc="From Material"
Frame=12	DesignProc="From Material"
Frame=13	DesignProc="From Material"
Frame=140	DesignProc="From Material"
Frame=15	DesignProc="From Material"
Frame=16	DesignProc="From Material"
Frame=17	DesignProc="From Material"
Frame=18	DesignProc="From Material"
Frame=19	DesignProc="From Material"
Frame=20	DesignProc="From Material"
Frame=21	DesignProc="From Material"
Frame=22	DesignProc="From Material"

TABLE: "OVERWRITES - CONCRETE DESIGN - ACI 318-05/IBC2003"

Frame=1	DesignSect="Program Determined"	FrameType="Program Determined"	RLLF=0	XMLMajor=0	XLMinor=0
Frame=2	DesignSect="Program Determined"	FrameType="Program Determined"	RLLF=0	XMLMajor=0	XLMinor=0
Frame=3	DesignSect="Program Determined"	FrameType="Program Determined"	RLLF=0	XMLMajor=0	XLMinor=0
Frame=4	DesignSect="Program Determined"	FrameType="Program Determined"	RLLF=0	XMLMajor=0	XLMinor=0
Frame=5	DesignSect="Program Determined"	FrameType="Program Determined"	RLLF=0	XMLMajor=0	XLMinor=0

PV\_E\_SR\_VS\_SO\_2\_B\_014\_001\_0\_002\_R\_A\_0

Allegati alla relazione di Calcolo

Frame=6 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0 XKMajor=0 XKMinor=0 CmMajor=0 CmMinor=0  
 DnsMajor=0 DnsMinor=0 DsMajor=0 DsMinor=0  
 Frame=7 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0 XKMajor=0 XKMinor=0 CmMajor=0 CmMinor=0  
 DnsMajor=0 DnsMinor=0 DsMajor=0 DsMinor=0  
 Frame=8 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0 XKMajor=0 XKMinor=0 CmMajor=0 CmMinor=0  
 DnsMajor=0 DnsMinor=0 DsMajor=0 DsMinor=0  
 Frame=9 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0 XKMajor=0 XKMinor=0 CmMajor=0 CmMinor=0  
 DnsMajor=0 DnsMinor=0 DsMajor=0 DsMinor=0  
 Frame=10 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0 XKMajor=0 XKMinor=0 CmMajor=0 CmMinor=0  
 DnsMajor=0 DnsMinor=0 DsMajor=0 DsMinor=0  
 Frame=11 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0  
 Frame=12 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0  
 Frame=16 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0  
 Frame=17 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0  
 Frame=18 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0 XKMajor=0 XKMinor=0 CmMajor=0 CmMinor=0  
 DnsMajor=0 DnsMinor=0 DsMajor=0 DsMinor=0  
 Frame=19 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0 XKMajor=0 XKMinor=0 CmMajor=0 CmMinor=0  
 DnsMajor=0 DnsMinor=0 DsMajor=0 DsMinor=0  
 Frame=20 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0 XKMajor=0 XKMinor=0 CmMajor=0 CmMinor=0  
 DnsMajor=0 DnsMinor=0 DsMajor=0 DsMinor=0  
 Frame=21 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0 XKMajor=0 XKMinor=0 CmMajor=0 CmMinor=0  
 DnsMajor=0 DnsMinor=0 DsMajor=0 DsMinor=0  
 Frame=22 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0 XKMajor=0 XKMinor=0 CmMajor=0 CmMinor=0  
 DnsMajor=0 DnsMinor=0 DsMajor=0 DsMinor=0  
 Frame=13 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0  
 Frame=140 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0 XKMajor=0 XKMinor=0 CmMajor=0 CmMinor=0  
 DnsMajor=0 DnsMinor=0 DsMajor=0 DsMinor=0  
 Frame=15 DesignSect="Program Determined" FrameType="Program Determined" RLLF=0 XLMajor=0 XLMinor=0

TABLE: "PREFERENCES - DIMENSIONAL"

MergeTol=0.001 FineGrid=0.25 Nudge=0.25 SelectTol=3 SnapTol=12 SLineThick=1 PLineThick=4 MaxFont=8 MinFont=3 AutoZoom=10 ShrinkFact=70  
 TextFileLen=240

TABLE: "PREFERENCES - STEEL DESIGN - AISC-LRFD93"

THDesign=Envelopes FrameType="Moment Frame" PatLLF=0.75 SRatioLimit=0.95 MaxIter=1 PhiB=0.9 PhiC=0.85 PhiT=0.9 PhiV=0.9 PhiCA=0.9 CheckDefl=No  
 DLRat=120 SDLAndLLRat=120 LLRat=360 TotalRat=240 NetRat=240

TABLE: "PREFERENCES - CONCRETE DESIGN - ACI 318-05/IBC2003"

THDesign=Envelopes NumCurves=24 NumPoints=11 MinEccen=Yes PatLLF=0.75 UFLimit=0.95 SeisCat=D PhiT=0.9 PhiCTied=0.65 PhiCSpiral=0.7 PhiV=0.75  
 PhiVSeismic=0.6 PhiVJoint=0.85

TABLE: "PREFERENCES - ALUMINUM DESIGN - AA-ASD 2000"

THDesign=Envelopes FrameType="Moment Frame" SRatioLimit=1 MaxIter=1 LatFact=1.3333333333333333 UseLatFact=No Bridge=No

TABLE: "PREFERENCES - COLD FORMED DESIGN - AISI-ASD96"

THDesign=Envelopes FrameType="Braced Frame" SRatioLimit=1 MaxIter=1 OmegaBS=1.67 OmegaBUS=1.67 OmegaLTB=1.67 OmegaVS=1.67 OmegaVNS=1.5  
 OmegaT=1.67 OmegaC=1.8

TABLE: "OPTIONS - COLORS - DISPLAY"

DeviceType=Screen Points=Yellow LinesFrame=Yellow LinesFrmDL=Yellow LinesCable=Green LinesTendon=Green SpringLinks=Green Restraints=Green  
 Releases=Green Axes=Cyan Text=Green ShadowLines=Gray8Dark \_  
 GuideLines=Gray8Dark Highlight=Red Selection=White AreaFillBot=Red AreaFillTop=16744703 AreaFillSd=Red AreaEdge=DarkRed SolidF1=Red SolidF2=Blue  
 SolidF3=Green SolidF4=Yellow SolidF5=White SolidF6=Cyan \_  
 SolidEdge=DarkRed Floor=Gray4 Background=Black BGLowLeft=Black BGLowRight=Black BGUpRight=Black Darkness=0.5  
 DeviceType=Printer Points=Gray8Dark LinesFrame=Black LinesFrmDL=Gray4 LinesCable=Black LinesTendon=Black SpringLinks=Gray8Dark Restraints=Gray8Dark  
 Releases=Gray4 Axes=Black Text=Black ShadowLines=Gray4 \_  
 GuideLines=Gray4 Highlight=Black Selection=Black AreaFillBot=Gray4 AreaFillTop=Gray8Dark AreaFillSd=Gray4 AreaEdge=Black SolidF1=Gray1Light SolidF2=Gray2  
 SolidF3=Gray3 SolidF4=Gray4 SolidF5=Gray5 \_  
 SolidF6=Gray6 SolidEdge=Black Floor=Gray4 Background=White BGLowLeft=White BGLowRight=White BGUpRight=White Darkness=0.5  
 DeviceType="Color Printer" Points=Black LinesFrame=7303023 LinesFrmDL=Blue LinesCable=Green LinesTendon=Green SpringLinks=Green Restraints=9408399  
 Releases=Green Axes=Cyan Text=Black ShadowLines=Gray8Dark \_  
 GuideLines=10461087 Highlight=Red Selection=10504778 AreaFillBot=16634568 AreaFillTop=14277119 AreaFillSd=16634568 AreaEdge=7303023 SolidF1=10122991  
 SolidF2=16756912 SolidF3=11599795 SolidF4=12713983 \_  
 SolidF5=White SolidF6=16777128 SolidEdge=7303023 Floor=13619151 Background=White BGLowLeft=White BGLowRight=14671839 BGUpRight=White  
 Darkness=0.5

TABLE: "OPTIONS - COLORS - OUTPUT"

PV\_E\_SR\_VS\_SO\_2\_B\_014\_001\_0\_002\_R\_A\_0

*Allegati alla relazione di Calcolo*

DeviceType=Screen Contour1=13107400 Contour2=6553828 Contour3=Red Contour4=16639 Contour5=Orange Contour6=43775 Contour7=54527 Contour8=Yellow  
 Contour9=65408 Contour10=Green Contour11=8453888 Contour12=Cyan \_  
 Contour13=16755200 Contour14=16733440 Contour15=Blue Transpare=0.5 Ratio1=Cyan Ratio2=Green Ratio3=Yellow Ratio4=Orange Ratio5=Red RatioNotD=Gray4  
 RatioNotC=Red RatioVal1=0.5 RatioVal2=0.7 RatioVal3=0.9 \_  
 RatioVal4=1 DFillPos=Yellow DFillNeg=Red DFillRPos=Blue DFillRNeg=Blue  
 DeviceType=Printer Contour1=Black Contour2=3158064 Contour3=4210752 Contour4=5263440 Contour5=6316128 Contour6=7368816 Contour7=Gray8Dark  
 Contour8=Gray7 Contour9=Gray6 Contour10=Gray5 Contour11=Gray4 \_  
 Contour12=Gray3 Contour13=Gray2 Contour14=Gray1Light Contour15=White Transpare=0 Ratio1=Gray2 Ratio2=Gray4 Ratio3=Gray8Dark Ratio4=4210752  
 Ratio5=Black RatioNotD=Gray4 RatioNotC=Black RatioVal1=0.5 \_  
 RatioVal2=0.7 RatioVal3=0.9 RatioVal4=1 DFillPos=Gray8Dark DFillNeg=Gray8Dark DFillRPos=4210752 DFillRNeg=4210752  
 DeviceType="Color Printer" Contour1=13107400 Contour2=6553828 Contour3=Red Contour4=16639 Contour5=Orange Contour6=43775 Contour7=54527  
 Contour8=Yellow Contour9=65408 Contour10=Green Contour11=8453888 \_  
 Contour12=Cyan Contour13=16755200 Contour14=16733440 Contour15=Blue Transpare=0.5 Ratio1=Cyan Ratio2=Green Ratio3=Yellow Ratio4=Orange Ratio5=Red  
 RatioNotD=Gray4 RatioNotC=Red RatioVal1=0.5 RatioVal2=0.7 \_  
 RatioVal3=0.9 RatioVal4=1 DFillPos=Red DFillNeg=Red DFillRPos=Blue DFillRNeg=Blue

## TABLE: "DATABASE FORMAT TYPES"

UnitsCurr=Yes OverrideE=No

## TABLE: "PROJECT INFORMATION"

Item="Company Name" Data="ISA Progetti"  
 Item="Client Name"  
 Item="Project Name"  
 Item="Project Number"  
 Item="Model Name"  
 Item="Model Description"  
 Item="Revision Number"  
 Item="Frame Type"  
 Item=Engineer  
 Item=Checker  
 Item=Supervisor  
 Item="Issue Code"  
 Item="Design Code"

## TABLE: "TABLES AUTOMATICALLY SAVED AFTER ANALYSIS"

SaveFile=Yes FileName=output.xls NamedSet=RIS1 Group=GROUP1

## TABLE: "NAMED SETS - DATABASE TABLES 1 - GENERAL"

DBNamedSet=RIS1 SortOrder="Elem, Cases" Unformatted=No ModeStart=1 ModeEnd=All ModalHist=Envelopes DirectHist=Envelopes NLStatic=Envelopes BaseReacX=0  
 BaseReacY=0 BaseReacZ=0 Combo=Envelopes Steady=Envelopes \_  
 SteadyOpt=Phases PSD=RMS Multistep=Envelopes NumTables=1 NumLoads=0 NumCases=0 NumGenDispl=0 NumSectCuts=0 NumVWSets=0 NumNLSSets=0  
 NumRSSets=0 NumPFSSets=0

## TABLE: "NAMED SETS - DATABASE TABLES 2 - SELECTIONS"

DBNamedSet=RIS1 SelectType=Table Selection="Element Forces - Frames"  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB\_0\_0\_STR  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB\_0\_1\_STR  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB\_0\_2\_STR  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB\_0\_2\_1\_STR  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB\_0\_3\_STR  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB\_0\_4\_STR  
 DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB\_0\_1\_GEO  
 DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB\_0\_2\_GEO  
 DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB\_0\_0\_GEO  
 DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB\_0\_2\_1\_GEO  
 DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB\_0\_3\_GEO  
 DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB\_0\_4\_GEO  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB1  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB2  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB3  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB4  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB5  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB6  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB7  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB8  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB9  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB10

PV\_E\_SR\_VS\_SO\_2\_B\_014-\_001\_0\_002\_R\_A\_0



*Allegati alla relazione di Calcolo*

DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB78  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB79  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB80  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB81  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB82  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB83  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB84  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB85  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB86  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB87  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB88  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB\_0\_2\_STR\_SBIL  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB\_0\_2\_1\_STR\_SBIL  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB\_0\_3\_STR\_SBIL  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB\_0\_4\_STR\_SBIL  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB89  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB90  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB91  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB92  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB93  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB94  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB95  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB96  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB97  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB98  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB99  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB100  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB101  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB102  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB103  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB104  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB105  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB106  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB107  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB108  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB109  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB110  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB111  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB112  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB113  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB114  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB115  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB116  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB117  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB118  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB119  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB120  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB121  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB122  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB123  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB124  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB125  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB126  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB127  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB128  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB129  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB130  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB131  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB132  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB133  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB134  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB135  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB136  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB137  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB138  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB139  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB140

PV\_E\_SR\_VS\_SO\_2\_B\_014-\_001\_0\_002\_R\_A\_0



DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB141  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB142  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB143  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB144  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB145  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB146  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB147  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB148  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB149  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB150  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB151  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB152  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB153  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB154  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB155  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB156  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB157  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB158  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB159  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB160  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB161  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB162  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB163  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB164  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB165  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB166  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB167  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB168  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB169  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB170  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB171  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB172  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB173  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB174  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB175  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB176  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB177\_0\_0  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB177\_0\_1  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB177\_0\_2  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB177\_0\_2\_1  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB177\_0\_3  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB177\_0\_4  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB177  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB178  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB181  
DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB182  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB185  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB186  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB189  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB190  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB\_0\_2\_GEO\_SBIL  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB\_0\_2\_1\_GEO\_SBIL  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB\_0\_3\_GEO\_SBIL  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB\_0\_4\_GEO\_SBIL  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB193  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB194  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB195  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB196  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB197  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB198  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB199  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB200  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB201  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB202  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB203  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB204  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB205

PV\_E\_SR\_VS\_SO\_2\_B\_014-001\_0\_002\_R\_A\_0





DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB340  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB341  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB342  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB343  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB344  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB345  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB346  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB347  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB348  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB349  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB350  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB351  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB352  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB353  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB354  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB355  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB356  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB357  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB358  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB359  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB360  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB361\_0\_0  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB361\_0\_1  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB361\_0\_2  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB361\_0\_2\_1  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB361\_0\_3  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB361\_0\_4  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB361  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB362  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB363  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB364  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB365  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB366  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB367  
DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB368  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB369  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB370  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB373  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB374  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB377  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB378  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB381  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB382  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB385  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB386  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB387  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB388  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB389  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB390  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB391  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB392  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB393  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB394  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB395  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB396  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB397  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB398  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB399  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB400  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB401  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB402  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB403  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB404  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB405  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB406  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB407  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB408

*Allegati alla relazione di Calcolo*

DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB409  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB410  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB411  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB412  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB413  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB414  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB415  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB416  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB417  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB418  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB419  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB420  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB421  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB422  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB423  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB424  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB425  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB426  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB427  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB428  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB429  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB430  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB431  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB432  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB433  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB434  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB435  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB436  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB437  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB438  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB439  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB440  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB441  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB442  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB443  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB444  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB445  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB446  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB447  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB448  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB449  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB450  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB451  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB452  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB453  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB454  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB455  
DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB456  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB457  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB458  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB459  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB460  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB461  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB462  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB463  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB464  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB465  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB466  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB467  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB468  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB469  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB470  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB471  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB472  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB473  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB474  
DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB475

PV\_E\_SR\_VS\_SO\_2\_B\_014-\_001\_0\_002\_R\_A\_0

DBNamedSet=RIS1 SelectType=Combo Selection=D\_COMB476  
 DBNamedSet=RIS1 SelectType=Combo Selection=E\_COMB477  
 DBNamedSet=RIS1 SelectType=Combo Selection=E\_COMB478  
 DBNamedSet=RIS1 SelectType=Combo Selection=E\_COMB479  
 DBNamedSet=RIS1 SelectType=Combo Selection=E\_COMB480  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB179  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB180  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB183  
 DBNamedSet=RIS1 SelectType=Combo Selection=A\_COMB184  
 DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB187  
 DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB188  
 DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB191  
 DBNamedSet=RIS1 SelectType=Combo Selection=B\_COMB192  
 DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB371  
 DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB372  
 DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB375  
 DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB376  
 DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB379  
 DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB380  
 DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB383  
 DBNamedSet=RIS1 SelectType=Combo Selection=C\_COMB384  
 DBNamedSet=RIS1 SelectType=Combo Selection=F\_COMB481  
 DBNamedSet=RIS1 SelectType=Combo Selection=F\_COMB482  
 DBNamedSet=RIS1 SelectType=Combo Selection=F\_COMB483  
 DBNamedSet=RIS1 SelectType=Combo Selection=F\_COMB484  
 DBNamedSet=RIS1 SelectType=Combo Selection=F\_COMB485  
 DBNamedSet=RIS1 SelectType=Combo Selection=F\_COMB486  
 DBNamedSet=RIS1 SelectType=Combo Selection=F\_COMB487  
 DBNamedSet=RIS1 SelectType=Combo Selection=F\_COMB488

TABLE: "FRAME OUTPUT STATION ASSIGNMENTS"

Frame=1 StationType=MaxStaSpcg MaxStaSpcg=0.5 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=2 StationType=MaxStaSpcg MaxStaSpcg=0.5 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=3 StationType=MinNumSta MinNumSta=3 AddAtElmInt=No AddAtPtLoad=No  
 Frame=4 StationType=MaxStaSpcg MaxStaSpcg=0.5 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=5 StationType=MaxStaSpcg MaxStaSpcg=0.5 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=6 StationType=MinNumSta MinNumSta=3 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=7 StationType=MinNumSta MinNumSta=3 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=8 StationType=MinNumSta MinNumSta=3 AddAtElmInt=No AddAtPtLoad=No  
 Frame=9 StationType=MinNumSta MinNumSta=3 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=10 StationType=MinNumSta MinNumSta=3 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=11 StationType=MaxStaSpcg MaxStaSpcg=0.5 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=12 StationType=MinNumSta MinNumSta=3 AddAtElmInt=No AddAtPtLoad=No  
 Frame=13 StationType=MaxStaSpcg MaxStaSpcg=0.5 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=140 StationType=MinNumSta MinNumSta=3 AddAtElmInt=No AddAtPtLoad=No  
 Frame=15 StationType=MaxStaSpcg MaxStaSpcg=0.5 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=16 StationType=MinNumSta MinNumSta=3 AddAtElmInt=No AddAtPtLoad=No  
 Frame=17 StationType=MaxStaSpcg MaxStaSpcg=0.5 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=18 StationType=MinNumSta MinNumSta=3 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=19 StationType=MinNumSta MinNumSta=3 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=20 StationType=MinNumSta MinNumSta=3 AddAtElmInt=No AddAtPtLoad=No  
 Frame=21 StationType=MinNumSta MinNumSta=3 AddAtElmInt=Yes AddAtPtLoad=Yes  
 Frame=22 StationType=MinNumSta MinNumSta=3 AddAtElmInt=Yes AddAtPtLoad=Yes

END TABLE DATA

## 2. TABLE: ELEMENT FORCES - FRAMES

Frame	Station	OutputCase	CaseType P	V2	V3	T	M2	M3	S11Max	PtS11Max	x2S11Max	x3S11Max	3S11Max	S11Min	PtS11Min		
Text	m	Text	Text	KN	KN	KN	KN-m	KN-m	KN-m	KN/m2	Text	m	m	KN/m2	Text	m	m
3	0	A_COMB_0_0_STR	Combination	-5.518	50.958	0	0	0	4.0302	107.15	1	-0.225	-0.5	-131.67	3		

PV\_E\_SR\_VS\_SO\_2\_B\_014-001\_0\_002\_R\_A\_0

## Allegati alla relazione di Calcolo

3	1.5	A_COMB_0_0_STR	Combination	-5.518	6.631	0	0	0	-38.9525	1141.89	3	0.225	-0.5	-1166.41	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB_0_0_STR	Combination	-5.518	-50.958	0	0	0	4.0302	107.15	1	-0.225	-0.5	-131.67	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB_0_1_STR	Combination	-5.518	50.958	0	0	0	4.0302	107.15	1	-0.225	-0.5	-131.67	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB_0_1_STR	Combination	-5.518	6.631	0	0	0	-38.9525	1141.89	3	0.225	-0.5	-1166.41	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB_0_1_STR	Combination	-5.518	-50.958	0	0	0	4.0302	107.15	1	-0.225	-0.5	-131.67	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB_0_2_STR	Combination	-165.346	50.958	0	0	0	61.5404	1455.98	1	-0.225	-0.5	-2190.85	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB_0_2_STR	Combination	-165.346	6.631	0	0	0	18.5577	182.42	1	-0.225	-0.5	-917.29	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB_0_2_STR	Combination	-165.346	-50.958	0	0	0	61.5404	1455.98	1	-0.225	-0.5	-2190.85	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB_0_2_1_STR	Combination	-166.117	70.615	0	0	0	0	61.7275	1459.82	1	-0.225	-0.5	-
2198.11	3	0.225	-0.5	01-mar	0										
3	1.5	A_COMB_0_2_1_STR	Combination	-166.117	9.639	0	0	0	0	1.8361	-314.75	1	-0.225	-0.5	-
423.55	3	0.225	-0.5	06-mar	0.25										
3	3	A_COMB_0_2_1_STR	Combination	-166.117	-70.615	0	0	0	0	61.7275	1459.82	1	-0.225	-0.5	-
2198.11	3	0.225	-0.5	12-mar	0.25										
3	0	A_COMB_0_3_STR	Combination	-166.117	70.615	0	0	0	61.7275	1459.82	1	-0.225	-0.5	-2198.11	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB_0_3_STR	Combination	-166.117	9.639	0	0	0	1.8361	-314.75	1	-0.225	-0.5	-423.55	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB_0_3_STR	Combination	-166.117	-70.615	0	0	0	61.7275	1459.82	1	-0.225	-0.5	-2198.11	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB_0_4_STR	Combination	-170.626	70.633	0	0	0	70.5907	1712.41	1	-0.225	-0.5	-2470.75	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB_0_4_STR	Combination	-170.626	9.652	0	0	0	10.6526	-63.54	1	-0.225	-0.5	-694.8	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB_0_4_STR	Combination	-170.626	-70.633	0	0	0	70.5907	1712.41	1	-0.225	-0.5	-2470.75	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB_0_1_GEO	Combination	-5.518	50.958	0	0	0	4.0302	107.15	1	-0.225	-0.5	-131.67	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB_0_1_GEO	Combination	-5.518	6.631	0	0	0	-38.9525	1141.89	3	0.225	-0.5	-1166.41	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB_0_1_GEO	Combination	-5.518	-50.958	0	0	0	4.0302	107.15	1	-0.225	-0.5	-131.67	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB_0_2_GEO	Combination	-171.602	50.958	0	0	0	63.7915	1508.78	1	-0.225	-0.5	-2271.45	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB_0_2_GEO	Combination	-171.602	6.631	0	0	0	20.8088	235.22	1	-0.225	-0.5	-997.89	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB_0_2_GEO	Combination	-171.602	-50.958	0	0	0	63.7915	1508.78	1	-0.225	-0.5	-2271.45	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB_0_0_GEO	Combination	-4.087	37.746	0	0	0	2.9853	79.37	1	-0.225	-0.5	-97.54	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB_0_0_GEO	Combination	-4.087	4.912	0	0	0	-28.8537	845.84	3	0.225	-0.5	-864.01	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB_0_0_GEO	Combination	-4.087	-37.746	0	0	0	2.9853	79.37	1	-0.225	-0.5	-97.54	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB_0_2_1_GEO	Combination	-172.173	65.519	0	0	0	0	63.9301	1511.62	1	-0.225	-0.5	-
2276.83	3	0.225	-0.5	01-mar	0										
3	1.5	B_COMB_0_2_1_GEO	Combination	-172.173	8.859	0	0	0	0	8.4224	-133.05	1	-0.225	-0.5	-
632.16	3	0.225	-0.5	06-mar	0.25										
3	3	B_COMB_0_2_1_GEO	Combination	-172.173	-65.519	0	0	0	0	63.9301	1511.62	1	-0.225	-0.5	-
2276.83	3	0.225	-0.5	12-mar	0.25										
3	0	B_COMB_0_3_GEO	Combination	-172.173	65.519	0	0	0	63.9301	1511.62	1	-0.225	-0.5	-2276.83	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB_0_3_GEO	Combination	-172.173	8.859	0	0	0	8.4224	-133.05	1	-0.225	-0.5	-632.16	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB_0_3_GEO	Combination	-172.173	-65.519	0	0	0	63.9301	1511.62	1	-0.225	-0.5	-2276.83	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB_0_4_GEO	Combination	-175.931	65.534	0	0	0	71.3161	1722.11	1	-0.225	-0.5	-2504.03	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	B_COMB_0_4_GEO	Combination	-175.931	8.87	0	0	0	15.7695	76.29	1	-0.225	-0.5	-858.2	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB_0_4_GEO	Combination	-175.931	-65.534	0	0	0	71.3161	1722.11	1	-0.225	-0.5	-2504.03	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB1	Combination	-230.225	103.366	0	0	0	96.3217	2342.37	1	-0.225	-0.5	-3365.59	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB1	Combination	-230.225	12.933	0	0	0	9.509	-229.86	1	-0.225	-0.5	-793.36	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB1	Combination	-230.225	-102.593	0	0	0	95.1623	2308.01	1	-0.225	-0.5	-3331.24	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB2	Combination	-238.96	148.593	0	0	0	110.6382	2747.15	1	-0.225	-0.5	-3809.19	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB2	Combination	-238.96	20.519	0	0	0	-14.3021	-107.26	3	0.225	-0.5	-954.79	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB2	Combination	-238.96	-122.129	0	0	0	85.8885	2013.82	1	-0.225	-0.5	-3075.87	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB3	Combination	-227.96	103.328	0	0	0	89.6878	2150.84	1	-0.225	-0.5	-3164	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB3	Combination	-227.96	12.919	0	0	0	2.9407	-419.45	1	-0.225	-0.5	-593.71	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB3	Combination	-227.96	-102.555	0	0	0	88.5284	2116.48	1	-0.225	-0.5	-3129.64	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB4	Combination	-236.695	148.555	0	0	0	104.0043	2555.62	1	-0.225	-0.5	-3607.6	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB4	Combination	-236.695	20.505	0	0	0	-20.8703	92.39	3	0.225	-0.5	-1144.37	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB4	Combination	-236.695	-122.091	0	0	0	79.2546	1822.3	1	-0.225	-0.5	-2874.27	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB5	Combination	-240.166	103.374	0	0	0	104.8305	2572.39	1	-0.225	-0.5	-3639.79	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB5	Combination	-240.166	12.936	0	0	0	18.0076	-0.14	1	-0.225	-0.5	-1067.26	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB5	Combination	-240.166	-102.601	0	0	0	103.6711	2538.03	1	-0.225	-0.5	-3605.44	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB6	Combination	-248.9	148.6	0	0	0	119.1469	2977.17	1	-0.225	-0.5	-4083.39	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB6	Combination	-248.9	20.522	0	0	0	-5.8034	-381.16	3	0.225	-0.5	-725.07	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB6	Combination	-248.9	-122.136	0	0	0	94.3973	2243.85	1	-0.225	-0.5	-3350.07	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB7	Combination	-237.901	103.336	0	0	0	98.1966	2380.86	1	-0.225	-0.5	-3438.2	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB7	Combination	-237.901	12.923	0	0	0	11.4393	-189.72	1	-0.225	-0.5	-867.61	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB7	Combination	-237.901	-102.563	0	0	0	97.0372	2346.51	1	-0.225	-0.5	-3403.84	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB8	Combination	-246.635	148.562	0	0	0	112.513	2785.64	1	-0.225	-0.5	-3881.8	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB8	Combination	-246.635	20.508	0	0	0	-12.3717	-181.51	3	0.225	-0.5	-914.65	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB8	Combination	-246.635	-122.098	0	0	0	87.7634	2052.32	1	-0.225	-0.5	-3148.47	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB9	Combination	-214.671	114.052	0	0	0	89.4656	2173.79	1	-0.225	-0.5	-3127.88	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB9	Combination	-214.671	13.8	0	0	0	-5.9623	-300.39	3	0.225	-0.5	-653.71	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB9	Combination	-214.671	-113.472	0	0	0	88.596	2148.02	1	-0.225	-0.5	-3102.11	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB10	Combination	-226.317	174.354	0	0	0	108.5542	2713.49	1	-0.225	-0.5	-3719.35	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB10	Combination	-226.317	23.914	0	0	0	-37.7103	614.42	3	0.225	-0.5	-1620.27	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB10	Combination	-226.317	-139.519	0	0	0	76.231	1755.77	1	-0.225	-0.5	-2761.62	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB11	Combination	-212.406	114.013	0	0	0	82.8316	1982.26	1	-0.225	-0.5	-2926.28	3
	0.225	-0.5	01-mar	0											



## Allegati alla relazione di Calcolo

3	1.5	A_COMB11	Combination	-212.406	13.786	0	0	0	-12.5305	-100.74	3	0.225	-0.5	-843.29	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB11	Combination	-212.406	-113.434	0	0	0	81.9621	1956.49	1	-0.225	-0.5	-2900.52	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB12	Combination	-224.052	174.315	0	0	0	101.9202	2521.97	1	-0.225	-0.5	-3517.75	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB12	Combination	-224.052	23.9	0	0	0	-44.2786	814.06	3	0.225	-0.5	-1809.85	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB12	Combination	-224.052	-139.481	0	0	0	69.597	1564.24	1	-0.225	-0.5	-2560.03	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB13	Combination	-224.611	114.059	0	0	0	97.9743	2403.81	1	-0.225	-0.5	-3402.08	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB13	Combination	-224.611	13.803	0	0	0	2.5364	-423.98	1	-0.225	-0.5	-574.29	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB13	Combination	-224.611	-113.48	0	0	0	97.1048	2378.04	1	-0.225	-0.5	-3376.31	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB14	Combination	-236.257	174.361	0	0	0	117.0629	2943.52	1	-0.225	-0.5	-3993.55	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB14	Combination	-236.257	23.917	0	0	0	-29.2117	340.51	3	0.225	-0.5	-1390.55	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB14	Combination	-236.257	-139.527	0	0	0	84.7397	1985.79	1	-0.225	-0.5	-3035.82	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB15	Combination	-222.221	114.009	0	0	0	90.2457	2180.12	1	-0.225	-0.5	-3167.77	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB15	Combination	-222.221	13.786	0	0	0	-5.1089	-342.45	3	0.225	-0.5	-645.2	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB15	Combination	-222.221	-113.429	0	0	0	89.3761	2154.36	1	-0.225	-0.5	-3142.01	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB16	Combination	-233.992	174.323	0	0	0	110.429	2751.99	1	-0.225	-0.5	-3791.95	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB16	Combination	-233.992	23.903	0	0	0	-35.7799	540.16	3	0.225	-0.5	-1580.13	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB16	Combination	-233.992	-139.489	0	0	0	78.1058	1794.26	1	-0.225	-0.5	-2834.23	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB17	Combination	-213.187	103.271	0	0	0	89.6883	2183.68	1	-0.225	-0.5	-3131.18	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB17	Combination	-213.187	12.84	0	0	0	3.0105	-384.55	1	-0.225	-0.5	-562.95	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB17	Combination	-213.187	-102.691	0	0	0	88.8187	2157.92	1	-0.225	-0.5	-3105.42	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB18	Combination	-221.922	148.497	0	0	0	104.0047	2588.46	1	-0.225	-0.5	-3574.78	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB18	Combination	-221.922	20.426	0	0	0	-20.8005	123.15	3	0.225	-0.5	-1109.47	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB18	Combination	-221.922	-122.226	0	0	0	79.5449	1863.73	1	-0.225	-0.5	-2850.05	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB19	Combination	-209.412	103.207	0	0	0	78.6317	1864.47	1	-0.225	-0.5	-2795.19	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB19	Combination	-209.412	12.817	0	0	0	-7.9366	-230.2	3	0.225	-0.5	-700.52	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB19	Combination	-209.412	-102.627	0	0	0	77.7622	1838.7	1	-0.225	-0.5	-2769.43	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB20	Combination	-218.147	148.433	0	0	0	92.9482	2269.25	1	-0.225	-0.5	-3238.79	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB20	Combination	-218.147	20.403	0	0	0	-31.7476	455.9	3	0.225	-0.5	-1425.44	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB20	Combination	-218.147	-122.162	0	0	0	68.4884	1544.51	1	-0.225	-0.5	-2514.06	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB21	Combination	-229.754	103.283	0	0	0	103.8696	2567.05	1	-0.225	-0.5	-3588.18	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB21	Combination	-229.754	12.845	0	0	0	17.1749	-1.68	1	-0.225	-0.5	-1019.45	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB21	Combination	-229.754	-102.704	0	0	0	103	2541.29	1	-0.225	-0.5	-3562.42	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB22	Combination	-238.489	148.51	0	0	0	118.186	2971.83	1	-0.225	-0.5	-4031.78	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB22	Combination	-238.489	20.431	0	0	0	-6.6362	-333.35	3	0.225	-0.5	-726.6	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB22	Combination	-238.489	-122.239	0	0	0	93.7262	2247.1	1	-0.225	-0.5	-3307.05	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB23	Combination	-225.979	103.219	0	0	0	92.813	2247.84	1	-0.225	-0.5	-3252.19	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB23	Combination	-225.979	12.822	0	0	0	6.2278	-317.65	1	-0.225	-0.5	-686.7	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB23	Combination	-225.979	-102.64	0	0	0	91.9434	2222.07	1	-0.225	-0.5	-3226.43	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB24	Combination	-234.714	148.446	0	0	0	107.1294	2652.62	1	-0.225	-0.5	-3695.79	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB24	Combination	-234.714	20.408	0	0	0	-17.5833	-0.6	3	0.225	-0.5	-1042.57	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB24	Combination	-234.714	-122.175	0	0	0	82.6696	1927.88	1	-0.225	-0.5	-2971.06	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB25	Combination	-249.878	93.88	0	0	0	90.6217	2129.8	1	-0.225	-0.5	-3240.37	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB25	Combination	-249.878	3.447	0	0	0	18.0383	-20.82	1	-0.225	-0.5	-1089.75	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB25	Combination	-249.878	-112.08	0	0	0	117.921	2938.67	1	-0.225	-0.5	-4049.24	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB26	Combination	-258.613	139.107	0	0	0	104.9382	2534.58	1	-0.225	-0.5	-3683.97	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB26	Combination	-258.613	11.033	0	0	0	-5.7727	-403.65	3	0.225	-0.5	-745.74	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB26	Combination	-258.613	-131.615	0	0	0	108.6472	2644.48	1	-0.225	-0.5	-3793.87	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB27	Combination	-247.613	93.842	0	0	0	83.9878	1938.28	1	-0.225	-0.5	-3038.78	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB27	Combination	-247.613	3.433	0	0	0	11.47	-210.4	1	-0.225	-0.5	-890.1	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB27	Combination	-247.613	-112.041	0	0	0	111.2871	2747.14	1	-0.225	-0.5	-3847.65	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB28	Combination	-256.348	139.068	0	0	0	98.3042	2343.06	1	-0.225	-0.5	-3482.38	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB28	Combination	-256.348	11.019	0	0	0	-12.341	-204	3	0.225	-0.5	-935.32	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB28	Combination	-256.348	-131.577	0	0	0	102.0133	2452.95	1	-0.225	-0.5	-3592.28	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB29	Combination	-259.818	93.888	0	0	0	99.1305	2359.82	1	-0.225	-0.5	-3514.57	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB29	Combination	-259.818	3.45	0	0	0	26.5369	208.9	1	-0.225	-0.5	-1363.65	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB29	Combination	-259.818	-112.087	0	0	0	126.4298	3168.69	1	-0.225	-0.5	-4323.44	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB30	Combination	-268.553	139.114	0	0	0	113.4469	2764.61	1	-0.225	-0.5	-3958.17	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB30	Combination	-268.553	11.036	0	0	0	2.7259	-516.02	1	-0.225	-0.5	-677.55	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB30	Combination	-268.553	-131.623	0	0	0	117.156	2874.5	1	-0.225	-0.5	-4068.07	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB31	Combination	-257.553	93.849	0	0	0	92.4965	2168.3	1	-0.225	-0.5	-3312.98	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB31	Combination	-257.553	3.436	0	0	0	19.9687	19.32	1	-0.225	-0.5	-1164	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB31	Combination	-257.553	-112.049	0	0	0	119.7958	2977.17	1	-0.225	-0.5	-4121.85	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB32	Combination	-266.288	139.076	0	0	0	106.813	2573.08	1	-0.225	-0.5	-3756.58	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB32	Combination	-266.288	11.022	0	0	0	-3.8424	-477.9	3	0.225	-0.5	-705.6	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB32	Combination	-266.288	-131.584	0	0	0	110.522	2682.98	1	-0.225	-0.5	-3866.48	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB33	Combination	-239.558	96.228	0	0	0	90.3765	2145.47	1	-0.225	-0.5	-3210.17	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB33	Combination	-239.558	5.798	0	0	0	14.262	-109.77	1	-0.225	-0.5	-954.93	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB33	Combination	-239.558	-109.733	0	0	0	110.6336	2745.68	1	-0.225	-0.5	-3810.38	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB34	Combination	-248.293	141.455	0	0	0	104.6929	2550.25	1	-0.225	-0.5	-3653.77	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB34	Combination	-248.293	13.383	0	0	0	-9.549	-268.83	3	0.225	-0.5	-834.7	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB34	Combination	-248.293	-129.269	0	0	0	101.3598	2451.49	1	-0.225	-0.5	-3555.01	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB35	Combination	-235.783	96.164	0	0	0	79.3199	1826.26	1	-0.225	-0.5	-2874.18	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB35	Combination	-235.783	5.775	0	0	0	3.3149	-425.74	1	-0.225	-0.5	-622.18	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB35	Combination	-235.783	-109.669	0	0	0	99.577	2426.47	1	-0.225	-0.5	-3474.39	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB36	Combination	-244.518	141.391	0	0	0	93.6364	2231.04	1	-0.225	-0.5	-3317.78	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB36	Combination	-244.518	13.36	0	0	0	-20.4961	63.92	3	0.225	-0.5	-1150.67	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB36	Combination	-244.518	-129.205	0	0	0	90.3032	2132.28	1	-0.225	-0.5	-3219.02	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB37	Combination	-256.125	96.241	0	0	0	104.5577	2528.84	1	-0.225	-0.5	-3667.17	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB37	Combination	-256.125	5.803	0	0	0	28.4264	273.1	1	-0.225	-0.5	-1411.43	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB37	Combination	-256.125	-109.746	0	0	0	124.8148	3129.05	1	-0.225	-0.5	-4267.38	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB38	Combination	-264.86	141.468	0	0	0	118.8742	2933.62	1	-0.225	-0.5	-4110.78	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB38	Combination	-264.86	13.388	0	0	0	4.6153	-451.83	1	-0.225	-0.5	-725.33	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB38	Combination	-264.86	-129.281	0	0	0	115.541	2834.86	1	-0.225	-0.5	-4012.02	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB39	Combination	-252.35	96.177	0	0	0	93.5012	2209.63	1	-0.225	-0.5	-3331.18	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB39	Combination	-252.35	5.78	0	0	0	17.4793	-42.87	1	-0.225	-0.5	-1078.68	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB39	Combination	-252.35	-109.682	0	0	0	113.7583	2809.84	1	-0.225	-0.5	-3931.39	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB40	Combination	-261.085	141.404	0	0	0	107.8176	2614.41	1	-0.225	-0.5	-3774.78	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB40	Combination	-261.085	13.365	0	0	0	-6.3318	-392.58	3	0.225	-0.5	-767.8	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB40	Combination	-261.085	-129.217	0	0	0	104.4845	2515.65	1	-0.225	-0.5	-3676.02	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB41	Combination	-230.091	102.796	0	0	0	95.9598	2331.94	1	-0.225	-0.5	-3354.57	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB41	Combination	-230.091	13.179	0	0	0	11.733	-163.67	1	-0.225	-0.5	-858.96	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB41	Combination	-230.091	-102.023	0	0	0	94.8004	2297.59	1	-0.225	-0.5	-3320.21	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB42	Combination	-238.826	148.023	0	0	0	110.2762	2736.72	1	-0.225	-0.5	-3798.17	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB42	Combination	-238.826	20.765	0	0	0	-12.078	-172.86	3	0.225	-0.5	-888.59	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB42	Combination	-238.826	-121.559	0	0	0	85.5266	2003.4	1	-0.225	-0.5	-3064.84	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB43	Combination	-227.826	102.758	0	0	0	89.3259	2140.41	1	-0.225	-0.5	-3152.97	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB43	Combination	-227.826	13.166	0	0	0	5.1647	-353.25	1	-0.225	-0.5	-659.31	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB43	Combination	-227.826	-101.985	0	0	0	88.1664	2106.06	1	-0.225	-0.5	-3118.62	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB44	Combination	-236.561	147.984	0	0	0	103.6423	2545.19	1	-0.225	-0.5	-3596.57	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB44	Combination	-236.561	20.751	0	0	0	-18.6463	26.79	3	0.225	-0.5	-1078.17	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB44	Combination	-236.561	-121.52	0	0	0	78.8927	1811.87	1	-0.225	-0.5	-2863.25	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB45	Combination	-240.031	102.804	0	0	0	104.4686	2561.96	1	-0.225	-0.5	-3628.77	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB45	Combination	-240.031	13.182	0	0	0	20.2316	66.05	1	-0.225	-0.5	-1132.86	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB45	Combination	-240.031	-102.031	0	0	0	103.3091	2527.61	1	-0.225	-0.5	-3594.41	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB46	Combination	-248.766	148.03	0	0	0	118.785	2966.74	1	-0.225	-0.5	-4072.37	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB46	Combination	-248.766	20.768	0	0	0	-3.5794	-446.76	3	0.225	-0.5	-658.87	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB46	Combination	-248.766	-121.566	0	0	0	94.0354	2233.42	1	-0.225	-0.5	-3339.05	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB47	Combination	-237.766	102.766	0	0	0	97.8346	2370.43	1	-0.225	-0.5	-3427.17	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB47	Combination	-237.766	13.169	0	0	0	13.6634	-123.53	1	-0.225	-0.5	-933.21	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB47	Combination	-237.766	-101.993	0	0	0	96.6752	2336.08	1	-0.225	-0.5	-3392.82	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB48	Combination	-246.501	147.992	0	0	0	112.1511	2775.21	1	-0.225	-0.5	-3870.77	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB48	Combination	-246.501	20.754	0	0	0	-10.1477	-247.11	3	0.225	-0.5	-848.45	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB48	Combination	-246.501	-121.528	0	0	0	87.4014	2041.89	1	-0.225	-0.5	-3137.45	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB49	Combination	-214.536	113.481	0	0	0	89.1036	2163.36	1	-0.225	-0.5	-3116.86	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB49	Combination	-214.536	14.046	0	0	0	-3.7382	-365.98	3	0.225	-0.5	-587.51	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB49	Combination	-214.536	-112.902	0	0	0	88.2341	2137.6	1	-0.225	-0.5	-3091.09	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB50	Combination	-226.183	173.783	0	0	0	108.1922	2703.07	1	-0.225	-0.5	-3708.32	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB50	Combination	-226.183	24.16	0	0	0	-35.4863	548.82	3	0.225	-0.5	-1554.07	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB50	Combination	-226.183	-138.949	0	0	0	75.869	1745.34	1	-0.225	-0.5	-2750.6	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB51	Combination	-212.271	113.443	0	0	0	82.4697	1971.83	1	-0.225	-0.5	-2915.26	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB51	Combination	-212.271	14.032	0	0	0	-10.3065	-166.34	3	0.225	-0.5	-777.09	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB51	Combination	-212.271	-112.863	0	0	0	81.6001	1946.07	1	-0.225	-0.5	-2889.5	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB52	Combination	-223.918	173.745	0	0	0	101.5583	2511.54	1	-0.225	-0.5	-3506.73	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB52	Combination	-223.918	24.146	0	0	0	-42.0545	748.47	3	0.225	-0.5	-1743.65	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB52	Combination	-223.918	-138.911	0	0	0	69.2351	1553.82	1	-0.225	-0.5	-2549	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB53	Combination	-224.477	113.489	0	0	0	97.6124	2393.38	1	-0.225	-0.5	-3391.06	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB53	Combination	-224.477	14.049	0	0	0	4.7604	-357.79	1	-0.225	-0.5	-639.89	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB53	Combination	-224.477	-112.909	0	0	0	96.7428	2367.62	1	-0.225	-0.5	-3365.29	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB54	Combination	-236.123	173.791	0	0	0	116.701	2933.09	1	-0.225	-0.5	-3982.52	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB54	Combination	-236.123	24.163	0	0	0	-26.9876	274.92	3	0.225	-0.5	-1324.35	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB54	Combination	-236.123	-138.957	0	0	0	84.3778	1975.36	1	-0.225	-0.5	-3024.8	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB55	Combination	-222.212	113.451	0	0	0	90.9785	2201.85	1	-0.225	-0.5	-3189.46	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB55	Combination	-222.212	14.035	0	0	0	-1.8079	-440.24	3	0.225	-0.5	-547.37	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB55	Combination	-222.212	-112.871	0	0	0	90.1089	2176.09	1	-0.225	-0.5	-3163.7	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB56	Combination	-233.727	173.74	0	0	0	108.9235	2707.97	1	-0.225	-0.5	-3746.76	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB56	Combination	-233.727	24.146	0	0	0	-34.681	508.19	3	0.225	-0.5	-1546.98	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB56	Combination	-233.727	-138.906	0	0	0	76.6003	1750.24	1	-0.225	-0.5	-2789.03	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB57	Combination	-213.053	102.7	0	0	0	89.3264	2173.26	1	-0.225	-0.5	-3120.16	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB57	Combination	-213.053	13.086	0	0	0	5.2345	-318.35	1	-0.225	-0.5	-628.55	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB57	Combination	-213.053	-102.121	0	0	0	88.4568	2147.49	1	-0.225	-0.5	-3094.39	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB58	Combination	-221.787	147.927	0	0	0	103.6428	2578.04	1	-0.225	-0.5	-3563.76	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB58	Combination	-221.787	20.672	0	0	0	-18.5765	57.55	3	0.225	-0.5	-1043.28	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB58	Combination	-221.787	-121.656	0	0	0	79.183	1853.3	1	-0.225	-0.5	-2839.02	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB59	Combination	-209.278	102.637	0	0	0	78.2698	1854.04	1	-0.225	-0.5	-2784.17	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB59	Combination	-209.278	13.063	0	0	0	-5.7126	-295.8	3	0.225	-0.5	-634.32	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB59	Combination	-209.278	-102.057	0	0	0	77.4002	1828.28	1	-0.225	-0.5	-2758.4	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB60	Combination	-218.013	147.863	0	0	0	92.5862	2258.82	1	-0.225	-0.5	-3227.77	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB60	Combination	-218.013	20.649	0	0	0	-29.5236	390.3	3	0.225	-0.5	-1359.25	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB60	Combination	-218.013	-121.592	0	0	0	68.1264	1534.09	1	-0.225	-0.5	-2503.03	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB61	Combination	-229.62	102.713	0	0	0	103.5076	2556.63	1	-0.225	-0.5	-3577.16	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB61	Combination	-229.62	13.091	0	0	0	19.3989	64.52	1	-0.225	-0.5	-1085.05	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB61	Combination	-229.62	-102.133	0	0	0	102.6381	2530.86	1	-0.225	-0.5	-3551.39	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB62	Combination	-238.355	147.94	0	0	0	117.8241	2961.41	1	-0.225	-0.5	-4020.76	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB62	Combination	-238.355	20.677	0	0	0	-4.4121	-398.95	3	0.225	-0.5	-660.41	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB62	Combination	-238.355	-121.669	0	0	0	93.3643	2236.67	1	-0.225	-0.5	-3296.03	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB63	Combination	-225.845	102.649	0	0	0	92.4511	2237.41	1	-0.225	-0.5	-3241.17	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB63	Combination	-225.845	13.068	0	0	0	8.4518	-251.45	1	-0.225	-0.5	-752.3	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB63	Combination	-225.845	-102.07	0	0	0	91.5815	2211.65	1	-0.225	-0.5	-3215.4	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB64	Combination	-234.58	147.876	0	0	0	106.7675	2642.19	1	-0.225	-0.5	-3684.77	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB64	Combination	-234.58	20.654	0	0	0	-15.3592	-66.2	3	0.225	-0.5	-976.38	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB64	Combination	-234.58	-121.605	0	0	0	82.3077	1917.46	1	-0.225	-0.5	-2960.03	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB65	Combination	-249.744	93.31	0	0	0	90.2598	2119.38	1	-0.225	-0.5	-3229.35	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB65	Combination	-249.744	3.693	0	0	0	20.2623	45.38	1	-0.225	-0.5	-1155.35	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB65	Combination	-249.744	-111.509	0	0	0	117.5591	2928.25	1	-0.225	-0.5	-4038.22	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB66	Combination	-258.478	138.536	0	0	0	104.5762	2524.16	1	-0.225	-0.5	-3672.95	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB66	Combination	-258.478	11.279	0	0	0	-3.5487	-469.25	3	0.225	-0.5	-679.54	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB66	Combination	-258.478	-131.045	0	0	0	108.2853	2634.06	1	-0.225	-0.5	-3782.85	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB67	Combination	-247.479	93.272	0	0	0	83.6258	1927.85	1	-0.225	-0.5	-3027.75	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB67	Combination	-247.479	3.679	0	0	0	13.6941	-144.2	1	-0.225	-0.5	-955.7	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB67	Combination	-247.479	-111.471	0	0	0	110.9251	2736.72	1	-0.225	-0.5	-3836.62	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB68	Combination	-256.213	138.498	0	0	0	97.9423	2332.63	1	-0.225	-0.5	-3471.36	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB68	Combination	-256.213	11.265	0	0	0	-10.117	-269.6	3	0.225	-0.5	-869.13	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB68	Combination	-256.213	-131.007	0	0	0	101.6513	2442.53	1	-0.225	-0.5	-3581.25	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB69	Combination	-259.684	93.318	0	0	0	98.7685	2349.4	1	-0.225	-0.5	-3503.55	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB69	Combination	-259.684	3.696	0	0	0	28.7609	275.1	1	-0.225	-0.5	-1429.25	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB69	Combination	-259.684	-111.517	0	0	0	126.0678	3158.27	1	-0.225	-0.5	-4312.42	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB70	Combination	-268.419	138.544	0	0	0	113.085	2754.18	1	-0.225	-0.5	-3947.15	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB70	Combination	-268.419	11.282	0	0	0	4.9499	-449.82	1	-0.225	-0.5	-743.15	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB70	Combination	-268.419	-131.053	0	0	0	116.794	2864.08	1	-0.225	-0.5	-4057.05	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB71	Combination	-257.419	93.279	0	0	0	92.1346	2157.87	1	-0.225	-0.5	-3301.96	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB71	Combination	-257.419	3.682	0	0	0	22.1927	85.52	1	-0.225	-0.5	-1229.6	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB71	Combination	-257.419	-111.479	0	0	0	119.4339	2966.74	1	-0.225	-0.5	-4110.82	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB72	Combination	-266.154	138.506	0	0	0	106.451	2562.65	1	-0.225	-0.5	-3745.56	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB72	Combination	-266.154	11.268	0	0	0	-1.6184	-543.5	3	0.225	-0.5	-639.4	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB72	Combination	-266.154	-131.014	0	0	0	110.1601	2672.55	1	-0.225	-0.5	-3855.46	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB73	Combination	-239.423	95.658	0	0	0	90.0145	2135.04	1	-0.225	-0.5	-3199.15	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB73	Combination	-239.423	6.044	0	0	0	16.486	-43.58	1	-0.225	-0.5	-1020.53	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB73	Combination	-239.423	-109.163	0	0	0	110.2716	2735.26	1	-0.225	-0.5	-3799.36	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB74	Combination	-248.158	140.885	0	0	0	104.331	2539.83	1	-0.225	-0.5	-3642.75	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB74	Combination	-248.158	13.629	0	0	0	-7.325	-334.43	3	0.225	-0.5	-768.5	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB74	Combination	-248.158	-128.698	0	0	0	100.9978	2441.07	1	-0.225	-0.5	-3543.99	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB75	Combination	-235.649	95.594	0	0	0	78.958	1815.83	1	-0.225	-0.5	-2863.16	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB75	Combination	-235.649	6.021	0	0	0	5.5389	-359.55	1	-0.225	-0.5	-687.78	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB75	Combination	-235.649	-109.099	0	0	0	99.2151	2416.04	1	-0.225	-0.5	-3463.37	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB76	Combination	-244.383	140.821	0	0	0	93.2744	2220.61	1	-0.225	-0.5	-3306.76	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB76	Combination	-244.383	13.606	0	0	0	-18.2721	-1.68	3	0.225	-0.5	-1084.47	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB76	Combination	-244.383	-128.635	0	0	0	89.9413	2121.85	1	-0.225	-0.5	-3208	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB77	Combination	-255.991	95.671	0	0	0	104.1958	2518.41	1	-0.225	-0.5	-3656.15	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB77	Combination	-255.991	6.049	0	0	0	30.6504	339.29	1	-0.225	-0.5	-1477.03	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB77	Combination	-255.991	-109.176	0	0	0	124.4529	3118.62	1	-0.225	-0.5	-4256.36	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB78	Combination	-264.725	140.897	0	0	0	118.5122	2923.2	1	-0.225	-0.5	-4099.75	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB78	Combination	-264.725	13.635	0	0	0	6.8394	-385.63	1	-0.225	-0.5	-790.93	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB78	Combination	-264.725	-128.711	0	0	0	115.1791	2824.44	1	-0.225	-0.5	-4000.99	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB79	Combination	-252.216	95.607	0	0	0	93.1392	2199.2	1	-0.225	-0.5	-3320.16	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB79	Combination	-252.216	6.026	0	0	0	19.7033	23.32	1	-0.225	-0.5	-1144.28	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB79	Combination	-252.216	-109.112	0	0	0	113.3963	2799.41	1	-0.225	-0.5	-3920.37	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB80	Combination	-260.95	140.834	0	0	0	107.4557	2603.98	1	-0.225	-0.5	-3763.76	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB80	Combination	-260.95	13.611	0	0	0	-4.1077	-458.18	3	0.225	-0.5	-701.6	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB80	Combination	-260.95	-128.647	0	0	0	104.1225	2505.22	1	-0.225	-0.5	-3665	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB81	Combination	-240.909	95.467	0	0	0	89.9097	2128.64	1	-0.225	-0.5	-3199.34	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB81	Combination	-240.909	6.123	0	0	0	17.2532	-24.15	1	-0.225	-0.5	-1046.56	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB81	Combination	-240.909	-108.972	0	0	0	110.1668	2728.85	1	-0.225	-0.5	-3799.55	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB82	Combination	-249.643	140.694	0	0	0	104.2262	2533.42	1	-0.225	-0.5	-3642.95	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB82	Combination	-249.643	13.708	0	0	0	-6.5579	-360.46	3	0.225	-0.5	-749.07	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB82	Combination	-249.643	-128.508	0	0	0	100.893	2434.66	1	-0.225	-0.5	-3544.19	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB83	Combination	-238.644	95.429	0	0	0	83.2758	1937.11	1	-0.225	-0.5	-2997.75	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB83	Combination	-238.644	6.109	0	0	0	10.6849	-213.73	1	-0.225	-0.5	-846.91	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB83	Combination	-238.644	-108.934	0	0	0	103.5329	2537.32	1	-0.225	-0.5	-3597.96	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB84	Combination	-247.378	140.655	0	0	0	97.5922	2341.89	1	-0.225	-0.5	-3441.35	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB84	Combination	-247.378	13.694	0	0	0	-13.1261	-160.81	3	0.225	-0.5	-938.65	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB84	Combination	-247.378	-128.469	0	0	0	94.2591	2243.13	1	-0.225	-0.5	-3342.59	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB85	Combination	-250.849	95.475	0	0	0	98.4185	2358.66	1	-0.225	-0.5	-3473.54	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB85	Combination	-250.849	6.126	0	0	0	25.7518	205.57	1	-0.225	-0.5	-1320.46	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB85	Combination	-250.849	-108.98	0	0	0	118.6756	2958.87	1	-0.225	-0.5	-4073.76	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB86	Combination	-259.584	140.701	0	0	0	112.7349	2763.44	1	-0.225	-0.5	-3917.15	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB86	Combination	-259.584	13.711	0	0	0	1.9408	-519.35	1	-0.225	-0.5	-634.36	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB86	Combination	-259.584	-128.515	0	0	0	109.4018	2664.68	1	-0.225	-0.5	-3818.39	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB87	Combination	-248.584	95.437	0	0	0	91.7845	2167.13	1	-0.225	-0.5	-3271.95	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB87	Combination	-248.584	6.112	0	0	0	19.1835	15.99	1	-0.225	-0.5	-1120.81	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB87	Combination	-248.584	-108.941	0	0	0	112.0416	2767.34	1	-0.225	-0.5	-3872.16	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB88	Combination	-257.319	140.663	0	0	0	106.101	2571.91	1	-0.225	-0.5	-3715.55	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB88	Combination	-257.319	13.697	0	0	0	-4.6275	-434.71	3	0.225	-0.5	-708.93	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB88	Combination	-257.319	-128.477	0	0	0	102.7678	2473.15	1	-0.225	-0.5	-3616.79	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB_0_2_STR_SBIL	Combination	-138.708	51.09	0	0	0	52.1536	1237.05	1	-0.225	-0.5	-	-
1853.53	3	0.225	-0.5	01-mar	0										
3	1.5	A_COMB_0_2_STR_SBIL	Combination	-138.708	6.763	0	0	0	8.9726	-42.38	1	-0.225	-0.5	-	-
574.1	3	0.225	-0.5	06-mar	0.25										
3	3	A_COMB_0_2_STR_SBIL	Combination	-138.708	-50.825	0	0	0	51.7571	1225.3	1	-0.225	-0.5	-	-
1841.78	3	0.225	-0.5	12-mar	0.25										
3	0	A_COMB_0_2_1_STR_SBIL	Combination	-139.479	70.747	0	0	0	52.3408	1240.88	1	-0.225	-0.5	-	-
1860.79	3	0.225	-0.5	01-mar	0										
3	1.5	A_COMB_0_2_1_STR_SBIL	Combination	-139.479	9.771	0	0	0	-7.749	-80.35	3	0.225	-0.5	-	-
539.55	1	-0.225	-0.5	06-mar	0.25										
3	3	A_COMB_0_2_1_STR_SBIL	Combination	-139.479	-70.483	0	0	0	51.9443	1229.14	1	-0.225	-0.5	-	-
1849.04	3	0.225	-0.5	12-mar	0.25										
3	0	A_COMB_0_3_STR_SBIL	Combination	-139.479	70.747	0	0	0	52.3408	1240.88	1	-0.225	-0.5	-	-
1860.79	3	0.225	-0.5	01-mar	0										
3	1.5	A_COMB_0_3_STR_SBIL	Combination	-139.479	9.771	0	0	0	-7.749	-80.35	3	0.225	-0.5	-	-
539.55	1	-0.225	-0.5	06-mar	0.25										
3	3	A_COMB_0_3_STR_SBIL	Combination	-139.479	-70.483	0	0	0	51.9443	1229.14	1	-0.225	-0.5	-	-
1849.04	3	0.225	-0.5	12-mar	0.25										
3	0	A_COMB_0_4_STR_SBIL	Combination	-143.988	70.765	0	0	0	61.204	1493.48	1	-0.225	-0.5	-	-
2133.42	3	0.225	-0.5	01-mar	0										
3	1.5	A_COMB_0_4_STR_SBIL	Combination	-143.988	9.784	0	0	0	1.0675	-288.34	1	-0.225	-0.5	-	-
351.61	3	0.225	-0.5	06-mar	0.25										
3	3	A_COMB_0_4_STR_SBIL	Combination	-143.988	-70.501	0	0	0	60.8075	1481.73	1	-0.225	-0.5	-	-
2121.68	3	0.225	-0.5	12-mar	0.25										
3	0	A_COMB89	Combination	-203.587	103.498	0	0	0	86.935	2123.43	1	-0.225	-0.5	-3028.27	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB89	Combination	-203.587	13.065	0	0	0	-0.0761	-450.16	3	0.225	-0.5	-454.67	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB89	Combination	-203.587	-102.461	0	0	0	85.379	2077.33	1	-0.225	-0.5	-2982.17	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB90	Combination	-212.322	148.725	0	0	0	101.2514	2528.21	1	-0.225	-0.5	-3471.87	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB90	Combination	-212.322	20.651	0	0	0	-23.8871	235.94	3	0.225	-0.5	-1179.59	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB90	Combination	-212.322	-121.997	0	0	0	76.1053	1783.14	1	-0.225	-0.5	-2726.8	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB91	Combination	-201.322	103.46	0	0	0	80.301	1931.91	1	-0.225	-0.5	-2826.67	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB91	Combination	-201.322	13.052	0	0	0	-6.6443	-250.51	3	0.225	-0.5	-644.25	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB91	Combination	-201.322	-102.423	0	0	0	78.7451	1885.81	1	-0.225	-0.5	-2780.57	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB92	Combination	-210.057	148.687	0	0	0	94.6175	2336.69	1	-0.225	-0.5	-3270.27	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB92	Combination	-210.057	20.637	0	0	0	-30.4554	435.59	3	0.225	-0.5	-1369.17	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB92	Combination	-210.057	-121.958	0	0	0	69.4713	1591.62	1	-0.225	-0.5	-2525.2	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB93	Combination	-213.528	103.506	0	0	0	95.4437	2353.46	1	-0.225	-0.5	-3302.47	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB93	Combination	-213.528	13.069	0	0	0	8.4226	-224.95	1	-0.225	-0.5	-724.06	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB93	Combination	-213.528	-102.469	0	0	0	93.8878	2307.36	1	-0.225	-0.5	-3256.37	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB94	Combination	-222.262	148.733	0	0	0	109.7602	2758.24	1	-0.225	-0.5	-3746.07	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB94	Combination	-222.262	20.654	0	0	0	-15.3885	-37.96	3	0.225	-0.5	-949.87	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB94	Combination	-222.262	-122.004	0	0	0	84.614	2013.17	1	-0.225	-0.5	-3001	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB95	Combination	-211.263	103.468	0	0	0	88.8098	2161.93	1	-0.225	-0.5	-3100.87	3
	0.225	-0.5	01-mar	0											



## Allegati alla relazione di Calcolo

3	1.5	A_COMB95	Combination	-211.263	13.055	0	0	0	1.8543	-414.53	1	-0.225	-0.5	-524.41	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB95	Combination	-211.263	-102.431	0	0	0	87.2539	2115.83	1	-0.225	-0.5	-3054.77	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB96	Combination	-219.997	148.694	0	0	0	103.1262	2566.71	1	-0.225	-0.5	-3544.47	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB96	Combination	-219.997	20.64	0	0	0	-21.9567	161.69	3	0.225	-0.5	-1139.45	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB96	Combination	-219.997	-121.966	0	0	0	77.9801	1821.64	1	-0.225	-0.5	-2799.4	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB97	Combination	-188.033	114.184	0	0	0	80.0788	1954.85	1	-0.225	-0.5	-2790.56	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB97	Combination	-188.033	13.932	0	0	0	-15.5473	42.81	3	0.225	-0.5	-878.51	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB97	Combination	-188.033	-113.34	0	0	0	78.8127	1917.34	1	-0.225	-0.5	-2753.04	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB98	Combination	-199.679	174.486	0	0	0	99.1674	2494.56	1	-0.225	-0.5	-3382.02	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB98	Combination	-199.679	24.046	0	0	0	-47.2953	957.61	3	0.225	-0.5	-1845.07	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB98	Combination	-199.679	-139.387	0	0	0	66.4477	1525.09	1	-0.225	-0.5	-2412.55	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB99	Combination	-185.768	114.145	0	0	0	73.4449	1763.33	1	-0.225	-0.5	-2588.96	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB99	Combination	-185.768	13.918	0	0	0	-22.1156	242.46	3	0.225	-0.5	-1068.09	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB99	Combination	-185.768	-113.301	0	0	0	72.1788	1725.81	1	-0.225	-0.5	-2551.45	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB100	Combination	-197.414	174.447	0	0	0	92.5335	2303.03	1	-0.225	-0.5	-3180.43	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB100	Combination	-197.414	24.032	0	0	0	-53.8636	1157.26	3	0.225	-0.5	-2034.66	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB100	Combination	-197.414	-139.349	0	0	0	59.8137	1333.56	1	-0.225	-0.5	-2210.96	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB101	Combination	-197.973	114.191	0	0	0	88.5876	2184.88	1	-0.225	-0.5	-3064.76	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB101	Combination	-197.973	13.935	0	0	0	-7.0487	-231.09	3	0.225	-0.5	-648.79	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB101	Combination	-197.973	-113.347	0	0	0	87.3215	2147.36	1	-0.225	-0.5	-3027.24	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB102	Combination	-209.619	174.493	0	0	0	107.6761	2724.58	1	-0.225	-0.5	-3656.23	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB102	Combination	-209.619	24.049	0	0	0	-38.7967	683.71	3	0.225	-0.5	-1615.35	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB102	Combination	-209.619	-139.395	0	0	0	74.9564	1755.11	1	-0.225	-0.5	-2686.75	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB103	Combination	-195.708	114.153	0	0	0	81.9536	1993.35	1	-0.225	-0.5	-2863.16	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB103	Combination	-195.708	13.921	0	0	0	-13.6169	-31.44	3	0.225	-0.5	-838.37	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB103	Combination	-195.708	-113.309	0	0	0	80.6876	1955.84	1	-0.225	-0.5	-2825.65	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB104	Combination	-207.354	174.455	0	0	0	101.0422	2533.06	1	-0.225	-0.5	-3454.63	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB104	Combination	-207.354	24.035	0	0	0	-45.365	883.36	3	0.225	-0.5	-1804.93	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB104	Combination	-207.354	-139.356	0	0	0	68.3225	1563.58	1	-0.225	-0.5	-2485.16	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB105	Combination	-186.549	103.403	0	0	0	80.3015	1964.75	1	-0.225	-0.5	-2793.86	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB105	Combination	-186.549	12.972	0	0	0	-6.5745	-219.75	3	0.225	-0.5	-609.36	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB105	Combination	-186.549	-102.559	0	0	0	79.0355	1927.24	1	-0.225	-0.5	-2756.35	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB106	Combination	-195.284	148.629	0	0	0	94.618	2369.53	1	-0.225	-0.5	-3237.46	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB106	Combination	-195.284	20.558	0	0	0	-30.3856	466.35	3	0.225	-0.5	-1334.28	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB106	Combination	-195.284	-122.094	0	0	0	69.7617	1633.05	1	-0.225	-0.5	-2500.98	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB107	Combination	-182.774	103.339	0	0	0	69.2449	1645.54	1	-0.225	-0.5	-2457.87	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB107	Combination	-182.774	12.949	0	0	0	-17.5217	112.99	3	0.225	-0.5	-925.33	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB107	Combination	-182.774	-102.495	0	0	0	67.9789	1608.02	1	-0.225	-0.5	-2420.35	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB108	Combination	-191.509	148.565	0	0	0	83.5614	2050.32	1	-0.225	-0.5	-2901.47	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB108	Combination	-191.509	20.535	0	0	0	-41.3327	799.1	3	0.225	-0.5	-1650.25	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB108	Combination	-191.509	-122.03	0	0	0	58.7051	1313.83	1	-0.225	-0.5	-2164.99	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB109	Combination	-203.116	103.415	0	0	0	94.4828	2348.12	1	-0.225	-0.5	-3250.86	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB109	Combination	-203.116	12.977	0	0	0	7.5898	-226.49	1	-0.225	-0.5	-676.25	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB109	Combination	-203.116	-102.571	0	0	0	93.2167	2310.61	1	-0.225	-0.5	-3213.35	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB110	Combination	-211.851	148.642	0	0	0	108.7992	2752.9	1	-0.225	-0.5	-3694.46	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB110	Combination	-211.851	20.563	0	0	0	-16.2212	9.85	3	0.225	-0.5	-951.41	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB110	Combination	-211.851	-122.107	0	0	0	83.9429	2016.42	1	-0.225	-0.5	-2957.98	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB111	Combination	-199.341	103.352	0	0	0	83.4262	2028.91	1	-0.225	-0.5	-2914.87	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB111	Combination	-199.341	12.954	0	0	0	-3.3573	-343.51	3	0.225	-0.5	-542.46	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB111	Combination	-199.341	-102.508	0	0	0	82.1602	1991.39	1	-0.225	-0.5	-2877.36	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB112	Combination	-208.076	148.578	0	0	0	97.7427	2433.69	1	-0.225	-0.5	-3358.47	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB112	Combination	-208.076	20.54	0	0	0	-27.1683	342.6	3	0.225	-0.5	-1267.38	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB112	Combination	-208.076	-122.043	0	0	0	72.8864	1697.2	1	-0.225	-0.5	-2621.99	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB113	Combination	-223.24	94.012	0	0	0	81.2349	1910.87	1	-0.225	-0.5	-2903.05	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB113	Combination	-223.24	3.579	0	0	0	8.4533	-245.62	1	-0.225	-0.5	-746.56	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB113	Combination	-223.24	-111.947	0	0	0	108.1377	2707.99	1	-0.225	-0.5	-3700.17	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB114	Combination	-231.975	139.239	0	0	0	95.5514	2315.65	1	-0.225	-0.5	-3346.65	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB114	Combination	-231.975	11.165	0	0	0	-15.3578	-60.45	3	0.225	-0.5	-970.54	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB114	Combination	-231.975	-131.483	0	0	0	98.8639	2413.8	1	-0.225	-0.5	-3444.8	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB115	Combination	-220.975	93.974	0	0	0	74.601	1719.34	1	-0.225	-0.5	-2701.46	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB115	Combination	-220.975	3.565	0	0	0	1.885	-435.2	1	-0.225	-0.5	-546.91	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB115	Combination	-220.975	-111.909	0	0	0	101.5038	2516.46	1	-0.225	-0.5	-3498.58	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB116	Combination	-229.71	139.2	0	0	0	88.9174	2124.12	1	-0.225	-0.5	-3145.06	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB116	Combination	-229.71	11.151	0	0	0	-21.926	139.19	3	0.225	-0.5	-1160.13	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB116	Combination	-229.71	-131.445	0	0	0	92.23	2222.27	1	-0.225	-0.5	-3243.21	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB117	Combination	-233.18	94.02	0	0	0	89.7437	2140.89	1	-0.225	-0.5	-3177.25	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB117	Combination	-233.18	3.582	0	0	0	16.9519	-15.9	1	-0.225	-0.5	-1020.46	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB117	Combination	-233.18	-111.955	0	0	0	116.6465	2938.01	1	-0.225	-0.5	-3974.37	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB118	Combination	-241.915	139.246	0	0	0	104.0601	2545.67	1	-0.225	-0.5	-3620.85	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB118	Combination	-241.915	11.168	0	0	0	-6.8591	-334.36	3	0.225	-0.5	-740.82	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB118	Combination	-241.915	-131.491	0	0	0	107.3727	2643.82	1	-0.225	-0.5	-3719	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB119	Combination	-230.915	93.982	0	0	0	83.1097	1949.37	1	-0.225	-0.5	-2975.66	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB119	Combination	-230.915	3.568	0	0	0	10.3836	-205.48	1	-0.225	-0.5	-820.81	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB119	Combination	-230.915	-111.917	0	0	0	110.0126	2746.49	1	-0.225	-0.5	-3772.78	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB120	Combination	-239.65	139.208	0	0	0	97.4262	2354.15	1	-0.225	-0.5	-3419.26	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB120	Combination	-239.65	11.154	0	0	0	-13.4274	-134.71	3	0.225	-0.5	-930.4	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB120	Combination	-239.65	-131.452	0	0	0	100.7388	2452.3	1	-0.225	-0.5	-3517.41	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB121	Combination	-212.92	96.361	0	0	0	80.9897	1926.54	1	-0.225	-0.5	-2872.85	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB121	Combination	-212.92	5.93	0	0	0	4.677	-334.58	1	-0.225	-0.5	-611.73	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB121	Combination	-212.92	-109.601	0	0	0	100.8503	2515	1	-0.225	-0.5	-3461.31	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB122	Combination	-221.655	141.587	0	0	0	95.3061	2331.32	1	-0.225	-0.5	-3316.45	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB122	Combination	-221.655	13.516	0	0	0	-19.1341	74.37	3	0.225	-0.5	-1059.5	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB122	Combination	-221.655	-129.136	0	0	0	91.5765	2220.81	1	-0.225	-0.5	-3205.94	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB123	Combination	-209.145	96.297	0	0	0	69.9331	1607.33	1	-0.225	-0.5	-2536.86	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB123	Combination	-209.145	5.907	0	0	0	-6.2701	-278.98	3	0.225	-0.5	-650.55	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB123	Combination	-209.145	-109.537	0	0	0	89.7937	2195.79	1	-0.225	-0.5	-3125.32	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB124	Combination	-217.88	141.523	0	0	0	84.2496	2012.11	1	-0.225	-0.5	-2980.46	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB124	Combination	-217.88	13.492	0	0	0	-30.0812	407.12	3	0.225	-0.5	-1375.47	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB124	Combination	-217.88	-129.073	0	0	0	80.5199	1901.6	1	-0.225	-0.5	-2869.95	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB125	Combination	-229.487	96.373	0	0	0	95.1709	2309.91	1	-0.225	-0.5	-3329.85	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB125	Combination	-229.487	5.935	0	0	0	18.8413	48.29	1	-0.225	-0.5	-1068.23	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB125	Combination	-229.487	-109.614	0	0	0	115.0315	2898.37	1	-0.225	-0.5	-3918.31	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB126	Combination	-238.222	141.6	0	0	0	109.4874	2714.69	1	-0.225	-0.5	-3773.45	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB126	Combination	-238.222	13.521	0	0	0	-4.9697	-382.13	3	0.225	-0.5	-676.63	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB126	Combination	-238.222	-129.149	0	0	0	105.7578	2604.18	1	-0.225	-0.5	-3662.94	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB127	Combination	-225.712	96.309	0	0	0	84.1144	1990.7	1	-0.225	-0.5	-2993.86	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB127	Combination	-225.712	5.912	0	0	0	7.8942	-267.68	1	-0.225	-0.5	-735.49	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB127	Combination	-225.712	-109.55	0	0	0	103.975	2579.16	1	-0.225	-0.5	-3582.32	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB128	Combination	-234.447	141.536	0	0	0	98.4308	2395.48	1	-0.225	-0.5	-3437.46	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB128	Combination	-234.447	13.498	0	0	0	-15.9168	-49.38	3	0.225	-0.5	-992.6	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB128	Combination	-234.447	-129.085	0	0	0	94.7012	2284.97	1	-0.225	-0.5	-3326.95	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB129	Combination	-203.453	102.928	0	0	0	86.573	2113.01	1	-0.225	-0.5	-3017.24	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB129	Combination	-203.453	13.312	0	0	0	2.148	-388.47	1	-0.225	-0.5	-515.76	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB129	Combination	-203.453	-101.891	0	0	0	85.0171	2066.91	1	-0.225	-0.5	-2971.14	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB130	Combination	-212.188	148.155	0	0	0	100.8895	2517.79	1	-0.225	-0.5	-3460.85	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB130	Combination	-212.188	20.897	0	0	0	-21.6631	170.34	3	0.225	-0.5	-1113.4	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB130	Combination	-212.188	-121.427	0	0	0	75.7433	1772.72	1	-0.225	-0.5	-2715.77	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB131	Combination	-201.188	102.89	0	0	0	79.9391	1921.48	1	-0.225	-0.5	-2815.65	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB131	Combination	-201.188	13.298	0	0	0	-4.4203	-316.11	3	0.225	-0.5	-578.06	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB131	Combination	-201.188	-101.853	0	0	0	78.3832	1875.38	1	-0.225	-0.5	-2769.55	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB132	Combination	-209.923	148.117	0	0	0	94.2555	2326.26	1	-0.225	-0.5	-3259.25	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB132	Combination	-209.923	20.883	0	0	0	-28.2313	369.99	3	0.225	-0.5	-1302.98	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB132	Combination	-209.923	-121.388	0	0	0	69.1094	1581.19	1	-0.225	-0.5	-2514.18	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB133	Combination	-213.393	102.936	0	0	0	95.0818	2343.03	1	-0.225	-0.5	-3291.44	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB133	Combination	-213.393	13.315	0	0	0	10.6466	-158.75	1	-0.225	-0.5	-789.66	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB133	Combination	-213.393	-101.899	0	0	0	93.5259	2296.93	1	-0.225	-0.5	-3245.34	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB134	Combination	-222.128	148.162	0	0	0	109.3982	2747.81	1	-0.225	-0.5	-3735.05	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB134	Combination	-222.128	20.9	0	0	0	-13.1644	-103.56	3	0.225	-0.5	-883.68	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB134	Combination	-222.128	-121.434	0	0	0	84.2521	2002.74	1	-0.225	-0.5	-2989.98	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB135	Combination	-211.128	102.898	0	0	0	88.4478	2151.5	1	-0.225	-0.5	-3089.85	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB135	Combination	-211.128	13.301	0	0	0	4.0783	-348.33	1	-0.225	-0.5	-590.01	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB135	Combination	-211.128	-101.86	0	0	0	86.8919	2105.4	1	-0.225	-0.5	-3043.75	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB136	Combination	-219.863	148.124	0	0	0	102.7643	2556.28	1	-0.225	-0.5	-3533.45	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB136	Combination	-219.863	20.886	0	0	0	-19.7327	96.09	3	0.225	-0.5	-1073.26	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB136	Combination	-219.863	-121.396	0	0	0	77.6181	1811.21	1	-0.225	-0.5	-2788.38	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB137	Combination	-187.898	113.614	0	0	0	79.7169	1944.43	1	-0.225	-0.5	-2779.53	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB137	Combination	-187.898	14.178	0	0	0	-13.3233	-22.79	3	0.225	-0.5	-812.32	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB137	Combination	-187.898	-112.77	0	0	0	78.4508	1906.92	1	-0.225	-0.5	-2742.02	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB138	Combination	-199.545	173.916	0	0	0	98.8054	2484.14	1	-0.225	-0.5	-3371	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB138	Combination	-199.545	24.292	0	0	0	-45.0713	892.01	3	0.225	-0.5	-1778.88	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB138	Combination	-199.545	-138.817	0	0	0	66.0857	1514.66	1	-0.225	-0.5	-2401.53	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB139	Combination	-185.633	113.575	0	0	0	73.0829	1752.9	1	-0.225	-0.5	-2577.94	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB139	Combination	-185.633	14.164	0	0	0	-19.8915	176.86	3	0.225	-0.5	-1001.9	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB139	Combination	-185.633	-112.731	0	0	0	71.8169	1715.39	1	-0.225	-0.5	-2540.43	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB140	Combination	-197.28	173.877	0	0	0	92.1715	2292.61	1	-0.225	-0.5	-3169.41	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB140	Combination	-197.28	24.278	0	0	0	-51.6396	1091.66	3	0.225	-0.5	-1968.46	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB140	Combination	-197.28	-138.779	0	0	0	59.4518	1323.14	1	-0.225	-0.5	-2199.93	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB141	Combination	-197.839	113.621	0	0	0	88.2256	2174.45	1	-0.225	-0.5	-3053.73	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB141	Combination	-197.839	14.181	0	0	0	-4.8246	-296.69	3	0.225	-0.5	-582.59	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB141	Combination	-197.839	-112.777	0	0	0	86.9596	2136.94	1	-0.225	-0.5	-3016.22	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB142	Combination	-209.485	173.923	0	0	0	107.3142	2714.16	1	-0.225	-0.5	-3645.2	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB142	Combination	-209.485	24.295	0	0	0	-36.5727	618.11	3	0.225	-0.5	-1549.16	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB142	Combination	-209.485	-138.825	0	0	0	74.5945	1744.69	1	-0.225	-0.5	-2675.73	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB143	Combination	-195.574	113.583	0	0	0	81.5917	1982.92	1	-0.225	-0.5	-2852.14	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB143	Combination	-195.574	14.167	0	0	0	-11.3929	-97.04	3	0.225	-0.5	-772.18	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB143	Combination	-195.574	-112.739	0	0	0	80.3256	1945.41	1	-0.225	-0.5	-2814.63	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB144	Combination	-207.22	173.885	0	0	0	100.6803	2522.63	1	-0.225	-0.5	-3443.61	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB144	Combination	-207.22	24.282	0	0	0	-43.1409	817.76	3	0.225	-0.5	-1738.74	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB144	Combination	-207.22	-138.786	0	0	0	67.9606	1553.16	1	-0.225	-0.5	-2474.13	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB145	Combination	-186.415	102.833	0	0	0	79.9396	1954.32	1	-0.225	-0.5	-2782.83	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB145	Combination	-186.415	13.218	0	0	0	-4.3505	-285.35	3	0.225	-0.5	-543.16	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB145	Combination	-186.415	-101.989	0	0	0	78.6735	1916.81	1	-0.225	-0.5	-2745.32	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB146	Combination	-195.149	148.059	0	0	0	94.256	2359.11	1	-0.225	-0.5	-3226.44	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB146	Combination	-195.149	20.804	0	0	0	-28.1616	400.75	3	0.225	-0.5	-1268.08	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB146	Combination	-195.149	-121.524	0	0	0	69.3997	1622.62	1	-0.225	-0.5	-2489.95	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB147	Combination	-182.64	102.769	0	0	0	68.883	1635.11	1	-0.225	-0.5	-2446.84	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB147	Combination	-182.64	13.195	0	0	0	-15.2976	47.4	3	0.225	-0.5	-859.13	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB147	Combination	-182.64	-101.925	0	0	0	67.6169	1597.6	1	-0.225	-0.5	-2409.33	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB148	Combination	-191.375	147.995	0	0	0	83.1994	2039.89	1	-0.225	-0.5	-2890.45	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB148	Combination	-191.375	20.781	0	0	0	-39.1087	733.5	3	0.225	-0.5	-1584.05	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB148	Combination	-191.375	-121.46	0	0	0	58.3432	1303.41	1	-0.225	-0.5	-2153.96	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB149	Combination	-202.982	102.845	0	0	0	94.1208	2337.69	1	-0.225	-0.5	-3239.84	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB149	Combination	-202.982	13.223	0	0	0	9.8139	-160.29	1	-0.225	-0.5	-741.85	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB149	Combination	-202.982	-102.001	0	0	0	92.8548	2300.18	1	-0.225	-0.5	-3202.32	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB150	Combination	-211.717	148.072	0	0	0	108.4373	2742.47	1	-0.225	-0.5	-3683.44	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB150	Combination	-211.717	20.809	0	0	0	-13.9972	-55.75	3	0.225	-0.5	-885.21	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB150	Combination	-211.717	-121.537	0	0	0	83.581	2005.99	1	-0.225	-0.5	-2946.95	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB151	Combination	-199.207	102.781	0	0	0	83.0643	2018.48	1	-0.225	-0.5	-2903.85	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB151	Combination	-199.207	13.2	0	0	0	-1.1333	-409.1	3	0.225	-0.5	-476.26	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB151	Combination	-199.207	-101.937	0	0	0	81.7982	1980.97	1	-0.225	-0.5	-2866.33	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB152	Combination	-207.942	148.008	0	0	0	97.3807	2423.26	1	-0.225	-0.5	-3347.45	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB152	Combination	-207.942	20.786	0	0	0	-24.9443	277	3	0.225	-0.5	-1201.18	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB152	Combination	-207.942	-121.473	0	0	0	72.5244	1686.78	1	-0.225	-0.5	-2610.96	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB153	Combination	-223.106	93.442	0	0	0	80.873	1900.45	1	-0.225	-0.5	-2892.03	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB153	Combination	-223.106	3.825	0	0	0	10.6773	-179.43	1	-0.225	-0.5	-812.15	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB153	Combination	-223.106	-111.377	0	0	0	107.7758	2697.57	1	-0.225	-0.5	-3689.15	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB154	Combination	-231.84	138.669	0	0	0	95.1894	2305.23	1	-0.225	-0.5	-3335.63	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB154	Combination	-231.84	11.411	0	0	0	-13.1337	-126.05	3	0.225	-0.5	-904.35	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB154	Combination	-231.84	-130.913	0	0	0	98.502	2403.38	1	-0.225	-0.5	-3433.78	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB155	Combination	-220.841	93.404	0	0	0	74.239	1708.92	1	-0.225	-0.5	-2690.43	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB155	Combination	-220.841	3.811	0	0	0	4.109	-369.01	1	-0.225	-0.5	-612.51	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB155	Combination	-220.841	-111.339	0	0	0	101.1419	2506.04	1	-0.225	-0.5	-3487.55	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB156	Combination	-229.575	138.63	0	0	0	88.5555	2113.7	1	-0.225	-0.5	-3134.03	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB156	Combination	-229.575	11.397	0	0	0	-19.702	73.6	3	0.225	-0.5	-1093.93	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB156	Combination	-229.575	-130.874	0	0	0	91.8681	2211.85	1	-0.225	-0.5	-3232.18	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB157	Combination	-233.046	93.45	0	0	0	89.3817	2130.47	1	-0.225	-0.5	-3166.23	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB157	Combination	-233.046	3.828	0	0	0	19.1759	50.3	1	-0.225	-0.5	-1086.05	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB157	Combination	-233.046	-111.385	0	0	0	116.2845	2927.59	1	-0.225	-0.5	-3963.35	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB158	Combination	-241.781	138.676	0	0	0	103.6982	2535.25	1	-0.225	-0.5	-3609.83	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB158	Combination	-241.781	11.414	0	0	0	-4.6351	-399.95	3	0.225	-0.5	-674.63	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB158	Combination	-241.781	-130.92	0	0	0	107.0108	2633.4	1	-0.225	-0.5	-3707.98	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB159	Combination	-230.781	93.411	0	0	0	82.7478	1938.94	1	-0.225	-0.5	-2964.63	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB159	Combination	-230.781	3.815	0	0	0	12.6076	-139.29	1	-0.225	-0.5	-886.41	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB159	Combination	-230.781	-111.347	0	0	0	109.6506	2736.06	1	-0.225	-0.5	-3761.75	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB160	Combination	-239.516	138.638	0	0	0	97.0642	2343.72	1	-0.225	-0.5	-3408.23	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB160	Combination	-239.516	11.4	0	0	0	-11.2034	-200.3	3	0.225	-0.5	-864.21	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB160	Combination	-239.516	-130.882	0	0	0	100.3768	2441.87	1	-0.225	-0.5	-3506.38	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB161	Combination	-212.785	95.79	0	0	0	80.6277	1916.11	1	-0.225	-0.5	-2861.83	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB161	Combination	-212.785	6.176	0	0	0	6.901	-268.38	1	-0.225	-0.5	-677.33	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB161	Combination	-212.785	-109.031	0	0	0	100.4883	2504.58	1	-0.225	-0.5	-3450.29	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB162	Combination	-221.52	141.017	0	0	0	94.9442	2320.89	1	-0.225	-0.5	-3305.43	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB162	Combination	-221.52	13.762	0	0	0	-16.91	8.77	3	0.225	-0.5	-993.31	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB162	Combination	-221.52	-128.566	0	0	0	91.2145	2210.39	1	-0.225	-0.5	-3194.92	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB163	Combination	-209.011	95.727	0	0	0	69.5712	1596.9	1	-0.225	-0.5	-2525.84	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB163	Combination	-209.011	6.153	0	0	0	-4.0461	-344.58	3	0.225	-0.5	-584.35	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB163	Combination	-209.011	-108.967	0	0	0	89.4318	2185.36	1	-0.225	-0.5	-3114.3	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB164	Combination	-217.745	140.953	0	0	0	83.8876	2001.68	1	-0.225	-0.5	-2969.44	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB164	Combination	-217.745	13.739	0	0	0	-27.8572	341.52	3	0.225	-0.5	-1309.28	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB164	Combination	-217.745	-128.502	0	0	0	80.158	1891.17	1	-0.225	-0.5	-2858.93	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB165	Combination	-229.353	95.803	0	0	0	94.809	2299.48	1	-0.225	-0.5	-3318.83	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB165	Combination	-229.353	6.181	0	0	0	21.0654	114.49	1	-0.225	-0.5	-1133.83	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB165	Combination	-229.353	-109.043	0	0	0	114.6696	2887.95	1	-0.225	-0.5	-3907.29	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB166	Combination	-238.087	141.03	0	0	0	109.1255	2704.26	1	-0.225	-0.5	-3762.43	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB166	Combination	-238.087	13.767	0	0	0	-2.7457	-447.73	3	0.225	-0.5	-610.44	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB166	Combination	-238.087	-128.579	0	0	0	105.3958	2593.76	1	-0.225	-0.5	-3651.92	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB167	Combination	-225.578	95.739	0	0	0	83.7524	1980.27	1	-0.225	-0.5	-2982.84	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB167	Combination	-225.578	6.158	0	0	0	10.1183	-201.48	1	-0.225	-0.5	-801.08	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB167	Combination	-225.578	-108.98	0	0	0	103.613	2568.73	1	-0.225	-0.5	-3571.3	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB168	Combination	-234.312	140.966	0	0	0	98.0689	2385.05	1	-0.225	-0.5	-3426.44	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB168	Combination	-234.312	13.744	0	0	0	-13.6928	-114.98	3	0.225	-0.5	-926.41	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB168	Combination	-234.312	-128.515	0	0	0	94.3392	2274.54	1	-0.225	-0.5	-3315.93	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB169	Combination	-214.271	95.599	0	0	0	80.5229	1909.71	1	-0.225	-0.5	-2862.02	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB169	Combination	-214.271	6.255	0	0	0	7.6681	-248.95	1	-0.225	-0.5	-703.36	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB169	Combination	-214.271	-108.84	0	0	0	100.3835	2498.17	1	-0.225	-0.5	-3450.48	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB170	Combination	-223.005	140.826	0	0	0	94.8394	2314.49	1	-0.225	-0.5	-3305.62	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB170	Combination	-223.005	13.84	0	0	0	-16.1429	-17.26	3	0.225	-0.5	-973.88	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB170	Combination	-223.005	-128.375	0	0	0	91.1097	2203.98	1	-0.225	-0.5	-3195.12	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB171	Combination	-212.006	95.561	0	0	0	73.889	1718.18	1	-0.225	-0.5	-2660.43	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB171	Combination	-212.006	6.241	0	0	0	1.0999	-438.54	1	-0.225	-0.5	-503.71	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB171	Combination	-212.006	-108.802	0	0	0	93.7496	2306.64	1	-0.225	-0.5	-3248.89	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB172	Combination	-220.74	140.788	0	0	0	88.2054	2122.96	1	-0.225	-0.5	-3104.03	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	A_COMB172	Combination	-220.74	13.826	0	0	0	-22.7112	182.39	3	0.225	-0.5	-1163.46	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB172	Combination	-220.74	-128.337	0	0	0	84.4758	2012.45	1	-0.225	-0.5	-2993.52	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB173	Combination	-224.211	95.607	0	0	0	89.0317	2139.73	1	-0.225	-0.5	-3136.22	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB173	Combination	-224.211	6.258	0	0	0	16.1667	-19.23	1	-0.225	-0.5	-977.26	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB173	Combination	-224.211	-108.847	0	0	0	108.8923	2728.19	1	-0.225	-0.5	-3724.68	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB174	Combination	-232.946	140.834	0	0	0	103.3481	2544.51	1	-0.225	-0.5	-3579.82	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB174	Combination	-232.946	13.843	0	0	0	-7.6443	-291.16	3	0.225	-0.5	-744.15	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB174	Combination	-232.946	-128.383	0	0	0	99.6185	2434	1	-0.225	-0.5	-3469.32	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB175	Combination	-221.946	95.569	0	0	0	82.3978	1948.2	1	-0.225	-0.5	-2934.63	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB175	Combination	-221.946	6.244	0	0	0	9.5985	-208.81	1	-0.225	-0.5	-777.61	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB175	Combination	-221.946	-108.809	0	0	0	102.2584	2536.66	1	-0.225	-0.5	-3523.09	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB176	Combination	-230.681	140.795	0	0	0	96.7142	2352.98	1	-0.225	-0.5	-3378.23	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB176	Combination	-230.681	13.829	0	0	0	-14.2125	-91.51	3	0.225	-0.5	-933.74	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB176	Combination	-230.681	-128.345	0	0	0	92.9846	2242.47	1	-0.225	-0.5	-3267.72	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB177_0_0	Combination	-4.087	37.746	0	0	0	2.9853	79.37	1	-0.225	-0.5	-97.54	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB177_0_0	Combination	-4.087	4.912	0	0	0	-28.8537	845.84	3	0.225	-0.5	-864.01	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB177_0_0	Combination	-4.087	-37.746	0	0	0	2.9853	79.37	1	-0.225	-0.5	-97.54	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB177_0_1	Combination	-4.087	37.746	0	0	0	2.9853	79.37	1	-0.225	-0.5	-97.54	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB177_0_1	Combination	-4.087	4.912	0	0	0	-28.8537	845.84	3	0.225	-0.5	-864.01	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB177_0_1	Combination	-4.087	-37.746	0	0	0	2.9853	79.37	1	-0.225	-0.5	-97.54	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB177_0_2	Combination	-110.639	37.746	0	0	0	41.3254	978.59	1	-0.225	-0.5	-1470.32	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB177_0_2	Combination	-110.639	4.912	0	0	0	9.4864	35.21	1	-0.225	-0.5	-526.94	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB177_0_2	Combination	-110.639	-37.746	0	0	0	41.3254	978.59	1	-0.225	-0.5	-1470.32	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB177_0_2_1	Combination	-111.21	52.308	0	0	0	41.4641	981.43	1	-0.225	-0.5	-1475.7	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB177_0_2_1	Combination	-111.21	7.14	0	0	0	-2.9	-161.21	3	0.225	-0.5	-333.06	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB177_0_2_1	Combination	-111.21	-52.308	0	0	0	41.4641	981.43	1	-0.225	-0.5	-1475.7	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB177_0_3	Combination	-111.21	52.308	0	0	0	41.4641	981.43	1	-0.225	-0.5	-1475.7	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB177_0_3	Combination	-111.21	7.14	0	0	0	-2.9	-161.21	3	0.225	-0.5	-333.06	1
	-0.225	-0.5	06-mar	0.25											
3	3	A_COMB177_0_3	Combination	-111.21	-52.308	0	0	0	41.4641	981.43	1	-0.225	-0.5	-1475.7	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB177_0_4	Combination	-114.968	52.322	0	0	0	48.8501	1191.92	1	-0.225	-0.5	-1702.9	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB177_0_4	Combination	-114.968	7.151	0	0	0	4.4471	-123.72	1	-0.225	-0.5	-387.25	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB177_0_4	Combination	-114.968	-52.322	0	0	0	48.8501	1191.92	1	-0.225	-0.5	-1702.9	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB177	Combination	-178.141	56.283	0	0	0	71.2892	1716.4	1	-0.225	-0.5	-2508.14	3
	0.225	-0.5	01-mar	0											



## Allegati alla relazione di Calcolo

3	1.5	A_COMB177	Combination	-178.141	4.742	0	0	0	25.752	367.15	1	-0.225	-0.5	-1158.89	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB177	Combination	-178.141	-63.006	0	0	0	81.3737	2015.2	1	-0.225	-0.5	-2806.94	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB178	Combination	-178.141	56.283	0	0	0	71.2892	1716.4	1	-0.225	-0.5	-2508.14	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB178	Combination	-178.141	4.742	0	0	0	25.752	367.15	1	-0.225	-0.5	-1158.89	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB178	Combination	-178.141	-63.006	0	0	0	81.3737	2015.2	1	-0.225	-0.5	-2806.94	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB181	Combination	-147.744	65.287	0	0	0	60.9383	1477.26	1	-0.225	-0.5	-2133.9	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB181	Combination	-147.744	7.376	0	0	0	6.7031	-129.71	1	-0.225	-0.5	-526.93	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB181	Combination	-147.744	-68.648	0	0	0	65.9806	1626.66	1	-0.225	-0.5	-2283.3	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB182	Combination	-32.776	12.965	0	0	0	12.0883	285.34	1	-0.225	-0.5	-431.01	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB182	Combination	-32.776	0.225	0	0	0	2.256	-5.99	1	-0.225	-0.5	-139.68	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB182	Combination	-32.776	-16.326	0	0	0	17.1305	434.74	1	-0.225	-0.5	-580.41	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB185	Combination	-237.259	93.483	0	0	0	97.723	2368.25	1	-0.225	-0.5	-3422.74	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB185	Combination	-237.259	11.731	0	0	0	19.1852	41.21	1	-0.225	-0.5	-1095.69	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB185	Combination	-237.259	-92.694	0	0	0	96.5388	2333.17	1	-0.225	-0.5	-3387.65	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB186	Combination	-244.7	132.009	0	0	0	109.9185	2713.07	1	-0.225	-0.5	-3800.62	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB186	Combination	-244.7	18.192	0	0	0	-1.0983	-511.24	3	0.225	-0.5	-576.32	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB186	Combination	-244.7	-109.335	0	0	0	88.6389	2082.56	1	-0.225	-0.5	-3170.12	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB189	Combination	-245.543	93.489	0	0	0	104.8136	2559.94	1	-0.225	-0.5	-3651.24	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB189	Combination	-245.543	11.733	0	0	0	26.2674	232.64	1	-0.225	-0.5	-1323.94	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB189	Combination	-245.543	-92.7	0	0	0	103.6294	2524.85	1	-0.225	-0.5	-3616.15	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB190	Combination	-252.983	132.016	0	0	0	117.0091	2904.75	1	-0.225	-0.5	-4029.12	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB190	Combination	-252.983	18.195	0	0	0	5.9839	-384.88	1	-0.225	-0.5	-739.49	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB190	Combination	-252.983	-109.341	0	0	0	95.7295	2274.25	1	-0.225	-0.5	-3398.62	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB_0_2_GEO_SBIL	Combination	-152.438	51.053	0	0	0	57.0385	1351.28	1	-0.225	-0.5	-	
2028.78	3	0.225	-0.5	01-mar	0										
3	1.5	B_COMB_0_2_GEO_SBIL	Combination	-152.438	6.726	0	0	0	13.9132	73.49	1	-0.225	-0.5	-	
	0.225	-0.5	06-mar	0.25											
751	3	B_COMB_0_2_GEO_SBIL	Combination	-152.438	-50.862	0	0	0	56.7533	1342.83	1	-0.225	-0.5	-	
	0.225	-0.5	12-mar	0.25											
2020.33	3	B_COMB_0_2_1_GEO_SBIL	Combination	-153.009	65.614	0	0	0	57.1772	1354.12	1	-0.225	-0.5	-	
	0.225	-0.5	01-mar	0											
2034.16	3	B_COMB_0_2_1_GEO_SBIL	Combination	-153.009	8.954	0	0	0	1.5269	-294.78	1	-0.225	-0.5	-	
	0.225	-0.5	06-mar	0.25											
385.26	3	B_COMB_0_2_1_GEO_SBIL	Combination	-153.009	-65.424	0	0	0	56.892	1345.67	1	-0.225	-0.5	-	
	0.225	-0.5	12-mar	0.25											
2025.71	3	B_COMB_0_3_GEO_SBIL	Combination	-153.009	65.614	0	0	0	57.1772	1354.12	1	-0.225	-0.5	-	
	0.225	-0.5	01-mar	0											
2034.16	3	B_COMB_0_3_GEO_SBIL	Combination	-153.009	8.954	0	0	0	1.5269	-294.78	1	-0.225	-0.5	-	
	0.225	-0.5	06-mar	0.25											
385.26	3	B_COMB_0_3_GEO_SBIL	Combination	-153.009	-65.424	0	0	0	56.892	1345.67	1	-0.225	-0.5	-	
	0.225	-0.5	12-mar	0.25											
2025.71	3	B_COMB_0_4_GEO_SBIL	Combination	-156.767	65.629	0	0	0	64.5632	1564.61	1	-0.225	-0.5	-	
	0.225	-0.5	01-mar	0											
2261.36	3														

## Allegati alla relazione di Calcolo

3	1.5	B_COMB_0_4_GEO_SBIL	Combination	-156.767	8.965	0	0	0	8.874	-85.44	1	-0.225	-0.5	-	
611.3	3	0.225 -0.5 06-mar	0.25												
3	3	B_COMB_0_4_GEO_SBIL	Combination	-156.767	-65.438	0	0	0	64.278	1556.16	1	-0.225	-0.5	-	
2252.9	3	0.225 -0.5 12-mar	0.25												
3	0	B_COMB193	Combination	-221.38	102.569	0	0	0	90.7607	2197.25	1	-0.225	-0.5	-3181.16	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB193	Combination	-221.38	12.453	0	0	0	4.9087	-346.51	1	-0.225	-0.5	-637.4	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB193	Combination	-221.38	-101.977	0	0	0	89.8726	2170.94	1	-0.225	-0.5	-3154.85	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB194	Combination	-231.301	153.937	0	0	0	107.0214	2657	1	-0.225	-0.5	-3685.01	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB194	Combination	-231.301	21.068	0	0	0	-22.1359	141.88	3	0.225	-0.5	-1169.88	1
	-0.225	-0.5 06-mar	0.25												
3	3	B_COMB194	Combination	-231.301	-124.165	0	0	0	79.3394	1836.79	1	-0.225	-0.5	-2864.8	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB195	Combination	-219.492	102.537	0	0	0	85.2324	2037.64	1	-0.225	-0.5	-3013.17	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB195	Combination	-219.492	12.441	0	0	0	-0.5648	-471.03	3	0.225	-0.5	-504.5	1
	-0.225	-0.5 06-mar	0.25												
3	3	B_COMB195	Combination	-219.492	-101.945	0	0	0	84.3443	2011.33	1	-0.225	-0.5	-2986.85	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB196	Combination	-229.413	153.905	0	0	0	101.4931	2497.4	1	-0.225	-0.5	-3517.01	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB196	Combination	-229.413	21.057	0	0	0	-27.6095	308.25	3	0.225	-0.5	-1327.87	1
	-0.225	-0.5 06-mar	0.25												
3	3	B_COMB196	Combination	-229.413	-124.133	0	0	0	73.8111	1677.19	1	-0.225	-0.5	-2696.8	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB197	Combination	-229.664	102.575	0	0	0	97.8513	2388.94	1	-0.225	-0.5	-3409.66	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB197	Combination	-229.664	12.455	0	0	0	11.9909	-155.08	1	-0.225	-0.5	-865.65	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB197	Combination	-229.664	-101.983	0	0	0	96.9632	2362.62	1	-0.225	-0.5	-3383.35	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB198	Combination	-239.584	153.944	0	0	0	114.112	2848.69	1	-0.225	-0.5	-3913.51	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB198	Combination	-239.584	21.071	0	0	0	-15.0537	-86.37	3	0.225	-0.5	-978.45	1
	-0.225	-0.5 06-mar	0.25												
3	3	B_COMB198	Combination	-239.584	-124.172	0	0	0	86.43	2028.48	1	-0.225	-0.5	-3093.3	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB199	Combination	-227.776	102.543	0	0	0	92.3231	2229.33	1	-0.225	-0.5	-3241.67	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB199	Combination	-227.776	12.444	0	0	0	6.5174	-313.06	1	-0.225	-0.5	-699.28	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB199	Combination	-227.776	-101.951	0	0	0	91.4349	2203.01	1	-0.225	-0.5	-3215.35	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB200	Combination	-237.697	153.912	0	0	0	108.5837	2689.08	1	-0.225	-0.5	-3745.51	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB200	Combination	-237.697	21.059	0	0	0	-20.5273	80	3	0.225	-0.5	-1136.43	1
	-0.225	-0.5 06-mar	0.25												
3	3	B_COMB200	Combination	-237.697	-124.14	0	0	0	80.9017	1868.87	1	-0.225	-0.5	-2925.3	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB201	Combination	-220.145	93.385	0	0	0	90.9507	2205.63	1	-0.225	-0.5	-3184.05	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB201	Combination	-220.145	11.635	0	0	0	12.5526	-117.28	1	-0.225	-0.5	-861.14	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB201	Combination	-220.145	-92.793	0	0	0	90.0626	2179.31	1	-0.225	-0.5	-3157.73	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB202	Combination	-227.585	131.911	0	0	0	103.1462	2550.44	1	-0.225	-0.5	-3561.93	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB202	Combination	-227.585	18.097	0	0	0	-7.7308	-276.68	3	0.225	-0.5	-734.81	1
	-0.225	-0.5 06-mar	0.25												
3	3	B_COMB202	Combination	-227.585	-109.434	0	0	0	82.1627	1928.7	1	-0.225	-0.5	-2940.19	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB203	Combination	-216.999	93.332	0	0	0	81.7369	1939.62	1	-0.225	-0.5	-2904.05	3
	0.225	-0.5 01-mar	0												

*Allegati alla relazione di Calcolo*

3	1.5	B_COMB203	Combination	-216.999	11.616	0	0	0	3.4301	-380.59	1	-0.225	-0.5	-583.85	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB203	Combination	-216.999	-92.74	0	0	0	80.8488	1913.3	1	-0.225	-0.5	-2877.74	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB204	Combination	-224.439	131.858	0	0	0	93.9324	2284.43	1	-0.225	-0.5	-3281.94	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB204	Combination	-224.439	18.077	0	0	0	-16.8534	0.61	3	0.225	-0.5	-998.11	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB204	Combination	-224.439	-109.381	0	0	0	72.9489	1662.69	1	-0.225	-0.5	-2660.2	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB205	Combination	-233.951	93.396	0	0	0	102.7684	2525.1	1	-0.225	-0.5	-3564.88	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB205	Combination	-233.951	11.639	0	0	0	24.3563	201.78	1	-0.225	-0.5	-1241.56	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB205	Combination	-233.951	-92.804	0	0	0	101.8803	2498.79	1	-0.225	-0.5	-3538.57	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB206	Combination	-241.391	131.922	0	0	0	114.9639	2869.91	1	-0.225	-0.5	-3942.76	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB206	Combination	-241.391	18.101	0	0	0	4.0728	-415.75	1	-0.225	-0.5	-657.1	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB206	Combination	-241.391	-109.445	0	0	0	93.9804	2248.18	1	-0.225	-0.5	-3321.03	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB207	Combination	-230.805	93.342	0	0	0	93.5546	2259.09	1	-0.225	-0.5	-3284.89	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB207	Combination	-230.805	11.62	0	0	0	15.2337	-61.53	1	-0.225	-0.5	-964.27	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB207	Combination	-230.805	-92.75	0	0	0	92.6665	2232.77	1	-0.225	-0.5	-3258.57	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB208	Combination	-238.245	131.869	0	0	0	105.7501	2603.9	1	-0.225	-0.5	-3662.77	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB208	Combination	-238.245	18.082	0	0	0	-5.0498	-379.81	3	0.225	-0.5	-679.06	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB208	Combination	-238.245	-109.392	0	0	0	84.7666	1982.17	1	-0.225	-0.5	-3041.04	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB209	Combination	-251.371	85.386	0	0	0	91.7456	2159.78	1	-0.225	-0.5	-3276.99	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB209	Combination	-251.371	3.633	0	0	0	25.3536	192.62	1	-0.225	-0.5	-1309.82	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB209	Combination	-251.371	-100.791	0	0	0	114.8531	2844.45	1	-0.225	-0.5	-3961.66	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB210	Combination	-258.812	123.912	0	0	0	103.9411	2504.6	1	-0.225	-0.5	-3654.87	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB210	Combination	-258.812	10.095	0	0	0	5.0702	-424.91	1	-0.225	-0.5	-725.36	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB210	Combination	-258.812	-117.432	0	0	0	106.9532	2593.85	1	-0.225	-0.5	-3744.12	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB211	Combination	-249.484	85.354	0	0	0	86.2173	2000.18	1	-0.225	-0.5	-3108.99	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB211	Combination	-249.484	3.622	0	0	0	19.8801	34.63	1	-0.225	-0.5	-1143.45	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB211	Combination	-249.484	-100.759	0	0	0	109.3248	2684.85	1	-0.225	-0.5	-3793.66	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB212	Combination	-256.925	123.88	0	0	0	98.4128	2344.99	1	-0.225	-0.5	-3486.88	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB212	Combination	-256.925	10.084	0	0	0	-0.4034	-558.99	3	0.225	-0.5	-582.9	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB212	Combination	-256.925	-117.4	0	0	0	101.4249	2434.24	1	-0.225	-0.5	-3576.13	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB213	Combination	-259.655	85.392	0	0	0	98.8362	2351.47	1	-0.225	-0.5	-3505.49	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB213	Combination	-259.655	3.636	0	0	0	32.4358	384.05	1	-0.225	-0.5	-1538.07	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB213	Combination	-259.655	-100.797	0	0	0	121.9437	3036.14	1	-0.225	-0.5	-4190.16	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB214	Combination	-267.096	123.918	0	0	0	111.0317	2696.28	1	-0.225	-0.5	-3883.37	3
	0.225	-0.5	01-mar	0											

Allegati alla relazione di Calcolo

3	1.5	B_COMB214	Combination	-267.096	10.098	0	0	0	12.1523	-233.48	1	-0.225	-0.5	-953.62	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB214	Combination	-267.096	-117.439	0	0	0	114.0439	2785.53	1	-0.225	-0.5	-3972.62	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB215	Combination	-257.767	85.36	0	0	0	93.3079	2191.86	1	-0.225	-0.5	-3337.5	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB215	Combination	-257.767	3.624	0	0	0	26.9623	226.07	1	-0.225	-0.5	-1371.7	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB215	Combination	-257.767	-100.765	0	0	0	116.4155	2876.53	1	-0.225	-0.5	-4022.16	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB216	Combination	-265.208	123.886	0	0	0	105.5034	2536.68	1	-0.225	-0.5	-3715.38	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB216	Combination	-265.208	10.086	0	0	0	6.6788	-391.46	1	-0.225	-0.5	-787.24	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB216	Combination	-265.208	-117.407	0	0	0	108.5156	2625.92	1	-0.225	-0.5	-3804.63	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB217	Combination	-242.608	87.386	0	0	0	91.537	2173.08	1	-0.225	-0.5	-3251.34	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB217	Combination	-242.608	5.636	0	0	0	22.1373	116.79	1	-0.225	-0.5	-1195.05	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB217	Combination	-242.608	-98.792	0	0	0	108.6456	2680	1	-0.225	-0.5	-3758.26	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB218	Combination	-250.049	125.912	0	0	0	103.7324	2517.89	1	-0.225	-0.5	-3629.22	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB218	Combination	-250.049	12.098	0	0	0	1.8538	-500.74	1	-0.225	-0.5	-610.59	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB218	Combination	-250.049	-115.433	0	0	0	100.7457	2429.39	1	-0.225	-0.5	-3540.72	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB219	Combination	-239.463	87.333	0	0	0	82.3232	1907.07	1	-0.225	-0.5	-2971.34	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB219	Combination	-239.463	5.617	0	0	0	13.0147	-146.52	1	-0.225	-0.5	-917.76	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB219	Combination	-239.463	-98.739	0	0	0	99.4318	2413.99	1	-0.225	-0.5	-3478.27	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB220	Combination	-246.903	125.859	0	0	0	94.5186	2251.88	1	-0.225	-0.5	-3349.23	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB220	Combination	-246.903	12.078	0	0	0	-7.2688	-333.3	3	0.225	-0.5	-764.05	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB220	Combination	-246.903	-115.38	0	0	0	91.5319	2163.38	1	-0.225	-0.5	-3260.73	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB221	Combination	-256.414	87.397	0	0	0	103.3547	2492.55	1	-0.225	-0.5	-3632.17	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB221	Combination	-256.414	5.64	0	0	0	33.9409	435.85	1	-0.225	-0.5	-1575.47	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB221	Combination	-256.414	-98.802	0	0	0	120.4633	2999.47	1	-0.225	-0.5	-4139.09	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB222	Combination	-263.855	125.923	0	0	0	115.5502	2837.36	1	-0.225	-0.5	-4010.05	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB222	Combination	-263.855	12.102	0	0	0	13.6574	-181.68	1	-0.225	-0.5	-991.01	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB222	Combination	-263.855	-115.444	0	0	0	112.5634	2748.87	1	-0.225	-0.5	-3921.56	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB223	Combination	-253.269	87.344	0	0	0	94.1409	2226.54	1	-0.225	-0.5	-3352.18	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB223	Combination	-253.269	5.621	0	0	0	24.8183	172.54	1	-0.225	-0.5	-1298.18	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB223	Combination	-253.269	-98.749	0	0	0	111.2495	2733.46	1	-0.225	-0.5	-3859.1	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB224	Combination	-260.709	125.87	0	0	0	106.3364	2571.35	1	-0.225	-0.5	-3730.06	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB224	Combination	-260.709	12.083	0	0	0	4.5348	-444.99	1	-0.225	-0.5	-713.72	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB224	Combination	-260.709	-115.391	0	0	0	103.3496	2482.86	1	-0.225	-0.5	-3641.56	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB225	Combination	-237.143	92.989	0	0	0	97.4093	2359.22	1	-0.225	-0.5	-3413.19	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	B_COMB225	Combination	-237.143	11.944	0	0	0	21.1127	98.58	1	-0.225	-0.5	-1152.54	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB225	Combination	-237.143	-92.199	0	0	0	96.2251	2324.13	1	-0.225	-0.5	-3378.1	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB226	Combination	-244.583	131.515	0	0	0	109.6048	2704.03	1	-0.225	-0.5	-3791.07	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB226	Combination	-244.583	18.406	0	0	0	0.8292	-518.95	1	-0.225	-0.5	-568.09	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB226	Combination	-244.583	-108.841	0	0	0	88.3252	2073.53	1	-0.225	-0.5	-3160.56	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB227	Combination	-235.255	92.957	0	0	0	91.881	2199.61	1	-0.225	-0.5	-3245.19	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB227	Combination	-235.255	11.932	0	0	0	15.6391	-59.41	1	-0.225	-0.5	-986.17	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB227	Combination	-235.255	-92.168	0	0	0	90.6968	2164.52	1	-0.225	-0.5	-3210.1	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB228	Combination	-242.696	131.483	0	0	0	104.0765	2544.43	1	-0.225	-0.5	-3623.07	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB228	Combination	-242.696	18.394	0	0	0	-4.6443	-401.71	3	0.225	-0.5	-676.93	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB228	Combination	-242.696	-108.809	0	0	0	82.797	1913.92	1	-0.225	-0.5	-2992.57	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB229	Combination	-245.426	92.995	0	0	0	104.5	2550.9	1	-0.225	-0.5	-3641.69	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB229	Combination	-245.426	11.946	0	0	0	28.1949	290.01	1	-0.225	-0.5	-1380.8	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB229	Combination	-245.426	-92.206	0	0	0	103.3158	2515.82	1	-0.225	-0.5	-3606.6	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB230	Combination	-252.867	131.522	0	0	0	116.6955	2895.72	1	-0.225	-0.5	-4019.57	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB230	Combination	-252.867	18.408	0	0	0	7.9114	-327.51	1	-0.225	-0.5	-796.34	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB230	Combination	-252.867	-108.847	0	0	0	95.4159	2265.21	1	-0.225	-0.5	-3389.06	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB231	Combination	-243.539	92.963	0	0	0	98.9717	2391.3	1	-0.225	-0.5	-3473.69	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB231	Combination	-243.539	11.935	0	0	0	22.7213	132.03	1	-0.225	-0.5	-1214.42	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB231	Combination	-243.539	-92.174	0	0	0	97.7875	2356.21	1	-0.225	-0.5	-3438.6	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB232	Combination	-250.979	131.49	0	0	0	111.1672	2736.11	1	-0.225	-0.5	-3851.57	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB232	Combination	-250.979	18.397	0	0	0	2.4379	-485.5	1	-0.225	-0.5	-629.96	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB232	Combination	-250.979	-108.815	0	0	0	89.8876	2105.6	1	-0.225	-0.5	-3221.07	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB233	Combination	-221.263	102.075	0	0	0	90.447	2188.22	1	-0.225	-0.5	-3171.61	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB233	Combination	-221.263	12.666	0	0	0	6.8362	-289.14	1	-0.225	-0.5	-694.25	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB233	Combination	-221.263	-101.483	0	0	0	89.5589	2161.9	1	-0.225	-0.5	-3145.29	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB234	Combination	-231.184	153.443	0	0	0	106.7077	2647.97	1	-0.225	-0.5	-3675.45	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB234	Combination	-231.184	21.281	0	0	0	-20.2084	85.03	3	0.225	-0.5	-1112.51	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB234	Combination	-231.184	-123.671	0	0	0	79.0257	1827.76	1	-0.225	-0.5	-2855.24	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB235	Combination	-219.376	102.043	0	0	0	84.9188	2028.61	1	-0.225	-0.5	-3003.61	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB235	Combination	-219.376	12.654	0	0	0	1.3626	-447.13	1	-0.225	-0.5	-527.88	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB235	Combination	-219.376	-101.451	0	0	0	84.0306	2002.29	1	-0.225	-0.5	-2977.3	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB236	Combination	-229.297	153.411	0	0	0	101.1794	2488.36	1	-0.225	-0.5	-3507.46	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	B_COMB236	Combination	-229.297	21.27	0	0	0	-25.682	251.4	3	0.225	-0.5	-1270.5	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB236	Combination	-229.297	-123.639	0	0	0	73.4974	1668.15	1	-0.225	-0.5	-2687.25	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB237	Combination	-229.547	102.081	0	0	0	97.5377	2379.9	1	-0.225	-0.5	-3400.11	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB237	Combination	-229.547	12.668	0	0	0	13.9184	-97.71	1	-0.225	-0.5	-922.5	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB237	Combination	-229.547	-101.489	0	0	0	96.6495	2353.58	1	-0.225	-0.5	-3373.79	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB238	Combination	-239.468	153.45	0	0	0	113.7983	2839.65	1	-0.225	-0.5	-3903.95	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB238	Combination	-239.468	21.284	0	0	0	-13.1262	-143.23	3	0.225	-0.5	-921.08	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB238	Combination	-239.468	-123.678	0	0	0	86.1163	2019.44	1	-0.225	-0.5	-3083.75	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB239	Combination	-227.659	102.049	0	0	0	92.0094	2220.29	1	-0.225	-0.5	-3232.11	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB239	Combination	-227.659	12.657	0	0	0	8.4448	-255.69	1	-0.225	-0.5	-756.13	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB239	Combination	-227.659	-101.457	0	0	0	91.1212	2193.98	1	-0.225	-0.5	-3205.8	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB240	Combination	-237.58	153.418	0	0	0	108.27	2680.04	1	-0.225	-0.5	-3735.96	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB240	Combination	-237.58	21.273	0	0	0	-18.5998	23.15	3	0.225	-0.5	-1079.06	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB240	Combination	-237.58	-123.646	0	0	0	80.588	1859.84	1	-0.225	-0.5	-2915.75	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB241	Combination	-220.028	92.891	0	0	0	90.637	2196.59	1	-0.225	-0.5	-3174.49	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB241	Combination	-220.028	11.848	0	0	0	14.4801	-59.91	1	-0.225	-0.5	-917.99	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB241	Combination	-220.028	-92.299	0	0	0	89.7489	2170.28	1	-0.225	-0.5	-3148.18	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB242	Combination	-227.469	131.417	0	0	0	102.8325	2541.4	1	-0.225	-0.5	-3552.38	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB242	Combination	-227.469	18.31	0	0	0	-5.8033	-333.54	3	0.225	-0.5	-677.44	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB242	Combination	-227.469	-108.94	0	0	0	81.849	1919.67	1	-0.225	-0.5	-2930.64	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB243	Combination	-216.882	92.838	0	0	0	81.4232	1930.58	1	-0.225	-0.5	-2894.5	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB243	Combination	-216.882	11.829	0	0	0	5.3575	-323.22	1	-0.225	-0.5	-640.7	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB243	Combination	-216.882	-92.246	0	0	0	80.5351	1904.26	1	-0.225	-0.5	-2868.19	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB244	Combination	-224.323	131.364	0	0	0	93.6187	2275.39	1	-0.225	-0.5	-3272.38	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB244	Combination	-224.323	18.291	0	0	0	-14.9259	-56.25	3	0.225	-0.5	-940.74	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB244	Combination	-224.323	-108.887	0	0	0	72.6352	1653.66	1	-0.225	-0.5	-2650.65	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB245	Combination	-233.834	92.902	0	0	0	102.4548	2516.07	1	-0.225	-0.5	-3555.33	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB245	Combination	-233.834	11.852	0	0	0	26.2838	259.15	1	-0.225	-0.5	-1298.41	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB245	Combination	-233.834	-92.309	0	0	0	101.5666	2489.75	1	-0.225	-0.5	-3529.01	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB246	Combination	-241.275	131.428	0	0	0	114.6503	2860.88	1	-0.225	-0.5	-3933.21	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB246	Combination	-241.275	18.314	0	0	0	6.0003	-358.38	1	-0.225	-0.5	-713.95	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB246	Combination	-241.275	-108.951	0	0	0	93.6667	2239.14	1	-0.225	-0.5	-3311.48	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB247	Combination	-230.688	92.848	0	0	0	93.241	2250.05	1	-0.225	-0.5	-3275.34	3
	0.225	-0.5	01-mar	0											

3	1.5	B_COMB247	Combination	-230.688	11.833	0	0	0	17.1612	-4.16	1	-0.225	-0.5	-1021.12	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB247	Combination	-230.688	-92.256	0	0	0	92.3528	2223.74	1	-0.225	-0.5	-3249.02	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB248	Combination	-238.129	131.375	0	0	0	105.4365	2594.87	1	-0.225	-0.5	-3653.22	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB248	Combination	-238.129	18.295	0	0	0	-3.1223	-436.66	3	0.225	-0.5	-621.69	1
	-0.225	-0.5 06-mar	0.25												
3	3	B_COMB248	Combination	-238.129	-108.898	0	0	0	84.4529	1973.13	1	-0.225	-0.5	-3031.48	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB249	Combination	-251.255	84.892	0	0	0	91.4319	2150.75	1	-0.225	-0.5	-3267.44	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB249	Combination	-251.255	3.847	0	0	0	27.2811	249.99	1	-0.225	-0.5	-1366.67	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB249	Combination	-251.255	-100.297	0	0	0	114.5394	2835.42	1	-0.225	-0.5	-3952.1	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB250	Combination	-258.695	123.418	0	0	0	103.6274	2495.56	1	-0.225	-0.5	-3645.32	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB250	Combination	-258.695	10.308	0	0	0	6.9976	-367.54	1	-0.225	-0.5	-782.22	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB250	Combination	-258.695	-116.938	0	0	0	106.6395	2584.81	1	-0.225	-0.5	-3734.57	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB251	Combination	-249.367	84.86	0	0	0	85.9036	1991.14	1	-0.225	-0.5	-3099.44	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB251	Combination	-249.367	3.835	0	0	0	21.8076	92	1	-0.225	-0.5	-1200.3	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB251	Combination	-249.367	-100.265	0	0	0	109.0111	2675.81	1	-0.225	-0.5	-3784.11	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB252	Combination	-256.808	123.386	0	0	0	98.0991	2335.96	1	-0.225	-0.5	-3477.32	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB252	Combination	-256.808	10.297	0	0	0	1.5241	-525.53	1	-0.225	-0.5	-615.84	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB252	Combination	-256.808	-116.906	0	0	0	101.1113	2425.2	1	-0.225	-0.5	-3566.57	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB253	Combination	-259.538	84.898	0	0	0	98.5225	2342.43	1	-0.225	-0.5	-3495.94	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB253	Combination	-259.538	3.849	0	0	0	34.3633	441.42	1	-0.225	-0.5	-1594.92	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB253	Combination	-259.538	-100.303	0	0	0	121.6301	3027.1	1	-0.225	-0.5	-4180.61	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB254	Combination	-266.979	123.424	0	0	0	110.718	2687.25	1	-0.225	-0.5	-3873.82	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB254	Combination	-266.979	10.311	0	0	0	14.0798	-176.11	1	-0.225	-0.5	-1010.47	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB254	Combination	-266.979	-116.944	0	0	0	113.7302	2776.5	1	-0.225	-0.5	-3963.07	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB255	Combination	-257.651	84.866	0	0	0	92.9942	2182.83	1	-0.225	-0.5	-3327.94	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB255	Combination	-257.651	3.838	0	0	0	28.8897	283.44	1	-0.225	-0.5	-1428.55	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB255	Combination	-257.651	-100.271	0	0	0	116.1018	2867.5	1	-0.225	-0.5	-4012.61	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB256	Combination	-265.092	123.392	0	0	0	105.1897	2527.64	1	-0.225	-0.5	-3705.82	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB256	Combination	-265.092	10.299	0	0	0	8.6063	-334.09	1	-0.225	-0.5	-844.09	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB256	Combination	-265.092	-116.912	0	0	0	108.2019	2616.89	1	-0.225	-0.5	-3795.07	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB257	Combination	-242.492	86.892	0	0	0	91.2233	2164.04	1	-0.225	-0.5	-3241.78	3
	0.225	-0.5 01-mar	0												
3	1.5	B_COMB257	Combination	-242.492	5.849	0	0	0	24.0647	174.16	1	-0.225	-0.5	-1251.9	3
	0.225	-0.5 06-mar	0.25												
3	3	B_COMB257	Combination	-242.492	-98.298	0	0	0	108.3319	2670.96	1	-0.225	-0.5	-3748.7	3
	0.225	-0.5 12-mar	0.25												
3	0	B_COMB258	Combination	-249.933	125.418	0	0	0	103.4188	2508.85	1	-0.225	-0.5	-3619.67	3
	0.225	-0.5 01-mar	0												

## Allegati alla relazione di Calcolo

3	1.5	B_COMB258	Combination	-249.933	12.311	0	0	0	3.7813	-443.37	1	-0.225	-0.5	-667.44	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB258	Combination	-249.933	-114.939	0	0	0	100.432	2420.36	1	-0.225	-0.5	-3531.17	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB259	Combination	-239.346	86.839	0	0	0	82.0095	1898.03	1	-0.225	-0.5	-2961.79	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB259	Combination	-239.346	5.83	0	0	0	14.9422	-89.15	1	-0.225	-0.5	-974.61	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB259	Combination	-239.346	-98.245	0	0	0	99.1181	2404.95	1	-0.225	-0.5	-3468.71	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB260	Combination	-246.787	125.365	0	0	0	94.205	2242.84	1	-0.225	-0.5	-3339.67	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB260	Combination	-246.787	12.292	0	0	0	-5.3413	-390.15	3	0.225	-0.5	-706.68	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB260	Combination	-246.787	-114.886	0	0	0	91.2182	2154.35	1	-0.225	-0.5	-3251.18	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB261	Combination	-256.298	86.903	0	0	0	103.041	2483.52	1	-0.225	-0.5	-3622.62	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB261	Combination	-256.298	5.853	0	0	0	35.8684	493.22	1	-0.225	-0.5	-1632.32	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB261	Combination	-256.298	-98.308	0	0	0	120.1496	2990.44	1	-0.225	-0.5	-4129.54	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB262	Combination	-263.739	125.429	0	0	0	115.2365	2828.33	1	-0.225	-0.5	-4000.5	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB262	Combination	-263.739	12.315	0	0	0	15.5849	-124.31	1	-0.225	-0.5	-1047.86	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB262	Combination	-263.739	-114.95	0	0	0	112.2497	2739.83	1	-0.225	-0.5	-3912	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB263	Combination	-253.152	86.849	0	0	0	93.8272	2217.5	1	-0.225	-0.5	-3342.62	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB263	Combination	-253.152	5.834	0	0	0	26.7458	229.91	1	-0.225	-0.5	-1355.03	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB263	Combination	-253.152	-98.255	0	0	0	110.9358	2724.43	1	-0.225	-0.5	-3849.55	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB264	Combination	-260.593	125.376	0	0	0	106.0227	2562.32	1	-0.225	-0.5	-3720.51	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB264	Combination	-260.593	12.296	0	0	0	6.4623	-387.62	1	-0.225	-0.5	-770.57	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB264	Combination	-260.593	-114.896	0	0	0	103.0359	2473.82	1	-0.225	-0.5	-3632.01	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB265	Combination	-243.728	86.727	0	0	0	91.1319	2158.59	1	-0.225	-0.5	-3241.82	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB265	Combination	-243.728	5.917	0	0	0	24.7287	191.09	1	-0.225	-0.5	-1274.32	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB265	Combination	-243.728	-98.132	0	0	0	108.2405	2665.51	1	-0.225	-0.5	-3748.74	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB266	Combination	-251.169	125.253	0	0	0	103.3274	2503.4	1	-0.225	-0.5	-3619.71	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB266	Combination	-251.169	12.379	0	0	0	4.4453	-426.44	1	-0.225	-0.5	-689.86	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB266	Combination	-251.169	-114.774	0	0	0	100.3406	2414.9	1	-0.225	-0.5	-3531.21	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB267	Combination	-241.84	86.695	0	0	0	85.6036	1998.98	1	-0.225	-0.5	-3073.83	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB267	Combination	-241.84	5.906	0	0	0	19.2552	33.1	1	-0.225	-0.5	-1107.95	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB267	Combination	-241.84	-98.1	0	0	0	102.7123	2505.9	1	-0.225	-0.5	-3580.75	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB268	Combination	-249.281	125.221	0	0	0	97.7991	2343.79	1	-0.225	-0.5	-3451.71	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB268	Combination	-249.281	12.368	0	0	0	-1.0283	-523.49	3	0.225	-0.5	-584.43	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB268	Combination	-249.281	-114.742	0	0	0	94.8124	2255.3	1	-0.225	-0.5	-3363.21	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB269	Combination	-252.012	86.733	0	0	0	98.2225	2350.27	1	-0.225	-0.5	-3470.32	3
	0.225	-0.5	01-mar	0											



## Allegati alla relazione di Calcolo

3	1.5	B_COMB269	Combination	-252.012	5.92	0	0	0	31.8109	382.52	1	-0.225	-0.5	-1502.57	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB269	Combination	-252.012	-98.139	0	0	0	115.3312	2857.19	1	-0.225	-0.5	-3977.25	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB270	Combination	-259.452	125.259	0	0	0	110.418	2695.08	1	-0.225	-0.5	-3848.21	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB270	Combination	-259.452	12.382	0	0	0	11.5275	-235.01	1	-0.225	-0.5	-918.11	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB270	Combination	-259.452	-114.78	0	0	0	107.4313	2606.59	1	-0.225	-0.5	-3759.71	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB271	Combination	-250.124	86.701	0	0	0	92.6943	2190.67	1	-0.225	-0.5	-3302.33	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB271	Combination	-250.124	5.908	0	0	0	26.3374	224.54	1	-0.225	-0.5	-1336.2	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB271	Combination	-250.124	-98.107	0	0	0	109.8029	2697.59	1	-0.225	-0.5	-3809.25	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB272	Combination	-257.565	125.227	0	0	0	104.8897	2535.48	1	-0.225	-0.5	-3680.21	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB272	Combination	-257.565	12.37	0	0	0	6.0539	-392.99	1	-0.225	-0.5	-751.74	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB272	Combination	-257.565	-114.748	0	0	0	101.903	2446.98	1	-0.225	-0.5	-3591.71	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB273	Combination	-218.096	93.578	0	0	0	90.9701	2210.75	1	-0.225	-0.5	-3180.07	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB273	Combination	-218.096	11.826	0	0	0	12.2897	-120.52	1	-0.225	-0.5	-848.8	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB273	Combination	-218.096	-92.598	0	0	0	89.5007	2167.21	1	-0.225	-0.5	-3136.53	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB274	Combination	-225.536	132.104	0	0	0	103.1656	2555.57	1	-0.225	-0.5	-3557.95	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB274	Combination	-225.536	18.287	0	0	0	-7.9938	-264.34	3	0.225	-0.5	-738.05	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB274	Combination	-225.536	-109.24	0	0	0	81.6008	1916.61	1	-0.225	-0.5	-2918.99	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB275	Combination	-216.208	93.546	0	0	0	85.4418	2051.15	1	-0.225	-0.5	-3012.07	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB275	Combination	-216.208	11.814	0	0	0	6.8161	-278.5	1	-0.225	-0.5	-682.42	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB275	Combination	-216.208	-92.567	0	0	0	83.9724	2007.61	1	-0.225	-0.5	-2968.53	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB276	Combination	-223.649	132.072	0	0	0	97.6373	2395.96	1	-0.225	-0.5	-3389.95	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB276	Combination	-223.649	18.276	0	0	0	-13.4674	-97.96	3	0.225	-0.5	-896.03	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB276	Combination	-223.649	-109.208	0	0	0	76.0725	1757	1	-0.225	-0.5	-2751	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB277	Combination	-226.379	93.584	0	0	0	98.0607	2402.44	1	-0.225	-0.5	-3408.57	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB277	Combination	-226.379	11.828	0	0	0	19.3719	70.92	1	-0.225	-0.5	-1077.05	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB277	Combination	-226.379	-92.605	0	0	0	96.5913	2358.9	1	-0.225	-0.5	-3365.03	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB278	Combination	-233.82	132.111	0	0	0	110.2562	2747.25	1	-0.225	-0.5	-3786.45	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB278	Combination	-233.82	18.29	0	0	0	-0.9116	-492.59	3	0.225	-0.5	-546.61	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB278	Combination	-233.82	-109.246	0	0	0	88.6914	2108.29	1	-0.225	-0.5	-3147.49	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB279	Combination	-224.492	93.553	0	0	0	92.5325	2242.83	1	-0.225	-0.5	-3240.57	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB279	Combination	-224.492	11.817	0	0	0	13.8983	-87.07	1	-0.225	-0.5	-910.67	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB279	Combination	-224.492	-92.573	0	0	0	91.063	2199.29	1	-0.225	-0.5	-3197.03	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB280	Combination	-231.932	132.079	0	0	0	104.7279	2587.64	1	-0.225	-0.5	-3618.46	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	B_COMB280	Combination	-231.932	18.279	0	0	0	-6.3852	-326.22	3	0.225	-0.5	-704.6	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB280	Combination	-231.932	-109.214	0	0	0	83.1631	1948.69	1	-0.225	-0.5	-2979.5	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB281	Combination	-202.216	102.664	0	0	0	84.0078	2039.75	1	-0.225	-0.5	-2938.49	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB281	Combination	-202.216	12.548	0	0	0	-1.9868	-390.5	3	0.225	-0.5	-508.24	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB281	Combination	-202.216	-101.882	0	0	0	82.8344	2004.98	1	-0.225	-0.5	-2903.72	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB282	Combination	-212.137	154.032	0	0	0	100.2685	2499.5	1	-0.225	-0.5	-3442.33	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB282	Combination	-212.137	21.163	0	0	0	-29.0314	388.77	3	0.225	-0.5	-1331.61	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB282	Combination	-212.137	-124.07	0	0	0	72.3012	1670.84	1	-0.225	-0.5	-2613.67	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB283	Combination	-200.329	102.632	0	0	0	78.4795	1880.14	1	-0.225	-0.5	-2770.49	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB283	Combination	-200.329	12.536	0	0	0	-7.4604	-224.13	3	0.225	-0.5	-666.22	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB283	Combination	-200.329	-101.85	0	0	0	77.3061	1845.38	1	-0.225	-0.5	-2735.73	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB284	Combination	-210.25	154	0	0	0	94.7402	2339.89	1	-0.225	-0.5	-3274.34	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB284	Combination	-210.25	21.152	0	0	0	-34.505	555.15	3	0.225	-0.5	-1489.59	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB284	Combination	-210.25	-124.038	0	0	0	66.7729	1511.24	1	-0.225	-0.5	-2445.68	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB285	Combination	-210.5	102.67	0	0	0	91.0984	2231.44	1	-0.225	-0.5	-3166.99	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB285	Combination	-210.5	12.55	0	0	0	5.0954	-316.8	1	-0.225	-0.5	-618.75	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB285	Combination	-210.5	-101.888	0	0	0	89.925	2196.67	1	-0.225	-0.5	-3132.22	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB286	Combination	-220.421	154.039	0	0	0	107.3591	2691.19	1	-0.225	-0.5	-3670.83	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB286	Combination	-220.421	21.166	0	0	0	-21.9493	160.52	3	0.225	-0.5	-1140.17	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB286	Combination	-220.421	-124.077	0	0	0	79.3918	1862.53	1	-0.225	-0.5	-2842.18	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB287	Combination	-208.612	102.638	0	0	0	85.5702	2071.83	1	-0.225	-0.5	-2999	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB287	Combination	-208.612	12.539	0	0	0	-0.3782	-452.38	3	0.225	-0.5	-474.79	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB287	Combination	-208.612	-101.856	0	0	0	84.3968	2037.06	1	-0.225	-0.5	-2964.23	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB288	Combination	-218.533	154.007	0	0	0	101.8308	2531.58	1	-0.225	-0.5	-3502.84	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB288	Combination	-218.533	21.154	0	0	0	-27.4228	326.9	3	0.225	-0.5	-1298.16	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB288	Combination	-218.533	-124.045	0	0	0	73.8636	1702.92	1	-0.225	-0.5	-2674.18	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB289	Combination	-200.981	93.48	0	0	0	84.1978	2048.13	1	-0.225	-0.5	-2941.37	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB289	Combination	-200.981	11.73	0	0	0	5.6571	-279.01	1	-0.225	-0.5	-614.24	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB289	Combination	-200.981	-92.698	0	0	0	83.0244	2013.36	1	-0.225	-0.5	-2906.61	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB290	Combination	-208.422	132.006	0	0	0	96.3933	2392.94	1	-0.225	-0.5	-3319.26	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB290	Combination	-208.422	18.192	0	0	0	-14.6264	-29.79	3	0.225	-0.5	-896.53	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB290	Combination	-208.422	-109.339	0	0	0	75.1245	1762.75	1	-0.225	-0.5	-2689.07	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB291	Combination	-197.835	93.427	0	0	0	74.984	1782.11	1	-0.225	-0.5	-2661.38	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	B_COMB291	Combination	-197.835	11.711	0	0	0	-3.4655	-336.95	3	0.225	-0.5	-542.31	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB291	Combination	-197.835	-92.645	0	0	0	73.8106	1747.35	1	-0.225	-0.5	-2626.62	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB292	Combination	-205.276	131.953	0	0	0	87.1795	2126.93	1	-0.225	-0.5	-3039.26	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB292	Combination	-205.276	18.172	0	0	0	-23.7489	247.5	3	0.225	-0.5	-1159.84	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB292	Combination	-205.276	-109.286	0	0	0	65.9107	1496.74	1	-0.225	-0.5	-2409.08	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB293	Combination	-214.787	93.491	0	0	0	96.0155	2367.6	1	-0.225	-0.5	-3322.21	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB293	Combination	-214.787	11.734	0	0	0	17.4608	40.05	1	-0.225	-0.5	-994.66	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB293	Combination	-214.787	-92.708	0	0	0	94.8421	2332.83	1	-0.225	-0.5	-3287.44	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB294	Combination	-222.228	132.017	0	0	0	108.211	2712.41	1	-0.225	-0.5	-3700.09	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB294	Combination	-222.228	18.196	0	0	0	-2.8227	-410.2	3	0.225	-0.5	-577.48	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB294	Combination	-222.228	-109.35	0	0	0	86.9422	2082.23	1	-0.225	-0.5	-3069.91	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB295	Combination	-211.641	93.438	0	0	0	86.8017	2101.59	1	-0.225	-0.5	-3042.22	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB295	Combination	-211.641	11.715	0	0	0	8.3382	-223.26	1	-0.225	-0.5	-717.37	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB295	Combination	-211.641	-92.655	0	0	0	85.6283	2066.82	1	-0.225	-0.5	-3007.45	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB296	Combination	-219.082	131.964	0	0	0	98.9972	2446.4	1	-0.225	-0.5	-3420.1	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB296	Combination	-219.082	18.177	0	0	0	-11.9453	-132.91	3	0.225	-0.5	-840.78	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB296	Combination	-219.082	-109.297	0	0	0	77.7284	1816.22	1	-0.225	-0.5	-2789.91	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB297	Combination	-232.208	85.481	0	0	0	84.9926	2002.28	1	-0.225	-0.5	-3034.32	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB297	Combination	-232.208	3.728	0	0	0	18.4581	30.89	1	-0.225	-0.5	-1062.92	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB297	Combination	-232.208	-100.696	0	0	0	107.815	2678.5	1	-0.225	-0.5	-3710.53	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB298	Combination	-239.648	124.007	0	0	0	97.1881	2347.1	1	-0.225	-0.5	-3412.2	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB298	Combination	-239.648	10.19	0	0	0	-1.8254	-478.47	3	0.225	-0.5	-586.64	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB298	Combination	-239.648	-117.337	0	0	0	99.9151	2427.89	1	-0.225	-0.5	-3493	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB299	Combination	-230.32	85.449	0	0	0	79.4644	1842.68	1	-0.225	-0.5	-2866.32	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB299	Combination	-230.32	3.717	0	0	0	12.9845	-127.1	1	-0.225	-0.5	-896.55	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB299	Combination	-230.32	-100.664	0	0	0	102.2867	2518.89	1	-0.225	-0.5	-3542.54	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB300	Combination	-237.761	123.975	0	0	0	91.6599	2187.49	1	-0.225	-0.5	-3244.21	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB300	Combination	-237.761	10.179	0	0	0	-7.2989	-312.09	3	0.225	-0.5	-744.62	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB300	Combination	-237.761	-117.305	0	0	0	94.3868	2268.29	1	-0.225	-0.5	-3325	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB301	Combination	-240.491	85.487	0	0	0	92.0833	2193.97	1	-0.225	-0.5	-3262.82	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB301	Combination	-240.491	3.731	0	0	0	25.5403	222.32	1	-0.225	-0.5	-1291.17	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB301	Combination	-240.491	-100.702	0	0	0	114.9056	2870.18	1	-0.225	-0.5	-3939.04	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB302	Combination	-247.932	124.014	0	0	0	104.2788	2538.78	1	-0.225	-0.5	-3640.7	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	B_COMB302	Combination	-247.932	10.193	0	0	0	5.2568	-395.2	1	-0.225	-0.5	-706.72	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB302	Combination	-247.932	-117.343	0	0	0	107.0057	2619.58	1	-0.225	-0.5	-3721.5	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB303	Combination	-238.604	85.455	0	0	0	86.555	2034.36	1	-0.225	-0.5	-3094.82	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB303	Combination	-238.604	3.72	0	0	0	20.0667	64.34	1	-0.225	-0.5	-1124.8	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB303	Combination	-238.604	-100.67	0	0	0	109.3773	2710.58	1	-0.225	-0.5	-3771.04	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB304	Combination	-246.045	123.982	0	0	0	98.7505	2379.17	1	-0.225	-0.5	-3472.71	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB304	Combination	-246.045	10.181	0	0	0	-0.2167	-540.34	3	0.225	-0.5	-553.19	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB304	Combination	-246.045	-117.312	0	0	0	101.4774	2459.97	1	-0.225	-0.5	-3553.5	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB305	Combination	-223.445	87.481	0	0	0	84.784	2015.58	1	-0.225	-0.5	-3008.66	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB305	Combination	-223.445	5.731	0	0	0	15.2417	-44.94	1	-0.225	-0.5	-948.15	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB305	Combination	-223.445	-98.697	0	0	0	101.6074	2514.05	1	-0.225	-0.5	-3507.13	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB306	Combination	-230.886	126.007	0	0	0	96.9795	2360.39	1	-0.225	-0.5	-3386.55	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB306	Combination	-230.886	12.193	0	0	0	-5.0417	-363.69	3	0.225	-0.5	-662.46	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB306	Combination	-230.886	-115.338	0	0	0	93.7075	2263.44	1	-0.225	-0.5	-3289.6	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB307	Combination	-220.299	87.428	0	0	0	75.5702	1749.56	1	-0.225	-0.5	-2728.67	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB307	Combination	-220.299	5.712	0	0	0	6.1191	-308.25	1	-0.225	-0.5	-670.86	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB307	Combination	-220.299	-98.644	0	0	0	92.3936	2248.04	1	-0.225	-0.5	-3227.14	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB308	Combination	-227.74	125.954	0	0	0	87.7657	2094.38	1	-0.225	-0.5	-3106.55	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB308	Combination	-227.74	12.173	0	0	0	-14.1643	-86.4	3	0.225	-0.5	-925.77	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB308	Combination	-227.74	-115.285	0	0	0	84.4937	1997.43	1	-0.225	-0.5	-3009.61	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB309	Combination	-237.251	87.492	0	0	0	96.6018	2335.05	1	-0.225	-0.5	-3389.5	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB309	Combination	-237.251	5.735	0	0	0	27.0454	274.12	1	-0.225	-0.5	-1328.57	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB309	Combination	-237.251	-98.707	0	0	0	113.4251	2833.52	1	-0.225	-0.5	-3887.97	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB310	Combination	-244.692	126.018	0	0	0	108.7972	2679.86	1	-0.225	-0.5	-3767.38	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB310	Combination	-244.692	12.197	0	0	0	6.7619	-343.41	1	-0.225	-0.5	-744.11	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB310	Combination	-244.692	-115.349	0	0	0	105.5252	2582.91	1	-0.225	-0.5	-3670.43	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB311	Combination	-234.105	87.439	0	0	0	87.388	2069.04	1	-0.225	-0.5	-3109.51	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB311	Combination	-234.105	5.716	0	0	0	17.9228	10.81	1	-0.225	-0.5	-1051.28	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB311	Combination	-234.105	-98.654	0	0	0	104.2113	2567.51	1	-0.225	-0.5	-3607.98	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB312	Combination	-241.546	125.965	0	0	0	99.5834	2413.85	1	-0.225	-0.5	-3487.39	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB312	Combination	-241.546	12.178	0	0	0	-2.3607	-466.82	3	0.225	-0.5	-606.71	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB312	Combination	-241.546	-115.296	0	0	0	96.3114	2316.9	1	-0.225	-0.5	-3390.44	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB313	Combination	-217.979	93.084	0	0	0	90.6564	2201.72	1	-0.225	-0.5	-3170.51	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	B_COMB313	Combination	-217.979	12.039	0	0	0	14.2172	-63.15	1	-0.225	-0.5	-905.65	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB313	Combination	-217.979	-92.104	0	0	0	89.187	2158.18	1	-0.225	-0.5	-3126.97	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB314	Combination	-225.42	131.61	0	0	0	102.8519	2546.53	1	-0.225	-0.5	-3548.4	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB314	Combination	-225.42	18.501	0	0	0	-6.0663	-321.19	3	0.225	-0.5	-680.68	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB314	Combination	-225.42	-108.746	0	0	0	81.2871	1907.57	1	-0.225	-0.5	-2909.44	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB315	Combination	-216.092	93.052	0	0	0	85.1281	2042.11	1	-0.225	-0.5	-3002.52	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB315	Combination	-216.092	12.027	0	0	0	8.7436	-221.13	1	-0.225	-0.5	-739.27	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB315	Combination	-216.092	-92.072	0	0	0	83.6587	1998.57	1	-0.225	-0.5	-2958.98	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB316	Combination	-223.532	131.578	0	0	0	97.3236	2386.92	1	-0.225	-0.5	-3380.4	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB316	Combination	-223.532	18.489	0	0	0	-11.5399	-154.82	3	0.225	-0.5	-838.66	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB316	Combination	-223.532	-108.714	0	0	0	75.7588	1747.97	1	-0.225	-0.5	-2741.44	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB317	Combination	-226.263	93.09	0	0	0	97.747	2393.4	1	-0.225	-0.5	-3399.01	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB317	Combination	-226.263	12.042	0	0	0	21.2993	128.29	1	-0.225	-0.5	-1133.9	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB317	Combination	-226.263	-92.111	0	0	0	96.2776	2349.86	1	-0.225	-0.5	-3355.48	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB318	Combination	-233.703	131.617	0	0	0	109.9425	2738.22	1	-0.225	-0.5	-3776.9	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB318	Combination	-233.703	18.503	0	0	0	1.0159	-489.24	1	-0.225	-0.5	-549.44	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB318	Combination	-233.703	-108.752	0	0	0	88.3777	2099.26	1	-0.225	-0.5	-3137.94	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB319	Combination	-224.375	93.058	0	0	0	92.2188	2233.8	1	-0.225	-0.5	-3231.02	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB319	Combination	-224.375	12.03	0	0	0	15.8258	-29.7	1	-0.225	-0.5	-967.52	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB319	Combination	-224.375	-92.079	0	0	0	90.7493	2190.26	1	-0.225	-0.5	-3187.48	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB320	Combination	-231.816	131.585	0	0	0	104.4143	2578.61	1	-0.225	-0.5	-3608.9	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB320	Combination	-231.816	18.492	0	0	0	-4.4577	-383.07	3	0.225	-0.5	-647.23	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB320	Combination	-231.816	-108.72	0	0	0	82.8494	1939.65	1	-0.225	-0.5	-2969.94	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB321	Combination	-202.1	102.17	0	0	0	83.6941	2030.71	1	-0.225	-0.5	-2928.94	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB321	Combination	-202.1	12.761	0	0	0	-0.0593	-447.35	3	0.225	-0.5	-450.87	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB321	Combination	-202.1	-101.388	0	0	0	82.5207	1995.95	1	-0.225	-0.5	-2894.17	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB322	Combination	-212.021	153.538	0	0	0	99.9548	2490.47	1	-0.225	-0.5	-3432.78	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB322	Combination	-212.021	21.377	0	0	0	-27.104	331.92	3	0.225	-0.5	-1274.24	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB322	Combination	-212.021	-123.576	0	0	0	71.9875	1661.81	1	-0.225	-0.5	-2604.12	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB323	Combination	-200.212	102.138	0	0	0	78.1658	1871.11	1	-0.225	-0.5	-2760.94	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB323	Combination	-200.212	12.749	0	0	0	-5.5329	-280.98	3	0.225	-0.5	-608.85	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB323	Combination	-200.212	-101.356	0	0	0	76.9924	1836.34	1	-0.225	-0.5	-2726.17	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB324	Combination	-210.133	153.506	0	0	0	94.4265	2330.86	1	-0.225	-0.5	-3264.78	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	B_COMB324	Combination	-210.133	21.365	0	0	0	-32.5775	498.3	3	0.225	-0.5	-1432.22	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB324	Combination	-210.133	-123.544	0	0	0	66.4592	1502.2	1	-0.225	-0.5	-2436.13	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB325	Combination	-210.383	102.176	0	0	0	90.7847	2222.4	1	-0.225	-0.5	-3157.44	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB325	Combination	-210.383	12.763	0	0	0	7.0229	-259.43	1	-0.225	-0.5	-675.6	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB325	Combination	-210.383	-101.394	0	0	0	89.6114	2187.63	1	-0.225	-0.5	-3122.67	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB326	Combination	-220.304	153.545	0	0	0	107.0454	2682.15	1	-0.225	-0.5	-3661.28	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB326	Combination	-220.304	21.379	0	0	0	-20.0218	103.67	3	0.225	-0.5	-1082.8	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB326	Combination	-220.304	-123.582	0	0	0	79.0782	1853.49	1	-0.225	-0.5	-2832.62	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB327	Combination	-208.496	102.144	0	0	0	85.2565	2062.79	1	-0.225	-0.5	-2989.44	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB327	Combination	-208.496	12.752	0	0	0	1.5493	-417.42	1	-0.225	-0.5	-509.23	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB327	Combination	-208.496	-101.362	0	0	0	84.0831	2028.03	1	-0.225	-0.5	-2954.67	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB328	Combination	-218.417	153.513	0	0	0	101.5171	2522.54	1	-0.225	-0.5	-3493.29	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB328	Combination	-218.417	21.368	0	0	0	-25.4953	270.05	3	0.225	-0.5	-1240.79	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB328	Combination	-218.417	-123.55	0	0	0	73.5499	1693.88	1	-0.225	-0.5	-2664.63	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB329	Combination	-200.864	92.986	0	0	0	83.8841	2039.09	1	-0.225	-0.5	-2931.82	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB329	Combination	-200.864	11.943	0	0	0	7.5846	-221.64	1	-0.225	-0.5	-671.09	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB329	Combination	-200.864	-92.204	0	0	0	82.7107	2004.32	1	-0.225	-0.5	-2897.05	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB330	Combination	-208.305	131.512	0	0	0	96.0796	2383.9	1	-0.225	-0.5	-3309.7	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB330	Combination	-208.305	18.405	0	0	0	-12.6989	-86.64	3	0.225	-0.5	-839.16	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB330	Combination	-208.305	-108.845	0	0	0	74.8108	1753.72	1	-0.225	-0.5	-2679.52	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB331	Combination	-197.719	92.933	0	0	0	74.6703	1773.08	1	-0.225	-0.5	-2651.83	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB331	Combination	-197.719	11.924	0	0	0	-1.538	-393.8	3	0.225	-0.5	-484.94	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB331	Combination	-197.719	-92.151	0	0	0	73.4969	1738.31	1	-0.225	-0.5	-2617.06	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB332	Combination	-205.159	131.459	0	0	0	86.8658	2117.89	1	-0.225	-0.5	-3029.71	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB332	Combination	-205.159	18.386	0	0	0	-21.8215	190.65	3	0.225	-0.5	-1102.47	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB332	Combination	-205.159	-108.792	0	0	0	65.597	1487.71	1	-0.225	-0.5	-2399.53	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB333	Combination	-214.67	92.997	0	0	0	95.7018	2358.56	1	-0.225	-0.5	-3312.66	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB333	Combination	-214.67	11.947	0	0	0	19.3882	97.42	1	-0.225	-0.5	-1051.51	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB333	Combination	-214.67	-92.214	0	0	0	94.5285	2323.8	1	-0.225	-0.5	-3277.89	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB334	Combination	-222.111	131.523	0	0	0	107.8973	2703.38	1	-0.225	-0.5	-3690.54	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB334	Combination	-222.111	18.409	0	0	0	-0.8952	-467.05	3	0.225	-0.5	-520.11	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB334	Combination	-222.111	-108.856	0	0	0	86.6286	2073.19	1	-0.225	-0.5	-3060.35	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB335	Combination	-211.525	92.943	0	0	0	86.488	2092.55	1	-0.225	-0.5	-3032.66	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	B_COMB335	Combination	-211.525	11.928	0	0	0	10.2657	-165.89	1	-0.225	-0.5	-774.22	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB335	Combination	-211.525	-92.161	0	0	0	85.3147	2057.79	1	-0.225	-0.5	-2997.9	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB336	Combination	-218.965	131.47	0	0	0	98.6835	2437.37	1	-0.225	-0.5	-3410.55	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB336	Combination	-218.965	18.39	0	0	0	-10.0178	-189.77	3	0.225	-0.5	-783.41	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB336	Combination	-218.965	-108.802	0	0	0	77.4148	1807.18	1	-0.225	-0.5	-2780.36	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB337	Combination	-232.091	84.987	0	0	0	84.679	1993.25	1	-0.225	-0.5	-3024.76	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB337	Combination	-232.091	3.942	0	0	0	20.3856	88.26	1	-0.225	-0.5	-1119.78	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB337	Combination	-232.091	-100.202	0	0	0	107.5013	2669.46	1	-0.225	-0.5	-3700.98	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB338	Combination	-239.532	123.513	0	0	0	96.8745	2338.06	1	-0.225	-0.5	-3402.65	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB338	Combination	-239.532	10.403	0	0	0	0.1021	-529.27	1	-0.225	-0.5	-535.32	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB338	Combination	-239.532	-116.843	0	0	0	99.6014	2418.86	1	-0.225	-0.5	-3483.45	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB339	Combination	-230.204	84.955	0	0	0	79.1507	1833.64	1	-0.225	-0.5	-2856.77	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB339	Combination	-230.204	3.93	0	0	0	14.912	-69.73	1	-0.225	-0.5	-953.4	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB339	Combination	-230.204	-100.17	0	0	0	101.973	2509.86	1	-0.225	-0.5	-3532.99	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB340	Combination	-237.644	123.481	0	0	0	91.3462	2178.45	1	-0.225	-0.5	-3234.65	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB340	Combination	-237.644	10.392	0	0	0	-5.3714	-368.94	3	0.225	-0.5	-687.25	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB340	Combination	-237.644	-116.811	0	0	0	94.0731	2259.25	1	-0.225	-0.5	-3315.45	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB341	Combination	-240.375	84.993	0	0	0	91.7696	2184.93	1	-0.225	-0.5	-3253.27	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB341	Combination	-240.375	3.944	0	0	0	27.4678	279.69	1	-0.225	-0.5	-1348.03	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB341	Combination	-240.375	-100.208	0	0	0	114.5919	2861.15	1	-0.225	-0.5	-3929.48	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB342	Combination	-247.815	123.519	0	0	0	103.9651	2529.75	1	-0.225	-0.5	-3631.15	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB342	Combination	-247.815	10.406	0	0	0	7.1843	-337.83	1	-0.225	-0.5	-763.57	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB342	Combination	-247.815	-116.849	0	0	0	106.692	2610.54	1	-0.225	-0.5	-3711.95	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB343	Combination	-238.487	84.961	0	0	0	86.2413	2025.33	1	-0.225	-0.5	-3085.27	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB343	Combination	-238.487	3.933	0	0	0	21.9942	121.71	1	-0.225	-0.5	-1181.65	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB343	Combination	-238.487	-100.176	0	0	0	109.0636	2701.54	1	-0.225	-0.5	-3761.49	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB344	Combination	-245.928	123.487	0	0	0	98.4368	2370.14	1	-0.225	-0.5	-3463.15	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB344	Combination	-245.928	10.395	0	0	0	1.7107	-495.82	1	-0.225	-0.5	-597.2	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB344	Combination	-245.928	-116.817	0	0	0	101.1637	2450.94	1	-0.225	-0.5	-3543.95	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB345	Combination	-223.328	86.987	0	0	0	84.4704	2006.54	1	-0.225	-0.5	-2999.11	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB345	Combination	-223.328	5.944	0	0	0	17.1692	12.43	1	-0.225	-0.5	-1005	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB345	Combination	-223.328	-98.203	0	0	0	101.2937	2505.01	1	-0.225	-0.5	-3497.58	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB346	Combination	-230.769	125.513	0	0	0	96.6658	2351.35	1	-0.225	-0.5	-3376.99	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	B_COMB346	Combination	-230.769	12.406	0	0	0	-3.1143	-420.55	3	0.225	-0.5	-605.09	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB346	Combination	-230.769	-114.844	0	0	0	93.3938	2254.4	1	-0.225	-0.5	-3280.04	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB347	Combination	-220.183	86.934	0	0	0	75.2566	1740.53	1	-0.225	-0.5	-2719.12	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB347	Combination	-220.183	5.925	0	0	0	8.0466	-250.88	1	-0.225	-0.5	-727.71	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB347	Combination	-220.183	-98.149	0	0	0	92.0799	2239	1	-0.225	-0.5	-3217.59	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB348	Combination	-227.623	125.46	0	0	0	87.452	2085.34	1	-0.225	-0.5	-3097	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB348	Combination	-227.623	12.387	0	0	0	-12.2368	-143.26	3	0.225	-0.5	-868.4	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB348	Combination	-227.623	-114.791	0	0	0	84.18	1988.39	1	-0.225	-0.5	-3000.05	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB349	Combination	-237.134	86.998	0	0	0	96.2881	2326.01	1	-0.225	-0.5	-3379.95	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB349	Combination	-237.134	5.948	0	0	0	28.9729	331.49	1	-0.225	-0.5	-1385.42	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB349	Combination	-237.134	-98.213	0	0	0	113.1115	2824.49	1	-0.225	-0.5	-3878.42	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB350	Combination	-244.575	125.524	0	0	0	108.4836	2670.83	1	-0.225	-0.5	-3757.83	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB350	Combination	-244.575	12.41	0	0	0	8.6894	-286.04	1	-0.225	-0.5	-800.96	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB350	Combination	-244.575	-114.855	0	0	0	105.2116	2573.88	1	-0.225	-0.5	-3660.88	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB351	Combination	-233.989	86.944	0	0	0	87.0743	2060	1	-0.225	-0.5	-3099.95	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB351	Combination	-233.989	5.929	0	0	0	19.8503	68.18	1	-0.225	-0.5	-1108.13	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB351	Combination	-233.989	-98.16	0	0	0	103.8977	2558.47	1	-0.225	-0.5	-3598.42	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB352	Combination	-241.429	125.471	0	0	0	99.2698	2404.82	1	-0.225	-0.5	-3477.84	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB352	Combination	-241.429	12.391	0	0	0	-0.4332	-523.67	3	0.225	-0.5	-549.34	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB352	Combination	-241.429	-114.801	0	0	0	95.9978	2307.87	1	-0.225	-0.5	-3380.89	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB353	Combination	-224.564	86.822	0	0	0	84.379	2001.09	1	-0.225	-0.5	-2999.15	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB353	Combination	-224.564	6.012	0	0	0	17.8332	29.36	1	-0.225	-0.5	-1027.42	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB353	Combination	-224.564	-98.037	0	0	0	101.2024	2499.56	1	-0.225	-0.5	-3497.62	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB354	Combination	-232.005	125.348	0	0	0	96.5745	2345.9	1	-0.225	-0.5	-3377.03	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB354	Combination	-232.005	12.474	0	0	0	-2.4503	-442.97	3	0.225	-0.5	-588.17	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB354	Combination	-232.005	-114.679	0	0	0	93.3025	2248.95	1	-0.225	-0.5	-3280.08	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB355	Combination	-222.677	86.79	0	0	0	78.8507	1841.48	1	-0.225	-0.5	-2831.15	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB355	Combination	-222.677	6.001	0	0	0	12.3596	-128.63	1	-0.225	-0.5	-861.05	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB355	Combination	-222.677	-98.005	0	0	0	95.6741	2339.95	1	-0.225	-0.5	-3329.63	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB356	Combination	-230.118	125.316	0	0	0	91.0462	2186.29	1	-0.225	-0.5	-3209.04	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB356	Combination	-230.118	12.463	0	0	0	-7.9238	-276.59	3	0.225	-0.5	-746.15	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB356	Combination	-230.118	-114.647	0	0	0	87.7742	2089.34	1	-0.225	-0.5	-3112.09	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB357	Combination	-232.848	86.828	0	0	0	91.4696	2192.77	1	-0.225	-0.5	-3227.65	3
	0.225	-0.5	01-mar	0											



## Allegati alla relazione di Calcolo

3	1.5	B_COMB357	Combination	-232.848	6.015	0	0	0	24.9154	220.79	1	-0.225	-0.5	-1255.67	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB357	Combination	-232.848	-98.044	0	0	0	108.293	2691.24	1	-0.225	-0.5	-3726.12	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB358	Combination	-240.289	125.354	0	0	0	103.6651	2537.58	1	-0.225	-0.5	-3605.53	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB358	Combination	-240.289	12.477	0	0	0	4.6319	-396.73	1	-0.225	-0.5	-671.22	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB358	Combination	-240.289	-114.685	0	0	0	100.3931	2440.64	1	-0.225	-0.5	-3508.59	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB359	Combination	-230.96	86.796	0	0	0	85.9413	2033.16	1	-0.225	-0.5	-3059.66	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB359	Combination	-230.96	6.004	0	0	0	19.4418	62.81	1	-0.225	-0.5	-1089.3	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB359	Combination	-230.96	-98.012	0	0	0	102.7647	2531.64	1	-0.225	-0.5	-3558.13	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB360	Combination	-238.401	125.322	0	0	0	98.1368	2377.98	1	-0.225	-0.5	-3437.54	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB360	Combination	-238.401	12.465	0	0	0	-0.8416	-504.84	3	0.225	-0.5	-554.72	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB360	Combination	-238.401	-114.653	0	0	0	94.8648	2281.03	1	-0.225	-0.5	-3340.59	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB361_0_0	Combination	-4.087	37.746	0	0	0	2.9853	79.37	1	-0.225	-0.5	-97.54	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB361_0_0	Combination	-4.087	4.912	0	0	0	-28.8537	845.84	3	0.225	-0.5	-864.01	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB361_0_0	Combination	-4.087	-37.746	0	0	0	2.9853	79.37	1	-0.225	-0.5	-97.54	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB361_0_1	Combination	-4.087	37.746	0	0	0	2.9853	79.37	1	-0.225	-0.5	-97.54	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB361_0_1	Combination	-4.087	4.912	0	0	0	-28.8537	845.84	3	0.225	-0.5	-864.01	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB361_0_1	Combination	-4.087	-37.746	0	0	0	2.9853	79.37	1	-0.225	-0.5	-97.54	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB361_0_2	Combination	-131.844	37.746	0	0	0	48.9555	1157.55	1	-0.225	-0.5	-1743.52	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB361_0_2	Combination	-131.844	4.912	0	0	0	17.1165	214.17	1	-0.225	-0.5	-800.14	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB361_0_2	Combination	-131.844	-37.746	0	0	0	48.9555	1157.55	1	-0.225	-0.5	-1743.52	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB361_0_2_1	Combination	-132.415	52.308	0	0	0	49.0942	1160.39	1	-0.225	-0.5	-1748.9	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB361_0_2_1	Combination	-132.415	7.14	0	0	0	4.7301	-154.1	1	-0.225	-0.5	-434.41	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB361_0_2_1	Combination	-132.415	-52.308	0	0	0	49.0942	1160.39	1	-0.225	-0.5	-1748.9	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB361_0_3	Combination	-132.415	52.308	0	0	0	49.0942	1160.39	1	-0.225	-0.5	-1748.9	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB361_0_3	Combination	-132.415	7.14	0	0	0	4.7301	-154.1	1	-0.225	-0.5	-434.41	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB361_0_3	Combination	-132.415	-52.308	0	0	0	49.0942	1160.39	1	-0.225	-0.5	-1748.9	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB361_0_4	Combination	-136.173	52.322	0	0	0	56.4802	1370.88	1	-0.225	-0.5	-1976.09	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB361_0_4	Combination	-136.173	7.151	0	0	0	12.0772	55.24	1	-0.225	-0.5	-660.45	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB361_0_4	Combination	-136.173	-52.322	0	0	0	56.4802	1370.88	1	-0.225	-0.5	-1976.09	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB361	Combination	-199.346	56.283	0	0	0	78.9192	1895.36	1	-0.225	-0.5	-2781.34	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB361	Combination	-199.346	4.742	0	0	0	33.3821	546.11	1	-0.225	-0.5	-1432.09	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB361	Combination	-199.346	-63.006	0	0	0	89.0038	2194.16	1	-0.225	-0.5	-3080.14	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB362	Combination	-199.346	56.283	0	0	0	78.9192	1895.36	1	-0.225	-0.5	-2781.34	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	B_COMB362	Combination	-199.346	4.742	0	0	0	33.3821	546.11	1	-0.225	-0.5	-1432.09	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB362	Combination	-199.346	-63.006	0	0	0	89.0038	2194.16	1	-0.225	-0.5	-3080.14	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB363	Combination	-197.76	41.637	0	0	0	77.761	1864.56	1	-0.225	-0.5	-2743.5	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB363	Combination	-197.76	2.836	0	0	0	44.5774	881.34	1	-0.225	-0.5	-1760.28	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB363	Combination	-197.76	-48.36	0	0	0	87.8455	2163.36	1	-0.225	-0.5	-3042.3	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB364	Combination	-197.76	41.637	0	0	0	77.761	1864.56	1	-0.225	-0.5	-2743.5	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB364	Combination	-197.76	2.836	0	0	0	44.5774	881.34	1	-0.225	-0.5	-1760.28	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB364	Combination	-197.76	-48.36	0	0	0	87.8455	2163.36	1	-0.225	-0.5	-3042.3	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB365	Combination	-168.949	65.287	0	0	0	68.5684	1656.21	1	-0.225	-0.5	-2407.1	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB365	Combination	-168.949	7.376	0	0	0	14.3332	49.25	1	-0.225	-0.5	-800.13	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB365	Combination	-168.949	-68.648	0	0	0	73.6107	1805.62	1	-0.225	-0.5	-2556.5	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB366	Combination	-168.949	65.287	0	0	0	68.5684	1656.21	1	-0.225	-0.5	-2407.1	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB366	Combination	-168.949	7.376	0	0	0	14.3332	49.25	1	-0.225	-0.5	-800.13	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB366	Combination	-168.949	-68.648	0	0	0	73.6107	1805.62	1	-0.225	-0.5	-2556.5	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB367	Combination	-165.778	35.996	0	0	0	66.2518	1594.62	1	-0.225	-0.5	-2331.41	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB367	Combination	-165.778	3.564	0	0	0	36.7237	719.72	1	-0.225	-0.5	-1456.51	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB367	Combination	-165.778	-39.357	0	0	0	71.2941	1744.02	1	-0.225	-0.5	-2480.81	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB368	Combination	-165.778	35.996	0	0	0	66.2518	1594.62	1	-0.225	-0.5	-2331.41	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB368	Combination	-165.778	3.564	0	0	0	36.7237	719.72	1	-0.225	-0.5	-1456.51	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB368	Combination	-165.778	-39.357	0	0	0	71.2941	1744.02	1	-0.225	-0.5	-2480.81	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB369	Combination	-158.903	76.569	0	0	0	67.9079	1658.97	1	-0.225	-0.5	-2365.2	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB369	Combination	-158.903	9.582	0	0	0	3.5964	-246.56	1	-0.225	-0.5	-459.68	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB369	Combination	-158.903	-75.997	0	0	0	67.0491	1633.52	1	-0.225	-0.5	-2339.76	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB370	Combination	-165.373	110.071	0	0	0	78.5127	1958.8	1	-0.225	-0.5	-2693.8	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB370	Combination	-165.373	15.201	0	0	0	-14.0414	48.54	3	0.225	-0.5	-783.54	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB370	Combination	-165.373	-90.468	0	0	0	60.1796	1415.6	1	-0.225	-0.5	-2150.6	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB373	Combination	-167.187	76.576	0	0	0	74.9985	1850.65	1	-0.225	-0.5	-2593.7	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB373	Combination	-167.187	9.584	0	0	0	10.6786	-55.12	1	-0.225	-0.5	-687.93	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB373	Combination	-167.187	-76.003	0	0	0	74.1397	1825.21	1	-0.225	-0.5	-2568.26	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB374	Combination	-173.657	110.077	0	0	0	85.6033	2150.49	1	-0.225	-0.5	-2922.3	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB374	Combination	-173.657	15.203	0	0	0	-6.9592	-179.71	3	0.225	-0.5	-592.1	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB374	Combination	-173.657	-90.474	0	0	0	67.2702	1607.29	1	-0.225	-0.5	-2379.1	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB377	Combination	-147.381	84.484	0	0	0	62.8293	1534.09	1	-0.225	-0.5	-2189.12	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	C_COMB377	Combination	-147.381	10.224	0	0	0	-7.8637	-94.51	3	0.225	-0.5	-560.51	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB377	Combination	-147.381	-84.055	0	0	0	62.1851	1515.01	1	-0.225	-0.5	-2170.04	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB378	Combination	-156.008	129.153	0	0	0	76.969	1933.88	1	-0.225	-0.5	-2627.25	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB378	Combination	-156.008	17.716	0	0	0	-31.3808	583.12	3	0.225	-0.5	-1276.49	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB378	Combination	-156.008	-103.349	0	0	0	53.0258	1224.45	1	-0.225	-0.5	-1917.82	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB381	Combination	-155.665	84.491	0	0	0	69.9199	1725.78	1	-0.225	-0.5	-2417.62	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB381	Combination	-155.665	10.226	0	0	0	-0.7816	-322.77	3	0.225	-0.5	-369.08	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB381	Combination	-155.665	-84.061	0	0	0	69.2758	1706.69	1	-0.225	-0.5	-2398.54	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB382	Combination	-164.292	129.159	0	0	0	84.0596	2125.56	1	-0.225	-0.5	-2855.75	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB382	Combination	-164.292	17.718	0	0	0	-24.2986	354.87	3	0.225	-0.5	-1085.05	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB382	Combination	-164.292	-103.356	0	0	0	60.1165	1416.14	1	-0.225	-0.5	-2146.32	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB385	Combination	-146.141	76.499	0	0	0	62.9928	1541.69	1	-0.225	-0.5	-2191.21	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB385	Combination	-146.141	9.513	0	0	0	-1.2197	-288.62	3	0.225	-0.5	-360.9	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB385	Combination	-146.141	-76.069	0	0	0	62.3486	1522.61	1	-0.225	-0.5	-2172.12	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB386	Combination	-152.611	110	0	0	0	73.5975	1841.53	1	-0.225	-0.5	-2519.8	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB386	Combination	-152.611	15.132	0	0	0	-18.8575	219.6	3	0.225	-0.5	-897.87	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB386	Combination	-152.611	-90.54	0	0	0	55.4792	1304.69	1	-0.225	-0.5	-1982.96	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB387	Combination	-142.995	76.445	0	0	0	53.779	1275.68	1	-0.225	-0.5	-1911.22	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB387	Combination	-142.995	9.494	0	0	0	-10.3422	-11.33	3	0.225	-0.5	-624.2	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB387	Combination	-142.995	-76.016	0	0	0	53.1348	1256.6	1	-0.225	-0.5	-1892.13	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB388	Combination	-149.465	109.946	0	0	0	64.3837	1575.52	1	-0.225	-0.5	-2239.81	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB388	Combination	-149.465	15.113	0	0	0	-27.98	496.89	3	0.225	-0.5	-1161.18	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB388	Combination	-149.465	-90.487	0	0	0	46.2654	1038.68	1	-0.225	-0.5	-1702.97	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB389	Combination	-159.947	76.509	0	0	0	74.8105	1861.17	1	-0.225	-0.5	-2572.04	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB389	Combination	-159.947	9.517	0	0	0	10.584	-41.84	1	-0.225	-0.5	-669.04	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB389	Combination	-159.947	-76.08	0	0	0	74.1664	1842.08	1	-0.225	-0.5	-2552.96	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB390	Combination	-166.417	110.01	0	0	0	85.4153	2161.01	1	-0.225	-0.5	-2900.64	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB390	Combination	-166.417	15.136	0	0	0	-7.0538	-160.81	3	0.225	-0.5	-578.82	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB390	Combination	-166.417	-90.55	0	0	0	67.2969	1624.17	1	-0.225	-0.5	-2363.8	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB391	Combination	-156.801	76.456	0	0	0	65.5967	1595.16	1	-0.225	-0.5	-2292.05	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB391	Combination	-156.801	9.498	0	0	0	1.4614	-305.15	1	-0.225	-0.5	-391.75	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB391	Combination	-156.801	-76.027	0	0	0	64.9526	1576.07	1	-0.225	-0.5	-2272.97	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB392	Combination	-163.271	109.957	0	0	0	76.2015	1895	1	-0.225	-0.5	-2620.65	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	C_COMB392	Combination	-163.271	15.117	0	0	0	-16.1764	116.48	3	0.225	-0.5	-842.13	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB392	Combination	-163.271	-90.497	0	0	0	58.0831	1358.16	1	-0.225	-0.5	-2083.81	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB393	Combination	-173.461	69.543	0	0	0	63.6856	1501.51	1	-0.225	-0.5	-2272.45	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB393	Combination	-173.461	2.555	0	0	0	9.9144	-91.71	1	-0.225	-0.5	-679.23	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB393	Combination	-173.461	-83.024	0	0	0	83.9074	2100.68	1	-0.225	-0.5	-2871.61	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB394	Combination	-179.931	103.044	0	0	0	74.2904	1801.35	1	-0.225	-0.5	-2601.04	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB394	Combination	-179.931	8.174	0	0	0	-7.7234	-171.01	3	0.225	-0.5	-628.69	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB394	Combination	-179.931	-97.494	0	0	0	77.0379	1882.76	1	-0.225	-0.5	-2682.45	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB395	Combination	-171.573	69.511	0	0	0	58.1574	1341.91	1	-0.225	-0.5	-2104.46	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB395	Combination	-171.573	2.544	0	0	0	4.4409	-249.69	1	-0.225	-0.5	-512.86	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB395	Combination	-171.573	-82.992	0	0	0	78.3791	1941.07	1	-0.225	-0.5	-2703.62	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB396	Combination	-178.044	103.012	0	0	0	68.7621	1641.74	1	-0.225	-0.5	-2433.05	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB396	Combination	-178.044	8.162	0	0	0	-13.1969	-4.63	3	0.225	-0.5	-786.67	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB396	Combination	-178.044	-97.462	0	0	0	71.5096	1723.15	1	-0.225	-0.5	-2514.46	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB397	Combination	-181.744	69.549	0	0	0	70.7763	1693.2	1	-0.225	-0.5	-2500.95	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB397	Combination	-181.744	2.558	0	0	0	16.9966	99.73	1	-0.225	-0.5	-907.48	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB397	Combination	-181.744	-83.03	0	0	0	90.998	2292.36	1	-0.225	-0.5	-3100.11	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB398	Combination	-188.215	103.05	0	0	0	81.381	1993.04	1	-0.225	-0.5	-2829.54	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB398	Combination	-188.215	8.177	0	0	0	-0.6412	-399.26	3	0.225	-0.5	-437.25	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB398	Combination	-188.215	-97.501	0	0	0	84.1285	2074.44	1	-0.225	-0.5	-2910.95	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB399	Combination	-179.857	69.517	0	0	0	65.248	1533.59	1	-0.225	-0.5	-2332.96	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB399	Combination	-179.857	2.546	0	0	0	11.5231	-58.26	1	-0.225	-0.5	-741.11	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB399	Combination	-179.857	-82.998	0	0	0	85.4697	2132.75	1	-0.225	-0.5	-2932.12	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB400	Combination	-186.327	103.018	0	0	0	75.8528	1833.43	1	-0.225	-0.5	-2661.55	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB400	Combination	-186.327	8.165	0	0	0	-6.1147	-232.88	3	0.225	-0.5	-595.24	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB400	Combination	-186.327	-97.469	0	0	0	78.6002	1914.84	1	-0.225	-0.5	-2742.96	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB401	Combination	-165.675	71.282	0	0	0	63.5025	1513.39	1	-0.225	-0.5	-2249.72	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB401	Combination	-165.675	4.297	0	0	0	7.1148	-157.36	1	-0.225	-0.5	-578.97	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB401	Combination	-165.675	-81.286	0	0	0	78.5078	1957.99	1	-0.225	-0.5	-2694.32	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB402	Combination	-172.145	104.783	0	0	0	74.1073	1813.23	1	-0.225	-0.5	-2578.32	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB402	Combination	-172.145	9.916	0	0	0	-10.523	-70.75	3	0.225	-0.5	-694.34	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB402	Combination	-172.145	-95.756	0	0	0	71.6383	1740.07	1	-0.225	-0.5	-2505.16	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB403	Combination	-162.529	71.229	0	0	0	54.2887	1247.38	1	-0.225	-0.5	-1969.73	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	C_COMB403	Combination	-162.529	4.277	0	0	0	-2.0078	-301.69	3	0.225	-0.5	-420.67	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB403	Combination	-162.529	-81.232	0	0	0	69.294	1691.98	1	-0.225	-0.5	-2414.33	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB404	Combination	-168.999	104.73	0	0	0	64.8935	1547.22	1	-0.225	-0.5	-2298.32	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB404	Combination	-168.999	9.896	0	0	0	-19.6456	206.54	3	0.225	-0.5	-957.64	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB404	Combination	-168.999	-95.703	0	0	0	62.4245	1474.06	1	-0.225	-0.5	-2225.17	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB405	Combination	-179.481	71.293	0	0	0	75.3202	1832.86	1	-0.225	-0.5	-2630.56	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB405	Combination	-179.481	4.301	0	0	0	18.9184	161.7	1	-0.225	-0.5	-959.39	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB405	Combination	-179.481	-81.296	0	0	0	90.3255	2277.47	1	-0.225	-0.5	-3075.16	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB406	Combination	-185.951	104.794	0	0	0	85.925	2132.7	1	-0.225	-0.5	-2959.15	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB406	Combination	-185.951	9.92	0	0	0	1.2806	-375.28	1	-0.225	-0.5	-451.17	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB406	Combination	-185.951	-95.767	0	0	0	83.456	2059.55	1	-0.225	-0.5	-2885.99	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB407	Combination	-176.335	71.239	0	0	0	66.1064	1566.85	1	-0.225	-0.5	-2350.56	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB407	Combination	-176.335	4.282	0	0	0	9.7959	-101.61	1	-0.225	-0.5	-682.1	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB407	Combination	-176.335	-81.243	0	0	0	81.1117	2011.45	1	-0.225	-0.5	-2795.16	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB408	Combination	-182.805	104.741	0	0	0	76.7112	1866.69	1	-0.225	-0.5	-2679.16	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB408	Combination	-182.805	9.901	0	0	0	-7.8419	-173.88	3	0.225	-0.5	-638.59	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB408	Combination	-182.805	-95.714	0	0	0	74.2422	1793.54	1	-0.225	-0.5	-2606	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB409	Combination	-158.814	76.189	0	0	0	67.6666	1652.02	1	-0.225	-0.5	-2357.86	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB409	Combination	-158.814	9.746	0	0	0	5.0791	-202.43	1	-0.225	-0.5	-503.41	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB409	Combination	-158.814	-75.617	0	0	0	66.8078	1626.57	1	-0.225	-0.5	-2332.41	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB410	Combination	-165.284	109.69	0	0	0	78.2714	1951.85	1	-0.225	-0.5	-2686.45	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB410	Combination	-165.284	15.365	0	0	0	-12.5587	4.81	3	0.225	-0.5	-739.41	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB410	Combination	-165.284	-90.087	0	0	0	59.9383	1408.65	1	-0.225	-0.5	-2143.25	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB411	Combination	-156.926	76.157	0	0	0	62.1383	1492.41	1	-0.225	-0.5	-2189.86	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB411	Combination	-156.926	9.734	0	0	0	-0.3944	-337.04	3	0.225	-0.5	-360.41	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB411	Combination	-156.926	-75.585	0	0	0	61.2795	1466.96	1	-0.225	-0.5	-2164.41	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB412	Combination	-163.396	109.658	0	0	0	72.7431	1792.25	1	-0.225	-0.5	-2518.45	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB412	Combination	-163.396	15.353	0	0	0	-18.0322	171.19	3	0.225	-0.5	-897.39	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB412	Combination	-163.396	-90.056	0	0	0	54.41	1249.05	1	-0.225	-0.5	-1975.25	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB413	Combination	-167.097	76.196	0	0	0	74.7572	1843.7	1	-0.225	-0.5	-2586.36	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB413	Combination	-167.097	9.749	0	0	0	12.1613	-10.99	1	-0.225	-0.5	-731.66	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB413	Combination	-167.097	-75.623	0	0	0	73.8984	1818.26	1	-0.225	-0.5	-2560.91	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB414	Combination	-173.567	109.697	0	0	0	85.362	2143.54	1	-0.225	-0.5	-2914.95	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	C_COMB414	Combination	-173.567	15.367	0	0	0	-5.4765	-223.44	3	0.225	-0.5	-547.97	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB414	Combination	-173.567	-90.094	0	0	0	67.0289	1600.34	1	-0.225	-0.5	-2371.75	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB415	Combination	-165.21	76.164	0	0	0	69.2289	1684.1	1	-0.225	-0.5	-2418.36	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB415	Combination	-165.21	9.737	0	0	0	6.6877	-168.98	1	-0.225	-0.5	-565.29	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB415	Combination	-165.21	-75.591	0	0	0	68.3701	1658.65	1	-0.225	-0.5	-2392.91	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB416	Combination	-171.68	109.665	0	0	0	79.8337	1983.93	1	-0.225	-0.5	-2746.95	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB416	Combination	-171.68	15.356	0	0	0	-10.9501	-57.06	3	0.225	-0.5	-705.96	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB416	Combination	-171.68	-90.062	0	0	0	61.5006	1440.73	1	-0.225	-0.5	-2203.75	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB417	Combination	-147.292	84.104	0	0	0	62.588	1527.14	1	-0.225	-0.5	-2181.77	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB417	Combination	-147.292	10.388	0	0	0	-6.3811	-138.25	3	0.225	-0.5	-516.38	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB417	Combination	-147.292	-83.675	0	0	0	61.9438	1508.06	1	-0.225	-0.5	-2162.69	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB418	Combination	-155.919	128.772	0	0	0	76.7277	1926.93	1	-0.225	-0.5	-2619.9	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB418	Combination	-155.919	17.88	0	0	0	-29.8981	539.38	3	0.225	-0.5	-1232.36	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB418	Combination	-155.919	-102.969	0	0	0	52.7845	1217.5	1	-0.225	-0.5	-1910.47	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB419	Combination	-145.404	84.072	0	0	0	57.0597	1367.54	1	-0.225	-0.5	-2013.78	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB419	Combination	-145.404	10.376	0	0	0	-11.8546	28.13	3	0.225	-0.5	-674.37	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB419	Combination	-145.404	-83.643	0	0	0	56.4156	1348.45	1	-0.225	-0.5	-1994.69	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB420	Combination	-154.031	128.741	0	0	0	71.1994	1767.32	1	-0.225	-0.5	-2451.9	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB420	Combination	-154.031	17.868	0	0	0	-35.3717	705.76	3	0.225	-0.5	-1390.34	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB420	Combination	-154.031	-102.937	0	0	0	47.2563	1057.89	1	-0.225	-0.5	-1742.48	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB421	Combination	-155.575	84.111	0	0	0	69.6786	1718.83	1	-0.225	-0.5	-2410.27	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB421	Combination	-155.575	10.391	0	0	0	0.7011	-324.95	1	-0.225	-0.5	-366.5	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB421	Combination	-155.575	-83.681	0	0	0	69.0345	1699.74	1	-0.225	-0.5	-2391.19	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB422	Combination	-164.202	128.779	0	0	0	83.8183	2118.61	1	-0.225	-0.5	-2848.4	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB422	Combination	-164.202	17.882	0	0	0	-22.8159	311.13	3	0.225	-0.5	-1040.92	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB422	Combination	-164.202	-102.976	0	0	0	59.8752	1409.19	1	-0.225	-0.5	-2138.97	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB423	Combination	-153.688	84.079	0	0	0	64.1503	1559.22	1	-0.225	-0.5	-2242.28	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB423	Combination	-153.688	10.379	0	0	0	-4.7724	-200.12	3	0.225	-0.5	-482.93	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB423	Combination	-153.688	-83.649	0	0	0	63.5062	1540.14	1	-0.225	-0.5	-2223.19	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB424	Combination	-162.315	128.747	0	0	0	78.29	1959	1	-0.225	-0.5	-2680.4	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB424	Combination	-162.315	17.871	0	0	0	-28.2895	477.51	3	0.225	-0.5	-1198.91	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB424	Combination	-162.315	-102.944	0	0	0	54.3469	1249.58	1	-0.225	-0.5	-1970.98	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB425	Combination	-146.051	76.118	0	0	0	62.7515	1534.74	1	-0.225	-0.5	-2183.86	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	C_COMB425	Combination	-146.051	9.677	0	0	0	0.263	-316.76	1	-0.225	-0.5	-332.35	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB425	Combination	-146.051	-75.689	0	0	0	62.1073	1515.66	1	-0.225	-0.5	-2164.78	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB426	Combination	-152.521	109.62	0	0	0	73.3562	1834.58	1	-0.225	-0.5	-2512.45	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB426	Combination	-152.521	15.296	0	0	0	-17.3748	175.87	3	0.225	-0.5	-853.74	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB426	Combination	-152.521	-90.16	0	0	0	55.2379	1297.74	1	-0.225	-0.5	-1975.61	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB427	Combination	-142.905	76.065	0	0	0	53.5377	1268.73	1	-0.225	-0.5	-1903.87	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB427	Combination	-142.905	9.658	0	0	0	-8.8596	-55.06	3	0.225	-0.5	-580.07	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB427	Combination	-142.905	-75.636	0	0	0	52.8935	1249.65	1	-0.225	-0.5	-1884.78	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB428	Combination	-149.375	109.566	0	0	0	64.1424	1568.57	1	-0.225	-0.5	-2232.46	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB428	Combination	-149.375	15.277	0	0	0	-26.4974	453.16	3	0.225	-0.5	-1117.05	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB428	Combination	-149.375	-90.107	0	0	0	46.0241	1031.73	1	-0.225	-0.5	-1695.62	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB429	Combination	-159.857	76.129	0	0	0	74.5692	1854.22	1	-0.225	-0.5	-2564.7	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB429	Combination	-159.857	9.681	0	0	0	12.0667	2.29	1	-0.225	-0.5	-712.77	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB429	Combination	-159.857	-75.7	0	0	0	73.9251	1835.13	1	-0.225	-0.5	-2545.61	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB430	Combination	-166.327	109.63	0	0	0	85.174	2154.06	1	-0.225	-0.5	-2893.29	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB430	Combination	-166.327	15.3	0	0	0	-5.5711	-204.55	3	0.225	-0.5	-534.69	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB430	Combination	-166.327	-90.17	0	0	0	67.0556	1617.22	1	-0.225	-0.5	-2356.45	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB431	Combination	-156.711	76.076	0	0	0	65.3554	1588.21	1	-0.225	-0.5	-2284.7	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB431	Combination	-156.711	9.662	0	0	0	2.9441	-261.02	1	-0.225	-0.5	-435.48	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB431	Combination	-156.711	-75.646	0	0	0	64.7113	1569.12	1	-0.225	-0.5	-2265.62	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB432	Combination	-163.181	109.577	0	0	0	75.9602	1888.05	1	-0.225	-0.5	-2613.3	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB432	Combination	-163.181	15.281	0	0	0	-14.6937	72.74	3	0.225	-0.5	-797.99	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB432	Combination	-163.181	-90.117	0	0	0	57.8418	1351.21	1	-0.225	-0.5	-2076.46	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB433	Combination	-173.371	69.162	0	0	0	63.4443	1494.56	1	-0.225	-0.5	-2265.1	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB433	Combination	-173.371	2.719	0	0	0	11.3971	-47.58	1	-0.225	-0.5	-722.96	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB433	Combination	-173.371	-82.644	0	0	0	83.6661	2093.72	1	-0.225	-0.5	-2864.26	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB434	Combination	-179.841	102.664	0	0	0	74.0491	1794.4	1	-0.225	-0.5	-2593.7	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB434	Combination	-179.841	8.338	0	0	0	-6.2407	-214.74	3	0.225	-0.5	-584.56	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB434	Combination	-179.841	-97.114	0	0	0	76.7966	1875.81	1	-0.225	-0.5	-2675.1	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB435	Combination	-171.484	69.131	0	0	0	57.9161	1334.96	1	-0.225	-0.5	-2097.11	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB435	Combination	-171.484	2.708	0	0	0	5.9236	-205.56	1	-0.225	-0.5	-556.59	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB435	Combination	-171.484	-82.612	0	0	0	78.1378	1934.12	1	-0.225	-0.5	-2696.27	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB436	Combination	-177.954	102.632	0	0	0	68.5208	1634.79	1	-0.225	-0.5	-2425.7	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	C_COMB436	Combination	-177.954	8.326	0	0	0	-11.7142	-48.36	3	0.225	-0.5	-742.54	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB436	Combination	-177.954	-97.082	0	0	0	71.2683	1716.2	1	-0.225	-0.5	-2507.11	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB437	Combination	-181.655	69.169	0	0	0	70.535	1686.25	1	-0.225	-0.5	-2493.6	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB437	Combination	-181.655	2.722	0	0	0	18.4793	143.86	1	-0.225	-0.5	-951.21	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB437	Combination	-181.655	-82.65	0	0	0	90.7567	2285.41	1	-0.225	-0.5	-3092.76	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB438	Combination	-188.125	102.67	0	0	0	81.1398	1986.09	1	-0.225	-0.5	-2822.2	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB438	Combination	-188.125	8.341	0	0	0	0.8415	-393.12	1	-0.225	-0.5	-442.99	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB438	Combination	-188.125	-97.121	0	0	0	83.8872	2067.49	1	-0.225	-0.5	-2903.6	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB439	Combination	-179.767	69.137	0	0	0	65.0067	1526.64	1	-0.225	-0.5	-2325.61	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB439	Combination	-179.767	2.71	0	0	0	13.0058	-14.13	1	-0.225	-0.5	-784.84	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB439	Combination	-179.767	-82.618	0	0	0	85.2284	2125.8	1	-0.225	-0.5	-2924.77	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB440	Combination	-186.237	102.638	0	0	0	75.6115	1826.48	1	-0.225	-0.5	-2654.2	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB440	Combination	-186.237	8.329	0	0	0	-4.632	-276.62	3	0.225	-0.5	-551.11	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB440	Combination	-186.237	-97.089	0	0	0	78.3589	1907.89	1	-0.225	-0.5	-2735.61	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB441	Combination	-165.585	70.902	0	0	0	63.2612	1506.44	1	-0.225	-0.5	-2242.37	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB441	Combination	-165.585	4.461	0	0	0	8.5975	-113.23	1	-0.225	-0.5	-622.71	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB441	Combination	-165.585	-80.905	0	0	0	78.2665	1951.04	1	-0.225	-0.5	-2686.97	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB442	Combination	-172.055	104.403	0	0	0	73.866	1806.28	1	-0.225	-0.5	-2570.97	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB442	Combination	-172.055	10.08	0	0	0	-9.0403	-114.48	3	0.225	-0.5	-650.21	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB442	Combination	-172.055	-95.376	0	0	0	71.397	1733.12	1	-0.225	-0.5	-2497.81	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB443	Combination	-162.439	70.849	0	0	0	54.0474	1240.43	1	-0.225	-0.5	-1962.38	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB443	Combination	-162.439	4.442	0	0	0	-0.5251	-345.42	3	0.225	-0.5	-376.53	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB443	Combination	-162.439	-80.852	0	0	0	69.0527	1685.03	1	-0.225	-0.5	-2406.98	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB444	Combination	-168.909	104.35	0	0	0	64.6522	1540.27	1	-0.225	-0.5	-2290.97	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB444	Combination	-168.909	10.06	0	0	0	-18.1629	162.81	3	0.225	-0.5	-913.51	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB444	Combination	-168.909	-95.323	0	0	0	62.1832	1467.11	1	-0.225	-0.5	-2217.82	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB445	Combination	-179.391	70.913	0	0	0	75.0789	1825.91	1	-0.225	-0.5	-2623.21	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB445	Combination	-179.391	4.465	0	0	0	20.4011	205.83	1	-0.225	-0.5	-1003.12	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB445	Combination	-179.391	-80.916	0	0	0	90.0842	2270.51	1	-0.225	-0.5	-3067.81	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB446	Combination	-185.861	104.414	0	0	0	85.6837	2125.75	1	-0.225	-0.5	-2951.8	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB446	Combination	-185.861	10.084	0	0	0	2.7633	-331.15	1	-0.225	-0.5	-494.9	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB446	Combination	-185.861	-95.387	0	0	0	83.2147	2052.6	1	-0.225	-0.5	-2878.65	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB447	Combination	-176.245	70.859	0	0	0	65.8651	1559.9	1	-0.225	-0.5	-2343.22	3
	0.225	-0.5	01-mar	0											



## Allegati alla relazione di Calcolo

3	1.5	C_COMB447	Combination	-176.245	4.446	0	0	0	11.2785	-57.48	1	-0.225	-0.5	-725.83	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB447	Combination	-176.245	-80.863	0	0	0	80.8704	2004.5	1	-0.225	-0.5	-2787.82	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB448	Combination	-182.715	104.36	0	0	0	76.4699	1859.74	1	-0.225	-0.5	-2671.81	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB448	Combination	-182.715	10.065	0	0	0	-6.3593	-217.61	3	0.225	-0.5	-594.46	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB448	Combination	-182.715	-95.334	0	0	0	74.0009	1786.59	1	-0.225	-0.5	-2598.65	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB449	Combination	-166.83	70.775	0	0	0	63.194	1501.68	1	-0.225	-0.5	-2243.15	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB449	Combination	-166.83	4.513	0	0	0	9.1132	-100.71	1	-0.225	-0.5	-640.75	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB449	Combination	-166.83	-80.778	0	0	0	78.1992	1946.28	1	-0.225	-0.5	-2687.75	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB450	Combination	-173.3	104.276	0	0	0	73.7988	1801.52	1	-0.225	-0.5	-2571.74	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB450	Combination	-173.3	10.132	0	0	0	-8.5246	-132.53	3	0.225	-0.5	-637.69	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB450	Combination	-173.3	-95.249	0	0	0	71.3298	1728.36	1	-0.225	-0.5	-2498.59	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB451	Combination	-164.943	70.743	0	0	0	57.6657	1342.07	1	-0.225	-0.5	-2075.15	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB451	Combination	-164.943	4.501	0	0	0	3.6397	-258.7	1	-0.225	-0.5	-474.38	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB451	Combination	-164.943	-80.746	0	0	0	72.671	1786.67	1	-0.225	-0.5	-2519.75	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB452	Combination	-171.413	104.244	0	0	0	68.2705	1641.91	1	-0.225	-0.5	-2403.75	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB452	Combination	-171.413	10.12	0	0	0	-13.9981	33.84	3	0.225	-0.5	-795.68	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB452	Combination	-171.413	-95.217	0	0	0	65.8015	1568.76	1	-0.225	-0.5	-2330.59	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB453	Combination	-175.114	70.781	0	0	0	70.2846	1693.37	1	-0.225	-0.5	-2471.65	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB453	Combination	-175.114	4.515	0	0	0	16.1954	90.72	1	-0.225	-0.5	-869	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB453	Combination	-175.114	-80.784	0	0	0	85.2899	2137.97	1	-0.225	-0.5	-2916.25	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB454	Combination	-181.584	104.282	0	0	0	80.8894	1993.2	1	-0.225	-0.5	-2800.24	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB454	Combination	-181.584	10.134	0	0	0	-1.4424	-360.78	3	0.225	-0.5	-446.26	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB454	Combination	-181.584	-95.255	0	0	0	78.4204	1920.05	1	-0.225	-0.5	-2727.09	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB455	Combination	-173.226	70.749	0	0	0	64.7563	1533.76	1	-0.225	-0.5	-2303.65	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB455	Combination	-173.226	4.504	0	0	0	10.7218	-67.26	1	-0.225	-0.5	-702.63	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB455	Combination	-173.226	-80.753	0	0	0	79.7616	1978.36	1	-0.225	-0.5	-2748.25	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB456	Combination	-179.696	104.25	0	0	0	75.3611	1833.6	1	-0.225	-0.5	-2632.25	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB456	Combination	-179.696	10.123	0	0	0	-6.916	-194.41	3	0.225	-0.5	-604.24	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB456	Combination	-179.696	-95.223	0	0	0	72.8921	1760.44	1	-0.225	-0.5	-2559.09	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB457	Combination	-147.837	52.538	0	0	0	63.5394	1554.12	1	-0.225	-0.5	-2211.18	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB457	Combination	-147.837	7.369	0	0	0	18.804	228.63	1	-0.225	-0.5	-885.68	3
	0.225	-0.5	06-mar	0.25											
3	3	D_COMB457	Combination	-147.837	-52.108	0	0	0	62.8953	1535.04	1	-0.225	-0.5	-2192.09	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB458	Combination	-146.265	52.511	0	0	0	58.9325	1421.12	1	-0.225	-0.5	-2071.18	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	D_COMB458	Combination	-146.265	7.359	0	0	0	14.2427	96.97	1	-0.225	-0.5	-747.04	3
	0.225	-0.5	06-mar	0.25											
3	3	D_COMB458	Combination	-146.265	-52.082	0	0	0	58.2884	1402.03	1	-0.225	-0.5	-2052.09	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB459	Combination	-154.74	52.543	0	0	0	69.4482	1713.86	1	-0.225	-0.5	-2401.59	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB459	Combination	-154.74	7.371	0	0	0	24.7058	388.16	1	-0.225	-0.5	-1075.89	3
	0.225	-0.5	06-mar	0.25											
3	3	D_COMB459	Combination	-154.74	-52.114	0	0	0	68.8041	1694.77	1	-0.225	-0.5	-2382.51	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB460	Combination	-153.167	52.517	0	0	0	64.8413	1580.85	1	-0.225	-0.5	-2261.6	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB460	Combination	-153.167	7.361	0	0	0	20.1445	256.5	1	-0.225	-0.5	-937.25	3
	0.225	-0.5	06-mar	0.25											
3	3	D_COMB460	Combination	-153.167	-52.087	0	0	0	64.1972	1561.77	1	-0.225	-0.5	-2242.51	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB461	Combination	-113.272	76.283	0	0	0	48.3035	1179.5	1	-0.225	-0.5	-1682.93	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB461	Combination	-113.272	9.295	0	0	0	-15.5765	209.81	3	0.225	-0.5	-713.24	1
	-0.225	-0.5	06-mar	0.25											
3	3	D_COMB461	Combination	-113.272	-76.283	0	0	0	48.3035	1179.5	1	-0.225	-0.5	-1682.93	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB462	Combination	-111.699	76.256	0	0	0	43.6966	1046.49	1	-0.225	-0.5	-1542.93	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB462	Combination	-111.699	9.285	0	0	0	-20.1378	348.46	3	0.225	-0.5	-844.9	1
	-0.225	-0.5	06-mar	0.25											
3	3	D_COMB462	Combination	-111.699	-76.256	0	0	0	43.6966	1046.49	1	-0.225	-0.5	-1542.93	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB463	Combination	-120.175	76.288	0	0	0	54.2123	1339.24	1	-0.225	-0.5	-1873.35	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB463	Combination	-120.175	9.297	0	0	0	-9.6747	19.6	3	0.225	-0.5	-553.71	1
	-0.225	-0.5	06-mar	0.25											
3	3	D_COMB463	Combination	-120.175	-76.288	0	0	0	54.2123	1339.24	1	-0.225	-0.5	-1873.35	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB464	Combination	-118.602	76.262	0	0	0	49.6054	1206.23	1	-0.225	-0.5	-1733.35	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB464	Combination	-118.602	9.287	0	0	0	-14.236	158.25	3	0.225	-0.5	-685.37	1
	-0.225	-0.5	06-mar	0.25											
3	3	D_COMB464	Combination	-118.602	-76.262	0	0	0	49.6054	1206.23	1	-0.225	-0.5	-1733.35	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB465	Combination	-119.742	109.784	0	0	0	58.9082	1479.34	1	-0.225	-0.5	-2011.52	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB465	Combination	-119.742	14.914	0	0	0	-33.2143	718.03	3	0.225	-0.5	-1250.22	1
	-0.225	-0.5	06-mar	0.25											
3	3	D_COMB465	Combination	-119.742	-90.754	0	0	0	41.434	961.58	1	-0.225	-0.5	-1493.77	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB466	Combination	-118.169	109.757	0	0	0	54.3013	1346.33	1	-0.225	-0.5	-1871.53	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB466	Combination	-118.169	14.904	0	0	0	-37.7756	856.68	3	0.225	-0.5	-1381.87	1
	-0.225	-0.5	06-mar	0.25											
3	3	D_COMB466	Combination	-118.169	-90.727	0	0	0	36.8271	828.58	1	-0.225	-0.5	-1353.77	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB467	Combination	-126.645	109.789	0	0	0	64.8171	1639.07	1	-0.225	-0.5	-2201.94	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB467	Combination	-126.645	14.916	0	0	0	-27.3125	527.83	3	0.225	-0.5	-1090.69	1
	-0.225	-0.5	06-mar	0.25											
3	3	D_COMB467	Combination	-126.645	-90.759	0	0	0	47.3429	1121.32	1	-0.225	-0.5	-1684.18	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB468	Combination	-125.072	109.763	0	0	0	60.2102	1506.07	1	-0.225	-0.5	-2061.94	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB468	Combination	-125.072	14.906	0	0	0	-31.8738	666.47	3	0.225	-0.5	-1222.35	1
	-0.225	-0.5	06-mar	0.25											
3	3	D_COMB468	Combination	-125.072	-90.732	0	0	0	42.736	988.31	1	-0.225	-0.5	-1544.19	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB469	Combination	-113.056	52.323	0	0	0	48.8303	1195.59	1	-0.225	-0.5	-1698.06	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	D_COMB469	Combination	-113.056	7.155	0	0	0	4.4149	-120.42	1	-0.225	-0.5	-382.05	3
	0.225	-0.5	06-mar	0.25											
3	3	D_COMB469	Combination	-113.056	-52.323	0	0	0	48.8303	1195.59	1	-0.225	-0.5	-1698.06	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB470	Combination	-111.169	52.291	0	0	0	43.302	1035.98	1	-0.225	-0.5	-1530.06	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB470	Combination	-111.169	7.143	0	0	0	-1.0587	-215.67	3	0.225	-0.5	-278.41	1
	-0.225	-0.5	06-mar	0.25											
3	3	D_COMB470	Combination	-111.169	-52.291	0	0	0	43.302	1035.98	1	-0.225	-0.5	-1530.06	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB471	Combination	-121.34	52.33	0	0	0	55.9209	1387.27	1	-0.225	-0.5	-1926.56	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB471	Combination	-121.34	7.157	0	0	0	11.4971	71.01	1	-0.225	-0.5	-610.3	3
	0.225	-0.5	06-mar	0.25											
3	3	D_COMB471	Combination	-121.34	-52.33	0	0	0	55.9209	1387.27	1	-0.225	-0.5	-1926.56	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB472	Combination	-119.452	52.298	0	0	0	50.3926	1227.67	1	-0.225	-0.5	-1758.56	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB472	Combination	-119.452	7.146	0	0	0	6.0235	-86.97	1	-0.225	-0.5	-443.92	3
	0.225	-0.5	06-mar	0.25											
3	3	D_COMB472	Combination	-119.452	-52.298	0	0	0	50.3926	1227.67	1	-0.225	-0.5	-1758.56	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB473	Combination	-113.285	51.943	0	0	0	48.5923	1188.03	1	-0.225	-0.5	-1691.52	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB473	Combination	-113.285	7.318	0	0	0	5.9029	-76.84	1	-0.225	-0.5	-426.65	3
	0.225	-0.5	06-mar	0.25											
3	3	D_COMB473	Combination	-113.285	-51.943	0	0	0	48.5923	1188.03	1	-0.225	-0.5	-1691.52	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB474	Combination	-111.712	51.917	0	0	0	43.9854	1055.02	1	-0.225	-0.5	-1551.52	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB474	Combination	-111.712	7.309	0	0	0	1.3416	-208.5	1	-0.225	-0.5	-288	3
	0.225	-0.5	06-mar	0.25											
3	3	D_COMB474	Combination	-111.712	-51.917	0	0	0	43.9854	1055.02	1	-0.225	-0.5	-1551.52	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB475	Combination	-120.188	51.948	0	0	0	54.5012	1347.76	1	-0.225	-0.5	-1881.93	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB475	Combination	-120.188	7.32	0	0	0	11.8048	82.69	1	-0.225	-0.5	-616.86	3
	0.225	-0.5	06-mar	0.25											
3	3	D_COMB475	Combination	-120.188	-51.948	0	0	0	54.5012	1347.76	1	-0.225	-0.5	-1881.93	3
	0.225	-0.5	12-mar	0.25											
3	0	D_COMB476	Combination	-118.615	51.922	0	0	0	49.8943	1214.76	1	-0.225	-0.5	-1741.94	3
	0.225	-0.5	01-mar	0											
3	1.5	D_COMB476	Combination	-118.615	7.311	0	0	0	7.2435	-48.97	1	-0.225	-0.5	-478.21	3
	0.225	-0.5	06-mar	0.25											
3	3	D_COMB476	Combination	-118.615	-51.922	0	0	0	49.8943	1214.76	1	-0.225	-0.5	-1741.94	3
	0.225	-0.5	12-mar	0.25											
3	0	E_COMB477	Combination	-113.375	52.323	0	0	0	48.8336	1194.98	1	-0.225	-0.5	-1698.87	3
	0.225	-0.5	01-mar	0											
3	1.5	E_COMB477	Combination	-113.375	7.154	0	0	0	4.4203	-120.97	1	-0.225	-0.5	-382.91	3
	0.225	-0.5	06-mar	0.25											
3	3	E_COMB477	Combination	-113.375	-52.323	0	0	0	48.8336	1194.98	1	-0.225	-0.5	-1698.87	3
	0.225	-0.5	12-mar	0.25											
3	0	E_COMB478	Combination	-111.802	52.297	0	0	0	44.2267	1061.97	1	-0.225	-0.5	-1558.87	3
	0.225	-0.5	01-mar	0											
3	1.5	E_COMB478	Combination	-111.802	7.145	0	0	0	-0.141	-244.27	3	0.225	-0.5	-252.63	1
	-0.225	-0.5	06-mar	0.25											
3	3	E_COMB478	Combination	-111.802	-52.297	0	0	0	44.2267	1061.97	1	-0.225	-0.5	-1558.87	3
	0.225	-0.5	12-mar	0.25											
3	0	E_COMB479	Combination	-120.278	52.329	0	0	0	54.7425	1354.71	1	-0.225	-0.5	-1889.28	3
	0.225	-0.5	01-mar	0											
3	1.5	E_COMB479	Combination	-120.278	7.156	0	0	0	10.3221	38.56	1	-0.225	-0.5	-573.12	3
	0.225	-0.5	06-mar	0.25											
3	3	E_COMB479	Combination	-120.278	-52.329	0	0	0	54.7425	1354.71	1	-0.225	-0.5	-1889.28	3
	0.225	-0.5	12-mar	0.25											
3	0	E_COMB480	Combination	-118.705	52.302	0	0	0	50.1356	1221.71	1	-0.225	-0.5	-1749.29	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	E_COMB480	Combination	-118.705	7.147	0	0	0	5.7608	-93.1	1	-0.225	-0.5	-434.48	3
	0.225	-0.5	06-mar	0.25											
3	3	E_COMB480	Combination	-118.705	-52.302	0	0	0	50.1356	1221.71	1	-0.225	-0.5	-1749.29	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB179	Combination	-176.555	41.637	0	0	0	70.1309	1685.61	1	-0.225	-0.5	-2470.3	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB179	Combination	-176.555	2.836	0	0	0	36.9473	702.39	1	-0.225	-0.5	-1487.08	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB179	Combination	-176.555	-48.36	0	0	0	80.2154	1984.41	1	-0.225	-0.5	-2769.1	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB180	Combination	-176.555	41.637	0	0	0	70.1309	1685.61	1	-0.225	-0.5	-2470.3	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB180	Combination	-176.555	2.836	0	0	0	36.9473	702.39	1	-0.225	-0.5	-1487.08	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB180	Combination	-176.555	-48.36	0	0	0	80.2154	1984.41	1	-0.225	-0.5	-2769.1	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB183	Combination	-144.573	35.996	0	0	0	58.6218	1415.67	1	-0.225	-0.5	-2058.21	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB183	Combination	-144.573	3.564	0	0	0	29.0936	540.76	1	-0.225	-0.5	-1183.31	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB183	Combination	-144.573	-39.357	0	0	0	63.664	1565.07	1	-0.225	-0.5	-2207.61	3
	0.225	-0.5	12-mar	0.25											
3	0	A_COMB184	Combination	-144.573	35.996	0	0	0	58.6218	1415.67	1	-0.225	-0.5	-2058.21	3
	0.225	-0.5	01-mar	0											
3	1.5	A_COMB184	Combination	-144.573	3.564	0	0	0	29.0936	540.76	1	-0.225	-0.5	-1183.31	3
	0.225	-0.5	06-mar	0.25											
3	3	A_COMB184	Combination	-144.573	-39.357	0	0	0	63.664	1565.07	1	-0.225	-0.5	-2207.61	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB187	Combination	-235.372	93.451	0	0	0	92.1947	2208.65	1	-0.225	-0.5	-3254.74	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB187	Combination	-235.372	11.719	0	0	0	13.7116	-116.78	1	-0.225	-0.5	-929.32	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB187	Combination	-235.372	-92.662	0	0	0	91.0105	2173.56	1	-0.225	-0.5	-3219.66	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB188	Combination	-242.812	131.977	0	0	0	104.3902	2553.46	1	-0.225	-0.5	-3632.63	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB188	Combination	-242.812	18.181	0	0	0	-6.5718	-344.86	3	0.225	-0.5	-734.3	1
	-0.225	-0.5	06-mar	0.25											
3	3	B_COMB188	Combination	-242.812	-109.303	0	0	0	83.1106	1922.95	1	-0.225	-0.5	-3002.12	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB191	Combination	-243.655	93.457	0	0	0	99.2854	2400.33	1	-0.225	-0.5	-3483.24	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB191	Combination	-243.655	11.722	0	0	0	20.7938	74.66	1	-0.225	-0.5	-1157.57	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB191	Combination	-243.655	-92.668	0	0	0	98.1012	2365.25	1	-0.225	-0.5	-3448.16	3
	0.225	-0.5	12-mar	0.25											
3	0	B_COMB192	Combination	-251.096	131.984	0	0	0	111.4809	2745.15	1	-0.225	-0.5	-3861.13	3
	0.225	-0.5	01-mar	0											
3	1.5	B_COMB192	Combination	-251.096	18.183	0	0	0	0.5104	-542.87	1	-0.225	-0.5	-573.11	3
	0.225	-0.5	06-mar	0.25											
3	3	B_COMB192	Combination	-251.096	-109.309	0	0	0	90.2013	2114.64	1	-0.225	-0.5	-3230.62	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB371	Combination	-157.016	76.537	0	0	0	62.3796	1499.36	1	-0.225	-0.5	-2197.21	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB371	Combination	-157.016	9.57	0	0	0	-1.8771	-293.31	3	0.225	-0.5	-404.54	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB371	Combination	-157.016	-75.965	0	0	0	61.5208	1473.91	1	-0.225	-0.5	-2171.76	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB372	Combination	-163.486	110.039	0	0	0	72.9844	1799.2	1	-0.225	-0.5	-2525.8	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB372	Combination	-163.486	15.189	0	0	0	-19.5149	214.92	3	0.225	-0.5	-941.52	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB372	Combination	-163.486	-90.436	0	0	0	54.6513	1256	1	-0.225	-0.5	-1982.6	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB375	Combination	-165.299	76.544	0	0	0	69.4702	1691.05	1	-0.225	-0.5	-2425.71	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	C_COMB375	Combination	-165.299	9.573	0	0	0	5.2051	-213.11	1	-0.225	-0.5	-521.56	3
	0.225	-0.5	06-mar	0.25											
3	3	C_COMB375	Combination	-165.299	-75.971	0	0	0	68.6114	1665.6	1	-0.225	-0.5	-2400.26	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB376	Combination	-171.769	110.045	0	0	0	80.075	1990.88	1	-0.225	-0.5	-2754.3	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB376	Combination	-171.769	15.192	0	0	0	-12.4327	-13.33	3	0.225	-0.5	-750.09	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB376	Combination	-171.769	-90.442	0	0	0	61.7419	1447.68	1	-0.225	-0.5	-2211.1	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB379	Combination	-145.494	84.452	0	0	0	57.301	1374.49	1	-0.225	-0.5	-2021.13	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB379	Combination	-145.494	10.212	0	0	0	-13.3373	71.86	3	0.225	-0.5	-718.5	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB379	Combination	-145.494	-84.023	0	0	0	56.6569	1355.4	1	-0.225	-0.5	-2002.04	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB380	Combination	-154.121	129.121	0	0	0	71.4407	1774.27	1	-0.225	-0.5	-2459.25	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB380	Combination	-154.121	17.704	0	0	0	-36.8544	749.49	3	0.225	-0.5	-1434.47	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB380	Combination	-154.121	-103.317	0	0	0	47.4976	1064.84	1	-0.225	-0.5	-1749.83	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB383	Combination	-153.777	84.459	0	0	0	64.3916	1566.17	1	-0.225	-0.5	-2249.63	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB383	Combination	-153.777	10.215	0	0	0	-6.2551	-156.39	3	0.225	-0.5	-527.06	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB383	Combination	-153.777	-84.029	0	0	0	63.7475	1547.09	1	-0.225	-0.5	-2230.54	3
	0.225	-0.5	12-mar	0.25											
3	0	C_COMB384	Combination	-162.404	129.127	0	0	0	78.5313	1965.95	1	-0.225	-0.5	-2687.75	3
	0.225	-0.5	01-mar	0											
3	1.5	C_COMB384	Combination	-162.404	17.707	0	0	0	-29.7722	521.24	3	0.225	-0.5	-1243.04	1
	-0.225	-0.5	06-mar	0.25											
3	3	C_COMB384	Combination	-162.404	-103.324	0	0	0	54.5882	1256.53	1	-0.225	-0.5	-1978.33	3
	0.225	-0.5	12-mar	0.25											
3	0	F_COMB481	Combination	-143.905	52.621	0	0	0	58.9961	1428.25	1	-0.225	-0.5	-2067.82	3
	0.225	-0.5	01-mar	0											
3	1.5	F_COMB481	Combination	-143.905	5.792	0	0	0	15.3961	136.39	1	-0.225	-0.5	-775.97	3
	0.225	-0.5	06-mar	0.25											
3	3	F_COMB481	Combination	-143.905	-55.835	0	0	0	63.8175	1571.1	1	-0.225	-0.5	-2210.68	3
	0.225	-0.5	12-mar	0.25											
3	0	F_COMB482	Combination	-143.905	52.621	0	0	0	58.9961	1428.25	1	-0.225	-0.5	-2067.82	3
	0.225	-0.5	01-mar	0											
3	1.5	F_COMB482	Combination	-143.905	5.792	0	0	0	15.3961	136.39	1	-0.225	-0.5	-775.97	3
	0.225	-0.5	06-mar	0.25											
3	3	F_COMB482	Combination	-143.905	-55.835	0	0	0	63.8175	1571.1	1	-0.225	-0.5	-2210.68	3
	0.225	-0.5	12-mar	0.25											
3	0	F_COMB483	Combination	-143.492	48.809	0	0	0	58.6946	1420.23	1	-0.225	-0.5	-2057.97	3
	0.225	-0.5	01-mar	0											
3	1.5	F_COMB483	Combination	-143.492	5.296	0	0	0	18.3104	223.66	1	-0.225	-0.5	-861.4	3
	0.225	-0.5	06-mar	0.25											
3	3	F_COMB483	Combination	-143.492	-52.023	0	0	0	63.516	1563.09	1	-0.225	-0.5	-2200.83	3
	0.225	-0.5	12-mar	0.25											
3	0	F_COMB484	Combination	-143.492	48.809	0	0	0	58.6946	1420.23	1	-0.225	-0.5	-2057.97	3
	0.225	-0.5	01-mar	0											
3	1.5	F_COMB484	Combination	-143.492	5.296	0	0	0	18.3104	223.66	1	-0.225	-0.5	-861.4	3
	0.225	-0.5	06-mar	0.25											
3	3	F_COMB484	Combination	-143.492	-52.023	0	0	0	63.516	1563.09	1	-0.225	-0.5	-2200.83	3
	0.225	-0.5	12-mar	0.25											
3	0	F_COMB485	Combination	-129.746	55.331	0	0	0	54.1492	1316.1	1	-0.225	-0.5	-1892.75	3
	0.225	-0.5	01-mar	0											
3	1.5	F_COMB485	Combination	-129.746	6.843	0	0	0	7.736	-59.11	1	-0.225	-0.5	-517.54	3
	0.225	-0.5	06-mar	0.25											
3	3	F_COMB485	Combination	-129.746	-56.938	0	0	0	56.5599	1387.53	1	-0.225	-0.5	-1964.17	3
	0.225	-0.5	12-mar	0.25											
3	0	F_COMB486	Combination	-129.746	55.331	0	0	0	54.1492	1316.1	1	-0.225	-0.5	-1892.75	3
	0.225	-0.5	01-mar	0											

## Allegati alla relazione di Calcolo

3	1.5	F_COMB486	Combination	-129.746	6.843	0	0	0	7.736	-59.11	1	-0.225	-0.5	-517.54	3	
	0.225	-0.5	06-mar	0.25												
3	3	F_COMB486	Combination	-129.746	-56.938	0	0	0	56.5599	1387.53	1	-0.225	-0.5	-1964.17	3	
	0.225	-0.5	12-mar	0.25												
3	0	F_COMB487	Combination	-128.92	47.706	0	0	0	53.5462	1300.06	1	-0.225	-0.5	-1873.04	3	
	0.225	-0.5	01-mar	0												
3	1.5	F_COMB487	Combination	-128.92	5.851	0	0	0	13.5644	115.42	1	-0.225	-0.5	-688.4	3	
	0.225	-0.5	06-mar	0.25												
3	3	F_COMB487	Combination	-128.92	-49.313	0	0	0	55.9569	1371.49	1	-0.225	-0.5	-1944.47	3	
	0.225	-0.5	12-mar	0.25												
3	0	F_COMB488	Combination	-128.92	47.706	0	0	0	53.5462	1300.06	1	-0.225	-0.5	-1873.04	3	
	0.225	-0.5	01-mar	0												
3	1.5	F_COMB488	Combination	-128.92	5.851	0	0	0	13.5644	115.42	1	-0.225	-0.5	-688.4	3	
	0.225	-0.5	06-mar	0.25												
3	3	F_COMB488	Combination	-128.92	-49.313	0	0	0	55.9569	1371.49	1	-0.225	-0.5	-1944.47	3	
	0.225	-0.5	12-mar	0.25												
8	0	A_COMB_0_0_STR	Combination	-62.151	5.32	0	0	0	13.5213	484.69	1	-0.175	-0.5	-839.84	3	
	0.175	-0.5	01-ago	0												
8	1.6	A_COMB_0_0_STR	Combination	-43.251	2.892	0	0	0	6.5526	197.37	1	-0.175	-0.5	-444.52	3	
	0.175	-0.5	04-ago	0.22857												
8	3.2	A_COMB_0_0_STR	Combination	-24.351	0.87	0	0	0	3.9544	124.11	1	-0.175	-0.5	-263.26	3	
	0.175	-0.5	07-ago	0.45714												
8	0	A_COMB_0_1_STR	Combination	-62.151	5.32	0	0	0	13.5213	484.69	1	-0.175	-0.5	-839.84	3	
	0.175	-0.5	01-ago	0												
8	1.6	A_COMB_0_1_STR	Combination	-43.251	2.892	0	0	0	6.5526	197.37	1	-0.175	-0.5	-444.52	3	
	0.175	-0.5	04-ago	0.22857												
8	3.2	A_COMB_0_1_STR	Combination	-24.351	0.87	0	0	0	3.9544	124.11	1	-0.175	-0.5	-263.26	3	
	0.175	-0.5	07-ago	0.45714												
8	0	A_COMB_0_2_STR	Combination	-62.151	125.345	0	0	0	38.0886	1687.99	1	-0.175	-0.5	-2043.14	3	
	0.175	-0.5	01-ago	0												
8	1.6	A_COMB_0_2_STR	Combination	-43.251	-6.933	0	0	0	-54.7618	2558.64	3	0.175	-0.5	-2805.78	1	
	-0.175	-0.5	04-ago	0.22857												
8	3.2	A_COMB_0_2_STR	Combination	-24.351	-80.62	0	0	0	25.3814	1173.6	1	-0.175	-0.5	-1312.74	3	
	0.175	-0.5	07-ago	0.45714												
8	0	A_COMB_0_2_1_STR	Combination	-89.286	126.016	0	0	0	42.4701	1825.07	1	-0.175	-0.5	-	-	
2335.27	3	0.175	-0.5	01-ago	0											
8	1.6	A_COMB_0_2_1_STR	Combination	-70.386	-7.685	0	0	0	0	-50.5803	2276.3	3	0.175	-0.5	-	-
2678.5	1	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB_0_2_1_STR	Combination	-51.486	-82.852	0	0	0	0	32.215	1430.78	1	-0.175	-0.5	-	-
1724.98	3	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB_0_3_STR	Combination	-89.286	126.016	0	0	0	42.4701	1825.07	1	-0.175	-0.5	-2335.27	3	
	0.175	-0.5	01-ago	0												
8	1.6	A_COMB_0_3_STR	Combination	-70.386	-7.685	0	0	0	-50.5803	2276.3	3	0.175	-0.5	-2678.5	1	
	-0.175	-0.5	04-ago	0.22857												
8	3.2	A_COMB_0_3_STR	Combination	-51.486	-82.852	0	0	0	32.215	1430.78	1	-0.175	-0.5	-1724.98	3	
	0.175	-0.5	07-ago	0.45714												
8	0	A_COMB_0_4_STR	Combination	-89.286	130.53	0	0	0	50.3195	2209.52	1	-0.175	-0.5	-2719.73	3	
	0.175	-0.5	01-ago	0												
8	1.6	A_COMB_0_4_STR	Combination	-70.386	-3.086	0	0	0	-50.0033	2248.04	3	0.175	-0.5	-2650.24	1	
	-0.175	-0.5	04-ago	0.22857												
8	3.2	A_COMB_0_4_STR	Combination	-51.486	-78.167	0	0	0	25.3471	1094.39	1	-0.175	-0.5	-1388.59	3	
	0.175	-0.5	07-ago	0.45714												
8	0	B_COMB_0_1_GEO	Combination	-62.151	5.32	0	0	0	13.5213	484.69	1	-0.175	-0.5	-839.84	3	
	0.175	-0.5	01-ago	0												
8	1.6	B_COMB_0_1_GEO	Combination	-43.251	2.892	0	0	0	6.5526	197.37	1	-0.175	-0.5	-444.52	3	
	0.175	-0.5	04-ago	0.22857												
8	3.2	B_COMB_0_1_GEO	Combination	-24.351	0.87	0	0	0	3.9544	124.11	1	-0.175	-0.5	-263.26	3	
	0.175	-0.5	07-ago	0.45714												
8	0	B_COMB_0_2_GEO	Combination	-62.151	130.043	0	0	0	39.0503	1735.09	1	-0.175	-0.5	-2090.24	3	
	0.175	-0.5	01-ago	0												
8	1.6	B_COMB_0_2_GEO	Combination	-43.251	-7.317	0	0	0	-57.1618	2676.19	3	0.175	-0.5	-2923.34	1	
	-0.175	-0.5	04-ago	0.22857												
8	3.2	B_COMB_0_2_GEO	Combination	-24.351	-83.81	0	0	0	26.2201	1214.68	1	-0.175	-0.5	-1353.82	3	
	0.175	-0.5	07-ago	0.45714												
8	0	B_COMB_0_0_GEO	Combination	-46.037	3.941	0	0	0	10.0158	359.03	1	-0.175	-0.5	-622.1	3	
	0.175	-0.5	01-ago	0												

## Allegati alla relazione di Calcolo

8	1.6	B_COMB_0_0_GEO	Combination	-32.037	2.142	0	0	0	4.8538	146.2	1	-0.175	-0.5	-329.27	3
	0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB_0_0_GEO	Combination	-18.037	0.645	0	0	0	2.9292	91.94	1	-0.175	-0.5	-195.01	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB_0_2_1_GEO	Combination	-82.251	130.54	0	0	0	0	42.2958	1836.63	1	-0.175	-0.5	-
2306.63	3	0.175	-0.5	01-ago	0										
8	1.6	B_COMB_0_2_1_GEO	Combination	-63.351	-7.874	0	0	0	0	-54.0644	2467.05	3	0.175	-0.5	-
2829.05	1	-0.175	-0.5	04-ago	0.22857										
8	3.2	B_COMB_0_2_1_GEO	Combination	-44.451	-85.463	0	0	0	0	31.2821	1405.18	1	-0.175	-0.5	-
1659.18	3	0.175	-0.5	07-ago	0.45714										
8	0	B_COMB_0_3_GEO	Combination	-82.251	130.54	0	0	0	42.2958	1836.63	1	-0.175	-0.5	-2306.63	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB_0_3_GEO	Combination	-63.351	-7.874	0	0	0	-54.0644	2467.05	3	0.175	-0.5	-2829.05	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB_0_3_GEO	Combination	-44.451	-85.463	0	0	0	31.2821	1405.18	1	-0.175	-0.5	-1659.18	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB_0_4_GEO	Combination	-82.251	134.302	0	0	0	48.8369	2157.01	1	-0.175	-0.5	-2627.01	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB_0_4_GEO	Combination	-63.351	-4.042	0	0	0	-53.5836	2443.5	3	0.175	-0.5	-2805.5	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB_0_4_GEO	Combination	-44.451	-81.559	0	0	0	25.5588	1124.86	1	-0.175	-0.5	-1378.86	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB1	Combination	-129.375	182.395	0	0	0	70.1288	3065.24	1	-0.175	-0.5	-3804.53	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB1	Combination	-110.475	-8.352	0	0	0	-67.3713	2984.18	3	0.175	-0.5	-3615.46	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB1	Combination	-91.575	-141.552	0	0	0	62.776	2813.1	1	-0.175	-0.5	-3336.39	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB2	Combination	-185.941	191.296	0	0	0	91.7853	3964.34	1	-0.175	-0.5	-5026.87	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB2	Combination	-167.041	2.406	0	0	0	-61.3199	2526.16	3	0.175	-0.5	-3480.68	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB2	Combination	-148.141	-142.923	0	0	0	60.6998	2549.79	1	-0.175	-0.5	-3396.31	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB3	Combination	-129.375	180.094	0	0	0	64.003	2765.19	1	-0.175	-0.5	-3504.48	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB3	Combination	-110.475	-11.754	0	0	0	-69.236	3075.51	3	0.175	-0.5	-3706.79	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB3	Combination	-91.575	-148.14	0	0	0	69.0317	3119.5	1	-0.175	-0.5	-3642.79	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB4	Combination	-185.941	188.995	0	0	0	85.6594	3664.3	1	-0.175	-0.5	-4726.82	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB4	Combination	-167.041	-0.996	0	0	0	-63.1845	2617.49	3	0.175	-0.5	-3572.01	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB4	Combination	-148.141	-149.512	0	0	0	66.9555	2856.19	1	-0.175	-0.5	-3702.72	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB5	Combination	-129.375	192.388	0	0	0	76.4007	3372.43	1	-0.175	-0.5	-4111.72	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB5	Combination	-110.475	2.848	0	0	0	-77.7617	3493.09	3	0.175	-0.5	-4124.38	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB5	Combination	-91.575	-128.469	0	0	0	32.6835	1339.18	1	-0.175	-0.5	-1862.47	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB6	Combination	-185.941	201.289	0	0	0	98.0571	4271.54	1	-0.175	-0.5	-5334.06	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB6	Combination	-167.041	13.606	0	0	0	-71.7103	3035.08	3	0.175	-0.5	-3989.6	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB6	Combination	-148.141	-129.84	0	0	0	30.6073	1075.87	1	-0.175	-0.5	-1922.4	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB7	Combination	-129.375	190.087	0	0	0	70.2748	3072.39	1	-0.175	-0.5	-3811.68	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB7	Combination	-110.475	-0.554	0	0	0	-79.6264	3584.42	3	0.175	-0.5	-4215.71	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB7	Combination	-91.575	-135.057	0	0	0	38.9393	1645.59	1	-0.175	-0.5	-2168.87	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB8	Combination	-185.941	198.988	0	0	0	91.9312	3971.49	1	-0.175	-0.5	-5034.02	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB8	Combination	-167.041	10.204	0	0	0	-73.5749	3126.41	3	0.175	-0.5	-4080.93	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB8	Combination	-148.141	-136.428	0	0	0	36.8631	1382.28	1	-0.175	-0.5	-2228.8	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB9	Combination	-142.513	168.666	0	0	0	68.7354	2959.45	1	-0.175	-0.5	-3773.81	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB9	Combination	-123.613	-9.545	0	0	0	-57.207	2448.8	3	0.175	-0.5	-3155.16	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB9	Combination	-104.713	-130.313	0	0	0	65.2827	2898.34	1	-0.175	-0.5	-3496.7	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB10	Combination	-217.935	180.534	0	0	0	97.6106	4158.26	1	-0.175	-0.5	-5403.6	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB10	Combination	-199.035	4.799	0	0	0	-49.1384	1838.11	3	0.175	-0.5	-2975.45	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB10	Combination	-180.135	-132.142	0	0	0	62.5144	2547.26	1	-0.175	-0.5	-3576.6	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB11	Combination	-142.513	166.365	0	0	0	62.6095	2659.41	1	-0.175	-0.5	-3473.77	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB11	Combination	-123.613	-12.947	0	0	0	-59.0717	2540.13	3	0.175	-0.5	-3246.49	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB11	Combination	-104.713	-136.902	0	0	0	71.5384	3204.74	1	-0.175	-0.5	-3803.1	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB12	Combination	-217.935	178.232	0	0	0	91.4847	3858.21	1	-0.175	-0.5	-5103.55	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB12	Combination	-199.035	1.397	0	0	0	-51.0031	1929.44	3	0.175	-0.5	-3066.78	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB12	Combination	-180.135	-138.73	0	0	0	68.7702	2853.66	1	-0.175	-0.5	-3883	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB13	Combination	-142.513	178.658	0	0	0	75.0072	3266.64	1	-0.175	-0.5	-4081	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB13	Combination	-123.613	1.654	0	0	0	-67.5974	2957.71	3	0.175	-0.5	-3664.07	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB13	Combination	-104.713	-117.23	0	0	0	35.1902	1424.42	1	-0.175	-0.5	-2022.78	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB14	Combination	-217.935	190.526	0	0	0	103.8825	4465.45	1	-0.175	-0.5	-5710.79	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB14	Combination	-199.035	15.999	0	0	0	-59.5288	2347.03	3	0.175	-0.5	-3484.37	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB14	Combination	-180.135	-119.058	0	0	0	32.422	1073.34	1	-0.175	-0.5	-2102.68	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB15	Combination	-142.513	176.219	0	0	0	67.8143	2914.34	1	-0.175	-0.5	-3728.7	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB15	Combination	-123.613	-2.3	0	0	0	-70.0905	3079.82	3	0.175	-0.5	-3786.18	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB15	Combination	-104.713	-125.595	0	0	0	42.728	1793.62	1	-0.175	-0.5	-2391.98	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB16	Combination	-217.935	188.225	0	0	0	97.7566	4165.41	1	-0.175	-0.5	-5410.75	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB16	Combination	-199.035	12.597	0	0	0	-61.3934	2438.36	3	0.175	-0.5	-3575.7	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB16	Combination	-180.135	-125.647	0	0	0	38.6777	1379.75	1	-0.175	-0.5	-2409.09	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB17	Combination	-129.279	167.204	0	0	0	67.1011	2917.22	1	-0.175	-0.5	-3655.95	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB17	Combination	-110.379	-10.957	0	0	0	-56.5688	2455.35	3	0.175	-0.5	-3086.09	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB17	Combination	-91.479	-132.021	0	0	0	68.435	3090.55	1	-0.175	-0.5	-3613.29	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB18	Combination	-185.845	176.104	0	0	0	88.7575	3816.32	1	-0.175	-0.5	-4878.29	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB18	Combination	-166.945	-0.199	0	0	0	-50.5174	1997.33	3	0.175	-0.5	-2951.31	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB18	Combination	-148.045	-133.392	0	0	0	66.3588	2827.24	1	-0.175	-0.5	-3673.21	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB19	Combination	-129.279	163.368	0	0	0	56.8913	2417.14	1	-0.175	-0.5	-3155.88	3
	0.175	-0.5	01-ago	0											



## Allegati alla relazione di Calcolo

8	1.6	A_COMB19	Combination	-110.379	-16.627	0	0	0	-59.6766	2607.57	3	0.175	-0.5	-3238.3	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB19	Combination	-91.479	-143.002	0	0	0	78.8613	3601.22	1	-0.175	-0.5	-4123.96	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB20	Combination	-185.845	172.269	0	0	0	78.5477	3316.25	1	-0.175	-0.5	-4378.22	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB20	Combination	-166.945	-5.869	0	0	0	-53.6251	2149.55	3	0.175	-0.5	-3103.52	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB20	Combination	-148.045	-144.373	0	0	0	76.7851	3337.92	1	-0.175	-0.5	-4183.89	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB21	Combination	-129.279	183.858	0	0	0	77.5542	3429.2	1	-0.175	-0.5	-4167.94	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB21	Combination	-110.379	7.709	0	0	0	-73.8861	3303.54	3	0.175	-0.5	-3934.28	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB21	Combination	-91.479	-110.216	0	0	0	18.2809	634.02	1	-0.175	-0.5	-1156.76	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB22	Combination	-185.845	192.759	0	0	0	99.2106	4328.31	1	-0.175	-0.5	-5390.28	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB22	Combination	-166.945	18.467	0	0	0	-67.8347	2845.53	3	0.175	-0.5	-3799.5	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB22	Combination	-148.045	-111.587	0	0	0	16.2047	370.72	1	-0.175	-0.5	-1216.69	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB23	Combination	-129.279	180.022	0	0	0	67.3444	2929.13	1	-0.175	-0.5	-3667.87	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB23	Combination	-110.379	2.039	0	0	0	-76.9938	3455.76	3	0.175	-0.5	-4086.49	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB23	Combination	-91.479	-121.196	0	0	0	28.7072	1144.7	1	-0.175	-0.5	-1667.43	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB24	Combination	-185.845	188.923	0	0	0	89.0008	3828.24	1	-0.175	-0.5	-4890.21	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB24	Combination	-166.945	12.797	0	0	0	-70.9424	2997.74	3	0.175	-0.5	-3951.71	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB24	Combination	-148.045	-122.568	0	0	0	26.631	881.39	1	-0.175	-0.5	-1727.36	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB25	Combination	-119.889	177.334	0	0	0	59.7964	2586.26	1	-0.175	-0.5	-3271.34	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB25	Combination	-100.989	-12.444	0	0	0	-66.3488	2961.2	3	0.175	-0.5	-3538.28	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB25	Combination	-82.089	-132.277	0	0	0	59.8705	2697.89	1	-0.175	-0.5	-3166.97	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB26	Combination	-176.455	186.235	0	0	0	81.4528	3485.37	1	-0.175	-0.5	-4493.68	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB26	Combination	-157.555	-1.686	0	0	0	-60.2974	2503.18	3	0.175	-0.5	-3403.5	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB26	Combination	-138.655	-133.648	0	0	0	57.7943	2434.58	1	-0.175	-0.5	-3226.9	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB27	Combination	-119.889	175.033	0	0	0	53.6705	2286.22	1	-0.175	-0.5	-2971.3	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB27	Combination	-100.989	-15.846	0	0	0	-68.2135	3052.53	3	0.175	-0.5	-3629.61	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB27	Combination	-82.089	-138.865	0	0	0	66.1263	3004.3	1	-0.175	-0.5	-3473.38	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB28	Combination	-176.455	183.934	0	0	0	75.3269	3185.32	1	-0.175	-0.5	-4193.64	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB28	Combination	-157.555	-5.088	0	0	0	-62.162	2594.51	3	0.175	-0.5	-3494.83	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB28	Combination	-138.655	-140.237	0	0	0	64.05	2740.99	1	-0.175	-0.5	-3533.3	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB29	Combination	-119.889	187.327	0	0	0	66.0682	2893.45	1	-0.175	-0.5	-3578.54	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB29	Combination	-100.989	-1.244	0	0	0	-76.7392	3470.11	3	0.175	-0.5	-4047.19	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB29	Combination	-82.089	-119.194	0	0	0	29.778	1223.98	1	-0.175	-0.5	-1693.06	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB30	Combination	-176.455	196.228	0	0	0	87.7247	3792.56	1	-0.175	-0.5	-4800.88	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB30	Combination	-157.555	9.514	0	0	0	-70.6877	3012.1	3	0.175	-0.5	-3912.41	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB30	Combination	-138.655	-120.565	0	0	0	27.7018	960.67	1	-0.175	-0.5	-1752.98	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB31	Combination	-119.889	185.026	0	0	0	59.9423	2593.41	1	-0.175	-0.5	-3278.49	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB31	Combination	-100.989	-4.646	0	0	0	-78.6038	3561.44	3	0.175	-0.5	-4138.52	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB31	Combination	-82.089	-125.782	0	0	0	36.0338	1530.38	1	-0.175	-0.5	-1999.46	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB32	Combination	-176.455	193.927	0	0	0	81.5988	3492.52	1	-0.175	-0.5	-4500.83	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB32	Combination	-157.555	6.112	0	0	0	-72.5524	3103.43	3	0.175	-0.5	-4003.74	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB32	Combination	-138.655	-127.154	0	0	0	33.9576	1267.07	1	-0.175	-0.5	-2059.39	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB33	Combination	-122.237	173.629	0	0	0	61.8692	2681.08	1	-0.175	-0.5	-3379.58	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB33	Combination	-103.337	-13.83	0	0	0	-61.4547	2714.78	3	0.175	-0.5	-3305.27	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB33	Combination	-84.437	-134.894	0	0	0	68.1459	3096.51	1	-0.175	-0.5	-3579.01	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB34	Combination	-178.803	182.53	0	0	0	83.5256	3580.19	1	-0.175	-0.5	-4601.92	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB34	Combination	-159.903	-3.072	0	0	0	-55.4032	2256.76	3	0.175	-0.5	-3170.49	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB34	Combination	-141.003	-136.265	0	0	0	66.0697	2833.2	1	-0.175	-0.5	-3638.93	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB35	Combination	-122.237	169.794	0	0	0	51.6594	2181.01	1	-0.175	-0.5	-2879.5	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB35	Combination	-103.337	-19.5	0	0	0	-64.5624	2866.99	3	0.175	-0.5	-3457.49	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB35	Combination	-84.437	-145.875	0	0	0	78.5722	3607.19	1	-0.175	-0.5	-4089.68	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB36	Combination	-178.803	178.695	0	0	0	73.3158	3080.12	1	-0.175	-0.5	-4101.84	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB36	Combination	-159.903	-8.742	0	0	0	-58.511	2408.98	3	0.175	-0.5	-3322.71	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB36	Combination	-141.003	-147.246	0	0	0	76.496	3343.88	1	-0.175	-0.5	-4149.61	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB37	Combination	-122.237	190.283	0	0	0	72.3223	3193.07	1	-0.175	-0.5	-3891.56	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB37	Combination	-103.337	4.836	0	0	0	-78.772	3562.97	3	0.175	-0.5	-4153.47	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB37	Combination	-84.437	-113.089	0	0	0	17.9918	639.98	1	-0.175	-0.5	-1122.48	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB38	Combination	-178.803	199.184	0	0	0	93.9787	4092.18	1	-0.175	-0.5	-5113.9	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB38	Combination	-159.903	15.594	0	0	0	-72.7205	3104.96	3	0.175	-0.5	-4018.69	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB38	Combination	-141.003	-114.46	0	0	0	15.9156	376.68	1	-0.175	-0.5	-1182.41	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB39	Combination	-122.237	186.448	0	0	0	62.1125	2693	1	-0.175	-0.5	-3391.49	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB39	Combination	-103.337	-0.834	0	0	0	-81.8797	3715.19	3	0.175	-0.5	-4305.68	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB39	Combination	-84.437	-124.069	0	0	0	28.4181	1150.66	1	-0.175	-0.5	-1633.15	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB40	Combination	-178.803	195.349	0	0	0	83.7689	3592.1	1	-0.175	-0.5	-4613.83	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB40	Combination	-159.903	9.924	0	0	0	-75.8283	3257.17	3	0.175	-0.5	-4170.9	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB40	Combination	-141.003	-125.441	0	0	0	26.3419	887.35	1	-0.175	-0.5	-1693.08	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB41	Combination	-129.375	182.261	0	0	0	69.7681	3047.57	1	-0.175	-0.5	-3786.86	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB41	Combination	-110.475	-8.486	0	0	0	-67.5169	2991.31	3	0.175	-0.5	-3622.59	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB41	Combination	-91.575	-141.686	0	0	0	62.8454	2816.5	1	-0.175	-0.5	-3339.78	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB42	Combination	-185.941	191.162	0	0	0	91.4246	3946.68	1	-0.175	-0.5	-5009.2	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB42	Combination	-167.041	2.272	0	0	0	-61.4655	2533.29	3	0.175	-0.5	-3487.81	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB42	Combination	-148.141	-143.058	0	0	0	60.7692	2553.19	1	-0.175	-0.5	-3399.71	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB43	Combination	-129.375	179.96	0	0	0	63.6422	2747.53	1	-0.175	-0.5	-3486.81	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB43	Combination	-110.475	-11.888	0	0	0	-69.3816	3082.64	3	0.175	-0.5	-3713.92	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB43	Combination	-91.575	-148.275	0	0	0	69.1011	3122.9	1	-0.175	-0.5	-3646.19	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB44	Combination	-185.941	188.861	0	0	0	85.2987	3646.63	1	-0.175	-0.5	-4709.15	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB44	Combination	-167.041	-1.13	0	0	0	-63.3301	2624.62	3	0.175	-0.5	-3579.14	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB44	Combination	-148.141	-149.646	0	0	0	67.0249	2859.59	1	-0.175	-0.5	-3706.11	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB45	Combination	-129.375	192.253	0	0	0	76.04	3354.76	1	-0.175	-0.5	-4094.05	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB45	Combination	-110.475	2.713	0	0	0	-77.9073	3500.22	3	0.175	-0.5	-4131.51	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB45	Combination	-91.575	-128.603	0	0	0	32.7529	1342.58	1	-0.175	-0.5	-1865.87	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB46	Combination	-185.941	201.154	0	0	0	97.6964	4253.87	1	-0.175	-0.5	-5316.39	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB46	Combination	-167.041	13.471	0	0	0	-71.8558	3042.21	3	0.175	-0.5	-3996.73	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB46	Combination	-148.141	-129.974	0	0	0	30.6767	1079.27	1	-0.175	-0.5	-1925.79	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB47	Combination	-129.375	189.952	0	0	0	69.9141	3054.72	1	-0.175	-0.5	-3794.01	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB47	Combination	-110.475	-0.689	0	0	0	-79.7719	3591.55	3	0.175	-0.5	-4222.84	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB47	Combination	-91.575	-135.191	0	0	0	39.0087	1648.99	1	-0.175	-0.5	-2172.27	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB48	Combination	-185.941	198.853	0	0	0	91.5705	3953.83	1	-0.175	-0.5	-5016.35	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB48	Combination	-167.041	10.069	0	0	0	-73.7205	3133.54	3	0.175	-0.5	-4088.06	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB48	Combination	-148.141	-136.563	0	0	0	36.9325	1385.68	1	-0.175	-0.5	-2232.2	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB49	Combination	-142.513	168.531	0	0	0	68.3746	2941.78	1	-0.175	-0.5	-3756.14	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB49	Combination	-123.613	-9.68	0	0	0	-57.3526	2455.93	3	0.175	-0.5	-3162.29	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB49	Combination	-104.713	-130.447	0	0	0	65.3521	2901.74	1	-0.175	-0.5	-3500.1	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB50	Combination	-217.935	180.399	0	0	0	97.2499	4140.59	1	-0.175	-0.5	-5385.93	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB50	Combination	-199.035	4.664	0	0	0	-49.284	1845.24	3	0.175	-0.5	-2982.58	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB50	Combination	-180.135	-132.276	0	0	0	62.5838	2550.66	1	-0.175	-0.5	-3580	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB51	Combination	-142.513	166.23	0	0	0	62.2488	2641.74	1	-0.175	-0.5	-3456.1	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB51	Combination	-123.613	-13.082	0	0	0	-59.2172	2547.26	3	0.175	-0.5	-3253.62	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB51	Combination	-104.713	-137.036	0	0	0	71.6078	3208.14	1	-0.175	-0.5	-3806.5	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB52	Combination	-217.935	178.098	0	0	0	91.124	3840.55	1	-0.175	-0.5	-5085.89	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB52	Combination	-199.035	1.262	0	0	0	-51.1486	1936.57	3	0.175	-0.5	-3073.91	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB52	Combination	-180.135	-138.865	0	0	0	68.8396	2857.06	1	-0.175	-0.5	-3886.4	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB53	Combination	-142.513	178.524	0	0	0	74.6465	3248.97	1	-0.175	-0.5	-4063.34	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB53	Combination	-123.613	1.52	0	0	0	-67.743	2964.84	3	0.175	-0.5	-3671.2	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB53	Combination	-104.713	-117.364	0	0	0	35.2596	1427.82	1	-0.175	-0.5	-2026.18	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB54	Combination	-217.935	190.392	0	0	0	103.5217	4447.78	1	-0.175	-0.5	-5693.12	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB54	Combination	-199.035	15.864	0	0	0	-59.6744	2354.16	3	0.175	-0.5	-3491.5	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB54	Combination	-180.135	-119.193	0	0	0	32.4914	1076.74	1	-0.175	-0.5	-2106.08	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB55	Combination	-142.513	176.223	0	0	0	68.5206	2948.93	1	-0.175	-0.5	-3763.29	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB55	Combination	-123.613	-1.882	0	0	0	-69.6076	3056.17	3	0.175	-0.5	-3762.53	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB55	Combination	-104.713	-123.953	0	0	0	41.5154	1734.23	1	-0.175	-0.5	-2332.59	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB56	Combination	-217.935	187.946	0	0	0	96.2812	4093.14	1	-0.175	-0.5	-5338.48	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB56	Combination	-199.035	11.885	0	0	0	-62.1955	2477.64	3	0.175	-0.5	-3614.98	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB56	Combination	-180.135	-127.638	0	0	0	40.0863	1448.74	1	-0.175	-0.5	-2478.08	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB57	Combination	-129.279	167.069	0	0	0	66.7404	2899.55	1	-0.175	-0.5	-3638.28	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB57	Combination	-110.379	-11.092	0	0	0	-56.7144	2462.48	3	0.175	-0.5	-3093.22	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB57	Combination	-91.479	-132.155	0	0	0	68.5044	3093.95	1	-0.175	-0.5	-3616.68	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB58	Combination	-185.845	175.97	0	0	0	88.3968	3798.65	1	-0.175	-0.5	-4860.62	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB58	Combination	-166.945	-0.334	0	0	0	-50.6629	2004.47	3	0.175	-0.5	-2958.44	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB58	Combination	-148.045	-133.527	0	0	0	66.4282	2830.64	1	-0.175	-0.5	-3676.61	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB59	Combination	-129.279	163.234	0	0	0	56.5305	2399.47	1	-0.175	-0.5	-3138.21	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB59	Combination	-110.379	-16.762	0	0	0	-59.8221	2614.7	3	0.175	-0.5	-3245.43	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB59	Combination	-91.479	-143.136	0	0	0	78.9306	3604.62	1	-0.175	-0.5	-4127.36	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB60	Combination	-185.845	172.135	0	0	0	78.187	3298.58	1	-0.175	-0.5	-4360.55	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB60	Combination	-166.945	-6.004	0	0	0	-53.7707	2156.68	3	0.175	-0.5	-3110.65	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB60	Combination	-148.045	-144.508	0	0	0	76.8544	3341.31	1	-0.175	-0.5	-4187.28	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB61	Combination	-129.279	183.723	0	0	0	77.1935	3411.54	1	-0.175	-0.5	-4150.27	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB61	Combination	-110.379	7.574	0	0	0	-74.0317	3310.67	3	0.175	-0.5	-3941.41	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB61	Combination	-91.479	-110.35	0	0	0	18.3503	637.42	1	-0.175	-0.5	-1160.16	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB62	Combination	-185.845	192.624	0	0	0	98.8499	4310.64	1	-0.175	-0.5	-5372.61	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB62	Combination	-166.945	18.333	0	0	0	-67.9802	2852.66	3	0.175	-0.5	-3806.63	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB62	Combination	-148.045	-111.721	0	0	0	16.2741	374.11	1	-0.175	-0.5	-1220.08	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB63	Combination	-129.279	179.888	0	0	0	66.9836	2911.46	1	-0.175	-0.5	-3650.2	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB63	Combination	-110.379	1.904	0	0	0	-77.1394	3462.89	3	0.175	-0.5	-4093.63	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB63	Combination	-91.479	-121.331	0	0	0	28.7766	1148.1	1	-0.175	-0.5	-1670.83	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB64	Combination	-185.845	188.789	0	0	0	88.6401	3810.57	1	-0.175	-0.5	-4872.54	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB64	Combination	-166.945	12.662	0	0	0	-71.088	3004.87	3	0.175	-0.5	-3958.84	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB64	Combination	-148.045	-122.702	0	0	0	26.7004	884.79	1	-0.175	-0.5	-1730.76	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB65	Combination	-119.889	177.2	0	0	0	59.4356	2568.59	1	-0.175	-0.5	-3253.67	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB65	Combination	-100.989	-12.579	0	0	0	-66.4944	2968.33	3	0.175	-0.5	-3545.41	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB65	Combination	-82.089	-132.411	0	0	0	59.9399	2701.29	1	-0.175	-0.5	-3170.37	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB66	Combination	-176.455	186.101	0	0	0	81.0921	3467.7	1	-0.175	-0.5	-4476.01	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB66	Combination	-157.555	-1.82	0	0	0	-60.4429	2510.31	3	0.175	-0.5	-3410.63	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB66	Combination	-138.655	-133.783	0	0	0	57.8637	2437.98	1	-0.175	-0.5	-3230.3	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB67	Combination	-119.889	174.899	0	0	0	53.3098	2268.55	1	-0.175	-0.5	-2953.63	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB67	Combination	-100.989	-15.981	0	0	0	-68.359	3059.66	3	0.175	-0.5	-3636.74	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB67	Combination	-82.089	-139	0	0	0	66.1956	3007.7	1	-0.175	-0.5	-3476.78	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB68	Combination	-176.455	183.8	0	0	0	74.9662	3167.66	1	-0.175	-0.5	-4175.97	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB68	Combination	-157.555	-5.222	0	0	0	-62.3076	2601.64	3	0.175	-0.5	-3501.96	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB68	Combination	-138.655	-140.371	0	0	0	64.1194	2744.39	1	-0.175	-0.5	-3536.7	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB69	Combination	-119.889	187.192	0	0	0	65.7075	2875.79	1	-0.175	-0.5	-3560.87	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB69	Combination	-100.989	-1.379	0	0	0	-76.8848	3477.24	3	0.175	-0.5	-4054.32	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB69	Combination	-82.089	-119.328	0	0	0	29.8474	1227.38	1	-0.175	-0.5	-1696.46	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB70	Combination	-176.455	196.093	0	0	0	87.3639	3774.89	1	-0.175	-0.5	-4783.21	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB70	Combination	-157.555	9.379	0	0	0	-70.8333	3019.23	3	0.175	-0.5	-3919.54	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB70	Combination	-138.655	-120.699	0	0	0	27.7712	964.07	1	-0.175	-0.5	-1756.38	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB71	Combination	-119.889	184.891	0	0	0	59.5816	2575.74	1	-0.175	-0.5	-3260.82	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB71	Combination	-100.989	-4.781	0	0	0	-78.7494	3568.57	3	0.175	-0.5	-4145.65	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB71	Combination	-82.089	-125.916	0	0	0	36.1032	1533.78	1	-0.175	-0.5	-2002.86	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB72	Combination	-176.455	193.792	0	0	0	81.238	3474.85	1	-0.175	-0.5	-4483.16	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB72	Combination	-157.555	5.977	0	0	0	-72.698	3110.56	3	0.175	-0.5	-4010.87	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB72	Combination	-138.655	-127.288	0	0	0	34.027	1270.47	1	-0.175	-0.5	-2062.79	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB73	Combination	-122.237	173.495	0	0	0	61.5085	2663.41	1	-0.175	-0.5	-3361.91	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB73	Combination	-103.337	-13.965	0	0	0	-61.6003	2721.91	3	0.175	-0.5	-3312.4	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB73	Combination	-84.437	-135.028	0	0	0	68.2153	3099.91	1	-0.175	-0.5	-3582.4	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB74	Combination	-178.803	182.396	0	0	0	83.1649	3562.52	1	-0.175	-0.5	-4584.25	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB74	Combination	-159.903	-3.207	0	0	0	-55.5488	2263.89	3	0.175	-0.5	-3177.62	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB74	Combination	-141.003	-136.4	0	0	0	66.1391	2836.6	1	-0.175	-0.5	-3642.33	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB75	Combination	-122.237	169.659	0	0	0	51.2987	2163.34	1	-0.175	-0.5	-2861.84	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB75	Combination	-103.337	-19.635	0	0	0	-64.708	2874.12	3	0.175	-0.5	-3464.62	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB75	Combination	-84.437	-146.009	0	0	0	78.6416	3610.58	1	-0.175	-0.5	-4093.08	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB76	Combination	-178.803	178.56	0	0	0	72.9551	3062.45	1	-0.175	-0.5	-4084.18	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB76	Combination	-159.903	-8.877	0	0	0	-58.6566	2416.11	3	0.175	-0.5	-3329.84	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB76	Combination	-141.003	-147.381	0	0	0	76.5654	3347.28	1	-0.175	-0.5	-4153	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB77	Combination	-122.237	190.149	0	0	0	71.9616	3175.4	1	-0.175	-0.5	-3873.9	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB77	Combination	-103.337	4.701	0	0	0	-78.9176	3570.1	3	0.175	-0.5	-4160.6	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB77	Combination	-84.437	-113.223	0	0	0	18.0612	643.38	1	-0.175	-0.5	-1125.88	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB78	Combination	-178.803	199.05	0	0	0	93.618	4074.51	1	-0.175	-0.5	-5096.24	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB78	Combination	-159.903	15.46	0	0	0	-72.8661	3112.09	3	0.175	-0.5	-4025.82	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB78	Combination	-141.003	-114.594	0	0	0	15.985	380.08	1	-0.175	-0.5	-1185.8	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB79	Combination	-122.237	186.313	0	0	0	61.7518	2675.33	1	-0.175	-0.5	-3373.82	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB79	Combination	-103.337	-0.969	0	0	0	-82.0253	3722.32	3	0.175	-0.5	-4312.81	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB79	Combination	-84.437	-124.204	0	0	0	28.4875	1154.06	1	-0.175	-0.5	-1636.55	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB80	Combination	-178.803	195.214	0	0	0	83.4082	3574.43	1	-0.175	-0.5	-4596.16	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB80	Combination	-159.903	9.79	0	0	0	-75.9738	3264.3	3	0.175	-0.5	-4178.03	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB80	Combination	-141.003	-125.575	0	0	0	26.4113	890.75	1	-0.175	-0.5	-1696.48	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB81	Combination	-122.237	175.013	0	0	0	61.0594	2641.42	1	-0.175	-0.5	-3339.91	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB81	Combination	-103.337	-11.666	0	0	0	-64.9143	2884.23	3	0.175	-0.5	-3474.72	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB81	Combination	-84.437	-131.498	0	0	0	60.0594	2700.44	1	-0.175	-0.5	-3182.93	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB82	Combination	-178.803	183.914	0	0	0	82.7158	3540.52	1	-0.175	-0.5	-4562.25	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB82	Combination	-159.903	-0.908	0	0	0	-58.8628	2426.21	3	0.175	-0.5	-3339.94	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB82	Combination	-141.003	-132.87	0	0	0	57.9832	2437.13	1	-0.175	-0.5	-3242.86	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB83	Combination	-122.237	172.712	0	0	0	54.9335	2341.37	1	-0.175	-0.5	-3039.87	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB83	Combination	-103.337	-15.068	0	0	0	-66.7789	2975.56	3	0.175	-0.5	-3566.05	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB83	Combination	-84.437	-138.087	0	0	0	66.3151	3006.84	1	-0.175	-0.5	-3489.34	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB84	Combination	-178.803	181.613	0	0	0	76.5899	3240.48	1	-0.175	-0.5	-4262.21	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB84	Combination	-159.903	-4.31	0	0	0	-60.7275	2517.54	3	0.175	-0.5	-3431.27	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB84	Combination	-141.003	-139.458	0	0	0	64.2389	2743.53	1	-0.175	-0.5	-3549.26	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB85	Combination	-122.237	185.006	0	0	0	67.3312	2948.61	1	-0.175	-0.5	-3647.1	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB85	Combination	-103.337	-0.466	0	0	0	-75.3047	3393.14	3	0.175	-0.5	-3983.64	1	
	-0.175	-0.5	04-ago	0.22857												
8	3.2	A_COMB85	Combination	-84.437	-118.415	0	0	0	29.9669	1226.52	1	-0.175	-0.5	-1709.02	3	
	0.175	-0.5	07-ago	0.45714												
8	0	A_COMB86	Combination	-178.803	193.907	0	0	0	88.9877	3847.71	1	-0.175	-0.5	-4869.44	3	
	0.175	-0.5	01-ago	0												
8	1.6	A_COMB86	Combination	-159.903	10.292	0	0	0	-69.2532	2935.13	3	0.175	-0.5	-3848.86	1	
	-0.175	-0.5	04-ago	0.22857												
8	3.2	A_COMB86	Combination	-141.003	-119.786	0	0	0	27.8907	963.21	1	-0.175	-0.5	-1768.94	3	
	0.175	-0.5	07-ago	0.45714												
8	0	A_COMB87	Combination	-122.237	182.704	0	0	0	61.2053	2648.56	1	-0.175	-0.5	-3347.06	3	
	0.175	-0.5	01-ago	0												
8	1.6	A_COMB87	Combination	-103.337	-3.868	0	0	0	-77.1693	3484.47	3	0.175	-0.5	-4074.97	1	
	-0.175	-0.5	04-ago	0.22857												
8	3.2	A_COMB87	Combination	-84.437	-125.004	0	0	0	36.2227	1532.93	1	-0.175	-0.5	-2015.42	3	
	0.175	-0.5	07-ago	0.45714												
8	0	A_COMB88	Combination	-178.803	191.605	0	0	0	82.8618	3547.67	1	-0.175	-0.5	-4569.4	3	
	0.175	-0.5	01-ago	0												
8	1.6	A_COMB88	Combination	-159.903	6.89	0	0	0	-71.1179	3026.46	3	0.175	-0.5	-3940.19	1	
	-0.175	-0.5	04-ago	0.22857												
8	3.2	A_COMB88	Combination	-141.003	-126.375	0	0	0	34.1465	1269.62	1	-0.175	-0.5	-2075.35	3	
	0.175	-0.5	07-ago	0.45714												
8	0	A_COMB_0_2_STR_SBIL	Combination	-62.283	107.665	0	0	0	0	34.2015	1497.22	1	-0.175	-0.5	-	
1853.12	3	0.175	-0.5	01-ago	0											
8	1.6	A_COMB_0_2_STR_SBIL	Combination	-43.383	-5.295	0	0	0	-44.648	2062.89	3	0.175	-0.5	-		
2310.79	1	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB_0_2_STR_SBIL	Combination	-24.483	-67.79	0	0	0	22.0189	1008.53	1	-0.175	-0.5	-		
1148.43	3	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB_0_2_1_STR_SBIL	Combination	-89.418	108.336	0	0	0	38.5829	1634.3	1	-0.175	-0.5	-		
2145.25	3	0.175	-0.5	01-ago	0											
8	1.6	A_COMB_0_2_1_STR_SBIL	Combination	-70.518	-6.047	0	0	0	-40.4665	1780.55	3	0.175	-0.5	-		
2183.51	1	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB_0_2_1_STR_SBIL	Combination	-51.618	-70.021	0	0	0	28.8526	1265.71	1	-0.175	-0.5	-		
1560.67	3	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB_0_3_STR_SBIL	Combination	-89.418	108.336	0	0	0	38.5829	1634.3	1	-0.175	-0.5	-		
2145.25	3	0.175	-0.5	01-ago	0											
8	1.6	A_COMB_0_3_STR_SBIL	Combination	-70.518	-6.047	0	0	0	-40.4665	1780.55	3	0.175	-0.5	-		
2183.51	1	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB_0_3_STR_SBIL	Combination	-51.618	-70.021	0	0	0	28.8526	1265.71	1	-0.175	-0.5	-		
1560.67	3	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB_0_4_STR_SBIL	Combination	-89.418	112.85	0	0	0	46.4323	2018.75	1	-0.175	-0.5	-		
2529.71	3	0.175	-0.5	01-ago	0											
8	1.6	A_COMB_0_4_STR_SBIL	Combination	-70.518	-1.448	0	0	0	-39.8895	1752.29	3	0.175	-0.5	-		
2155.25	1	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB_0_4_STR_SBIL	Combination	-51.618	-65.336	0	0	0	21.9847	929.32	1	-0.175	-0.5	-		
1224.28	3	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB89	Combination	-129.508	164.716	0	0	0	66.2417	2874.47	1	-0.175	-0.5	-3614.51	3	
	0.175	-0.5	01-ago	0												
8	1.6	A_COMB89	Combination	-110.608	-6.714	0	0	0	-57.2576	2488.43	3	0.175	-0.5	-3120.47	1	
	-0.175	-0.5	04-ago	0.22857												
8	3.2	A_COMB89	Combination	-91.708	-128.721	0	0	0	59.4135	2648.03	1	-0.175	-0.5	-3172.07	3	
	0.175	-0.5	07-ago	0.45714												
8	0	A_COMB90	Combination	-186.074	173.617	0	0	0	87.8981	3773.57	1	-0.175	-0.5	-4836.85	3	
	0.175	-0.5	01-ago	0												
8	1.6	A_COMB90	Combination	-167.174	4.044	0	0	0	-51.2061	2030.42	3	0.175	-0.5	-2985.69	1	
	-0.175	-0.5	04-ago	0.22857												
8	3.2	A_COMB90	Combination	-148.274	-130.092	0	0	0	57.3373	2384.72	1	-0.175	-0.5	-3232	3	
	0.175	-0.5	07-ago	0.45714												
8	0	A_COMB91	Combination	-129.508	162.415	0	0	0	60.1158	2574.42	1	-0.175	-0.5	-3314.47	3	
	0.175	-0.5	01-ago	0												
8	1.6	A_COMB91	Combination	-110.608	-10.116	0	0	0	-59.1222	2579.76	3	0.175	-0.5	-3211.8	1	
	-0.175	-0.5	04-ago	0.22857												
8	3.2	A_COMB91	Combination	-91.708	-135.31	0	0	0	65.6693	2954.43	1	-0.175	-0.5	-3478.48	3	
	0.175	-0.5	07-ago	0.45714												
8	0	A_COMB92	Combination	-186.074	171.316	0	0	0	81.7722	3473.53	1	-0.175	-0.5	-4536.81	3	
	0.175	-0.5	01-ago	0												

## Allegati alla relazione di Calcolo

8	1.6	A_COMB92	Combination	-167.174	0.642	0	0	0	-53.0708	2121.75	3	0.175	-0.5	-3077.02	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB92	Combination	-148.274	-136.681	0	0	0	63.5931	2691.12	1	-0.175	-0.5	-3538.4	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB93	Combination	-129.508	174.708	0	0	0	72.5135	3181.66	1	-0.175	-0.5	-3921.7	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB93	Combination	-110.608	4.486	0	0	0	-67.648	2997.35	3	0.175	-0.5	-3629.39	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB93	Combination	-91.708	-115.638	0	0	0	29.3211	1174.11	1	-0.175	-0.5	-1698.16	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB94	Combination	-186.074	183.609	0	0	0	94.1699	4080.77	1	-0.175	-0.5	-5144.04	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB94	Combination	-167.174	15.244	0	0	0	-61.5965	2539.33	3	0.175	-0.5	-3494.61	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB94	Combination	-148.274	-117.009	0	0	0	27.2449	910.8	1	-0.175	-0.5	-1758.08	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB95	Combination	-129.508	172.407	0	0	0	66.3876	2881.62	1	-0.175	-0.5	-3621.66	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB95	Combination	-110.608	1.084	0	0	0	-69.5126	3088.68	3	0.175	-0.5	-3720.72	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB95	Combination	-91.708	-122.226	0	0	0	35.5768	1480.52	1	-0.175	-0.5	-2004.56	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB96	Combination	-186.074	181.308	0	0	0	88.0441	3780.72	1	-0.175	-0.5	-4844	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB96	Combination	-167.174	11.842	0	0	0	-63.4611	2630.66	3	0.175	-0.5	-3585.94	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB96	Combination	-148.274	-123.598	0	0	0	33.5006	1217.21	1	-0.175	-0.5	-2064.49	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB97	Combination	-142.645	150.986	0	0	0	64.8482	2768.68	1	-0.175	-0.5	-3583.8	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB97	Combination	-123.745	-7.907	0	0	0	-47.0933	1953.05	3	0.175	-0.5	-2660.17	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB97	Combination	-104.845	-117.482	0	0	0	61.9202	2733.27	1	-0.175	-0.5	-3332.39	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB98	Combination	-218.067	162.854	0	0	0	93.7234	3967.49	1	-0.175	-0.5	-5213.58	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB98	Combination	-199.167	6.437	0	0	0	-39.0247	1342.36	3	0.175	-0.5	-2480.46	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB98	Combination	-180.267	-119.311	0	0	0	59.152	2382.19	1	-0.175	-0.5	-3412.29	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB99	Combination	-142.645	148.685	0	0	0	58.7223	2468.64	1	-0.175	-0.5	-3283.75	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB99	Combination	-123.745	-11.309	0	0	0	-48.9579	2044.38	3	0.175	-0.5	-2751.5	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB99	Combination	-104.845	-124.071	0	0	0	68.176	3039.67	1	-0.175	-0.5	-3638.79	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB100	Combination	-218.067	160.553	0	0	0	87.5975	3667.44	1	-0.175	-0.5	-4913.54	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB100	Combination	-199.167	3.035	0	0	0	-40.8893	1433.69	3	0.175	-0.5	-2571.79	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB100	Combination	-180.267	-125.899	0	0	0	65.4077	2688.6	1	-0.175	-0.5	-3718.69	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB101	Combination	-142.645	160.979	0	0	0	71.12	3075.87	1	-0.175	-0.5	-3890.99	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB101	Combination	-123.745	3.292	0	0	0	-57.4836	2461.97	3	0.175	-0.5	-3169.08	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB101	Combination	-104.845	-104.399	0	0	0	31.8278	1259.35	1	-0.175	-0.5	-1858.47	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB102	Combination	-218.067	172.847	0	0	0	99.9953	4274.68	1	-0.175	-0.5	-5520.78	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB102	Combination	-199.167	17.637	0	0	0	-49.415	1851.28	3	0.175	-0.5	-2989.38	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB102	Combination	-180.267	-106.228	0	0	0	29.0595	908.28	1	-0.175	-0.5	-1938.37	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB103	Combination	-142.645	158.678	0	0	0	64.9941	2775.83	1	-0.175	-0.5	-3590.94	3
	0.175	-0.5	01-ago	0											



## Allegati alla relazione di Calcolo

8	1.6	A_COMB103	Combination	-123.745	-0.11	0	0	0	-59.3483	2553.3	3	0.175	-0.5	-3260.41	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB103	Combination	-104.845	-110.988	0	0	0	38.0835	1565.76	1	-0.175	-0.5	-2164.87	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB104	Combination	-218.067	170.545	0	0	0	93.8694	3974.64	1	-0.175	-0.5	-5220.73	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB104	Combination	-199.167	14.235	0	0	0	-51.2797	1942.61	3	0.175	-0.5	-3080.71	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB104	Combination	-180.267	-112.816	0	0	0	35.3153	1214.68	1	-0.175	-0.5	-2244.78	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB105	Combination	-129.411	149.524	0	0	0	63.2139	2726.45	1	-0.175	-0.5	-3465.94	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB105	Combination	-110.511	-9.319	0	0	0	-46.4551	1959.6	3	0.175	-0.5	-2591.09	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB105	Combination	-91.611	-119.19	0	0	0	65.0726	2925.48	1	-0.175	-0.5	-3448.97	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB106	Combination	-185.977	158.425	0	0	0	84.8703	3625.55	1	-0.175	-0.5	-4688.28	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB106	Combination	-167.077	1.439	0	0	0	-40.4036	1501.59	3	0.175	-0.5	-2456.31	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB106	Combination	-148.177	-120.562	0	0	0	62.9964	2662.17	1	-0.175	-0.5	-3508.9	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB107	Combination	-129.411	145.689	0	0	0	53.0041	2226.37	1	-0.175	-0.5	-2965.86	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB107	Combination	-110.511	-14.989	0	0	0	-49.5628	2111.82	3	0.175	-0.5	-2743.31	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB107	Combination	-91.611	-130.171	0	0	0	75.4988	3436.16	1	-0.175	-0.5	-3959.65	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB108	Combination	-185.977	154.59	0	0	0	74.6605	3125.48	1	-0.175	-0.5	-4188.2	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB108	Combination	-167.077	-4.231	0	0	0	-43.5113	1653.81	3	0.175	-0.5	-2608.53	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB108	Combination	-148.177	-131.543	0	0	0	73.4226	3172.85	1	-0.175	-0.5	-4019.57	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB109	Combination	-129.411	166.178	0	0	0	73.667	3238.43	1	-0.175	-0.5	-3977.92	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB109	Combination	-110.511	9.347	0	0	0	-63.7723	2807.8	3	0.175	-0.5	-3439.29	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB109	Combination	-91.611	-97.385	0	0	0	14.9185	468.96	1	-0.175	-0.5	-992.45	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB110	Combination	-185.977	175.079	0	0	0	95.3234	4137.54	1	-0.175	-0.5	-5200.27	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB110	Combination	-167.077	20.105	0	0	0	-57.7209	2349.78	3	0.175	-0.5	-3304.51	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB110	Combination	-148.177	-98.756	0	0	0	12.8423	205.65	1	-0.175	-0.5	-1052.37	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB111	Combination	-129.411	162.343	0	0	0	63.4572	2738.36	1	-0.175	-0.5	-3477.85	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB111	Combination	-110.511	3.677	0	0	0	-66.8801	2960.01	3	0.175	-0.5	-3591.5	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB111	Combination	-91.611	-108.366	0	0	0	25.3447	979.63	1	-0.175	-0.5	-1503.12	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB112	Combination	-185.977	171.244	0	0	0	85.1136	3637.47	1	-0.175	-0.5	-4700.19	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB112	Combination	-167.077	14.435	0	0	0	-60.8286	2502	3	0.175	-0.5	-3456.72	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB112	Combination	-148.177	-109.737	0	0	0	23.2685	716.32	1	-0.175	-0.5	-1563.05	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB113	Combination	-120.021	159.655	0	0	0	55.9092	2395.49	1	-0.175	-0.5	-3081.33	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB113	Combination	-101.121	-10.806	0	0	0	-56.235	2465.45	3	0.175	-0.5	-3043.29	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB113	Combination	-82.221	-119.446	0	0	0	56.5081	2532.82	1	-0.175	-0.5	-3002.66	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB114	Combination	-176.587	168.556	0	0	0	77.5656	3294.6	1	-0.175	-0.5	-4303.67	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB114	Combination	-157.687	-0.048	0	0	0	-50.1836	2007.44	3	0.175	-0.5	-2908.51	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB114	Combination	-138.787	-120.818	0	0	0	54.4319	2269.51	1	-0.175	-0.5	-3062.59	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB115	Combination	-120.021	157.354	0	0	0	49.7833	2095.45	1	-0.175	-0.5	-2781.28	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB115	Combination	-101.121	-14.208	0	0	0	-58.0997	2556.78	3	0.175	-0.5	-3134.62	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB115	Combination	-82.221	-126.035	0	0	0	62.7638	2839.23	1	-0.175	-0.5	-3309.06	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB116	Combination	-176.587	166.255	0	0	0	71.4397	2994.55	1	-0.175	-0.5	-4003.62	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB116	Combination	-157.687	-3.45	0	0	0	-52.0482	2098.77	3	0.175	-0.5	-2999.84	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB116	Combination	-138.787	-127.406	0	0	0	60.6876	2575.92	1	-0.175	-0.5	-3368.99	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB117	Combination	-120.021	169.647	0	0	0	62.181	2702.68	1	-0.175	-0.5	-3388.52	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB117	Combination	-101.121	0.394	0	0	0	-66.6254	2974.37	3	0.175	-0.5	-3552.2	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB117	Combination	-82.221	-106.363	0	0	0	26.4156	1058.91	1	-0.175	-0.5	-1528.74	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB118	Combination	-176.587	178.548	0	0	0	83.8375	3601.79	1	-0.175	-0.5	-4610.86	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB118	Combination	-157.687	11.152	0	0	0	-60.574	2516.35	3	0.175	-0.5	-3417.42	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB118	Combination	-138.787	-107.734	0	0	0	24.3394	795.6	1	-0.175	-0.5	-1588.67	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB119	Combination	-120.021	167.346	0	0	0	56.0551	2402.64	1	-0.175	-0.5	-3088.48	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB119	Combination	-101.121	-3.008	0	0	0	-68.4901	3065.7	3	0.175	-0.5	-3643.53	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB119	Combination	-82.221	-112.951	0	0	0	32.6714	1365.31	1	-0.175	-0.5	-1835.15	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB120	Combination	-176.587	176.247	0	0	0	77.7116	3301.75	1	-0.175	-0.5	-4310.82	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB120	Combination	-157.687	7.75	0	0	0	-62.4386	2607.68	3	0.175	-0.5	-3508.75	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB120	Combination	-138.787	-114.323	0	0	0	30.5952	1102	1	-0.175	-0.5	-1895.07	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB121	Combination	-122.369	155.95	0	0	0	57.982	2490.31	1	-0.175	-0.5	-3189.56	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB121	Combination	-103.469	-12.192	0	0	0	-51.3409	2219.03	3	0.175	-0.5	-2810.28	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB121	Combination	-84.569	-122.063	0	0	0	64.7835	2931.44	1	-0.175	-0.5	-3414.69	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB122	Combination	-178.935	164.851	0	0	0	79.6385	3389.42	1	-0.175	-0.5	-4411.9	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB122	Combination	-160.035	-1.434	0	0	0	-45.2895	1761.02	3	0.175	-0.5	-2675.5	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB122	Combination	-141.135	-123.435	0	0	0	62.7073	2668.13	1	-0.175	-0.5	-3474.62	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB123	Combination	-122.369	152.114	0	0	0	47.7722	1990.24	1	-0.175	-0.5	-2689.49	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB123	Combination	-103.469	-17.862	0	0	0	-54.4487	2371.25	3	0.175	-0.5	-2962.5	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB123	Combination	-84.569	-133.044	0	0	0	75.2097	3442.12	1	-0.175	-0.5	-3925.37	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB124	Combination	-178.935	161.015	0	0	0	69.4286	2889.34	1	-0.175	-0.5	-3911.83	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB124	Combination	-160.035	-7.104	0	0	0	-48.3972	1913.23	3	0.175	-0.5	-2827.72	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB124	Combination	-141.135	-134.416	0	0	0	73.1335	3178.81	1	-0.175	-0.5	-3985.29	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB125	Combination	-122.369	172.604	0	0	0	68.4351	3002.3	1	-0.175	-0.5	-3701.55	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB125	Combination	-103.469	6.474	0	0	0	-68.6582	3067.23	3	0.175	-0.5	-3658.48	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB125	Combination	-84.569	-100.258	0	0	0	14.6294	474.92	1	-0.175	-0.5	-958.17	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB126	Combination	-178.935	181.505	0	0	0	90.0916	3901.41	1	-0.175	-0.5	-4923.89	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB126	Combination	-160.035	17.232	0	0	0	-62.6068	2609.21	3	0.175	-0.5	-3523.7	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB126	Combination	-141.135	-101.629	0	0	0	12.5532	211.61	1	-0.175	-0.5	-1018.09	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB127	Combination	-122.369	168.768	0	0	0	58.2253	2502.23	1	-0.175	-0.5	-3201.48	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB127	Combination	-103.469	0.804	0	0	0	-71.766	3219.44	3	0.175	-0.5	-3810.69	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB127	Combination	-84.569	-111.239	0	0	0	25.0556	985.59	1	-0.175	-0.5	-1468.84	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB128	Combination	-178.935	177.669	0	0	0	79.8817	3401.33	1	-0.175	-0.5	-4423.82	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB128	Combination	-160.035	11.562	0	0	0	-65.7145	2761.43	3	0.175	-0.5	-3675.91	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB128	Combination	-141.135	-112.61	0	0	0	22.9794	722.28	1	-0.175	-0.5	-1528.77	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB129	Combination	-129.508	164.581	0	0	0	65.8809	2856.8	1	-0.175	-0.5	-3596.84	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB129	Combination	-110.608	-6.848	0	0	0	-57.4031	2495.56	3	0.175	-0.5	-3127.6	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB129	Combination	-91.708	-128.855	0	0	0	59.4829	2651.43	1	-0.175	-0.5	-3175.47	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB130	Combination	-186.074	173.482	0	0	0	87.5374	3755.91	1	-0.175	-0.5	-4819.18	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB130	Combination	-167.174	3.91	0	0	0	-51.3517	2037.55	3	0.175	-0.5	-2992.82	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB130	Combination	-148.274	-130.227	0	0	0	57.4067	2388.12	1	-0.175	-0.5	-3235.4	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB131	Combination	-129.508	162.28	0	0	0	59.755	2556.76	1	-0.175	-0.5	-3296.8	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB131	Combination	-110.608	-10.25	0	0	0	-59.2678	2586.89	3	0.175	-0.5	-3218.93	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB131	Combination	-91.708	-135.444	0	0	0	65.7387	2957.83	1	-0.175	-0.5	-3481.88	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB132	Combination	-186.074	171.181	0	0	0	81.4115	3455.86	1	-0.175	-0.5	-4519.14	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB132	Combination	-167.174	0.508	0	0	0	-53.2163	2128.88	3	0.175	-0.5	-3084.15	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB132	Combination	-148.274	-136.815	0	0	0	63.6625	2694.52	1	-0.175	-0.5	-3541.8	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB133	Combination	-129.508	174.574	0	0	0	72.1528	3163.99	1	-0.175	-0.5	-3904.04	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB133	Combination	-110.608	4.351	0	0	0	-67.7935	3004.48	3	0.175	-0.5	-3636.52	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB133	Combination	-91.708	-115.772	0	0	0	29.3905	1177.51	1	-0.175	-0.5	-1701.56	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB134	Combination	-186.074	183.475	0	0	0	93.8092	4063.1	1	-0.175	-0.5	-5126.38	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB134	Combination	-167.174	15.109	0	0	0	-61.7421	2546.46	3	0.175	-0.5	-3501.74	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB134	Combination	-148.274	-117.144	0	0	0	27.3143	914.2	1	-0.175	-0.5	-1761.48	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB135	Combination	-129.508	172.273	0	0	0	66.0269	2863.95	1	-0.175	-0.5	-3603.99	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB135	Combination	-110.608	0.949	0	0	0	-69.6582	3095.81	3	0.175	-0.5	-3727.85	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB135	Combination	-91.708	-122.361	0	0	0	35.6462	1483.92	1	-0.175	-0.5	-2007.96	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB136	Combination	-186.074	181.174	0	0	0	87.6833	3763.05	1	-0.175	-0.5	-4826.33	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB136	Combination	-167.174	11.707	0	0	0	-63.6067	2637.79	3	0.175	-0.5	-3593.07	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB136	Combination	-148.274	-123.732	0	0	0	33.57	1220.61	1	-0.175	-0.5	-2067.89	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB137	Combination	-142.645	150.852	0	0	0	64.4875	2751.01	1	-0.175	-0.5	-3566.13	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB137	Combination	-123.745	-8.042	0	0	0	-47.2388	1960.18	3	0.175	-0.5	-2667.3	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB137	Combination	-104.845	-117.617	0	0	0	61.9896	2736.67	1	-0.175	-0.5	-3335.79	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB138	Combination	-218.067	162.72	0	0	0	93.3627	3949.82	1	-0.175	-0.5	-5195.91	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB138	Combination	-199.167	6.302	0	0	0	-39.1702	1349.49	3	0.175	-0.5	-2487.59	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB138	Combination	-180.267	-119.445	0	0	0	59.2214	2385.59	1	-0.175	-0.5	-3415.69	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB139	Combination	-142.645	148.551	0	0	0	58.3616	2450.97	1	-0.175	-0.5	-3266.08	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB139	Combination	-123.745	-11.444	0	0	0	-49.1035	2051.51	3	0.175	-0.5	-2758.63	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB139	Combination	-104.845	-124.205	0	0	0	68.2454	3043.07	1	-0.175	-0.5	-3642.19	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB140	Combination	-218.067	160.418	0	0	0	87.2368	3649.78	1	-0.175	-0.5	-4895.87	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB140	Combination	-199.167	2.9	0	0	0	-41.0349	1440.82	3	0.175	-0.5	-2578.92	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB140	Combination	-180.267	-126.034	0	0	0	65.4771	2691.99	1	-0.175	-0.5	-3722.09	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB141	Combination	-142.645	160.844	0	0	0	70.7593	3058.2	1	-0.175	-0.5	-3873.32	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB141	Combination	-123.745	3.158	0	0	0	-57.6292	2469.1	3	0.175	-0.5	-3176.21	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB141	Combination	-104.845	-104.533	0	0	0	31.8972	1262.75	1	-0.175	-0.5	-1861.87	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB142	Combination	-218.067	172.712	0	0	0	99.6346	4257.01	1	-0.175	-0.5	-5503.11	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB142	Combination	-199.167	17.502	0	0	0	-49.5606	1858.41	3	0.175	-0.5	-2996.51	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB142	Combination	-180.267	-106.362	0	0	0	29.1289	911.67	1	-0.175	-0.5	-1941.77	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB143	Combination	-142.645	158.543	0	0	0	64.6334	2758.16	1	-0.175	-0.5	-3573.28	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB143	Combination	-123.745	-0.244	0	0	0	-59.4938	2560.43	3	0.175	-0.5	-3267.54	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB143	Combination	-104.845	-111.122	0	0	0	38.1529	1569.16	1	-0.175	-0.5	-2168.27	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB144	Combination	-218.067	170.411	0	0	0	93.5087	3956.97	1	-0.175	-0.5	-5203.06	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB144	Combination	-199.167	14.1	0	0	0	-51.4253	1949.74	3	0.175	-0.5	-3087.84	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB144	Combination	-180.267	-112.95	0	0	0	35.3847	1218.08	1	-0.175	-0.5	-2248.17	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB145	Combination	-129.411	149.39	0	0	0	62.8532	2708.78	1	-0.175	-0.5	-3448.27	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB145	Combination	-110.511	-9.454	0	0	0	-46.6006	1966.73	3	0.175	-0.5	-2598.23	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB145	Combination	-91.611	-119.325	0	0	0	65.1419	2928.88	1	-0.175	-0.5	-3452.37	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB146	Combination	-185.977	158.29	0	0	0	84.5096	3607.88	1	-0.175	-0.5	-4670.61	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB146	Combination	-167.077	1.304	0	0	0	-40.5492	1508.72	3	0.175	-0.5	-2463.44	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB146	Combination	-148.177	-120.696	0	0	0	63.0657	2665.57	1	-0.175	-0.5	-3512.3	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB147	Combination	-129.411	145.554	0	0	0	52.6434	2208.7	1	-0.175	-0.5	-2948.2	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB147	Combination	-110.511	-15.124	0	0	0	-49.7084	2118.95	3	0.175	-0.5	-2750.44	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB147	Combination	-91.611	-130.305	0	0	0	75.5682	3439.55	1	-0.175	-0.5	-3963.05	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB148	Combination	-185.977	154.455	0	0	0	74.2998	3107.81	1	-0.175	-0.5	-4170.54	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB148	Combination	-167.077	-4.366	0	0	0	-43.6569	1660.94	3	0.175	-0.5	-2615.66	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB148	Combination	-148.177	-131.677	0	0	0	73.492	3176.25	1	-0.175	-0.5	-4022.97	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB149	Combination	-129.411	166.044	0	0	0	73.3063	3220.77	1	-0.175	-0.5	-3960.26	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB149	Combination	-110.511	9.212	0	0	0	-63.9179	2814.93	3	0.175	-0.5	-3446.42	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB149	Combination	-91.611	-97.519	0	0	0	14.9879	472.35	1	-0.175	-0.5	-995.85	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB150	Combination	-185.977	174.945	0	0	0	94.9627	4119.87	1	-0.175	-0.5	-5182.6	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB150	Combination	-167.077	19.971	0	0	0	-57.8665	2356.91	3	0.175	-0.5	-3311.64	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB150	Combination	-148.177	-98.89	0	0	0	12.9117	209.05	1	-0.175	-0.5	-1055.77	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB151	Combination	-129.411	162.208	0	0	0	63.0964	2720.69	1	-0.175	-0.5	-3460.18	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB151	Combination	-110.511	3.542	0	0	0	-67.0257	2967.14	3	0.175	-0.5	-3598.63	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB151	Combination	-91.611	-108.5	0	0	0	25.4141	983.03	1	-0.175	-0.5	-1506.52	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB152	Combination	-185.977	171.109	0	0	0	84.7529	3619.8	1	-0.175	-0.5	-4682.52	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB152	Combination	-167.077	14.301	0	0	0	-60.9742	2509.13	3	0.175	-0.5	-3463.85	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB152	Combination	-148.177	-109.871	0	0	0	23.3379	719.72	1	-0.175	-0.5	-1566.44	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB153	Combination	-120.021	159.52	0	0	0	55.5485	2377.82	1	-0.175	-0.5	-3063.66	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB153	Combination	-101.121	-10.94	0	0	0	-56.3806	2472.58	3	0.175	-0.5	-3050.42	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB153	Combination	-82.221	-119.58	0	0	0	56.5774	2536.22	1	-0.175	-0.5	-3006.06	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB154	Combination	-176.587	168.421	0	0	0	77.2049	3276.93	1	-0.175	-0.5	-4286	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB154	Combination	-157.687	-0.182	0	0	0	-50.3292	2014.57	3	0.175	-0.5	-2915.64	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB154	Combination	-138.787	-120.952	0	0	0	54.5012	2272.91	1	-0.175	-0.5	-3065.98	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB155	Combination	-120.021	157.219	0	0	0	49.4226	2077.78	1	-0.175	-0.5	-2763.62	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB155	Combination	-101.121	-14.342	0	0	0	-58.2453	2563.91	3	0.175	-0.5	-3141.75	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB155	Combination	-82.221	-126.169	0	0	0	62.8332	2842.63	1	-0.175	-0.5	-3312.46	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB156	Combination	-176.587	166.12	0	0	0	71.079	2976.89	1	-0.175	-0.5	-3985.96	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB156	Combination	-157.687	-3.584	0	0	0	-52.1938	2105.9	3	0.175	-0.5	-3006.97	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB156	Combination	-138.787	-127.54	0	0	0	60.757	2579.32	1	-0.175	-0.5	-3372.39	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB157	Combination	-120.021	169.513	0	0	0	61.8203	2685.02	1	-0.175	-0.5	-3370.85	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB157	Combination	-101.121	0.259	0	0	0	-66.771	2981.5	3	0.175	-0.5	-3559.33	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB157	Combination	-82.221	-106.497	0	0	0	26.485	1062.31	1	-0.175	-0.5	-1532.14	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB158	Combination	-176.587	178.414	0	0	0	83.4767	3584.12	1	-0.175	-0.5	-4593.19	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB158	Combination	-157.687	11.017	0	0	0	-60.7195	2523.48	3	0.175	-0.5	-3424.55	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB158	Combination	-138.787	-107.869	0	0	0	24.4088	799	1	-0.175	-0.5	-1592.07	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB159	Combination	-120.021	167.212	0	0	0	55.6944	2384.97	1	-0.175	-0.5	-3070.81	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB159	Combination	-101.121	-3.143	0	0	0	-68.6356	3072.83	3	0.175	-0.5	-3650.66	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB159	Combination	-82.221	-113.086	0	0	0	32.7408	1368.71	1	-0.175	-0.5	-1838.55	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB160	Combination	-176.587	176.113	0	0	0	77.3509	3284.08	1	-0.175	-0.5	-4293.15	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB160	Combination	-157.687	7.615	0	0	0	-62.5842	2614.81	3	0.175	-0.5	-3515.88	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB160	Combination	-138.787	-114.457	0	0	0	30.6646	1105.4	1	-0.175	-0.5	-1898.47	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB161	Combination	-122.369	155.815	0	0	0	57.6213	2472.64	1	-0.175	-0.5	-3171.89	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB161	Combination	-103.469	-12.327	0	0	0	-51.4865	2226.16	3	0.175	-0.5	-2817.41	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB161	Combination	-84.569	-122.198	0	0	0	64.8529	2934.84	1	-0.175	-0.5	-3418.09	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB162	Combination	-178.935	164.716	0	0	0	79.2777	3371.75	1	-0.175	-0.5	-4394.23	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB162	Combination	-160.035	-1.569	0	0	0	-45.4351	1768.15	3	0.175	-0.5	-2682.63	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB162	Combination	-141.135	-123.569	0	0	0	62.7767	2671.53	1	-0.175	-0.5	-3478.02	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB163	Combination	-122.369	151.98	0	0	0	47.4115	1972.57	1	-0.175	-0.5	-2671.82	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB163	Combination	-103.469	-17.997	0	0	0	-54.5942	2378.38	3	0.175	-0.5	-2969.63	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB163	Combination	-84.569	-133.178	0	0	0	75.2791	3445.52	1	-0.175	-0.5	-3928.77	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB164	Combination	-178.935	160.881	0	0	0	69.0679	2871.68	1	-0.175	-0.5	-3894.16	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB164	Combination	-160.035	-7.239	0	0	0	-48.5428	1920.36	3	0.175	-0.5	-2834.85	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB164	Combination	-141.135	-134.55	0	0	0	73.2029	3182.21	1	-0.175	-0.5	-3988.69	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB165	Combination	-122.369	172.469	0	0	0	68.0744	2984.63	1	-0.175	-0.5	-3683.88	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB165	Combination	-103.469	6.339	0	0	0	-68.8038	3074.36	3	0.175	-0.5	-3665.61	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB165	Combination	-84.569	-100.392	0	0	0	14.6988	478.31	1	-0.175	-0.5	-961.56	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB166	Combination	-178.935	181.37	0	0	0	89.7308	3883.74	1	-0.175	-0.5	-4906.22	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB166	Combination	-160.035	17.098	0	0	0	-62.7523	2616.34	3	0.175	-0.5	-3530.83	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB166	Combination	-141.135	-101.763	0	0	0	12.6226	215.01	1	-0.175	-0.5	-1021.49	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB167	Combination	-122.369	168.634	0	0	0	57.8646	2484.56	1	-0.175	-0.5	-3183.81	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB167	Combination	-103.469	0.669	0	0	0	-71.9115	3226.57	3	0.175	-0.5	-3817.82	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB167	Combination	-84.569	-111.373	0	0	0	25.125	988.99	1	-0.175	-0.5	-1472.24	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB168	Combination	-178.935	177.535	0	0	0	79.521	3383.66	1	-0.175	-0.5	-4406.15	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB168	Combination	-160.035	11.428	0	0	0	-65.8601	2768.56	3	0.175	-0.5	-3683.04	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB168	Combination	-141.135	-112.744	0	0	0	23.0488	725.68	1	-0.175	-0.5	-1532.16	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB169	Combination	-122.369	157.334	0	0	0	57.1722	2450.64	1	-0.175	-0.5	-3149.89	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB169	Combination	-103.469	-10.028	0	0	0	-54.8005	2388.48	3	0.175	-0.5	-2979.73	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB169	Combination	-84.569	-118.668	0	0	0	56.6969	2535.37	1	-0.175	-0.5	-3018.62	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB170	Combination	-178.935	166.235	0	0	0	78.8286	3349.75	1	-0.175	-0.5	-4372.24	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB170	Combination	-160.035	0.731	0	0	0	-48.7491	1930.47	3	0.175	-0.5	-2844.95	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB170	Combination	-141.135	-120.039	0	0	0	54.6207	2272.06	1	-0.175	-0.5	-3078.54	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB171	Combination	-122.369	155.032	0	0	0	51.0463	2150.6	1	-0.175	-0.5	-2849.85	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB171	Combination	-103.469	-13.43	0	0	0	-56.6652	2479.81	3	0.175	-0.5	-3071.06	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB171	Combination	-84.569	-125.256	0	0	0	62.9527	2841.77	1	-0.175	-0.5	-3325.02	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB172	Combination	-178.935	163.933	0	0	0	72.7027	3049.71	1	-0.175	-0.5	-4072.19	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB172	Combination	-160.035	-2.672	0	0	0	-50.6137	2021.8	3	0.175	-0.5	-2936.28	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB172	Combination	-141.135	-126.628	0	0	0	60.8765	2578.46	1	-0.175	-0.5	-3384.95	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB173	Combination	-122.369	167.326	0	0	0	63.444	2757.84	1	-0.175	-0.5	-3457.09	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB173	Combination	-103.469	1.172	0	0	0	-65.1909	2897.4	3	0.175	-0.5	-3488.65	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB173	Combination	-84.569	-105.584	0	0	0	26.6045	1061.45	1	-0.175	-0.5	-1544.7	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB174	Combination	-178.935	176.227	0	0	0	85.1005	3656.94	1	-0.175	-0.5	-4679.43	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB174	Combination	-160.035	11.93	0	0	0	-59.1394	2439.38	3	0.175	-0.5	-3353.87	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB174	Combination	-141.135	-106.956	0	0	0	24.5283	798.14	1	-0.175	-0.5	-1604.63	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB175	Combination	-122.369	165.025	0	0	0	57.3181	2457.79	1	-0.175	-0.5	-3157.04	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB175	Combination	-103.469	-2.23	0	0	0	-67.0555	2988.73	3	0.175	-0.5	-3579.98	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB175	Combination	-84.569	-112.173	0	0	0	32.8602	1367.86	1	-0.175	-0.5	-1851.11	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB176	Combination	-178.935	173.926	0	0	0	78.9746	3356.9	1	-0.175	-0.5	-4379.38	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB176	Combination	-160.035	8.528	0	0	0	-61.0041	2530.71	3	0.175	-0.5	-3445.2	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB176	Combination	-141.135	-113.544	0	0	0	30.784	1104.55	1	-0.175	-0.5	-1911.03	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB177_0_0	Combination	-46.037	3.941	0	0	0	10.0158	359.03	1	-0.175	-0.5	-622.1	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB177_0_0	Combination	-32.037	2.142	0	0	0	4.8538	146.2	1	-0.175	-0.5	-329.27	3
	0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB177_0_0	Combination	-18.037	0.645	0	0	0	2.9292	91.94	1	-0.175	-0.5	-195.01	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB177_0_1	Combination	-46.037	3.941	0	0	0	10.0158	359.03	1	-0.175	-0.5	-622.1	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB177_0_1	Combination	-32.037	2.142	0	0	0	4.8538	146.2	1	-0.175	-0.5	-329.27	3
	0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB177_0_1	Combination	-18.037	0.645	0	0	0	2.9292	91.94	1	-0.175	-0.5	-195.01	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB177_0_2	Combination	-46.037	83.957	0	0	0	26.394	1161.23	1	-0.175	-0.5	-1424.3	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB177_0_2	Combination	-32.037	-4.408	0	0	0	-36.0225	1672.83	3	0.175	-0.5	-1855.9	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB177_0_2	Combination	-18.037	-53.682	0	0	0	17.2138	791.59	1	-0.175	-0.5	-894.66	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB177_0_2_1	Combination	-66.137	84.454	0	0	0	29.6395	1262.77	1	-0.175	-0.5	-1640.7	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	A_COMB177_0_2_1	Combination	-52.137	-4.965	0	0	0	-32.9251	1463.69	3	0.175	-0.5	-1761.62	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB177_0_2_1	Combination	-38.137	-55.336	0	0	0	22.2758	982.1	1	-0.175	-0.5	-1200.02	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB177_0_3	Combination	-66.137	84.454	0	0	0	29.6395	1262.77	1	-0.175	-0.5	-1640.7	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB177_0_3	Combination	-52.137	-4.965	0	0	0	-32.9251	1463.69	3	0.175	-0.5	-1761.62	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB177_0_3	Combination	-38.137	-55.336	0	0	0	22.2758	982.1	1	-0.175	-0.5	-1200.02	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB177_0_4	Combination	-66.137	88.216	0	0	0	36.1807	1583.15	1	-0.175	-0.5	-1961.08	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB177_0_4	Combination	-52.137	-1.133	0	0	0	-32.4442	1440.14	3	0.175	-0.5	-1738.07	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB177_0_4	Combination	-38.137	-51.431	0	0	0	16.5525	701.77	1	-0.175	-0.5	-919.7	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB177	Combination	-71.707	135.458	0	0	0	46.6424	2079.65	1	-0.175	-0.5	-2489.4	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB177	Combination	-54.991	-0.363	0	0	0	-59.2257	2743.73	3	0.175	-0.5	-3057.97	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB177	Combination	-38.275	-96.816	0	0	0	25.2219	1126	1	-0.175	-0.5	-1344.72	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB178	Combination	-71.707	135.458	0	0	0	46.6424	2079.65	1	-0.175	-0.5	-2489.4	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB178	Combination	-54.991	-0.363	0	0	0	-59.2257	2743.73	3	0.175	-0.5	-3057.97	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB178	Combination	-38.275	-96.816	0	0	0	25.2219	1126	1	-0.175	-0.5	-1344.72	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB181	Combination	-82.319	112.984	0	0	0	44.3261	1935.88	1	-0.175	-0.5	-2406.27	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB181	Combination	-62.887	-0.124	0	0	0	-44.4225	1996.12	3	0.175	-0.5	-2355.48	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB181	Combination	-43.455	-73.936	0	0	0	21.7396	940.64	1	-0.175	-0.5	-1188.96	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB182	Combination	-16.182	24.768	0	0	0	8.1455	352.73	1	-0.175	-0.5	-445.2	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB182	Combination	-10.75	1.008	0	0	0	-11.9783	555.98	3	0.175	-0.5	-617.41	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB182	Combination	-5.318	-22.505	0	0	0	5.1871	238.87	1	-0.175	-0.5	-269.25	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB185	Combination	-116.467	187.768	0	0	0	67.9786	2996.8	1	-0.175	-0.5	-3662.33	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB185	Combination	-97.567	-8.286	0	0	0	-73.5802	3325.17	3	0.175	-0.5	-3882.69	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB185	Combination	-78.667	-144.341	0	0	0	58.9243	2661.33	1	-0.175	-0.5	-3110.85	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB186	Combination	-164.653	195.351	0	0	0	86.4267	3762.71	1	-0.175	-0.5	-4703.58	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB186	Combination	-145.753	0.879	0	0	0	-68.4253	2935.01	3	0.175	-0.5	-3767.88	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB186	Combination	-126.853	-145.509	0	0	0	57.1557	2437.03	1	-0.175	-0.5	-3161.9	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB189	Combination	-116.467	196.095	0	0	0	73.2052	3252.8	1	-0.175	-0.5	-3918.32	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB189	Combination	-97.567	1.048	0	0	0	-82.2389	3749.26	3	0.175	-0.5	-4306.79	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB189	Combination	-78.667	-133.438	0	0	0	33.8472	1433.06	1	-0.175	-0.5	-1882.59	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB190	Combination	-164.653	203.678	0	0	0	91.6532	4018.7	1	-0.175	-0.5	-4959.57	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB190	Combination	-145.753	10.212	0	0	0	-77.0839	3359.1	3	0.175	-0.5	-4191.97	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB190	Combination	-126.853	-134.607	0	0	0	32.0786	1208.76	1	-0.175	-0.5	-1933.63	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB_0_2_GEO_SBIL	Combination	-62.246	117.324	0	0	0	36.2538	1597.85	1	-0.175	-0.5	-	-
	1953.54	3	0.175	-0.5	01-ago	0									



## Allegati alla relazione di Calcolo

8	1.6	B_COMB_0_2_GEO_SBIL	Combination	-43.346	-6.139	0	0	0	-49.8859	2319.55	3	0.175	-0.5	-	
2567.24	1	-0.175 -0.5 04-ago	0.22857												
8	3.2	B_COMB_0_2_GEO_SBIL	Combination	-24.446	-74.579	0	0	0	23.8011	1095.92	1	-0.175	-0.5	-	
1235.61	3	0.175 -0.5 07-ago	0.45714												
8	0	B_COMB_0_2_1_GEO_SBIL	Combination	-82.346	117.821	0	0	0	39.4993	1699.39	1	-0.175	-0.5	-	
2169.93	3	0.175 -0.5 01-ago	0												
8	1.6	B_COMB_0_2_1_GEO_SBIL	Combination	-63.446	-6.696	0	0	0	-46.7885	2110.41	3	0.175	-0.5	-	
2472.95	1	-0.175 -0.5 04-ago	0.22857												
8	3.2	B_COMB_0_2_1_GEO_SBIL	Combination	-44.546	-76.233	0	0	0	28.8631	1286.43	1	-0.175	-0.5	-	
1540.98	3	0.175 -0.5 07-ago	0.45714												
8	0	B_COMB_0_3_GEO_SBIL	Combination	-82.346	117.821	0	0	0	39.4993	1699.39	1	-0.175	-0.5	-	
2169.93	3	0.175 -0.5 01-ago	0												
8	1.6	B_COMB_0_3_GEO_SBIL	Combination	-63.446	-6.696	0	0	0	-46.7885	2110.41	3	0.175	-0.5	-	
2472.95	1	-0.175 -0.5 04-ago	0.22857												
8	3.2	B_COMB_0_3_GEO_SBIL	Combination	-44.546	-76.233	0	0	0	28.8631	1286.43	1	-0.175	-0.5	-	
1540.98	3	0.175 -0.5 07-ago	0.45714												
8	0	B_COMB_0_4_GEO_SBIL	Combination	-82.346	121.583	0	0	0	46.0405	2019.77	1	-0.175	-0.5	-	
2490.32	3	0.175 -0.5 01-ago	0												
8	1.6	B_COMB_0_4_GEO_SBIL	Combination	-63.446	-2.864	0	0	0	-46.3077	2086.86	3	0.175	-0.5	-	
2449.4	1	-0.175 -0.5 04-ago	0.22857												
8	3.2	B_COMB_0_4_GEO_SBIL	Combination	-44.546	-72.328	0	0	0	23.1398	1006.11	1	-0.175	-0.5	-	
1260.65	3	0.175 -0.5 07-ago	0.45714												
8	0	B_COMB193	Combination	-127.642	173.762	0	0	0	66.2225	2878.86	1	-0.175	-0.5	-3608.24	3
	0.175	-0.5 01-ago	0												
8	1.6	B_COMB193	Combination	-108.742	-9.346	0	0	0	-63.644	2806.57	3	0.175	-0.5	-3427.95	1
	-0.175	-0.5 04-ago	0.22857												
8	3.2	B_COMB193	Combination	-89.842	-132.546	0	0	0	60.6324	2713.06	1	-0.175	-0.5	-3226.44	3
	0.175	-0.5 07-ago	0.45714												
8	0	B_COMB194	Combination	-191.89	183.872	0	0	0	90.82	3900.07	1	-0.175	-0.5	-4996.58	3
	0.175	-0.5 01-ago	0												
8	1.6	B_COMB194	Combination	-172.99	2.873	0	0	0	-56.7707	2286.35	3	0.175	-0.5	-3274.86	1
	-0.175	-0.5 04-ago	0.22857												
8	3.2	B_COMB194	Combination	-154.09	-134.103	0	0	0	58.2743	2413.99	1	-0.175	-0.5	-3294.51	3
	0.175	-0.5 07-ago	0.45714												
8	0	B_COMB195	Combination	-127.642	171.845	0	0	0	61.1176	2628.83	1	-0.175	-0.5	-3358.21	3
	0.175	-0.5 01-ago	0												
8	1.6	B_COMB195	Combination	-108.742	-12.181	0	0	0	-65.1978	2882.67	3	0.175	-0.5	-3504.05	1
	-0.175	-0.5 04-ago	0.22857												
8	3.2	B_COMB195	Combination	-89.842	-138.036	0	0	0	65.8455	2968.4	1	-0.175	-0.5	-3481.78	3
	0.175	-0.5 07-ago	0.45714												
8	0	B_COMB196	Combination	-191.89	181.954	0	0	0	85.7151	3650.03	1	-0.175	-0.5	-4746.55	3
	0.175	-0.5 01-ago	0												
8	1.6	B_COMB196	Combination	-172.99	0.038	0	0	0	-58.3246	2362.46	3	0.175	-0.5	-3350.97	1
	-0.175	-0.5 04-ago	0.22857												
8	3.2	B_COMB196	Combination	-154.09	-139.594	0	0	0	63.4874	2669.33	1	-0.175	-0.5	-3549.84	3
	0.175	-0.5 07-ago	0.45714												
8	0	B_COMB197	Combination	-127.642	182.09	0	0	0	71.4491	3134.86	1	-0.175	-0.5	-3864.24	3
	0.175	-0.5 01-ago	0												
8	1.6	B_COMB197	Combination	-108.742	-0.013	0	0	0	-72.3026	3230.66	3	0.175	-0.5	-3852.04	1
	-0.175	-0.5 04-ago	0.22857												
8	3.2	B_COMB197	Combination	-89.842	-121.643	0	0	0	35.5554	1484.8	1	-0.175	-0.5	-1998.18	3
	0.175	-0.5 07-ago	0.45714												
8	0	B_COMB198	Combination	-191.89	192.199	0	0	0	96.0465	4156.06	1	-0.175	-0.5	-5252.58	3
	0.175	-0.5 01-ago	0												
8	1.6	B_COMB198	Combination	-172.99	12.206	0	0	0	-65.4294	2710.45	3	0.175	-0.5	-3698.96	1
	-0.175	-0.5 04-ago	0.22857												
8	3.2	B_COMB198	Combination	-154.09	-123.201	0	0	0	33.1972	1185.73	1	-0.175	-0.5	-2066.24	3
	0.175	-0.5 07-ago	0.45714												
8	0	B_COMB199	Combination	-127.642	180.172	0	0	0	66.3442	2884.82	1	-0.175	-0.5	-3614.2	3
	0.175	-0.5 01-ago	0												
8	1.6	B_COMB199	Combination	-108.742	-2.848	0	0	0	-73.8565	3306.77	3	0.175	-0.5	-3928.15	1
	-0.175	-0.5 04-ago	0.22857												
8	3.2	B_COMB199	Combination	-89.842	-127.133	0	0	0	40.7685	1740.13	1	-0.175	-0.5	-2253.52	3
	0.175	-0.5 07-ago	0.45714												
8	0	B_COMB200	Combination	-191.89	190.281	0	0	0	90.9416	3906.03	1	-0.175	-0.5	-5002.54	3
	0.175	-0.5 01-ago	0												

## Allegati alla relazione di Calcolo

8	1.6	B_COMB200	Combination	-172.99	9.371	0	0	0	-66.9832	2786.56	3	0.175	-0.5	-3775.07	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB200	Combination	-154.09	-128.691	0	0	0	38.4103	1441.07	1	-0.175	-0.5	-2321.58	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB201	Combination	-116.368	172.546	0	0	0	64.8243	2842.59	1	-0.175	-0.5	-3507.55	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB201	Combination	-97.468	-10.506	0	0	0	-63.1608	2815.11	3	0.175	-0.5	-3372.07	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB201	Combination	-78.568	-133.934	0	0	0	63.1663	2869.38	1	-0.175	-0.5	-3318.34	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB202	Combination	-164.554	180.128	0	0	0	83.2724	3608.49	1	-0.175	-0.5	-4548.8	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB202	Combination	-145.654	-1.342	0	0	0	-58.0059	2424.95	3	0.175	-0.5	-3257.26	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB202	Combination	-126.754	-135.103	0	0	0	61.3976	2645.08	1	-0.175	-0.5	-3369.39	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB203	Combination	-116.368	169.35	0	0	0	56.3161	2425.86	1	-0.175	-0.5	-3090.82	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB203	Combination	-97.468	-15.231	0	0	0	-65.7506	2941.96	3	0.175	-0.5	-3498.92	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB203	Combination	-78.568	-143.085	0	0	0	71.8548	3294.94	1	-0.175	-0.5	-3743.9	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB204	Combination	-164.554	176.932	0	0	0	74.7642	3191.77	1	-0.175	-0.5	-4132.07	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB204	Combination	-145.654	-6.067	0	0	0	-60.5956	2551.8	3	0.175	-0.5	-3384.1	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB204	Combination	-126.754	-144.253	0	0	0	70.0862	3070.64	1	-0.175	-0.5	-3794.95	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB205	Combination	-116.368	186.424	0	0	0	73.5352	3269.24	1	-0.175	-0.5	-3934.2	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB205	Combination	-97.468	5.049	0	0	0	-77.5919	3521.94	3	0.175	-0.5	-4078.9	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB205	Combination	-78.568	-115.763	0	0	0	21.3712	822.27	1	-0.175	-0.5	-1271.23	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB206	Combination	-164.554	194.007	0	0	0	91.9833	4035.15	1	-0.175	-0.5	-4975.46	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB206	Combination	-145.654	14.214	0	0	0	-72.4369	3131.78	3	0.175	-0.5	-3964.09	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB206	Combination	-126.754	-116.931	0	0	0	19.6026	597.97	1	-0.175	-0.5	-1322.28	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB207	Combination	-116.368	183.228	0	0	0	65.027	2852.52	1	-0.175	-0.5	-3517.48	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB207	Combination	-97.468	0.324	0	0	0	-80.1817	3648.78	3	0.175	-0.5	-4205.74	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB207	Combination	-78.568	-124.914	0	0	0	30.0597	1247.83	1	-0.175	-0.5	-1696.79	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB208	Combination	-164.554	190.81	0	0	0	83.4751	3618.42	1	-0.175	-0.5	-4558.73	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB208	Combination	-145.654	9.489	0	0	0	-75.0267	3258.62	3	0.175	-0.5	-4090.93	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB208	Combination	-126.754	-126.082	0	0	0	28.2911	1023.53	1	-0.175	-0.5	-1747.84	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB209	Combination	-108.369	181.147	0	0	0	58.6078	2560.96	1	-0.175	-0.5	-3180.22	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB209	Combination	-89.469	-11.816	0	0	0	-71.4314	3243.06	3	0.175	-0.5	-3754.31	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB209	Combination	-70.569	-134.219	0	0	0	56.022	2542.31	1	-0.175	-0.5	-2945.56	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB210	Combination	-156.555	188.729	0	0	0	77.0559	3326.87	1	-0.175	-0.5	-4221.47	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB210	Combination	-137.655	-2.651	0	0	0	-66.2765	2852.89	3	0.175	-0.5	-3639.5	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB210	Combination	-118.755	-135.387	0	0	0	54.2534	2318.01	1	-0.175	-0.5	-2996.61	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB211	Combination	-108.369	179.229	0	0	0	53.5029	2310.93	1	-0.175	-0.5	-2930.18	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB211	Combination	-89.469	-14.651	0	0	0	-72.9853	3319.16	3	0.175	-0.5	-3830.42	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB211	Combination	-70.569	-139.709	0	0	0	61.2352	2797.65	1	-0.175	-0.5	-3200.9	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB212	Combination	-156.555	186.811	0	0	0	71.951	3076.83	1	-0.175	-0.5	-3971.43	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB212	Combination	-137.655	-5.486	0	0	0	-67.8304	2929	3	0.175	-0.5	-3715.6	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB212	Combination	-118.755	-140.877	0	0	0	59.4665	2573.35	1	-0.175	-0.5	-3251.95	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB213	Combination	-108.369	189.474	0	0	0	63.8344	2816.96	1	-0.175	-0.5	-3436.21	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB213	Combination	-89.469	-2.483	0	0	0	-80.0901	3667.15	3	0.175	-0.5	-4178.41	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB213	Combination	-70.569	-123.316	0	0	0	30.945	1314.05	1	-0.175	-0.5	-1717.3	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB214	Combination	-156.555	197.056	0	0	0	82.2825	3582.86	1	-0.175	-0.5	-4477.46	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB214	Combination	-137.655	6.682	0	0	0	-74.9351	3276.99	3	0.175	-0.5	-4063.59	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB214	Combination	-118.755	-124.484	0	0	0	29.1764	1089.75	1	-0.175	-0.5	-1768.35	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB215	Combination	-108.369	187.556	0	0	0	58.7295	2566.92	1	-0.175	-0.5	-3186.17	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB215	Combination	-89.469	-5.318	0	0	0	-81.6439	3743.26	3	0.175	-0.5	-4254.51	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB215	Combination	-70.569	-128.806	0	0	0	36.1581	1569.38	1	-0.175	-0.5	-1972.64	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB216	Combination	-156.555	195.138	0	0	0	77.1776	3332.82	1	-0.175	-0.5	-4227.43	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB216	Combination	-137.655	3.847	0	0	0	-76.489	3353.1	3	0.175	-0.5	-4139.7	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB216	Combination	-118.755	-129.975	0	0	0	34.3895	1345.08	1	-0.175	-0.5	-2023.68	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB217	Combination	-110.369	178.019	0	0	0	60.3675	2641.44	1	-0.175	-0.5	-3272.12	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB217	Combination	-91.469	-12.953	0	0	0	-67.3228	3036.1	3	0.175	-0.5	-3558.79	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB217	Combination	-72.569	-136.382	0	0	0	62.92	2874.46	1	-0.175	-0.5	-3289.14	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB218	Combination	-158.555	185.602	0	0	0	78.8156	3407.34	1	-0.175	-0.5	-4313.37	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB218	Combination	-139.655	-3.789	0	0	0	-62.1679	2645.94	3	0.175	-0.5	-3443.97	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB218	Combination	-120.755	-137.55	0	0	0	61.1514	2650.16	1	-0.175	-0.5	-3340.18	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB219	Combination	-110.369	174.823	0	0	0	51.8593	2224.71	1	-0.175	-0.5	-2855.39	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB219	Combination	-91.469	-17.678	0	0	0	-69.9126	3162.95	3	0.175	-0.5	-3685.63	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB219	Combination	-72.569	-145.532	0	0	0	71.6085	3300.02	1	-0.175	-0.5	-3714.7	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB220	Combination	-158.555	182.406	0	0	0	70.3074	2990.61	1	-0.175	-0.5	-3896.64	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB220	Combination	-139.655	-8.514	0	0	0	-64.7577	2772.79	3	0.175	-0.5	-3570.82	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB220	Combination	-120.755	-146.701	0	0	0	69.8399	3075.72	1	-0.175	-0.5	-3765.74	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB221	Combination	-110.369	191.898	0	0	0	69.0784	3068.09	1	-0.175	-0.5	-3698.77	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB221	Combination	-91.469	2.602	0	0	0	-81.7539	3742.93	3	0.175	-0.5	-4265.61	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB221	Combination	-72.569	-118.21	0	0	0	21.1249	827.35	1	-0.175	-0.5	-1242.03	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB222	Combination	-158.555	199.48	0	0	0	87.5265	3834	1	-0.175	-0.5	-4740.03	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB222	Combination	-139.655	11.766	0	0	0	-76.599	3352.77	3	0.175	-0.5	-4150.8	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB222	Combination	-120.755	-119.379	0	0	0	19.3563	603.05	1	-0.175	-0.5	-1293.08	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB223	Combination	-110.369	188.702	0	0	0	60.5702	2651.37	1	-0.175	-0.5	-3282.05	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB223	Combination	-91.469	-2.123	0	0	0	-84.3437	3869.78	3	0.175	-0.5	-4392.46	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB223	Combination	-72.569	-127.361	0	0	0	29.8135	1252.91	1	-0.175	-0.5	-1667.59	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB224	Combination	-158.555	196.284	0	0	0	79.0183	3417.27	1	-0.175	-0.5	-4323.3	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB224	Combination	-139.655	7.041	0	0	0	-79.1888	3479.62	3	0.175	-0.5	-4277.65	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB224	Combination	-120.755	-128.529	0	0	0	28.0449	1028.61	1	-0.175	-0.5	-1718.64	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB225	Combination	-116.467	187.652	0	0	0	67.666	2981.49	1	-0.175	-0.5	-3647.01	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB225	Combination	-97.567	-8.402	0	0	0	-73.7064	3331.35	3	0.175	-0.5	-3888.87	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB225	Combination	-78.667	-144.458	0	0	0	58.9844	2664.27	1	-0.175	-0.5	-3113.8	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB226	Combination	-164.653	195.234	0	0	0	86.1141	3747.4	1	-0.175	-0.5	-4688.27	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB226	Combination	-145.753	0.762	0	0	0	-68.5514	2941.19	3	0.175	-0.5	-3774.06	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB226	Combination	-126.853	-145.626	0	0	0	57.2158	2439.97	1	-0.175	-0.5	-3164.84	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB227	Combination	-116.467	185.734	0	0	0	62.5611	2731.45	1	-0.175	-0.5	-3396.98	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB227	Combination	-97.567	-11.237	0	0	0	-75.2602	3407.45	3	0.175	-0.5	-3964.98	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB227	Combination	-78.667	-149.948	0	0	0	64.1976	2919.61	1	-0.175	-0.5	-3369.13	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB228	Combination	-164.653	193.316	0	0	0	81.0092	3497.36	1	-0.175	-0.5	-4438.23	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB228	Combination	-145.753	-2.073	0	0	0	-70.1053	3017.29	3	0.175	-0.5	-3850.16	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB228	Combination	-126.853	-151.116	0	0	0	62.4289	2695.31	1	-0.175	-0.5	-3420.18	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB229	Combination	-116.467	195.979	0	0	0	72.8925	3237.48	1	-0.175	-0.5	-3903.01	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB229	Combination	-97.567	0.931	0	0	0	-82.365	3755.44	3	0.175	-0.5	-4312.97	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB229	Combination	-78.667	-133.555	0	0	0	33.9074	1436.01	1	-0.175	-0.5	-1885.53	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB230	Combination	-164.653	203.561	0	0	0	91.3406	4003.39	1	-0.175	-0.5	-4944.26	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB230	Combination	-145.753	10.095	0	0	0	-77.2101	3365.28	3	0.175	-0.5	-4198.15	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB230	Combination	-126.853	-134.723	0	0	0	32.1388	1211.71	1	-0.175	-0.5	-1936.58	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB231	Combination	-116.467	194.061	0	0	0	67.7876	2987.45	1	-0.175	-0.5	-3652.97	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB231	Combination	-97.567	-1.904	0	0	0	-83.9189	3831.55	3	0.175	-0.5	-4389.07	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB231	Combination	-78.667	-139.045	0	0	0	39.1205	1691.35	1	-0.175	-0.5	-2140.87	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB232	Combination	-164.653	201.643	0	0	0	86.2357	3753.35	1	-0.175	-0.5	-4694.23	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB232	Combination	-145.753	7.26	0	0	0	-78.7639	3441.39	3	0.175	-0.5	-4274.26	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB232	Combination	-126.853	-140.214	0	0	0	37.3519	1467.05	1	-0.175	-0.5	-2191.92	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB233	Combination	-127.642	173.646	0	0	0	65.9099	2863.55	1	-0.175	-0.5	-3592.93	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB233	Combination	-108.742	-9.463	0	0	0	-63.7701	2812.74	3	0.175	-0.5	-3434.13	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB233	Combination	-89.842	-132.662	0	0	0	60.6926	2716.01	1	-0.175	-0.5	-3229.39	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB234	Combination	-191.89	183.756	0	0	0	90.5073	3884.76	1	-0.175	-0.5	-4981.27	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB234	Combination	-172.99	2.756	0	0	0	-56.8969	2292.53	3	0.175	-0.5	-3281.04	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB234	Combination	-154.09	-134.22	0	0	0	58.3344	2416.94	1	-0.175	-0.5	-3297.45	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB235	Combination	-127.642	171.728	0	0	0	60.805	2613.51	1	-0.175	-0.5	-3342.9	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB235	Combination	-108.742	-12.298	0	0	0	-65.324	2888.85	3	0.175	-0.5	-3510.23	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB235	Combination	-89.842	-138.153	0	0	0	65.9057	2971.34	1	-0.175	-0.5	-3484.72	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB236	Combination	-191.89	181.838	0	0	0	85.4024	3634.72	1	-0.175	-0.5	-4731.23	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB236	Combination	-172.99	-0.079	0	0	0	-58.4508	2368.64	3	0.175	-0.5	-3357.15	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB236	Combination	-154.09	-139.71	0	0	0	63.5475	2672.28	1	-0.175	-0.5	-3552.79	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB237	Combination	-127.642	181.973	0	0	0	71.1365	3119.54	1	-0.175	-0.5	-3848.93	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB237	Combination	-108.742	-0.13	0	0	0	-72.4288	3236.84	3	0.175	-0.5	-3858.22	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB237	Combination	-89.842	-121.759	0	0	0	35.6155	1487.74	1	-0.175	-0.5	-2001.12	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB238	Combination	-191.89	192.083	0	0	0	95.7339	4140.75	1	-0.175	-0.5	-5237.26	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB238	Combination	-172.99	12.089	0	0	0	-65.5555	2716.63	3	0.175	-0.5	-3705.14	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB238	Combination	-154.09	-123.317	0	0	0	33.2574	1188.68	1	-0.175	-0.5	-2069.19	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB239	Combination	-127.642	180.055	0	0	0	66.0316	2869.51	1	-0.175	-0.5	-3598.89	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB239	Combination	-108.742	-2.965	0	0	0	-73.9827	3312.95	3	0.175	-0.5	-3934.33	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB239	Combination	-89.842	-127.25	0	0	0	40.8286	1743.08	1	-0.175	-0.5	-2256.46	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB240	Combination	-191.89	190.165	0	0	0	90.629	3890.71	1	-0.175	-0.5	-4987.23	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB240	Combination	-172.99	9.254	0	0	0	-67.1094	2792.74	3	0.175	-0.5	-3781.25	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB240	Combination	-154.09	-128.807	0	0	0	38.4705	1444.01	1	-0.175	-0.5	-2324.52	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB241	Combination	-116.368	172.429	0	0	0	64.5117	2827.27	1	-0.175	-0.5	-3492.23	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB241	Combination	-97.468	-10.622	0	0	0	-63.287	2821.29	3	0.175	-0.5	-3378.25	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB241	Combination	-78.568	-134.051	0	0	0	63.2264	2872.32	1	-0.175	-0.5	-3321.28	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB242	Combination	-164.554	180.011	0	0	0	82.9597	3593.18	1	-0.175	-0.5	-4533.49	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB242	Combination	-145.654	-1.458	0	0	0	-58.132	2431.13	3	0.175	-0.5	-3263.44	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB242	Combination	-126.754	-135.219	0	0	0	61.4578	2648.02	1	-0.175	-0.5	-3372.33	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB243	Combination	-116.368	169.233	0	0	0	56.0035	2410.55	1	-0.175	-0.5	-3075.51	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB243	Combination	-97.468	-15.347	0	0	0	-65.8767	2948.14	3	0.175	-0.5	-3505.1	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB243	Combination	-78.568	-143.201	0	0	0	71.9149	3297.88	1	-0.175	-0.5	-3746.84	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB244	Combination	-164.554	176.815	0	0	0	74.4516	3176.45	1	-0.175	-0.5	-4116.76	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB244	Combination	-145.654	-6.183	0	0	0	-60.7218	2557.98	3	0.175	-0.5	-3390.28	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB244	Combination	-126.754	-144.37	0	0	0	70.1463	3073.58	1	-0.175	-0.5	-3797.89	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB245	Combination	-116.368	186.308	0	0	0	73.2226	3253.93	1	-0.175	-0.5	-3918.89	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB245	Combination	-97.468	4.933	0	0	0	-77.718	3528.12	3	0.175	-0.5	-4085.08	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB245	Combination	-78.568	-115.88	0	0	0	21.4313	825.22	1	-0.175	-0.5	-1274.18	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB246	Combination	-164.554	193.89	0	0	0	91.6706	4019.84	1	-0.175	-0.5	-4960.14	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB246	Combination	-145.654	14.097	0	0	0	-72.5631	3137.96	3	0.175	-0.5	-3970.26	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB246	Combination	-126.754	-117.048	0	0	0	19.6627	600.92	1	-0.175	-0.5	-1325.23	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB247	Combination	-116.368	183.111	0	0	0	64.7144	2837.2	1	-0.175	-0.5	-3502.16	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB247	Combination	-97.468	0.208	0	0	0	-80.3078	3654.96	3	0.175	-0.5	-4211.92	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB247	Combination	-78.568	-125.03	0	0	0	30.1199	1250.78	1	-0.175	-0.5	-1699.74	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB248	Combination	-164.554	190.694	0	0	0	83.1625	3603.11	1	-0.175	-0.5	-4543.42	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB248	Combination	-145.654	9.372	0	0	0	-75.1529	3264.8	3	0.175	-0.5	-4097.11	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB248	Combination	-126.754	-126.199	0	0	0	28.3513	1026.48	1	-0.175	-0.5	-1750.79	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB249	Combination	-108.369	181.03	0	0	0	58.2952	2545.65	1	-0.175	-0.5	-3164.9	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB249	Combination	-89.469	-11.932	0	0	0	-71.5576	3249.23	3	0.175	-0.5	-3760.49	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB249	Combination	-70.569	-134.335	0	0	0	56.0822	2545.26	1	-0.175	-0.5	-2948.51	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB250	Combination	-156.555	188.612	0	0	0	76.7433	3311.55	1	-0.175	-0.5	-4206.16	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB250	Combination	-137.655	-2.768	0	0	0	-66.4027	2859.07	3	0.175	-0.5	-3645.68	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB250	Combination	-118.755	-135.503	0	0	0	54.3136	2320.96	1	-0.175	-0.5	-2999.56	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB251	Combination	-108.369	179.113	0	0	0	53.1903	2295.61	1	-0.175	-0.5	-2914.87	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB251	Combination	-89.469	-14.767	0	0	0	-73.1115	3325.34	3	0.175	-0.5	-3836.6	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB251	Combination	-70.569	-139.825	0	0	0	61.2953	2800.59	1	-0.175	-0.5	-3203.85	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB252	Combination	-156.555	186.695	0	0	0	71.6384	3061.52	1	-0.175	-0.5	-3956.12	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB252	Combination	-137.655	-5.603	0	0	0	-67.9565	2935.18	3	0.175	-0.5	-3721.78	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB252	Combination	-118.755	-140.994	0	0	0	59.5267	2576.29	1	-0.175	-0.5	-3254.89	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB253	Combination	-108.369	189.357	0	0	0	63.5218	2801.64	1	-0.175	-0.5	-3420.9	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB253	Combination	-89.469	-2.599	0	0	0	-80.2162	3673.33	3	0.175	-0.5	-4184.59	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB253	Combination	-70.569	-123.432	0	0	0	31.0051	1316.99	1	-0.175	-0.5	-1720.25	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB254	Combination	-156.555	196.94	0	0	0	81.9698	3567.55	1	-0.175	-0.5	-4462.15	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB254	Combination	-137.655	6.565	0	0	0	-75.0613	3283.17	3	0.175	-0.5	-4069.77	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB254	Combination	-118.755	-124.6	0	0	0	29.2365	1092.69	1	-0.175	-0.5	-1771.29	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB255	Combination	-108.369	187.44	0	0	0	58.4169	2551.61	1	-0.175	-0.5	-3170.86	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB255	Combination	-89.469	-5.434	0	0	0	-81.7701	3749.44	3	0.175	-0.5	-4260.69	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB255	Combination	-70.569	-128.923	0	0	0	36.2183	1572.33	1	-0.175	-0.5	-1975.58	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB256	Combination	-156.555	195.022	0	0	0	76.8649	3317.51	1	-0.175	-0.5	-4212.11	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB256	Combination	-137.655	3.73	0	0	0	-76.6152	3359.28	3	0.175	-0.5	-4145.88	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB256	Combination	-118.755	-130.091	0	0	0	34.4496	1348.03	1	-0.175	-0.5	-2026.63	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB257	Combination	-110.369	177.903	0	0	0	60.0549	2626.12	1	-0.175	-0.5	-3256.8	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB257	Combination	-91.469	-13.07	0	0	0	-67.449	3042.28	3	0.175	-0.5	-3564.96	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB257	Combination	-72.569	-136.498	0	0	0	62.9801	2877.4	1	-0.175	-0.5	-3292.08	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB258	Combination	-158.555	185.485	0	0	0	78.503	3392.03	1	-0.175	-0.5	-4298.06	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB258	Combination	-139.655	-3.905	0	0	0	-62.2941	2652.12	3	0.175	-0.5	-3450.15	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB258	Combination	-120.755	-137.666	0	0	0	61.2115	2653.1	1	-0.175	-0.5	-3343.13	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB259	Combination	-110.369	174.707	0	0	0	51.5467	2209.4	1	-0.175	-0.5	-2840.08	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB259	Combination	-91.469	-17.795	0	0	0	-70.0388	3169.13	3	0.175	-0.5	-3691.81	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB259	Combination	-72.569	-145.649	0	0	0	71.6687	3302.96	1	-0.175	-0.5	-3717.64	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB260	Combination	-158.555	182.289	0	0	0	69.9948	2975.3	1	-0.175	-0.5	-3881.33	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB260	Combination	-139.655	-8.63	0	0	0	-64.8838	2778.97	3	0.175	-0.5	-3577	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB260	Combination	-120.755	-146.817	0	0	0	69.9001	3078.66	1	-0.175	-0.5	-3768.69	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB261	Combination	-110.369	191.781	0	0	0	68.7658	3052.78	1	-0.175	-0.5	-3683.46	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB261	Combination	-91.469	2.485	0	0	0	-81.8801	3749.11	3	0.175	-0.5	-4271.79	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB261	Combination	-72.569	-118.327	0	0	0	21.1851	830.3	1	-0.175	-0.5	-1244.98	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB262	Combination	-158.555	199.364	0	0	0	87.2139	3818.69	1	-0.175	-0.5	-4724.71	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB262	Combination	-139.655	11.65	0	0	0	-76.7251	3358.95	3	0.175	-0.5	-4156.98	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB262	Combination	-120.755	-119.495	0	0	0	19.4164	606	1	-0.175	-0.5	-1296.02	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB263	Combination	-110.369	188.585	0	0	0	60.2576	2636.05	1	-0.175	-0.5	-3266.73	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB263	Combination	-91.469	-2.24	0	0	0	-84.4699	3875.96	3	0.175	-0.5	-4398.64	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB263	Combination	-72.569	-127.478	0	0	0	29.8736	1255.86	1	-0.175	-0.5	-1670.54	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB264	Combination	-158.555	196.167	0	0	0	78.7057	3401.96	1	-0.175	-0.5	-4307.99	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB264	Combination	-139.655	6.925	0	0	0	-79.3149	3485.8	3	0.175	-0.5	-4283.83	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB264	Combination	-120.755	-128.646	0	0	0	28.105	1031.56	1	-0.175	-0.5	-1721.59	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB265	Combination	-110.369	179.167	0	0	0	59.6766	2607.6	1	-0.175	-0.5	-3238.28	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB265	Combination	-91.469	-11.155	0	0	0	-70.2123	3177.63	3	0.175	-0.5	-3700.31	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB265	Combination	-72.569	-133.558	0	0	0	56.1843	2544.54	1	-0.175	-0.5	-2959.22	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB266	Combination	-158.555	186.749	0	0	0	78.1247	3373.5	1	-0.175	-0.5	-4279.53	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB266	Combination	-139.655	-1.991	0	0	0	-65.0574	2787.47	3	0.175	-0.5	-3585.5	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB266	Combination	-120.755	-134.726	0	0	0	54.4157	2320.24	1	-0.175	-0.5	-3010.27	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB267	Combination	-110.369	177.249	0	0	0	54.5717	2357.56	1	-0.175	-0.5	-2988.24	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB267	Combination	-91.469	-13.99	0	0	0	-71.7662	3253.74	3	0.175	-0.5	-3776.42	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB267	Combination	-72.569	-139.048	0	0	0	61.3974	2799.88	1	-0.175	-0.5	-3214.56	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB268	Combination	-158.555	184.831	0	0	0	73.0198	3123.46	1	-0.175	-0.5	-4029.49	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB268	Combination	-139.655	-4.826	0	0	0	-66.6112	2863.58	3	0.175	-0.5	-3661.6	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB268	Combination	-120.755	-140.217	0	0	0	59.6288	2575.58	1	-0.175	-0.5	-3265.61	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB269	Combination	-110.369	187.494	0	0	0	64.9031	2863.59	1	-0.175	-0.5	-3494.27	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB269	Combination	-91.469	-1.822	0	0	0	-78.8709	3601.73	3	0.175	-0.5	-4124.41	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB269	Combination	-72.569	-122.655	0	0	0	31.1073	1316.28	1	-0.175	-0.5	-1730.96	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB270	Combination	-158.555	195.076	0	0	0	83.3512	3629.49	1	-0.175	-0.5	-4535.52	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB270	Combination	-139.655	7.342	0	0	0	-73.716	3211.57	3	0.175	-0.5	-4009.59	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB270	Combination	-120.755	-123.824	0	0	0	29.3387	1091.98	1	-0.175	-0.5	-1782.01	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB271	Combination	-110.369	185.576	0	0	0	59.7982	2613.55	1	-0.175	-0.5	-3244.23	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB271	Combination	-91.469	-4.657	0	0	0	-80.4248	3677.83	3	0.175	-0.5	-4200.51	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB271	Combination	-72.569	-128.146	0	0	0	36.3204	1571.62	1	-0.175	-0.5	-1986.3	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB272	Combination	-158.555	193.158	0	0	0	78.2463	3379.46	1	-0.175	-0.5	-4285.49	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB272	Combination	-139.655	4.507	0	0	0	-75.2699	3287.67	3	0.175	-0.5	-4085.7	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB272	Combination	-120.755	-129.314	0	0	0	34.5518	1347.32	1	-0.175	-0.5	-2037.35	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB273	Combination	-116.562	175.05	0	0	0	65.1822	2859.56	1	-0.175	-0.5	-3525.63	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB273	Combination	-97.662	-7.107	0	0	0	-66.3043	2968.52	3	0.175	-0.5	-3526.59	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB273	Combination	-78.762	-135.111	0	0	0	56.5053	2542.57	1	-0.175	-0.5	-2992.64	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB274	Combination	-164.748	182.632	0	0	0	83.6302	3625.47	1	-0.175	-0.5	-4566.88	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB274	Combination	-145.848	2.057	0	0	0	-61.1494	2578.36	3	0.175	-0.5	-3411.78	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB274	Combination	-126.948	-136.279	0	0	0	54.7367	2318.27	1	-0.175	-0.5	-3043.69	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB275	Combination	-116.562	173.132	0	0	0	60.0772	2609.53	1	-0.175	-0.5	-3275.59	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB275	Combination	-97.662	-9.942	0	0	0	-67.8582	3044.63	3	0.175	-0.5	-3602.7	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB275	Combination	-78.762	-140.601	0	0	0	61.7185	2797.91	1	-0.175	-0.5	-3247.98	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB276	Combination	-164.748	180.714	0	0	0	78.5253	3375.43	1	-0.175	-0.5	-4316.85	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB276	Combination	-145.848	-0.778	0	0	0	-62.7032	2654.47	3	0.175	-0.5	-3487.89	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB276	Combination	-126.948	-141.769	0	0	0	59.9498	2573.61	1	-0.175	-0.5	-3299.03	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB277	Combination	-116.562	183.377	0	0	0	70.4087	3115.56	1	-0.175	-0.5	-3781.62	3
	0.175	-0.5	01-ago	0											



## Allegati alla relazione di Calcolo

8	1.6	B_COMB277	Combination	-97.662	2.226	0	0	0	-74.9629	3392.62	3	0.175	-0.5	-3950.69	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB277	Combination	-78.762	-124.208	0	0	0	31.4283	1314.31	1	-0.175	-0.5	-1764.38	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB278	Combination	-164.748	190.959	0	0	0	88.8568	3881.46	1	-0.175	-0.5	-4822.88	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB278	Combination	-145.848	11.39	0	0	0	-69.808	3002.46	3	0.175	-0.5	-3835.88	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB278	Combination	-126.948	-125.376	0	0	0	29.6597	1090.01	1	-0.175	-0.5	-1815.43	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB279	Combination	-116.562	181.459	0	0	0	65.3038	2865.52	1	-0.175	-0.5	-3531.59	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB279	Combination	-97.662	-0.609	0	0	0	-76.5168	3468.73	3	0.175	-0.5	-4026.8	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB279	Combination	-78.762	-129.698	0	0	0	36.6414	1569.65	1	-0.175	-0.5	-2019.72	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB280	Combination	-164.748	189.041	0	0	0	83.7519	3631.42	1	-0.175	-0.5	-4572.84	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB280	Combination	-145.848	8.555	0	0	0	-71.3619	3078.57	3	0.175	-0.5	-3911.98	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB280	Combination	-126.948	-130.867	0	0	0	34.8728	1345.35	1	-0.175	-0.5	-2070.76	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB281	Combination	-127.737	161.044	0	0	0	63.4261	2741.62	1	-0.175	-0.5	-3471.55	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB281	Combination	-108.837	-8.168	0	0	0	-56.3681	2449.92	3	0.175	-0.5	-3071.85	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB281	Combination	-89.937	-123.315	0	0	0	58.2134	2594.31	1	-0.175	-0.5	-3108.23	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB282	Combination	-191.985	171.153	0	0	0	88.0235	3762.83	1	-0.175	-0.5	-4859.88	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB282	Combination	-173.085	4.051	0	0	0	-49.4948	1929.71	3	0.175	-0.5	-2918.76	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB282	Combination	-154.185	-124.873	0	0	0	55.8553	2295.24	1	-0.175	-0.5	-3176.3	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB283	Combination	-127.737	159.126	0	0	0	58.3212	2491.58	1	-0.175	-0.5	-3221.51	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB283	Combination	-108.837	-11.003	0	0	0	-57.9219	2526.03	3	0.175	-0.5	-3147.96	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB283	Combination	-89.937	-128.806	0	0	0	63.4266	2849.65	1	-0.175	-0.5	-3363.57	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB284	Combination	-191.985	169.236	0	0	0	82.9186	3512.79	1	-0.175	-0.5	-4609.85	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB284	Combination	-173.085	1.216	0	0	0	-51.0487	2005.82	3	0.175	-0.5	-2994.87	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB284	Combination	-154.185	-130.363	0	0	0	61.0684	2550.58	1	-0.175	-0.5	-3431.63	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB285	Combination	-127.737	169.371	0	0	0	68.6526	2997.62	1	-0.175	-0.5	-3727.54	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB285	Combination	-108.837	1.165	0	0	0	-65.0267	2874.02	3	0.175	-0.5	-3495.94	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB285	Combination	-89.937	-112.412	0	0	0	33.1364	1366.05	1	-0.175	-0.5	-1879.97	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB286	Combination	-191.985	179.48	0	0	0	93.2501	4018.82	1	-0.175	-0.5	-5115.88	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB286	Combination	-173.085	13.384	0	0	0	-58.1535	2353.81	3	0.175	-0.5	-3342.86	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB286	Combination	-154.185	-113.97	0	0	0	30.7783	1066.98	1	-0.175	-0.5	-1948.03	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB287	Combination	-127.737	167.453	0	0	0	63.5477	2747.58	1	-0.175	-0.5	-3477.5	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB287	Combination	-108.837	-1.67	0	0	0	-66.5806	2950.13	3	0.175	-0.5	-3572.05	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB287	Combination	-89.937	-117.903	0	0	0	38.3495	1621.38	1	-0.175	-0.5	-2135.31	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB288	Combination	-191.985	177.563	0	0	0	88.1451	3768.79	1	-0.175	-0.5	-4865.84	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB288	Combination	-173.085	10.549	0	0	0	-59.7073	2429.91	3	0.175	-0.5	-3418.97	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB288	Combination	-154.185	-119.461	0	0	0	35.9914	1322.32	1	-0.175	-0.5	-2203.37	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB289	Combination	-116.463	159.827	0	0	0	62.0278	2705.35	1	-0.175	-0.5	-3370.85	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB289	Combination	-97.563	-9.327	0	0	0	-55.8849	2458.47	3	0.175	-0.5	-3015.97	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB289	Combination	-78.663	-124.704	0	0	0	60.7473	2750.63	1	-0.175	-0.5	-3200.13	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB290	Combination	-164.649	167.409	0	0	0	80.4759	3471.25	1	-0.175	-0.5	-4412.1	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB290	Combination	-145.749	-0.163	0	0	0	-50.73	2068.31	3	0.175	-0.5	-2901.16	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB290	Combination	-126.849	-125.872	0	0	0	58.9787	2526.33	1	-0.175	-0.5	-3251.18	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB291	Combination	-116.463	156.631	0	0	0	53.5196	2288.62	1	-0.175	-0.5	-2954.12	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB291	Combination	-97.563	-14.052	0	0	0	-58.4747	2585.31	3	0.175	-0.5	-3142.82	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB291	Combination	-78.663	-133.855	0	0	0	69.4358	3176.19	1	-0.175	-0.5	-3625.69	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB292	Combination	-164.649	164.213	0	0	0	71.9677	3054.52	1	-0.175	-0.5	-3995.37	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB292	Combination	-145.749	-4.888	0	0	0	-53.3197	2195.15	3	0.175	-0.5	-3028	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB292	Combination	-126.849	-135.023	0	0	0	67.6672	2951.89	1	-0.175	-0.5	-3676.74	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB293	Combination	-116.463	173.706	0	0	0	70.7387	3132	1	-0.175	-0.5	-3797.51	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB293	Combination	-97.563	6.228	0	0	0	-70.316	3165.3	3	0.175	-0.5	-3722.8	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB293	Combination	-78.663	-106.533	0	0	0	18.9522	703.52	1	-0.175	-0.5	-1153.02	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB294	Combination	-164.649	181.288	0	0	0	89.1868	3897.91	1	-0.175	-0.5	-4838.76	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB294	Combination	-145.749	15.392	0	0	0	-65.161	2775.14	3	0.175	-0.5	-3607.99	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB294	Combination	-126.849	-107.701	0	0	0	17.1836	479.22	1	-0.175	-0.5	-1204.07	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB295	Combination	-116.463	170.509	0	0	0	62.2305	2715.28	1	-0.175	-0.5	-3380.78	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB295	Combination	-97.563	1.503	0	0	0	-72.9057	3292.14	3	0.175	-0.5	-3849.65	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB295	Combination	-78.663	-115.683	0	0	0	27.6408	1129.08	1	-0.175	-0.5	-1578.59	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB296	Combination	-164.649	178.092	0	0	0	80.6786	3481.18	1	-0.175	-0.5	-4422.03	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB296	Combination	-145.749	10.667	0	0	0	-67.7508	2901.98	3	0.175	-0.5	-3734.83	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB296	Combination	-126.849	-116.852	0	0	0	25.8722	904.78	1	-0.175	-0.5	-1629.63	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB297	Combination	-108.465	168.428	0	0	0	55.8114	2423.72	1	-0.175	-0.5	-3043.52	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB297	Combination	-89.565	-10.637	0	0	0	-64.1555	2886.41	3	0.175	-0.5	-3398.21	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB297	Combination	-70.665	-124.988	0	0	0	53.6031	2423.56	1	-0.175	-0.5	-2827.36	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB298	Combination	-156.65	176.01	0	0	0	74.2595	3189.63	1	-0.175	-0.5	-4084.77	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB298	Combination	-137.75	-1.473	0	0	0	-59.0006	2496.25	3	0.175	-0.5	-3283.4	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB298	Combination	-118.85	-126.156	0	0	0	51.8345	2199.26	1	-0.175	-0.5	-2878.4	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB299	Combination	-108.465	166.51	0	0	0	50.7065	2173.68	1	-0.175	-0.5	-2793.48	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB299	Combination	-89.565	-13.472	0	0	0	-65.7094	2962.52	3	0.175	-0.5	-3474.32	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB299	Combination	-70.665	-130.478	0	0	0	58.8162	2678.89	1	-0.175	-0.5	-3082.69	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB300	Combination	-156.65	174.093	0	0	0	69.1545	2939.59	1	-0.175	-0.5	-3834.73	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB300	Combination	-137.75	-4.308	0	0	0	-60.5545	2572.36	3	0.175	-0.5	-3359.51	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB300	Combination	-118.85	-131.647	0	0	0	57.0476	2454.59	1	-0.175	-0.5	-3133.74	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB301	Combination	-108.465	176.755	0	0	0	61.0379	2679.71	1	-0.175	-0.5	-3299.51	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB301	Combination	-89.565	-1.304	0	0	0	-72.8142	3310.51	3	0.175	-0.5	-3822.31	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB301	Combination	-70.665	-114.085	0	0	0	28.526	1195.29	1	-0.175	-0.5	-1599.09	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB302	Combination	-156.65	184.337	0	0	0	79.486	3445.62	1	-0.175	-0.5	-4340.76	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB302	Combination	-137.75	7.86	0	0	0	-67.6592	2920.35	3	0.175	-0.5	-3707.49	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB302	Combination	-118.85	-115.254	0	0	0	26.7574	970.99	1	-0.175	-0.5	-1650.14	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB303	Combination	-108.465	174.837	0	0	0	55.933	2429.68	1	-0.175	-0.5	-3049.47	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB303	Combination	-89.565	-4.139	0	0	0	-74.368	3386.62	3	0.175	-0.5	-3898.41	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB303	Combination	-70.665	-119.576	0	0	0	33.7392	1450.63	1	-0.175	-0.5	-1854.43	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB304	Combination	-156.65	182.42	0	0	0	74.3811	3195.58	1	-0.175	-0.5	-4090.73	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB304	Combination	-137.75	5.025	0	0	0	-69.2131	2996.46	3	0.175	-0.5	-3783.6	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB304	Combination	-118.85	-120.744	0	0	0	31.9705	1226.33	1	-0.175	-0.5	-1905.48	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB305	Combination	-110.464	165.301	0	0	0	57.571	2504.19	1	-0.175	-0.5	-3135.42	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB305	Combination	-91.564	-11.775	0	0	0	-60.0469	2679.46	3	0.175	-0.5	-3202.69	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB305	Combination	-72.664	-127.151	0	0	0	60.501	2755.7	1	-0.175	-0.5	-3170.93	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB306	Combination	-158.65	172.883	0	0	0	76.0191	3270.1	1	-0.175	-0.5	-4176.67	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB306	Combination	-139.75	-2.61	0	0	0	-54.892	2289.3	3	0.175	-0.5	-3087.87	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB306	Combination	-120.85	-128.319	0	0	0	58.7324	2531.4	1	-0.175	-0.5	-3221.98	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB307	Combination	-110.464	162.104	0	0	0	49.0629	2087.47	1	-0.175	-0.5	-2718.69	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB307	Combination	-91.564	-16.5	0	0	0	-62.6367	2806.31	3	0.175	-0.5	-3329.53	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB307	Combination	-72.664	-136.302	0	0	0	69.1896	3181.27	1	-0.175	-0.5	-3596.49	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB308	Combination	-158.65	169.687	0	0	0	67.5109	2853.37	1	-0.175	-0.5	-3759.94	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB308	Combination	-139.75	-7.335	0	0	0	-57.4818	2416.15	3	0.175	-0.5	-3214.72	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB308	Combination	-120.85	-137.47	0	0	0	67.421	2956.97	1	-0.175	-0.5	-3647.54	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB309	Combination	-110.464	179.179	0	0	0	66.282	2930.85	1	-0.175	-0.5	-3562.07	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB309	Combination	-91.564	3.78	0	0	0	-74.478	3386.29	3	0.175	-0.5	-3909.51	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB309	Combination	-72.664	-108.98	0	0	0	18.706	708.6	1	-0.175	-0.5	-1123.82	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB310	Combination	-158.65	186.761	0	0	0	84.73	3696.76	1	-0.175	-0.5	-4603.33	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB310	Combination	-139.75	12.945	0	0	0	-69.3231	2996.13	3	0.175	-0.5	-3794.7	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB310	Combination	-120.85	-110.148	0	0	0	16.9373	484.3	1	-0.175	-0.5	-1174.87	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB311	Combination	-110.464	175.983	0	0	0	57.7738	2514.12	1	-0.175	-0.5	-3145.35	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB311	Combination	-91.564	-0.945	0	0	0	-77.0678	3513.14	3	0.175	-0.5	-4036.36	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB311	Combination	-72.664	-118.131	0	0	0	27.3945	1134.16	1	-0.175	-0.5	-1549.38	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB312	Combination	-158.65	183.565	0	0	0	76.2218	3280.03	1	-0.175	-0.5	-4186.6	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB312	Combination	-139.75	8.22	0	0	0	-71.9129	3122.98	3	0.175	-0.5	-3921.55	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB312	Combination	-120.85	-119.299	0	0	0	25.6259	909.86	1	-0.175	-0.5	-1600.43	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB313	Combination	-116.562	174.933	0	0	0	64.8695	2844.25	1	-0.175	-0.5	-3510.32	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB313	Combination	-97.662	-7.224	0	0	0	-66.4305	2974.7	3	0.175	-0.5	-3532.77	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB313	Combination	-78.762	-135.227	0	0	0	56.5655	2545.52	1	-0.175	-0.5	-2995.59	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB314	Combination	-164.748	182.515	0	0	0	83.3176	3610.15	1	-0.175	-0.5	-4551.57	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB314	Combination	-145.848	1.941	0	0	0	-61.2755	2584.54	3	0.175	-0.5	-3417.96	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB314	Combination	-126.948	-136.395	0	0	0	54.7969	2321.22	1	-0.175	-0.5	-3046.63	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB315	Combination	-116.562	173.015	0	0	0	59.7646	2594.21	1	-0.175	-0.5	-3260.28	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB315	Combination	-97.662	-10.059	0	0	0	-67.9843	3050.81	3	0.175	-0.5	-3608.88	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB315	Combination	-78.762	-140.717	0	0	0	61.7786	2800.86	1	-0.175	-0.5	-3250.92	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB316	Combination	-164.748	180.598	0	0	0	78.2127	3360.12	1	-0.175	-0.5	-4301.53	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB316	Combination	-145.848	-0.894	0	0	0	-62.8294	2660.65	3	0.175	-0.5	-3494.07	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB316	Combination	-126.948	-141.886	0	0	0	60.01	2576.56	1	-0.175	-0.5	-3301.97	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB317	Combination	-116.562	183.26	0	0	0	70.0961	3100.24	1	-0.175	-0.5	-3766.31	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB317	Combination	-97.662	2.11	0	0	0	-75.0891	3398.8	3	0.175	-0.5	-3956.87	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB317	Combination	-78.762	-124.324	0	0	0	31.4884	1317.26	1	-0.175	-0.5	-1767.32	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB318	Combination	-164.748	190.842	0	0	0	88.5441	3866.15	1	-0.175	-0.5	-4807.56	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB318	Combination	-145.848	11.274	0	0	0	-69.9342	3008.64	3	0.175	-0.5	-3842.05	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB318	Combination	-126.948	-125.493	0	0	0	29.7198	1092.96	1	-0.175	-0.5	-1818.37	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB319	Combination	-116.562	181.342	0	0	0	64.9912	2850.21	1	-0.175	-0.5	-3516.27	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB319	Combination	-97.662	-0.725	0	0	0	-76.643	3474.91	3	0.175	-0.5	-4032.98	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB319	Combination	-78.762	-129.815	0	0	0	36.7016	1572.59	1	-0.175	-0.5	-2022.66	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB320	Combination	-164.748	188.925	0	0	0	83.4392	3616.11	1	-0.175	-0.5	-4557.53	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB320	Combination	-145.848	8.439	0	0	0	-71.488	3084.75	3	0.175	-0.5	-3918.16	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB320	Combination	-126.948	-130.983	0	0	0	34.9329	1348.29	1	-0.175	-0.5	-2073.71	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB321	Combination	-127.737	160.927	0	0	0	63.1134	2726.31	1	-0.175	-0.5	-3456.23	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB321	Combination	-108.837	-8.284	0	0	0	-56.4942	2456.1	3	0.175	-0.5	-3078.03	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB321	Combination	-89.937	-123.432	0	0	0	58.2736	2597.25	1	-0.175	-0.5	-3111.18	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB322	Combination	-191.985	171.037	0	0	0	87.7109	3747.52	1	-0.175	-0.5	-4844.57	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB322	Combination	-173.085	3.935	0	0	0	-49.621	1935.89	3	0.175	-0.5	-2924.94	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB322	Combination	-154.185	-124.989	0	0	0	55.9154	2298.19	1	-0.175	-0.5	-3179.24	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB323	Combination	-127.737	159.009	0	0	0	58.0085	2476.27	1	-0.175	-0.5	-3206.2	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB323	Combination	-108.837	-11.119	0	0	0	-58.0481	2532.21	3	0.175	-0.5	-3154.13	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB323	Combination	-89.937	-128.922	0	0	0	63.4867	2852.59	1	-0.175	-0.5	-3366.52	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB324	Combination	-191.985	169.119	0	0	0	82.606	3497.48	1	-0.175	-0.5	-4594.53	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB324	Combination	-173.085	1.1	0	0	0	-51.1749	2012	3	0.175	-0.5	-3001.05	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB324	Combination	-154.185	-130.48	0	0	0	61.1286	2553.52	1	-0.175	-0.5	-3434.58	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB325	Combination	-127.737	169.254	0	0	0	68.34	2982.3	1	-0.175	-0.5	-3712.23	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB325	Combination	-108.837	1.049	0	0	0	-65.1529	2880.2	3	0.175	-0.5	-3502.12	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB325	Combination	-89.937	-112.529	0	0	0	33.1966	1368.99	1	-0.175	-0.5	-1882.92	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB326	Combination	-191.985	179.364	0	0	0	92.9374	4003.51	1	-0.175	-0.5	-5100.56	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB326	Combination	-173.085	13.268	0	0	0	-58.2796	2359.98	3	0.175	-0.5	-3349.04	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB326	Combination	-154.185	-114.087	0	0	0	30.8384	1069.92	1	-0.175	-0.5	-1950.98	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB327	Combination	-127.737	167.336	0	0	0	63.2351	2732.27	1	-0.175	-0.5	-3462.19	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB327	Combination	-108.837	-1.786	0	0	0	-66.7067	2956.31	3	0.175	-0.5	-3578.23	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB327	Combination	-89.937	-118.019	0	0	0	38.4097	1624.33	1	-0.175	-0.5	-2138.25	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB328	Combination	-191.985	177.446	0	0	0	87.8325	3753.47	1	-0.175	-0.5	-4850.53	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB328	Combination	-173.085	10.433	0	0	0	-59.8335	2436.09	3	0.175	-0.5	-3425.15	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB328	Combination	-154.185	-119.577	0	0	0	36.0515	1325.26	1	-0.175	-0.5	-2206.32	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB329	Combination	-116.463	159.71	0	0	0	61.7152	2690.03	1	-0.175	-0.5	-3355.54	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB329	Combination	-97.563	-9.444	0	0	0	-56.011	2464.65	3	0.175	-0.5	-3022.15	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB329	Combination	-78.663	-124.82	0	0	0	60.8074	2753.57	1	-0.175	-0.5	-3203.07	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB330	Combination	-164.649	167.293	0	0	0	80.1633	3455.94	1	-0.175	-0.5	-4396.79	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB330	Combination	-145.749	-0.28	0	0	0	-50.8561	2074.49	3	0.175	-0.5	-2907.34	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB330	Combination	-126.849	-125.988	0	0	0	59.0388	2529.27	1	-0.175	-0.5	-3254.12	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB331	Combination	-116.463	156.514	0	0	0	53.207	2273.31	1	-0.175	-0.5	-2938.81	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB331	Combination	-97.563	-14.169	0	0	0	-58.6008	2591.49	3	0.175	-0.5	-3149	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB331	Combination	-78.663	-133.971	0	0	0	69.496	3179.13	1	-0.175	-0.5	-3628.64	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB332	Combination	-164.649	164.097	0	0	0	71.6551	3039.21	1	-0.175	-0.5	-3980.06	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB332	Combination	-145.749	-5.005	0	0	0	-53.4459	2201.33	3	0.175	-0.5	-3034.18	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB332	Combination	-126.849	-135.139	0	0	0	67.7274	2954.83	1	-0.175	-0.5	-3679.68	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB333	Combination	-116.463	173.589	0	0	0	70.4261	3116.69	1	-0.175	-0.5	-3782.19	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB333	Combination	-97.563	6.111	0	0	0	-70.4421	3171.47	3	0.175	-0.5	-3728.98	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB333	Combination	-78.663	-106.649	0	0	0	19.0124	706.47	1	-0.175	-0.5	-1155.97	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB334	Combination	-164.649	181.171	0	0	0	88.8742	3882.6	1	-0.175	-0.5	-4823.45	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB334	Combination	-145.749	15.276	0	0	0	-65.2872	2781.31	3	0.175	-0.5	-3614.17	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB334	Combination	-126.849	-107.817	0	0	0	17.2437	482.17	1	-0.175	-0.5	-1207.02	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB335	Combination	-116.463	170.393	0	0	0	61.9179	2699.96	1	-0.175	-0.5	-3365.47	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB335	Combination	-97.563	1.386	0	0	0	-73.0319	3298.32	3	0.175	-0.5	-3855.82	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB335	Combination	-78.663	-115.8	0	0	0	27.7009	1132.03	1	-0.175	-0.5	-1581.53	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB336	Combination	-164.649	177.975	0	0	0	80.366	3465.87	1	-0.175	-0.5	-4406.72	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB336	Combination	-145.749	10.551	0	0	0	-67.877	2908.16	3	0.175	-0.5	-3741.01	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB336	Combination	-126.849	-116.968	0	0	0	25.9323	907.73	1	-0.175	-0.5	-1632.58	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB337	Combination	-108.465	168.311	0	0	0	55.4987	2408.41	1	-0.175	-0.5	-3028.2	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB337	Combination	-89.565	-10.754	0	0	0	-64.2817	2892.59	3	0.175	-0.5	-3404.39	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB337	Combination	-70.665	-125.104	0	0	0	53.6632	2426.5	1	-0.175	-0.5	-2830.3	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB338	Combination	-156.65	175.894	0	0	0	73.9468	3174.31	1	-0.175	-0.5	-4069.46	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB338	Combination	-137.75	-1.589	0	0	0	-59.1268	2502.43	3	0.175	-0.5	-3289.58	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB338	Combination	-118.85	-126.273	0	0	0	51.8946	2202.2	1	-0.175	-0.5	-2881.35	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB339	Combination	-108.465	166.394	0	0	0	50.3938	2158.37	1	-0.175	-0.5	-2778.17	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB339	Combination	-89.565	-13.589	0	0	0	-65.8356	2968.7	3	0.175	-0.5	-3480.5	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB339	Combination	-70.665	-130.595	0	0	0	58.8763	2681.84	1	-0.175	-0.5	-3085.64	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB340	Combination	-156.65	173.976	0	0	0	68.8419	2924.28	1	-0.175	-0.5	-3819.42	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB340	Combination	-137.75	-4.424	0	0	0	-60.6806	2578.54	3	0.175	-0.5	-3365.68	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB340	Combination	-118.85	-131.763	0	0	0	57.1077	2457.54	1	-0.175	-0.5	-3136.69	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB341	Combination	-108.465	176.639	0	0	0	60.7253	2664.4	1	-0.175	-0.5	-3284.2	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB341	Combination	-89.565	-1.421	0	0	0	-72.9403	3316.69	3	0.175	-0.5	-3828.49	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB341	Combination	-70.665	-114.202	0	0	0	28.5862	1198.24	1	-0.175	-0.5	-1602.04	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB342	Combination	-156.65	184.221	0	0	0	79.1734	3430.31	1	-0.175	-0.5	-4325.45	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB342	Combination	-137.75	7.744	0	0	0	-67.7854	2926.53	3	0.175	-0.5	-3713.67	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB342	Combination	-118.85	-115.37	0	0	0	26.8176	973.94	1	-0.175	-0.5	-1653.09	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB343	Combination	-108.465	174.721	0	0	0	55.6204	2414.37	1	-0.175	-0.5	-3034.16	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB343	Combination	-89.565	-4.256	0	0	0	-74.4942	3392.8	3	0.175	-0.5	-3904.59	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB343	Combination	-70.665	-119.692	0	0	0	33.7993	1453.58	1	-0.175	-0.5	-1857.37	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB344	Combination	-156.65	182.303	0	0	0	74.0685	3180.27	1	-0.175	-0.5	-4075.42	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB344	Combination	-137.75	4.909	0	0	0	-69.3393	3002.64	3	0.175	-0.5	-3789.78	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB344	Combination	-118.85	-120.86	0	0	0	32.0307	1229.28	1	-0.175	-0.5	-1908.42	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB345	Combination	-110.464	165.184	0	0	0	57.2584	2488.88	1	-0.175	-0.5	-3120.11	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB345	Combination	-91.564	-11.891	0	0	0	-60.1731	2685.64	3	0.175	-0.5	-3208.87	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB345	Combination	-72.664	-127.268	0	0	0	60.5612	2758.65	1	-0.175	-0.5	-3173.87	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB346	Combination	-158.65	172.766	0	0	0	75.7065	3254.79	1	-0.175	-0.5	-4161.36	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB346	Combination	-139.75	-2.727	0	0	0	-55.0182	2295.48	3	0.175	-0.5	-3094.05	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB346	Combination	-120.85	-128.436	0	0	0	58.7926	2534.35	1	-0.175	-0.5	-3224.92	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB347	Combination	-110.464	161.988	0	0	0	48.7502	2072.15	1	-0.175	-0.5	-2703.38	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB347	Combination	-91.564	-16.616	0	0	0	-62.7629	2812.49	3	0.175	-0.5	-3335.71	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB347	Combination	-72.664	-136.418	0	0	0	69.2497	3184.21	1	-0.175	-0.5	-3599.43	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB348	Combination	-158.65	169.57	0	0	0	67.1983	2838.06	1	-0.175	-0.5	-3744.63	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB348	Combination	-139.75	-7.452	0	0	0	-57.6079	2422.33	3	0.175	-0.5	-3220.9	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB348	Combination	-120.85	-137.587	0	0	0	67.4811	2959.91	1	-0.175	-0.5	-3650.48	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB349	Combination	-110.464	179.063	0	0	0	65.9693	2915.54	1	-0.175	-0.5	-3546.76	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB349	Combination	-91.564	3.664	0	0	0	-74.6042	3392.47	3	0.175	-0.5	-3915.69	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB349	Combination	-72.664	-109.096	0	0	0	18.7661	711.54	1	-0.175	-0.5	-1126.77	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB350	Combination	-158.65	186.645	0	0	0	84.4174	3681.44	1	-0.175	-0.5	-4588.02	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB350	Combination	-139.75	12.828	0	0	0	-69.4492	3002.31	3	0.175	-0.5	-3800.88	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB350	Combination	-120.85	-110.265	0	0	0	16.9975	487.24	1	-0.175	-0.5	-1177.82	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB351	Combination	-110.464	175.866	0	0	0	57.4611	2498.81	1	-0.175	-0.5	-3130.04	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB351	Combination	-91.564	-1.061	0	0	0	-77.194	3519.32	3	0.175	-0.5	-4042.54	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB351	Combination	-72.664	-118.247	0	0	0	27.4546	1137.11	1	-0.175	-0.5	-1552.33	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB352	Combination	-158.65	183.449	0	0	0	75.9092	3264.72	1	-0.175	-0.5	-4171.29	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB352	Combination	-139.75	8.103	0	0	0	-72.039	3129.16	3	0.175	-0.5	-3927.73	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB352	Combination	-120.85	-119.415	0	0	0	25.686	912.81	1	-0.175	-0.5	-1603.38	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB353	Combination	-110.464	166.448	0	0	0	56.8801	2470.35	1	-0.175	-0.5	-3101.58	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB353	Combination	-91.564	-9.977	0	0	0	-62.9364	2820.99	3	0.175	-0.5	-3344.21	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB353	Combination	-72.664	-124.327	0	0	0	53.7653	2425.79	1	-0.175	-0.5	-2841.02	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB354	Combination	-158.65	174.03	0	0	0	75.3282	3236.26	1	-0.175	-0.5	-4142.83	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB354	Combination	-139.75	-0.812	0	0	0	-57.7815	2430.83	3	0.175	-0.5	-3229.4	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB354	Combination	-120.85	-125.496	0	0	0	51.9967	2201.49	1	-0.175	-0.5	-2892.06	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB355	Combination	-110.464	164.53	0	0	0	51.7752	2220.32	1	-0.175	-0.5	-2851.54	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB355	Combination	-91.564	-12.812	0	0	0	-64.4903	2897.09	3	0.175	-0.5	-3420.32	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB355	Combination	-72.664	-129.818	0	0	0	58.9785	2681.13	1	-0.175	-0.5	-3096.35	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB356	Combination	-158.65	172.113	0	0	0	70.2233	2986.22	1	-0.175	-0.5	-3892.79	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB356	Combination	-139.75	-3.648	0	0	0	-59.3353	2506.93	3	0.175	-0.5	-3305.51	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB356	Combination	-120.85	-130.986	0	0	0	57.2099	2456.83	1	-0.175	-0.5	-3147.4	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB357	Combination	-110.464	174.775	0	0	0	62.1067	2726.35	1	-0.175	-0.5	-3357.57	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB357	Combination	-91.564	-0.644	0	0	0	-71.595	3245.08	3	0.175	-0.5	-3768.31	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB357	Combination	-72.664	-113.425	0	0	0	28.6883	1197.53	1	-0.175	-0.5	-1612.75	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB358	Combination	-158.65	182.357	0	0	0	80.5548	3492.25	1	-0.175	-0.5	-4398.82	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB358	Combination	-139.75	8.521	0	0	0	-66.4401	2854.92	3	0.175	-0.5	-3653.49	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB358	Combination	-120.85	-114.593	0	0	0	26.9197	973.23	1	-0.175	-0.5	-1663.8	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB359	Combination	-110.464	172.857	0	0	0	57.0018	2476.31	1	-0.175	-0.5	-3107.54	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB359	Combination	-91.564	-3.479	0	0	0	-73.1489	3321.19	3	0.175	-0.5	-3844.42	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB359	Combination	-72.664	-118.915	0	0	0	33.9014	1452.87	1	-0.175	-0.5	-1868.09	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB360	Combination	-158.65	180.44	0	0	0	75.4498	3242.22	1	-0.175	-0.5	-4148.79	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB360	Combination	-139.75	5.686	0	0	0	-67.994	2931.03	3	0.175	-0.5	-3729.6	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB360	Combination	-120.85	-120.083	0	0	0	32.1328	1228.57	1	-0.175	-0.5	-1919.14	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB361_0_0	Combination	-46.037	3.941	0	0	0	10.0158	359.03	1	-0.175	-0.5	-622.1	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB361_0_0	Combination	-32.037	2.142	0	0	0	4.8538	146.2	1	-0.175	-0.5	-329.27	3
	0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB361_0_0	Combination	-18.037	0.645	0	0	0	2.9292	91.94	1	-0.175	-0.5	-195.01	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB361_0_1	Combination	-46.037	3.941	0	0	0	10.0158	359.03	1	-0.175	-0.5	-622.1	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB361_0_1	Combination	-32.037	2.142	0	0	0	4.8538	146.2	1	-0.175	-0.5	-329.27	3
	0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB361_0_1	Combination	-18.037	0.645	0	0	0	2.9292	91.94	1	-0.175	-0.5	-195.01	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB361_0_2	Combination	-46.037	99.881	0	0	0	29.6534	1320.88	1	-0.175	-0.5	-1583.95	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB361_0_2	Combination	-32.037	-5.711	0	0	0	-44.1573	2071.27	3	0.175	-0.5	-2254.34	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB361_0_2	Combination	-18.037	-64.494	0	0	0	20.0566	930.83	1	-0.175	-0.5	-1033.9	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB361_0_2_1	Combination	-66.137	100.378	0	0	0	32.899	1422.41	1	-0.175	-0.5	-1800.34	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB361_0_2_1	Combination	-52.137	-6.268	0	0	0	-41.0599	1862.13	3	0.175	-0.5	-2160.06	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB361_0_2_1	Combination	-38.137	-66.147	0	0	0	25.1186	1121.33	1	-0.175	-0.5	-1339.26	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB361_0_3	Combination	-66.137	100.378	0	0	0	32.899	1422.41	1	-0.175	-0.5	-1800.34	3
	0.175	-0.5	01-ago	0											



## Allegati alla relazione di Calcolo

8	1.6	B_COMB361_0_3	Combination	-52.137	-6.268	0	0	0	-41.0599	1862.13	3	0.175	-0.5	-2160.06	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB361_0_3	Combination	-38.137	-66.147	0	0	0	25.1186	1121.33	1	-0.175	-0.5	-1339.26	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB361_0_4	Combination	-66.137	104.14	0	0	0	39.4401	1742.8	1	-0.175	-0.5	-2120.72	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB361_0_4	Combination	-52.137	-2.436	0	0	0	-40.5791	1838.58	3	0.175	-0.5	-2136.51	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB361_0_4	Combination	-38.137	-62.243	0	0	0	19.3953	841.01	1	-0.175	-0.5	-1058.94	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB361	Combination	-71.707	151.382	0	0	0	49.9019	2239.3	1	-0.175	-0.5	-2649.05	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB361	Combination	-54.991	-1.666	0	0	0	-67.3605	3142.17	3	0.175	-0.5	-3456.41	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB361	Combination	-38.275	-107.627	0	0	0	28.0647	1265.24	1	-0.175	-0.5	-1483.95	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB362	Combination	-71.707	151.382	0	0	0	49.9019	2239.3	1	-0.175	-0.5	-2649.05	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB362	Combination	-54.991	-1.666	0	0	0	-67.3605	3142.17	3	0.175	-0.5	-3456.41	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB362	Combination	-38.275	-107.627	0	0	0	28.0647	1265.24	1	-0.175	-0.5	-1483.95	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB363	Combination	-53.845	149.853	0	0	0	46.0158	2099.99	1	-0.175	-0.5	-2407.67	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB363	Combination	-42.561	-2.497	0	0	0	-69.2438	3269.93	3	0.175	-0.5	-3513.14	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB363	Combination	-31.277	-107.877	0	0	0	26.9282	1229.57	1	-0.175	-0.5	-1408.29	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB364	Combination	-53.845	149.853	0	0	0	46.0158	2099.99	1	-0.175	-0.5	-2407.67	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB364	Combination	-42.561	-2.497	0	0	0	-69.2438	3269.93	3	0.175	-0.5	-3513.14	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB364	Combination	-31.277	-107.877	0	0	0	26.9282	1229.57	1	-0.175	-0.5	-1408.29	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB365	Combination	-82.319	128.908	0	0	0	47.5856	2095.52	1	-0.175	-0.5	-2565.92	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB365	Combination	-62.887	-1.428	0	0	0	-52.5573	2394.56	3	0.175	-0.5	-2753.92	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB365	Combination	-43.455	-84.748	0	0	0	24.5824	1079.88	1	-0.175	-0.5	-1328.19	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB366	Combination	-82.319	128.908	0	0	0	47.5856	2095.52	1	-0.175	-0.5	-2565.92	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB366	Combination	-62.887	-1.428	0	0	0	-52.5573	2394.56	3	0.175	-0.5	-2753.92	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB366	Combination	-43.455	-84.748	0	0	0	24.5824	1079.88	1	-0.175	-0.5	-1328.19	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB367	Combination	-46.594	125.85	0	0	0	39.8133	1816.91	1	-0.175	-0.5	-2083.17	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB367	Combination	-38.026	-3.09	0	0	0	-56.3239	2650.08	3	0.175	-0.5	-2867.37	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB367	Combination	-29.458	-85.248	0	0	0	22.3094	1008.54	1	-0.175	-0.5	-1176.87	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB368	Combination	-46.594	125.85	0	0	0	39.8133	1816.91	1	-0.175	-0.5	-2083.17	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB368	Combination	-38.026	-3.09	0	0	0	-56.3239	2650.08	3	0.175	-0.5	-2867.37	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB368	Combination	-29.458	-85.248	0	0	0	22.3094	1008.54	1	-0.175	-0.5	-1176.87	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB369	Combination	-95.834	126.418	0	0	0	50.9	2219.25	1	-0.175	-0.5	-2766.87	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB369	Combination	-81.834	-5.359	0	0	0	-44.8559	1963.21	3	0.175	-0.5	-2430.84	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB369	Combination	-67.834	-98.88	0	0	0	45.4136	2030.53	1	-0.175	-0.5	-2418.15	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB370	Combination	-137.734	133.011	0	0	0	66.9418	2885.25	1	-0.175	-0.5	-3672.31	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	C_COMB370	Combination	-123.734	2.61	0	0	0	-40.3734	1623.94	3	0.175	-0.5	-2331	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB370	Combination	-109.734	-99.895	0	0	0	43.8757	1835.49	1	-0.175	-0.5	-2462.54	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB373	Combination	-95.834	134.745	0	0	0	56.1265	2475.24	1	-0.175	-0.5	-3022.86	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB373	Combination	-81.834	3.974	0	0	0	-53.5146	2387.31	3	0.175	-0.5	-2854.93	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB373	Combination	-67.834	-87.977	0	0	0	20.3366	802.27	1	-0.175	-0.5	-1189.89	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB374	Combination	-137.734	141.338	0	0	0	72.1683	3141.25	1	-0.175	-0.5	-3928.3	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB374	Combination	-123.734	11.943	0	0	0	-49.032	2048.04	3	0.175	-0.5	-2755.09	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB374	Combination	-109.734	-88.993	0	0	0	18.7986	607.22	1	-0.175	-0.5	-1234.28	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB377	Combination	-105.565	116.248	0	0	0	49.8678	2140.89	1	-0.175	-0.5	-2744.12	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB377	Combination	-91.565	-6.243	0	0	0	-37.3268	1566.64	3	0.175	-0.5	-2089.87	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB377	Combination	-77.565	-90.555	0	0	0	47.2704	2093.67	1	-0.175	-0.5	-2536.9	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB378	Combination	-161.433	125.039	0	0	0	71.2568	3028.89	1	-0.175	-0.5	-3951.37	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB378	Combination	-147.433	4.383	0	0	0	-31.3501	1114.28	3	0.175	-0.5	-1956.75	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB378	Combination	-133.433	-91.909	0	0	0	45.2199	1833.61	1	-0.175	-0.5	-2596.09	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB381	Combination	-105.565	124.575	0	0	0	55.0943	2396.88	1	-0.175	-0.5	-3000.11	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB381	Combination	-91.565	3.091	0	0	0	-45.9854	1990.73	3	0.175	-0.5	-2513.96	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB381	Combination	-77.565	-79.652	0	0	0	22.1934	865.41	1	-0.175	-0.5	-1308.64	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB382	Combination	-161.433	133.366	0	0	0	76.4834	3284.89	1	-0.175	-0.5	-4207.36	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB382	Combination	-147.433	13.716	0	0	0	-40.0087	1538.37	3	0.175	-0.5	-2380.85	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB382	Combination	-133.433	-81.006	0	0	0	20.1428	605.35	1	-0.175	-0.5	-1367.82	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB385	Combination	-95.762	115.02	0	0	0	48.6876	2111.09	1	-0.175	-0.5	-2658.31	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB385	Combination	-81.762	-7.506	0	0	0	-36.5517	1556.68	3	0.175	-0.5	-2023.89	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB385	Combination	-67.762	-92.151	0	0	0	50.3628	2273.14	1	-0.175	-0.5	-2660.35	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB386	Combination	-137.663	121.613	0	0	0	64.7294	2777.1	1	-0.175	-0.5	-3563.74	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB386	Combination	-123.663	0.463	0	0	0	-32.0691	1217.41	3	0.175	-0.5	-1924.06	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB386	Combination	-109.663	-93.167	0	0	0	48.8249	2078.1	1	-0.175	-0.5	-2704.74	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB387	Combination	-95.762	111.824	0	0	0	40.1794	1694.37	1	-0.175	-0.5	-2241.58	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB387	Combination	-81.762	-12.231	0	0	0	-39.1415	1683.53	3	0.175	-0.5	-2150.74	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB387	Combination	-67.762	-101.301	0	0	0	59.0513	2698.7	1	-0.175	-0.5	-3085.92	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB388	Combination	-137.663	118.417	0	0	0	56.2212	2360.37	1	-0.175	-0.5	-3147.02	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB388	Combination	-123.663	-4.262	0	0	0	-34.6589	1344.26	3	0.175	-0.5	-2050.9	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB388	Combination	-109.663	-102.317	0	0	0	57.5134	2503.66	1	-0.175	-0.5	-3130.31	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB389	Combination	-95.762	128.898	0	0	0	57.3985	2537.75	1	-0.175	-0.5	-3084.96	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	C_COMB389	Combination	-81.762	8.05	0	0	0	-50.9828	2263.51	3	0.175	-0.5	-2730.72	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB389	Combination	-67.762	-73.979	0	0	0	8.5677	226.04	1	-0.175	-0.5	-613.25	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB390	Combination	-137.663	135.492	0	0	0	73.4403	3203.76	1	-0.175	-0.5	-3990.4	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB390	Combination	-123.663	16.019	0	0	0	-46.5002	1924.24	3	0.175	-0.5	-2630.88	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB390	Combination	-109.663	-74.995	0	0	0	7.0298	30.99	1	-0.175	-0.5	-657.64	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB391	Combination	-95.762	125.702	0	0	0	48.8904	2121.02	1	-0.175	-0.5	-2668.24	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB391	Combination	-81.762	3.325	0	0	0	-53.5725	2390.36	3	0.175	-0.5	-2857.57	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB391	Combination	-67.762	-83.13	0	0	0	17.2563	651.6	1	-0.175	-0.5	-1038.81	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB392	Combination	-137.663	132.295	0	0	0	64.9322	2787.03	1	-0.175	-0.5	-3573.67	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB392	Combination	-123.663	11.294	0	0	0	-49.09	2051.09	3	0.175	-0.5	-2757.73	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB392	Combination	-109.663	-84.146	0	0	0	15.7183	456.56	1	-0.175	-0.5	-1083.2	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB393	Combination	-88.807	122.669	0	0	0	43.2463	1864.45	1	-0.175	-0.5	-2371.92	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB393	Combination	-74.807	-8.39	0	0	0	-44.0985	1946.19	3	0.175	-0.5	-2373.66	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB393	Combination	-60.807	-92.009	0	0	0	43.2614	1945.19	1	-0.175	-0.5	-2292.66	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB394	Combination	-130.708	129.262	0	0	0	59.2881	2530.46	1	-0.175	-0.5	-3277.36	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB394	Combination	-116.708	-0.421	0	0	0	-39.6159	1606.92	3	0.175	-0.5	-2273.82	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB394	Combination	-102.708	-93.025	0	0	0	41.7235	1750.15	1	-0.175	-0.5	-2337.05	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB395	Combination	-88.807	120.751	0	0	0	38.1414	1614.41	1	-0.175	-0.5	-2121.88	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB395	Combination	-74.807	-11.225	0	0	0	-45.6524	2022.3	3	0.175	-0.5	-2449.77	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB395	Combination	-60.807	-97.5	0	0	0	48.4745	2200.53	1	-0.175	-0.5	-2548	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB396	Combination	-130.708	127.345	0	0	0	54.1832	2280.42	1	-0.175	-0.5	-3027.32	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB396	Combination	-116.708	-3.256	0	0	0	-41.1698	1683.03	3	0.175	-0.5	-2349.93	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB396	Combination	-102.708	-98.516	0	0	0	46.9366	2005.49	1	-0.175	-0.5	-2592.39	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB397	Combination	-88.807	130.996	0	0	0	48.4728	2120.45	1	-0.175	-0.5	-2627.91	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB397	Combination	-74.807	0.943	0	0	0	-52.7571	2370.29	3	0.175	-0.5	-2797.76	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB397	Combination	-60.807	-81.107	0	0	0	18.1844	716.93	1	-0.175	-0.5	-1064.4	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB398	Combination	-130.708	137.589	0	0	0	64.5146	2786.45	1	-0.175	-0.5	-3533.35	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB398	Combination	-116.708	8.912	0	0	0	-48.2746	2031.02	3	0.175	-0.5	-2697.92	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB398	Combination	-102.708	-82.122	0	0	0	16.6464	521.89	1	-0.175	-0.5	-1108.79	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB399	Combination	-88.807	129.078	0	0	0	43.3679	1870.41	1	-0.175	-0.5	-2377.88	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB399	Combination	-74.807	-1.892	0	0	0	-54.311	2446.4	3	0.175	-0.5	-2873.86	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB399	Combination	-60.807	-86.597	0	0	0	23.3975	972.27	1	-0.175	-0.5	-1319.73	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB400	Combination	-130.708	135.672	0	0	0	59.4097	2536.41	1	-0.175	-0.5	-3283.31	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	C_COMB400	Combination	-116.708	6.077	0	0	0	-49.8285	2107.13	3	0.175	-0.5	-2774.03	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB400	Combination	-102.708	-87.613	0	0	0	21.8596	777.22	1	-0.175	-0.5	-1364.12	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB401	Combination	-90.546	119.78	0	0	0	44.8122	1936.18	1	-0.175	-0.5	-2453.58	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB401	Combination	-76.546	-9.634	0	0	0	-40.1709	1748.85	3	0.175	-0.5	-2186.25	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB401	Combination	-62.546	-94.279	0	0	0	50.1486	2277.56	1	-0.175	-0.5	-2634.96	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB402	Combination	-132.446	126.373	0	0	0	60.854	2602.18	1	-0.175	-0.5	-3359.02	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB402	Combination	-118.446	-1.665	0	0	0	-35.6883	1409.58	3	0.175	-0.5	-2086.42	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB402	Combination	-104.446	-95.295	0	0	0	48.6107	2082.51	1	-0.175	-0.5	-2679.35	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB403	Combination	-90.546	116.583	0	0	0	36.304	1519.45	1	-0.175	-0.5	-2036.86	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB403	Combination	-76.546	-14.359	0	0	0	-42.7606	1875.7	3	0.175	-0.5	-2313.1	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB403	Combination	-62.546	-103.43	0	0	0	58.8372	2703.12	1	-0.175	-0.5	-3060.52	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB404	Combination	-132.446	123.177	0	0	0	52.3458	2185.46	1	-0.175	-0.5	-2942.29	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB404	Combination	-118.446	-6.39	0	0	0	-38.2781	1536.43	3	0.175	-0.5	-2213.26	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB404	Combination	-104.446	-104.445	0	0	0	57.2993	2508.08	1	-0.175	-0.5	-3104.91	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB405	Combination	-90.546	133.658	0	0	0	53.5231	2362.84	1	-0.175	-0.5	-2880.24	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB405	Combination	-76.546	5.921	0	0	0	-54.6019	2455.68	3	0.175	-0.5	-2893.08	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB405	Combination	-62.546	-76.108	0	0	0	8.3536	230.45	1	-0.175	-0.5	-587.86	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB406	Combination	-132.446	140.251	0	0	0	69.5649	3028.84	1	-0.175	-0.5	-3785.68	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB406	Combination	-118.446	13.89	0	0	0	-50.1194	2116.41	3	0.175	-0.5	-2793.25	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB406	Combination	-104.446	-77.123	0	0	0	6.8156	35.41	1	-0.175	-0.5	-632.25	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB407	Combination	-90.546	130.462	0	0	0	45.0149	1946.11	1	-0.175	-0.5	-2463.51	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB407	Combination	-76.546	1.196	0	0	0	-57.1917	2582.53	3	0.175	-0.5	-3019.93	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB407	Combination	-62.546	-85.258	0	0	0	17.0421	656.01	1	-0.175	-0.5	-1013.42	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB408	Combination	-132.446	137.055	0	0	0	61.0567	2612.11	1	-0.175	-0.5	-3368.95	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB408	Combination	-118.446	9.165	0	0	0	-52.7092	2243.26	3	0.175	-0.5	-2920.09	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB408	Combination	-104.446	-86.274	0	0	0	15.5042	460.97	1	-0.175	-0.5	-1057.81	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB409	Combination	-95.834	126.328	0	0	0	50.6595	2207.47	1	-0.175	-0.5	-2755.09	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB409	Combination	-81.834	-5.448	0	0	0	-44.953	1967.97	3	0.175	-0.5	-2435.59	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB409	Combination	-67.834	-98.969	0	0	0	45.4599	2032.8	1	-0.175	-0.5	-2420.42	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB410	Combination	-137.734	132.921	0	0	0	66.7013	2873.47	1	-0.175	-0.5	-3660.53	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB410	Combination	-123.734	2.521	0	0	0	-40.4704	1628.7	3	0.175	-0.5	-2335.75	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB410	Combination	-109.734	-99.985	0	0	0	43.9219	1837.75	1	-0.175	-0.5	-2464.81	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB411	Combination	-95.834	124.41	0	0	0	45.5546	1957.43	1	-0.175	-0.5	-2505.05	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	C_COMB411	Combination	-81.834	-8.283	0	0	0	-46.5068	2044.08	3	0.175	-0.5	-2511.7	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB411	Combination	-67.834	-104.46	0	0	0	50.673	2288.13	1	-0.175	-0.5	-2675.75	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB412	Combination	-137.734	131.004	0	0	0	61.5964	2623.44	1	-0.175	-0.5	-3410.49	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB412	Combination	-123.734	-0.314	0	0	0	-42.0243	1704.81	3	0.175	-0.5	-2411.86	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB412	Combination	-109.734	-105.475	0	0	0	49.1351	2093.09	1	-0.175	-0.5	-2720.14	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB413	Combination	-95.834	134.655	0	0	0	55.886	2463.46	1	-0.175	-0.5	-3011.08	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB413	Combination	-81.834	3.885	0	0	0	-53.6116	2392.06	3	0.175	-0.5	-2859.69	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB413	Combination	-67.834	-88.066	0	0	0	20.3828	804.53	1	-0.175	-0.5	-1192.15	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB414	Combination	-137.734	141.249	0	0	0	71.9278	3129.47	1	-0.175	-0.5	-3916.52	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB414	Combination	-123.734	11.854	0	0	0	-49.1291	2052.79	3	0.175	-0.5	-2759.85	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB414	Combination	-109.734	-89.082	0	0	0	18.8449	609.49	1	-0.175	-0.5	-1236.54	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB415	Combination	-95.834	132.738	0	0	0	50.7811	2213.43	1	-0.175	-0.5	-2761.05	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB415	Combination	-81.834	1.05	0	0	0	-55.1655	2468.17	3	0.175	-0.5	-2935.79	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB415	Combination	-67.834	-93.557	0	0	0	25.596	1059.87	1	-0.175	-0.5	-1447.49	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB416	Combination	-137.734	139.331	0	0	0	66.8229	2879.43	1	-0.175	-0.5	-3666.49	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB416	Combination	-123.734	9.019	0	0	0	-50.6829	2128.9	3	0.175	-0.5	-2835.96	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB416	Combination	-109.734	-94.573	0	0	0	24.058	864.83	1	-0.175	-0.5	-1491.88	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB417	Combination	-105.565	116.158	0	0	0	49.6273	2129.11	1	-0.175	-0.5	-2732.34	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB417	Combination	-91.565	-6.332	0	0	0	-37.4238	1571.39	3	0.175	-0.5	-2094.62	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB417	Combination	-77.565	-90.644	0	0	0	47.3167	2095.94	1	-0.175	-0.5	-2539.17	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB418	Combination	-161.433	124.949	0	0	0	71.0163	3017.11	1	-0.175	-0.5	-3939.59	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB418	Combination	-147.433	4.293	0	0	0	-31.4471	1119.03	3	0.175	-0.5	-1961.5	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB418	Combination	-133.433	-91.999	0	0	0	45.2661	1835.88	1	-0.175	-0.5	-2598.35	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB419	Combination	-105.565	114.24	0	0	0	44.5224	1879.07	1	-0.175	-0.5	-2482.3	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB419	Combination	-91.565	-9.167	0	0	0	-38.9777	1647.5	3	0.175	-0.5	-2170.73	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB419	Combination	-77.565	-96.135	0	0	0	52.5298	2351.27	1	-0.175	-0.5	-2794.5	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB420	Combination	-161.433	123.031	0	0	0	65.9114	2767.08	1	-0.175	-0.5	-3689.55	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB420	Combination	-147.433	1.458	0	0	0	-33.001	1195.14	3	0.175	-0.5	-2037.61	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB420	Combination	-133.433	-97.489	0	0	0	50.4792	2091.22	1	-0.175	-0.5	-2853.69	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB421	Combination	-105.565	124.485	0	0	0	54.8538	2385.1	1	-0.175	-0.5	-2988.33	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB421	Combination	-91.565	3.001	0	0	0	-46.0825	1995.49	3	0.175	-0.5	-2518.72	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB421	Combination	-77.565	-79.741	0	0	0	22.2396	867.67	1	-0.175	-0.5	-1310.9	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB422	Combination	-161.433	133.276	0	0	0	76.2429	3273.11	1	-0.175	-0.5	-4195.58	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	C_COMB422	Combination	-147.433	13.626	0	0	0	-40.1058	1543.13	3	0.175	-0.5	-2385.6	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB422	Combination	-133.433	-81.096	0	0	0	20.1891	607.62	1	-0.175	-0.5	-1370.09	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB423	Combination	-105.565	122.567	0	0	0	49.7489	2135.07	1	-0.175	-0.5	-2738.3	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB423	Combination	-91.565	0.166	0	0	0	-47.6364	2071.59	3	0.175	-0.5	-2594.82	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB423	Combination	-77.565	-85.232	0	0	0	27.4528	1123.01	1	-0.175	-0.5	-1566.24	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB424	Combination	-161.433	131.359	0	0	0	71.138	3023.07	1	-0.175	-0.5	-3945.55	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB424	Combination	-147.433	10.791	0	0	0	-41.6596	1619.23	3	0.175	-0.5	-2461.71	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB424	Combination	-133.433	-86.586	0	0	0	25.4022	862.95	1	-0.175	-0.5	-1625.43	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB425	Combination	-95.762	114.93	0	0	0	48.4471	2099.32	1	-0.175	-0.5	-2646.53	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB425	Combination	-81.762	-7.595	0	0	0	-36.6487	1561.43	3	0.175	-0.5	-2028.65	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB425	Combination	-67.762	-92.24	0	0	0	50.409	2275.41	1	-0.175	-0.5	-2662.62	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB426	Combination	-137.663	121.523	0	0	0	64.4889	2765.32	1	-0.175	-0.5	-3551.96	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB426	Combination	-123.663	0.374	0	0	0	-32.1662	1222.16	3	0.175	-0.5	-1928.81	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB426	Combination	-109.663	-93.256	0	0	0	48.8711	2080.37	1	-0.175	-0.5	-2707.01	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB427	Combination	-95.762	111.734	0	0	0	39.939	1682.59	1	-0.175	-0.5	-2229.8	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB427	Combination	-81.762	-12.32	0	0	0	-39.2385	1688.28	3	0.175	-0.5	-2155.49	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB427	Combination	-67.762	-101.391	0	0	0	59.0976	2700.97	1	-0.175	-0.5	-3088.18	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB428	Combination	-137.663	118.327	0	0	0	55.9808	2348.59	1	-0.175	-0.5	-3135.24	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB428	Combination	-123.663	-4.351	0	0	0	-34.756	1349.01	3	0.175	-0.5	-2055.66	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB428	Combination	-109.663	-102.407	0	0	0	57.5597	2505.93	1	-0.175	-0.5	-3132.57	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB429	Combination	-95.762	128.809	0	0	0	57.1581	2525.97	1	-0.175	-0.5	-3073.18	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB429	Combination	-81.762	7.96	0	0	0	-51.0798	2268.26	3	0.175	-0.5	-2735.47	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB429	Combination	-67.762	-74.069	0	0	0	8.614	228.3	1	-0.175	-0.5	-615.52	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB430	Combination	-137.663	135.402	0	0	0	73.1999	3191.98	1	-0.175	-0.5	-3978.62	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB430	Combination	-123.663	15.929	0	0	0	-46.5973	1928.99	3	0.175	-0.5	-2635.64	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB430	Combination	-109.663	-75.085	0	0	0	7.0761	33.26	1	-0.175	-0.5	-659.9	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB431	Combination	-95.762	125.612	0	0	0	48.6499	2109.24	1	-0.175	-0.5	-2656.46	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB431	Combination	-81.762	3.235	0	0	0	-53.6696	2395.11	3	0.175	-0.5	-2862.32	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB431	Combination	-67.762	-83.22	0	0	0	17.3025	653.86	1	-0.175	-0.5	-1041.08	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB432	Combination	-137.663	132.206	0	0	0	64.6917	2775.25	1	-0.175	-0.5	-3561.89	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB432	Combination	-123.663	11.204	0	0	0	-49.187	2055.84	3	0.175	-0.5	-2762.48	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB432	Combination	-109.663	-84.236	0	0	0	15.7646	458.82	1	-0.175	-0.5	-1085.47	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB433	Combination	-88.807	122.579	0	0	0	43.0058	1852.67	1	-0.175	-0.5	-2360.14	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	C_COMB433	Combination	-74.807	-8.479	0	0	0	-44.1955	1950.95	3	0.175	-0.5	-2378.41	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB433	Combination	-60.807	-92.099	0	0	0	43.3077	1947.46	1	-0.175	-0.5	-2294.93	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB434	Combination	-130.708	129.173	0	0	0	59.0476	2518.68	1	-0.175	-0.5	-3265.58	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB434	Combination	-116.708	-0.51	0	0	0	-39.713	1611.68	3	0.175	-0.5	-2278.58	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB434	Combination	-102.708	-93.115	0	0	0	41.7697	1752.41	1	-0.175	-0.5	-2339.31	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB435	Combination	-88.807	120.662	0	0	0	37.9009	1602.64	1	-0.175	-0.5	-2110.1	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB435	Combination	-74.807	-11.314	0	0	0	-45.7494	2027.05	3	0.175	-0.5	-2454.52	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB435	Combination	-60.807	-97.589	0	0	0	48.5208	2202.79	1	-0.175	-0.5	-2550.26	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB436	Combination	-130.708	127.255	0	0	0	53.9427	2268.64	1	-0.175	-0.5	-3015.54	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB436	Combination	-116.708	-3.346	0	0	0	-41.2669	1687.78	3	0.175	-0.5	-2354.68	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB436	Combination	-102.708	-98.605	0	0	0	46.9829	2007.75	1	-0.175	-0.5	-2594.65	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB437	Combination	-88.807	130.906	0	0	0	48.2323	2108.67	1	-0.175	-0.5	-2616.13	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB437	Combination	-74.807	0.854	0	0	0	-52.8542	2375.04	3	0.175	-0.5	-2802.51	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB437	Combination	-60.807	-81.196	0	0	0	18.2306	719.19	1	-0.175	-0.5	-1066.66	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB438	Combination	-130.708	137.5	0	0	0	64.2741	2774.67	1	-0.175	-0.5	-3521.57	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB438	Combination	-116.708	8.823	0	0	0	-48.3716	2035.77	3	0.175	-0.5	-2702.67	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB438	Combination	-102.708	-82.212	0	0	0	16.6927	524.15	1	-0.175	-0.5	-1111.05	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB439	Combination	-88.807	128.989	0	0	0	43.1274	1858.63	1	-0.175	-0.5	-2366.1	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB439	Combination	-74.807	-1.981	0	0	0	-54.4081	2451.15	3	0.175	-0.5	-2878.62	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB439	Combination	-60.807	-86.686	0	0	0	23.4437	974.53	1	-0.175	-0.5	-1322	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB440	Combination	-130.708	135.582	0	0	0	59.1692	2524.63	1	-0.175	-0.5	-3271.53	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB440	Combination	-116.708	5.988	0	0	0	-49.9255	2111.88	3	0.175	-0.5	-2778.78	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB440	Combination	-102.708	-87.702	0	0	0	21.9058	779.49	1	-0.175	-0.5	-1366.39	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB441	Combination	-90.546	119.69	0	0	0	44.5717	1924.4	1	-0.175	-0.5	-2441.8	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB441	Combination	-76.546	-9.723	0	0	0	-40.2679	1753.6	3	0.175	-0.5	-2191.01	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB441	Combination	-62.546	-94.368	0	0	0	50.1949	2279.82	1	-0.175	-0.5	-2637.23	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB442	Combination	-132.446	126.283	0	0	0	60.6135	2590.41	1	-0.175	-0.5	-3347.24	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB442	Combination	-118.446	-1.754	0	0	0	-35.7854	1414.33	3	0.175	-0.5	-2091.17	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB442	Combination	-104.446	-95.384	0	0	0	48.657	2084.78	1	-0.175	-0.5	-2681.62	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB443	Combination	-90.546	116.494	0	0	0	36.0635	1507.67	1	-0.175	-0.5	-2025.08	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB443	Combination	-76.546	-14.448	0	0	0	-42.8577	1880.45	3	0.175	-0.5	-2317.85	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB443	Combination	-62.546	-103.519	0	0	0	58.8835	2705.39	1	-0.175	-0.5	-3062.79	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB444	Combination	-132.446	123.087	0	0	0	52.1053	2173.68	1	-0.175	-0.5	-2930.51	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	C_COMB444	Combination	-118.446	-6.479	0	0	0	-38.3751	1541.18	3	0.175	-0.5	-2218.02	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB444	Combination	-104.446	-104.535	0	0	0	57.3455	2510.34	1	-0.175	-0.5	-3107.18	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB445	Combination	-90.546	133.568	0	0	0	53.2826	2351.06	1	-0.175	-0.5	-2868.46	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB445	Combination	-76.546	5.832	0	0	0	-54.699	2460.43	3	0.175	-0.5	-2897.84	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB445	Combination	-62.546	-76.197	0	0	0	8.3998	232.72	1	-0.175	-0.5	-590.12	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB446	Combination	-132.446	140.162	0	0	0	69.3244	3017.06	1	-0.175	-0.5	-3773.9	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB446	Combination	-118.446	13.801	0	0	0	-50.2164	2121.16	3	0.175	-0.5	-2798	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB446	Combination	-104.446	-77.213	0	0	0	6.8619	37.68	1	-0.175	-0.5	-634.51	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB447	Combination	-90.546	130.372	0	0	0	44.7744	1934.33	1	-0.175	-0.5	-2451.73	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB447	Combination	-76.546	1.107	0	0	0	-57.2888	2587.28	3	0.175	-0.5	-3024.68	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB447	Combination	-62.546	-85.348	0	0	0	17.0884	658.28	1	-0.175	-0.5	-1015.68	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB448	Combination	-132.446	136.965	0	0	0	60.8162	2600.34	1	-0.175	-0.5	-3357.17	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB448	Combination	-118.446	9.076	0	0	0	-52.8062	2248.01	3	0.175	-0.5	-2924.84	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB448	Combination	-104.446	-86.364	0	0	0	15.5505	463.24	1	-0.175	-0.5	-1060.07	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB449	Combination	-90.546	120.963	0	0	0	44.2175	1907.05	1	-0.175	-0.5	-2424.45	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB449	Combination	-76.546	-7.8	0	0	0	-43.0215	1888.47	3	0.175	-0.5	-2325.88	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB449	Combination	-62.546	-91.419	0	0	0	43.3945	1946.74	1	-0.175	-0.5	-2304.14	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB450	Combination	-132.446	127.556	0	0	0	60.2593	2573.06	1	-0.175	-0.5	-3329.89	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB450	Combination	-118.446	0.169	0	0	0	-38.5389	1549.2	3	0.175	-0.5	-2226.04	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB450	Combination	-104.446	-92.435	0	0	0	41.8565	1751.7	1	-0.175	-0.5	-2348.53	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB451	Combination	-90.546	119.045	0	0	0	39.1125	1657.01	1	-0.175	-0.5	-2174.42	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB451	Combination	-76.546	-10.635	0	0	0	-44.5754	1964.58	3	0.175	-0.5	-2401.99	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB451	Combination	-62.546	-96.91	0	0	0	48.6076	2202.08	1	-0.175	-0.5	-2559.48	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB452	Combination	-132.446	125.638	0	0	0	55.1543	2323.02	1	-0.175	-0.5	-3079.86	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB452	Combination	-118.446	-2.666	0	0	0	-40.0928	1625.31	3	0.175	-0.5	-2302.15	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB452	Combination	-104.446	-97.926	0	0	0	47.0697	2007.03	1	-0.175	-0.5	-2603.87	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB453	Combination	-90.546	129.29	0	0	0	49.444	2163.05	1	-0.175	-0.5	-2680.45	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB453	Combination	-76.546	1.533	0	0	0	-51.6801	2312.57	3	0.175	-0.5	-2749.97	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB453	Combination	-62.546	-80.517	0	0	0	18.3174	718.48	1	-0.175	-0.5	-1075.88	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB454	Combination	-132.446	135.883	0	0	0	65.4858	2829.05	1	-0.175	-0.5	-3585.89	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB454	Combination	-118.446	9.502	0	0	0	-47.1976	1973.3	3	0.175	-0.5	-2650.14	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB454	Combination	-104.446	-81.532	0	0	0	16.7795	523.43	1	-0.175	-0.5	-1120.27	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB455	Combination	-90.546	127.372	0	0	0	44.3391	1913.01	1	-0.175	-0.5	-2430.41	3
	0.175	-0.5	01-ago	0											



## Allegati alla relazione di Calcolo

8	1.6	C_COMB455	Combination	-76.546	-1.302	0	0	0	-53.234	2388.68	3	0.175	-0.5	-2826.08	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB455	Combination	-62.546	-86.007	0	0	0	23.5305	973.81	1	-0.175	-0.5	-1331.22	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB456	Combination	-132.446	133.965	0	0	0	60.3809	2579.01	1	-0.175	-0.5	-3335.85	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB456	Combination	-118.446	6.667	0	0	0	-48.7515	2049.41	3	0.175	-0.5	-2726.24	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB456	Combination	-104.446	-87.023	0	0	0	21.9926	778.77	1	-0.175	-0.5	-1375.61	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB457	Combination	-66.352	116.873	0	0	0	43.9824	1964.66	1	-0.175	-0.5	-2343.82	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB457	Combination	-52.352	-2.993	0	0	0	-45.7917	2093.28	3	0.175	-0.5	-2392.43	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB457	Combination	-38.352	-84.278	0	0	0	30.6724	1392.75	1	-0.175	-0.5	-1611.9	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB458	Combination	-66.352	115.275	0	0	0	39.7284	1756.3	1	-0.175	-0.5	-2135.46	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB458	Combination	-52.352	-5.356	0	0	0	-47.0866	2156.7	3	0.175	-0.5	-2455.86	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB458	Combination	-38.352	-88.854	0	0	0	35.0167	1605.53	1	-0.175	-0.5	-1824.68	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB459	Combination	-66.352	123.812	0	0	0	48.3379	2177.99	1	-0.175	-0.5	-2557.15	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB459	Combination	-52.352	4.784	0	0	0	-53.0072	2446.69	3	0.175	-0.5	-2745.85	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB459	Combination	-38.352	-75.193	0	0	0	9.7749	369.19	1	-0.175	-0.5	-588.35	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB460	Combination	-66.352	122.214	0	0	0	44.0838	1969.63	1	-0.175	-0.5	-2348.78	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB460	Combination	-52.352	2.422	0	0	0	-54.3021	2510.12	3	0.175	-0.5	-2809.27	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB460	Combination	-38.352	-79.768	0	0	0	14.1192	581.97	1	-0.175	-0.5	-801.13	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB461	Combination	-95.547	86.363	0	0	0	40.8858	1729.58	1	-0.175	-0.5	-2275.56	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB461	Combination	-81.547	-5.645	0	0	0	-23.2043	903.54	3	0.175	-0.5	-1369.53	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB461	Combination	-67.547	-59.304	0	0	0	36.2429	1582.17	1	-0.175	-0.5	-1968.15	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB462	Combination	-95.547	84.765	0	0	0	36.6317	1521.22	1	-0.175	-0.5	-2067.2	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB462	Combination	-81.547	-8.008	0	0	0	-24.4992	966.97	3	0.175	-0.5	-1432.95	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB462	Combination	-67.547	-63.879	0	0	0	40.5872	1794.95	1	-0.175	-0.5	-2180.94	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB463	Combination	-95.547	93.302	0	0	0	45.2413	1942.91	1	-0.175	-0.5	-2488.89	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB463	Combination	-81.547	2.133	0	0	0	-30.4198	1256.96	3	0.175	-0.5	-1722.94	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB463	Combination	-67.547	-50.218	0	0	0	15.3454	558.62	1	-0.175	-0.5	-944.6	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB464	Combination	-95.547	91.704	0	0	0	40.9872	1734.54	1	-0.175	-0.5	-2280.53	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB464	Combination	-81.547	-0.23	0	0	0	-31.7147	1320.38	3	0.175	-0.5	-1786.37	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB464	Combination	-67.547	-54.793	0	0	0	19.6896	771.4	1	-0.175	-0.5	-1157.38	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB465	Combination	-137.448	92.956	0	0	0	56.9276	2395.58	1	-0.175	-0.5	-3181	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB465	Combination	-123.448	2.324	0	0	0	-18.7217	564.27	3	0.175	-0.5	-1269.69	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB465	Combination	-109.448	-60.319	0	0	0	34.705	1387.13	1	-0.175	-0.5	-2012.54	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB466	Combination	-137.448	91.358	0	0	0	52.6735	2187.22	1	-0.175	-0.5	-2972.64	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	D_COMB466	Combination	-123.448	-0.039	0	0	0	-20.0166	627.7	3	0.175	-0.5	-1333.11	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB466	Combination	-109.448	-64.895	0	0	0	39.0492	1599.91	1	-0.175	-0.5	-2225.32	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB467	Combination	-137.448	99.895	0	0	0	61.2831	2608.91	1	-0.175	-0.5	-3394.33	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB467	Combination	-123.448	10.102	0	0	0	-25.9373	917.69	3	0.175	-0.5	-1623.11	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB467	Combination	-109.448	-51.234	0	0	0	13.8074	363.57	1	-0.175	-0.5	-988.99	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB468	Combination	-137.448	98.297	0	0	0	57.029	2400.55	1	-0.175	-0.5	-3185.97	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB468	Combination	-123.448	7.739	0	0	0	-27.2322	981.11	3	0.175	-0.5	-1686.53	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB468	Combination	-109.448	-55.809	0	0	0	18.1517	576.35	1	-0.175	-0.5	-1201.77	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB469	Combination	-66.137	86.262	0	0	0	36.5918	1603.29	1	-0.175	-0.5	-1981.21	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB469	Combination	-52.137	-4.063	0	0	0	-28.3624	1240.21	3	0.175	-0.5	-1538.14	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB469	Combination	-38.137	-55.9	0	0	0	26.7763	1202.53	1	-0.175	-0.5	-1420.46	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB470	Combination	-66.137	84.344	0	0	0	31.4869	1353.25	1	-0.175	-0.5	-1731.18	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB470	Combination	-52.137	-6.898	0	0	0	-29.9163	1316.32	3	0.175	-0.5	-1614.25	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB470	Combination	-38.137	-61.39	0	0	0	31.9895	1457.87	1	-0.175	-0.5	-1675.8	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB471	Combination	-66.137	94.589	0	0	0	41.8183	1859.28	1	-0.175	-0.5	-2237.21	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB471	Combination	-52.137	5.271	0	0	0	-37.021	1664.31	3	0.175	-0.5	-1962.24	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB471	Combination	-38.137	-44.997	0	0	0	1.6993	-25.73	1	-0.175	-0.5	-192.2	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB472	Combination	-66.137	92.671	0	0	0	36.7134	1609.24	1	-0.175	-0.5	-1987.17	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB472	Combination	-52.137	2.436	0	0	0	-38.5749	1740.42	3	0.175	-0.5	-2038.35	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB472	Combination	-38.137	-50.487	0	0	0	6.9124	229.6	1	-0.175	-0.5	-447.53	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB473	Combination	-66.137	86.498	0	0	0	36.2828	1588.15	1	-0.175	-0.5	-1966.08	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB473	Combination	-52.137	-3.664	0	0	0	-29.1397	1278.29	3	0.175	-0.5	-1576.22	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB473	Combination	-38.137	-55.244	0	0	0	25.1186	1121.34	1	-0.175	-0.5	-1339.27	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB474	Combination	-66.137	84.9	0	0	0	32.0287	1379.79	1	-0.175	-0.5	-1757.72	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB474	Combination	-52.137	-6.026	0	0	0	-30.4346	1341.71	3	0.175	-0.5	-1639.64	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB474	Combination	-38.137	-59.82	0	0	0	29.4629	1334.12	1	-0.175	-0.5	-1552.05	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB475	Combination	-66.137	93.437	0	0	0	40.6382	1801.48	1	-0.175	-0.5	-2179.41	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB475	Combination	-52.137	4.114	0	0	0	-36.3553	1631.7	3	0.175	-0.5	-1929.63	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB475	Combination	-38.137	-46.159	0	0	0	4.2211	97.78	1	-0.175	-0.5	-315.71	3
	0.175	-0.5	07-ago	0.45714											
8	0	D_COMB476	Combination	-66.137	91.839	0	0	0	36.3841	1593.12	1	-0.175	-0.5	-1971.04	3
	0.175	-0.5	01-ago	0											
8	1.6	D_COMB476	Combination	-52.137	1.751	0	0	0	-37.6502	1695.13	3	0.175	-0.5	-1993.05	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	D_COMB476	Combination	-38.137	-50.734	0	0	0	8.5654	310.56	1	-0.175	-0.5	-528.49	3
	0.175	-0.5	07-ago	0.45714											
8	0	E_COMB477	Combination	-66.137	86.588	0	0	0	36.5232	1599.93	1	-0.175	-0.5	-1977.86	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	E_COMB477	Combination	-52.137	-3.574	0	0	0	-29.0427	1273.54	3	0.175	-0.5	-1571.46	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	E_COMB477	Combination	-38.137	-55.155	0	0	0	25.0724	1119.07	1	-0.175	-0.5	-1337	3
	0.175	-0.5	07-ago	0.45714											
8	0	E_COMB478	Combination	-66.137	84.99	0	0	0	32.2692	1391.57	1	-0.175	-0.5	-1769.49	3
	0.175	-0.5	01-ago	0											
8	1.6	E_COMB478	Combination	-52.137	-5.937	0	0	0	-30.3376	1336.96	3	0.175	-0.5	-1634.89	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	E_COMB478	Combination	-38.137	-59.73	0	0	0	29.4167	1331.85	1	-0.175	-0.5	-1549.78	3
	0.175	-0.5	07-ago	0.45714											
8	0	E_COMB479	Combination	-66.137	93.527	0	0	0	40.8787	1813.26	1	-0.175	-0.5	-2191.19	3
	0.175	-0.5	01-ago	0											
8	1.6	E_COMB479	Combination	-52.137	4.203	0	0	0	-36.2582	1626.95	3	0.175	-0.5	-1924.88	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	E_COMB479	Combination	-38.137	-46.069	0	0	0	4.1748	95.52	1	-0.175	-0.5	-313.45	3
	0.175	-0.5	07-ago	0.45714											
8	0	E_COMB480	Combination	-66.137	91.929	0	0	0	36.6246	1604.89	1	-0.175	-0.5	-1982.82	3
	0.175	-0.5	01-ago	0											
8	1.6	E_COMB480	Combination	-52.137	1.841	0	0	0	-37.5531	1690.37	3	0.175	-0.5	-1988.3	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	E_COMB480	Combination	-38.137	-50.645	0	0	0	8.5191	308.3	1	-0.175	-0.5	-526.23	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB179	Combination	-53.845	133.929	0	0	0	42.7563	1940.34	1	-0.175	-0.5	-2248.03	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB179	Combination	-42.561	-1.194	0	0	0	-61.109	2871.49	3	0.175	-0.5	-3114.7	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB179	Combination	-31.277	-97.066	0	0	0	24.0854	1090.33	1	-0.175	-0.5	-1269.05	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB180	Combination	-53.845	133.929	0	0	0	42.7563	1940.34	1	-0.175	-0.5	-2248.03	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB180	Combination	-42.561	-1.194	0	0	0	-61.109	2871.49	3	0.175	-0.5	-3114.7	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB180	Combination	-31.277	-97.066	0	0	0	24.0854	1090.33	1	-0.175	-0.5	-1269.05	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB183	Combination	-46.594	109.926	0	0	0	36.5539	1657.27	1	-0.175	-0.5	-1923.52	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB183	Combination	-38.026	-1.787	0	0	0	-48.1891	2251.64	3	0.175	-0.5	-2468.93	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB183	Combination	-29.458	-74.436	0	0	0	19.4666	869.3	1	-0.175	-0.5	-1037.63	3
	0.175	-0.5	07-ago	0.45714											
8	0	A_COMB184	Combination	-46.594	109.926	0	0	0	36.5539	1657.27	1	-0.175	-0.5	-1923.52	3
	0.175	-0.5	01-ago	0											
8	1.6	A_COMB184	Combination	-38.026	-1.787	0	0	0	-48.1891	2251.64	3	0.175	-0.5	-2468.93	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	A_COMB184	Combination	-29.458	-74.436	0	0	0	19.4666	869.3	1	-0.175	-0.5	-1037.63	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB187	Combination	-116.467	185.851	0	0	0	62.8737	2746.77	1	-0.175	-0.5	-3412.29	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB187	Combination	-97.567	-11.121	0	0	0	-75.1341	3401.27	3	0.175	-0.5	-3958.8	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB187	Combination	-78.667	-149.832	0	0	0	64.1374	2916.66	1	-0.175	-0.5	-3366.19	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB188	Combination	-164.653	193.433	0	0	0	81.3218	3512.67	1	-0.175	-0.5	-4453.54	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB188	Combination	-145.753	-1.956	0	0	0	-69.9791	3011.11	3	0.175	-0.5	-3843.99	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB188	Combination	-126.853	-151	0	0	0	62.3688	2692.36	1	-0.175	-0.5	-3417.23	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB191	Combination	-116.467	194.178	0	0	0	68.1003	3002.76	1	-0.175	-0.5	-3668.28	3
	0.175	-0.5	01-ago	0											
8	1.6	B_COMB191	Combination	-97.567	-1.787	0	0	0	-83.7927	3825.37	3	0.175	-0.5	-4382.9	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB191	Combination	-78.667	-138.929	0	0	0	39.0604	1688.4	1	-0.175	-0.5	-2137.92	3
	0.175	-0.5	07-ago	0.45714											
8	0	B_COMB192	Combination	-164.653	201.76	0	0	0	86.5483	3768.67	1	-0.175	-0.5	-4709.54	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	B_COMB192	Combination	-145.753	7.377	0	0	0	-78.6378	3435.21	3	0.175	-0.5	-4268.08	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	B_COMB192	Combination	-126.853	-140.097	0	0	0	37.2918	1464.1	1	-0.175	-0.5	-2188.97	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB371	Combination	-95.834	124.5	0	0	0	45.795	1969.21	1	-0.175	-0.5	-2516.83	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB371	Combination	-81.834	-8.194	0	0	0	-46.4098	2039.32	3	0.175	-0.5	-2506.94	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB371	Combination	-67.834	-104.37	0	0	0	50.6267	2285.87	1	-0.175	-0.5	-2673.49	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB372	Combination	-137.734	131.093	0	0	0	61.8369	2635.22	1	-0.175	-0.5	-3422.27	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB372	Combination	-123.734	-0.225	0	0	0	-41.9272	1700.05	3	0.175	-0.5	-2407.11	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB372	Combination	-109.734	-105.386	0	0	0	49.0888	2090.82	1	-0.175	-0.5	-2717.88	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB375	Combination	-95.834	132.827	0	0	0	51.0216	2225.21	1	-0.175	-0.5	-2772.83	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB375	Combination	-81.834	1.139	0	0	0	-55.0684	2463.42	3	0.175	-0.5	-2931.04	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB375	Combination	-67.834	-93.467	0	0	0	25.5497	1057.6	1	-0.175	-0.5	-1445.22	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB376	Combination	-137.734	139.42	0	0	0	67.0634	2891.21	1	-0.175	-0.5	-3678.26	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB376	Combination	-123.734	9.108	0	0	0	-50.5859	2124.15	3	0.175	-0.5	-2831.2	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB376	Combination	-109.734	-94.483	0	0	0	24.0118	862.56	1	-0.175	-0.5	-1489.61	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB379	Combination	-105.565	114.33	0	0	0	44.7628	1890.85	1	-0.175	-0.5	-2494.08	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB379	Combination	-91.565	-9.078	0	0	0	-38.8807	1642.74	3	0.175	-0.5	-2165.97	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB379	Combination	-77.565	-96.045	0	0	0	52.4835	2349.01	1	-0.175	-0.5	-2792.24	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB380	Combination	-161.433	123.121	0	0	0	66.1519	2778.86	1	-0.175	-0.5	-3701.33	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB380	Combination	-147.433	1.548	0	0	0	-32.9039	1190.38	3	0.175	-0.5	-2032.86	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB380	Combination	-133.433	-97.4	0	0	0	50.433	2088.95	1	-0.175	-0.5	-2851.42	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB383	Combination	-105.565	122.657	0	0	0	49.9894	2146.84	1	-0.175	-0.5	-2750.08	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB383	Combination	-91.565	0.255	0	0	0	-47.5393	2066.84	3	0.175	-0.5	-2590.07	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB383	Combination	-77.565	-85.142	0	0	0	27.4065	1120.74	1	-0.175	-0.5	-1563.97	3
	0.175	-0.5	07-ago	0.45714											
8	0	C_COMB384	Combination	-161.433	131.448	0	0	0	71.3785	3034.85	1	-0.175	-0.5	-3957.33	3
	0.175	-0.5	01-ago	0											
8	1.6	C_COMB384	Combination	-147.433	10.881	0	0	0	-41.5626	1614.48	3	0.175	-0.5	-2456.95	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	C_COMB384	Combination	-133.433	-86.497	0	0	0	25.3559	860.69	1	-0.175	-0.5	-1623.16	3
	0.175	-0.5	07-ago	0.45714											
8	0	F_COMB481	Combination	-66.855	109.694	0	0	0	40.5335	1794.3	1	-0.175	-0.5	-2176.33	3
	0.175	-0.5	01-ago	0											
8	1.6	F_COMB481	Combination	-52.148	-0.872	0	0	0	-44.9285	2051.59	3	0.175	-0.5	-2349.58	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	F_COMB481	Combination	-37.441	-72.249	0	0	0	20.3996	892.19	1	-0.175	-0.5	-1106.14	3
	0.175	-0.5	07-ago	0.45714											
8	0	F_COMB482	Combination	-66.855	109.694	0	0	0	40.5335	1794.3	1	-0.175	-0.5	-2176.33	3
	0.175	-0.5	01-ago	0											
8	1.6	F_COMB482	Combination	-52.148	-0.872	0	0	0	-44.9285	2051.59	3	0.175	-0.5	-2349.58	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	F_COMB482	Combination	-37.441	-72.249	0	0	0	20.3996	892.19	1	-0.175	-0.5	-1106.14	3
	0.175	-0.5	07-ago	0.45714											
8	0	F_COMB483	Combination	-62.205	109.296	0	0	0	39.522	1758.04	1	-0.175	-0.5	-2113.5	3
	0.175	-0.5	01-ago	0											

## Allegati alla relazione di Calcolo

8	1.6	F_COMB483	Combination	-48.912	-1.088	0	0	0	-45.4187	2084.84	3	0.175	-0.5	-2364.34	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	F_COMB483	Combination	-35.619	-72.314	0	0	0	20.1037	882.9	1	-0.175	-0.5	-1086.44	3
	0.175	-0.5	07-ago	0.45714											
8	0	F_COMB484	Combination	-62.205	109.296	0	0	0	39.522	1758.04	1	-0.175	-0.5	-2113.5	3
	0.175	-0.5	01-ago	0											
8	1.6	F_COMB484	Combination	-48.912	-1.088	0	0	0	-45.4187	2084.84	3	0.175	-0.5	-2364.34	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	F_COMB484	Combination	-35.619	-72.314	0	0	0	20.1037	882.9	1	-0.175	-0.5	-1086.44	3
	0.175	-0.5	07-ago	0.45714											
8	0	F_COMB485	Combination	-69.984	99.254	0	0	0	39.1158	1715.92	1	-0.175	-0.5	-2115.83	3
	0.175	-0.5	01-ago	0											
8	1.6	F_COMB485	Combination	-54.57	-0.84	0	0	0	-38.3187	1720.92	3	0.175	-0.5	-2032.75	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	F_COMB485	Combination	-39.156	-61.791	0	0	0	18.6979	803.94	1	-0.175	-0.5	-1027.69	3
	0.175	-0.5	07-ago	0.45714											
8	0	F_COMB486	Combination	-69.984	99.254	0	0	0	39.1158	1715.92	1	-0.175	-0.5	-2115.83	3
	0.175	-0.5	01-ago	0											
8	1.6	F_COMB486	Combination	-54.57	-0.84	0	0	0	-38.3187	1720.92	3	0.175	-0.5	-2032.75	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	F_COMB486	Combination	-39.156	-61.791	0	0	0	18.6979	803.94	1	-0.175	-0.5	-1027.69	3
	0.175	-0.5	07-ago	0.45714											
8	0	F_COMB487	Combination	-60.684	98.457	0	0	0	37.0926	1643.4	1	-0.175	-0.5	-1990.16	3
	0.175	-0.5	01-ago	0											
8	1.6	F_COMB487	Combination	-48.098	-1.273	0	0	0	-39.2992	1787.43	3	0.175	-0.5	-2062.28	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	F_COMB487	Combination	-35.512	-61.921	0	0	0	18.1062	785.37	1	-0.175	-0.5	-988.3	3
	0.175	-0.5	07-ago	0.45714											
8	0	F_COMB488	Combination	-60.684	98.457	0	0	0	37.0926	1643.4	1	-0.175	-0.5	-1990.16	3
	0.175	-0.5	01-ago	0											
8	1.6	F_COMB488	Combination	-48.098	-1.273	0	0	0	-39.2992	1787.43	3	0.175	-0.5	-2062.28	1
	-0.175	-0.5	04-ago	0.22857											
8	3.2	F_COMB488	Combination	-35.512	-61.921	0	0	0	18.1062	785.37	1	-0.175	-0.5	-988.3	3
	0.175	-0.5	07-ago	0.45714											
12	0	A_COMB_0_0_STR	Combination	0.76	-20.895	0	0	0	-1.9257	77.92	3	0.195	-0.5	-74.02	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB_0_0_STR	Combination	0.76	-20.32	0	0	0	-1.0242	42.35	3	0.195	-0.5	-38.45	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB_0_0_STR	Combination	0.76	-19.744	0	0	0	-0.1478	7.78	3	0.195	-0.5	-3.88	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB_0_1_STR	Combination	0.76	-20.895	0	0	0	-1.9257	77.92	3	0.195	-0.5	-74.02	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB_0_1_STR	Combination	0.76	-20.32	0	0	0	-1.0242	42.35	3	0.195	-0.5	-38.45	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB_0_1_STR	Combination	0.76	-19.744	0	0	0	-0.1478	7.78	3	0.195	-0.5	-3.88	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB_0_2_STR	Combination	-89.715	-20.895	0	0	0	-40.4994	1367.57	3	0.195	-0.5	-1827.65	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB_0_2_STR	Combination	-89.715	-20.32	0	0	0	-39.5978	1332	3	0.195	-0.5	-1792.08	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB_0_2_STR	Combination	-89.715	-19.744	0	0	0	-38.7214	1297.43	3	0.195	-0.5	-1757.51	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB_0_2_1_STR	Combination	-92.042	-46.613	0	0	0	-45.4731	1557.81	3	0.195	-0.5	-	
2029.82	1	-0.195	-0.5	01-dic	0										
12	0.04375	A_COMB_0_2_1_STR	Combination	-92.042	-45.328	0	0	0	-43.4619	1478.47	3	0.195	-0.5	-	
1950.48	1	-0.195	-0.5	01-dic	0.04375										
12	0.0875	A_COMB_0_2_1_STR	Combination	-92.042	-44.044	0	0	0	-41.5069	1401.35	3	0.195	-0.5	-	
1873.36	1	-0.195	-0.5	01-dic	0.0875										
12	0	A_COMB_0_3_STR	Combination	-92.042	-46.613	0	0	0	-45.4731	1557.81	3	0.195	-0.5	-2029.82	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB_0_3_STR	Combination	-92.042	-45.328	0	0	0	-43.4619	1478.47	3	0.195	-0.5	-1950.48	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB_0_3_STR	Combination	-92.042	-44.044	0	0	0	-41.5069	1401.35	3	0.195	-0.5	-1873.36	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB_0_4_STR	Combination	-87.352	-46.613	0	0	0	-37.6908	1262.84	3	0.195	-0.5	-1710.8	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	A_COMB_0_4_STR	Combination	-87.352	-45.328	0	0	0	-35.6796	1183.5	3	0.195	-0.5	-1631.46	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB_0_4_STR	Combination	-87.352	-44.044	0	0	0	-33.7246	1106.38	3	0.195	-0.5	-1554.34	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB_0_1_GEO	Combination	0.76	-20.895	0	0	0	-1.9257	77.92	3	0.195	-0.5	-74.02	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB_0_1_GEO	Combination	0.76	-20.32	0	0	0	-1.0242	42.35	3	0.195	-0.5	-38.45	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB_0_1_GEO	Combination	0.76	-19.744	0	0	0	-0.1478	7.78	3	0.195	-0.5	-3.88	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB_0_2_GEO	Combination	-93.256	-20.895	0	0	0	-42.0092	1418.05	3	0.195	-0.5	-1896.29	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB_0_2_GEO	Combination	-93.256	-20.32	0	0	0	-41.1077	1382.48	3	0.195	-0.5	-1860.72	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB_0_2_GEO	Combination	-93.256	-19.744	0	0	0	-40.2313	1347.91	3	0.195	-0.5	-1826.15	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB_0_0_GEO	Combination	0.563	-15.478	0	0	0	-1.4265	57.72	3	0.195	-0.5	-54.83	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB_0_0_GEO	Combination	0.563	-15.052	0	0	0	-0.7586	31.37	3	0.195	-0.5	-28.48	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB_0_0_GEO	Combination	0.563	-14.625	0	0	0	-0.1095	5.76	3	0.195	-0.5	-2.87	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB_0_2_1_GEO	Combination	-94.98	-39.945	0	0	0	0	-45.6935	1558.97	3	0.195	-0.5	-
2046.04	1	-0.195	-0.5	01-dic	0										
12	0.04375	B_COMB_0_2_1_GEO	Combination	-94.98	-38.845	0	0	0	0	-43.97	1490.98	3	0.195	-0.5	-
1978.05	1	-0.195	-0.5	01-dic	0.04375										
12	0.0875	B_COMB_0_2_1_GEO	Combination	-94.98	-37.744	0	0	0	0	-42.2946	1424.89	3	0.195	-0.5	-
1911.96	1	-0.195	-0.5	01-dic	0.0875										
12	0	B_COMB_0_3_GEO	Combination	-94.98	-39.945	0	0	0	-45.6935	1558.97	3	0.195	-0.5	-2046.04	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB_0_3_GEO	Combination	-94.98	-38.845	0	0	0	-43.97	1490.98	3	0.195	-0.5	-1978.05	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB_0_3_GEO	Combination	-94.98	-37.744	0	0	0	-42.2946	1424.89	3	0.195	-0.5	-1911.96	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB_0_4_GEO	Combination	-91.072	-39.945	0	0	0	-39.2082	1313.16	3	0.195	-0.5	-1780.19	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB_0_4_GEO	Combination	-91.072	-38.845	0	0	0	-37.4847	1245.17	3	0.195	-0.5	-1712.2	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB_0_4_GEO	Combination	-91.072	-37.744	0	0	0	-35.8093	1179.08	3	0.195	-0.5	-1646.11	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB1	Combination	-157.587	-86.703	0	0	0	-84.6675	2935.87	3	0.195	-0.5	-3744.01	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB1	Combination	-157.587	-85.418	0	0	0	-80.9023	2787.34	3	0.195	-0.5	-3595.48	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB1	Combination	-157.587	-84.134	0	0	0	-77.1934	2641.03	3	0.195	-0.5	-3449.17	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB2	Combination	-167.017	-143.269	0	0	0	-79.098	2691.99	3	0.195	-0.5	-3548.49	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB2	Combination	-167.017	-141.984	0	0	0	-72.8581	2445.84	3	0.195	-0.5	-3302.34	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB2	Combination	-167.017	-140.7	0	0	0	-66.6744	2201.9	3	0.195	-0.5	-3058.4	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB3	Combination	-165.639	-86.703	0	0	0	-92.4258	3221.27	3	0.195	-0.5	-4070.7	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB3	Combination	-165.639	-85.418	0	0	0	-88.6607	3072.75	3	0.195	-0.5	-3922.18	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB3	Combination	-165.639	-84.134	0	0	0	-84.9517	2926.44	3	0.195	-0.5	-3775.87	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB4	Combination	-175.07	-143.269	0	0	0	-86.8564	2977.39	3	0.195	-0.5	-3875.18	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB4	Combination	-175.07	-141.984	0	0	0	-80.6164	2731.24	3	0.195	-0.5	-3629.03	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB4	Combination	-175.07	-140.7	0	0	0	-74.4327	2487.31	3	0.195	-0.5	-3385.1	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB5	Combination	-144.358	-86.703	0	0	0	-51.9973	1681.03	3	0.195	-0.5	-2421.32	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	A_COMB5	Combination	-144.358	-85.418	0	0	0	-48.2322	1532.5	3	0.195	-0.5	-2272.8	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB5	Combination	-144.358	-84.134	0	0	0	-44.5232	1386.19	3	0.195	-0.5	-2126.49	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB6	Combination	-153.788	-143.269	0	0	0	-46.4279	1437.15	3	0.195	-0.5	-2225.8	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB6	Combination	-153.788	-141.984	0	0	0	-40.188	1191	3	0.195	-0.5	-1979.65	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB6	Combination	-153.788	-140.7	0	0	0	-34.0043	947.06	3	0.195	-0.5	-1735.72	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB7	Combination	-152.41	-86.703	0	0	0	-59.7556	1966.43	3	0.195	-0.5	-2748.02	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB7	Combination	-152.41	-85.418	0	0	0	-55.9905	1817.9	3	0.195	-0.5	-2599.49	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB7	Combination	-152.41	-84.134	0	0	0	-52.2816	1671.59	3	0.195	-0.5	-2453.18	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB8	Combination	-161.84	-143.269	0	0	0	-54.1862	1722.55	3	0.195	-0.5	-2552.5	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB8	Combination	-161.84	-141.984	0	0	0	-47.9463	1476.4	3	0.195	-0.5	-2306.35	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB8	Combination	-161.84	-140.7	0	0	0	-41.7626	1232.46	3	0.195	-0.5	-2062.41	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB9	Combination	-144.782	-99.841	0	0	0	-83.6856	2929.97	3	0.195	-0.5	-3672.44	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB9	Combination	-144.782	-98.556	0	0	0	-79.3457	2758.77	3	0.195	-0.5	-3501.24	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB9	Combination	-144.782	-97.271	0	0	0	-75.062	2589.79	3	0.195	-0.5	-3332.26	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB10	Combination	-157.356	-175.262	0	0	0	-76.2597	2604.79	3	0.195	-0.5	-3411.75	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB10	Combination	-157.356	-173.977	0	0	0	-68.6201	2303.43	3	0.195	-0.5	-3110.38	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB10	Combination	-157.356	-172.693	0	0	0	-61.0367	2004.28	3	0.195	-0.5	-2811.23	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB11	Combination	-152.834	-99.841	0	0	0	-91.4439	3215.37	3	0.195	-0.5	-3999.14	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB11	Combination	-152.834	-98.556	0	0	0	-87.104	3044.17	3	0.195	-0.5	-3827.94	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB11	Combination	-152.834	-97.271	0	0	0	-82.8203	2875.19	3	0.195	-0.5	-3658.96	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB12	Combination	-165.408	-175.262	0	0	0	-84.018	2890.2	3	0.195	-0.5	-3738.44	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB12	Combination	-165.408	-173.977	0	0	0	-76.3784	2588.83	3	0.195	-0.5	-3437.08	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB12	Combination	-165.408	-172.693	0	0	0	-68.795	2289.68	3	0.195	-0.5	-3137.93	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB13	Combination	-131.553	-99.841	0	0	0	-51.0154	1675.13	3	0.195	-0.5	-2349.76	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB13	Combination	-131.553	-98.556	0	0	0	-46.6755	1503.93	3	0.195	-0.5	-2178.56	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB13	Combination	-131.553	-97.271	0	0	0	-42.3918	1334.95	3	0.195	-0.5	-2009.57	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB14	Combination	-144.127	-175.262	0	0	0	-43.5895	1349.95	3	0.195	-0.5	-2089.06	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB14	Combination	-144.127	-173.977	0	0	0	-35.9499	1048.59	3	0.195	-0.5	-1787.7	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB14	Combination	-144.127	-172.693	0	0	0	-28.3665	749.44	3	0.195	-0.5	-1488.55	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB15	Combination	-141.951	-99.841	0	0	0	-60.4869	2022.09	3	0.195	-0.5	-2750.05	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB15	Combination	-141.951	-98.556	0	0	0	-56.1469	1850.89	3	0.195	-0.5	-2578.85	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB15	Combination	-141.951	-97.271	0	0	0	-51.8632	1681.91	3	0.195	-0.5	-2409.86	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB16	Combination	-152.179	-175.262	0	0	0	-51.3478	1635.35	3	0.195	-0.5	-2415.76	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	A_COMB16	Combination	-152.179	-173.977	0	0	0	-43.7082	1333.99	3	0.195	-0.5	-2114.39	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB16	Combination	-152.179	-172.693	0	0	0	-36.1248	1034.84	3	0.195	-0.5	-1815.24	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB17	Combination	-146.524	-86.606	0	0	0	-88.335	3108.91	3	0.195	-0.5	-3860.32	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB17	Combination	-146.524	-85.322	0	0	0	-84.5741	2960.55	3	0.195	-0.5	-3711.96	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB17	Combination	-146.524	-84.037	0	0	0	-80.8694	2814.41	3	0.195	-0.5	-3565.82	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB18	Combination	-155.954	-143.172	0	0	0	-82.7656	2865.03	3	0.195	-0.5	-3664.8	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB18	Combination	-155.954	-141.888	0	0	0	-76.5299	2619.05	3	0.195	-0.5	-3418.81	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB18	Combination	-155.954	-140.603	0	0	0	-70.3504	2375.28	3	0.195	-0.5	-3175.05	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB19	Combination	-159.944	-86.606	0	0	0	-101.2656	3584.58	3	0.195	-0.5	-4404.81	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB19	Combination	-159.944	-85.322	0	0	0	-97.5047	3436.22	3	0.195	-0.5	-4256.45	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB19	Combination	-159.944	-84.037	0	0	0	-93.7999	3290.08	3	0.195	-0.5	-4110.31	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB20	Combination	-169.375	-143.172	0	0	0	-95.6961	3340.7	3	0.195	-0.5	-4209.29	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB20	Combination	-169.375	-141.888	0	0	0	-89.4604	3094.72	3	0.195	-0.5	-3963.31	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB20	Combination	-169.375	-140.603	0	0	0	-83.281	2850.95	3	0.195	-0.5	-3719.54	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB21	Combination	-124.475	-86.606	0	0	0	-33.8847	1017.51	3	0.195	-0.5	-1655.84	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB21	Combination	-124.475	-85.322	0	0	0	-30.1238	869.15	3	0.195	-0.5	-1507.48	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB21	Combination	-124.475	-84.037	0	0	0	-26.4191	723.01	3	0.195	-0.5	-1361.34	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB22	Combination	-133.905	-143.172	0	0	0	-28.3153	773.63	3	0.195	-0.5	-1460.32	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB22	Combination	-133.905	-141.888	0	0	0	-22.0796	527.64	3	0.195	-0.5	-1214.34	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB22	Combination	-133.905	-140.603	0	0	0	-15.9001	283.88	3	0.195	-0.5	-970.57	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB23	Combination	-137.895	-86.606	0	0	0	-46.8153	1493.18	3	0.195	-0.5	-2200.33	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB23	Combination	-137.895	-85.322	0	0	0	-43.0544	1344.82	3	0.195	-0.5	-2051.97	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB23	Combination	-137.895	-84.037	0	0	0	-39.3497	1198.68	3	0.195	-0.5	-1905.83	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB24	Combination	-147.326	-143.172	0	0	0	-41.2458	1249.3	3	0.195	-0.5	-2004.81	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB24	Combination	-147.326	-141.888	0	0	0	-35.0102	1003.31	3	0.195	-0.5	-1758.83	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB24	Combination	-147.326	-140.603	0	0	0	-28.8307	759.55	3	0.195	-0.5	-1515.06	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB25	Combination	-150.08	-77.216	0	0	0	-80.6246	2795.64	3	0.195	-0.5	-3565.28	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB25	Combination	-151.779	-75.932	0	0	0	-77.2745	2659.13	3	0.195	-0.5	-3437.48	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB25	Combination	-153.478	-74.647	0	0	0	-73.9806	2524.83	3	0.195	-0.5	-3311.9	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB26	Combination	-159.511	-133.783	0	0	0	-75.0551	2551.75	3	0.195	-0.5	-3369.76	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB26	Combination	-161.209	-132.498	0	0	0	-69.2303	2317.62	3	0.195	-0.5	-3144.33	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB26	Combination	-162.908	-131.213	0	0	0	-63.4616	2085.7	3	0.195	-0.5	-2921.13	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB27	Combination	-158.133	-77.216	0	0	0	-88.3829	3081.04	3	0.195	-0.5	-3891.97	1
	-0.195	-0.5	01-dic	0											



## Allegati alla relazione di Calcolo

12	0.04375	A_COMB27	Combination	-159.831	-75.932	0	0	0	-85.0328	2944.53	3	0.195	-0.5	-3764.17	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB27	Combination	-161.53	-74.647	0	0	0	-81.7389	2810.23	3	0.195	-0.5	-3638.59	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB28	Combination	-167.563	-133.783	0	0	0	-82.8135	2837.16	3	0.195	-0.5	-3696.45	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB28	Combination	-169.262	-132.498	0	0	0	-76.9886	2603.02	3	0.195	-0.5	-3471.03	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB28	Combination	-170.96	-131.213	0	0	0	-71.2199	2371.1	3	0.195	-0.5	-3247.82	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB29	Combination	-136.851	-77.216	0	0	0	-47.9544	1540.79	3	0.195	-0.5	-2242.59	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB29	Combination	-138.549	-75.932	0	0	0	-44.6043	1404.28	3	0.195	-0.5	-2114.79	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB29	Combination	-140.248	-74.647	0	0	0	-41.3104	1269.99	3	0.195	-0.5	-1989.21	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB30	Combination	-146.281	-133.783	0	0	0	-42.385	1296.91	3	0.195	-0.5	-2047.07	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB30	Combination	-147.98	-132.498	0	0	0	-36.5601	1062.78	3	0.195	-0.5	-1821.65	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB30	Combination	-149.679	-131.213	0	0	0	-30.7914	830.86	3	0.195	-0.5	-1598.44	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB31	Combination	-144.903	-77.216	0	0	0	-55.7128	1826.2	3	0.195	-0.5	-2569.29	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB31	Combination	-146.602	-75.932	0	0	0	-52.3626	1689.69	3	0.195	-0.5	-2441.49	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB31	Combination	-148.3	-74.647	0	0	0	-49.0687	1555.39	3	0.195	-0.5	-2315.91	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB32	Combination	-154.334	-133.783	0	0	0	-50.1433	1582.31	3	0.195	-0.5	-2373.77	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB32	Combination	-156.032	-132.498	0	0	0	-44.3184	1348.18	3	0.195	-0.5	-2148.34	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB32	Combination	-157.731	-131.213	0	0	0	-38.5497	1116.26	3	0.195	-0.5	-1925.14	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB33	Combination	-151.945	-79.564	0	0	0	-89.2224	3130.02	3	0.195	-0.5	-3909.22	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB33	Combination	-153.219	-78.279	0	0	0	-85.7695	2990.55	3	0.195	-0.5	-3776.28	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB33	Combination	-154.493	-76.995	0	0	0	-82.3729	2853.29	3	0.195	-0.5	-3645.56	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB34	Combination	-161.375	-136.13	0	0	0	-83.6529	2886.14	3	0.195	-0.5	-3713.7	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB34	Combination	-162.649	-134.845	0	0	0	-77.7253	2649.04	3	0.195	-0.5	-3483.14	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB34	Combination	-163.923	-133.561	0	0	0	-71.8539	2414.16	3	0.195	-0.5	-3254.79	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB35	Combination	-165.365	-79.564	0	0	0	-102.1529	3605.69	3	0.195	-0.5	-4453.71	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB35	Combination	-166.639	-78.279	0	0	0	-98.7001	3466.21	3	0.195	-0.5	-4320.77	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB35	Combination	-167.913	-76.995	0	0	0	-95.3035	3328.96	3	0.195	-0.5	-4190.05	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB36	Combination	-174.796	-136.13	0	0	0	-96.5835	3361.8	3	0.195	-0.5	-4258.19	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB36	Combination	-176.069	-134.845	0	0	0	-90.6559	3124.71	3	0.195	-0.5	-4027.63	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB36	Combination	-177.343	-133.561	0	0	0	-84.7845	2889.83	3	0.195	-0.5	-3799.28	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB37	Combination	-129.896	-79.564	0	0	0	-34.7721	1038.61	3	0.195	-0.5	-1704.75	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB37	Combination	-131.17	-78.279	0	0	0	-31.3193	899.14	3	0.195	-0.5	-1571.81	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB37	Combination	-132.444	-76.995	0	0	0	-27.9226	761.89	3	0.195	-0.5	-1441.08	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB38	Combination	-139.326	-136.13	0	0	0	-29.2026	794.73	3	0.195	-0.5	-1509.22	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	A_COMB38	Combination	-140.6	-134.845	0	0	0	-23.275	557.64	3	0.195	-0.5	-1278.66	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB38	Combination	-141.874	-133.561	0	0	0	-17.4037	322.76	3	0.195	-0.5	-1050.31	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB39	Combination	-143.316	-79.564	0	0	0	-47.7026	1514.28	3	0.195	-0.5	-2249.24	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB39	Combination	-144.59	-78.279	0	0	0	-44.2498	1374.81	3	0.195	-0.5	-2116.3	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB39	Combination	-145.864	-76.995	0	0	0	-40.8532	1237.56	3	0.195	-0.5	-1985.58	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB40	Combination	-152.746	-136.13	0	0	0	-42.1332	1270.4	3	0.195	-0.5	-2053.72	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB40	Combination	-154.02	-134.845	0	0	0	-36.2056	1033.3	3	0.195	-0.5	-1823.15	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB40	Combination	-155.294	-133.561	0	0	0	-30.3342	798.43	3	0.195	-0.5	-1594.81	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB41	Combination	-157.721	-86.703	0	0	0	-84.7631	2939.3	3	0.195	-0.5	-3748.12	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB41	Combination	-157.721	-85.418	0	0	0	-80.9979	2790.77	3	0.195	-0.5	-3599.6	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB41	Combination	-157.721	-84.134	0	0	0	-77.289	2644.46	3	0.195	-0.5	-3453.29	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB42	Combination	-167.152	-143.269	0	0	0	-79.1936	2695.41	3	0.195	-0.5	-3552.6	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB42	Combination	-167.152	-141.984	0	0	0	-72.9537	2449.26	3	0.195	-0.5	-3306.45	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB42	Combination	-167.152	-140.7	0	0	0	-66.77	2205.33	3	0.195	-0.5	-3062.52	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB43	Combination	-165.774	-86.703	0	0	0	-92.5214	3224.7	3	0.195	-0.5	-4074.82	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB43	Combination	-165.774	-85.418	0	0	0	-88.7562	3076.17	3	0.195	-0.5	-3926.29	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB43	Combination	-165.774	-84.134	0	0	0	-85.0473	2929.86	3	0.195	-0.5	-3779.98	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB44	Combination	-175.204	-143.269	0	0	0	-86.9519	2980.82	3	0.195	-0.5	-3879.3	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB44	Combination	-175.204	-141.984	0	0	0	-80.712	2734.67	3	0.195	-0.5	-3633.15	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB44	Combination	-175.204	-140.7	0	0	0	-74.5283	2490.73	3	0.195	-0.5	-3389.21	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB45	Combination	-144.492	-86.703	0	0	0	-52.0929	1684.45	3	0.195	-0.5	-2425.44	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB45	Combination	-144.492	-85.418	0	0	0	-48.3278	1535.93	3	0.195	-0.5	-2276.91	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB45	Combination	-144.492	-84.134	0	0	0	-44.6188	1389.62	3	0.195	-0.5	-2130.6	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB46	Combination	-153.922	-143.269	0	0	0	-46.5234	1440.57	3	0.195	-0.5	-2229.92	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB46	Combination	-153.922	-141.984	0	0	0	-40.2835	1194.42	3	0.195	-0.5	-1983.77	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB46	Combination	-153.922	-140.7	0	0	0	-34.0998	950.49	3	0.195	-0.5	-1739.83	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB47	Combination	-152.544	-86.703	0	0	0	-59.8512	1969.86	3	0.195	-0.5	-2752.13	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB47	Combination	-152.544	-85.418	0	0	0	-56.0861	1821.33	3	0.195	-0.5	-2603.61	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB47	Combination	-152.544	-84.134	0	0	0	-52.3771	1675.02	3	0.195	-0.5	-2457.3	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB48	Combination	-161.975	-143.269	0	0	0	-54.2818	1725.97	3	0.195	-0.5	-2556.61	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB48	Combination	-161.975	-141.984	0	0	0	-48.0419	1479.82	3	0.195	-0.5	-2310.46	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB48	Combination	-161.975	-140.7	0	0	0	-41.8582	1235.89	3	0.195	-0.5	-2066.53	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB49	Combination	-144.916	-99.841	0	0	0	-83.7812	2933.4	3	0.195	-0.5	-3676.56	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	A_COMB49	Combination	-144.916	-98.556	0	0	0	-79.4413	2762.2	3	0.195	-0.5	-3505.36	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB49	Combination	-144.916	-97.271	0	0	0	-75.1575	2593.21	3	0.195	-0.5	-3336.38	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB50	Combination	-157.49	-175.262	0	0	0	-76.3553	2608.22	3	0.195	-0.5	-3415.86	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB50	Combination	-157.49	-173.977	0	0	0	-68.7156	2306.86	3	0.195	-0.5	-3114.5	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB50	Combination	-157.49	-172.693	0	0	0	-61.1322	2007.71	3	0.195	-0.5	-2815.35	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB51	Combination	-152.969	-99.841	0	0	0	-91.5395	3218.8	3	0.195	-0.5	-4003.25	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB51	Combination	-152.969	-98.556	0	0	0	-87.1996	3047.6	3	0.195	-0.5	-3832.05	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB51	Combination	-152.969	-97.271	0	0	0	-82.9159	2878.62	3	0.195	-0.5	-3663.07	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB52	Combination	-165.543	-175.262	0	0	0	-84.1136	2893.62	3	0.195	-0.5	-3742.56	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB52	Combination	-165.543	-173.977	0	0	0	-76.474	2592.26	3	0.195	-0.5	-3441.19	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB52	Combination	-165.543	-172.693	0	0	0	-68.8906	2293.11	3	0.195	-0.5	-3142.04	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB53	Combination	-131.687	-99.841	0	0	0	-51.111	1678.56	3	0.195	-0.5	-2353.87	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB53	Combination	-131.687	-98.556	0	0	0	-46.7711	1507.35	3	0.195	-0.5	-2182.67	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB53	Combination	-131.687	-97.271	0	0	0	-42.4874	1338.37	3	0.195	-0.5	-2013.69	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB54	Combination	-144.261	-175.262	0	0	0	-43.6851	1353.38	3	0.195	-0.5	-2093.18	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB54	Combination	-144.261	-173.977	0	0	0	-36.0455	1052.01	3	0.195	-0.5	-1791.81	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB54	Combination	-144.261	-172.693	0	0	0	-28.4621	752.86	3	0.195	-0.5	-1492.66	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB55	Combination	-139.739	-99.841	0	0	0	-58.8694	1963.96	3	0.195	-0.5	-2680.57	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB55	Combination	-139.739	-98.556	0	0	0	-54.5294	1792.76	3	0.195	-0.5	-2509.37	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB55	Combination	-139.739	-97.271	0	0	0	-50.2457	1623.77	3	0.195	-0.5	-2340.38	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB56	Combination	-154.763	-175.262	0	0	0	-53.233	1703.09	3	0.195	-0.5	-2496.75	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB56	Combination	-154.763	-173.977	0	0	0	-45.5934	1401.73	3	0.195	-0.5	-2195.39	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB56	Combination	-154.763	-172.693	0	0	0	-38.01	1102.58	3	0.195	-0.5	-1896.24	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB57	Combination	-146.658	-86.606	0	0	0	-88.4306	3112.34	3	0.195	-0.5	-3864.43	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB57	Combination	-146.658	-85.322	0	0	0	-84.6697	2963.98	3	0.195	-0.5	-3716.07	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB57	Combination	-146.658	-84.037	0	0	0	-80.965	2817.84	3	0.195	-0.5	-3569.93	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB58	Combination	-156.088	-143.172	0	0	0	-82.8612	2868.46	3	0.195	-0.5	-3668.91	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB58	Combination	-156.088	-141.888	0	0	0	-76.6255	2622.47	3	0.195	-0.5	-3422.93	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB58	Combination	-156.088	-140.603	0	0	0	-70.446	2378.71	3	0.195	-0.5	-3179.16	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB59	Combination	-160.078	-86.606	0	0	0	-101.3612	3588.01	3	0.195	-0.5	-4408.93	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB59	Combination	-160.078	-85.322	0	0	0	-97.6002	3439.65	3	0.195	-0.5	-4260.57	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB59	Combination	-160.078	-84.037	0	0	0	-93.8955	3293.51	3	0.195	-0.5	-4114.42	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB60	Combination	-169.509	-143.172	0	0	0	-95.7917	3344.13	3	0.195	-0.5	-4213.4	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	A_COMB60	Combination	-169.509	-141.888	0	0	0	-89.556	3098.14	3	0.195	-0.5	-3967.42	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB60	Combination	-169.509	-140.603	0	0	0	-83.3765	2854.38	3	0.195	-0.5	-3723.65	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB61	Combination	-124.609	-86.606	0	0	0	-33.9803	1020.94	3	0.195	-0.5	-1659.96	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB61	Combination	-124.609	-85.322	0	0	0	-30.2194	872.58	3	0.195	-0.5	-1511.6	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB61	Combination	-124.609	-84.037	0	0	0	-26.5147	726.43	3	0.195	-0.5	-1365.45	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB62	Combination	-134.039	-143.172	0	0	0	-28.4109	777.05	3	0.195	-0.5	-1464.44	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB62	Combination	-134.039	-141.888	0	0	0	-22.1752	531.07	3	0.195	-0.5	-1218.45	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB62	Combination	-134.039	-140.603	0	0	0	-15.9957	287.3	3	0.195	-0.5	-974.69	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB63	Combination	-138.029	-86.606	0	0	0	-46.9109	1496.61	3	0.195	-0.5	-2204.45	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB63	Combination	-138.029	-85.322	0	0	0	-43.15	1348.25	3	0.195	-0.5	-2056.09	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB63	Combination	-138.029	-84.037	0	0	0	-39.4452	1202.1	3	0.195	-0.5	-1909.95	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB64	Combination	-147.46	-143.172	0	0	0	-41.3414	1252.72	3	0.195	-0.5	-2008.93	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB64	Combination	-147.46	-141.888	0	0	0	-35.1058	1006.74	3	0.195	-0.5	-1762.94	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB64	Combination	-147.46	-140.603	0	0	0	-28.9263	762.97	3	0.195	-0.5	-1519.18	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB65	Combination	-150.215	-77.216	0	0	0	-80.7202	2799.06	3	0.195	-0.5	-3569.39	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB65	Combination	-151.913	-75.932	0	0	0	-77.3701	2662.55	3	0.195	-0.5	-3441.59	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB65	Combination	-153.612	-74.647	0	0	0	-74.0761	2528.26	3	0.195	-0.5	-3316.01	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB66	Combination	-159.645	-133.783	0	0	0	-75.1507	2555.18	3	0.195	-0.5	-3373.87	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB66	Combination	-161.344	-132.498	0	0	0	-69.3258	2321.05	3	0.195	-0.5	-3148.45	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB66	Combination	-163.042	-131.213	0	0	0	-63.5572	2089.13	3	0.195	-0.5	-2925.24	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB67	Combination	-158.267	-77.216	0	0	0	-88.4785	3084.46	3	0.195	-0.5	-3896.09	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB67	Combination	-159.965	-75.932	0	0	0	-85.1284	2947.95	3	0.195	-0.5	-3768.29	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB67	Combination	-161.664	-74.647	0	0	0	-81.8345	2813.66	3	0.195	-0.5	-3642.71	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB68	Combination	-167.697	-133.783	0	0	0	-82.9091	2840.58	3	0.195	-0.5	-3700.57	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB68	Combination	-169.396	-132.498	0	0	0	-77.0842	2606.45	3	0.195	-0.5	-3475.14	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB68	Combination	-171.095	-131.213	0	0	0	-71.3155	2374.53	3	0.195	-0.5	-3251.94	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB69	Combination	-136.985	-77.216	0	0	0	-48.05	1544.22	3	0.195	-0.5	-2246.71	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB69	Combination	-138.684	-75.932	0	0	0	-44.6999	1407.71	3	0.195	-0.5	-2118.91	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB69	Combination	-140.382	-74.647	0	0	0	-41.406	1273.42	3	0.195	-0.5	-1993.33	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB70	Combination	-146.416	-133.783	0	0	0	-42.4806	1300.34	3	0.195	-0.5	-2051.19	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB70	Combination	-148.114	-132.498	0	0	0	-36.6557	1066.2	3	0.195	-0.5	-1825.76	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB70	Combination	-149.813	-131.213	0	0	0	-30.887	834.29	3	0.195	-0.5	-1602.56	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB71	Combination	-145.037	-77.216	0	0	0	-55.8083	1829.62	3	0.195	-0.5	-2573.4	1
	-0.195	-0.5	01-dic	0											





## Allegati alla relazione di Calcolo

12	0.04375	A_COMB89	Combination	-142.508	-85.55	0	0	0	-74.6774	2580.45	3	0.195	-0.5	-3311.26	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB89	Combination	-142.508	-84.266	0	0	0	-70.9627	2433.91	3	0.195	-0.5	-3164.72	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB90	Combination	-151.938	-143.401	0	0	0	-72.8789	2485.32	3	0.195	-0.5	-3264.49	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB90	Combination	-151.938	-142.116	0	0	0	-66.6332	2238.94	3	0.195	-0.5	-3018.11	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB90	Combination	-151.938	-140.832	0	0	0	-60.4437	1994.78	3	0.195	-0.5	-2773.95	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB91	Combination	-150.56	-86.835	0	0	0	-86.2067	3014.61	3	0.195	-0.5	-3786.71	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB91	Combination	-150.56	-85.55	0	0	0	-82.4358	2865.85	3	0.195	-0.5	-3637.95	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB91	Combination	-150.56	-84.266	0	0	0	-78.721	2719.31	3	0.195	-0.5	-3491.42	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB92	Combination	-159.99	-143.401	0	0	0	-80.6372	2770.72	3	0.195	-0.5	-3591.19	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB92	Combination	-159.99	-142.116	0	0	0	-74.3915	2524.35	3	0.195	-0.5	-3344.81	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB92	Combination	-159.99	-140.832	0	0	0	-68.2021	2280.18	3	0.195	-0.5	-3100.65	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB93	Combination	-129.278	-86.835	0	0	0	-45.7782	1474.36	3	0.195	-0.5	-2137.33	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB93	Combination	-129.278	-85.55	0	0	0	-42.0073	1325.61	3	0.195	-0.5	-1988.57	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB93	Combination	-129.278	-84.266	0	0	0	-38.2925	1179.07	3	0.195	-0.5	-1842.04	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB94	Combination	-138.709	-143.401	0	0	0	-40.2087	1230.48	3	0.195	-0.5	-1941.81	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB94	Combination	-138.709	-142.116	0	0	0	-33.963	984.1	3	0.195	-0.5	-1695.43	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB94	Combination	-138.709	-140.832	0	0	0	-27.7736	739.94	3	0.195	-0.5	-1451.27	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB95	Combination	-137.331	-86.835	0	0	0	-53.5365	1759.76	3	0.195	-0.5	-2464.02	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB95	Combination	-137.331	-85.55	0	0	0	-49.7656	1611.01	3	0.195	-0.5	-2315.27	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB95	Combination	-137.331	-84.266	0	0	0	-46.0509	1464.47	3	0.195	-0.5	-2168.73	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB96	Combination	-146.761	-143.401	0	0	0	-47.9671	1515.88	3	0.195	-0.5	-2268.5	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB96	Combination	-146.761	-142.116	0	0	0	-41.7214	1269.5	3	0.195	-0.5	-2022.12	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB96	Combination	-146.761	-140.832	0	0	0	-35.5319	1025.34	3	0.195	-0.5	-1777.96	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB97	Combination	-129.703	-99.973	0	0	0	-77.4665	2723.31	3	0.195	-0.5	-3388.45	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB97	Combination	-129.703	-98.688	0	0	0	-73.1208	2551.88	3	0.195	-0.5	-3217.02	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB97	Combination	-129.703	-97.403	0	0	0	-68.8313	2382.67	3	0.195	-0.5	-3047.81	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB98	Combination	-142.277	-175.394	0	0	0	-70.0405	2398.13	3	0.195	-0.5	-3127.75	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB98	Combination	-142.277	-174.109	0	0	0	-62.3952	2096.54	3	0.195	-0.5	-2826.16	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB98	Combination	-142.277	-172.825	0	0	0	-54.806	1797.16	3	0.195	-0.5	-2526.78	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB99	Combination	-137.755	-99.973	0	0	0	-85.2248	3008.71	3	0.195	-0.5	-3715.14	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB99	Combination	-137.755	-98.688	0	0	0	-80.8791	2837.28	3	0.195	-0.5	-3543.72	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB99	Combination	-137.755	-97.403	0	0	0	-76.5896	2668.07	3	0.195	-0.5	-3374.5	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB100	Combination	-150.329	-175.394	0	0	0	-77.7989	2683.53	3	0.195	-0.5	-3454.45	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	A_COMB100	Combination	-150.329	-174.109	0	0	0	-70.1535	2381.94	3	0.195	-0.5	-3152.85	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB100	Combination	-150.329	-172.825	0	0	0	-62.5643	2082.56	3	0.195	-0.5	-2853.48	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB101	Combination	-116.473	-99.973	0	0	0	-44.7963	1468.46	3	0.195	-0.5	-2065.76	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB101	Combination	-116.473	-98.688	0	0	0	-40.4506	1297.03	3	0.195	-0.5	-1894.33	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB101	Combination	-116.473	-97.403	0	0	0	-36.1611	1127.82	3	0.195	-0.5	-1725.12	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB102	Combination	-129.047	-175.394	0	0	0	-37.3704	1143.29	3	0.195	-0.5	-1805.07	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB102	Combination	-129.047	-174.109	0	0	0	-29.725	841.69	3	0.195	-0.5	-1503.47	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB102	Combination	-129.047	-172.825	0	0	0	-22.1358	542.32	3	0.195	-0.5	-1204.1	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB103	Combination	-124.526	-99.973	0	0	0	-52.5546	1753.86	3	0.195	-0.5	-2392.46	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB103	Combination	-124.526	-98.688	0	0	0	-48.2089	1582.44	3	0.195	-0.5	-2221.03	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB103	Combination	-124.526	-97.403	0	0	0	-43.9194	1413.23	3	0.195	-0.5	-2051.82	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB104	Combination	-137.1	-175.394	0	0	0	-45.1287	1428.69	3	0.195	-0.5	-2131.76	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB104	Combination	-137.1	-174.109	0	0	0	-37.4833	1127.09	3	0.195	-0.5	-1830.17	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB104	Combination	-137.1	-172.825	0	0	0	-29.8941	827.72	3	0.195	-0.5	-1530.79	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB105	Combination	-131.445	-86.738	0	0	0	-82.1159	2902.25	3	0.195	-0.5	-3576.32	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB105	Combination	-131.445	-85.454	0	0	0	-78.3492	2753.66	3	0.195	-0.5	-3427.74	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB105	Combination	-131.445	-84.169	0	0	0	-74.6387	2607.29	3	0.195	-0.5	-3281.36	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB106	Combination	-140.875	-143.304	0	0	0	-76.5464	2658.37	3	0.195	-0.5	-3380.8	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB106	Combination	-140.875	-142.02	0	0	0	-70.305	2412.15	3	0.195	-0.5	-3134.59	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB106	Combination	-140.875	-140.735	0	0	0	-64.1197	2168.16	3	0.195	-0.5	-2890.6	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB107	Combination	-144.865	-86.738	0	0	0	-95.0464	3377.92	3	0.195	-0.5	-4120.82	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB107	Combination	-144.865	-85.454	0	0	0	-91.2797	3229.33	3	0.195	-0.5	-3972.23	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB107	Combination	-144.865	-84.169	0	0	0	-87.5692	3082.96	3	0.195	-0.5	-3825.86	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB108	Combination	-154.295	-143.304	0	0	0	-89.477	3134.04	3	0.195	-0.5	-3925.29	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB108	Combination	-154.295	-142.02	0	0	0	-83.2355	2887.82	3	0.195	-0.5	-3679.08	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB108	Combination	-154.295	-140.735	0	0	0	-77.0503	2643.83	3	0.195	-0.5	-3435.09	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB109	Combination	-109.395	-86.738	0	0	0	-27.6656	810.84	3	0.195	-0.5	-1371.85	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB109	Combination	-109.395	-85.454	0	0	0	-23.8989	662.26	3	0.195	-0.5	-1223.26	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB109	Combination	-109.395	-84.169	0	0	0	-20.1884	515.89	3	0.195	-0.5	-1076.89	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB110	Combination	-118.826	-143.304	0	0	0	-22.0962	566.96	3	0.195	-0.5	-1176.33	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB110	Combination	-118.826	-142.02	0	0	0	-15.8547	320.75	3	0.195	-0.5	-930.11	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB110	Combination	-118.826	-140.735	0	0	0	-9.6695	76.76	3	0.195	-0.5	-686.12	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB111	Combination	-122.816	-86.738	0	0	0	-40.5962	1286.51	3	0.195	-0.5	-1916.34	1
	-0.195	-0.5	01-dic	0											



## Allegati alla relazione di Calcolo

12	0.04375	A_COMB111	Combination	-122.816	-85.454	0	0	0	-36.8295	1137.93	3	0.195	-0.5	-1767.75	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB111	Combination	-122.816	-84.169	0	0	0	-33.119	991.56	3	0.195	-0.5	-1621.38	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB112	Combination	-132.246	-143.304	0	0	0	-35.0267	1042.63	3	0.195	-0.5	-1720.82	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB112	Combination	-132.246	-142.02	0	0	0	-28.7853	796.42	3	0.195	-0.5	-1474.61	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB112	Combination	-132.246	-140.735	0	0	0	-22.6	552.43	3	0.195	-0.5	-1230.61	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB113	Combination	-135.001	-77.349	0	0	0	-74.4055	2588.97	3	0.195	-0.5	-3281.28	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB113	Combination	-136.7	-76.064	0	0	0	-71.0496	2452.23	3	0.195	-0.5	-3153.26	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB113	Combination	-138.398	-74.779	0	0	0	-67.7499	2317.71	3	0.195	-0.5	-3027.45	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB114	Combination	-144.431	-133.915	0	0	0	-68.836	2345.09	3	0.195	-0.5	-3085.76	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB114	Combination	-146.13	-132.63	0	0	0	-63.0054	2110.73	3	0.195	-0.5	-2860.11	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB114	Combination	-147.829	-131.345	0	0	0	-57.2309	1878.58	3	0.195	-0.5	-2636.68	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB115	Combination	-143.053	-77.349	0	0	0	-82.1638	2874.37	3	0.195	-0.5	-3607.98	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB115	Combination	-144.752	-76.064	0	0	0	-78.8079	2737.63	3	0.195	-0.5	-3479.95	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB115	Combination	-146.451	-74.779	0	0	0	-75.5082	2603.11	3	0.195	-0.5	-3354.14	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB116	Combination	-152.484	-133.915	0	0	0	-76.5943	2630.49	3	0.195	-0.5	-3412.46	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB116	Combination	-154.182	-132.63	0	0	0	-70.7637	2396.13	3	0.195	-0.5	-3186.81	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB116	Combination	-155.881	-131.345	0	0	0	-64.9892	2163.98	3	0.195	-0.5	-2963.37	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB117	Combination	-121.772	-77.349	0	0	0	-41.7353	1334.13	3	0.195	-0.5	-1958.6	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB117	Combination	-123.47	-76.064	0	0	0	-38.3794	1197.39	3	0.195	-0.5	-1830.57	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB117	Combination	-125.169	-74.779	0	0	0	-35.0797	1062.87	3	0.195	-0.5	-1704.76	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB118	Combination	-131.202	-133.915	0	0	0	-36.1659	1090.25	3	0.195	-0.5	-1763.08	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB118	Combination	-132.901	-132.63	0	0	0	-30.3352	855.88	3	0.195	-0.5	-1537.43	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB118	Combination	-134.599	-131.345	0	0	0	-24.5607	623.74	3	0.195	-0.5	-1313.99	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB119	Combination	-129.824	-77.349	0	0	0	-49.4936	1619.53	3	0.195	-0.5	-2285.29	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB119	Combination	-131.522	-76.064	0	0	0	-46.1377	1482.79	3	0.195	-0.5	-2157.27	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB119	Combination	-133.221	-74.779	0	0	0	-42.838	1348.27	3	0.195	-0.5	-2031.46	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB120	Combination	-139.254	-133.915	0	0	0	-43.9242	1375.65	3	0.195	-0.5	-2089.77	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB120	Combination	-140.953	-132.63	0	0	0	-38.0935	1141.29	3	0.195	-0.5	-1864.12	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB120	Combination	-142.652	-131.345	0	0	0	-32.3191	909.14	3	0.195	-0.5	-1640.69	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB121	Combination	-136.865	-79.696	0	0	0	-83.0032	2923.35	3	0.195	-0.5	-3625.23	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB121	Combination	-138.139	-78.411	0	0	0	-79.5446	2783.65	3	0.195	-0.5	-3492.06	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB121	Combination	-139.413	-77.127	0	0	0	-76.1422	2646.17	3	0.195	-0.5	-3361.11	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB122	Combination	-146.296	-136.262	0	0	0	-77.4338	2679.47	3	0.195	-0.5	-3429.7	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	A_COMB122	Combination	-147.57	-134.977	0	0	0	-71.5004	2442.15	3	0.195	-0.5	-3198.91	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB122	Combination	-148.844	-133.693	0	0	0	-65.6233	2207.04	3	0.195	-0.5	-2970.34	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB123	Combination	-150.286	-79.696	0	0	0	-95.9338	3399.02	3	0.195	-0.5	-4169.72	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB123	Combination	-151.56	-78.411	0	0	0	-92.4752	3259.32	3	0.195	-0.5	-4036.55	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB123	Combination	-152.834	-77.127	0	0	0	-89.0728	3121.84	3	0.195	-0.5	-3905.6	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB124	Combination	-159.716	-136.262	0	0	0	-90.3643	3155.14	3	0.195	-0.5	-3974.2	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB124	Combination	-160.99	-134.977	0	0	0	-84.431	2917.81	3	0.195	-0.5	-3743.41	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB124	Combination	-162.264	-133.693	0	0	0	-78.5538	2682.71	3	0.195	-0.5	-3514.83	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB125	Combination	-114.816	-79.696	0	0	0	-28.553	831.95	3	0.195	-0.5	-1420.75	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB125	Combination	-116.09	-78.411	0	0	0	-25.0944	692.25	3	0.195	-0.5	-1287.58	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB125	Combination	-117.364	-77.127	0	0	0	-21.692	554.76	3	0.195	-0.5	-1156.63	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB126	Combination	-124.247	-136.262	0	0	0	-22.9835	588.07	3	0.195	-0.5	-1225.23	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB126	Combination	-125.521	-134.977	0	0	0	-17.0501	350.74	3	0.195	-0.5	-994.44	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB126	Combination	-126.795	-133.693	0	0	0	-11.173	115.63	3	0.195	-0.5	-765.86	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB127	Combination	-128.237	-79.696	0	0	0	-41.4835	1307.62	3	0.195	-0.5	-1965.24	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB127	Combination	-129.511	-78.411	0	0	0	-38.0249	1167.92	3	0.195	-0.5	-1832.08	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB127	Combination	-130.785	-77.127	0	0	0	-34.6225	1030.43	3	0.195	-0.5	-1701.12	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB128	Combination	-137.667	-136.262	0	0	0	-35.9141	1063.74	3	0.195	-0.5	-1769.72	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB128	Combination	-138.941	-134.977	0	0	0	-29.9807	826.41	3	0.195	-0.5	-1538.93	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB128	Combination	-140.215	-133.693	0	0	0	-24.1035	591.3	3	0.195	-0.5	-1310.36	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB129	Combination	-142.642	-86.835	0	0	0	-78.5439	2732.63	3	0.195	-0.5	-3464.13	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB129	Combination	-142.642	-85.55	0	0	0	-74.773	2583.88	3	0.195	-0.5	-3315.37	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB129	Combination	-142.642	-84.266	0	0	0	-71.0583	2437.34	3	0.195	-0.5	-3168.84	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB130	Combination	-152.073	-143.401	0	0	0	-72.9745	2488.75	3	0.195	-0.5	-3268.61	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB130	Combination	-152.073	-142.116	0	0	0	-66.7288	2242.37	3	0.195	-0.5	-3022.23	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB130	Combination	-152.073	-140.832	0	0	0	-60.5393	1998.21	3	0.195	-0.5	-2778.07	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB131	Combination	-150.694	-86.835	0	0	0	-86.3023	3018.03	3	0.195	-0.5	-3790.82	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB131	Combination	-150.694	-85.55	0	0	0	-82.5313	2869.28	3	0.195	-0.5	-3642.07	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB131	Combination	-150.694	-84.266	0	0	0	-78.8166	2722.74	3	0.195	-0.5	-3495.53	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB132	Combination	-160.125	-143.401	0	0	0	-80.7328	2774.15	3	0.195	-0.5	-3595.3	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB132	Combination	-160.125	-142.116	0	0	0	-74.4871	2527.77	3	0.195	-0.5	-3348.92	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB132	Combination	-160.125	-140.832	0	0	0	-68.2976	2283.61	3	0.195	-0.5	-3104.76	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB133	Combination	-129.413	-86.835	0	0	0	-45.8738	1477.79	3	0.195	-0.5	-2141.44	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	A_COMB133	Combination	-129.413	-85.55	0	0	0	-42.1028	1329.03	3	0.195	-0.5	-1992.69	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB133	Combination	-129.413	-84.266	0	0	0	-38.3881	1182.5	3	0.195	-0.5	-1846.15	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB134	Combination	-138.843	-143.401	0	0	0	-40.3043	1233.91	3	0.195	-0.5	-1945.92	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB134	Combination	-138.843	-142.116	0	0	0	-34.0586	987.53	3	0.195	-0.5	-1699.54	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB134	Combination	-138.843	-140.832	0	0	0	-27.8691	743.37	3	0.195	-0.5	-1455.38	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB135	Combination	-137.465	-86.835	0	0	0	-53.6321	1763.19	3	0.195	-0.5	-2468.14	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB135	Combination	-137.465	-85.55	0	0	0	-49.8612	1614.44	3	0.195	-0.5	-2319.38	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB135	Combination	-137.465	-84.266	0	0	0	-46.1464	1467.9	3	0.195	-0.5	-2172.85	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB136	Combination	-146.895	-143.401	0	0	0	-48.0627	1519.31	3	0.195	-0.5	-2272.62	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB136	Combination	-146.895	-142.116	0	0	0	-41.817	1272.93	3	0.195	-0.5	-2026.24	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB136	Combination	-146.895	-140.832	0	0	0	-35.6275	1028.77	3	0.195	-0.5	-1782.08	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB137	Combination	-129.837	-99.973	0	0	0	-77.5621	2726.73	3	0.195	-0.5	-3392.56	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB137	Combination	-129.837	-98.688	0	0	0	-73.2164	2555.3	3	0.195	-0.5	-3221.13	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB137	Combination	-129.837	-97.403	0	0	0	-68.9269	2386.09	3	0.195	-0.5	-3051.92	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB138	Combination	-142.411	-175.394	0	0	0	-70.1361	2401.55	3	0.195	-0.5	-3131.87	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB138	Combination	-142.411	-174.109	0	0	0	-62.4907	2099.96	3	0.195	-0.5	-2830.27	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB138	Combination	-142.411	-172.825	0	0	0	-54.9016	1800.59	3	0.195	-0.5	-2530.9	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB139	Combination	-137.889	-99.973	0	0	0	-85.3204	3012.13	3	0.195	-0.5	-3719.26	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB139	Combination	-137.889	-98.688	0	0	0	-80.9747	2840.71	3	0.195	-0.5	-3547.83	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB139	Combination	-137.889	-97.403	0	0	0	-76.6852	2671.49	3	0.195	-0.5	-3378.62	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB140	Combination	-150.463	-175.394	0	0	0	-77.8945	2686.96	3	0.195	-0.5	-3458.56	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB140	Combination	-150.463	-174.109	0	0	0	-70.2491	2385.36	3	0.195	-0.5	-3156.97	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB140	Combination	-150.463	-172.825	0	0	0	-62.6599	2085.99	3	0.195	-0.5	-2857.59	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB141	Combination	-116.608	-99.973	0	0	0	-44.8919	1471.89	3	0.195	-0.5	-2069.88	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB141	Combination	-116.608	-98.688	0	0	0	-40.5462	1300.46	3	0.195	-0.5	-1898.45	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB141	Combination	-116.608	-97.403	0	0	0	-36.2567	1131.25	3	0.195	-0.5	-1729.24	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB142	Combination	-129.182	-175.394	0	0	0	-37.466	1146.71	3	0.195	-0.5	-1809.18	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB142	Combination	-129.182	-174.109	0	0	0	-29.8206	845.12	3	0.195	-0.5	-1507.59	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB142	Combination	-129.182	-172.825	0	0	0	-22.2314	545.74	3	0.195	-0.5	-1208.21	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB143	Combination	-124.66	-99.973	0	0	0	-52.6502	1757.29	3	0.195	-0.5	-2396.57	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB143	Combination	-124.66	-98.688	0	0	0	-48.3045	1585.86	3	0.195	-0.5	-2225.14	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB143	Combination	-124.66	-97.403	0	0	0	-44.015	1416.65	3	0.195	-0.5	-2055.93	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB144	Combination	-137.234	-175.394	0	0	0	-45.2243	1432.11	3	0.195	-0.5	-2135.88	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	A_COMB144	Combination	-137.234	-174.109	0	0	0	-37.5789	1130.52	3	0.195	-0.5	-1834.28	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB144	Combination	-137.234	-172.825	0	0	0	-29.9897	831.14	3	0.195	-0.5	-1534.91	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB145	Combination	-131.579	-86.738	0	0	0	-82.2115	2905.67	3	0.195	-0.5	-3580.44	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB145	Combination	-131.579	-85.454	0	0	0	-78.4448	2757.09	3	0.195	-0.5	-3431.85	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB145	Combination	-131.579	-84.169	0	0	0	-74.7343	2610.72	3	0.195	-0.5	-3285.48	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB146	Combination	-141.009	-143.304	0	0	0	-76.642	2661.79	3	0.195	-0.5	-3384.92	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB146	Combination	-141.009	-142.02	0	0	0	-70.4006	2415.58	3	0.195	-0.5	-3138.7	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB146	Combination	-141.009	-140.735	0	0	0	-64.2153	2171.59	3	0.195	-0.5	-2894.71	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB147	Combination	-144.999	-86.738	0	0	0	-95.142	3381.34	3	0.195	-0.5	-4124.93	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB147	Combination	-144.999	-85.454	0	0	0	-91.3753	3232.76	3	0.195	-0.5	-3976.34	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB147	Combination	-144.999	-84.169	0	0	0	-87.6648	3086.39	3	0.195	-0.5	-3829.97	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB148	Combination	-154.43	-143.304	0	0	0	-89.5726	3137.46	3	0.195	-0.5	-3929.41	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB148	Combination	-154.43	-142.02	0	0	0	-83.3311	2891.25	3	0.195	-0.5	-3683.2	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB148	Combination	-154.43	-140.735	0	0	0	-77.1459	2647.26	3	0.195	-0.5	-3439.2	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB149	Combination	-109.53	-86.738	0	0	0	-27.7612	814.27	3	0.195	-0.5	-1375.96	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB149	Combination	-109.53	-85.454	0	0	0	-23.9945	665.68	3	0.195	-0.5	-1227.37	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB149	Combination	-109.53	-84.169	0	0	0	-20.284	519.31	3	0.195	-0.5	-1081	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB150	Combination	-118.96	-143.304	0	0	0	-22.1918	570.39	3	0.195	-0.5	-1180.44	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB150	Combination	-118.96	-142.02	0	0	0	-15.9503	324.18	3	0.195	-0.5	-934.23	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB150	Combination	-118.96	-140.735	0	0	0	-9.765	80.18	3	0.195	-0.5	-690.23	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB151	Combination	-122.95	-86.738	0	0	0	-40.6918	1289.94	3	0.195	-0.5	-1920.45	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB151	Combination	-122.95	-85.454	0	0	0	-36.9251	1141.35	3	0.195	-0.5	-1771.87	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB151	Combination	-122.95	-84.169	0	0	0	-33.2146	994.98	3	0.195	-0.5	-1625.5	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB152	Combination	-132.381	-143.304	0	0	0	-35.1223	1046.06	3	0.195	-0.5	-1724.93	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB152	Combination	-132.381	-142.02	0	0	0	-28.8808	799.85	3	0.195	-0.5	-1478.72	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB152	Combination	-132.381	-140.735	0	0	0	-22.6956	555.85	3	0.195	-0.5	-1234.73	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB153	Combination	-135.135	-77.349	0	0	0	-74.5011	2592.4	3	0.195	-0.5	-3285.4	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB153	Combination	-136.834	-76.064	0	0	0	-71.1451	2455.66	3	0.195	-0.5	-3157.37	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB153	Combination	-138.533	-74.779	0	0	0	-67.8454	2321.14	3	0.195	-0.5	-3031.56	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB154	Combination	-144.566	-133.915	0	0	0	-68.9316	2348.51	3	0.195	-0.5	-3089.88	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB154	Combination	-146.264	-132.63	0	0	0	-63.1009	2114.15	3	0.195	-0.5	-2864.23	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB154	Combination	-147.963	-131.345	0	0	0	-57.3265	1882.01	3	0.195	-0.5	-2640.79	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB155	Combination	-143.188	-77.349	0	0	0	-82.2594	2877.8	3	0.195	-0.5	-3612.09	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	A_COMB155	Combination	-144.886	-76.064	0	0	0	-78.9035	2741.06	3	0.195	-0.5	-3484.07	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB155	Combination	-146.585	-74.779	0	0	0	-75.6038	2606.54	3	0.195	-0.5	-3358.26	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB156	Combination	-152.618	-133.915	0	0	0	-76.6899	2633.92	3	0.195	-0.5	-3416.57	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB156	Combination	-154.317	-132.63	0	0	0	-70.8593	2399.55	3	0.195	-0.5	-3190.92	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB156	Combination	-156.015	-131.345	0	0	0	-65.0848	2167.41	3	0.195	-0.5	-2967.49	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB157	Combination	-121.906	-77.349	0	0	0	-41.8309	1337.55	3	0.195	-0.5	-1962.71	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB157	Combination	-123.605	-76.064	0	0	0	-38.475	1200.82	3	0.195	-0.5	-1834.69	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB157	Combination	-125.303	-74.779	0	0	0	-35.1753	1066.29	3	0.195	-0.5	-1708.88	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB158	Combination	-131.336	-133.915	0	0	0	-36.2614	1093.67	3	0.195	-0.5	-1767.19	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB158	Combination	-133.035	-132.63	0	0	0	-30.4308	859.31	3	0.195	-0.5	-1541.54	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB158	Combination	-134.734	-131.345	0	0	0	-24.6563	627.16	3	0.195	-0.5	-1318.11	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB159	Combination	-129.958	-77.349	0	0	0	-49.5892	1622.96	3	0.195	-0.5	-2289.41	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB159	Combination	-131.657	-76.064	0	0	0	-46.2333	1486.22	3	0.195	-0.5	-2161.38	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB159	Combination	-133.355	-74.779	0	0	0	-42.9336	1351.7	3	0.195	-0.5	-2035.57	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB160	Combination	-139.389	-133.915	0	0	0	-44.0198	1379.07	3	0.195	-0.5	-2093.89	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB160	Combination	-141.087	-132.63	0	0	0	-38.1891	1144.71	3	0.195	-0.5	-1868.24	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB160	Combination	-142.786	-131.345	0	0	0	-32.4146	912.57	3	0.195	-0.5	-1644.8	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB161	Combination	-137	-79.696	0	0	0	-83.0988	2926.78	3	0.195	-0.5	-3629.34	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB161	Combination	-138.274	-78.411	0	0	0	-79.6402	2787.08	3	0.195	-0.5	-3496.17	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB161	Combination	-139.548	-77.127	0	0	0	-76.2378	2649.59	3	0.195	-0.5	-3365.22	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB162	Combination	-146.43	-136.262	0	0	0	-77.5294	2682.9	3	0.195	-0.5	-3433.82	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB162	Combination	-147.704	-134.977	0	0	0	-71.596	2445.57	3	0.195	-0.5	-3203.03	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB162	Combination	-148.978	-133.693	0	0	0	-65.7188	2210.46	3	0.195	-0.5	-2974.45	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB163	Combination	-150.42	-79.696	0	0	0	-96.0294	3402.45	3	0.195	-0.5	-4173.83	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB163	Combination	-151.694	-78.411	0	0	0	-92.5708	3262.75	3	0.195	-0.5	-4040.67	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB163	Combination	-152.968	-77.127	0	0	0	-89.1684	3125.26	3	0.195	-0.5	-3909.72	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB164	Combination	-159.851	-136.262	0	0	0	-90.4599	3158.57	3	0.195	-0.5	-3978.31	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB164	Combination	-161.125	-134.977	0	0	0	-84.5266	2921.24	3	0.195	-0.5	-3747.52	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB164	Combination	-162.399	-133.693	0	0	0	-78.6494	2686.13	3	0.195	-0.5	-3518.95	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB165	Combination	-114.951	-79.696	0	0	0	-28.6485	835.37	3	0.195	-0.5	-1424.87	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB165	Combination	-116.225	-78.411	0	0	0	-25.1899	695.67	3	0.195	-0.5	-1291.7	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB165	Combination	-117.499	-77.127	0	0	0	-21.7875	558.19	3	0.195	-0.5	-1160.75	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB166	Combination	-124.381	-136.262	0	0	0	-23.0791	591.49	3	0.195	-0.5	-1229.34	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	A_COMB166	Combination	-125.655	-134.977	0	0	0	-17.1457	354.17	3	0.195	-0.5	-998.55	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB166	Combination	-126.929	-133.693	0	0	0	-11.2686	119.06	3	0.195	-0.5	-769.98	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB167	Combination	-128.371	-79.696	0	0	0	-41.5791	1311.04	3	0.195	-0.5	-1969.36	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB167	Combination	-129.645	-78.411	0	0	0	-38.1205	1171.34	3	0.195	-0.5	-1836.19	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB167	Combination	-130.919	-77.127	0	0	0	-34.7181	1033.86	3	0.195	-0.5	-1705.24	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB168	Combination	-137.802	-136.262	0	0	0	-36.0096	1067.16	3	0.195	-0.5	-1773.84	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB168	Combination	-139.076	-134.977	0	0	0	-30.0763	829.84	3	0.195	-0.5	-1543.04	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB168	Combination	-140.349	-133.693	0	0	0	-24.1991	594.73	3	0.195	-0.5	-1314.47	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB169	Combination	-133.373	-79.696	0	0	0	-74.2371	2586.5	3	0.195	-0.5	-3270.47	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB169	Combination	-134.647	-78.411	0	0	0	-70.7785	2446.8	3	0.195	-0.5	-3137.3	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB169	Combination	-135.921	-77.127	0	0	0	-67.3761	2309.32	3	0.195	-0.5	-3006.35	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB170	Combination	-142.804	-136.262	0	0	0	-68.6677	2342.62	3	0.195	-0.5	-3074.95	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB170	Combination	-144.078	-134.977	0	0	0	-62.7343	2105.3	3	0.195	-0.5	-2844.16	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB170	Combination	-145.352	-133.693	0	0	0	-56.8572	1870.19	3	0.195	-0.5	-2615.58	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB171	Combination	-141.425	-79.696	0	0	0	-81.9955	2871.91	3	0.195	-0.5	-3597.16	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB171	Combination	-142.699	-78.411	0	0	0	-78.5369	2732.21	3	0.195	-0.5	-3464	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB171	Combination	-143.973	-77.127	0	0	0	-75.1345	2594.72	3	0.195	-0.5	-3333.05	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB172	Combination	-150.856	-136.262	0	0	0	-76.426	2628.02	3	0.195	-0.5	-3401.64	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB172	Combination	-152.13	-134.977	0	0	0	-70.4927	2390.7	3	0.195	-0.5	-3170.85	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB172	Combination	-153.404	-133.693	0	0	0	-64.6155	2155.59	3	0.195	-0.5	-2942.28	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB173	Combination	-120.144	-79.696	0	0	0	-41.567	1331.66	3	0.195	-0.5	-1947.78	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB173	Combination	-121.418	-78.411	0	0	0	-38.1084	1191.96	3	0.195	-0.5	-1814.62	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB173	Combination	-122.692	-77.127	0	0	0	-34.706	1054.48	3	0.195	-0.5	-1683.67	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB174	Combination	-129.574	-136.262	0	0	0	-35.9975	1087.78	3	0.195	-0.5	-1752.26	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB174	Combination	-130.848	-134.977	0	0	0	-30.0642	850.45	3	0.195	-0.5	-1521.47	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB174	Combination	-132.122	-133.693	0	0	0	-24.187	615.35	3	0.195	-0.5	-1292.9	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB175	Combination	-128.196	-79.696	0	0	0	-49.3253	1617.06	3	0.195	-0.5	-2274.48	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB175	Combination	-129.47	-78.411	0	0	0	-45.8667	1477.36	3	0.195	-0.5	-2141.31	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB175	Combination	-130.744	-77.127	0	0	0	-42.4643	1339.88	3	0.195	-0.5	-2010.36	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB176	Combination	-137.626	-136.262	0	0	0	-43.7559	1373.18	3	0.195	-0.5	-2078.96	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB176	Combination	-138.9	-134.977	0	0	0	-37.8225	1135.86	3	0.195	-0.5	-1848.17	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB176	Combination	-140.174	-133.693	0	0	0	-31.9453	900.75	3	0.195	-0.5	-1619.59	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB177_0_0	Combination	0.563	-15.478	0	0	0	-1.4265	57.72	3	0.195	-0.5	-54.83	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	A_COMB177_0_0	Combination	0.563	-15.052	0	0	0	-0.7586	31.37	3	0.195	-0.5	-28.48	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB177_0_0	Combination	0.563	-14.625	0	0	0	-0.1095	5.76	3	0.195	-0.5	-2.87	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB177_0_1	Combination	0.563	-15.478	0	0	0	-1.4265	57.72	3	0.195	-0.5	-54.83	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB177_0_1	Combination	0.563	-15.052	0	0	0	-0.7586	31.37	3	0.195	-0.5	-28.48	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB177_0_1	Combination	0.563	-14.625	0	0	0	-0.1095	5.76	3	0.195	-0.5	-2.87	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB177_0_2	Combination	-59.754	-15.478	0	0	0	-27.1422	917.48	3	0.195	-0.5	-1223.91	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB177_0_2	Combination	-59.754	-15.052	0	0	0	-26.4744	891.14	3	0.195	-0.5	-1197.57	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB177_0_2	Combination	-59.754	-14.625	0	0	0	-25.8252	865.53	3	0.195	-0.5	-1171.96	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB177_0_2_1	Combination	-61.477	-34.528	0	0	0	-30.8265	1058.4	3	0.195	-0.5	-1373.67	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB177_0_2_1	Combination	-61.477	-33.577	0	0	0	-29.3367	999.63	3	0.195	-0.5	-1314.9	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB177_0_2_1	Combination	-61.477	-32.625	0	0	0	-27.8885	942.51	3	0.195	-0.5	-1257.77	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB177_0_3	Combination	-61.477	-34.528	0	0	0	-30.8265	1058.4	3	0.195	-0.5	-1373.67	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB177_0_3	Combination	-61.477	-33.577	0	0	0	-29.3367	999.63	3	0.195	-0.5	-1314.9	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB177_0_3	Combination	-61.477	-32.625	0	0	0	-27.8885	942.51	3	0.195	-0.5	-1257.77	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB177_0_4	Combination	-57.569	-34.528	0	0	0	-24.3412	812.59	3	0.195	-0.5	-1107.82	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB177_0_4	Combination	-57.569	-33.577	0	0	0	-22.8514	753.82	3	0.195	-0.5	-1049.05	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB177_0_4	Combination	-57.569	-32.625	0	0	0	-21.4033	696.7	3	0.195	-0.5	-991.92	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB177	Combination	-112.449	-34.169	0	0	0	-42.7424	1397.76	3	0.195	-0.5	-1974.42	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB177	Combination	-112.449	-33.135	0	0	0	-41.2702	1339.68	3	0.195	-0.5	-1916.34	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB177	Combination	-112.449	-32.101	0	0	0	-39.8431	1283.39	3	0.195	-0.5	-1860.05	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB178	Combination	-112.449	-34.169	0	0	0	-42.7424	1397.76	3	0.195	-0.5	-1974.42	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB178	Combination	-112.449	-33.135	0	0	0	-41.2702	1339.68	3	0.195	-0.5	-1916.34	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB178	Combination	-112.449	-32.101	0	0	0	-39.8431	1283.39	3	0.195	-0.5	-1860.05	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB181	Combination	-84.845	-38.853	0	0	0	-33.9569	1121.97	3	0.195	-0.5	-1557.08	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB181	Combination	-84.845	-37.736	0	0	0	-32.2816	1055.88	3	0.195	-0.5	-1490.99	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB181	Combination	-84.845	-36.619	0	0	0	-30.6551	991.72	3	0.195	-0.5	-1426.82	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB182	Combination	-27.276	-4.325	0	0	0	-9.6157	309.38	3	0.195	-0.5	-449.26	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB182	Combination	-27.276	-4.159	0	0	0	-9.4301	302.06	3	0.195	-0.5	-441.93	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB182	Combination	-27.276	-3.994	0	0	0	-9.2518	295.02	3	0.195	-0.5	-434.9	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB185	Combination	-160.791	-74.162	0	0	0	-82.5222	2843.03	3	0.195	-0.5	-3667.6	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB185	Combination	-160.791	-73.061	0	0	0	-79.3017	2715.99	3	0.195	-0.5	-3540.56	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB185	Combination	-160.791	-71.96	0	0	0	-76.1293	2590.84	3	0.195	-0.5	-3415.42	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB186	Combination	-168.825	-122.347	0	0	0	-77.7778	2635.27	3	0.195	-0.5	-3501.04	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	B_COMB186	Combination	-168.825	-121.247	0	0	0	-72.4492	2425.07	3	0.195	-0.5	-3290.84	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB186	Combination	-168.825	-120.146	0	0	0	-67.1687	2216.77	3	0.195	-0.5	-3082.54	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB189	Combination	-149.767	-74.162	0	0	0	-55.297	1797.32	3	0.195	-0.5	-2565.36	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB189	Combination	-149.767	-73.061	0	0	0	-52.0765	1670.28	3	0.195	-0.5	-2438.32	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB189	Combination	-149.767	-71.96	0	0	0	-48.9042	1545.14	3	0.195	-0.5	-2313.18	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB190	Combination	-157.8	-122.347	0	0	0	-50.5527	1589.57	3	0.195	-0.5	-2398.8	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB190	Combination	-157.8	-121.247	0	0	0	-45.2241	1379.37	3	0.195	-0.5	-2188.6	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB190	Combination	-157.8	-120.146	0	0	0	-39.9436	1171.07	3	0.195	-0.5	-1980.3	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB_0_2_GEO_SBIL	Combination	-82.408	-20.991	0	0	0	-37.5352	1269.37	3	0.195	-0.5	-	
1691.98	1	-0.195	-0.5	01-dic	0										
12	0.04375	B_COMB_0_2_GEO_SBIL	Combination	-82.408	-20.415	0	0	0	-36.6294	1233.64	3	0.195	-0.5	-	
1656.25	1	-0.195	-0.5	01-dic	0.04375										
12	0.0875	B_COMB_0_2_GEO_SBIL	Combination	-82.408	-19.839	0	0	0	-35.7489	1198.91	3	0.195	-0.5	-	
1621.52	1	-0.195	-0.5	01-dic	0.0875										
12	0	B_COMB_0_2_1_GEO_SBIL	Combination	-84.132	-40.041	0	0	0	-41.2194	1410.29	3	0.195	-0.5	-	
1841.74	1	-0.195	-0.5	01-dic	0										
12	0.04375	B_COMB_0_2_1_GEO_SBIL	Combination	-84.132	-38.94	0	0	0	-39.4917	1342.14	3	0.195	-0.5	-	
1773.58	1	-0.195	-0.5	01-dic	0.04375										
12	0.0875	B_COMB_0_2_1_GEO_SBIL	Combination	-84.132	-37.839	0	0	0	-37.8122	1275.88	3	0.195	-0.5	-	
1707.33	1	-0.195	-0.5	01-dic	0.0875										
12	0	B_COMB_0_3_GEO_SBIL	Combination	-84.132	-40.041	0	0	0	-41.2194	1410.29	3	0.195	-0.5	-	
1841.74	1	-0.195	-0.5	01-dic	0										
12	0.04375	B_COMB_0_3_GEO_SBIL	Combination	-84.132	-38.94	0	0	0	-39.4917	1342.14	3	0.195	-0.5	-	
1773.58	1	-0.195	-0.5	01-dic	0.04375										
12	0.0875	B_COMB_0_3_GEO_SBIL	Combination	-84.132	-37.839	0	0	0	-37.8122	1275.88	3	0.195	-0.5	-	
1707.33	1	-0.195	-0.5	01-dic	0.0875										
12	0	B_COMB_0_4_GEO_SBIL	Combination	-80.224	-40.041	0	0	0	-34.7342	1164.48	3	0.195	-0.5	-	
1575.89	1	-0.195	-0.5	01-dic	0										
12	0.04375	B_COMB_0_4_GEO_SBIL	Combination	-80.224	-38.94	0	0	0	-33.0065	1096.33	3	0.195	-0.5	-	
1507.73	1	-0.195	-0.5	01-dic	0.04375										
12	0.0875	B_COMB_0_4_GEO_SBIL	Combination	-80.224	-37.839	0	0	0	-31.3269	1030.07	3	0.195	-0.5	-	
1441.48	1	-0.195	-0.5	01-dic	0.0875										
12	0	B_COMB193	Combination	-147.386	-85.337	0	0	0	-80.7998	2809.46	3	0.195	-0.5	-3565.28	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB193	Combination	-147.386	-84.236	0	0	0	-77.0904	2663.13	3	0.195	-0.5	-3418.95	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB193	Combination	-147.386	-83.135	0	0	0	-73.4292	2518.7	3	0.195	-0.5	-3274.53	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB194	Combination	-158.097	-149.584	0	0	0	-74.474	2532.45	3	0.195	-0.5	-3343.21	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB194	Combination	-158.097	-148.484	0	0	0	-67.9538	2275.25	3	0.195	-0.5	-3086	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB194	Combination	-158.097	-147.383	0	0	0	-61.4817	2019.94	3	0.195	-0.5	-2830.69	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB195	Combination	-154.096	-85.337	0	0	0	-87.2651	3047.29	3	0.195	-0.5	-3837.53	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB195	Combination	-154.096	-84.236	0	0	0	-83.5557	2900.96	3	0.195	-0.5	-3691.2	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB195	Combination	-154.096	-83.135	0	0	0	-79.8944	2756.54	3	0.195	-0.5	-3546.77	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB196	Combination	-164.807	-149.584	0	0	0	-80.9393	2770.29	3	0.195	-0.5	-3615.45	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB196	Combination	-164.807	-148.484	0	0	0	-74.419	2513.08	3	0.195	-0.5	-3358.24	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB196	Combination	-164.807	-147.383	0	0	0	-67.947	2257.77	3	0.195	-0.5	-3102.94	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB197	Combination	-136.361	-85.337	0	0	0	-53.5747	1763.76	3	0.195	-0.5	-2463.04	1
	-0.195	-0.5	01-dic	0											



## Allegati alla relazione di Calcolo

12	0.04375	B_COMB197	Combination	-136.361	-84.236	0	0	0	-49.8653	1617.43	3	0.195	-0.5	-2316.72	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB197	Combination	-136.361	-83.135	0	0	0	-46.204	1473	3	0.195	-0.5	-2172.29	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB198	Combination	-147.072	-149.584	0	0	0	-47.2489	1486.75	3	0.195	-0.5	-2240.97	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB198	Combination	-147.072	-148.484	0	0	0	-40.7286	1229.54	3	0.195	-0.5	-1983.76	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB198	Combination	-147.072	-147.383	0	0	0	-34.2566	974.24	3	0.195	-0.5	-1728.45	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB199	Combination	-143.071	-85.337	0	0	0	-60.0399	2001.59	3	0.195	-0.5	-2735.29	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB199	Combination	-143.071	-84.236	0	0	0	-56.3305	1855.26	3	0.195	-0.5	-2588.96	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB199	Combination	-143.071	-83.135	0	0	0	-52.6693	1710.84	3	0.195	-0.5	-2444.53	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB200	Combination	-153.782	-149.584	0	0	0	-53.7141	1724.59	3	0.195	-0.5	-2513.21	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB200	Combination	-153.782	-148.484	0	0	0	-47.1939	1467.38	3	0.195	-0.5	-2256.01	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB200	Combination	-153.782	-147.383	0	0	0	-40.7218	1212.07	3	0.195	-0.5	-2000.7	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB201	Combination	-148.801	-74.063	0	0	0	-84.5957	2955.57	3	0.195	-0.5	-3718.65	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB201	Combination	-148.801	-72.962	0	0	0	-81.3795	2828.7	3	0.195	-0.5	-3591.78	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB201	Combination	-148.801	-71.861	0	0	0	-78.2115	2703.73	3	0.195	-0.5	-3466.81	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB202	Combination	-156.835	-122.249	0	0	0	-79.8514	2747.82	3	0.195	-0.5	-3552.1	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB202	Combination	-156.835	-121.148	0	0	0	-74.5271	2537.78	3	0.195	-0.5	-3342.06	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB202	Combination	-156.835	-120.047	0	0	0	-69.2509	2329.65	3	0.195	-0.5	-3133.93	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB203	Combination	-159.985	-74.063	0	0	0	-95.3712	3351.96	3	0.195	-0.5	-4172.39	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB203	Combination	-159.985	-72.962	0	0	0	-92.155	3225.09	3	0.195	-0.5	-4045.52	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB203	Combination	-159.985	-71.861	0	0	0	-88.987	3100.12	3	0.195	-0.5	-3920.55	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB204	Combination	-168.018	-122.249	0	0	0	-90.6268	3144.21	3	0.195	-0.5	-4005.84	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB204	Combination	-168.018	-121.148	0	0	0	-85.3025	2934.18	3	0.195	-0.5	-3795.81	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB204	Combination	-168.018	-120.047	0	0	0	-80.0264	2726.04	3	0.195	-0.5	-3587.68	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB205	Combination	-130.427	-74.063	0	0	0	-39.2205	1212.73	3	0.195	-0.5	-1881.59	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB205	Combination	-130.427	-72.962	0	0	0	-36.0043	1085.86	3	0.195	-0.5	-1754.72	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB205	Combination	-130.427	-71.861	0	0	0	-32.8363	960.89	3	0.195	-0.5	-1629.75	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB206	Combination	-138.46	-122.249	0	0	0	-34.4761	1004.98	3	0.195	-0.5	-1715.03	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB206	Combination	-138.46	-121.148	0	0	0	-29.1518	794.95	3	0.195	-0.5	-1505	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB206	Combination	-138.46	-120.047	0	0	0	-23.8757	586.82	3	0.195	-0.5	-1296.87	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB207	Combination	-141.611	-74.063	0	0	0	-49.9959	1609.12	3	0.195	-0.5	-2335.33	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB207	Combination	-141.611	-72.962	0	0	0	-46.7798	1482.25	3	0.195	-0.5	-2208.46	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB207	Combination	-141.611	-71.861	0	0	0	-43.6118	1357.28	3	0.195	-0.5	-2083.49	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB208	Combination	-149.644	-122.249	0	0	0	-45.2516	1401.37	3	0.195	-0.5	-2168.78	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	B_COMB208	Combination	-149.644	-121.148	0	0	0	-39.9273	1191.34	3	0.195	-0.5	-1958.74	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB208	Combination	-149.644	-120.047	0	0	0	-34.6512	983.21	3	0.195	-0.5	-1750.61	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB209	Combination	-151.899	-66.064	0	0	0	-78.1923	2695.02	3	0.195	-0.5	-3473.99	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB209	Combination	-153.346	-64.963	0	0	0	-75.326	2578.25	3	0.195	-0.5	-3364.64	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB209	Combination	-154.793	-63.863	0	0	0	-72.508	2463.37	3	0.195	-0.5	-3257.18	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB210	Combination	-159.932	-114.25	0	0	0	-73.4479	2487.27	3	0.195	-0.5	-3307.44	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB210	Combination	-161.379	-113.149	0	0	0	-68.4736	2287.33	3	0.195	-0.5	-3114.92	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB210	Combination	-162.826	-112.048	0	0	0	-63.5474	2089.3	3	0.195	-0.5	-2924.3	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB211	Combination	-158.609	-66.064	0	0	0	-84.6575	2932.86	3	0.195	-0.5	-3746.24	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB211	Combination	-160.056	-64.963	0	0	0	-81.7913	2816.08	3	0.195	-0.5	-3636.88	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB211	Combination	-161.503	-63.863	0	0	0	-78.9732	2701.21	3	0.195	-0.5	-3529.43	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB212	Combination	-166.642	-114.25	0	0	0	-79.9132	2725.11	3	0.195	-0.5	-3579.68	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB212	Combination	-168.089	-113.149	0	0	0	-74.9388	2525.17	3	0.195	-0.5	-3387.17	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB212	Combination	-169.536	-112.048	0	0	0	-70.0126	2327.13	3	0.195	-0.5	-3196.55	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB213	Combination	-140.874	-66.064	0	0	0	-50.9671	1649.32	3	0.195	-0.5	-2371.75	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB213	Combination	-142.321	-64.963	0	0	0	-48.1009	1532.54	3	0.195	-0.5	-2262.4	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB213	Combination	-143.768	-63.863	0	0	0	-45.2828	1417.67	3	0.195	-0.5	-2154.94	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB214	Combination	-148.908	-114.25	0	0	0	-46.2228	1441.57	3	0.195	-0.5	-2205.2	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB214	Combination	-150.355	-113.149	0	0	0	-41.2484	1241.63	3	0.195	-0.5	-2012.68	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB214	Combination	-151.802	-112.048	0	0	0	-36.3222	1043.59	3	0.195	-0.5	-1822.06	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB215	Combination	-147.585	-66.064	0	0	0	-57.4324	1887.16	3	0.195	-0.5	-2644	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB215	Combination	-149.031	-64.963	0	0	0	-54.5662	1770.38	3	0.195	-0.5	-2534.64	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB215	Combination	-150.478	-63.863	0	0	0	-51.7481	1655.5	3	0.195	-0.5	-2427.19	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB216	Combination	-155.618	-114.25	0	0	0	-52.6881	1679.4	3	0.195	-0.5	-2477.44	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB216	Combination	-157.065	-113.149	0	0	0	-47.7137	1479.47	3	0.195	-0.5	-2284.93	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB216	Combination	-158.512	-112.048	0	0	0	-42.7875	1281.43	3	0.195	-0.5	-2094.31	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB217	Combination	-153.419	-68.064	0	0	0	-85.3516	2973.54	3	0.195	-0.5	-3760.31	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB217	Combination	-154.504	-66.963	0	0	0	-82.3979	2854.24	3	0.195	-0.5	-3646.57	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB217	Combination	-155.589	-65.862	0	0	0	-79.4923	2736.84	3	0.195	-0.5	-3534.74	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB218	Combination	-161.452	-116.25	0	0	0	-80.6072	2765.79	3	0.195	-0.5	-3593.75	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB218	Combination	-162.538	-115.149	0	0	0	-75.5454	2563.33	3	0.195	-0.5	-3396.86	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB218	Combination	-163.623	-114.048	0	0	0	-70.5317	2362.77	3	0.195	-0.5	-3201.86	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB219	Combination	-164.603	-68.064	0	0	0	-96.127	3369.94	3	0.195	-0.5	-4214.05	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	B_COMB219	Combination	-165.688	-66.963	0	0	0	-93.1733	3250.64	3	0.195	-0.5	-4100.32	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB219	Combination	-166.773	-65.862	0	0	0	-90.2678	3133.24	3	0.195	-0.5	-3988.48	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB220	Combination	-172.636	-116.25	0	0	0	-91.3827	3162.18	3	0.195	-0.5	-4047.5	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB220	Combination	-173.721	-115.149	0	0	0	-86.3209	2959.72	3	0.195	-0.5	-3850.6	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB220	Combination	-174.806	-114.048	0	0	0	-81.3072	2759.16	3	0.195	-0.5	-3655.61	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB221	Combination	-135.045	-68.064	0	0	0	-39.9764	1230.71	3	0.195	-0.5	-1923.25	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB221	Combination	-136.13	-66.963	0	0	0	-37.0226	1111.41	3	0.195	-0.5	-1809.51	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB221	Combination	-137.215	-65.862	0	0	0	-34.1171	994.01	3	0.195	-0.5	-1697.68	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB222	Combination	-143.078	-116.25	0	0	0	-35.232	1022.96	3	0.195	-0.5	-1756.69	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB222	Combination	-144.163	-115.149	0	0	0	-30.1702	820.5	3	0.195	-0.5	-1559.79	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB222	Combination	-145.249	-114.048	0	0	0	-25.1565	619.93	3	0.195	-0.5	-1364.8	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB223	Combination	-146.228	-68.064	0	0	0	-50.7518	1627.1	3	0.195	-0.5	-2376.99	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB223	Combination	-147.314	-66.963	0	0	0	-47.7981	1507.8	3	0.195	-0.5	-2263.25	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB223	Combination	-148.399	-65.862	0	0	0	-44.8926	1390.4	3	0.195	-0.5	-2151.42	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB224	Combination	-154.262	-116.25	0	0	0	-46.0075	1419.35	3	0.195	-0.5	-2210.43	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB224	Combination	-155.347	-115.149	0	0	0	-40.9456	1216.89	3	0.195	-0.5	-2013.54	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB224	Combination	-156.432	-114.048	0	0	0	-35.9319	1016.33	3	0.195	-0.5	-1818.54	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB225	Combination	-160.908	-74.162	0	0	0	-82.605	2846	3	0.195	-0.5	-3671.16	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB225	Combination	-160.908	-73.061	0	0	0	-79.3845	2718.95	3	0.195	-0.5	-3544.12	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB225	Combination	-160.908	-71.96	0	0	0	-76.2122	2593.81	3	0.195	-0.5	-3418.98	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB226	Combination	-168.941	-122.347	0	0	0	-77.8607	2638.24	3	0.195	-0.5	-3504.61	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB226	Combination	-168.941	-121.247	0	0	0	-72.532	2428.04	3	0.195	-0.5	-3294.41	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB226	Combination	-168.941	-120.146	0	0	0	-67.2516	2219.74	3	0.195	-0.5	-3086.1	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB227	Combination	-167.618	-74.162	0	0	0	-89.0703	3083.83	3	0.195	-0.5	-3943.41	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB227	Combination	-167.618	-73.061	0	0	0	-85.8498	2956.79	3	0.195	-0.5	-3816.37	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB227	Combination	-167.618	-71.96	0	0	0	-82.6775	2831.65	3	0.195	-0.5	-3691.23	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB228	Combination	-175.651	-122.347	0	0	0	-84.3259	2876.08	3	0.195	-0.5	-3776.85	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB228	Combination	-175.651	-121.247	0	0	0	-78.9973	2665.88	3	0.195	-0.5	-3566.65	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB228	Combination	-175.651	-120.146	0	0	0	-73.7169	2457.57	3	0.195	-0.5	-3358.35	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB229	Combination	-149.883	-74.162	0	0	0	-55.3799	1800.29	3	0.195	-0.5	-2568.93	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB229	Combination	-149.883	-73.061	0	0	0	-52.1594	1673.25	3	0.195	-0.5	-2441.89	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB229	Combination	-149.883	-71.96	0	0	0	-48.987	1548.11	3	0.195	-0.5	-2316.74	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB230	Combination	-157.917	-122.347	0	0	0	-50.6355	1592.54	3	0.195	-0.5	-2402.37	1
	-0.195	-0.5	01-dic	0											



*Allegati alla relazione di Calcolo*

12	0.04375	B_COMB241	Combination	-148.918	-72.962	0	0	0	-81.4624	2831.67	3	0.195	-0.5	-3595.35	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB241	Combination	-148.918	-71.861	0	0	0	-78.2944	2706.7	3	0.195	-0.5	-3470.38	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB242	Combination	-156.951	-122.249	0	0	0	-79.9342	2750.78	3	0.195	-0.5	-3555.66	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB242	Combination	-156.951	-121.148	0	0	0	-74.6099	2540.75	3	0.195	-0.5	-3345.63	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB242	Combination	-156.951	-120.047	0	0	0	-69.3338	2332.62	3	0.195	-0.5	-3137.5	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB243	Combination	-160.101	-74.063	0	0	0	-95.454	3354.93	3	0.195	-0.5	-4175.96	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB243	Combination	-160.101	-72.962	0	0	0	-92.2378	3228.06	3	0.195	-0.5	-4049.09	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB243	Combination	-160.101	-71.861	0	0	0	-89.0698	3103.09	3	0.195	-0.5	-3924.12	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB244	Combination	-168.135	-122.249	0	0	0	-90.7097	3147.18	3	0.195	-0.5	-4009.4	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB244	Combination	-168.135	-121.148	0	0	0	-85.3854	2937.14	3	0.195	-0.5	-3799.37	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB244	Combination	-168.135	-120.047	0	0	0	-80.1092	2729.01	3	0.195	-0.5	-3591.24	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB245	Combination	-130.543	-74.063	0	0	0	-39.3033	1215.7	3	0.195	-0.5	-1885.15	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB245	Combination	-130.543	-72.962	0	0	0	-36.0872	1088.83	3	0.195	-0.5	-1758.28	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB245	Combination	-130.543	-71.861	0	0	0	-32.9192	963.86	3	0.195	-0.5	-1633.31	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB246	Combination	-138.577	-122.249	0	0	0	-34.559	1007.95	3	0.195	-0.5	-1718.6	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB246	Combination	-138.577	-121.148	0	0	0	-29.2347	797.92	3	0.195	-0.5	-1508.57	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB246	Combination	-138.577	-120.047	0	0	0	-23.9585	589.79	3	0.195	-0.5	-1300.44	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB247	Combination	-141.727	-74.063	0	0	0	-50.0788	1612.09	3	0.195	-0.5	-2338.9	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB247	Combination	-141.727	-72.962	0	0	0	-46.8626	1485.22	3	0.195	-0.5	-2212.03	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB247	Combination	-141.727	-71.861	0	0	0	-43.6946	1360.25	3	0.195	-0.5	-2087.06	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB248	Combination	-149.76	-122.249	0	0	0	-45.3344	1404.34	3	0.195	-0.5	-2172.34	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB248	Combination	-149.76	-121.148	0	0	0	-40.0101	1194.31	3	0.195	-0.5	-1962.31	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB248	Combination	-149.76	-120.047	0	0	0	-34.734	986.18	3	0.195	-0.5	-1754.18	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB249	Combination	-152.015	-66.064	0	0	0	-78.2751	2697.99	3	0.195	-0.5	-3477.56	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB249	Combination	-153.462	-64.963	0	0	0	-75.4089	2581.22	3	0.195	-0.5	-3368.2	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB249	Combination	-154.909	-63.863	0	0	0	-72.5908	2466.34	3	0.195	-0.5	-3260.75	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB250	Combination	-160.049	-114.25	0	0	0	-73.5308	2490.24	3	0.195	-0.5	-3311	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB250	Combination	-161.496	-113.149	0	0	0	-68.5564	2290.3	3	0.195	-0.5	-3118.49	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB250	Combination	-162.942	-112.048	0	0	0	-63.6302	2092.27	3	0.195	-0.5	-2927.87	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB251	Combination	-158.725	-66.064	0	0	0	-84.7404	2935.83	3	0.195	-0.5	-3749.8	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB251	Combination	-160.172	-64.963	0	0	0	-81.8742	2819.05	3	0.195	-0.5	-3640.45	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB251	Combination	-161.619	-63.863	0	0	0	-79.0561	2704.17	3	0.195	-0.5	-3532.99	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB252	Combination	-166.759	-114.25	0	0	0	-79.996	2728.08	3	0.195	-0.5	-3583.25	1
	-0.195	-0.5	01-dic	0											



## Allegati alla relazione di Calcolo

12	0.04375	B_COMB263	Combination	-147.43	-66.963	0	0	0	-47.8809	1510.77	3	0.195	-0.5	-2266.82	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB263	Combination	-148.515	-65.862	0	0	0	-44.9754	1393.37	3	0.195	-0.5	-2154.99	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB264	Combination	-154.378	-116.25	0	0	0	-46.0903	1422.32	3	0.195	-0.5	-2214	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB264	Combination	-155.463	-115.149	0	0	0	-41.0285	1219.86	3	0.195	-0.5	-2017.1	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB264	Combination	-156.549	-114.048	0	0	0	-36.0148	1019.29	3	0.195	-0.5	-1822.11	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB265	Combination	-150.515	-68.064	0	0	0	-78.0508	2692.99	3	0.195	-0.5	-3464.86	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB265	Combination	-151.6	-66.963	0	0	0	-75.097	2573.69	3	0.195	-0.5	-3351.13	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB265	Combination	-152.685	-65.862	0	0	0	-72.1915	2456.29	3	0.195	-0.5	-3239.29	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB266	Combination	-158.548	-116.25	0	0	0	-73.3064	2485.24	3	0.195	-0.5	-3298.31	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB266	Combination	-159.633	-115.149	0	0	0	-68.2446	2282.78	3	0.195	-0.5	-3101.41	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB266	Combination	-160.719	-114.048	0	0	0	-63.2309	2082.22	3	0.195	-0.5	-2906.41	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB267	Combination	-157.225	-68.064	0	0	0	-84.516	2930.82	3	0.195	-0.5	-3737.11	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB267	Combination	-158.31	-66.963	0	0	0	-81.5623	2811.52	3	0.195	-0.5	-3623.37	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB267	Combination	-159.395	-65.862	0	0	0	-78.6568	2694.12	3	0.195	-0.5	-3511.54	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB268	Combination	-165.258	-116.25	0	0	0	-79.7717	2723.07	3	0.195	-0.5	-3570.55	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB268	Combination	-166.344	-115.149	0	0	0	-74.7098	2520.61	3	0.195	-0.5	-3373.66	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB268	Combination	-167.429	-114.048	0	0	0	-69.6962	2320.05	3	0.195	-0.5	-3178.66	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB269	Combination	-139.49	-68.064	0	0	0	-50.8256	1647.29	3	0.195	-0.5	-2362.62	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB269	Combination	-140.575	-66.963	0	0	0	-47.8719	1527.99	3	0.195	-0.5	-2248.89	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB269	Combination	-141.661	-65.862	0	0	0	-44.9664	1410.59	3	0.195	-0.5	-2137.05	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB270	Combination	-147.524	-116.25	0	0	0	-46.0813	1439.54	3	0.195	-0.5	-2196.07	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB270	Combination	-148.609	-115.149	0	0	0	-41.0194	1237.08	3	0.195	-0.5	-1999.17	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB270	Combination	-149.694	-114.048	0	0	0	-36.0057	1036.51	3	0.195	-0.5	-1804.18	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB271	Combination	-146.2	-68.064	0	0	0	-57.2909	1885.12	3	0.195	-0.5	-2634.87	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB271	Combination	-147.286	-66.963	0	0	0	-54.3372	1765.82	3	0.195	-0.5	-2521.13	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB271	Combination	-148.371	-65.862	0	0	0	-51.4316	1648.42	3	0.195	-0.5	-2409.3	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB272	Combination	-154.234	-116.25	0	0	0	-52.5466	1677.37	3	0.195	-0.5	-2468.31	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB272	Combination	-155.319	-115.149	0	0	0	-47.4847	1474.91	3	0.195	-0.5	-2271.42	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB272	Combination	-156.404	-114.048	0	0	0	-42.471	1274.35	3	0.195	-0.5	-2076.42	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB273	Combination	-149.943	-74.257	0	0	0	-78.0481	2694.35	3	0.195	-0.5	-3463.29	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB273	Combination	-149.943	-73.156	0	0	0	-74.8234	2567.14	3	0.195	-0.5	-3336.08	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB273	Combination	-149.943	-72.055	0	0	0	-71.6469	2441.84	3	0.195	-0.5	-3210.78	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB274	Combination	-157.977	-122.442	0	0	0	-73.3037	2486.6	3	0.195	-0.5	-3296.73	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	B_COMB274	Combination	-157.977	-121.342	0	0	0	-67.971	2276.23	3	0.195	-0.5	-3086.37	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB274	Combination	-157.977	-120.241	0	0	0	-62.6863	2067.77	3	0.195	-0.5	-2877.9	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB275	Combination	-156.654	-74.257	0	0	0	-84.5134	2932.18	3	0.195	-0.5	-3735.54	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB275	Combination	-156.654	-73.156	0	0	0	-81.2887	2804.98	3	0.195	-0.5	-3608.33	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB275	Combination	-156.654	-72.055	0	0	0	-78.1122	2679.67	3	0.195	-0.5	-3483.03	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB276	Combination	-164.687	-122.442	0	0	0	-79.769	2724.43	3	0.195	-0.5	-3568.98	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB276	Combination	-164.687	-121.342	0	0	0	-74.4362	2514.07	3	0.195	-0.5	-3358.61	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB276	Combination	-164.687	-120.241	0	0	0	-69.1516	2305.6	3	0.195	-0.5	-3150.15	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB277	Combination	-138.919	-74.257	0	0	0	-50.8229	1648.65	3	0.195	-0.5	-2361.05	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB277	Combination	-138.919	-73.156	0	0	0	-47.5983	1521.44	3	0.195	-0.5	-2233.85	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB277	Combination	-138.919	-72.055	0	0	0	-44.4218	1396.14	3	0.195	-0.5	-2108.54	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB278	Combination	-146.952	-122.442	0	0	0	-46.0786	1440.9	3	0.195	-0.5	-2194.5	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB278	Combination	-146.952	-121.342	0	0	0	-40.7458	1230.53	3	0.195	-0.5	-1984.13	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB278	Combination	-146.952	-120.241	0	0	0	-35.4612	1022.06	3	0.195	-0.5	-1775.66	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB279	Combination	-145.629	-74.257	0	0	0	-57.2882	1886.48	3	0.195	-0.5	-2633.3	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB279	Combination	-145.629	-73.156	0	0	0	-54.0636	1759.28	3	0.195	-0.5	-2506.09	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB279	Combination	-145.629	-72.055	0	0	0	-50.8871	1633.97	3	0.195	-0.5	-2380.79	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB280	Combination	-153.662	-122.442	0	0	0	-52.5439	1678.73	3	0.195	-0.5	-2466.74	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB280	Combination	-153.662	-121.342	0	0	0	-47.2111	1468.36	3	0.195	-0.5	-2256.38	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB280	Combination	-153.662	-120.241	0	0	0	-41.9265	1259.9	3	0.195	-0.5	-2047.91	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB281	Combination	-136.537	-85.432	0	0	0	-76.3257	2660.78	3	0.195	-0.5	-3360.97	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB281	Combination	-136.537	-84.331	0	0	0	-72.6122	2514.29	3	0.195	-0.5	-3214.48	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB281	Combination	-136.537	-83.23	0	0	0	-68.9468	2369.7	3	0.195	-0.5	-3069.89	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB282	Combination	-147.249	-149.68	0	0	0	-69.9999	2383.78	3	0.195	-0.5	-3138.9	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB282	Combination	-147.249	-148.579	0	0	0	-63.4755	2126.41	3	0.195	-0.5	-2881.53	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB282	Combination	-147.249	-147.478	0	0	0	-56.9993	1870.93	3	0.195	-0.5	-2626.05	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB283	Combination	-143.248	-85.432	0	0	0	-82.791	2898.62	3	0.195	-0.5	-3633.22	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB283	Combination	-143.248	-84.331	0	0	0	-79.0774	2752.12	3	0.195	-0.5	-3486.73	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB283	Combination	-143.248	-83.23	0	0	0	-75.412	2607.53	3	0.195	-0.5	-3342.14	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB284	Combination	-153.959	-149.68	0	0	0	-76.4652	2621.61	3	0.195	-0.5	-3411.14	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB284	Combination	-153.959	-148.579	0	0	0	-69.9408	2364.24	3	0.195	-0.5	-3153.77	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB284	Combination	-153.959	-147.478	0	0	0	-63.4646	2108.77	3	0.195	-0.5	-2898.3	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB285	Combination	-125.513	-85.432	0	0	0	-49.1006	1615.08	3	0.195	-0.5	-2258.73	1
	-0.195	-0.5	01-dic	0											



## Allegati alla relazione di Calcolo

12	0.04375	B_COMB285	Combination	-125.513	-84.331	0	0	0	-45.387	1468.59	3	0.195	-0.5	-2112.24	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB285	Combination	-125.513	-83.23	0	0	0	-41.7216	1324	3	0.195	-0.5	-1967.65	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB286	Combination	-136.224	-149.68	0	0	0	-42.7748	1338.08	3	0.195	-0.5	-2036.66	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB286	Combination	-136.224	-148.579	0	0	0	-36.2504	1080.7	3	0.195	-0.5	-1779.29	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB286	Combination	-136.224	-147.478	0	0	0	-29.7742	825.23	3	0.195	-0.5	-1523.82	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB287	Combination	-132.223	-85.432	0	0	0	-55.5659	1852.91	3	0.195	-0.5	-2530.98	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB287	Combination	-132.223	-84.331	0	0	0	-51.8523	1706.42	3	0.195	-0.5	-2384.49	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB287	Combination	-132.223	-83.23	0	0	0	-48.1869	1561.83	3	0.195	-0.5	-2239.9	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB288	Combination	-142.934	-149.68	0	0	0	-49.2401	1575.91	3	0.195	-0.5	-2308.91	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB288	Combination	-142.934	-148.579	0	0	0	-42.7157	1318.54	3	0.195	-0.5	-2051.53	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB288	Combination	-142.934	-147.478	0	0	0	-36.2394	1063.07	3	0.195	-0.5	-1796.06	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB289	Combination	-137.953	-74.158	0	0	0	-80.1216	2806.89	3	0.195	-0.5	-3514.34	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB289	Combination	-137.953	-73.057	0	0	0	-76.9013	2679.86	3	0.195	-0.5	-3387.31	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB289	Combination	-137.953	-71.956	0	0	0	-73.7291	2554.72	3	0.195	-0.5	-3262.17	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB290	Combination	-145.986	-122.344	0	0	0	-75.3773	2599.14	3	0.195	-0.5	-3347.79	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB290	Combination	-145.986	-121.243	0	0	0	-70.0488	2388.94	3	0.195	-0.5	-3137.59	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB290	Combination	-145.986	-120.142	0	0	0	-64.7685	2180.65	3	0.195	-0.5	-2929.3	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB291	Combination	-149.137	-74.158	0	0	0	-90.8971	3203.28	3	0.195	-0.5	-3968.09	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB291	Combination	-149.137	-73.057	0	0	0	-87.6768	3076.25	3	0.195	-0.5	-3841.05	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB291	Combination	-149.137	-71.956	0	0	0	-84.5046	2951.11	3	0.195	-0.5	-3715.92	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB292	Combination	-157.17	-122.344	0	0	0	-86.1527	2995.53	3	0.195	-0.5	-3801.53	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB292	Combination	-157.17	-121.243	0	0	0	-80.8243	2785.33	3	0.195	-0.5	-3591.34	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB292	Combination	-157.17	-120.142	0	0	0	-75.544	2577.04	3	0.195	-0.5	-3383.04	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB293	Combination	-119.579	-74.158	0	0	0	-34.7464	1064.05	3	0.195	-0.5	-1677.28	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB293	Combination	-119.579	-73.057	0	0	0	-31.5261	937.02	3	0.195	-0.5	-1550.24	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB293	Combination	-119.579	-71.956	0	0	0	-28.3539	811.89	3	0.195	-0.5	-1425.11	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB294	Combination	-127.612	-122.344	0	0	0	-30.0021	856.3	3	0.195	-0.5	-1510.72	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB294	Combination	-127.612	-121.243	0	0	0	-24.6736	646.11	3	0.195	-0.5	-1300.53	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB294	Combination	-127.612	-120.142	0	0	0	-19.3933	437.81	3	0.195	-0.5	-1092.23	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB295	Combination	-130.763	-74.158	0	0	0	-45.5219	1460.45	3	0.195	-0.5	-2131.02	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB295	Combination	-130.763	-73.057	0	0	0	-42.3015	1333.41	3	0.195	-0.5	-2003.99	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB295	Combination	-130.763	-71.956	0	0	0	-39.1294	1208.28	3	0.195	-0.5	-1878.85	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB296	Combination	-138.796	-122.344	0	0	0	-40.7775	1252.69	3	0.195	-0.5	-1964.47	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	B_COMB296	Combination	-138.796	-121.243	0	0	0	-35.4491	1042.5	3	0.195	-0.5	-1754.27	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB296	Combination	-138.796	-120.142	0	0	0	-30.1688	834.2	3	0.195	-0.5	-1545.98	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB297	Combination	-141.051	-66.159	0	0	0	-73.7182	2546.35	3	0.195	-0.5	-3269.68	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB297	Combination	-142.498	-65.059	0	0	0	-70.8478	2429.41	3	0.195	-0.5	-3160.16	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB297	Combination	-143.945	-63.958	0	0	0	-68.0256	2314.37	3	0.195	-0.5	-3052.54	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB298	Combination	-149.084	-114.345	0	0	0	-68.9738	2338.59	3	0.195	-0.5	-3103.13	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB298	Combination	-150.531	-113.244	0	0	0	-63.9953	2138.49	3	0.195	-0.5	-2910.45	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB298	Combination	-151.978	-112.143	0	0	0	-59.065	1940.29	3	0.195	-0.5	-2719.67	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB299	Combination	-147.761	-66.159	0	0	0	-80.1835	2784.18	3	0.195	-0.5	-3541.93	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB299	Combination	-149.208	-65.059	0	0	0	-77.3131	2667.24	3	0.195	-0.5	-3432.41	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB299	Combination	-150.655	-63.958	0	0	0	-74.4908	2552.2	3	0.195	-0.5	-3324.79	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB300	Combination	-155.794	-114.345	0	0	0	-75.4391	2576.43	3	0.195	-0.5	-3375.37	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB300	Combination	-157.241	-113.244	0	0	0	-70.4606	2376.33	3	0.195	-0.5	-3182.69	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB300	Combination	-158.688	-112.143	0	0	0	-65.5302	2178.13	3	0.195	-0.5	-2991.91	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB301	Combination	-130.026	-66.159	0	0	0	-46.4931	1500.64	3	0.195	-0.5	-2167.45	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB301	Combination	-131.473	-65.059	0	0	0	-43.6227	1383.7	3	0.195	-0.5	-2057.93	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB301	Combination	-132.92	-63.958	0	0	0	-40.8004	1268.66	3	0.195	-0.5	-1950.31	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB302	Combination	-138.06	-114.345	0	0	0	-41.7487	1292.89	3	0.195	-0.5	-2000.89	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB302	Combination	-139.506	-113.244	0	0	0	-36.7702	1092.79	3	0.195	-0.5	-1808.21	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB302	Combination	-140.953	-112.143	0	0	0	-31.8398	894.59	3	0.195	-0.5	-1617.43	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB303	Combination	-136.736	-66.159	0	0	0	-52.9583	1738.48	3	0.195	-0.5	-2439.69	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB303	Combination	-138.183	-65.059	0	0	0	-50.0879	1621.54	3	0.195	-0.5	-2330.17	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB303	Combination	-139.63	-63.958	0	0	0	-47.2657	1506.5	3	0.195	-0.5	-2222.55	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB304	Combination	-144.77	-114.345	0	0	0	-48.214	1530.73	3	0.195	-0.5	-2273.14	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB304	Combination	-146.217	-113.244	0	0	0	-43.2355	1330.63	3	0.195	-0.5	-2080.46	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB304	Combination	-147.664	-112.143	0	0	0	-38.3051	1132.42	3	0.195	-0.5	-1889.67	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB305	Combination	-142.571	-68.159	0	0	0	-80.8775	2824.87	3	0.195	-0.5	-3556	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB305	Combination	-143.656	-67.058	0	0	0	-77.9196	2705.4	3	0.195	-0.5	-3442.1	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB305	Combination	-144.741	-65.957	0	0	0	-75.0099	2587.84	3	0.195	-0.5	-3330.1	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB306	Combination	-150.604	-116.345	0	0	0	-76.1332	2617.12	3	0.195	-0.5	-3389.45	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB306	Combination	-151.689	-115.244	0	0	0	-71.0672	2414.49	3	0.195	-0.5	-3192.39	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB306	Combination	-152.775	-114.143	0	0	0	-66.0493	2213.77	3	0.195	-0.5	-2997.23	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB307	Combination	-153.755	-68.159	0	0	0	-91.653	3221.26	3	0.195	-0.5	-4009.74	1
	-0.195	-0.5	01-dic	0											



## Allegati alla relazione di Calcolo

12	0.04375	B_COMB318	Combination	-147.069	-121.342	0	0	0	-40.8287	1233.5	3	0.195	-0.5	-1987.7	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB318	Combination	-147.069	-120.241	0	0	0	-35.544	1025.03	3	0.195	-0.5	-1779.23	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB319	Combination	-145.745	-74.257	0	0	0	-57.3711	1889.45	3	0.195	-0.5	-2636.86	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB319	Combination	-145.745	-73.156	0	0	0	-54.1464	1762.25	3	0.195	-0.5	-2509.66	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB319	Combination	-145.745	-72.055	0	0	0	-50.9699	1636.94	3	0.195	-0.5	-2384.35	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB320	Combination	-153.779	-122.442	0	0	0	-52.6267	1681.7	3	0.195	-0.5	-2470.31	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB320	Combination	-153.779	-121.342	0	0	0	-47.2939	1471.33	3	0.195	-0.5	-2259.94	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB320	Combination	-153.779	-120.241	0	0	0	-42.0093	1262.87	3	0.195	-0.5	-2051.48	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB321	Combination	-136.654	-85.432	0	0	0	-76.4086	2663.75	3	0.195	-0.5	-3364.54	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB321	Combination	-136.654	-84.331	0	0	0	-72.695	2517.26	3	0.195	-0.5	-3218.05	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB321	Combination	-136.654	-83.23	0	0	0	-69.0296	2372.67	3	0.195	-0.5	-3073.46	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB322	Combination	-147.365	-149.68	0	0	0	-70.0828	2386.75	3	0.195	-0.5	-3142.46	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB322	Combination	-147.365	-148.579	0	0	0	-63.5584	2129.37	3	0.195	-0.5	-2885.09	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB322	Combination	-147.365	-147.478	0	0	0	-57.0821	1873.9	3	0.195	-0.5	-2629.62	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB323	Combination	-143.364	-85.432	0	0	0	-82.8738	2901.58	3	0.195	-0.5	-3636.78	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB323	Combination	-143.364	-84.331	0	0	0	-79.1603	2755.09	3	0.195	-0.5	-3490.29	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB323	Combination	-143.364	-83.23	0	0	0	-75.4949	2610.5	3	0.195	-0.5	-3345.7	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB324	Combination	-154.075	-149.68	0	0	0	-76.548	2624.58	3	0.195	-0.5	-3414.71	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB324	Combination	-154.075	-148.579	0	0	0	-70.0236	2367.21	3	0.195	-0.5	-3157.34	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB324	Combination	-154.075	-147.478	0	0	0	-63.5474	2111.74	3	0.195	-0.5	-2901.87	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB325	Combination	-125.629	-85.432	0	0	0	-49.1834	1618.05	3	0.195	-0.5	-2262.3	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB325	Combination	-125.629	-84.331	0	0	0	-45.4699	1471.56	3	0.195	-0.5	-2115.81	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB325	Combination	-125.629	-83.23	0	0	0	-41.8045	1326.97	3	0.195	-0.5	-1971.22	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB326	Combination	-136.34	-149.68	0	0	0	-42.8576	1341.05	3	0.195	-0.5	-2040.23	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB326	Combination	-136.34	-148.579	0	0	0	-36.3332	1083.67	3	0.195	-0.5	-1782.85	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB326	Combination	-136.34	-147.478	0	0	0	-29.857	828.2	3	0.195	-0.5	-1527.38	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB327	Combination	-132.34	-85.432	0	0	0	-55.6487	1855.88	3	0.195	-0.5	-2534.55	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB327	Combination	-132.34	-84.331	0	0	0	-51.9351	1709.39	3	0.195	-0.5	-2388.06	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB327	Combination	-132.34	-83.23	0	0	0	-48.2697	1564.8	3	0.195	-0.5	-2243.46	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB328	Combination	-143.051	-149.68	0	0	0	-49.3229	1578.88	3	0.195	-0.5	-2312.47	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB328	Combination	-143.051	-148.579	0	0	0	-42.7985	1321.51	3	0.195	-0.5	-2055.1	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB328	Combination	-143.051	-147.478	0	0	0	-36.3223	1066.03	3	0.195	-0.5	-1799.63	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB329	Combination	-138.07	-74.158	0	0	0	-80.2045	2809.86	3	0.195	-0.5	-3517.91	1
	-0.195	-0.5	01-dic	0											







## Allegati alla relazione di Calcolo

12	0.04375	B_COMB361_0_1	Combination	0.563	-15.052	0	0	0	-0.7586	31.37	3	0.195	-0.5	-28.48	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB361_0_1	Combination	0.563	-14.625	0	0	0	-0.1095	5.76	3	0.195	-0.5	-2.87	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB361_0_2	Combination	-71.757	-15.478	0	0	0	-32.2599	1088.59	3	0.195	-0.5	-1456.57	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB361_0_2	Combination	-71.757	-15.052	0	0	0	-31.5921	1062.24	3	0.195	-0.5	-1430.23	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB361_0_2	Combination	-71.757	-14.625	0	0	0	-30.9429	1036.63	3	0.195	-0.5	-1404.62	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB361_0_2_1	Combination	-73.481	-34.528	0	0	0	-35.9442	1229.5	3	0.195	-0.5	-1606.33	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB361_0_2_1	Combination	-73.481	-33.577	0	0	0	-34.4544	1170.74	3	0.195	-0.5	-1547.56	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB361_0_2_1	Combination	-73.481	-32.625	0	0	0	-33.0062	1113.61	3	0.195	-0.5	-1490.43	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB361_0_3	Combination	-73.481	-34.528	0	0	0	-35.9442	1229.5	3	0.195	-0.5	-1606.33	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB361_0_3	Combination	-73.481	-33.577	0	0	0	-34.4544	1170.74	3	0.195	-0.5	-1547.56	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB361_0_3	Combination	-73.481	-32.625	0	0	0	-33.0062	1113.61	3	0.195	-0.5	-1490.43	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB361_0_4	Combination	-69.573	-34.528	0	0	0	-29.4589	983.7	3	0.195	-0.5	-1340.48	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB361_0_4	Combination	-69.573	-33.577	0	0	0	-27.9691	924.93	3	0.195	-0.5	-1281.71	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB361_0_4	Combination	-69.573	-32.625	0	0	0	-26.521	867.8	3	0.195	-0.5	-1224.58	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB361	Combination	-124.452	-34.169	0	0	0	-47.8601	1568.87	3	0.195	-0.5	-2207.08	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB361	Combination	-124.452	-33.135	0	0	0	-46.3879	1510.79	3	0.195	-0.5	-2149	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB361	Combination	-124.452	-32.101	0	0	0	-44.9608	1454.49	3	0.195	-0.5	-2092.71	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB362	Combination	-124.452	-34.169	0	0	0	-47.8601	1568.87	3	0.195	-0.5	-2207.08	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB362	Combination	-124.452	-33.135	0	0	0	-46.3879	1510.79	3	0.195	-0.5	-2149	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB362	Combination	-124.452	-32.101	0	0	0	-44.9608	1454.49	3	0.195	-0.5	-2092.71	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB363	Combination	-124.671	-28.164	0	0	0	-47.3067	1546.47	3	0.195	-0.5	-2185.81	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB363	Combination	-124.671	-27.295	0	0	0	-46.0935	1498.62	3	0.195	-0.5	-2137.95	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB363	Combination	-124.671	-26.426	0	0	0	-44.9184	1452.26	3	0.195	-0.5	-2091.6	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB364	Combination	-124.671	-28.164	0	0	0	-47.3067	1546.47	3	0.195	-0.5	-2185.81	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB364	Combination	-124.671	-27.295	0	0	0	-46.0935	1498.62	3	0.195	-0.5	-2137.95	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB364	Combination	-124.671	-26.426	0	0	0	-44.9184	1452.26	3	0.195	-0.5	-2091.6	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB365	Combination	-96.849	-38.853	0	0	0	-39.0746	1293.08	3	0.195	-0.5	-1789.74	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB365	Combination	-96.849	-37.736	0	0	0	-37.3993	1226.99	3	0.195	-0.5	-1723.65	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB365	Combination	-96.849	-36.619	0	0	0	-35.7728	1162.82	3	0.195	-0.5	-1659.48	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB366	Combination	-96.849	-38.853	0	0	0	-39.0746	1293.08	3	0.195	-0.5	-1789.74	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB366	Combination	-96.849	-37.736	0	0	0	-37.3993	1226.99	3	0.195	-0.5	-1723.65	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB366	Combination	-96.849	-36.619	0	0	0	-35.7728	1162.82	3	0.195	-0.5	-1659.48	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB367	Combination	-97.286	-26.842	0	0	0	-37.9677	1248.29	3	0.195	-0.5	-1747.19	1
	-0.195	-0.5	01-dic	0											



## Allegati alla relazione di Calcolo

12	0.04375	B_COMB367	Combination	-97.286	-26.056	0	0	0	-36.8106	1202.64	3	0.195	-0.5	-1701.54	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB367	Combination	-97.286	-25.27	0	0	0	-35.6878	1158.35	3	0.195	-0.5	-1657.25	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB368	Combination	-97.286	-26.842	0	0	0	-37.9677	1248.29	3	0.195	-0.5	-1747.19	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB368	Combination	-97.286	-26.056	0	0	0	-36.8106	1202.64	3	0.195	-0.5	-1701.54	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB368	Combination	-97.286	-25.27	0	0	0	-35.6878	1158.35	3	0.195	-0.5	-1657.25	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB369	Combination	-110.105	-64.224	0	0	0	-60.374	2099.3	3	0.195	-0.5	-2663.94	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB369	Combination	-110.105	-63.273	0	0	0	-57.585	1989.28	3	0.195	-0.5	-2553.92	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB369	Combination	-110.105	-62.321	0	0	0	-54.8376	1880.9	3	0.195	-0.5	-2445.54	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB370	Combination	-117.09	-106.125	0	0	0	-56.2485	1918.64	3	0.195	-0.5	-2519.11	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB370	Combination	-117.09	-105.173	0	0	0	-51.6263	1736.31	3	0.195	-0.5	-2336.77	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB370	Combination	-117.09	-104.222	0	0	0	-47.0458	1555.62	3	0.195	-0.5	-2156.08	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB373	Combination	-99.08	-64.224	0	0	0	-33.1488	1053.59	3	0.195	-0.5	-1561.7	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB373	Combination	-99.08	-63.273	0	0	0	-30.3598	943.57	3	0.195	-0.5	-1451.68	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB373	Combination	-99.08	-62.321	0	0	0	-27.6125	835.2	3	0.195	-0.5	-1343.3	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB374	Combination	-106.066	-106.125	0	0	0	-29.0233	872.94	3	0.195	-0.5	-1416.87	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB374	Combination	-106.066	-105.173	0	0	0	-24.4012	690.61	3	0.195	-0.5	-1234.53	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB374	Combination	-106.066	-104.222	0	0	0	-19.8206	509.92	3	0.195	-0.5	-1053.84	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB377	Combination	-100.62	-73.956	0	0	0	-59.6467	2094.93	3	0.195	-0.5	-2610.92	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB377	Combination	-100.62	-73.004	0	0	0	-56.4319	1968.11	3	0.195	-0.5	-2484.11	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB377	Combination	-100.62	-72.053	0	0	0	-53.2588	1842.94	3	0.195	-0.5	-2358.94	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB378	Combination	-109.934	-129.824	0	0	0	-54.146	1854.05	3	0.195	-0.5	-2417.82	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB378	Combination	-109.934	-128.872	0	0	0	-48.487	1630.82	3	0.195	-0.5	-2194.58	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB378	Combination	-109.934	-127.92	0	0	0	-42.8697	1409.23	3	0.195	-0.5	-1972.99	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB381	Combination	-89.595	-73.956	0	0	0	-32.4215	1049.22	3	0.195	-0.5	-1508.69	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB381	Combination	-89.595	-73.004	0	0	0	-29.2068	922.41	3	0.195	-0.5	-1381.87	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB381	Combination	-89.595	-72.053	0	0	0	-26.0336	797.24	3	0.195	-0.5	-1256.7	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB382	Combination	-98.909	-129.824	0	0	0	-26.9208	808.35	3	0.195	-0.5	-1315.58	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB382	Combination	-98.909	-128.872	0	0	0	-21.2619	585.12	3	0.195	-0.5	-1092.35	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB382	Combination	-98.909	-127.92	0	0	0	-15.6445	363.53	3	0.195	-0.5	-870.75	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB385	Combination	-102.25	-64.153	0	0	0	-63.9141	2259.09	3	0.195	-0.5	-2783.45	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB385	Combination	-102.25	-63.201	0	0	0	-61.1283	2149.19	3	0.195	-0.5	-2673.55	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB385	Combination	-102.25	-62.25	0	0	0	-58.3841	2040.94	3	0.195	-0.5	-2565.3	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB386	Combination	-109.235	-106.053	0	0	0	-59.7886	2078.44	3	0.195	-0.5	-2638.62	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	C_COMB386	Combination	-109.235	-105.102	0	0	0	-55.1696	1896.23	3	0.195	-0.5	-2456.41	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB386	Combination	-109.235	-104.15	0	0	0	-50.5922	1715.66	3	0.195	-0.5	-2275.84	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB387	Combination	-113.434	-64.153	0	0	0	-74.6896	2655.48	3	0.195	-0.5	-3237.19	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB387	Combination	-113.434	-63.201	0	0	0	-71.9037	2545.58	3	0.195	-0.5	-3127.29	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB387	Combination	-113.434	-62.25	0	0	0	-69.1595	2437.33	3	0.195	-0.5	-3019.04	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB388	Combination	-120.419	-106.053	0	0	0	-70.5641	2474.83	3	0.195	-0.5	-3092.36	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB388	Combination	-120.419	-105.102	0	0	0	-65.9451	2292.62	3	0.195	-0.5	-2910.15	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB388	Combination	-120.419	-104.15	0	0	0	-61.3677	2112.05	3	0.195	-0.5	-2729.58	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB389	Combination	-83.876	-64.153	0	0	0	-18.5389	516.25	3	0.195	-0.5	-946.38	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB389	Combination	-83.876	-63.201	0	0	0	-15.7531	406.36	3	0.195	-0.5	-836.49	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB389	Combination	-83.876	-62.25	0	0	0	-13.0088	298.1	3	0.195	-0.5	-728.23	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB390	Combination	-90.861	-106.053	0	0	0	-14.4134	335.6	3	0.195	-0.5	-801.55	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB390	Combination	-90.861	-105.102	0	0	0	-9.7944	153.39	3	0.195	-0.5	-619.34	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB390	Combination	-90.861	-104.15	0	0	0	-5.217	-27.18	3	0.195	-0.5	-438.78	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB391	Combination	-95.059	-64.153	0	0	0	-29.3144	912.64	3	0.195	-0.5	-1400.13	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB391	Combination	-95.059	-63.201	0	0	0	-26.5285	802.75	3	0.195	-0.5	-1290.23	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB391	Combination	-95.059	-62.25	0	0	0	-23.7843	694.49	3	0.195	-0.5	-1181.98	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB392	Combination	-102.045	-106.053	0	0	0	-25.1889	731.99	3	0.195	-0.5	-1255.3	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB392	Combination	-102.045	-105.102	0	0	0	-20.5698	549.78	3	0.195	-0.5	-1073.09	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB392	Combination	-102.045	-104.15	0	0	0	-15.9924	369.21	3	0.195	-0.5	-892.52	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB393	Combination	-104.544	-57.197	0	0	0	-57.3792	1995.42	3	0.195	-0.5	-2531.54	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB393	Combination	-105.803	-56.246	0	0	0	-54.8977	1894.3	3	0.195	-0.5	-2436.88	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB393	Combination	-107.061	-55.294	0	0	0	-52.4577	1794.82	3	0.195	-0.5	-2343.85	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB394	Combination	-111.53	-99.098	0	0	0	-53.2537	1814.76	3	0.195	-0.5	-2386.71	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB394	Combination	-112.788	-98.147	0	0	0	-48.939	1641.33	3	0.195	-0.5	-2219.73	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB394	Combination	-114.046	-97.195	0	0	0	-44.6659	1469.54	3	0.195	-0.5	-2054.4	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB395	Combination	-111.255	-57.197	0	0	0	-63.8445	2233.25	3	0.195	-0.5	-2803.79	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB395	Combination	-112.513	-56.246	0	0	0	-61.3629	2132.13	3	0.195	-0.5	-2709.12	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB395	Combination	-113.771	-55.294	0	0	0	-58.923	2032.66	3	0.195	-0.5	-2616.1	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB396	Combination	-118.24	-99.098	0	0	0	-59.719	2052.6	3	0.195	-0.5	-2658.96	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB396	Combination	-119.498	-98.147	0	0	0	-55.4043	1879.17	3	0.195	-0.5	-2491.98	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB396	Combination	-120.757	-97.195	0	0	0	-51.1312	1707.38	3	0.195	-0.5	-2326.64	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB397	Combination	-93.52	-57.197	0	0	0	-30.1541	949.72	3	0.195	-0.5	-1429.31	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	C_COMB397	Combination	-94.778	-56.246	0	0	0	-27.6725	848.6	3	0.195	-0.5	-1334.64	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB397	Combination	-96.036	-55.294	0	0	0	-25.2326	749.12	3	0.195	-0.5	-1241.62	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB398	Combination	-100.505	-99.098	0	0	0	-26.0286	769.06	3	0.195	-0.5	-1284.47	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB398	Combination	-101.764	-98.147	0	0	0	-21.7139	595.63	3	0.195	-0.5	-1117.49	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB398	Combination	-103.022	-97.195	0	0	0	-17.4408	423.84	3	0.195	-0.5	-952.16	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB399	Combination	-100.23	-57.197	0	0	0	-36.6194	1187.55	3	0.195	-0.5	-1701.55	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB399	Combination	-101.488	-56.246	0	0	0	-34.1378	1086.43	3	0.195	-0.5	-1606.89	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB399	Combination	-102.747	-55.294	0	0	0	-31.6979	986.96	3	0.195	-0.5	-1513.86	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB400	Combination	-107.216	-99.098	0	0	0	-32.4939	1006.9	3	0.195	-0.5	-1556.72	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB400	Combination	-108.474	-98.147	0	0	0	-28.1791	833.47	3	0.195	-0.5	-1389.74	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB400	Combination	-109.732	-97.195	0	0	0	-23.906	661.67	3	0.195	-0.5	-1224.4	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB401	Combination	-106.265	-58.936	0	0	0	-64.5714	2274.72	3	0.195	-0.5	-2819.67	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB401	Combination	-107.209	-57.985	0	0	0	-62.0138	2171.41	3	0.195	-0.5	-2721.2	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB401	Combination	-108.153	-57.033	0	0	0	-59.4978	2069.74	3	0.195	-0.5	-2624.37	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB402	Combination	-113.251	-100.837	0	0	0	-60.4459	2094.07	3	0.195	-0.5	-2674.84	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB402	Combination	-114.195	-99.885	0	0	0	-56.0551	1918.44	3	0.195	-0.5	-2504.05	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB402	Combination	-115.138	-98.934	0	0	0	-51.7059	1744.46	3	0.195	-0.5	-2334.91	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB403	Combination	-117.449	-58.936	0	0	0	-75.3469	2671.11	3	0.195	-0.5	-3273.42	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB403	Combination	-118.393	-57.985	0	0	0	-72.7892	2567.8	3	0.195	-0.5	-3174.94	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB403	Combination	-119.336	-57.033	0	0	0	-70.2732	2466.13	3	0.195	-0.5	-3078.11	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB404	Combination	-124.435	-100.837	0	0	0	-71.2214	2490.46	3	0.195	-0.5	-3128.58	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB404	Combination	-125.378	-99.885	0	0	0	-66.8306	2314.83	3	0.195	-0.5	-2957.8	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB404	Combination	-126.322	-98.934	0	0	0	-62.4814	2140.85	3	0.195	-0.5	-2788.65	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB405	Combination	-87.891	-58.936	0	0	0	-19.1962	531.88	3	0.195	-0.5	-982.61	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB405	Combination	-88.835	-57.985	0	0	0	-16.6386	428.57	3	0.195	-0.5	-884.14	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB405	Combination	-89.779	-57.033	0	0	0	-14.1225	326.9	3	0.195	-0.5	-787.3	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB406	Combination	-94.877	-100.837	0	0	0	-15.0707	351.23	3	0.195	-0.5	-837.78	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB406	Combination	-95.82	-99.885	0	0	0	-10.6799	175.6	3	0.195	-0.5	-666.99	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB406	Combination	-96.764	-98.934	0	0	0	-6.3307	1.62	3	0.195	-0.5	-497.85	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB407	Combination	-99.075	-58.936	0	0	0	-29.9717	928.28	3	0.195	-0.5	-1436.35	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB407	Combination	-100.019	-57.985	0	0	0	-27.414	824.96	3	0.195	-0.5	-1337.88	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB407	Combination	-100.962	-57.033	0	0	0	-24.898	723.29	3	0.195	-0.5	-1241.05	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB408	Combination	-106.06	-100.837	0	0	0	-25.8461	747.62	3	0.195	-0.5	-1291.52	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	C_COMB408	Combination	-107.004	-99.885	0	0	0	-21.4553	572	3	0.195	-0.5	-1120.73	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB408	Combination	-107.948	-98.934	0	0	0	-17.1062	398.01	3	0.195	-0.5	-951.59	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB409	Combination	-110.194	-64.224	0	0	0	-60.4377	2101.58	3	0.195	-0.5	-2666.68	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB409	Combination	-110.194	-63.273	0	0	0	-57.6487	1991.56	3	0.195	-0.5	-2556.66	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB409	Combination	-110.194	-62.321	0	0	0	-54.9013	1883.18	3	0.195	-0.5	-2448.28	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB410	Combination	-117.18	-106.125	0	0	0	-56.3122	1920.93	3	0.195	-0.5	-2521.85	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB410	Combination	-117.18	-105.173	0	0	0	-51.69	1738.59	3	0.195	-0.5	-2339.52	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB410	Combination	-117.18	-104.222	0	0	0	-47.1095	1557.9	3	0.195	-0.5	-2158.82	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB411	Combination	-116.905	-64.224	0	0	0	-66.903	2339.41	3	0.195	-0.5	-2938.93	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB411	Combination	-116.905	-63.273	0	0	0	-64.114	2229.4	3	0.195	-0.5	-2828.91	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB411	Combination	-116.905	-62.321	0	0	0	-61.3666	2121.02	3	0.195	-0.5	-2720.53	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB412	Combination	-123.89	-106.125	0	0	0	-62.7775	2158.76	3	0.195	-0.5	-2794.1	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB412	Combination	-123.89	-105.173	0	0	0	-58.1553	1976.43	3	0.195	-0.5	-2611.76	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB412	Combination	-123.89	-104.222	0	0	0	-53.5748	1795.74	3	0.195	-0.5	-2431.07	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB413	Combination	-99.17	-64.224	0	0	0	-33.2126	1055.88	3	0.195	-0.5	-1564.44	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB413	Combination	-99.17	-63.273	0	0	0	-30.4236	945.86	3	0.195	-0.5	-1454.42	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB413	Combination	-99.17	-62.321	0	0	0	-27.6762	837.48	3	0.195	-0.5	-1346.05	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB414	Combination	-106.155	-106.125	0	0	0	-29.087	875.22	3	0.195	-0.5	-1419.61	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB414	Combination	-106.155	-105.173	0	0	0	-24.4649	692.89	3	0.195	-0.5	-1237.28	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB414	Combination	-106.155	-104.222	0	0	0	-19.8844	512.2	3	0.195	-0.5	-1056.59	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB415	Combination	-105.88	-64.224	0	0	0	-39.6778	1293.71	3	0.195	-0.5	-1836.69	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB415	Combination	-105.88	-63.273	0	0	0	-36.8888	1183.69	3	0.195	-0.5	-1726.67	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB415	Combination	-105.88	-62.321	0	0	0	-34.1415	1075.32	3	0.195	-0.5	-1618.29	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB416	Combination	-112.866	-106.125	0	0	0	-35.5523	1113.06	3	0.195	-0.5	-1691.86	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB416	Combination	-112.866	-105.173	0	0	0	-30.9302	930.73	3	0.195	-0.5	-1509.52	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB416	Combination	-112.866	-104.222	0	0	0	-26.3496	750.03	3	0.195	-0.5	-1328.83	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB417	Combination	-100.709	-73.956	0	0	0	-59.7104	2097.21	3	0.195	-0.5	-2613.67	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB417	Combination	-100.709	-73.004	0	0	0	-56.4956	1970.4	3	0.195	-0.5	-2486.85	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB417	Combination	-100.709	-72.053	0	0	0	-53.3225	1845.22	3	0.195	-0.5	-2361.68	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB418	Combination	-110.023	-129.824	0	0	0	-54.2097	1856.34	3	0.195	-0.5	-2420.56	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB418	Combination	-110.023	-128.872	0	0	0	-48.5507	1633.1	3	0.195	-0.5	-2197.33	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB418	Combination	-110.023	-127.92	0	0	0	-42.9334	1411.51	3	0.195	-0.5	-1975.74	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB419	Combination	-107.42	-73.956	0	0	0	-66.1757	2335.04	3	0.195	-0.5	-2885.91	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	C_COMB419	Combination	-107.42	-73.004	0	0	0	-62.9609	2208.23	3	0.195	-0.5	-2759.1	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB419	Combination	-107.42	-72.053	0	0	0	-59.7878	2083.06	3	0.195	-0.5	-2633.93	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB420	Combination	-116.734	-129.824	0	0	0	-60.675	2094.17	3	0.195	-0.5	-2692.81	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB420	Combination	-116.734	-128.872	0	0	0	-55.016	1870.94	3	0.195	-0.5	-2469.57	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB420	Combination	-116.734	-127.92	0	0	0	-49.3987	1649.35	3	0.195	-0.5	-2247.98	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB421	Combination	-89.685	-73.956	0	0	0	-32.4852	1051.51	3	0.195	-0.5	-1511.43	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB421	Combination	-89.685	-73.004	0	0	0	-29.2705	924.69	3	0.195	-0.5	-1384.62	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB421	Combination	-89.685	-72.053	0	0	0	-26.0974	799.52	3	0.195	-0.5	-1259.44	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB422	Combination	-98.999	-129.824	0	0	0	-26.9846	810.64	3	0.195	-0.5	-1318.32	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB422	Combination	-98.999	-128.872	0	0	0	-21.3256	587.4	3	0.195	-0.5	-1095.09	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB422	Combination	-98.999	-127.92	0	0	0	-15.7083	365.81	3	0.195	-0.5	-873.5	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB423	Combination	-96.395	-73.956	0	0	0	-38.9505	1289.34	3	0.195	-0.5	-1783.68	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB423	Combination	-96.395	-73.004	0	0	0	-35.7358	1162.53	3	0.195	-0.5	-1656.86	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB423	Combination	-96.395	-72.053	0	0	0	-32.5626	1037.36	3	0.195	-0.5	-1531.69	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB424	Combination	-105.709	-129.824	0	0	0	-33.4498	1048.47	3	0.195	-0.5	-1590.57	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB424	Combination	-105.709	-128.872	0	0	0	-27.7909	825.24	3	0.195	-0.5	-1367.34	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB424	Combination	-105.709	-127.92	0	0	0	-22.1735	603.65	3	0.195	-0.5	-1145.74	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB425	Combination	-102.339	-64.153	0	0	0	-63.9779	2261.37	3	0.195	-0.5	-2786.19	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB425	Combination	-102.339	-63.201	0	0	0	-61.192	2151.48	3	0.195	-0.5	-2676.29	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB425	Combination	-102.339	-62.25	0	0	0	-58.4478	2043.22	3	0.195	-0.5	-2568.04	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB426	Combination	-109.325	-106.053	0	0	0	-59.8524	2080.72	3	0.195	-0.5	-2641.36	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB426	Combination	-109.325	-105.102	0	0	0	-55.2333	1898.51	3	0.195	-0.5	-2459.15	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB426	Combination	-109.325	-104.15	0	0	0	-50.6559	1717.94	3	0.195	-0.5	-2278.58	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB427	Combination	-113.523	-64.153	0	0	0	-74.7533	2657.76	3	0.195	-0.5	-3239.93	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB427	Combination	-113.523	-63.201	0	0	0	-71.9675	2547.87	3	0.195	-0.5	-3130.04	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB427	Combination	-113.523	-62.25	0	0	0	-69.2232	2439.61	3	0.195	-0.5	-3021.78	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB428	Combination	-120.509	-106.053	0	0	0	-70.6278	2477.11	3	0.195	-0.5	-3095.1	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB428	Combination	-120.509	-105.102	0	0	0	-66.0088	2294.9	3	0.195	-0.5	-2912.89	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB428	Combination	-120.509	-104.15	0	0	0	-61.4314	2114.33	3	0.195	-0.5	-2732.33	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB429	Combination	-83.965	-64.153	0	0	0	-18.6026	518.54	3	0.195	-0.5	-949.13	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB429	Combination	-83.965	-63.201	0	0	0	-15.8168	408.64	3	0.195	-0.5	-839.23	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB429	Combination	-83.965	-62.25	0	0	0	-13.0725	300.39	3	0.195	-0.5	-730.98	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB430	Combination	-90.951	-106.053	0	0	0	-14.4771	337.88	3	0.195	-0.5	-804.3	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	C_COMB430	Combination	-90.951	-105.102	0	0	0	-9.8581	155.67	3	0.195	-0.5	-622.09	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB430	Combination	-90.951	-104.15	0	0	0	-5.2807	-24.89	3	0.195	-0.5	-441.52	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB431	Combination	-95.149	-64.153	0	0	0	-29.3781	914.93	3	0.195	-0.5	-1402.87	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB431	Combination	-95.149	-63.201	0	0	0	-26.5922	805.03	3	0.195	-0.5	-1292.97	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB431	Combination	-95.149	-62.25	0	0	0	-23.848	696.78	3	0.195	-0.5	-1184.72	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB432	Combination	-102.134	-106.053	0	0	0	-25.2526	734.27	3	0.195	-0.5	-1258.04	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB432	Combination	-102.134	-105.102	0	0	0	-20.6336	552.06	3	0.195	-0.5	-1075.83	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB432	Combination	-102.134	-104.15	0	0	0	-16.0562	371.5	3	0.195	-0.5	-895.26	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB433	Combination	-104.634	-57.197	0	0	0	-57.443	1997.7	3	0.195	-0.5	-2534.29	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB433	Combination	-105.892	-56.246	0	0	0	-54.9614	1896.58	3	0.195	-0.5	-2439.62	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB433	Combination	-107.15	-55.294	0	0	0	-52.5215	1797.11	3	0.195	-0.5	-2346.6	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB434	Combination	-111.619	-99.098	0	0	0	-53.3175	1817.05	3	0.195	-0.5	-2389.46	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB434	Combination	-112.878	-98.147	0	0	0	-49.0027	1643.62	3	0.195	-0.5	-2222.48	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB434	Combination	-114.136	-97.195	0	0	0	-44.7296	1471.83	3	0.195	-0.5	-2057.14	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB435	Combination	-111.344	-57.197	0	0	0	-63.9082	2235.54	3	0.195	-0.5	-2806.53	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB435	Combination	-112.602	-56.246	0	0	0	-61.4267	2134.42	3	0.195	-0.5	-2711.87	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB435	Combination	-113.861	-55.294	0	0	0	-58.9867	2034.94	3	0.195	-0.5	-2618.84	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB436	Combination	-118.33	-99.098	0	0	0	-59.7827	2054.88	3	0.195	-0.5	-2661.7	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB436	Combination	-119.588	-98.147	0	0	0	-55.468	1881.45	3	0.195	-0.5	-2494.72	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB436	Combination	-120.846	-97.195	0	0	0	-51.1949	1709.66	3	0.195	-0.5	-2329.38	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB437	Combination	-93.609	-57.197	0	0	0	-30.2178	952	3	0.195	-0.5	-1432.05	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB437	Combination	-94.868	-56.246	0	0	0	-27.7363	850.88	3	0.195	-0.5	-1337.38	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB437	Combination	-96.126	-55.294	0	0	0	-25.2963	751.41	3	0.195	-0.5	-1244.36	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB438	Combination	-100.595	-99.098	0	0	0	-26.0923	771.35	3	0.195	-0.5	-1287.22	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB438	Combination	-101.853	-98.147	0	0	0	-21.7776	597.91	3	0.195	-0.5	-1120.24	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB438	Combination	-103.111	-97.195	0	0	0	-17.5045	426.12	3	0.195	-0.5	-954.9	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB439	Combination	-100.32	-57.197	0	0	0	-36.6831	1189.84	3	0.195	-0.5	-1704.3	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB439	Combination	-101.578	-56.246	0	0	0	-34.2015	1088.72	3	0.195	-0.5	-1609.63	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB439	Combination	-102.836	-55.294	0	0	0	-31.7616	989.24	3	0.195	-0.5	-1516.61	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB440	Combination	-107.305	-99.098	0	0	0	-32.5576	1009.18	3	0.195	-0.5	-1559.46	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB440	Combination	-108.563	-98.147	0	0	0	-28.2429	835.75	3	0.195	-0.5	-1392.48	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB440	Combination	-109.822	-97.195	0	0	0	-23.9698	663.96	3	0.195	-0.5	-1227.15	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB441	Combination	-106.355	-58.936	0	0	0	-64.6352	2277.01	3	0.195	-0.5	-2822.42	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	C_COMB441	Combination	-107.299	-57.985	0	0	0	-62.0775	2173.69	3	0.195	-0.5	-2723.94	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB441	Combination	-108.242	-57.033	0	0	0	-59.5615	2072.02	3	0.195	-0.5	-2627.11	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB442	Combination	-113.34	-100.837	0	0	0	-60.5096	2096.35	3	0.195	-0.5	-2677.58	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB442	Combination	-114.284	-99.885	0	0	0	-56.1188	1920.72	3	0.195	-0.5	-2506.8	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB442	Combination	-115.228	-98.934	0	0	0	-51.7697	1746.74	3	0.195	-0.5	-2337.65	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB443	Combination	-117.539	-58.936	0	0	0	-75.4106	2673.4	3	0.195	-0.5	-3276.16	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB443	Combination	-118.482	-57.985	0	0	0	-72.853	2570.08	3	0.195	-0.5	-3177.69	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB443	Combination	-119.426	-57.033	0	0	0	-70.337	2468.41	3	0.195	-0.5	-3080.85	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB444	Combination	-124.524	-100.837	0	0	0	-71.2851	2492.74	3	0.195	-0.5	-3131.33	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB444	Combination	-125.468	-99.885	0	0	0	-66.8943	2317.12	3	0.195	-0.5	-2960.54	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB444	Combination	-126.411	-98.934	0	0	0	-62.5451	2143.13	3	0.195	-0.5	-2791.4	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB445	Combination	-87.981	-58.936	0	0	0	-19.2599	534.17	3	0.195	-0.5	-985.35	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB445	Combination	-88.924	-57.985	0	0	0	-16.7023	430.86	3	0.195	-0.5	-886.88	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB445	Combination	-89.868	-57.033	0	0	0	-14.1863	329.19	3	0.195	-0.5	-790.05	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB446	Combination	-94.966	-100.837	0	0	0	-15.1344	353.52	3	0.195	-0.5	-840.52	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB446	Combination	-95.91	-99.885	0	0	0	-10.7436	177.89	3	0.195	-0.5	-669.73	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB446	Combination	-96.854	-98.934	0	0	0	-6.3944	3.9	3	0.195	-0.5	-500.59	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB447	Combination	-99.164	-58.936	0	0	0	-30.0354	930.56	3	0.195	-0.5	-1439.1	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB447	Combination	-100.108	-57.985	0	0	0	-27.4777	827.25	3	0.195	-0.5	-1340.62	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB447	Combination	-101.052	-57.033	0	0	0	-24.9617	725.58	3	0.195	-0.5	-1243.79	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB448	Combination	-106.15	-100.837	0	0	0	-25.9099	749.91	3	0.195	-0.5	-1294.26	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB448	Combination	-107.094	-99.885	0	0	0	-21.5191	574.28	3	0.195	-0.5	-1123.48	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB448	Combination	-108.037	-98.934	0	0	0	-17.1699	400.29	3	0.195	-0.5	-954.33	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB449	Combination	-103.325	-58.936	0	0	0	-57.2451	1993.25	3	0.195	-0.5	-2523.13	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB449	Combination	-104.269	-57.985	0	0	0	-54.6875	1889.94	3	0.195	-0.5	-2424.65	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB449	Combination	-105.213	-57.033	0	0	0	-52.1715	1788.27	3	0.195	-0.5	-2327.82	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB450	Combination	-110.311	-100.837	0	0	0	-53.1196	1812.6	3	0.195	-0.5	-2378.3	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB450	Combination	-111.254	-99.885	0	0	0	-48.7288	1636.97	3	0.195	-0.5	-2207.51	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB450	Combination	-112.198	-98.934	0	0	0	-44.3796	1462.99	3	0.195	-0.5	-2038.36	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB451	Combination	-110.035	-58.936	0	0	0	-63.7104	2231.09	3	0.195	-0.5	-2795.37	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB451	Combination	-110.979	-57.985	0	0	0	-61.1527	2127.78	3	0.195	-0.5	-2696.9	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB451	Combination	-111.923	-57.033	0	0	0	-58.6367	2026.1	3	0.195	-0.5	-2600.07	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB452	Combination	-117.021	-100.837	0	0	0	-59.5849	2050.43	3	0.195	-0.5	-2650.54	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	C_COMB452	Combination	-117.965	-99.885	0	0	0	-55.1941	1874.81	3	0.195	-0.5	-2479.75	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB452	Combination	-118.908	-98.934	0	0	0	-50.8449	1700.82	3	0.195	-0.5	-2310.61	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB453	Combination	-92.301	-58.936	0	0	0	-30.02	947.55	3	0.195	-0.5	-1420.89	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB453	Combination	-93.244	-57.985	0	0	0	-27.4623	844.24	3	0.195	-0.5	-1322.42	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB453	Combination	-94.188	-57.033	0	0	0	-24.9463	742.57	3	0.195	-0.5	-1225.58	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB454	Combination	-99.286	-100.837	0	0	0	-25.8945	766.9	3	0.195	-0.5	-1276.06	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB454	Combination	-100.23	-99.885	0	0	0	-21.5037	591.27	3	0.195	-0.5	-1105.27	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB454	Combination	-101.174	-98.934	0	0	0	-17.1545	417.29	3	0.195	-0.5	-936.13	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB455	Combination	-99.011	-58.936	0	0	0	-36.4853	1185.39	3	0.195	-0.5	-1693.13	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB455	Combination	-99.955	-57.985	0	0	0	-33.9276	1082.07	3	0.195	-0.5	-1594.66	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB455	Combination	-100.898	-57.033	0	0	0	-31.4116	980.4	3	0.195	-0.5	-1497.83	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB456	Combination	-105.996	-100.837	0	0	0	-32.3597	1004.73	3	0.195	-0.5	-1548.3	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB456	Combination	-106.94	-99.885	0	0	0	-27.9689	829.11	3	0.195	-0.5	-1377.52	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB456	Combination	-107.884	-98.934	0	0	0	-23.6198	655.12	3	0.195	-0.5	-1208.37	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB457	Combination	-94.137	-34.743	0	0	0	-45.2187	1542.4	3	0.195	-0.5	-2025.15	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB457	Combination	-94.137	-33.791	0	0	0	-43.7195	1483.26	3	0.195	-0.5	-1966.01	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB457	Combination	-94.137	-32.84	0	0	0	-42.2619	1425.76	3	0.195	-0.5	-1908.51	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB458	Combination	-99.729	-34.743	0	0	0	-50.6064	1740.59	3	0.195	-0.5	-2252.02	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB458	Combination	-99.729	-33.791	0	0	0	-49.1072	1681.45	3	0.195	-0.5	-2192.88	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB458	Combination	-99.729	-32.84	0	0	0	-47.6497	1623.95	3	0.195	-0.5	-2135.39	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB459	Combination	-84.95	-34.743	0	0	0	-22.531	670.98	3	0.195	-0.5	-1106.62	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB459	Combination	-84.95	-33.791	0	0	0	-21.0319	611.84	3	0.195	-0.5	-1047.48	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB459	Combination	-84.95	-32.84	0	0	0	-19.5743	554.34	3	0.195	-0.5	-989.98	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB460	Combination	-90.542	-34.743	0	0	0	-27.9188	869.17	3	0.195	-0.5	-1333.49	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB460	Combination	-90.542	-33.791	0	0	0	-26.4196	810.03	3	0.195	-0.5	-1274.35	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB460	Combination	-90.542	-32.84	0	0	0	-24.962	752.54	3	0.195	-0.5	-1216.85	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB461	Combination	-65.682	-63.938	0	0	0	-43.0367	1529.29	3	0.195	-0.5	-1866.12	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB461	Combination	-65.682	-62.986	0	0	0	-40.2602	1419.76	3	0.195	-0.5	-1756.59	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB461	Combination	-65.682	-62.035	0	0	0	-37.5254	1311.88	3	0.195	-0.5	-1648.71	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB462	Combination	-71.274	-63.938	0	0	0	-48.4244	1727.48	3	0.195	-0.5	-2092.99	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB462	Combination	-71.274	-62.986	0	0	0	-45.648	1617.96	3	0.195	-0.5	-1983.46	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB462	Combination	-71.274	-62.035	0	0	0	-42.9131	1510.07	3	0.195	-0.5	-1875.58	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB463	Combination	-56.495	-63.938	0	0	0	-20.3491	657.87	3	0.195	-0.5	-947.58	1
	-0.195	-0.5	01-dic	0											



## Allegati alla relazione di Calcolo

12	0.04375	D_COMB463	Combination	-56.495	-62.986	0	0	0	-17.5726	548.34	3	0.195	-0.5	-838.06	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB463	Combination	-56.495	-62.035	0	0	0	-14.8378	440.46	3	0.195	-0.5	-730.18	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB464	Combination	-62.087	-63.938	0	0	0	-25.7368	856.06	3	0.195	-0.5	-1174.46	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB464	Combination	-62.087	-62.986	0	0	0	-22.9604	746.54	3	0.195	-0.5	-1064.93	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB464	Combination	-62.087	-62.035	0	0	0	-20.2255	638.65	3	0.195	-0.5	-957.05	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB465	Combination	-72.667	-105.839	0	0	0	-38.9112	1348.63	3	0.195	-0.5	-1721.29	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB465	Combination	-72.667	-104.887	0	0	0	-34.3016	1166.79	3	0.195	-0.5	-1539.45	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB465	Combination	-72.667	-103.936	0	0	0	-29.7336	986.6	3	0.195	-0.5	-1359.25	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB466	Combination	-78.259	-105.839	0	0	0	-44.2989	1546.83	3	0.195	-0.5	-1948.16	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB466	Combination	-78.259	-104.887	0	0	0	-39.6893	1364.99	3	0.195	-0.5	-1766.32	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB466	Combination	-78.259	-103.936	0	0	0	-35.1213	1184.79	3	0.195	-0.5	-1586.12	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB467	Combination	-63.48	-105.839	0	0	0	-16.2236	477.21	3	0.195	-0.5	-802.75	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB467	Combination	-63.48	-104.887	0	0	0	-11.614	295.37	3	0.195	-0.5	-620.91	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB467	Combination	-63.48	-103.936	0	0	0	-7.046	115.18	3	0.195	-0.5	-440.72	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB468	Combination	-69.072	-105.839	0	0	0	-21.6113	675.41	3	0.195	-0.5	-1029.63	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB468	Combination	-69.072	-104.887	0	0	0	-17.0017	493.57	3	0.195	-0.5	-847.79	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB468	Combination	-69.072	-103.936	0	0	0	-12.4337	313.37	3	0.195	-0.5	-667.59	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB469	Combination	-62.158	-34.528	0	0	0	-35.4582	1239.36	3	0.195	-0.5	-1558.12	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB469	Combination	-62.158	-33.577	0	0	0	-33.9684	1180.59	3	0.195	-0.5	-1499.36	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB469	Combination	-62.158	-32.625	0	0	0	-32.5202	1123.47	3	0.195	-0.5	-1442.23	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB470	Combination	-68.869	-34.528	0	0	0	-41.9234	1477.2	3	0.195	-0.5	-1830.37	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB470	Combination	-68.869	-33.577	0	0	0	-40.4336	1418.43	3	0.195	-0.5	-1771.6	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB470	Combination	-68.869	-32.625	0	0	0	-38.9855	1361.3	3	0.195	-0.5	-1714.47	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB471	Combination	-51.134	-34.528	0	0	0	-8.233	193.66	3	0.195	-0.5	-455.89	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB471	Combination	-51.134	-33.577	0	0	0	-6.7432	134.89	3	0.195	-0.5	-397.12	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB471	Combination	-51.134	-32.625	0	0	0	-5.2951	77.77	3	0.195	-0.5	-339.99	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB472	Combination	-57.844	-34.528	0	0	0	-14.6983	431.5	3	0.195	-0.5	-728.13	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB472	Combination	-57.844	-33.577	0	0	0	-13.2085	372.73	3	0.195	-0.5	-669.36	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB472	Combination	-57.844	-32.625	0	0	0	-11.7603	315.6	3	0.195	-0.5	-612.24	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB473	Combination	-61.483	-34.528	0	0	0	-33.6691	1170.52	3	0.195	-0.5	-1485.82	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB473	Combination	-61.483	-33.577	0	0	0	-32.1793	1111.75	3	0.195	-0.5	-1427.05	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB473	Combination	-61.483	-32.625	0	0	0	-30.7311	1054.62	3	0.195	-0.5	-1369.92	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB474	Combination	-67.075	-34.528	0	0	0	-39.0568	1368.71	3	0.195	-0.5	-1712.69	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	D_COMB474	Combination	-67.075	-33.577	0	0	0	-37.567	1309.95	3	0.195	-0.5	-1653.92	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB474	Combination	-67.075	-32.625	0	0	0	-36.1188	1252.82	3	0.195	-0.5	-1596.79	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB475	Combination	-52.296	-34.528	0	0	0	-10.9814	299.1	3	0.195	-0.5	-567.29	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB475	Combination	-52.296	-33.577	0	0	0	-9.4917	240.33	3	0.195	-0.5	-508.52	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB475	Combination	-52.296	-32.625	0	0	0	-8.0435	183.21	3	0.195	-0.5	-451.39	1
	-0.195	-0.5	01-dic	0.0875											
12	0	D_COMB476	Combination	-57.888	-34.528	0	0	0	-16.3692	497.3	3	0.195	-0.5	-794.16	1
	-0.195	-0.5	01-dic	0											
12	0.04375	D_COMB476	Combination	-57.888	-33.577	0	0	0	-14.8794	438.53	3	0.195	-0.5	-735.39	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	D_COMB476	Combination	-57.888	-32.625	0	0	0	-13.4312	381.4	3	0.195	-0.5	-678.26	1
	-0.195	-0.5	01-dic	0.0875											
12	0	E_COMB477	Combination	-61.394	-34.528	0	0	0	-33.6053	1168.23	3	0.195	-0.5	-1483.07	1
	-0.195	-0.5	01-dic	0											
12	0.04375	E_COMB477	Combination	-61.394	-33.577	0	0	0	-32.1155	1109.47	3	0.195	-0.5	-1424.3	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	E_COMB477	Combination	-61.394	-32.625	0	0	0	-30.6674	1052.34	3	0.195	-0.5	-1367.18	1
	-0.195	-0.5	01-dic	0.0875											
12	0	E_COMB478	Combination	-66.985	-34.528	0	0	0	-38.9931	1366.43	3	0.195	-0.5	-1709.95	1
	-0.195	-0.5	01-dic	0											
12	0.04375	E_COMB478	Combination	-66.985	-33.577	0	0	0	-37.5033	1307.66	3	0.195	-0.5	-1651.18	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	E_COMB478	Combination	-66.985	-32.625	0	0	0	-36.0551	1250.53	3	0.195	-0.5	-1594.05	1
	-0.195	-0.5	01-dic	0.0875											
12	0	E_COMB479	Combination	-52.206	-34.528	0	0	0	-10.9177	296.82	3	0.195	-0.5	-564.54	1
	-0.195	-0.5	01-dic	0											
12	0.04375	E_COMB479	Combination	-52.206	-33.577	0	0	0	-9.4279	238.05	3	0.195	-0.5	-505.77	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	E_COMB479	Combination	-52.206	-32.625	0	0	0	-7.9798	180.92	3	0.195	-0.5	-448.65	1
	-0.195	-0.5	01-dic	0.0875											
12	0	E_COMB480	Combination	-57.798	-34.528	0	0	0	-16.3054	495.01	3	0.195	-0.5	-791.41	1
	-0.195	-0.5	01-dic	0											
12	0.04375	E_COMB480	Combination	-57.798	-33.577	0	0	0	-14.8157	436.24	3	0.195	-0.5	-732.64	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	E_COMB480	Combination	-57.798	-32.625	0	0	0	-13.3675	379.12	3	0.195	-0.5	-675.52	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB179	Combination	-112.667	-28.164	0	0	0	-42.189	1375.37	3	0.195	-0.5	-1953.15	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB179	Combination	-112.667	-27.295	0	0	0	-40.9758	1327.51	3	0.195	-0.5	-1905.29	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB179	Combination	-112.667	-26.426	0	0	0	-39.8007	1281.16	3	0.195	-0.5	-1858.94	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB180	Combination	-112.667	-28.164	0	0	0	-42.189	1375.37	3	0.195	-0.5	-1953.15	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB180	Combination	-112.667	-27.295	0	0	0	-40.9758	1327.51	3	0.195	-0.5	-1905.29	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB180	Combination	-112.667	-26.426	0	0	0	-39.8007	1281.16	3	0.195	-0.5	-1858.94	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB183	Combination	-85.282	-26.842	0	0	0	-32.85	1077.19	3	0.195	-0.5	-1514.53	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB183	Combination	-85.282	-26.056	0	0	0	-31.6929	1031.54	3	0.195	-0.5	-1468.88	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB183	Combination	-85.282	-25.27	0	0	0	-30.5701	987.25	3	0.195	-0.5	-1424.59	1
	-0.195	-0.5	01-dic	0.0875											
12	0	A_COMB184	Combination	-85.282	-26.842	0	0	0	-32.85	1077.19	3	0.195	-0.5	-1514.53	1
	-0.195	-0.5	01-dic	0											
12	0.04375	A_COMB184	Combination	-85.282	-26.056	0	0	0	-31.6929	1031.54	3	0.195	-0.5	-1468.88	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	A_COMB184	Combination	-85.282	-25.27	0	0	0	-30.5701	987.25	3	0.195	-0.5	-1424.59	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB187	Combination	-167.502	-74.162	0	0	0	-88.9874	3080.86	3	0.195	-0.5	-3939.84	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	B_COMB187	Combination	-167.502	-73.061	0	0	0	-85.7669	2953.82	3	0.195	-0.5	-3812.8	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB187	Combination	-167.502	-71.96	0	0	0	-82.5946	2828.68	3	0.195	-0.5	-3687.66	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB188	Combination	-175.535	-122.347	0	0	0	-84.2431	2873.11	3	0.195	-0.5	-3773.29	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB188	Combination	-175.535	-121.247	0	0	0	-78.9145	2662.91	3	0.195	-0.5	-3563.09	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB188	Combination	-175.535	-120.146	0	0	0	-73.634	2454.61	3	0.195	-0.5	-3354.78	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB191	Combination	-156.477	-74.162	0	0	0	-61.7623	2035.16	3	0.195	-0.5	-2837.61	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB191	Combination	-156.477	-73.061	0	0	0	-58.5418	1908.12	3	0.195	-0.5	-2710.56	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB191	Combination	-156.477	-71.96	0	0	0	-55.3695	1782.98	3	0.195	-0.5	-2585.42	1
	-0.195	-0.5	01-dic	0.0875											
12	0	B_COMB192	Combination	-164.51	-122.347	0	0	0	-57.0179	1827.41	3	0.195	-0.5	-2671.05	1
	-0.195	-0.5	01-dic	0											
12	0.04375	B_COMB192	Combination	-164.51	-121.247	0	0	0	-51.6893	1617.21	3	0.195	-0.5	-2460.85	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	B_COMB192	Combination	-164.51	-120.146	0	0	0	-46.4089	1408.9	3	0.195	-0.5	-2252.55	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB371	Combination	-116.815	-64.224	0	0	0	-66.8392	2337.13	3	0.195	-0.5	-2936.18	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB371	Combination	-116.815	-63.273	0	0	0	-64.0503	2227.11	3	0.195	-0.5	-2826.16	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB371	Combination	-116.815	-62.321	0	0	0	-61.3029	2118.73	3	0.195	-0.5	-2717.79	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB372	Combination	-123.801	-106.125	0	0	0	-62.7137	2156.48	3	0.195	-0.5	-2791.35	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB372	Combination	-123.801	-105.173	0	0	0	-58.0916	1974.14	3	0.195	-0.5	-2609.02	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB372	Combination	-123.801	-104.222	0	0	0	-53.5111	1793.45	3	0.195	-0.5	-2428.33	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB375	Combination	-105.791	-64.224	0	0	0	-39.6141	1291.43	3	0.195	-0.5	-1833.94	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB375	Combination	-105.791	-63.273	0	0	0	-36.8251	1181.41	3	0.195	-0.5	-1723.93	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB375	Combination	-105.791	-62.321	0	0	0	-34.0777	1073.03	3	0.195	-0.5	-1615.55	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB376	Combination	-112.776	-106.125	0	0	0	-35.4886	1110.77	3	0.195	-0.5	-1689.11	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB376	Combination	-112.776	-105.173	0	0	0	-30.8664	928.44	3	0.195	-0.5	-1506.78	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB376	Combination	-112.776	-104.222	0	0	0	-26.2859	747.75	3	0.195	-0.5	-1326.09	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB379	Combination	-107.33	-73.956	0	0	0	-66.1119	2332.76	3	0.195	-0.5	-2883.17	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB379	Combination	-107.33	-73.004	0	0	0	-62.8972	2205.95	3	0.195	-0.5	-2756.36	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB379	Combination	-107.33	-72.053	0	0	0	-59.724	2080.77	3	0.195	-0.5	-2631.18	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB380	Combination	-116.644	-129.824	0	0	0	-60.6112	2091.89	3	0.195	-0.5	-2690.06	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB380	Combination	-116.644	-128.872	0	0	0	-54.9523	1868.66	3	0.195	-0.5	-2466.83	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB380	Combination	-116.644	-127.92	0	0	0	-49.3349	1647.06	3	0.195	-0.5	-2245.24	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB383	Combination	-96.305	-73.956	0	0	0	-38.8868	1287.06	3	0.195	-0.5	-1780.93	1
	-0.195	-0.5	01-dic	0											
12	0.04375	C_COMB383	Combination	-96.305	-73.004	0	0	0	-35.672	1160.24	3	0.195	-0.5	-1654.12	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB383	Combination	-96.305	-72.053	0	0	0	-32.4989	1035.07	3	0.195	-0.5	-1528.95	1
	-0.195	-0.5	01-dic	0.0875											
12	0	C_COMB384	Combination	-105.619	-129.824	0	0	0	-33.3861	1046.19	3	0.195	-0.5	-1587.83	1
	-0.195	-0.5	01-dic	0											

## Allegati alla relazione di Calcolo

12	0.04375	C_COMB384	Combination	-105.619	-128.872	0	0	0	-27.7271	822.95	3	0.195	-0.5	-1364.59	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	C_COMB384	Combination	-105.619	-127.92	0	0	0	-22.1098	601.36	3	0.195	-0.5	-1143	1
	-0.195	-0.5	01-dic	0.0875											
12	0	F_COMB481	Combination	-82.801	-33.703	0	0	0	-32.7157	1078.25	3	0.195	-0.5	-1502.87	1
	-0.195	-0.5	01-dic	0											
12	0.04375	F_COMB481	Combination	-82.801	-32.73	0	0	0	-31.2625	1020.93	3	0.195	-0.5	-1445.55	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	F_COMB481	Combination	-82.801	-31.756	0	0	0	-29.8519	965.28	3	0.195	-0.5	-1389.9	1
	-0.195	-0.5	01-dic	0.0875											
12	0	F_COMB482	Combination	-82.801	-33.703	0	0	0	-32.7157	1078.25	3	0.195	-0.5	-1502.87	1
	-0.195	-0.5	01-dic	0											
12	0.04375	F_COMB482	Combination	-82.801	-32.73	0	0	0	-31.2625	1020.93	3	0.195	-0.5	-1445.55	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	F_COMB482	Combination	-82.801	-31.756	0	0	0	-29.8519	965.28	3	0.195	-0.5	-1389.9	1
	-0.195	-0.5	01-dic	0.0875											
12	0	F_COMB483	Combination	-82.858	-32.139	0	0	0	-32.5717	1072.42	3	0.195	-0.5	-1497.33	1
	-0.195	-0.5	01-dic	0											
12	0.04375	F_COMB483	Combination	-82.858	-31.209	0	0	0	-31.1859	1017.76	3	0.195	-0.5	-1442.67	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	F_COMB483	Combination	-82.858	-30.279	0	0	0	-29.8409	964.7	3	0.195	-0.5	-1389.61	1
	-0.195	-0.5	01-dic	0.0875											
12	0	F_COMB484	Combination	-82.858	-32.139	0	0	0	-32.5717	1072.42	3	0.195	-0.5	-1497.33	1
	-0.195	-0.5	01-dic	0											
12	0.04375	F_COMB484	Combination	-82.858	-31.209	0	0	0	-31.1859	1017.76	3	0.195	-0.5	-1442.67	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	F_COMB484	Combination	-82.858	-30.279	0	0	0	-29.8409	964.7	3	0.195	-0.5	-1389.61	1
	-0.195	-0.5	01-dic	0.0875											
12	0	F_COMB485	Combination	-70.142	-35.288	0	0	0	-28.6365	949.79	3	0.195	-0.5	-1309.5	1
	-0.195	-0.5	01-dic	0											
12	0.04375	F_COMB485	Combination	-70.142	-34.293	0	0	0	-27.1145	889.75	3	0.195	-0.5	-1249.46	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	F_COMB485	Combination	-70.142	-33.299	0	0	0	-25.6359	831.43	3	0.195	-0.5	-1191.13	1
	-0.195	-0.5	01-dic	0.0875											
12	0	F_COMB486	Combination	-70.142	-35.288	0	0	0	-28.6365	949.79	3	0.195	-0.5	-1309.5	1
	-0.195	-0.5	01-dic	0											
12	0.04375	F_COMB486	Combination	-70.142	-34.293	0	0	0	-27.1145	889.75	3	0.195	-0.5	-1249.46	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	F_COMB486	Combination	-70.142	-33.299	0	0	0	-25.6359	831.43	3	0.195	-0.5	-1191.13	1
	-0.195	-0.5	01-dic	0.0875											
12	0	F_COMB487	Combination	-70.256	-32.161	0	0	0	-28.3484	938.14	3	0.195	-0.5	-1298.42	1
	-0.195	-0.5	01-dic	0											
12	0.04375	F_COMB487	Combination	-70.256	-31.253	0	0	0	-26.9612	883.41	3	0.195	-0.5	-1243.7	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	F_COMB487	Combination	-70.256	-30.344	0	0	0	-25.6138	830.26	3	0.195	-0.5	-1190.55	1
	-0.195	-0.5	01-dic	0.0875											
12	0	F_COMB488	Combination	-70.256	-32.161	0	0	0	-28.3484	938.14	3	0.195	-0.5	-1298.42	1
	-0.195	-0.5	01-dic	0											
12	0.04375	F_COMB488	Combination	-70.256	-31.253	0	0	0	-26.9612	883.41	3	0.195	-0.5	-1243.7	1
	-0.195	-0.5	01-dic	0.04375											
12	0.0875	F_COMB488	Combination	-70.256	-30.344	0	0	0	-25.6138	830.26	3	0.195	-0.5	-1190.55	1
	-0.195	-0.5	01-dic	0.0875											
16	0	A_COMB_0_0_STR	Combination	0.76	19.744	0	0	0	-0.1478	7.78	3	0.195	-0.5	-3.88	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB_0_0_STR	Combination	0.76	20.32	0	0	0	-1.0242	42.35	3	0.195	-0.5	-38.45	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB_0_0_STR	Combination	0.76	20.895	0	0	0	-1.9257	77.92	3	0.195	-0.5	-74.02	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB_0_1_STR	Combination	0.76	19.744	0	0	0	-0.1478	7.78	3	0.195	-0.5	-3.88	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB_0_1_STR	Combination	0.76	20.32	0	0	0	-1.0242	42.35	3	0.195	-0.5	-38.45	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB_0_1_STR	Combination	0.76	20.895	0	0	0	-1.9257	77.92	3	0.195	-0.5	-74.02	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB_0_2_STR	Combination	-89.715	19.744	0	0	0	-38.7214	1297.43	3	0.195	-0.5	-1757.51	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	A_COMB_0_2_STR	Combination	-89.715	20.32	0	0	0	-39.5978	1332	3	0.195	-0.5	-1792.08	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB_0_2_STR	Combination	-89.715	20.895	0	0	0	-40.4994	1367.57	3	0.195	-0.5	-1827.65	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB_0_2_1_STR	Combination	-92.042	44.044	0	0	0	0	-41.5069	1401.35	3	0.195	-0.5	-
1873.36	1	-0.195	-0.5	16-1	0										
16	0.04375	A_COMB_0_2_1_STR	Combination	-92.042	45.328	0	0	0	0	-43.4619	1478.47	3	0.195	-0.5	-
1950.48	1	-0.195	-0.5	16-1	0.04375										
16	0.0875	A_COMB_0_2_1_STR	Combination	-92.042	46.613	0	0	0	0	-45.4731	1557.81	3	0.195	-0.5	-
2029.82	1	-0.195	-0.5	16-1	0.0875										
16	0	A_COMB_0_3_STR	Combination	-92.042	44.044	0	0	0	-41.5069	1401.35	3	0.195	-0.5	-1873.36	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB_0_3_STR	Combination	-92.042	45.328	0	0	0	-43.4619	1478.47	3	0.195	-0.5	-1950.48	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB_0_3_STR	Combination	-92.042	46.613	0	0	0	-45.4731	1557.81	3	0.195	-0.5	-2029.82	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB_0_4_STR	Combination	-87.352	44.044	0	0	0	-33.7246	1106.38	3	0.195	-0.5	-1554.34	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB_0_4_STR	Combination	-87.352	45.328	0	0	0	-35.6796	1183.5	3	0.195	-0.5	-1631.46	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB_0_4_STR	Combination	-87.352	46.613	0	0	0	-37.6908	1262.84	3	0.195	-0.5	-1710.8	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB_0_1_GEO	Combination	0.76	19.744	0	0	0	-0.1478	7.78	3	0.195	-0.5	-3.88	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB_0_1_GEO	Combination	0.76	20.32	0	0	0	-1.0242	42.35	3	0.195	-0.5	-38.45	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB_0_1_GEO	Combination	0.76	20.895	0	0	0	-1.9257	77.92	3	0.195	-0.5	-74.02	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB_0_2_GEO	Combination	-93.256	19.744	0	0	0	-40.2313	1347.91	3	0.195	-0.5	-1826.15	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB_0_2_GEO	Combination	-93.256	20.32	0	0	0	-41.1077	1382.48	3	0.195	-0.5	-1860.72	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB_0_2_GEO	Combination	-93.256	20.895	0	0	0	-42.0092	1418.05	3	0.195	-0.5	-1896.29	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB_0_0_GEO	Combination	0.563	14.625	0	0	0	-0.1095	5.76	3	0.195	-0.5	-2.87	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB_0_0_GEO	Combination	0.563	15.052	0	0	0	-0.7586	31.37	3	0.195	-0.5	-28.48	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB_0_0_GEO	Combination	0.563	15.478	0	0	0	-1.4265	57.72	3	0.195	-0.5	-54.83	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB_0_2_1_GEO	Combination	-94.98	37.744	0	0	0	0	-42.2946	1424.89	3	0.195	-0.5	-
1911.96	1	-0.195	-0.5	16-1	0										
16	0.04375	B_COMB_0_2_1_GEO	Combination	-94.98	38.845	0	0	0	0	-43.97	1490.98	3	0.195	-0.5	-
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB_0_2_1_GEO	Combination	-94.98	39.945	0	0	0	0	-45.6935	1558.97	3	0.195	-0.5	-
2046.04	1	-0.195	-0.5	16-1	0.0875										
16	0	B_COMB_0_3_GEO	Combination	-94.98	37.744	0	0	0	-42.2946	1424.89	3	0.195	-0.5	-1911.96	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB_0_3_GEO	Combination	-94.98	38.845	0	0	0	-43.97	1490.98	3	0.195	-0.5	-1978.05	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB_0_3_GEO	Combination	-94.98	39.945	0	0	0	-45.6935	1558.97	3	0.195	-0.5	-2046.04	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB_0_4_GEO	Combination	-91.072	37.744	0	0	0	-35.8093	1179.08	3	0.195	-0.5	-1646.11	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB_0_4_GEO	Combination	-91.072	38.845	0	0	0	-37.4847	1245.17	3	0.195	-0.5	-1712.2	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB_0_4_GEO	Combination	-91.072	39.945	0	0	0	-39.2082	1313.16	3	0.195	-0.5	-1780.19	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB1	Combination	-157.587	83.361	0	0	0	-76.034	2595.3	3	0.195	-0.5	-3403.44	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB1	Combination	-157.587	84.645	0	0	0	-79.7091	2740.27	3	0.195	-0.5	-3548.41	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB1	Combination	-157.587	85.93	0	0	0	-83.4404	2887.47	3	0.195	-0.5	-3695.6	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB2	Combination	-167.017	106.201	0	0	0	-94.3335	3292.99	3	0.195	-0.5	-4149.49	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	A_COMB2	Combination	-167.017	107.486	0	0	0	-99.0079	3477.39	3	0.195	-0.5	-4333.89	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB2	Combination	-167.017	108.77	0	0	0	-103.7385	3664	3	0.195	-0.5	-4520.5	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB3	Combination	-165.639	83.361	0	0	0	-83.7923	2880.7	3	0.195	-0.5	-3730.13	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB3	Combination	-165.639	84.645	0	0	0	-87.4674	3025.68	3	0.195	-0.5	-3875.11	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB3	Combination	-165.639	85.93	0	0	0	-91.1988	3172.87	3	0.195	-0.5	-4022.3	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB4	Combination	-175.07	106.201	0	0	0	-102.0918	3578.39	3	0.195	-0.5	-4476.19	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB4	Combination	-175.07	107.486	0	0	0	-106.7662	3762.79	3	0.195	-0.5	-4660.58	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB4	Combination	-175.07	108.77	0	0	0	-111.4968	3949.4	3	0.195	-0.5	-4847.19	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB5	Combination	-144.358	83.361	0	0	0	-43.3638	1340.46	3	0.195	-0.5	-2080.75	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB5	Combination	-144.358	84.645	0	0	0	-47.0389	1485.43	3	0.195	-0.5	-2225.73	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB5	Combination	-144.358	85.93	0	0	0	-50.7703	1632.62	3	0.195	-0.5	-2372.92	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB6	Combination	-153.788	106.201	0	0	0	-61.6633	2038.15	3	0.195	-0.5	-2826.81	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB6	Combination	-153.788	107.486	0	0	0	-66.3377	2222.54	3	0.195	-0.5	-3011.2	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB6	Combination	-153.788	108.77	0	0	0	-71.0683	2409.16	3	0.195	-0.5	-3197.81	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB7	Combination	-152.41	83.361	0	0	0	-51.1221	1625.86	3	0.195	-0.5	-2407.45	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB7	Combination	-152.41	84.645	0	0	0	-54.7973	1770.83	3	0.195	-0.5	-2552.42	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB7	Combination	-152.41	85.93	0	0	0	-58.5286	1918.03	3	0.195	-0.5	-2699.61	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB8	Combination	-161.84	106.201	0	0	0	-69.4216	2323.55	3	0.195	-0.5	-3153.5	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB8	Combination	-161.84	107.486	0	0	0	-74.096	2507.95	3	0.195	-0.5	-3337.9	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB8	Combination	-161.84	108.77	0	0	0	-78.8266	2694.56	3	0.195	-0.5	-3524.51	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB9	Combination	-144.782	96.692	0	0	0	-74.1924	2555.49	3	0.195	-0.5	-3297.96	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB9	Combination	-144.782	97.976	0	0	0	-78.4508	2723.47	3	0.195	-0.5	-3465.94	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB9	Combination	-144.782	99.261	0	0	0	-82.7653	2893.67	3	0.195	-0.5	-3636.14	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB10	Combination	-157.356	127.146	0	0	0	-98.5917	3485.74	3	0.195	-0.5	-4292.7	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB10	Combination	-157.356	128.43	0	0	0	-104.1825	3706.28	3	0.195	-0.5	-4513.24	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB10	Combination	-157.356	129.715	0	0	0	-109.8294	3929.04	3	0.195	-0.5	-4736	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB11	Combination	-152.834	96.692	0	0	0	-81.9507	2840.89	3	0.195	-0.5	-3624.65	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB11	Combination	-152.834	97.976	0	0	0	-86.2091	3008.87	3	0.195	-0.5	-3792.64	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB11	Combination	-152.834	99.261	0	0	0	-90.5236	3179.07	3	0.195	-0.5	-3962.84	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB12	Combination	-165.408	127.146	0	0	0	-106.3501	3771.14	3	0.195	-0.5	-4619.39	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB12	Combination	-165.408	128.43	0	0	0	-111.9408	3991.69	3	0.195	-0.5	-4839.93	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB12	Combination	-165.408	129.715	0	0	0	-117.5877	4214.45	3	0.195	-0.5	-5062.69	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB13	Combination	-131.553	96.692	0	0	0	-41.5222	1300.64	3	0.195	-0.5	-1975.27	1
	-0.195	-0.5	16-1	0											

Allegati alla relazione di Calcolo

16	0.04375	A_COMB13	Combination	-131.553	97.976	0	0	0	-45.7806	1468.63	3	0.195	-0.5	-2143.25	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB13	Combination	-131.553	99.261	0	0	0	-50.0952	1638.83	3	0.195	-0.5	-2313.45	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB14	Combination	-144.127	127.146	0	0	0	-65.9216	2230.9	3	0.195	-0.5	-2970.01	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB14	Combination	-144.127	128.43	0	0	0	-71.5123	2451.44	3	0.195	-0.5	-3190.55	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB14	Combination	-144.127	129.715	0	0	0	-77.1592	2674.2	3	0.195	-0.5	-3413.31	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB15	Combination	-141.951	96.692	0	0	0	-50.9937	1647.61	3	0.195	-0.5	-2375.56	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB15	Combination	-141.951	97.976	0	0	0	-55.252	1815.59	3	0.195	-0.5	-2543.54	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB15	Combination	-141.951	99.261	0	0	0	-59.5666	1985.79	3	0.195	-0.5	-2713.74	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB16	Combination	-152.179	127.146	0	0	0	-73.6799	2516.3	3	0.195	-0.5	-3296.71	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB16	Combination	-152.179	128.43	0	0	0	-79.2706	2736.84	3	0.195	-0.5	-3517.25	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB16	Combination	-152.179	129.715	0	0	0	-84.9176	2959.6	3	0.195	-0.5	-3740.01	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB17	Combination	-146.524	83.457	0	0	0	-79.9998	2780.11	3	0.195	-0.5	-3531.51	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB17	Combination	-146.524	84.742	0	0	0	-83.6792	2925.25	3	0.195	-0.5	-3676.66	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB17	Combination	-146.524	86.026	0	0	0	-87.4147	3072.61	3	0.195	-0.5	-3824.01	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB18	Combination	-155.954	106.298	0	0	0	-98.2993	3477.8	3	0.195	-0.5	-4277.57	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB18	Combination	-155.954	107.582	0	0	0	-102.978	3662.36	3	0.195	-0.5	-4462.13	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB18	Combination	-155.954	108.867	0	0	0	-107.7128	3849.14	3	0.195	-0.5	-4648.91	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB19	Combination	-159.944	83.457	0	0	0	-92.9304	3255.78	3	0.195	-0.5	-4076.01	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB19	Combination	-159.944	84.742	0	0	0	-96.6097	3400.92	3	0.195	-0.5	-4221.15	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB19	Combination	-159.944	86.026	0	0	0	-100.3453	3548.28	3	0.195	-0.5	-4368.51	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB20	Combination	-169.375	106.298	0	0	0	-111.2299	3953.47	3	0.195	-0.5	-4822.06	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB20	Combination	-169.375	107.582	0	0	0	-115.9085	4138.03	3	0.195	-0.5	-5006.62	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB20	Combination	-169.375	108.867	0	0	0	-120.6433	4324.81	3	0.195	-0.5	-5193.4	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB21	Combination	-124.475	83.457	0	0	0	-25.5496	688.71	3	0.195	-0.5	-1327.04	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB21	Combination	-124.475	84.742	0	0	0	-29.2289	833.85	3	0.195	-0.5	-1472.18	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB21	Combination	-124.475	86.026	0	0	0	-32.9645	981.21	3	0.195	-0.5	-1619.54	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB22	Combination	-133.905	106.298	0	0	0	-43.8491	1386.4	3	0.195	-0.5	-2073.09	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB22	Combination	-133.905	107.582	0	0	0	-48.5277	1570.96	3	0.195	-0.5	-2257.65	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB22	Combination	-133.905	108.867	0	0	0	-53.2625	1757.74	3	0.195	-0.5	-2444.43	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB23	Combination	-137.895	83.457	0	0	0	-38.4801	1164.38	3	0.195	-0.5	-1871.53	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB23	Combination	-137.895	84.742	0	0	0	-42.1595	1309.52	3	0.195	-0.5	-2016.67	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB23	Combination	-137.895	86.026	0	0	0	-45.895	1456.88	3	0.195	-0.5	-2164.03	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB24	Combination	-147.326	106.298	0	0	0	-56.7796	1862.07	3	0.195	-0.5	-2617.58	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	A_COMB24	Combination	-147.326	107.582	0	0	0	-61.4582	2046.63	3	0.195	-0.5	-2802.15	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB24	Combination	-147.326	108.867	0	0	0	-66.1931	2233.41	3	0.195	-0.5	-2988.92	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB25	Combination	-269.955	92.847	0	0	0	-101.2799	3303.07	3	0.195	-0.5	-4687.45	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB25	Combination	-271.653	94.131	0	0	0	-105.37	3460.06	3	0.195	-0.5	-4853.15	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB25	Combination	-273.352	95.416	0	0	0	-109.5164	3619.27	3	0.195	-0.5	-5021.07	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB26	Combination	-279.385	115.687	0	0	0	-119.5794	4000.76	3	0.195	-0.5	-5433.51	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB26	Combination	-281.084	116.972	0	0	0	-124.6688	4197.17	3	0.195	-0.5	-5638.63	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB26	Combination	-282.782	118.257	0	0	0	-129.8144	4395.8	3	0.195	-0.5	-5845.97	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB27	Combination	-278.007	92.847	0	0	0	-109.0382	3588.47	3	0.195	-0.5	-5014.15	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB27	Combination	-279.706	94.131	0	0	0	-113.1283	3745.46	3	0.195	-0.5	-5179.85	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB27	Combination	-281.404	95.416	0	0	0	-117.2747	3904.67	3	0.195	-0.5	-5347.77	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB28	Combination	-287.437	115.687	0	0	0	-127.3377	4286.16	3	0.195	-0.5	-5760.2	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB28	Combination	-289.136	116.972	0	0	0	-132.4271	4482.57	3	0.195	-0.5	-5965.32	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB28	Combination	-290.835	118.257	0	0	0	-137.5727	4681.2	3	0.195	-0.5	-6172.66	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB29	Combination	-256.725	92.847	0	0	0	-68.6097	2048.23	3	0.195	-0.5	-3364.77	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB29	Combination	-258.424	94.131	0	0	0	-72.6998	2205.22	3	0.195	-0.5	-3530.47	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB29	Combination	-260.123	95.416	0	0	0	-76.8462	2364.43	3	0.195	-0.5	-3698.39	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB30	Combination	-266.156	115.687	0	0	0	-86.9092	2745.92	3	0.195	-0.5	-4110.82	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB30	Combination	-267.854	116.972	0	0	0	-91.9986	2942.33	3	0.195	-0.5	-4315.94	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB30	Combination	-269.553	118.257	0	0	0	-97.1442	3140.96	3	0.195	-0.5	-4523.28	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB31	Combination	-264.778	92.847	0	0	0	-76.368	2333.63	3	0.195	-0.5	-3691.46	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB31	Combination	-266.476	94.131	0	0	0	-80.4582	2490.62	3	0.195	-0.5	-3857.16	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB31	Combination	-268.175	95.416	0	0	0	-84.6045	2649.83	3	0.195	-0.5	-4025.08	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB32	Combination	-274.208	115.687	0	0	0	-94.6675	3031.32	3	0.195	-0.5	-4437.52	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB32	Combination	-275.907	116.972	0	0	0	-99.7569	3227.73	3	0.195	-0.5	-4642.64	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB32	Combination	-277.605	118.257	0	0	0	-104.9026	3426.36	3	0.195	-0.5	-4849.98	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB33	Combination	-241.85	90.499	0	0	0	-102.63	3428.39	3	0.195	-0.5	-4668.65	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB33	Combination	-243.124	91.784	0	0	0	-106.6175	3582.42	3	0.195	-0.5	-4829.21	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB33	Combination	-244.398	93.069	0	0	0	-110.6611	3738.67	3	0.195	-0.5	-4991.99	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB34	Combination	-251.281	113.34	0	0	0	-120.9295	4126.08	3	0.195	-0.5	-5414.7	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB34	Combination	-252.555	114.625	0	0	0	-125.9162	4319.53	3	0.195	-0.5	-5614.69	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB34	Combination	-253.829	115.909	0	0	0	-130.9592	4515.2	3	0.195	-0.5	-5816.88	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB35	Combination	-255.271	90.499	0	0	0	-115.5606	3904.06	3	0.195	-0.5	-5213.14	1
	-0.195	-0.5	16-1	0											



## Allegati alla relazione di Calcolo

16	0.04375	A_COMB35	Combination	-256.545	91.784	0	0	0	-119.548	4058.09	3	0.195	-0.5	-5373.71	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB35	Combination	-257.819	93.069	0	0	0	-123.5917	4214.34	3	0.195	-0.5	-5536.48	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB36	Combination	-264.701	113.34	0	0	0	-133.8601	4601.75	3	0.195	-0.5	-5959.2	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB36	Combination	-265.975	114.625	0	0	0	-138.8468	4795.2	3	0.195	-0.5	-6159.18	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB36	Combination	-267.249	115.909	0	0	0	-143.8897	4990.87	3	0.195	-0.5	-6361.38	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB37	Combination	-219.801	90.499	0	0	0	-48.1797	1336.99	3	0.195	-0.5	-2464.17	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB37	Combination	-221.075	91.784	0	0	0	-52.1672	1491.02	3	0.195	-0.5	-2624.74	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB37	Combination	-222.349	93.069	0	0	0	-56.2108	1647.26	3	0.195	-0.5	-2787.52	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB38	Combination	-229.232	113.34	0	0	0	-66.4792	2034.68	3	0.195	-0.5	-3210.23	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB38	Combination	-230.506	114.625	0	0	0	-71.466	2228.13	3	0.195	-0.5	-3410.21	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB38	Combination	-231.78	115.909	0	0	0	-76.5089	2423.79	3	0.195	-0.5	-3612.41	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB39	Combination	-233.222	90.499	0	0	0	-61.1103	1812.66	3	0.195	-0.5	-3008.67	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB39	Combination	-234.496	91.784	0	0	0	-65.0977	1966.69	3	0.195	-0.5	-3169.23	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB39	Combination	-235.77	93.069	0	0	0	-69.1414	2122.93	3	0.195	-0.5	-3332.01	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB40	Combination	-242.652	113.34	0	0	0	-79.4098	2510.35	3	0.195	-0.5	-3754.72	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB40	Combination	-243.926	114.625	0	0	0	-84.3965	2703.8	3	0.195	-0.5	-3954.7	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB40	Combination	-245.2	115.909	0	0	0	-89.4394	2899.46	3	0.195	-0.5	-4156.9	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB41	Combination	-157.721	83.361	0	0	0	-76.1296	2598.72	3	0.195	-0.5	-3407.55	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB41	Combination	-157.721	84.645	0	0	0	-79.8047	2743.7	3	0.195	-0.5	-3552.53	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB41	Combination	-157.721	85.93	0	0	0	-83.536	2890.89	3	0.195	-0.5	-3699.72	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB42	Combination	-167.152	106.201	0	0	0	-94.4291	3296.42	3	0.195	-0.5	-4153.61	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB42	Combination	-167.152	107.486	0	0	0	-99.1035	3480.81	3	0.195	-0.5	-4338	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB42	Combination	-167.152	108.77	0	0	0	-103.8341	3667.42	3	0.195	-0.5	-4524.61	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB43	Combination	-165.774	83.361	0	0	0	-83.8879	2884.13	3	0.195	-0.5	-3734.25	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB43	Combination	-165.774	84.645	0	0	0	-87.563	3029.1	3	0.195	-0.5	-3879.22	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB43	Combination	-165.774	85.93	0	0	0	-91.2943	3176.29	3	0.195	-0.5	-4026.42	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB44	Combination	-175.204	106.201	0	0	0	-102.1874	3581.82	3	0.195	-0.5	-4480.3	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB44	Combination	-175.204	107.486	0	0	0	-106.8618	3766.21	3	0.195	-0.5	-4664.7	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB44	Combination	-175.204	108.77	0	0	0	-111.5924	3952.83	3	0.195	-0.5	-4851.31	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB45	Combination	-144.492	83.361	0	0	0	-43.4594	1343.88	3	0.195	-0.5	-2084.87	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB45	Combination	-144.492	84.645	0	0	0	-47.1345	1488.86	3	0.195	-0.5	-2229.84	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB45	Combination	-144.492	85.93	0	0	0	-50.8658	1636.05	3	0.195	-0.5	-2377.03	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB46	Combination	-153.922	106.201	0	0	0	-61.7589	2041.58	3	0.195	-0.5	-2830.92	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	A_COMB46	Combination	-153.922	107.486	0	0	0	-66.4333	2225.97	3	0.195	-0.5	-3015.32	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB46	Combination	-153.922	108.77	0	0	0	-71.1639	2412.58	3	0.195	-0.5	-3201.93	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB47	Combination	-152.544	83.361	0	0	0	-51.2177	1629.28	3	0.195	-0.5	-2411.56	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB47	Combination	-152.544	84.645	0	0	0	-54.8929	1774.26	3	0.195	-0.5	-2556.54	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB47	Combination	-152.544	85.93	0	0	0	-58.6242	1921.45	3	0.195	-0.5	-2703.73	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB48	Combination	-161.975	106.201	0	0	0	-69.5172	2326.98	3	0.195	-0.5	-3157.62	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB48	Combination	-161.975	107.486	0	0	0	-74.1916	2511.37	3	0.195	-0.5	-3342.01	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB48	Combination	-161.975	108.77	0	0	0	-78.9222	2697.98	3	0.195	-0.5	-3528.62	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB49	Combination	-144.916	96.692	0	0	0	-74.288	2558.91	3	0.195	-0.5	-3302.07	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB49	Combination	-144.916	97.976	0	0	0	-78.5463	2726.89	3	0.195	-0.5	-3470.06	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB49	Combination	-144.916	99.261	0	0	0	-82.8609	2897.09	3	0.195	-0.5	-3640.26	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB50	Combination	-157.49	127.146	0	0	0	-98.6873	3489.17	3	0.195	-0.5	-4296.81	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB50	Combination	-157.49	128.43	0	0	0	-104.278	3709.71	3	0.195	-0.5	-4517.35	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB50	Combination	-157.49	129.715	0	0	0	-109.925	3932.47	3	0.195	-0.5	-4740.11	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB51	Combination	-152.969	96.692	0	0	0	-82.0463	2844.31	3	0.195	-0.5	-3628.77	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB51	Combination	-152.969	97.976	0	0	0	-86.3047	3012.3	3	0.195	-0.5	-3796.75	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB51	Combination	-152.969	99.261	0	0	0	-90.6192	3182.5	3	0.195	-0.5	-3966.95	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB52	Combination	-165.543	127.146	0	0	0	-106.4456	3774.57	3	0.195	-0.5	-4623.51	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB52	Combination	-165.543	128.43	0	0	0	-112.0364	3995.11	3	0.195	-0.5	-4844.05	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB52	Combination	-165.543	129.715	0	0	0	-117.6833	4217.87	3	0.195	-0.5	-5066.81	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB53	Combination	-131.687	96.692	0	0	0	-41.6178	1304.07	3	0.195	-0.5	-1979.39	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB53	Combination	-131.687	97.976	0	0	0	-45.8762	1472.05	3	0.195	-0.5	-2147.37	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB53	Combination	-131.687	99.261	0	0	0	-50.1907	1642.25	3	0.195	-0.5	-2317.57	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB54	Combination	-144.261	127.146	0	0	0	-66.0172	2234.33	3	0.195	-0.5	-2974.13	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB54	Combination	-144.261	128.43	0	0	0	-71.6079	2454.87	3	0.195	-0.5	-3194.67	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB54	Combination	-144.261	129.715	0	0	0	-77.2548	2677.63	3	0.195	-0.5	-3417.43	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB55	Combination	-139.739	96.692	0	0	0	-49.3761	1589.47	3	0.195	-0.5	-2306.08	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB55	Combination	-139.739	97.976	0	0	0	-53.6345	1757.45	3	0.195	-0.5	-2474.07	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB55	Combination	-139.739	99.261	0	0	0	-57.9491	1927.65	3	0.195	-0.5	-2644.26	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB56	Combination	-154.763	127.146	0	0	0	-75.5651	2584.04	3	0.195	-0.5	-3377.7	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB56	Combination	-154.763	128.43	0	0	0	-81.1558	2804.58	3	0.195	-0.5	-3598.24	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB56	Combination	-154.763	129.715	0	0	0	-86.8027	3027.34	3	0.195	-0.5	-3821	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB57	Combination	-146.658	83.457	0	0	0	-80.0954	2783.54	3	0.195	-0.5	-3535.63	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	A_COMB57	Combination	-146.658	84.742	0	0	0	-83.7748	2928.68	3	0.195	-0.5	-3680.77	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB57	Combination	-146.658	86.026	0	0	0	-87.5103	3076.04	3	0.195	-0.5	-3828.13	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB58	Combination	-156.088	106.298	0	0	0	-98.3949	3481.23	3	0.195	-0.5	-4281.68	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB58	Combination	-156.088	107.582	0	0	0	-103.0735	3665.79	3	0.195	-0.5	-4466.24	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB58	Combination	-156.088	108.867	0	0	0	-107.8084	3852.57	3	0.195	-0.5	-4653.02	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB59	Combination	-160.078	83.457	0	0	0	-93.026	3259.21	3	0.195	-0.5	-4080.12	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB59	Combination	-160.078	84.742	0	0	0	-96.7053	3404.35	3	0.195	-0.5	-4225.26	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB59	Combination	-160.078	86.026	0	0	0	-100.4409	3551.71	3	0.195	-0.5	-4372.62	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB60	Combination	-169.509	106.298	0	0	0	-111.3255	3956.9	3	0.195	-0.5	-4826.18	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB60	Combination	-169.509	107.582	0	0	0	-116.0041	4141.46	3	0.195	-0.5	-5010.74	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB60	Combination	-169.509	108.867	0	0	0	-120.7389	4328.24	3	0.195	-0.5	-5197.51	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB61	Combination	-124.609	83.457	0	0	0	-25.6451	692.13	3	0.195	-0.5	-1331.15	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB61	Combination	-124.609	84.742	0	0	0	-29.3245	837.27	3	0.195	-0.5	-1476.29	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB61	Combination	-124.609	86.026	0	0	0	-33.06	984.63	3	0.195	-0.5	-1623.65	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB62	Combination	-134.039	106.298	0	0	0	-43.9446	1389.83	3	0.195	-0.5	-2077.21	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB62	Combination	-134.039	107.582	0	0	0	-48.6233	1574.39	3	0.195	-0.5	-2261.77	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB62	Combination	-134.039	108.867	0	0	0	-53.3581	1761.17	3	0.195	-0.5	-2448.55	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB63	Combination	-138.029	83.457	0	0	0	-38.5757	1167.8	3	0.195	-0.5	-1875.64	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB63	Combination	-138.029	84.742	0	0	0	-42.255	1312.94	3	0.195	-0.5	-2020.79	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB63	Combination	-138.029	86.026	0	0	0	-45.9906	1460.3	3	0.195	-0.5	-2168.15	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB64	Combination	-147.46	106.298	0	0	0	-56.8752	1865.49	3	0.195	-0.5	-2621.7	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB64	Combination	-147.46	107.582	0	0	0	-61.5538	2050.06	3	0.195	-0.5	-2806.26	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB64	Combination	-147.46	108.867	0	0	0	-66.2886	2236.83	3	0.195	-0.5	-2993.04	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB65	Combination	-270.089	92.847	0	0	0	-101.3754	3306.5	3	0.195	-0.5	-4691.57	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB65	Combination	-271.788	94.131	0	0	0	-105.4656	3463.49	3	0.195	-0.5	-4857.27	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB65	Combination	-273.486	95.416	0	0	0	-109.6119	3622.7	3	0.195	-0.5	-5025.19	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB66	Combination	-279.519	115.687	0	0	0	-119.6749	4004.19	3	0.195	-0.5	-5437.62	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB66	Combination	-281.218	116.972	0	0	0	-124.7644	4200.6	3	0.195	-0.5	-5642.74	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB66	Combination	-282.917	118.257	0	0	0	-129.91	4399.23	3	0.195	-0.5	-5850.08	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB67	Combination	-278.141	92.847	0	0	0	-109.1338	3591.9	3	0.195	-0.5	-5018.26	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB67	Combination	-279.84	94.131	0	0	0	-113.2239	3748.89	3	0.195	-0.5	-5183.97	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB67	Combination	-281.539	95.416	0	0	0	-117.3703	3908.1	3	0.195	-0.5	-5351.88	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB68	Combination	-287.572	115.687	0	0	0	-127.4333	4289.59	3	0.195	-0.5	-5764.32	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	A_COMB68	Combination	-289.27	116.972	0	0	0	-132.5227	4486	3	0.195	-0.5	-5969.44	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB68	Combination	-290.969	118.257	0	0	0	-137.6683	4684.63	3	0.195	-0.5	-6176.78	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB69	Combination	-256.86	92.847	0	0	0	-68.7053	2051.65	3	0.195	-0.5	-3368.88	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB69	Combination	-258.558	94.131	0	0	0	-72.7954	2208.64	3	0.195	-0.5	-3534.58	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB69	Combination	-260.257	95.416	0	0	0	-76.9418	2367.85	3	0.195	-0.5	-3702.5	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB70	Combination	-266.29	115.687	0	0	0	-87.0048	2749.35	3	0.195	-0.5	-4114.94	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB70	Combination	-267.989	116.972	0	0	0	-92.0942	2945.76	3	0.195	-0.5	-4320.06	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB70	Combination	-269.687	118.257	0	0	0	-97.2398	3144.39	3	0.195	-0.5	-4527.4	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB71	Combination	-264.912	92.847	0	0	0	-76.4636	2337.05	3	0.195	-0.5	-3695.58	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB71	Combination	-266.61	94.131	0	0	0	-80.5538	2494.05	3	0.195	-0.5	-3861.28	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB71	Combination	-268.309	95.416	0	0	0	-84.7001	2653.26	3	0.195	-0.5	-4029.2	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB72	Combination	-274.342	115.687	0	0	0	-94.7631	3034.75	3	0.195	-0.5	-4441.63	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB72	Combination	-276.041	116.972	0	0	0	-99.8525	3231.16	3	0.195	-0.5	-4646.75	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB72	Combination	-277.739	118.257	0	0	0	-104.9982	3429.79	3	0.195	-0.5	-4854.09	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB73	Combination	-241.985	90.499	0	0	0	-102.7256	3431.82	3	0.195	-0.5	-4672.77	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB73	Combination	-243.259	91.784	0	0	0	-106.713	3585.85	3	0.195	-0.5	-4833.33	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB73	Combination	-244.533	93.069	0	0	0	-110.7567	3742.09	3	0.195	-0.5	-4996.11	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB74	Combination	-251.415	113.34	0	0	0	-121.0251	4129.51	3	0.195	-0.5	-5418.82	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB74	Combination	-252.689	114.625	0	0	0	-126.0118	4322.96	3	0.195	-0.5	-5618.8	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB74	Combination	-253.963	115.909	0	0	0	-131.0547	4518.62	3	0.195	-0.5	-5821	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB75	Combination	-255.405	90.499	0	0	0	-115.6561	3907.49	3	0.195	-0.5	-5217.26	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB75	Combination	-256.679	91.784	0	0	0	-119.6436	4061.52	3	0.195	-0.5	-5377.82	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB75	Combination	-257.953	93.069	0	0	0	-123.6872	4217.76	3	0.195	-0.5	-5540.6	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB76	Combination	-264.836	113.34	0	0	0	-133.9556	4605.18	3	0.195	-0.5	-5963.31	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB76	Combination	-266.11	114.625	0	0	0	-138.9424	4798.63	3	0.195	-0.5	-6163.29	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB76	Combination	-267.384	115.909	0	0	0	-143.9853	4994.29	3	0.195	-0.5	-6365.49	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB77	Combination	-219.936	90.499	0	0	0	-48.2753	1340.41	3	0.195	-0.5	-2468.29	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB77	Combination	-221.21	91.784	0	0	0	-52.2628	1494.44	3	0.195	-0.5	-2628.85	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB77	Combination	-222.484	93.069	0	0	0	-56.3064	1650.69	3	0.195	-0.5	-2791.63	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB78	Combination	-229.366	113.34	0	0	0	-66.5748	2038.11	3	0.195	-0.5	-3214.34	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB78	Combination	-230.64	114.625	0	0	0	-71.5615	2231.56	3	0.195	-0.5	-3414.33	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB78	Combination	-231.914	115.909	0	0	0	-76.6045	2427.22	3	0.195	-0.5	-3616.52	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB79	Combination	-233.356	90.499	0	0	0	-61.2059	1816.08	3	0.195	-0.5	-3012.78	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	A_COMB79	Combination	-234.63	91.784	0	0	0	-65.1933	1970.11	3	0.195	-0.5	-3173.34	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB79	Combination	-235.904	93.069	0	0	0	-69.237	2126.36	3	0.195	-0.5	-3336.12	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB80	Combination	-242.787	113.34	0	0	0	-79.5054	2513.78	3	0.195	-0.5	-3758.84	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB80	Combination	-244.061	114.625	0	0	0	-84.4921	2707.23	3	0.195	-0.5	-3958.82	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB80	Combination	-245.335	115.909	0	0	0	-89.535	2902.89	3	0.195	-0.5	-4161.02	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB81	Combination	-238.358	90.499	0	0	0	-93.8639	3091.54	3	0.195	-0.5	-4313.89	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB81	Combination	-239.632	91.784	0	0	0	-97.8514	3245.57	3	0.195	-0.5	-4474.46	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB81	Combination	-240.906	93.069	0	0	0	-101.895	3401.82	3	0.195	-0.5	-4637.24	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB82	Combination	-247.789	113.34	0	0	0	-112.1634	3789.24	3	0.195	-0.5	-5059.95	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB82	Combination	-249.063	114.625	0	0	0	-117.1501	3982.69	3	0.195	-0.5	-5259.93	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB82	Combination	-250.337	115.909	0	0	0	-122.1931	4178.35	3	0.195	-0.5	-5462.13	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB83	Combination	-246.41	90.499	0	0	0	-101.6222	3376.95	3	0.195	-0.5	-4640.59	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB83	Combination	-247.684	91.784	0	0	0	-105.6097	3530.97	3	0.195	-0.5	-4801.15	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB83	Combination	-248.958	93.069	0	0	0	-109.6533	3687.22	3	0.195	-0.5	-4963.93	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB84	Combination	-255.841	113.34	0	0	0	-119.9217	4074.64	3	0.195	-0.5	-5386.64	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB84	Combination	-257.115	114.625	0	0	0	-124.9085	4268.09	3	0.195	-0.5	-5586.62	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB84	Combination	-258.389	115.909	0	0	0	-129.9514	4463.75	3	0.195	-0.5	-5788.82	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB85	Combination	-225.129	90.499	0	0	0	-61.1937	1836.7	3	0.195	-0.5	-2991.21	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB85	Combination	-226.403	91.784	0	0	0	-65.1812	1990.73	3	0.195	-0.5	-3151.77	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB85	Combination	-227.677	93.069	0	0	0	-69.2249	2146.98	3	0.195	-0.5	-3314.55	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB86	Combination	-234.559	113.34	0	0	0	-79.4932	2534.39	3	0.195	-0.5	-3737.26	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB86	Combination	-235.833	114.625	0	0	0	-84.48	2727.84	3	0.195	-0.5	-3937.24	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB86	Combination	-237.107	115.909	0	0	0	-89.5229	2923.51	3	0.195	-0.5	-4139.44	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB87	Combination	-233.181	90.499	0	0	0	-68.9521	2122.1	3	0.195	-0.5	-3317.9	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB87	Combination	-234.455	91.784	0	0	0	-72.9395	2276.13	3	0.195	-0.5	-3478.47	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB87	Combination	-235.729	93.069	0	0	0	-76.9832	2432.38	3	0.195	-0.5	-3641.25	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB88	Combination	-242.611	113.34	0	0	0	-87.2516	2819.8	3	0.195	-0.5	-4063.96	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB88	Combination	-243.885	114.625	0	0	0	-92.2383	3013.24	3	0.195	-0.5	-4263.94	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB88	Combination	-245.159	115.909	0	0	0	-97.2812	3208.91	3	0.195	-0.5	-4466.14	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB_0_2_STR_SBIL	Combination	-74.636	19.612	0	0	0	-32.0942	1074.67	3	0.195	-0.5	-	
1457.42	1	-0.195	-0.5	16-1	0										
16	0.04375	A_COMB_0_2_STR_SBIL	Combination	-74.636	20.187	0	0	0	-32.9648	1109.01	3	0.195	-0.5	-	
1491.76	1	-0.195	-0.5	16-1	0.04375										
16	0.0875	A_COMB_0_2_STR_SBIL	Combination	-74.636	20.763	0	0	0	-33.8606	1144.35	3	0.195	-0.5	-	
1527.1	1	-0.195	-0.5	16-1	0.0875										
16	0	A_COMB_0_2_1_STR_SBIL	Combination	-76.963	43.912	0	0	0	-34.8797	1178.59	3	0.195	-0.5	-	
1573.26	1	-0.195	-0.5	16-1	0										

## Allegati alla relazione di Calcolo

16	0.04375	A_COMB_0_2_1_STR_SBIL	Combination	-76.963	45.196	0	0	0	-36.8289	1255.48	3	0.195	-0.5	-
1650.16	1	-0.195 -0.5 16-1	0.04375											
16	0.0875	A_COMB_0_2_1_STR_SBIL	Combination	-76.963	46.481	0	0	0	-38.8344	1334.59	3	0.195	-0.5	-
1729.27	1	-0.195 -0.5 16-1	0.0875											
16	0	A_COMB_0_3_STR_SBIL	Combination	-76.963	43.912	0	0	0	-34.8797	1178.59	3	0.195	-0.5	-
1573.26	1	-0.195 -0.5 16-1	0											
16	0.04375	A_COMB_0_3_STR_SBIL	Combination	-76.963	45.196	0	0	0	-36.8289	1255.48	3	0.195	-0.5	-
1650.16	1	-0.195 -0.5 16-1	0.04375											
16	0.0875	A_COMB_0_3_STR_SBIL	Combination	-76.963	46.481	0	0	0	-38.8344	1334.59	3	0.195	-0.5	-
1729.27	1	-0.195 -0.5 16-1	0.0875											
16	0	A_COMB_0_4_STR_SBIL	Combination	-72.273	43.912	0	0	0	-27.0974	883.62	3	0.195	-0.5	-
1254.25	1	-0.195 -0.5 16-1	0											
16	0.04375	A_COMB_0_4_STR_SBIL	Combination	-72.273	45.196	0	0	0	-29.0466	960.51	3	0.195	-0.5	-
1331.14	1	-0.195 -0.5 16-1	0.04375											
16	0.0875	A_COMB_0_4_STR_SBIL	Combination	-72.273	46.481	0	0	0	-31.0521	1039.62	3	0.195	-0.5	-
1410.25	1	-0.195 -0.5 16-1	0.0875											
16	0	A_COMB89	Combination	-142.508	83.228	0	0	0	-69.4068	2372.54	3	0.195	-0.5	-3103.35
		-0.195 -0.5 16-1	0											
16	0.04375	A_COMB89	Combination	-142.508	84.513	0	0	0	-73.0761	2517.28	3	0.195	-0.5	-3248.09
		-0.195 -0.5 16-1	0.04375											
16	0.0875	A_COMB89	Combination	-142.508	85.798	0	0	0	-76.8017	2664.25	3	0.195	-0.5	-3395.06
		-0.195 -0.5 16-1	0.0875											
16	0	A_COMB90	Combination	-151.938	106.069	0	0	0	-87.7063	3070.23	3	0.195	-0.5	-3849.4
		-0.195 -0.5 16-1	0											
16	0.04375	A_COMB90	Combination	-151.938	107.354	0	0	0	-92.3749	3254.4	3	0.195	-0.5	-4033.57
		-0.195 -0.5 16-1	0.04375											
16	0.0875	A_COMB90	Combination	-151.938	108.638	0	0	0	-97.0997	3440.78	3	0.195	-0.5	-4219.95
		-0.195 -0.5 16-1	0.0875											
16	0	A_COMB91	Combination	-150.56	83.228	0	0	0	-77.1651	2657.94	3	0.195	-0.5	-3430.04
		-0.195 -0.5 16-1	0											
16	0.04375	A_COMB91	Combination	-150.56	84.513	0	0	0	-80.8345	2802.68	3	0.195	-0.5	-3574.79
		-0.195 -0.5 16-1	0.04375											
16	0.0875	A_COMB91	Combination	-150.56	85.798	0	0	0	-84.56	2949.65	3	0.195	-0.5	-3721.75
		-0.195 -0.5 16-1	0.0875											
16	0	A_COMB92	Combination	-159.99	106.069	0	0	0	-95.4646	3355.63	3	0.195	-0.5	-4176.09
		-0.195 -0.5 16-1	0											
16	0.04375	A_COMB92	Combination	-159.99	107.354	0	0	0	-100.1332	3539.8	3	0.195	-0.5	-4360.26
		-0.195 -0.5 16-1	0.04375											
16	0.0875	A_COMB92	Combination	-159.99	108.638	0	0	0	-104.8581	3726.18	3	0.195	-0.5	-4546.64
		-0.195 -0.5 16-1	0.0875											
16	0	A_COMB93	Combination	-129.278	83.228	0	0	0	-36.7366	1117.69	3	0.195	-0.5	-1780.66
		-0.195 -0.5 16-1	0											
16	0.04375	A_COMB93	Combination	-129.278	84.513	0	0	0	-40.406	1262.44	3	0.195	-0.5	-1925.41
		-0.195 -0.5 16-1	0.04375											
16	0.0875	A_COMB93	Combination	-129.278	85.798	0	0	0	-44.1315	1409.41	3	0.195	-0.5	-2072.37
		-0.195 -0.5 16-1	0.0875											
16	0	A_COMB94	Combination	-138.709	106.069	0	0	0	-55.0361	1815.39	3	0.195	-0.5	-2526.71
		-0.195 -0.5 16-1	0											
16	0.04375	A_COMB94	Combination	-138.709	107.354	0	0	0	-59.7047	1999.55	3	0.195	-0.5	-2710.88
		-0.195 -0.5 16-1	0.04375											
16	0.0875	A_COMB94	Combination	-138.709	108.638	0	0	0	-64.4296	2185.94	3	0.195	-0.5	-2897.26
		-0.195 -0.5 16-1	0.0875											
16	0	A_COMB95	Combination	-137.331	83.228	0	0	0	-44.495	1403.1	3	0.195	-0.5	-2107.35
		-0.195 -0.5 16-1	0											
16	0.04375	A_COMB95	Combination	-137.331	84.513	0	0	0	-48.1643	1547.84	3	0.195	-0.5	-2252.1
		-0.195 -0.5 16-1	0.04375											
16	0.0875	A_COMB95	Combination	-137.331	85.798	0	0	0	-51.8898	1694.81	3	0.195	-0.5	-2399.07
		-0.195 -0.5 16-1	0.0875											
16	0	A_COMB96	Combination	-146.761	106.069	0	0	0	-62.7945	2100.79	3	0.195	-0.5	-2853.41
		-0.195 -0.5 16-1	0											
16	0.04375	A_COMB96	Combination	-146.761	107.354	0	0	0	-67.4631	2284.95	3	0.195	-0.5	-3037.58
		-0.195 -0.5 16-1	0.04375											
16	0.0875	A_COMB96	Combination	-146.761	108.638	0	0	0	-72.1879	2471.34	3	0.195	-0.5	-3223.96
		-0.195 -0.5 16-1	0.0875											
16	0	A_COMB97	Combination	-129.703	96.559	0	0	0	-67.5652	2332.72	3	0.195	-0.5	-2997.87
		-0.195 -0.5 16-1	0											

Allegati alla relazione di Calcolo

16	0.04375	A_COMB97	Combination	-129.703	97.844	0	0	0	-71.8178	2500.48	3	0.195	-0.5	-3165.62	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB97	Combination	-129.703	99.129	0	0	0	-76.1266	2670.45	3	0.195	-0.5	-3335.59	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB98	Combination	-142.277	127.014	0	0	0	-91.9645	3262.98	3	0.195	-0.5	-3992.6	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB98	Combination	-142.277	128.298	0	0	0	-97.5495	3483.29	3	0.195	-0.5	-4212.92	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB98	Combination	-142.277	129.583	0	0	0	-103.1906	3705.82	3	0.195	-0.5	-4435.45	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB99	Combination	-137.755	96.559	0	0	0	-75.3235	2618.12	3	0.195	-0.5	-3324.56	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB99	Combination	-137.755	97.844	0	0	0	-79.5761	2785.88	3	0.195	-0.5	-3492.32	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB99	Combination	-137.755	99.129	0	0	0	-83.8849	2955.85	3	0.195	-0.5	-3662.29	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB100	Combination	-150.329	127.014	0	0	0	-99.7229	3548.38	3	0.195	-0.5	-4319.3	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB100	Combination	-150.329	128.298	0	0	0	-105.3078	3768.7	3	0.195	-0.5	-4539.61	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB100	Combination	-150.329	129.583	0	0	0	-110.949	3991.23	3	0.195	-0.5	-4762.14	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB101	Combination	-116.473	96.559	0	0	0	-34.895	1077.88	3	0.195	-0.5	-1675.18	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB101	Combination	-116.473	97.844	0	0	0	-39.1476	1245.64	3	0.195	-0.5	-1842.93	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB101	Combination	-116.473	99.129	0	0	0	-43.4564	1415.61	3	0.195	-0.5	-2012.91	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB102	Combination	-129.047	127.014	0	0	0	-59.2944	2008.14	3	0.195	-0.5	-2669.92	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB102	Combination	-129.047	128.298	0	0	0	-64.8793	2228.45	3	0.195	-0.5	-2890.23	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB102	Combination	-129.047	129.583	0	0	0	-70.5205	2450.98	3	0.195	-0.5	-3112.76	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB103	Combination	-124.526	96.559	0	0	0	-42.6534	1363.28	3	0.195	-0.5	-2001.88	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB103	Combination	-124.526	97.844	0	0	0	-46.906	1531.04	3	0.195	-0.5	-2169.63	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB103	Combination	-124.526	99.129	0	0	0	-51.2147	1701.01	3	0.195	-0.5	-2339.6	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB104	Combination	-137.1	127.014	0	0	0	-67.0527	2293.54	3	0.195	-0.5	-2996.61	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB104	Combination	-137.1	128.298	0	0	0	-72.6377	2513.85	3	0.195	-0.5	-3216.93	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB104	Combination	-137.1	129.583	0	0	0	-78.2788	2736.38	3	0.195	-0.5	-3439.46	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB105	Combination	-131.445	83.325	0	0	0	-73.3726	2557.35	3	0.195	-0.5	-3231.42	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB105	Combination	-131.445	84.61	0	0	0	-77.0462	2702.26	3	0.195	-0.5	-3376.34	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB105	Combination	-131.445	85.894	0	0	0	-80.776	2849.39	3	0.195	-0.5	-3523.47	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB106	Combination	-140.875	106.166	0	0	0	-91.6721	3255.04	3	0.195	-0.5	-3977.48	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB106	Combination	-140.875	107.45	0	0	0	-96.345	3439.37	3	0.195	-0.5	-4161.81	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB106	Combination	-140.875	108.735	0	0	0	-101.074	3625.92	3	0.195	-0.5	-4348.36	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB107	Combination	-144.865	83.325	0	0	0	-86.3032	3033.02	3	0.195	-0.5	-3775.91	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB107	Combination	-144.865	84.61	0	0	0	-89.9768	3177.93	3	0.195	-0.5	-3920.83	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB107	Combination	-144.865	85.894	0	0	0	-93.7065	3325.06	3	0.195	-0.5	-4067.96	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB108	Combination	-154.295	106.166	0	0	0	-104.6027	3730.71	3	0.195	-0.5	-4521.97	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	A_COMB108	Combination	-154.295	107.45	0	0	0	-109.2755	3915.04	3	0.195	-0.5	-4706.3	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB108	Combination	-154.295	108.735	0	0	0	-114.0046	4101.59	3	0.195	-0.5	-4892.85	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB109	Combination	-109.395	83.325	0	0	0	-18.9224	465.94	3	0.195	-0.5	-1026.95	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB109	Combination	-109.395	84.61	0	0	0	-22.5959	610.86	3	0.195	-0.5	-1171.86	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB109	Combination	-109.395	85.894	0	0	0	-26.3257	757.99	3	0.195	-0.5	-1318.99	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB110	Combination	-118.826	106.166	0	0	0	-37.2219	1163.64	3	0.195	-0.5	-1773	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB110	Combination	-118.826	107.45	0	0	0	-41.8947	1347.97	3	0.195	-0.5	-1957.33	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB110	Combination	-118.826	108.735	0	0	0	-46.6238	1534.52	3	0.195	-0.5	-2143.88	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB111	Combination	-122.816	83.325	0	0	0	-31.8529	941.61	3	0.195	-0.5	-1571.44	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB111	Combination	-122.816	84.61	0	0	0	-35.5265	1086.53	3	0.195	-0.5	-1716.35	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB111	Combination	-122.816	85.894	0	0	0	-39.2563	1233.66	3	0.195	-0.5	-1863.48	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB112	Combination	-132.246	106.166	0	0	0	-50.1524	1639.31	3	0.195	-0.5	-2317.49	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB112	Combination	-132.246	107.45	0	0	0	-54.8253	1823.64	3	0.195	-0.5	-2501.83	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB112	Combination	-132.246	108.735	0	0	0	-59.5543	2010.19	3	0.195	-0.5	-2688.38	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB113	Combination	-254.875	92.715	0	0	0	-94.6527	3080.31	3	0.195	-0.5	-4387.36	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB113	Combination	-256.574	93.999	0	0	0	-98.737	3237.07	3	0.195	-0.5	-4552.83	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB113	Combination	-258.273	95.284	0	0	0	-102.8776	3396.05	3	0.195	-0.5	-4720.53	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB114	Combination	-264.306	115.555	0	0	0	-112.9522	3778	3	0.195	-0.5	-5133.41	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB114	Combination	-266.005	116.84	0	0	0	-118.0358	3974.18	3	0.195	-0.5	-5338.31	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB114	Combination	-267.703	118.124	0	0	0	-123.1757	4172.58	3	0.195	-0.5	-5545.42	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB115	Combination	-262.928	92.715	0	0	0	-102.411	3365.71	3	0.195	-0.5	-4714.06	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB115	Combination	-264.626	93.999	0	0	0	-106.4954	3522.47	3	0.195	-0.5	-4879.53	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB115	Combination	-266.325	95.284	0	0	0	-110.6359	3681.45	3	0.195	-0.5	-5047.22	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB116	Combination	-272.358	115.555	0	0	0	-120.7105	4063.4	3	0.195	-0.5	-5460.11	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB116	Combination	-274.057	116.84	0	0	0	-125.7941	4259.58	3	0.195	-0.5	-5665	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB116	Combination	-275.755	118.124	0	0	0	-130.934	4457.98	3	0.195	-0.5	-5872.11	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB117	Combination	-241.646	92.715	0	0	0	-61.9825	1825.46	3	0.195	-0.5	-3064.67	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB117	Combination	-243.345	93.999	0	0	0	-66.0669	1982.23	3	0.195	-0.5	-3230.15	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB117	Combination	-245.043	95.284	0	0	0	-70.2074	2141.21	3	0.195	-0.5	-3397.84	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB118	Combination	-251.076	115.555	0	0	0	-80.282	2523.16	3	0.195	-0.5	-3810.73	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB118	Combination	-252.775	116.84	0	0	0	-85.3657	2719.34	3	0.195	-0.5	-4015.62	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB118	Combination	-254.474	118.124	0	0	0	-90.5055	2917.74	3	0.195	-0.5	-4222.73	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB119	Combination	-249.698	92.715	0	0	0	-69.7408	2110.87	3	0.195	-0.5	-3391.37	1
	-0.195	-0.5	16-1	0											



## Allegati alla relazione di Calcolo

16	0.04375	A_COMB119	Combination	-251.397	93.999	0	0	0	-73.8252	2267.63	3	0.195	-0.5	-3556.84	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB119	Combination	-253.096	95.284	0	0	0	-77.9658	2426.61	3	0.195	-0.5	-3724.54	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB120	Combination	-259.129	115.555	0	0	0	-88.0403	2808.56	3	0.195	-0.5	-4137.42	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB120	Combination	-260.827	116.84	0	0	0	-93.124	3004.74	3	0.195	-0.5	-4342.32	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB120	Combination	-262.526	118.124	0	0	0	-98.2638	3203.14	3	0.195	-0.5	-4549.43	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB121	Combination	-226.771	90.367	0	0	0	-96.0028	3205.63	3	0.195	-0.5	-4368.56	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB121	Combination	-228.045	91.652	0	0	0	-99.9845	3359.43	3	0.195	-0.5	-4528.89	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB121	Combination	-229.319	92.936	0	0	0	-104.0224	3515.45	3	0.195	-0.5	-4691.44	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB122	Combination	-236.202	113.208	0	0	0	-114.3023	3903.32	3	0.195	-0.5	-5114.61	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB122	Combination	-237.476	114.492	0	0	0	-119.2833	4096.54	3	0.195	-0.5	-5314.37	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB122	Combination	-238.75	115.777	0	0	0	-124.3204	4291.98	3	0.195	-0.5	-5516.34	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB123	Combination	-240.192	90.367	0	0	0	-108.9334	3681.3	3	0.195	-0.5	-4913.05	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB123	Combination	-241.466	91.652	0	0	0	-112.915	3835.1	3	0.195	-0.5	-5073.38	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB123	Combination	-242.74	92.936	0	0	0	-116.9529	3991.12	3	0.195	-0.5	-5235.94	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB124	Combination	-249.622	113.208	0	0	0	-127.2329	4378.99	3	0.195	-0.5	-5659.1	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB124	Combination	-250.896	114.492	0	0	0	-132.2138	4572.21	3	0.195	-0.5	-5858.86	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB124	Combination	-252.17	115.777	0	0	0	-137.251	4767.65	3	0.195	-0.5	-6060.83	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB125	Combination	-204.722	90.367	0	0	0	-41.5525	1114.23	3	0.195	-0.5	-2164.08	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB125	Combination	-205.996	91.652	0	0	0	-45.5342	1268.03	3	0.195	-0.5	-2324.42	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB125	Combination	-207.27	92.936	0	0	0	-49.5721	1424.04	3	0.195	-0.5	-2486.97	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB126	Combination	-214.153	113.208	0	0	0	-59.852	1811.92	3	0.195	-0.5	-2910.14	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB126	Combination	-215.427	114.492	0	0	0	-64.833	2005.14	3	0.195	-0.5	-3109.89	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB126	Combination	-216.701	115.777	0	0	0	-69.8701	2200.58	3	0.195	-0.5	-3311.86	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB127	Combination	-218.143	90.367	0	0	0	-54.4831	1589.89	3	0.195	-0.5	-2708.57	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB127	Combination	-219.417	91.652	0	0	0	-58.4648	1743.7	3	0.195	-0.5	-2868.91	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB127	Combination	-220.691	92.936	0	0	0	-62.5026	1899.71	3	0.195	-0.5	-3031.46	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB128	Combination	-227.573	113.208	0	0	0	-72.7826	2287.59	3	0.195	-0.5	-3454.63	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB128	Combination	-228.847	114.492	0	0	0	-77.7635	2480.81	3	0.195	-0.5	-3654.38	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB128	Combination	-230.121	115.777	0	0	0	-82.8007	2676.25	3	0.195	-0.5	-3856.35	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB129	Combination	-142.642	83.228	0	0	0	-69.5024	2375.96	3	0.195	-0.5	-3107.46	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB129	Combination	-142.642	84.513	0	0	0	-73.1717	2520.71	3	0.195	-0.5	-3252.21	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB129	Combination	-142.642	85.798	0	0	0	-76.8973	2667.67	3	0.195	-0.5	-3399.17	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB130	Combination	-152.073	106.069	0	0	0	-87.8019	3073.66	3	0.195	-0.5	-3853.51	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	A_COMB130	Combination	-152.073	107.354	0	0	0	-92.4705	3257.82	3	0.195	-0.5	-4037.68	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB130	Combination	-152.073	108.638	0	0	0	-97.1953	3444.21	3	0.195	-0.5	-4224.06	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB131	Combination	-150.694	83.228	0	0	0	-77.2607	2661.36	3	0.195	-0.5	-3434.16	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB131	Combination	-150.694	84.513	0	0	0	-80.93	2806.11	3	0.195	-0.5	-3578.9	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB131	Combination	-150.694	85.798	0	0	0	-84.6556	2953.08	3	0.195	-0.5	-3725.87	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB132	Combination	-160.125	106.069	0	0	0	-95.5602	3359.06	3	0.195	-0.5	-4180.21	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB132	Combination	-160.125	107.354	0	0	0	-100.2288	3543.22	3	0.195	-0.5	-4364.38	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB132	Combination	-160.125	108.638	0	0	0	-104.9536	3729.61	3	0.195	-0.5	-4550.76	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB133	Combination	-129.413	83.228	0	0	0	-36.8322	1121.12	3	0.195	-0.5	-1784.77	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB133	Combination	-129.413	84.513	0	0	0	-40.5016	1265.87	3	0.195	-0.5	-1929.52	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB133	Combination	-129.413	85.798	0	0	0	-44.2271	1412.83	3	0.195	-0.5	-2076.49	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB134	Combination	-138.843	106.069	0	0	0	-55.1317	1818.81	3	0.195	-0.5	-2530.83	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB134	Combination	-138.843	107.354	0	0	0	-59.8003	2002.98	3	0.195	-0.5	-2715	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB134	Combination	-138.843	108.638	0	0	0	-64.5252	2189.36	3	0.195	-0.5	-2901.38	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB135	Combination	-137.465	83.228	0	0	0	-44.5905	1406.52	3	0.195	-0.5	-2111.47	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB135	Combination	-137.465	84.513	0	0	0	-48.2599	1551.27	3	0.195	-0.5	-2256.22	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB135	Combination	-137.465	85.798	0	0	0	-51.9854	1698.23	3	0.195	-0.5	-2403.18	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB136	Combination	-146.895	106.069	0	0	0	-62.89	2104.21	3	0.195	-0.5	-2857.52	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB136	Combination	-146.895	107.354	0	0	0	-67.5587	2288.38	3	0.195	-0.5	-3041.69	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB136	Combination	-146.895	108.638	0	0	0	-72.2835	2474.76	3	0.195	-0.5	-3228.07	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB137	Combination	-129.837	96.559	0	0	0	-67.6608	2336.15	3	0.195	-0.5	-3001.98	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB137	Combination	-129.837	97.844	0	0	0	-71.9134	2503.9	3	0.195	-0.5	-3169.74	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB137	Combination	-129.837	99.129	0	0	0	-76.2222	2673.88	3	0.195	-0.5	-3339.71	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB138	Combination	-142.411	127.014	0	0	0	-92.0601	3266.41	3	0.195	-0.5	-3996.72	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB138	Combination	-142.411	128.298	0	0	0	-97.6451	3486.72	3	0.195	-0.5	-4217.03	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB138	Combination	-142.411	129.583	0	0	0	-103.2862	3709.25	3	0.195	-0.5	-4439.56	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB139	Combination	-137.889	96.559	0	0	0	-75.4191	2621.55	3	0.195	-0.5	-3328.68	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB139	Combination	-137.889	97.844	0	0	0	-79.6717	2789.31	3	0.195	-0.5	-3496.43	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB139	Combination	-137.889	99.129	0	0	0	-83.9805	2959.28	3	0.195	-0.5	-3666.4	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB140	Combination	-150.463	127.014	0	0	0	-99.8185	3551.81	3	0.195	-0.5	-4323.42	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB140	Combination	-150.463	128.298	0	0	0	-105.4034	3772.12	3	0.195	-0.5	-4543.73	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB140	Combination	-150.463	129.583	0	0	0	-111.0446	3994.65	3	0.195	-0.5	-4766.26	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB141	Combination	-116.608	96.559	0	0	0	-34.9906	1081.31	3	0.195	-0.5	-1679.3	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	A_COMB141	Combination	-116.608	97.844	0	0	0	-39.2432	1249.06	3	0.195	-0.5	-1847.05	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB141	Combination	-116.608	99.129	0	0	0	-43.552	1419.03	3	0.195	-0.5	-2017.02	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB142	Combination	-129.182	127.014	0	0	0	-59.39	2011.56	3	0.195	-0.5	-2674.03	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB142	Combination	-129.182	128.298	0	0	0	-64.9749	2231.88	3	0.195	-0.5	-2894.35	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB142	Combination	-129.182	129.583	0	0	0	-70.6161	2454.41	3	0.195	-0.5	-3116.88	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB143	Combination	-124.66	96.559	0	0	0	-42.749	1366.71	3	0.195	-0.5	-2005.99	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB143	Combination	-124.66	97.844	0	0	0	-47.0015	1534.46	3	0.195	-0.5	-2173.75	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB143	Combination	-124.66	99.129	0	0	0	-51.3103	1704.43	3	0.195	-0.5	-2343.72	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB144	Combination	-137.234	127.014	0	0	0	-67.1483	2296.97	3	0.195	-0.5	-3000.73	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB144	Combination	-137.234	128.298	0	0	0	-72.7332	2517.28	3	0.195	-0.5	-3221.04	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB144	Combination	-137.234	129.583	0	0	0	-78.3744	2739.81	3	0.195	-0.5	-3443.57	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB145	Combination	-131.579	83.325	0	0	0	-73.4682	2560.77	3	0.195	-0.5	-3235.54	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB145	Combination	-131.579	84.61	0	0	0	-77.1418	2705.69	3	0.195	-0.5	-3380.45	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB145	Combination	-131.579	85.894	0	0	0	-80.8716	2852.82	3	0.195	-0.5	-3527.58	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB146	Combination	-141.009	106.166	0	0	0	-91.7677	3258.47	3	0.195	-0.5	-3981.59	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB146	Combination	-141.009	107.45	0	0	0	-96.4406	3442.8	3	0.195	-0.5	-4165.92	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB146	Combination	-141.009	108.735	0	0	0	-101.1696	3629.35	3	0.195	-0.5	-4352.47	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB147	Combination	-144.999	83.325	0	0	0	-86.3988	3036.44	3	0.195	-0.5	-3780.03	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB147	Combination	-144.999	84.61	0	0	0	-90.0723	3181.36	3	0.195	-0.5	-3924.94	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB147	Combination	-144.999	85.894	0	0	0	-93.8021	3328.49	3	0.195	-0.5	-4072.07	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB148	Combination	-154.43	106.166	0	0	0	-104.6983	3734.14	3	0.195	-0.5	-4526.08	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB148	Combination	-154.43	107.45	0	0	0	-109.3711	3918.47	3	0.195	-0.5	-4710.42	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB148	Combination	-154.43	108.735	0	0	0	-114.1002	4105.02	3	0.195	-0.5	-4896.97	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB149	Combination	-109.53	83.325	0	0	0	-19.018	469.37	3	0.195	-0.5	-1031.06	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB149	Combination	-109.53	84.61	0	0	0	-22.6915	614.28	3	0.195	-0.5	-1175.97	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB149	Combination	-109.53	85.894	0	0	0	-26.4213	761.41	3	0.195	-0.5	-1323.11	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB150	Combination	-118.96	106.166	0	0	0	-37.3175	1167.06	3	0.195	-0.5	-1777.12	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB150	Combination	-118.96	107.45	0	0	0	-41.9903	1351.4	3	0.195	-0.5	-1961.45	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB150	Combination	-118.96	108.735	0	0	0	-46.7193	1537.95	3	0.195	-0.5	-2148	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB151	Combination	-122.95	83.325	0	0	0	-31.9485	945.04	3	0.195	-0.5	-1575.55	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB151	Combination	-122.95	84.61	0	0	0	-35.6221	1089.95	3	0.195	-0.5	-1720.47	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB151	Combination	-122.95	85.894	0	0	0	-39.3518	1237.08	3	0.195	-0.5	-1867.6	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB152	Combination	-132.381	106.166	0	0	0	-50.248	1642.73	3	0.195	-0.5	-2321.61	1
	-0.195	-0.5	16-1	0											





## Allegati alla relazione di Calcolo

16	0.04375	A_COMB174	Combination	-220.754	114.492	0	0	0	-77.847	2504.85	3	0.195	-0.5	-3636.92	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB174	Combination	-222.028	115.777	0	0	0	-82.8842	2700.29	3	0.195	-0.5	-3838.89	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB175	Combination	-218.102	90.367	0	0	0	-62.3249	1899.34	3	0.195	-0.5	-3017.81	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB175	Combination	-219.376	91.652	0	0	0	-66.3066	2053.14	3	0.195	-0.5	-3178.15	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB175	Combination	-220.65	92.936	0	0	0	-70.3444	2209.16	3	0.195	-0.5	-3340.7	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB176	Combination	-227.532	113.208	0	0	0	-80.6244	2597.03	3	0.195	-0.5	-3763.87	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB176	Combination	-228.806	114.492	0	0	0	-85.6053	2790.25	3	0.195	-0.5	-3963.62	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB176	Combination	-230.08	115.777	0	0	0	-90.6425	2985.69	3	0.195	-0.5	-4165.59	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB177_0_0	Combination	0.563	14.625	0	0	0	-0.1095	5.76	3	0.195	-0.5	-2.87	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB177_0_0	Combination	0.563	15.052	0	0	0	-0.7586	31.37	3	0.195	-0.5	-28.48	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB177_0_0	Combination	0.563	15.478	0	0	0	-1.4265	57.72	3	0.195	-0.5	-54.83	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB177_0_1	Combination	0.563	14.625	0	0	0	-0.1095	5.76	3	0.195	-0.5	-2.87	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB177_0_1	Combination	0.563	15.052	0	0	0	-0.7586	31.37	3	0.195	-0.5	-28.48	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB177_0_1	Combination	0.563	15.478	0	0	0	-1.4265	57.72	3	0.195	-0.5	-54.83	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB177_0_2	Combination	-59.754	14.625	0	0	0	-25.8252	865.53	3	0.195	-0.5	-1171.96	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB177_0_2	Combination	-59.754	15.052	0	0	0	-26.4744	891.14	3	0.195	-0.5	-1197.57	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB177_0_2	Combination	-59.754	15.478	0	0	0	-27.1422	917.48	3	0.195	-0.5	-1223.91	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB177_0_2_1	Combination	-61.477	32.625	0	0	0	-27.8885	942.51	3	0.195	-0.5	-1257.77	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB177_0_2_1	Combination	-61.477	33.577	0	0	0	-29.3367	999.63	3	0.195	-0.5	-1314.9	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB177_0_2_1	Combination	-61.477	34.528	0	0	0	-30.8265	1058.4	3	0.195	-0.5	-1373.67	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB177_0_3	Combination	-61.477	32.625	0	0	0	-27.8885	942.51	3	0.195	-0.5	-1257.77	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB177_0_3	Combination	-61.477	33.577	0	0	0	-29.3367	999.63	3	0.195	-0.5	-1314.9	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB177_0_3	Combination	-61.477	34.528	0	0	0	-30.8265	1058.4	3	0.195	-0.5	-1373.67	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB177_0_4	Combination	-57.569	32.625	0	0	0	-21.4033	696.7	3	0.195	-0.5	-991.92	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB177_0_4	Combination	-57.569	33.577	0	0	0	-22.8514	753.82	3	0.195	-0.5	-1049.05	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB177_0_4	Combination	-57.569	34.528	0	0	0	-24.3412	812.59	3	0.195	-0.5	-1107.82	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB177	Combination	-160.874	38.824	0	0	0	-49.9277	1557.04	3	0.195	-0.5	-2382.03	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB177	Combination	-160.874	39.858	0	0	0	-51.6489	1624.94	3	0.195	-0.5	-2449.93	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB177	Combination	-160.874	40.892	0	0	0	-53.4153	1694.62	3	0.195	-0.5	-2519.61	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB178	Combination	-160.874	38.824	0	0	0	-49.9277	1557.04	3	0.195	-0.5	-2382.03	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB178	Combination	-160.874	39.858	0	0	0	-51.6489	1624.94	3	0.195	-0.5	-2449.93	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB178	Combination	-160.874	40.892	0	0	0	-53.4153	1694.62	3	0.195	-0.5	-2519.61	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB181	Combination	-109.057	39.98	0	0	0	-35.6974	1128.55	3	0.195	-0.5	-1687.81	1
	-0.195	-0.5	16-1	0											







## Allegati alla relazione di Calcolo

16	0.04375	B_COMB205	Combination	-130.427	72.37	0	0	0	-35.0903	1049.8	3	0.195	-0.5	-1718.66	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB205	Combination	-130.427	73.471	0	0	0	-38.2805	1175.65	3	0.195	-0.5	-1844.51	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB206	Combination	-138.46	90.726	0	0	0	-47.5366	1520.19	3	0.195	-0.5	-2230.24	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB206	Combination	-138.46	91.827	0	0	0	-51.53	1677.71	3	0.195	-0.5	-2387.77	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB206	Combination	-138.46	92.928	0	0	0	-55.5715	1837.14	3	0.195	-0.5	-2547.19	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB207	Combination	-141.611	71.269	0	0	0	-42.7236	1322.25	3	0.195	-0.5	-2048.45	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB207	Combination	-141.611	72.37	0	0	0	-45.8657	1446.19	3	0.195	-0.5	-2172.4	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB207	Combination	-141.611	73.471	0	0	0	-49.056	1572.04	3	0.195	-0.5	-2298.25	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB208	Combination	-149.644	90.726	0	0	0	-58.3121	1916.58	3	0.195	-0.5	-2683.98	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB208	Combination	-149.644	91.827	0	0	0	-62.3054	2074.1	3	0.195	-0.5	-2841.51	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB208	Combination	-149.644	92.928	0	0	0	-66.3469	2233.53	3	0.195	-0.5	-3000.94	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB209	Combination	-254.014	79.268	0	0	0	-95.6155	3120.5	3	0.195	-0.5	-4423.13	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB209	Combination	-255.461	80.368	0	0	0	-99.1076	3254.54	3	0.195	-0.5	-4564.6	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB209	Combination	-256.908	81.469	0	0	0	-102.6478	3390.48	3	0.195	-0.5	-4707.96	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB210	Combination	-262.047	98.724	0	0	0	-111.204	3714.83	3	0.195	-0.5	-5058.66	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB210	Combination	-263.494	99.825	0	0	0	-115.5473	3882.45	3	0.195	-0.5	-5233.7	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB210	Combination	-264.941	100.926	0	0	0	-119.9387	4051.97	3	0.195	-0.5	-5410.65	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB211	Combination	-260.724	79.268	0	0	0	-102.0808	3358.33	3	0.195	-0.5	-4695.38	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB211	Combination	-262.171	80.368	0	0	0	-105.5728	3492.37	3	0.195	-0.5	-4836.84	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB211	Combination	-263.618	81.469	0	0	0	-109.113	3628.32	3	0.195	-0.5	-4980.21	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB212	Combination	-268.758	98.724	0	0	0	-117.6693	3952.66	3	0.195	-0.5	-5330.91	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB212	Combination	-270.205	99.825	0	0	0	-122.0125	4120.29	3	0.195	-0.5	-5505.95	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB212	Combination	-271.652	100.926	0	0	0	-126.404	4289.81	3	0.195	-0.5	-5682.89	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB213	Combination	-242.99	79.268	0	0	0	-68.3904	2074.8	3	0.195	-0.5	-3320.9	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB213	Combination	-244.437	80.368	0	0	0	-71.8824	2208.84	3	0.195	-0.5	-3462.36	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB213	Combination	-245.883	81.469	0	0	0	-75.4226	2344.78	3	0.195	-0.5	-3605.72	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB214	Combination	-251.023	98.724	0	0	0	-83.9788	2669.13	3	0.195	-0.5	-3956.42	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB214	Combination	-252.47	99.825	0	0	0	-88.3221	2836.75	3	0.195	-0.5	-4131.47	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB214	Combination	-253.917	100.926	0	0	0	-92.7136	3006.27	3	0.195	-0.5	-4308.41	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB215	Combination	-249.7	79.268	0	0	0	-74.8557	2312.63	3	0.195	-0.5	-3593.14	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB215	Combination	-251.147	80.368	0	0	0	-78.3477	2446.67	3	0.195	-0.5	-3734.6	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB215	Combination	-252.594	81.469	0	0	0	-81.8879	2582.62	3	0.195	-0.5	-3877.97	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB216	Combination	-257.733	98.724	0	0	0	-90.4441	2906.96	3	0.195	-0.5	-4228.67	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	B_COMB216	Combination	-259.18	99.825	0	0	0	-94.7874	3074.58	3	0.195	-0.5	-4403.71	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB216	Combination	-260.627	100.926	0	0	0	-99.1788	3244.11	3	0.195	-0.5	-4580.65	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB217	Combination	-230.005	77.268	0	0	0	-96.6009	3220.93	3	0.195	-0.5	-4400.45	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB217	Combination	-231.091	78.369	0	0	0	-100.0055	3352.45	3	0.195	-0.5	-4537.53	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB217	Combination	-232.176	79.47	0	0	0	-103.4582	3485.87	3	0.195	-0.5	-4676.52	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB218	Combination	-238.039	96.725	0	0	0	-112.1894	3815.26	3	0.195	-0.5	-5035.97	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB218	Combination	-239.124	97.826	0	0	0	-116.4452	3980.36	3	0.195	-0.5	-5206.64	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB218	Combination	-240.209	98.926	0	0	0	-120.7492	4147.36	3	0.195	-0.5	-5379.2	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB219	Combination	-241.189	77.268	0	0	0	-107.3764	3617.32	3	0.195	-0.5	-4854.19	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB219	Combination	-242.274	78.369	0	0	0	-110.781	3748.84	3	0.195	-0.5	-4991.27	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB219	Combination	-243.36	79.47	0	0	0	-114.2337	3882.26	3	0.195	-0.5	-5130.26	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB220	Combination	-249.222	96.725	0	0	0	-122.9649	4211.65	3	0.195	-0.5	-5489.72	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB220	Combination	-250.308	97.826	0	0	0	-127.2207	4376.75	3	0.195	-0.5	-5660.38	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB220	Combination	-251.393	98.926	0	0	0	-131.5246	4543.75	3	0.195	-0.5	-5832.94	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB221	Combination	-211.631	77.268	0	0	0	-51.2257	1478.09	3	0.195	-0.5	-2563.38	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB221	Combination	-212.716	78.369	0	0	0	-54.6303	1609.61	3	0.195	-0.5	-2700.47	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB221	Combination	-213.802	79.47	0	0	0	-58.083	1743.03	3	0.195	-0.5	-2839.45	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB222	Combination	-219.665	96.725	0	0	0	-66.8142	2072.43	3	0.195	-0.5	-3198.91	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB222	Combination	-220.75	97.826	0	0	0	-71.07	2237.52	3	0.195	-0.5	-3369.57	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB222	Combination	-221.835	98.926	0	0	0	-75.3739	2404.52	3	0.195	-0.5	-3542.14	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB223	Combination	-222.815	77.268	0	0	0	-62.0012	1874.49	3	0.195	-0.5	-3017.13	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB223	Combination	-223.9	78.369	0	0	0	-65.4057	2006	3	0.195	-0.5	-3154.21	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB223	Combination	-224.985	79.47	0	0	0	-68.8584	2139.42	3	0.195	-0.5	-3293.2	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB224	Combination	-230.848	96.725	0	0	0	-77.5896	2468.82	3	0.195	-0.5	-3652.65	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB224	Combination	-231.933	97.826	0	0	0	-81.8454	2633.92	3	0.195	-0.5	-3823.32	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB224	Combination	-233.019	98.926	0	0	0	-86.1494	2800.91	3	0.195	-0.5	-3995.88	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB225	Combination	-160.908	71.17	0	0	0	-75.028	2547.1	3	0.195	-0.5	-3372.27	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB225	Combination	-160.908	72.271	0	0	0	-78.1658	2670.88	3	0.195	-0.5	-3496.05	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB225	Combination	-160.908	73.372	0	0	0	-81.3517	2796.56	3	0.195	-0.5	-3621.72	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB226	Combination	-168.941	90.627	0	0	0	-90.6164	3141.43	3	0.195	-0.5	-4007.8	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB226	Combination	-168.941	91.728	0	0	0	-94.6055	3298.79	3	0.195	-0.5	-4165.15	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB226	Combination	-168.941	92.829	0	0	0	-98.6426	3458.05	3	0.195	-0.5	-4324.41	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB227	Combination	-167.618	71.17	0	0	0	-81.4933	2784.93	3	0.195	-0.5	-3644.51	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	B_COMB227	Combination	-167.618	72.271	0	0	0	-84.631	2908.71	3	0.195	-0.5	-3768.29	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB227	Combination	-167.618	73.372	0	0	0	-87.817	3034.39	3	0.195	-0.5	-3893.97	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB228	Combination	-175.651	90.627	0	0	0	-97.0817	3379.27	3	0.195	-0.5	-4280.04	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB228	Combination	-175.651	91.728	0	0	0	-101.0707	3536.62	3	0.195	-0.5	-4437.4	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB228	Combination	-175.651	92.829	0	0	0	-105.1079	3695.88	3	0.195	-0.5	-4596.66	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB229	Combination	-149.883	71.17	0	0	0	-47.8028	1501.4	3	0.195	-0.5	-2270.03	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB229	Combination	-149.883	72.271	0	0	0	-50.9406	1625.18	3	0.195	-0.5	-2393.81	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB229	Combination	-149.883	73.372	0	0	0	-54.1266	1750.85	3	0.195	-0.5	-2519.49	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB230	Combination	-157.917	90.627	0	0	0	-63.3913	2095.73	3	0.195	-0.5	-2905.56	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB230	Combination	-157.917	91.728	0	0	0	-67.3803	2253.09	3	0.195	-0.5	-3062.92	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB230	Combination	-157.917	92.829	0	0	0	-71.4175	2412.34	3	0.195	-0.5	-3222.17	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB231	Combination	-156.593	71.17	0	0	0	-54.2681	1739.23	3	0.195	-0.5	-2542.28	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB231	Combination	-156.593	72.271	0	0	0	-57.4059	1863.01	3	0.195	-0.5	-2666.05	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB231	Combination	-156.593	73.372	0	0	0	-60.5919	1988.69	3	0.195	-0.5	-2791.73	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB232	Combination	-164.627	90.627	0	0	0	-69.8566	2333.56	3	0.195	-0.5	-3177.8	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB232	Combination	-164.627	91.728	0	0	0	-73.8456	2490.92	3	0.195	-0.5	-3335.16	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB232	Combination	-164.627	92.829	0	0	0	-77.8828	2650.18	3	0.195	-0.5	-3494.42	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB233	Combination	-147.502	82.543	0	0	0	-72.6239	2486.64	3	0.195	-0.5	-3243.06	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB233	Combination	-147.502	83.644	0	0	0	-76.2592	2630.04	3	0.195	-0.5	-3386.46	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB233	Combination	-147.502	84.745	0	0	0	-79.9427	2775.35	3	0.195	-0.5	-3531.77	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB234	Combination	-158.213	108.485	0	0	0	-93.4085	3279.08	3	0.195	-0.5	-4090.43	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB234	Combination	-158.213	109.586	0	0	0	-98.1788	3467.26	3	0.195	-0.5	-4278.6	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB234	Combination	-158.213	110.687	0	0	0	-102.9973	3657.33	3	0.195	-0.5	-4468.68	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB235	Combination	-154.212	82.543	0	0	0	-79.0891	2724.47	3	0.195	-0.5	-3515.3	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB235	Combination	-154.212	83.644	0	0	0	-82.7245	2867.88	3	0.195	-0.5	-3658.71	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB235	Combination	-154.212	84.745	0	0	0	-86.4079	3013.18	3	0.195	-0.5	-3804.01	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB236	Combination	-164.923	108.485	0	0	0	-99.8737	3516.91	3	0.195	-0.5	-4362.67	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB236	Combination	-164.923	109.586	0	0	0	-104.6441	3705.09	3	0.195	-0.5	-4550.85	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB236	Combination	-164.923	110.687	0	0	0	-109.4625	3895.17	3	0.195	-0.5	-4740.93	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB237	Combination	-136.477	82.543	0	0	0	-45.3987	1440.93	3	0.195	-0.5	-2140.82	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB237	Combination	-136.477	83.644	0	0	0	-49.034	1584.34	3	0.195	-0.5	-2284.22	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB237	Combination	-136.477	84.745	0	0	0	-52.7175	1729.65	3	0.195	-0.5	-2429.53	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB238	Combination	-147.189	108.485	0	0	0	-66.1833	2233.38	3	0.195	-0.5	-2988.19	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	B_COMB238	Combination	-147.189	109.586	0	0	0	-70.9536	2421.55	3	0.195	-0.5	-3176.37	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB238	Combination	-147.189	110.687	0	0	0	-75.7721	2611.63	3	0.195	-0.5	-3366.44	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB239	Combination	-143.188	82.543	0	0	0	-51.864	1678.77	3	0.195	-0.5	-2413.06	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB239	Combination	-143.188	83.644	0	0	0	-55.4993	1822.17	3	0.195	-0.5	-2556.47	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB239	Combination	-143.188	84.745	0	0	0	-59.1828	1967.48	3	0.195	-0.5	-2701.78	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB240	Combination	-153.899	108.485	0	0	0	-72.6486	2471.21	3	0.195	-0.5	-3260.43	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB240	Combination	-153.899	109.586	0	0	0	-77.4189	2659.39	3	0.195	-0.5	-3448.61	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB240	Combination	-153.899	110.687	0	0	0	-82.2374	2849.47	3	0.195	-0.5	-3638.69	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB241	Combination	-148.918	71.269	0	0	0	-77.4062	2671.66	3	0.195	-0.5	-3435.34	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB241	Combination	-148.918	72.37	0	0	0	-80.5483	2795.61	3	0.195	-0.5	-3559.29	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB241	Combination	-148.918	73.471	0	0	0	-83.7386	2921.46	3	0.195	-0.5	-3685.14	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB242	Combination	-156.951	90.726	0	0	0	-92.9947	3265.99	3	0.195	-0.5	-4070.87	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB242	Combination	-156.951	91.827	0	0	0	-96.988	3423.52	3	0.195	-0.5	-4228.4	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB242	Combination	-156.951	92.928	0	0	0	-101.0295	3582.95	3	0.195	-0.5	-4387.82	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB243	Combination	-160.101	71.269	0	0	0	-88.1817	3068.05	3	0.195	-0.5	-3889.08	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB243	Combination	-160.101	72.37	0	0	0	-91.3238	3192	3	0.195	-0.5	-4013.03	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB243	Combination	-160.101	73.471	0	0	0	-94.5141	3317.85	3	0.195	-0.5	-4138.88	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB244	Combination	-168.135	90.726	0	0	0	-103.7701	3662.38	3	0.195	-0.5	-4524.61	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB244	Combination	-168.135	91.827	0	0	0	-107.7635	3819.91	3	0.195	-0.5	-4682.14	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB244	Combination	-168.135	92.928	0	0	0	-111.805	3979.34	3	0.195	-0.5	-4841.57	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB245	Combination	-130.543	71.269	0	0	0	-32.031	928.82	3	0.195	-0.5	-1598.28	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB245	Combination	-130.543	72.37	0	0	0	-35.1731	1052.77	3	0.195	-0.5	-1722.23	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB245	Combination	-130.543	73.471	0	0	0	-38.3634	1178.62	3	0.195	-0.5	-1848.07	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB246	Combination	-138.577	90.726	0	0	0	-47.6195	1523.15	3	0.195	-0.5	-2233.8	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB246	Combination	-138.577	91.827	0	0	0	-51.6128	1680.68	3	0.195	-0.5	-2391.33	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB246	Combination	-138.577	92.928	0	0	0	-55.6543	1840.11	3	0.195	-0.5	-2550.76	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB247	Combination	-141.727	71.269	0	0	0	-42.8065	1325.21	3	0.195	-0.5	-2052.02	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB247	Combination	-141.727	72.37	0	0	0	-45.9486	1449.16	3	0.195	-0.5	-2175.97	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB247	Combination	-141.727	73.471	0	0	0	-49.1388	1575.01	3	0.195	-0.5	-2301.82	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB248	Combination	-149.76	90.726	0	0	0	-58.3949	1919.55	3	0.195	-0.5	-2687.55	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB248	Combination	-149.76	91.827	0	0	0	-62.3883	2077.07	3	0.195	-0.5	-2845.08	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB248	Combination	-149.76	92.928	0	0	0	-66.4298	2236.5	3	0.195	-0.5	-3004.5	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB249	Combination	-254.13	79.268	0	0	0	-95.6984	3123.47	3	0.195	-0.5	-4426.7	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	B_COMB249	Combination	-255.577	80.368	0	0	0	-99.1904	3257.51	3	0.195	-0.5	-4568.16	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB249	Combination	-257.024	81.469	0	0	0	-102.7306	3393.45	3	0.195	-0.5	-4711.53	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB250	Combination	-262.164	98.724	0	0	0	-111.2868	3717.8	3	0.195	-0.5	-5062.23	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB250	Combination	-263.611	99.825	0	0	0	-115.6301	3885.42	3	0.195	-0.5	-5237.27	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB250	Combination	-265.058	100.926	0	0	0	-120.0215	4054.94	3	0.195	-0.5	-5414.21	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB251	Combination	-260.841	79.268	0	0	0	-102.1636	3361.3	3	0.195	-0.5	-4698.95	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB251	Combination	-262.288	80.368	0	0	0	-105.6557	3495.34	3	0.195	-0.5	-4840.41	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB251	Combination	-263.735	81.469	0	0	0	-109.1959	3631.29	3	0.195	-0.5	-4983.77	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB252	Combination	-268.874	98.724	0	0	0	-117.7521	3955.63	3	0.195	-0.5	-5334.47	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB252	Combination	-270.321	99.825	0	0	0	-122.0954	4123.25	3	0.195	-0.5	-5509.52	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB252	Combination	-271.768	100.926	0	0	0	-126.4868	4292.78	3	0.195	-0.5	-5686.46	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB253	Combination	-243.106	79.268	0	0	0	-68.4732	2077.76	3	0.195	-0.5	-3324.46	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB253	Combination	-244.553	80.368	0	0	0	-71.9653	2211.81	3	0.195	-0.5	-3465.93	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB253	Combination	-246	81.469	0	0	0	-75.5055	2347.75	3	0.195	-0.5	-3609.29	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB254	Combination	-251.139	98.724	0	0	0	-84.0617	2672.1	3	0.195	-0.5	-3959.99	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB254	Combination	-252.586	99.825	0	0	0	-88.405	2839.72	3	0.195	-0.5	-4135.03	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB254	Combination	-254.033	100.926	0	0	0	-92.7964	3009.24	3	0.195	-0.5	-4311.97	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB255	Combination	-249.816	79.268	0	0	0	-74.9385	2315.6	3	0.195	-0.5	-3596.71	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB255	Combination	-251.263	80.368	0	0	0	-78.4305	2449.64	3	0.195	-0.5	-3738.17	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB255	Combination	-252.71	81.469	0	0	0	-81.9707	2585.58	3	0.195	-0.5	-3881.53	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB256	Combination	-257.849	98.724	0	0	0	-90.527	2909.93	3	0.195	-0.5	-4232.24	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB256	Combination	-259.296	99.825	0	0	0	-94.8702	3077.55	3	0.195	-0.5	-4407.28	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB256	Combination	-260.743	100.926	0	0	0	-99.2617	3247.07	3	0.195	-0.5	-4584.22	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB257	Combination	-230.122	77.268	0	0	0	-96.6838	3223.9	3	0.195	-0.5	-4404.01	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB257	Combination	-231.207	78.369	0	0	0	-100.0883	3355.42	3	0.195	-0.5	-4541.1	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB257	Combination	-232.292	79.47	0	0	0	-103.5411	3488.84	3	0.195	-0.5	-4680.08	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB258	Combination	-238.155	96.725	0	0	0	-112.2723	3818.23	3	0.195	-0.5	-5039.54	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB258	Combination	-239.24	97.826	0	0	0	-116.528	3983.33	3	0.195	-0.5	-5210.2	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB258	Combination	-240.326	98.926	0	0	0	-120.832	4150.33	3	0.195	-0.5	-5382.77	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB259	Combination	-241.306	77.268	0	0	0	-107.4592	3620.29	3	0.195	-0.5	-4857.76	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB259	Combination	-242.391	78.369	0	0	0	-110.8638	3751.81	3	0.195	-0.5	-4994.84	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB259	Combination	-243.476	79.47	0	0	0	-114.3165	3885.23	3	0.195	-0.5	-5133.82	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB260	Combination	-249.339	96.725	0	0	0	-123.0477	4214.62	3	0.195	-0.5	-5493.28	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	B_COMB260	Combination	-250.424	97.826	0	0	0	-127.3035	4379.72	3	0.195	-0.5	-5663.95	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB260	Combination	-251.509	98.926	0	0	0	-131.6075	4546.72	3	0.195	-0.5	-5836.51	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB261	Combination	-211.748	77.268	0	0	0	-51.3086	1481.06	3	0.195	-0.5	-2566.95	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB261	Combination	-212.833	78.369	0	0	0	-54.7131	1612.58	3	0.195	-0.5	-2704.03	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB261	Combination	-213.918	79.47	0	0	0	-58.1658	1746	3	0.195	-0.5	-2843.02	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB262	Combination	-219.781	96.725	0	0	0	-66.897	2075.39	3	0.195	-0.5	-3202.48	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB262	Combination	-220.866	97.826	0	0	0	-71.1528	2240.49	3	0.195	-0.5	-3373.14	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB262	Combination	-221.951	98.926	0	0	0	-75.4568	2407.49	3	0.195	-0.5	-3545.7	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB263	Combination	-222.931	77.268	0	0	0	-62.084	1877.45	3	0.195	-0.5	-3020.69	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB263	Combination	-224.017	78.369	0	0	0	-65.4886	2008.97	3	0.195	-0.5	-3157.78	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB263	Combination	-225.102	79.47	0	0	0	-68.9413	2142.39	3	0.195	-0.5	-3296.76	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB264	Combination	-230.965	96.725	0	0	0	-77.6725	2471.79	3	0.195	-0.5	-3656.22	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB264	Combination	-232.05	97.826	0	0	0	-81.9283	2636.88	3	0.195	-0.5	-3826.88	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB264	Combination	-233.135	98.926	0	0	0	-86.2322	2803.88	3	0.195	-0.5	-3999.45	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB265	Combination	-227.101	77.268	0	0	0	-89.3001	2940.38	3	0.195	-0.5	-4105	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB265	Combination	-228.186	78.369	0	0	0	-92.7047	3071.9	3	0.195	-0.5	-4242.08	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB265	Combination	-229.272	79.47	0	0	0	-96.1574	3205.31	3	0.195	-0.5	-4381.07	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB266	Combination	-235.135	96.725	0	0	0	-104.8886	3534.71	3	0.195	-0.5	-4740.53	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB266	Combination	-236.22	97.826	0	0	0	-109.1444	3699.81	3	0.195	-0.5	-4911.19	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB266	Combination	-237.305	98.926	0	0	0	-113.4483	3866.8	3	0.195	-0.5	-5083.75	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB267	Combination	-233.811	77.268	0	0	0	-95.7654	3178.21	3	0.195	-0.5	-4377.24	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB267	Combination	-234.897	78.369	0	0	0	-99.1699	3309.73	3	0.195	-0.5	-4514.33	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB267	Combination	-235.982	79.47	0	0	0	-102.6227	3443.15	3	0.195	-0.5	-4653.31	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB268	Combination	-241.845	96.725	0	0	0	-111.3539	3772.54	3	0.195	-0.5	-5012.77	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB268	Combination	-242.93	97.826	0	0	0	-115.6096	3937.64	3	0.195	-0.5	-5183.44	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB268	Combination	-244.015	98.926	0	0	0	-119.9136	4104.64	3	0.195	-0.5	-5356	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB269	Combination	-216.077	77.268	0	0	0	-62.075	1894.67	3	0.195	-0.5	-3002.76	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB269	Combination	-217.162	78.369	0	0	0	-65.4795	2026.19	3	0.195	-0.5	-3139.84	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB269	Combination	-218.247	79.47	0	0	0	-68.9323	2159.61	3	0.195	-0.5	-3278.83	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB270	Combination	-224.11	96.725	0	0	0	-77.6634	2489.01	3	0.195	-0.5	-3638.29	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB270	Combination	-225.195	97.826	0	0	0	-81.9192	2654.1	3	0.195	-0.5	-3808.95	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB270	Combination	-226.28	98.926	0	0	0	-86.2232	2821.1	3	0.195	-0.5	-3981.52	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB271	Combination	-222.787	77.268	0	0	0	-68.5403	2132.51	3	0.195	-0.5	-3275.01	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	B_COMB271	Combination	-223.872	78.369	0	0	0	-71.9448	2264.03	3	0.195	-0.5	-3412.09	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB271	Combination	-224.957	79.47	0	0	0	-75.3975	2397.45	3	0.195	-0.5	-3551.08	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB272	Combination	-230.82	96.725	0	0	0	-84.1287	2726.84	3	0.195	-0.5	-3910.53	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB272	Combination	-231.905	97.826	0	0	0	-88.3845	2891.94	3	0.195	-0.5	-4081.2	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB272	Combination	-232.991	98.926	0	0	0	-92.6885	3058.94	3	0.195	-0.5	-4253.76	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB273	Combination	-149.943	71.075	0	0	0	-70.1775	2383.87	3	0.195	-0.5	-3152.81	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB273	Combination	-149.943	72.176	0	0	0	-73.3111	2507.49	3	0.195	-0.5	-3276.43	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB273	Combination	-149.943	73.277	0	0	0	-76.4929	2633	3	0.195	-0.5	-3401.94	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB274	Combination	-157.977	90.532	0	0	0	-85.766	2978.2	3	0.195	-0.5	-3788.34	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB274	Combination	-157.977	91.633	0	0	0	-89.7508	3135.4	3	0.195	-0.5	-3945.53	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB274	Combination	-157.977	92.734	0	0	0	-93.7838	3294.49	3	0.195	-0.5	-4104.63	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB275	Combination	-156.654	71.075	0	0	0	-76.6428	2621.71	3	0.195	-0.5	-3425.06	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB275	Combination	-156.654	72.176	0	0	0	-79.7764	2745.32	3	0.195	-0.5	-3548.67	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB275	Combination	-156.654	73.277	0	0	0	-82.9582	2870.84	3	0.195	-0.5	-3674.19	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB276	Combination	-164.687	90.532	0	0	0	-92.2312	3216.04	3	0.195	-0.5	-4060.59	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB276	Combination	-164.687	91.633	0	0	0	-96.2161	3373.23	3	0.195	-0.5	-4217.78	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB276	Combination	-164.687	92.734	0	0	0	-100.2491	3532.33	3	0.195	-0.5	-4376.87	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB277	Combination	-138.919	71.075	0	0	0	-42.9524	1338.17	3	0.195	-0.5	-2050.58	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB277	Combination	-138.919	72.176	0	0	0	-46.086	1461.79	3	0.195	-0.5	-2174.19	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB277	Combination	-138.919	73.277	0	0	0	-49.2678	1587.3	3	0.195	-0.5	-2299.7	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB278	Combination	-146.952	90.532	0	0	0	-58.5408	1932.5	3	0.195	-0.5	-2686.1	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB278	Combination	-146.952	91.633	0	0	0	-62.5257	2089.7	3	0.195	-0.5	-2843.3	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB278	Combination	-146.952	92.734	0	0	0	-66.5587	2248.79	3	0.195	-0.5	-3002.39	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB279	Combination	-145.629	71.075	0	0	0	-49.4176	1576.01	3	0.195	-0.5	-2322.82	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB279	Combination	-145.629	72.176	0	0	0	-52.5513	1699.62	3	0.195	-0.5	-2446.44	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB279	Combination	-145.629	73.277	0	0	0	-55.7331	1825.13	3	0.195	-0.5	-2571.95	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB280	Combination	-153.662	90.532	0	0	0	-65.0061	2170.34	3	0.195	-0.5	-2958.35	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB280	Combination	-153.662	91.633	0	0	0	-68.991	2327.53	3	0.195	-0.5	-3115.54	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB280	Combination	-153.662	92.734	0	0	0	-73.024	2486.62	3	0.195	-0.5	-3274.64	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB281	Combination	-136.537	82.448	0	0	0	-67.7734	2323.41	3	0.195	-0.5	-3023.6	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB281	Combination	-136.537	83.549	0	0	0	-71.4045	2466.65	3	0.195	-0.5	-3166.84	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB281	Combination	-136.537	84.649	0	0	0	-75.0839	2611.79	3	0.195	-0.5	-3311.98	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB282	Combination	-147.249	108.39	0	0	0	-88.558	3115.85	3	0.195	-0.5	-3870.97	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	B_COMB282	Combination	-147.249	109.491	0	0	0	-93.3241	3303.87	3	0.195	-0.5	-4058.99	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB282	Combination	-147.249	110.592	0	0	0	-98.1385	3493.78	3	0.195	-0.5	-4248.9	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB283	Combination	-143.248	82.448	0	0	0	-74.2386	2561.24	3	0.195	-0.5	-3295.85	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB283	Combination	-143.248	83.549	0	0	0	-77.8698	2704.49	3	0.195	-0.5	-3439.09	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB283	Combination	-143.248	84.649	0	0	0	-81.5492	2849.63	3	0.195	-0.5	-3584.23	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB284	Combination	-153.959	108.39	0	0	0	-95.0233	3353.69	3	0.195	-0.5	-4143.22	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB284	Combination	-153.959	109.491	0	0	0	-99.7894	3541.7	3	0.195	-0.5	-4331.23	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB284	Combination	-153.959	110.592	0	0	0	-104.6037	3731.61	3	0.195	-0.5	-4521.15	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB285	Combination	-125.513	82.448	0	0	0	-40.5482	1277.71	3	0.195	-0.5	-1921.36	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB285	Combination	-125.513	83.549	0	0	0	-44.1794	1420.95	3	0.195	-0.5	-2064.61	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB285	Combination	-125.513	84.649	0	0	0	-47.8587	1566.09	3	0.195	-0.5	-2209.75	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB286	Combination	-136.224	108.39	0	0	0	-61.3329	2070.15	3	0.195	-0.5	-2768.73	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB286	Combination	-136.224	109.491	0	0	0	-66.099	2258.16	3	0.195	-0.5	-2956.75	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB286	Combination	-136.224	110.592	0	0	0	-70.9133	2448.08	3	0.195	-0.5	-3146.66	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB287	Combination	-132.223	82.448	0	0	0	-47.0135	1515.54	3	0.195	-0.5	-2193.61	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB287	Combination	-132.223	83.549	0	0	0	-50.6447	1658.78	3	0.195	-0.5	-2336.85	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB287	Combination	-132.223	84.649	0	0	0	-54.324	1803.93	3	0.195	-0.5	-2481.99	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB288	Combination	-142.934	108.39	0	0	0	-67.7981	2307.98	3	0.195	-0.5	-3040.98	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB288	Combination	-142.934	109.491	0	0	0	-72.5643	2496	3	0.195	-0.5	-3228.99	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB288	Combination	-142.934	110.592	0	0	0	-77.3786	2685.91	3	0.195	-0.5	-3418.91	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB289	Combination	-137.953	71.174	0	0	0	-72.5558	2508.43	3	0.195	-0.5	-3215.89	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB289	Combination	-137.953	72.275	0	0	0	-75.6937	2632.22	3	0.195	-0.5	-3339.67	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB289	Combination	-137.953	73.376	0	0	0	-78.8798	2757.9	3	0.195	-0.5	-3465.35	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB290	Combination	-145.986	90.631	0	0	0	-88.1442	3102.77	3	0.195	-0.5	-3851.41	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB290	Combination	-145.986	91.732	0	0	0	-92.1334	3260.13	3	0.195	-0.5	-4008.78	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB290	Combination	-145.986	92.832	0	0	0	-96.1707	3419.39	3	0.195	-0.5	-4168.04	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB291	Combination	-149.137	71.174	0	0	0	-83.3312	2904.83	3	0.195	-0.5	-3669.63	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB291	Combination	-149.137	72.275	0	0	0	-86.4691	3028.61	3	0.195	-0.5	-3793.41	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB291	Combination	-149.137	73.376	0	0	0	-89.6553	3154.29	3	0.195	-0.5	-3919.1	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB292	Combination	-157.17	90.631	0	0	0	-98.9197	3499.16	3	0.195	-0.5	-4305.16	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB292	Combination	-157.17	91.732	0	0	0	-102.9088	3656.52	3	0.195	-0.5	-4462.52	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB292	Combination	-157.17	92.832	0	0	0	-106.9462	3815.78	3	0.195	-0.5	-4621.78	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB293	Combination	-119.579	71.174	0	0	0	-27.1805	765.6	3	0.195	-0.5	-1378.82	1
	-0.195	-0.5	16-1	0											



## Allegati alla relazione di Calcolo

16	0.04375	B_COMB293	Combination	-119.579	72.275	0	0	0	-30.3185	889.38	3	0.195	-0.5	-1502.61	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB293	Combination	-119.579	73.376	0	0	0	-33.5046	1015.07	3	0.195	-0.5	-1628.29	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB294	Combination	-127.612	90.631	0	0	0	-42.769	1359.93	3	0.195	-0.5	-2014.35	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB294	Combination	-127.612	91.732	0	0	0	-46.7582	1517.29	3	0.195	-0.5	-2171.71	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB294	Combination	-127.612	92.832	0	0	0	-50.7955	1676.56	3	0.195	-0.5	-2330.98	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB295	Combination	-130.763	71.174	0	0	0	-37.956	1161.99	3	0.195	-0.5	-1832.57	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB295	Combination	-130.763	72.275	0	0	0	-41.0939	1285.77	3	0.195	-0.5	-1956.35	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB295	Combination	-130.763	73.376	0	0	0	-44.28	1411.46	3	0.195	-0.5	-2082.04	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB296	Combination	-138.796	90.631	0	0	0	-53.5444	1756.32	3	0.195	-0.5	-2468.09	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB296	Combination	-138.796	91.732	0	0	0	-57.5336	1913.68	3	0.195	-0.5	-2625.46	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB296	Combination	-138.796	92.832	0	0	0	-61.571	2072.95	3	0.195	-0.5	-2784.72	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB297	Combination	-243.166	79.173	0	0	0	-90.8479	2960.24	3	0.195	-0.5	-4207.25	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB297	Combination	-244.613	80.273	0	0	0	-94.3358	3094.12	3	0.195	-0.5	-4348.54	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB297	Combination	-246.06	81.374	0	0	0	-97.8718	3229.9	3	0.195	-0.5	-4491.74	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB298	Combination	-251.199	98.629	0	0	0	-106.4363	3554.57	3	0.195	-0.5	-4842.77	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB298	Combination	-252.646	99.73	0	0	0	-110.7755	3722.03	3	0.195	-0.5	-5017.65	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB298	Combination	-254.093	100.831	0	0	0	-115.1627	3891.39	3	0.195	-0.5	-5194.43	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB299	Combination	-249.876	79.173	0	0	0	-97.3132	3198.08	3	0.195	-0.5	-4479.49	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB299	Combination	-251.323	80.273	0	0	0	-100.801	3331.95	3	0.195	-0.5	-4620.79	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB299	Combination	-252.77	81.374	0	0	0	-104.3371	3467.73	3	0.195	-0.5	-4763.99	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB300	Combination	-257.91	98.629	0	0	0	-112.9016	3792.41	3	0.195	-0.5	-5115.02	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB300	Combination	-259.356	99.73	0	0	0	-117.2407	3959.86	3	0.195	-0.5	-5289.9	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB300	Combination	-260.803	100.831	0	0	0	-121.628	4129.22	3	0.195	-0.5	-5466.68	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB301	Combination	-232.141	79.173	0	0	0	-63.6227	1914.54	3	0.195	-0.5	-3105.01	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB301	Combination	-233.588	80.273	0	0	0	-67.1106	2048.42	3	0.195	-0.5	-3246.31	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB301	Combination	-235.035	81.374	0	0	0	-70.6467	2184.2	3	0.195	-0.5	-3389.51	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB302	Combination	-240.175	98.629	0	0	0	-79.2112	2508.87	3	0.195	-0.5	-3740.54	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB302	Combination	-241.622	99.73	0	0	0	-83.5503	2676.33	3	0.195	-0.5	-3915.41	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB302	Combination	-243.069	100.831	0	0	0	-87.9376	2845.69	3	0.195	-0.5	-4092.19	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB303	Combination	-238.852	79.173	0	0	0	-70.088	2152.37	3	0.195	-0.5	-3377.25	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB303	Combination	-240.299	80.273	0	0	0	-73.5759	2286.25	3	0.195	-0.5	-3518.55	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB303	Combination	-241.746	81.374	0	0	0	-77.1119	2422.03	3	0.195	-0.5	-3661.75	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB304	Combination	-246.885	98.629	0	0	0	-85.6765	2746.7	3	0.195	-0.5	-4012.78	1
	-0.195	-0.5	16-1	0											









16	0.04375	B_COMB348	Combination	-239.576	97.731	0	0	0	-122.5317	4219.3	3	0.195	-0.5	-5447.9	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB348	Combination	-240.661	98.831	0	0	0	-126.8315	4386.13	3	0.195	-0.5	-5620.29	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB349	Combination	-200.9	77.173	0	0	0	-46.5409	1320.81	3	0.195	-0.5	-2351.06	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB349	Combination	-201.985	78.274	0	0	0	-49.9413	1452.16	3	0.195	-0.5	-2487.98	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB349	Combination	-203.07	79.375	0	0	0	-53.3899	1585.42	3	0.195	-0.5	-2626.8	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB350	Combination	-208.933	96.63	0	0	0	-62.1294	1915.14	3	0.195	-0.5	-2986.59	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB350	Combination	-210.018	97.731	0	0	0	-66.381	2080.07	3	0.195	-0.5	-3157.09	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB350	Combination	-211.103	98.831	0	0	0	-70.6808	2246.91	3	0.195	-0.5	-3329.49	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB351	Combination	-212.083	77.173	0	0	0	-57.3164	1717.2	3	0.195	-0.5	-2804.8	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB351	Combination	-213.168	78.274	0	0	0	-60.7168	1848.55	3	0.195	-0.5	-2941.72	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB351	Combination	-214.254	79.375	0	0	0	-64.1653	1981.81	3	0.195	-0.5	-3080.55	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB352	Combination	-220.117	96.63	0	0	0	-72.9048	2311.53	3	0.195	-0.5	-3440.33	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB352	Combination	-221.202	97.731	0	0	0	-77.1565	2476.46	3	0.195	-0.5	-3610.83	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB352	Combination	-222.287	98.831	0	0	0	-81.4563	2643.3	3	0.195	-0.5	-3783.23	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB353	Combination	-216.253	77.173	0	0	0	-84.5325	2780.12	3	0.195	-0.5	-3889.11	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB353	Combination	-217.338	78.274	0	0	0	-87.9329	2911.47	3	0.195	-0.5	-4026.03	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB353	Combination	-218.424	79.375	0	0	0	-91.3814	3044.73	3	0.195	-0.5	-4164.85	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB354	Combination	-224.286	96.63	0	0	0	-100.1209	3374.45	3	0.195	-0.5	-4524.64	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB354	Combination	-225.372	97.731	0	0	0	-104.3726	3539.39	3	0.195	-0.5	-4695.14	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB354	Combination	-226.457	98.831	0	0	0	-108.6724	3706.22	3	0.195	-0.5	-4867.54	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB355	Combination	-222.963	77.173	0	0	0	-90.9978	3017.95	3	0.195	-0.5	-4161.36	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB355	Combination	-224.049	78.274	0	0	0	-94.3981	3149.31	3	0.195	-0.5	-4298.28	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB355	Combination	-225.134	79.375	0	0	0	-97.8467	3282.56	3	0.195	-0.5	-4437.1	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB356	Combination	-230.997	96.63	0	0	0	-106.5862	3612.29	3	0.195	-0.5	-4796.88	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB356	Combination	-232.082	97.731	0	0	0	-110.8378	3777.22	3	0.195	-0.5	-4967.38	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB356	Combination	-233.167	98.831	0	0	0	-115.1376	3944.05	3	0.195	-0.5	-5139.78	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB357	Combination	-205.229	77.173	0	0	0	-57.3073	1734.42	3	0.195	-0.5	-2786.87	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB357	Combination	-206.314	78.274	0	0	0	-60.7077	1865.77	3	0.195	-0.5	-2923.79	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB357	Combination	-207.399	79.375	0	0	0	-64.1563	1999.03	3	0.195	-0.5	-3062.61	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB358	Combination	-213.262	96.63	0	0	0	-72.8958	2328.75	3	0.195	-0.5	-3422.4	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB358	Combination	-214.347	97.731	0	0	0	-77.1474	2493.68	3	0.195	-0.5	-3592.9	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB358	Combination	-215.432	98.831	0	0	0	-81.4472	2660.52	3	0.195	-0.5	-3765.3	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB359	Combination	-211.939	77.173	0	0	0	-63.7726	1972.25	3	0.195	-0.5	-3059.12	1
	-0.195	-0.5	16-1	0											

*Allegati alla relazione di Calcolo*

16	0.04375	B_COMB359	Combination	-213.024	78.274	0	0	0	-67.173	2103.61	3	0.195	-0.5	-3196.04	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB359	Combination	-214.109	79.375	0	0	0	-70.6216	2236.86	3	0.195	-0.5	-3334.86	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB360	Combination	-219.972	96.63	0	0	0	-79.3611	2566.58	3	0.195	-0.5	-3694.65	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB360	Combination	-221.057	97.731	0	0	0	-83.6127	2731.52	3	0.195	-0.5	-3865.15	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB360	Combination	-222.143	98.831	0	0	0	-87.9125	2898.35	3	0.195	-0.5	-4037.55	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB361_0_0	Combination	0.563	14.625	0	0	0	-0.1095	5.76	3	0.195	-0.5	-2.87	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB361_0_0	Combination	0.563	15.052	0	0	0	-0.7586	31.37	3	0.195	-0.5	-28.48	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB361_0_0	Combination	0.563	15.478	0	0	0	-1.4265	57.72	3	0.195	-0.5	-54.83	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB361_0_1	Combination	0.563	14.625	0	0	0	-0.1095	5.76	3	0.195	-0.5	-2.87	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB361_0_1	Combination	0.563	15.052	0	0	0	-0.7586	31.37	3	0.195	-0.5	-28.48	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB361_0_1	Combination	0.563	15.478	0	0	0	-1.4265	57.72	3	0.195	-0.5	-54.83	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB361_0_2	Combination	-71.757	14.625	0	0	0	-30.9429	1036.63	3	0.195	-0.5	-1404.62	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB361_0_2	Combination	-71.757	15.052	0	0	0	-31.5921	1062.24	3	0.195	-0.5	-1430.23	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB361_0_2	Combination	-71.757	15.478	0	0	0	-32.2599	1088.59	3	0.195	-0.5	-1456.57	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB361_0_2_1	Combination	-73.481	32.625	0	0	0	-33.0062	1113.61	3	0.195	-0.5	-1490.43	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB361_0_2_1	Combination	-73.481	33.577	0	0	0	-34.4544	1170.74	3	0.195	-0.5	-1547.56	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB361_0_2_1	Combination	-73.481	34.528	0	0	0	-35.9442	1229.5	3	0.195	-0.5	-1606.33	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB361_0_3	Combination	-73.481	32.625	0	0	0	-33.0062	1113.61	3	0.195	-0.5	-1490.43	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB361_0_3	Combination	-73.481	33.577	0	0	0	-34.4544	1170.74	3	0.195	-0.5	-1547.56	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB361_0_3	Combination	-73.481	34.528	0	0	0	-35.9442	1229.5	3	0.195	-0.5	-1606.33	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB361_0_4	Combination	-69.573	32.625	0	0	0	-26.521	867.8	3	0.195	-0.5	-1224.58	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB361_0_4	Combination	-69.573	33.577	0	0	0	-27.9691	924.93	3	0.195	-0.5	-1281.71	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB361_0_4	Combination	-69.573	34.528	0	0	0	-29.4589	983.7	3	0.195	-0.5	-1340.48	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB361	Combination	-172.877	38.824	0	0	0	-55.0454	1728.14	3	0.195	-0.5	-2614.69	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB361	Combination	-172.877	39.858	0	0	0	-56.7666	1796.04	3	0.195	-0.5	-2682.59	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB361	Combination	-172.877	40.892	0	0	0	-58.533	1865.72	3	0.195	-0.5	-2752.27	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB362	Combination	-172.877	38.824	0	0	0	-55.0454	1728.14	3	0.195	-0.5	-2614.69	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB362	Combination	-172.877	39.858	0	0	0	-56.7666	1796.04	3	0.195	-0.5	-2682.59	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB362	Combination	-172.877	40.892	0	0	0	-58.533	1865.72	3	0.195	-0.5	-2752.27	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB363	Combination	-173.096	33.149	0	0	0	-55.003	1725.91	3	0.195	-0.5	-2613.58	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB363	Combination	-173.096	34.018	0	0	0	-56.4723	1783.87	3	0.195	-0.5	-2671.54	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB363	Combination	-173.096	34.887	0	0	0	-57.9795	1843.33	3	0.195	-0.5	-2731	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB364	Combination	-173.096	33.149	0	0	0	-55.003	1725.91	3	0.195	-0.5	-2613.58	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	B_COMB364	Combination	-173.096	34.018	0	0	0	-56.4723	1783.87	3	0.195	-0.5	-2671.54	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB364	Combination	-173.096	34.887	0	0	0	-57.9795	1843.33	3	0.195	-0.5	-2731	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB365	Combination	-121.061	39.98	0	0	0	-40.8151	1299.65	3	0.195	-0.5	-1920.48	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB365	Combination	-121.061	41.097	0	0	0	-42.5886	1369.61	3	0.195	-0.5	-1990.44	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB365	Combination	-121.061	42.214	0	0	0	-44.4111	1441.5	3	0.195	-0.5	-2062.33	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB366	Combination	-121.061	39.98	0	0	0	-40.8151	1299.65	3	0.195	-0.5	-1920.48	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB366	Combination	-121.061	41.097	0	0	0	-42.5886	1369.61	3	0.195	-0.5	-1990.44	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB366	Combination	-121.061	42.214	0	0	0	-44.4111	1441.5	3	0.195	-0.5	-2062.33	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB367	Combination	-121.498	28.631	0	0	0	-40.7301	1295.18	3	0.195	-0.5	-1918.24	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB367	Combination	-121.498	29.417	0	0	0	-41.9999	1345.27	3	0.195	-0.5	-1968.34	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB367	Combination	-121.498	30.203	0	0	0	-43.3041	1396.72	3	0.195	-0.5	-2019.78	1
	-0.195	-0.5	16-1	0.0875											
16	0	B_COMB368	Combination	-121.498	28.631	0	0	0	-40.7301	1295.18	3	0.195	-0.5	-1918.24	1
	-0.195	-0.5	16-1	0											
16	0.04375	B_COMB368	Combination	-121.498	29.417	0	0	0	-41.9999	1345.27	3	0.195	-0.5	-1968.34	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	B_COMB368	Combination	-121.498	30.203	0	0	0	-43.3041	1396.72	3	0.195	-0.5	-2019.78	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB369	Combination	-110.105	61.749	0	0	0	-53.9788	1847.02	3	0.195	-0.5	-2411.66	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB369	Combination	-110.105	62.7	0	0	0	-56.7011	1954.41	3	0.195	-0.5	-2519.05	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB369	Combination	-110.105	63.652	0	0	0	-59.465	2063.44	3	0.195	-0.5	-2628.08	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB370	Combination	-117.09	78.668	0	0	0	-67.534	2363.83	3	0.195	-0.5	-2964.29	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB370	Combination	-117.09	79.619	0	0	0	-70.9965	2500.42	3	0.195	-0.5	-3100.88	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB370	Combination	-117.09	80.571	0	0	0	-74.5006	2638.65	3	0.195	-0.5	-3239.11	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB373	Combination	-99.08	61.749	0	0	0	-26.7537	801.32	3	0.195	-0.5	-1309.42	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB373	Combination	-99.08	62.7	0	0	0	-29.476	908.71	3	0.195	-0.5	-1416.81	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB373	Combination	-99.08	63.652	0	0	0	-32.2399	1017.74	3	0.195	-0.5	-1525.84	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB374	Combination	-106.066	78.668	0	0	0	-40.3088	1318.13	3	0.195	-0.5	-1862.06	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB374	Combination	-106.066	79.619	0	0	0	-43.7714	1454.72	3	0.195	-0.5	-1998.64	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB374	Combination	-106.066	80.571	0	0	0	-47.2755	1592.95	3	0.195	-0.5	-2136.88	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB377	Combination	-100.62	71.623	0	0	0	-52.6147	1817.53	3	0.195	-0.5	-2333.53	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB377	Combination	-100.62	72.575	0	0	0	-55.769	1941.96	3	0.195	-0.5	-2457.96	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB377	Combination	-100.62	73.527	0	0	0	-58.965	2068.03	3	0.195	-0.5	-2584.03	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB378	Combination	-109.934	94.182	0	0	0	-70.6882	2506.61	3	0.195	-0.5	-3070.37	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB378	Combination	-109.934	95.134	0	0	0	-74.8295	2669.97	3	0.195	-0.5	-3233.74	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB378	Combination	-109.934	96.085	0	0	0	-79.0124	2834.98	3	0.195	-0.5	-3398.74	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB381	Combination	-89.595	71.623	0	0	0	-25.3895	771.83	3	0.195	-0.5	-1231.29	1
	-0.195	-0.5	16-1	0											



## Allegati alla relazione di Calcolo

16	0.04375	C_COMB381	Combination	-89.595	72.575	0	0	0	-28.5439	896.26	3	0.195	-0.5	-1355.72	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB381	Combination	-89.595	73.527	0	0	0	-31.7398	1022.33	3	0.195	-0.5	-1481.8	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB382	Combination	-98.909	94.182	0	0	0	-43.4631	1460.91	3	0.195	-0.5	-1968.13	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB382	Combination	-98.909	95.134	0	0	0	-47.6044	1624.27	3	0.195	-0.5	-2131.5	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB382	Combination	-98.909	96.085	0	0	0	-51.7873	1789.28	3	0.195	-0.5	-2296.5	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB385	Combination	-102.25	61.82	0	0	0	-57.7399	2015.53	3	0.195	-0.5	-2539.89	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB385	Combination	-102.25	62.772	0	0	0	-60.4654	2123.04	3	0.195	-0.5	-2647.4	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB385	Combination	-102.25	63.723	0	0	0	-63.2325	2232.2	3	0.195	-0.5	-2756.56	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB386	Combination	-109.235	78.739	0	0	0	-71.2951	2532.34	3	0.195	-0.5	-3092.52	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB386	Combination	-109.235	79.691	0	0	0	-74.7608	2669.05	3	0.195	-0.5	-3229.23	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB386	Combination	-109.235	80.642	0	0	0	-78.268	2807.41	3	0.195	-0.5	-3367.59	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB387	Combination	-113.434	61.82	0	0	0	-68.5154	2411.92	3	0.195	-0.5	-2993.63	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB387	Combination	-113.434	62.772	0	0	0	-71.2408	2519.43	3	0.195	-0.5	-3101.14	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB387	Combination	-113.434	63.723	0	0	0	-74.0079	2628.59	3	0.195	-0.5	-3210.3	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB388	Combination	-120.419	78.739	0	0	0	-82.0706	2928.73	3	0.195	-0.5	-3546.26	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB388	Combination	-120.419	79.691	0	0	0	-85.5362	3065.44	3	0.195	-0.5	-3682.98	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB388	Combination	-120.419	80.642	0	0	0	-89.0435	3203.8	3	0.195	-0.5	-3821.33	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB389	Combination	-83.876	61.82	0	0	0	-12.3647	272.69	3	0.195	-0.5	-702.83	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB389	Combination	-83.876	62.772	0	0	0	-15.0902	380.21	3	0.195	-0.5	-810.34	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB389	Combination	-83.876	63.723	0	0	0	-17.8572	489.36	3	0.195	-0.5	-919.49	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB390	Combination	-90.861	78.739	0	0	0	-25.9199	789.5	3	0.195	-0.5	-1255.46	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB390	Combination	-90.861	79.691	0	0	0	-29.3855	926.22	3	0.195	-0.5	-1392.17	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB390	Combination	-90.861	80.642	0	0	0	-32.8928	1064.57	3	0.195	-0.5	-1530.52	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB391	Combination	-95.059	61.82	0	0	0	-23.1402	669.08	3	0.195	-0.5	-1156.57	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB391	Combination	-95.059	62.772	0	0	0	-25.8656	776.6	3	0.195	-0.5	-1264.08	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB391	Combination	-95.059	63.723	0	0	0	-28.6327	885.75	3	0.195	-0.5	-1373.24	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB392	Combination	-102.045	78.739	0	0	0	-36.6953	1185.89	3	0.195	-0.5	-1709.2	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB392	Combination	-102.045	79.691	0	0	0	-40.161	1322.61	3	0.195	-0.5	-1845.91	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB392	Combination	-102.045	80.642	0	0	0	-43.6683	1460.96	3	0.195	-0.5	-1984.27	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB393	Combination	-193.34	68.775	0	0	0	-72.6794	2371.29	3	0.195	-0.5	-3362.78	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB393	Combination	-194.598	69.727	0	0	0	-75.7092	2487.59	3	0.195	-0.5	-3485.53	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB393	Combination	-195.857	70.679	0	0	0	-78.7806	2605.52	3	0.195	-0.5	-3609.91	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB394	Combination	-200.326	85.694	0	0	0	-86.2346	2888.1	3	0.195	-0.5	-3915.42	1
	-0.195	-0.5	16-1	0											

16	0.04375	C_COMB394	Combination	-201.584	86.646	0	0	0	-90.0046	3033.59	3	0.195	-0.5	-4067.36	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB394	Combination	-202.842	87.598	0	0	0	-93.8161	3180.73	3	0.195	-0.5	-4220.94	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB395	Combination	-200.05	68.775	0	0	0	-79.1447	2609.13	3	0.195	-0.5	-3635.03	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB395	Combination	-201.309	69.727	0	0	0	-82.1745	2725.42	3	0.195	-0.5	-3757.77	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB395	Combination	-202.567	70.679	0	0	0	-85.2458	2843.35	3	0.195	-0.5	-3882.16	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB396	Combination	-207.036	85.694	0	0	0	-92.6999	3125.94	3	0.195	-0.5	-4187.66	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB396	Combination	-208.294	86.646	0	0	0	-96.4698	3271.43	3	0.195	-0.5	-4339.6	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB396	Combination	-209.552	87.598	0	0	0	-100.2814	3418.56	3	0.195	-0.5	-4493.19	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB397	Combination	-182.316	68.775	0	0	0	-45.4543	1325.59	3	0.195	-0.5	-2260.55	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB397	Combination	-183.574	69.727	0	0	0	-48.484	1441.88	3	0.195	-0.5	-2383.29	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB397	Combination	-184.832	70.679	0	0	0	-51.5554	1559.82	3	0.195	-0.5	-2507.67	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB398	Combination	-189.301	85.694	0	0	0	-59.0095	1842.4	3	0.195	-0.5	-2813.18	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB398	Combination	-190.559	86.646	0	0	0	-62.7794	1987.89	3	0.195	-0.5	-2965.12	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB398	Combination	-191.818	87.598	0	0	0	-66.591	2135.02	3	0.195	-0.5	-3118.7	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB399	Combination	-189.026	68.775	0	0	0	-51.9196	1563.43	3	0.195	-0.5	-2532.79	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB399	Combination	-190.284	69.727	0	0	0	-54.9493	1679.72	3	0.195	-0.5	-2655.53	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB399	Combination	-191.542	70.679	0	0	0	-58.0207	1797.65	3	0.195	-0.5	-2779.92	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB400	Combination	-196.011	85.694	0	0	0	-65.4748	2080.24	3	0.195	-0.5	-3085.42	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB400	Combination	-197.27	86.646	0	0	0	-69.2447	2225.73	3	0.195	-0.5	-3237.37	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB400	Combination	-198.528	87.598	0	0	0	-73.0563	2372.86	3	0.195	-0.5	-3390.95	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB401	Combination	-172.862	67.037	0	0	0	-74.503	2495.74	3	0.195	-0.5	-3382.21	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB401	Combination	-173.806	67.988	0	0	0	-77.4567	2609.83	3	0.195	-0.5	-3501.15	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB401	Combination	-174.75	68.94	0	0	0	-80.452	2725.57	3	0.195	-0.5	-3621.72	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB402	Combination	-179.848	83.956	0	0	0	-88.0582	3012.55	3	0.195	-0.5	-3934.84	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB402	Combination	-180.791	84.907	0	0	0	-91.7521	3155.84	3	0.195	-0.5	-4082.98	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB402	Combination	-181.735	85.859	0	0	0	-95.4876	3300.78	3	0.195	-0.5	-4232.76	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB403	Combination	-184.046	67.037	0	0	0	-85.2785	2892.13	3	0.195	-0.5	-3835.96	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB403	Combination	-184.99	67.988	0	0	0	-88.2322	3006.23	3	0.195	-0.5	-3954.89	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB403	Combination	-185.933	68.94	0	0	0	-91.2274	3121.96	3	0.195	-0.5	-4075.47	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB404	Combination	-191.031	83.956	0	0	0	-98.8337	3408.94	3	0.195	-0.5	-4388.59	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB404	Combination	-191.975	84.907	0	0	0	-102.5275	3552.24	3	0.195	-0.5	-4536.72	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB404	Combination	-192.919	85.859	0	0	0	-106.263	3697.17	3	0.195	-0.5	-4686.5	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB405	Combination	-154.488	67.037	0	0	0	-29.1278	752.9	3	0.195	-0.5	-1545.15	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	C_COMB405	Combination	-155.432	67.988	0	0	0	-32.0815	867	3	0.195	-0.5	-1664.08	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB405	Combination	-156.375	68.94	0	0	0	-35.0768	982.74	3	0.195	-0.5	-1784.66	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB406	Combination	-161.474	83.956	0	0	0	-42.683	1269.71	3	0.195	-0.5	-2097.78	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB406	Combination	-162.417	84.907	0	0	0	-46.3769	1413.01	3	0.195	-0.5	-2245.92	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB406	Combination	-163.361	85.859	0	0	0	-50.1124	1557.94	3	0.195	-0.5	-2395.69	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB407	Combination	-165.672	67.037	0	0	0	-39.9033	1149.29	3	0.195	-0.5	-1998.89	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB407	Combination	-166.615	67.988	0	0	0	-42.8569	1263.39	3	0.195	-0.5	-2117.83	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB407	Combination	-167.559	68.94	0	0	0	-45.8522	1379.13	3	0.195	-0.5	-2238.4	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB408	Combination	-172.657	83.956	0	0	0	-53.4584	1666.1	3	0.195	-0.5	-2551.53	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB408	Combination	-173.601	84.907	0	0	0	-57.1523	1809.4	3	0.195	-0.5	-2699.66	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB408	Combination	-174.545	85.859	0	0	0	-60.8878	1954.34	3	0.195	-0.5	-2849.44	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB409	Combination	-110.194	61.749	0	0	0	-54.0425	1849.3	3	0.195	-0.5	-2414.4	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB409	Combination	-110.194	62.7	0	0	0	-56.7648	1956.69	3	0.195	-0.5	-2521.79	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB409	Combination	-110.194	63.652	0	0	0	-59.5288	2065.73	3	0.195	-0.5	-2630.83	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB410	Combination	-117.18	78.668	0	0	0	-67.5977	2366.11	3	0.195	-0.5	-2967.04	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB410	Combination	-117.18	79.619	0	0	0	-71.0602	2502.7	3	0.195	-0.5	-3103.63	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB410	Combination	-117.18	80.571	0	0	0	-74.5644	2640.93	3	0.195	-0.5	-3241.86	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB411	Combination	-116.905	61.749	0	0	0	-60.5078	2087.14	3	0.195	-0.5	-2686.65	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB411	Combination	-116.905	62.7	0	0	0	-63.2301	2194.53	3	0.195	-0.5	-2794.04	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB411	Combination	-116.905	63.652	0	0	0	-65.994	2303.56	3	0.195	-0.5	-2903.07	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB412	Combination	-123.89	78.668	0	0	0	-74.063	2603.95	3	0.195	-0.5	-3239.28	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB412	Combination	-123.89	79.619	0	0	0	-77.5255	2740.54	3	0.195	-0.5	-3375.87	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB412	Combination	-123.89	80.571	0	0	0	-81.0296	2878.77	3	0.195	-0.5	-3514.1	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB413	Combination	-99.17	61.749	0	0	0	-26.8174	803.6	3	0.195	-0.5	-1312.17	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB413	Combination	-99.17	62.7	0	0	0	-29.5397	910.99	3	0.195	-0.5	-1419.56	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB413	Combination	-99.17	63.652	0	0	0	-32.3036	1020.02	3	0.195	-0.5	-1528.59	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB414	Combination	-106.155	78.668	0	0	0	-40.3726	1320.41	3	0.195	-0.5	-1864.8	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB414	Combination	-106.155	79.619	0	0	0	-43.8351	1457	3	0.195	-0.5	-2001.39	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB414	Combination	-106.155	80.571	0	0	0	-47.3392	1595.23	3	0.195	-0.5	-2139.62	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB415	Combination	-105.88	61.749	0	0	0	-33.2826	1041.44	3	0.195	-0.5	-1584.41	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB415	Combination	-105.88	62.7	0	0	0	-36.005	1148.83	3	0.195	-0.5	-1691.8	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB415	Combination	-105.88	63.652	0	0	0	-38.7689	1257.86	3	0.195	-0.5	-1800.83	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB416	Combination	-112.866	78.668	0	0	0	-46.8378	1558.25	3	0.195	-0.5	-2137.05	1
	-0.195	-0.5	16-1	0											

Allegati alla relazione di Calcolo

16	0.04375	C_COMB416	Combination	-112.866	79.619	0	0	0	-50.3004	1694.84	3	0.195	-0.5	-2273.63	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB416	Combination	-112.866	80.571	0	0	0	-53.8045	1833.07	3	0.195	-0.5	-2411.86	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB417	Combination	-100.709	71.623	0	0	0	-52.6784	1819.81	3	0.195	-0.5	-2336.27	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB417	Combination	-100.709	72.575	0	0	0	-55.8327	1944.25	3	0.195	-0.5	-2460.7	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB417	Combination	-100.709	73.527	0	0	0	-59.0287	2070.32	3	0.195	-0.5	-2586.78	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB418	Combination	-110.023	94.182	0	0	0	-70.752	2508.89	3	0.195	-0.5	-3073.12	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB418	Combination	-110.023	95.134	0	0	0	-74.8932	2672.26	3	0.195	-0.5	-3236.48	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB418	Combination	-110.023	96.085	0	0	0	-79.0761	2837.26	3	0.195	-0.5	-3401.49	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB419	Combination	-107.42	71.623	0	0	0	-59.1437	2057.65	3	0.195	-0.5	-2608.52	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB419	Combination	-107.42	72.575	0	0	0	-62.298	2182.08	3	0.195	-0.5	-2732.95	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB419	Combination	-107.42	73.527	0	0	0	-65.494	2308.15	3	0.195	-0.5	-2859.02	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB420	Combination	-116.734	94.182	0	0	0	-77.2172	2746.73	3	0.195	-0.5	-3345.36	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB420	Combination	-116.734	95.134	0	0	0	-81.3585	2910.09	3	0.195	-0.5	-3508.73	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB420	Combination	-116.734	96.085	0	0	0	-85.5414	3075.1	3	0.195	-0.5	-3673.73	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB421	Combination	-89.685	71.623	0	0	0	-25.4532	774.11	3	0.195	-0.5	-1234.03	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB421	Combination	-89.685	72.575	0	0	0	-28.6076	898.54	3	0.195	-0.5	-1358.47	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB421	Combination	-89.685	73.527	0	0	0	-31.8036	1024.62	3	0.195	-0.5	-1484.54	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB422	Combination	-98.999	94.182	0	0	0	-43.5268	1463.19	3	0.195	-0.5	-1970.88	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB422	Combination	-98.999	95.134	0	0	0	-47.6681	1626.56	3	0.195	-0.5	-2134.24	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB422	Combination	-98.999	96.085	0	0	0	-51.851	1791.56	3	0.195	-0.5	-2299.25	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB423	Combination	-96.395	71.623	0	0	0	-31.9185	1011.95	3	0.195	-0.5	-1506.28	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB423	Combination	-96.395	72.575	0	0	0	-35.0729	1136.38	3	0.195	-0.5	-1630.71	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB423	Combination	-96.395	73.527	0	0	0	-38.2688	1262.45	3	0.195	-0.5	-1756.79	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB424	Combination	-105.709	94.182	0	0	0	-49.9921	1701.03	3	0.195	-0.5	-2243.12	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB424	Combination	-105.709	95.134	0	0	0	-54.1334	1864.39	3	0.195	-0.5	-2406.49	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB424	Combination	-105.709	96.085	0	0	0	-58.3163	2029.4	3	0.195	-0.5	-2571.49	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB425	Combination	-102.339	61.82	0	0	0	-57.8037	2017.81	3	0.195	-0.5	-2542.63	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB425	Combination	-102.339	62.772	0	0	0	-60.5291	2125.33	3	0.195	-0.5	-2650.14	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB425	Combination	-102.339	63.723	0	0	0	-63.2962	2234.48	3	0.195	-0.5	-2759.3	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB426	Combination	-109.325	78.739	0	0	0	-71.3588	2534.62	3	0.195	-0.5	-3095.26	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB426	Combination	-109.325	79.691	0	0	0	-74.8245	2671.34	3	0.195	-0.5	-3231.98	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB426	Combination	-109.325	80.642	0	0	0	-78.3318	2809.69	3	0.195	-0.5	-3370.33	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB427	Combination	-113.523	61.82	0	0	0	-68.5791	2414.21	3	0.195	-0.5	-2996.38	1
	-0.195	-0.5	16-1	0											

16	0.04375	C_COMB427	Combination	-113.523	62.772	0	0	0	-71.3046	2521.72	3	0.195	-0.5	-3103.89	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB427	Combination	-113.523	63.723	0	0	0	-74.0716	2630.87	3	0.195	-0.5	-3213.04	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB428	Combination	-120.509	78.739	0	0	0	-82.1343	2931.02	3	0.195	-0.5	-3549.01	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB428	Combination	-120.509	79.691	0	0	0	-85.5999	3067.73	3	0.195	-0.5	-3685.72	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB428	Combination	-120.509	80.642	0	0	0	-89.1072	3206.08	3	0.195	-0.5	-3824.07	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB429	Combination	-83.965	61.82	0	0	0	-12.4284	274.98	3	0.195	-0.5	-705.57	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB429	Combination	-83.965	62.772	0	0	0	-15.1539	382.49	3	0.195	-0.5	-813.08	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB429	Combination	-83.965	63.723	0	0	0	-17.921	491.65	3	0.195	-0.5	-922.24	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB430	Combination	-90.951	78.739	0	0	0	-25.9836	791.79	3	0.195	-0.5	-1258.2	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB430	Combination	-90.951	79.691	0	0	0	-29.4493	928.5	3	0.195	-0.5	-1394.91	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB430	Combination	-90.951	80.642	0	0	0	-32.9565	1066.85	3	0.195	-0.5	-1533.27	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB431	Combination	-95.149	61.82	0	0	0	-23.2039	671.37	3	0.195	-0.5	-1159.31	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB431	Combination	-95.149	62.772	0	0	0	-25.9293	778.88	3	0.195	-0.5	-1266.82	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB431	Combination	-95.149	63.723	0	0	0	-28.6964	888.04	3	0.195	-0.5	-1375.98	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB432	Combination	-102.134	78.739	0	0	0	-36.7591	1188.18	3	0.195	-0.5	-1711.94	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB432	Combination	-102.134	79.691	0	0	0	-40.2247	1324.89	3	0.195	-0.5	-1848.66	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB432	Combination	-102.134	80.642	0	0	0	-43.732	1463.25	3	0.195	-0.5	-1987.01	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB433	Combination	-193.43	68.775	0	0	0	-72.7432	2373.58	3	0.195	-0.5	-3365.53	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB433	Combination	-194.688	69.727	0	0	0	-75.7729	2489.87	3	0.195	-0.5	-3488.27	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB433	Combination	-195.946	70.679	0	0	0	-78.8443	2607.8	3	0.195	-0.5	-3612.65	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB434	Combination	-200.415	85.694	0	0	0	-86.2984	2890.39	3	0.195	-0.5	-3918.16	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB434	Combination	-201.674	86.646	0	0	0	-90.0683	3035.88	3	0.195	-0.5	-4070.1	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB434	Combination	-202.932	87.598	0	0	0	-93.8799	3183.01	3	0.195	-0.5	-4223.69	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB435	Combination	-200.14	68.775	0	0	0	-79.2084	2611.41	3	0.195	-0.5	-3637.77	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB435	Combination	-201.398	69.727	0	0	0	-82.2382	2727.7	3	0.195	-0.5	-3760.52	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB435	Combination	-202.656	70.679	0	0	0	-85.3096	2845.64	3	0.195	-0.5	-3884.9	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB436	Combination	-207.125	85.694	0	0	0	-92.7636	3128.22	3	0.195	-0.5	-4190.41	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB436	Combination	-208.384	86.646	0	0	0	-96.5336	3273.71	3	0.195	-0.5	-4342.35	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB436	Combination	-209.642	87.598	0	0	0	-100.3451	3420.84	3	0.195	-0.5	-4495.93	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB437	Combination	-182.405	68.775	0	0	0	-45.518	1327.88	3	0.195	-0.5	-2263.29	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB437	Combination	-183.664	69.727	0	0	0	-48.5478	1444.17	3	0.195	-0.5	-2386.03	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB437	Combination	-184.922	70.679	0	0	0	-51.6191	1562.1	3	0.195	-0.5	-2510.42	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB438	Combination	-189.391	85.694	0	0	0	-59.0732	1844.69	3	0.195	-0.5	-2815.92	1
	-0.195	-0.5	16-1	0											

Allegati alla relazione di Calcolo

16	0.04375	C_COMB438	Combination	-190.649	86.646	0	0	0	-62.8432	1990.18	3	0.195	-0.5	-2967.86	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB438	Combination	-191.907	87.598	0	0	0	-66.6547	2137.31	3	0.195	-0.5	-3121.45	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB439	Combination	-189.115	68.775	0	0	0	-51.9833	1565.71	3	0.195	-0.5	-2535.53	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB439	Combination	-190.374	69.727	0	0	0	-55.013	1682	3	0.195	-0.5	-2658.28	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB439	Combination	-191.632	70.679	0	0	0	-58.0844	1799.93	3	0.195	-0.5	-2782.66	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB440	Combination	-196.101	85.694	0	0	0	-65.5385	2082.52	3	0.195	-0.5	-3088.17	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB440	Combination	-197.359	86.646	0	0	0	-69.3084	2228.01	3	0.195	-0.5	-3240.11	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB440	Combination	-198.617	87.598	0	0	0	-73.12	2375.14	3	0.195	-0.5	-3393.69	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB441	Combination	-172.952	67.037	0	0	0	-74.5668	2498.02	3	0.195	-0.5	-3384.96	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB441	Combination	-173.895	67.988	0	0	0	-77.5204	2612.12	3	0.195	-0.5	-3503.89	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB441	Combination	-174.839	68.94	0	0	0	-80.5157	2727.86	3	0.195	-0.5	-3624.47	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB442	Combination	-179.937	83.956	0	0	0	-88.1219	3014.83	3	0.195	-0.5	-3937.59	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB442	Combination	-180.881	84.907	0	0	0	-91.8158	3158.13	3	0.195	-0.5	-4085.72	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB442	Combination	-181.825	85.859	0	0	0	-95.5513	3303.07	3	0.195	-0.5	-4235.5	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB443	Combination	-184.135	67.037	0	0	0	-85.3422	2894.41	3	0.195	-0.5	-3838.7	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB443	Combination	-185.079	67.988	0	0	0	-88.2959	3008.51	3	0.195	-0.5	-3957.63	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB443	Combination	-186.023	68.94	0	0	0	-91.2912	3124.25	3	0.195	-0.5	-4078.21	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB444	Combination	-191.121	83.956	0	0	0	-98.8974	3411.22	3	0.195	-0.5	-4391.33	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB444	Combination	-192.065	84.907	0	0	0	-102.5913	3554.52	3	0.195	-0.5	-4539.47	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB444	Combination	-193.008	85.859	0	0	0	-106.3268	3699.46	3	0.195	-0.5	-4689.24	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB445	Combination	-154.578	67.037	0	0	0	-29.1915	755.19	3	0.195	-0.5	-1547.89	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB445	Combination	-155.521	67.988	0	0	0	-32.1452	869.28	3	0.195	-0.5	-1666.83	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB445	Combination	-156.465	68.94	0	0	0	-35.1405	985.02	3	0.195	-0.5	-1787.4	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB446	Combination	-161.563	83.956	0	0	0	-42.7467	1272	3	0.195	-0.5	-2100.53	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB446	Combination	-162.507	84.907	0	0	0	-46.4406	1415.29	3	0.195	-0.5	-2248.66	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB446	Combination	-163.45	85.859	0	0	0	-50.1761	1560.23	3	0.195	-0.5	-2398.44	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB447	Combination	-165.761	67.037	0	0	0	-39.967	1151.58	3	0.195	-0.5	-2001.64	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB447	Combination	-166.705	67.988	0	0	0	-42.9206	1265.67	3	0.195	-0.5	-2120.57	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB447	Combination	-167.649	68.94	0	0	0	-45.9159	1381.41	3	0.195	-0.5	-2241.15	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB448	Combination	-172.747	83.956	0	0	0	-53.5222	1668.39	3	0.195	-0.5	-2554.27	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB448	Combination	-173.69	84.907	0	0	0	-57.216	1811.68	3	0.195	-0.5	-2702.4	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB448	Combination	-174.634	85.859	0	0	0	-60.9515	1956.62	3	0.195	-0.5	-2852.18	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB449	Combination	-169.922	67.037	0	0	0	-67.1767	2214.27	3	0.195	-0.5	-3085.67	1
	-0.195	-0.5	16-1	0											

16	0.04375	C_COMB449	Combination	-170.866	67.988	0	0	0	-70.1304	2328.37	3	0.195	-0.5	-3204.6	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB449	Combination	-171.81	68.94	0	0	0	-73.1257	2444.1	3	0.195	-0.5	-3325.18	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB450	Combination	-176.908	83.956	0	0	0	-80.7319	2731.08	3	0.195	-0.5	-3638.3	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB450	Combination	-177.851	84.907	0	0	0	-84.4258	2874.38	3	0.195	-0.5	-3786.43	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB450	Combination	-178.795	85.859	0	0	0	-88.1613	3019.31	3	0.195	-0.5	-3936.21	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB451	Combination	-176.632	67.037	0	0	0	-73.642	2452.11	3	0.195	-0.5	-3357.91	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB451	Combination	-177.576	67.988	0	0	0	-76.5956	2566.2	3	0.195	-0.5	-3476.85	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB451	Combination	-178.52	68.94	0	0	0	-79.5909	2681.94	3	0.195	-0.5	-3597.43	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB452	Combination	-183.618	83.956	0	0	0	-87.1972	2968.92	3	0.195	-0.5	-3910.55	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB452	Combination	-184.562	84.907	0	0	0	-90.891	3112.21	3	0.195	-0.5	-4058.68	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB452	Combination	-185.505	85.859	0	0	0	-94.6265	3257.15	3	0.195	-0.5	-4208.46	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB453	Combination	-158.898	67.037	0	0	0	-39.9516	1168.57	3	0.195	-0.5	-1983.43	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB453	Combination	-159.841	67.988	0	0	0	-42.9052	1282.66	3	0.195	-0.5	-2102.36	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB453	Combination	-160.785	68.94	0	0	0	-45.9005	1398.4	3	0.195	-0.5	-2222.94	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB454	Combination	-165.883	83.956	0	0	0	-53.5068	1685.38	3	0.195	-0.5	-2536.06	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB454	Combination	-166.827	84.907	0	0	0	-57.2006	1828.67	3	0.195	-0.5	-2684.2	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB454	Combination	-167.771	85.859	0	0	0	-60.9361	1973.61	3	0.195	-0.5	-2833.97	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB455	Combination	-165.608	67.037	0	0	0	-46.4168	1406.4	3	0.195	-0.5	-2255.67	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB455	Combination	-166.552	67.988	0	0	0	-49.3705	1520.5	3	0.195	-0.5	-2374.61	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB455	Combination	-167.495	68.94	0	0	0	-52.3658	1636.24	3	0.195	-0.5	-2495.19	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB456	Combination	-172.593	83.956	0	0	0	-59.972	1923.21	3	0.195	-0.5	-2808.31	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB456	Combination	-173.537	84.907	0	0	0	-63.6659	2066.51	3	0.195	-0.5	-2956.44	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB456	Combination	-174.481	85.859	0	0	0	-67.4014	2211.45	3	0.195	-0.5	-3106.22	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB457	Combination	-94.137	32.41	0	0	0	-41.6178	1400.35	3	0.195	-0.5	-1883.11	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB457	Combination	-94.137	33.362	0	0	0	-43.0566	1457.11	3	0.195	-0.5	-1939.86	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB457	Combination	-94.137	34.313	0	0	0	-44.537	1515.5	3	0.195	-0.5	-1998.26	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB458	Combination	-99.729	32.41	0	0	0	-47.0055	1598.55	3	0.195	-0.5	-2109.98	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB458	Combination	-99.729	33.362	0	0	0	-48.4443	1655.3	3	0.195	-0.5	-2166.73	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB458	Combination	-99.729	34.313	0	0	0	-49.9247	1713.7	3	0.195	-0.5	-2225.13	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB459	Combination	-84.95	32.41	0	0	0	-18.9302	528.93	3	0.195	-0.5	-964.57	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB459	Combination	-84.95	33.362	0	0	0	-20.369	585.69	3	0.195	-0.5	-1021.33	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB459	Combination	-84.95	34.313	0	0	0	-21.8494	644.09	3	0.195	-0.5	-1079.73	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB460	Combination	-90.542	32.41	0	0	0	-24.3179	727.13	3	0.195	-0.5	-1191.45	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	D_COMB460	Combination	-90.542	33.362	0	0	0	-25.7567	783.88	3	0.195	-0.5	-1248.2	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB460	Combination	-90.542	34.313	0	0	0	-27.2371	842.28	3	0.195	-0.5	-1306.6	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB461	Combination	-65.682	62.035	0	0	0	-37.5254	1311.88	3	0.195	-0.5	-1648.71	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB461	Combination	-65.682	62.986	0	0	0	-40.2602	1419.76	3	0.195	-0.5	-1756.59	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB461	Combination	-65.682	63.938	0	0	0	-43.0367	1529.29	3	0.195	-0.5	-1866.12	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB462	Combination	-71.274	62.035	0	0	0	-42.9131	1510.07	3	0.195	-0.5	-1875.58	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB462	Combination	-71.274	62.986	0	0	0	-45.648	1617.96	3	0.195	-0.5	-1983.46	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB462	Combination	-71.274	63.938	0	0	0	-48.4244	1727.48	3	0.195	-0.5	-2092.99	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB463	Combination	-56.495	62.035	0	0	0	-14.8378	440.46	3	0.195	-0.5	-730.18	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB463	Combination	-56.495	62.986	0	0	0	-17.5726	548.34	3	0.195	-0.5	-838.06	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB463	Combination	-56.495	63.938	0	0	0	-20.3491	657.87	3	0.195	-0.5	-947.58	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB464	Combination	-62.087	62.035	0	0	0	-20.2255	638.65	3	0.195	-0.5	-957.05	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB464	Combination	-62.087	62.986	0	0	0	-22.9604	746.54	3	0.195	-0.5	-1064.93	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB464	Combination	-62.087	63.938	0	0	0	-25.7368	856.06	3	0.195	-0.5	-1174.46	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB465	Combination	-72.667	78.954	0	0	0	-51.0806	1828.69	3	0.195	-0.5	-2201.34	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB465	Combination	-72.667	79.905	0	0	0	-54.5556	1965.77	3	0.195	-0.5	-2338.42	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB465	Combination	-72.667	80.857	0	0	0	-58.0723	2104.49	3	0.195	-0.5	-2477.15	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB466	Combination	-78.259	78.954	0	0	0	-56.4683	2026.88	3	0.195	-0.5	-2428.21	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB466	Combination	-78.259	79.905	0	0	0	-59.9434	2163.97	3	0.195	-0.5	-2565.29	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB466	Combination	-78.259	80.857	0	0	0	-63.46	2302.69	3	0.195	-0.5	-2704.02	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB467	Combination	-63.48	78.954	0	0	0	-28.393	957.27	3	0.195	-0.5	-1282.81	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB467	Combination	-63.48	79.905	0	0	0	-31.868	1094.35	3	0.195	-0.5	-1419.89	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB467	Combination	-63.48	80.857	0	0	0	-35.3847	1233.08	3	0.195	-0.5	-1558.62	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB468	Combination	-69.072	78.954	0	0	0	-33.7807	1155.46	3	0.195	-0.5	-1509.68	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB468	Combination	-69.072	79.905	0	0	0	-37.2558	1292.55	3	0.195	-0.5	-1646.76	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB468	Combination	-69.072	80.857	0	0	0	-40.7724	1431.27	3	0.195	-0.5	-1785.49	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB469	Combination	-62.158	32.625	0	0	0	-32.5202	1123.47	3	0.195	-0.5	-1442.23	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB469	Combination	-62.158	33.577	0	0	0	-33.9684	1180.59	3	0.195	-0.5	-1499.36	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB469	Combination	-62.158	34.528	0	0	0	-35.4582	1239.36	3	0.195	-0.5	-1558.12	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB470	Combination	-68.869	32.625	0	0	0	-38.9855	1361.3	3	0.195	-0.5	-1714.47	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB470	Combination	-68.869	33.577	0	0	0	-40.4336	1418.43	3	0.195	-0.5	-1771.6	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB470	Combination	-68.869	34.528	0	0	0	-41.9234	1477.2	3	0.195	-0.5	-1830.37	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB471	Combination	-51.134	32.625	0	0	0	-5.2951	77.77	3	0.195	-0.5	-339.99	1
	-0.195	-0.5	16-1	0											



Allegati alla relazione di Calcolo

16	0.04375	D_COMB471	Combination	-51.134	33.577	0	0	0	-6.7432	134.89	3	0.195	-0.5	-397.12	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB471	Combination	-51.134	34.528	0	0	0	-8.233	193.66	3	0.195	-0.5	-455.89	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB472	Combination	-57.844	32.625	0	0	0	-11.7603	315.6	3	0.195	-0.5	-612.24	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB472	Combination	-57.844	33.577	0	0	0	-13.2085	372.73	3	0.195	-0.5	-669.36	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB472	Combination	-57.844	34.528	0	0	0	-14.6983	431.5	3	0.195	-0.5	-728.13	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB473	Combination	-61.483	32.625	0	0	0	-30.7311	1054.62	3	0.195	-0.5	-1369.92	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB473	Combination	-61.483	33.577	0	0	0	-32.1793	1111.75	3	0.195	-0.5	-1427.05	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB473	Combination	-61.483	34.528	0	0	0	-33.6691	1170.52	3	0.195	-0.5	-1485.82	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB474	Combination	-67.075	32.625	0	0	0	-36.1188	1252.82	3	0.195	-0.5	-1596.79	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB474	Combination	-67.075	33.577	0	0	0	-37.567	1309.95	3	0.195	-0.5	-1653.92	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB474	Combination	-67.075	34.528	0	0	0	-39.0568	1368.71	3	0.195	-0.5	-1712.69	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB475	Combination	-52.296	32.625	0	0	0	-8.0435	183.21	3	0.195	-0.5	-451.39	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB475	Combination	-52.296	33.577	0	0	0	-9.4917	240.33	3	0.195	-0.5	-508.52	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB475	Combination	-52.296	34.528	0	0	0	-10.9814	299.1	3	0.195	-0.5	-567.29	1
	-0.195	-0.5	16-1	0.0875											
16	0	D_COMB476	Combination	-57.888	32.625	0	0	0	-13.4312	381.4	3	0.195	-0.5	-678.26	1
	-0.195	-0.5	16-1	0											
16	0.04375	D_COMB476	Combination	-57.888	33.577	0	0	0	-14.8794	438.53	3	0.195	-0.5	-735.39	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	D_COMB476	Combination	-57.888	34.528	0	0	0	-16.3692	497.3	3	0.195	-0.5	-794.16	1
	-0.195	-0.5	16-1	0.0875											
16	0	E_COMB477	Combination	-61.394	32.625	0	0	0	-30.6674	1052.34	3	0.195	-0.5	-1367.18	1
	-0.195	-0.5	16-1	0											
16	0.04375	E_COMB477	Combination	-61.394	33.577	0	0	0	-32.1155	1109.47	3	0.195	-0.5	-1424.3	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	E_COMB477	Combination	-61.394	34.528	0	0	0	-33.6053	1168.23	3	0.195	-0.5	-1483.07	1
	-0.195	-0.5	16-1	0.0875											
16	0	E_COMB478	Combination	-66.985	32.625	0	0	0	-36.0551	1250.53	3	0.195	-0.5	-1594.05	1
	-0.195	-0.5	16-1	0											
16	0.04375	E_COMB478	Combination	-66.985	33.577	0	0	0	-37.5033	1307.66	3	0.195	-0.5	-1651.18	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	E_COMB478	Combination	-66.985	34.528	0	0	0	-38.9931	1366.43	3	0.195	-0.5	-1709.95	1
	-0.195	-0.5	16-1	0.0875											
16	0	E_COMB479	Combination	-52.206	32.625	0	0	0	-7.9798	180.92	3	0.195	-0.5	-448.65	1
	-0.195	-0.5	16-1	0											
16	0.04375	E_COMB479	Combination	-52.206	33.577	0	0	0	-9.4279	238.05	3	0.195	-0.5	-505.77	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	E_COMB479	Combination	-52.206	34.528	0	0	0	-10.9177	296.82	3	0.195	-0.5	-564.54	1
	-0.195	-0.5	16-1	0.0875											
16	0	E_COMB480	Combination	-57.798	32.625	0	0	0	-13.3675	379.12	3	0.195	-0.5	-675.52	1
	-0.195	-0.5	16-1	0											
16	0.04375	E_COMB480	Combination	-57.798	33.577	0	0	0	-14.8157	436.24	3	0.195	-0.5	-732.64	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	E_COMB480	Combination	-57.798	34.528	0	0	0	-16.3054	495.01	3	0.195	-0.5	-791.41	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB179	Combination	-161.092	33.149	0	0	0	-49.8853	1554.8	3	0.195	-0.5	-2380.92	1
	-0.195	-0.5	16-1	0											
16	0.04375	A_COMB179	Combination	-161.092	34.018	0	0	0	-51.3545	1612.76	3	0.195	-0.5	-2438.88	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	A_COMB179	Combination	-161.092	34.887	0	0	0	-52.8618	1672.22	3	0.195	-0.5	-2498.34	1
	-0.195	-0.5	16-1	0.0875											
16	0	A_COMB180	Combination	-161.092	33.149	0	0	0	-49.8853	1554.8	3	0.195	-0.5	-2380.92	1
	-0.195	-0.5	16-1	0											



## Allegati alla relazione di Calcolo

16	0.04375	C_COMB379	Combination	-107.33	72.575	0	0	0	-62.2343	2179.8	3	0.195	-0.5	-2730.21	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB379	Combination	-107.33	73.527	0	0	0	-65.4302	2305.87	3	0.195	-0.5	-2856.28	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB380	Combination	-116.644	94.182	0	0	0	-77.1535	2744.44	3	0.195	-0.5	-3342.62	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB380	Combination	-116.644	95.134	0	0	0	-81.2948	2907.81	3	0.195	-0.5	-3505.98	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB380	Combination	-116.644	96.085	0	0	0	-85.4777	3072.81	3	0.195	-0.5	-3670.99	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB383	Combination	-96.305	71.623	0	0	0	-31.8548	1009.66	3	0.195	-0.5	-1503.54	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB383	Combination	-96.305	72.575	0	0	0	-35.0091	1134.09	3	0.195	-0.5	-1627.97	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB383	Combination	-96.305	73.527	0	0	0	-38.2051	1260.17	3	0.195	-0.5	-1754.04	1
	-0.195	-0.5	16-1	0.0875											
16	0	C_COMB384	Combination	-105.619	94.182	0	0	0	-49.9284	1698.74	3	0.195	-0.5	-2240.38	1
	-0.195	-0.5	16-1	0											
16	0.04375	C_COMB384	Combination	-105.619	95.134	0	0	0	-54.0697	1862.11	3	0.195	-0.5	-2403.74	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	C_COMB384	Combination	-105.619	96.085	0	0	0	-58.2526	2027.11	3	0.195	-0.5	-2568.75	1
	-0.195	-0.5	16-1	0.0875											
16	0	F_COMB481	Combination	-105.84	34.971	0	0	0	-34.6733	1096.4	3	0.195	-0.5	-1639.17	1
	-0.195	-0.5	16-1	0											
16	0.04375	F_COMB481	Combination	-105.84	35.944	0	0	0	-36.2246	1157.59	3	0.195	-0.5	-1700.36	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	F_COMB481	Combination	-105.84	36.917	0	0	0	-37.8184	1220.47	3	0.195	-0.5	-1763.24	1
	-0.195	-0.5	16-1	0.0875											
16	0	F_COMB482	Combination	-105.84	34.971	0	0	0	-34.6733	1096.4	3	0.195	-0.5	-1639.17	1
	-0.195	-0.5	16-1	0											
16	0.04375	F_COMB482	Combination	-105.84	35.944	0	0	0	-36.2246	1157.59	3	0.195	-0.5	-1700.36	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	F_COMB482	Combination	-105.84	36.917	0	0	0	-37.8184	1220.47	3	0.195	-0.5	-1763.24	1
	-0.195	-0.5	16-1	0.0875											
16	0	F_COMB483	Combination	-105.897	33.494	0	0	0	-34.6623	1095.82	3	0.195	-0.5	-1638.88	1
	-0.195	-0.5	16-1	0											
16	0.04375	F_COMB483	Combination	-105.897	34.424	0	0	0	-36.148	1154.43	3	0.195	-0.5	-1697.49	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	F_COMB483	Combination	-105.897	35.354	0	0	0	-37.6744	1214.64	3	0.195	-0.5	-1757.7	1
	-0.195	-0.5	16-1	0.0875											
16	0	F_COMB484	Combination	-105.897	33.494	0	0	0	-34.6623	1095.82	3	0.195	-0.5	-1638.88	1
	-0.195	-0.5	16-1	0											
16	0.04375	F_COMB484	Combination	-105.897	34.424	0	0	0	-36.148	1154.43	3	0.195	-0.5	-1697.49	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	F_COMB484	Combination	-105.897	35.354	0	0	0	-37.6744	1214.64	3	0.195	-0.5	-1757.7	1
	-0.195	-0.5	16-1	0.0875											
16	0	F_COMB485	Combination	-81.662	34.906	0	0	0	-28.0466	896.99	3	0.195	-0.5	-1315.76	1
	-0.195	-0.5	16-1	0											
16	0.04375	F_COMB485	Combination	-81.662	35.9	0	0	0	-29.5955	958.09	3	0.195	-0.5	-1376.86	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	F_COMB485	Combination	-81.662	36.895	0	0	0	-31.1879	1020.9	3	0.195	-0.5	-1439.68	1
	-0.195	-0.5	16-1	0.0875											
16	0	F_COMB486	Combination	-81.662	34.906	0	0	0	-28.0466	896.99	3	0.195	-0.5	-1315.76	1
	-0.195	-0.5	16-1	0											
16	0.04375	F_COMB486	Combination	-81.662	35.9	0	0	0	-29.5955	958.09	3	0.195	-0.5	-1376.86	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	F_COMB486	Combination	-81.662	36.895	0	0	0	-31.1879	1020.9	3	0.195	-0.5	-1439.68	1
	-0.195	-0.5	16-1	0.0875											
16	0	F_COMB487	Combination	-81.776	31.951	0	0	0	-28.0245	895.82	3	0.195	-0.5	-1315.18	1
	-0.195	-0.5	16-1	0											
16	0.04375	F_COMB487	Combination	-81.776	32.86	0	0	0	-29.4422	951.75	3	0.195	-0.5	-1371.11	1
	-0.195	-0.5	16-1	0.04375											
16	0.0875	F_COMB487	Combination	-81.776	33.768	0	0	0	-30.8997	1009.24	3	0.195	-0.5	-1428.61	1
	-0.195	-0.5	16-1	0.0875											
16	0	F_COMB488	Combination	-81.776	31.951	0	0	0	-28.0245	895.82	3	0.195	-0.5	-1315.18	1
	-0.195	-0.5	16-1	0											

## Allegati alla relazione di Calcolo

16	0.04375	F_COMB488	Combination	-81.776	32.86	0	0	0	-29.4422	951.75	3	0.195	-0.5	-1371.11	1	
	-0.195	-0.5	16-1	0.04375												
16	0.0875	F_COMB488	Combination	-81.776	33.768	0	0	0	-30.8997	1009.24	3	0.195	-0.5	-1428.61	1	
	-0.195	-0.5	16-1	0.0875												
20	0	A_COMB_0_0_STR	Combination	-24.351	0.87	0	0	0	-3.9544	124.11	3	0.175	-0.5	-263.26	1	
	-0.175	-0.5	20-1	0												
20	1.6	A_COMB_0_0_STR	Combination	-43.251	2.892	0	0	0	-6.5526	197.37	3	0.175	-0.5	-444.52	1	
	-0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB_0_0_STR	Combination	-62.151	5.32	0	0	0	-13.5213	484.69	3	0.175	-0.5	-839.84	1	
	-0.175	-0.5	20-7	0.45714												
20	0	A_COMB_0_1_STR	Combination	-24.351	0.87	0	0	0	-3.9544	124.11	3	0.175	-0.5	-263.26	1	
	-0.175	-0.5	20-1	0												
20	1.6	A_COMB_0_1_STR	Combination	-43.251	2.892	0	0	0	-6.5526	197.37	3	0.175	-0.5	-444.52	1	
	-0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB_0_1_STR	Combination	-62.151	5.32	0	0	0	-13.5213	484.69	3	0.175	-0.5	-839.84	1	
	-0.175	-0.5	20-7	0.45714												
20	0	A_COMB_0_2_STR	Combination	-24.351	-80.62	0	0	0	-25.3814	1173.6	3	0.175	-0.5	-1312.74	1	
	-0.175	-0.5	20-1	0												
20	1.6	A_COMB_0_2_STR	Combination	-43.251	-6.933	0	0	0	54.7618	2558.64	1	-0.175	-0.5	-2805.78	3	
	0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB_0_2_STR	Combination	-62.151	125.345	0	0	0	-38.0886	1687.99	3	0.175	-0.5	-2043.14	1	
	-0.175	-0.5	20-7	0.45714												
20	0	A_COMB_0_2_1_STR	Combination	-51.486	-82.852	0	0	0	0	-32.215	1430.78	3	0.175	-0.5	-	
	-0.175	-0.5	20-1	0												
1724.98	1	A_COMB_0_2_1_STR	Combination	-70.386	-7.685	0	0	0	0	50.5803	2276.3	1	-0.175	-0.5	-	
	0.175	-0.5	20-4	0.22857												
2678.5	3	A_COMB_0_2_1_STR	Combination	-89.286	126.016	0	0	0	0	-42.4701	1825.07	3	0.175	-0.5	-	
	-0.175	-0.5	20-7	0.45714												
2335.27	1	A_COMB_0_3_STR	Combination	-51.486	-82.852	0	0	0	-32.215	1430.78	3	0.175	-0.5	-1724.98	1	
	-0.175	-0.5	20-1	0												
20	1.6	A_COMB_0_3_STR	Combination	-70.386	-7.685	0	0	0	50.5803	2276.3	1	-0.175	-0.5	-2678.5	3	
	0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB_0_3_STR	Combination	-89.286	126.016	0	0	0	-42.4701	1825.07	3	0.175	-0.5	-2335.27	1	
	-0.175	-0.5	20-7	0.45714												
20	0	A_COMB_0_4_STR	Combination	-51.486	-78.167	0	0	0	-25.3471	1094.39	3	0.175	-0.5	-1388.59	1	
	-0.175	-0.5	20-1	0												
20	1.6	A_COMB_0_4_STR	Combination	-70.386	-3.086	0	0	0	50.0033	2248.04	1	-0.175	-0.5	-2650.24	3	
	0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB_0_4_STR	Combination	-89.286	130.53	0	0	0	-50.3195	2209.52	3	0.175	-0.5	-2719.73	1	
	-0.175	-0.5	20-7	0.45714												
20	0	B_COMB_0_1_GEO	Combination	-24.351	0.87	0	0	0	-3.9544	124.11	3	0.175	-0.5	-263.26	1	
	-0.175	-0.5	20-1	0												
20	1.6	B_COMB_0_1_GEO	Combination	-43.251	2.892	0	0	0	-6.5526	197.37	3	0.175	-0.5	-444.52	1	
	-0.175	-0.5	20-4	0.22857												
20	3.2	B_COMB_0_1_GEO	Combination	-62.151	5.32	0	0	0	-13.5213	484.69	3	0.175	-0.5	-839.84	1	
	-0.175	-0.5	20-7	0.45714												
20	0	B_COMB_0_2_GEO	Combination	-24.351	-83.81	0	0	0	-26.2201	1214.68	3	0.175	-0.5	-1353.82	1	
	-0.175	-0.5	20-1	0												
20	1.6	B_COMB_0_2_GEO	Combination	-43.251	-7.317	0	0	0	57.1618	2676.19	1	-0.175	-0.5	-2923.34	3	
	0.175	-0.5	20-4	0.22857												
20	3.2	B_COMB_0_2_GEO	Combination	-62.151	130.043	0	0	0	-39.0503	1735.09	3	0.175	-0.5	-2090.24	1	
	-0.175	-0.5	20-7	0.45714												
20	0	B_COMB_0_0_GEO	Combination	-18.038	0.645	0	0	0	-2.9292	91.94	3	0.175	-0.5	-195.01	1	
	-0.175	-0.5	20-1	0												
20	1.6	B_COMB_0_0_GEO	Combination	-32.037	2.142	0	0	0	-4.8538	146.2	3	0.175	-0.5	-329.27	1	
	-0.175	-0.5	20-4	0.22857												
20	3.2	B_COMB_0_0_GEO	Combination	-46.038	3.941	0	0	0	-10.0158	359.03	3	0.175	-0.5	-622.1	1	
	-0.175	-0.5	20-7	0.45714												
20	0	B_COMB_0_2_1_GEO	Combination	-44.451	-85.463	0	0	0	0	-31.2821	1405.18	3	0.175	-0.5	-	
	-0.175	-0.5	20-1	0												
1659.18	1	B_COMB_0_2_1_GEO	Combination	-63.351	-7.874	0	0	0	0	54.0644	2467.05	1	-0.175	-0.5	-	
	0.175	-0.5	20-4	0.22857												
2829.05	3	B_COMB_0_2_1_GEO	Combination	-82.251	130.54	0	0	0	0	-42.2958	1836.63	3	0.175	-0.5	-	
	-0.175	-0.5	20-7	0.45714												
2306.63	1	B_COMB_0_3_GEO	Combination	-44.451	-85.463	0	0	0	-31.2821	1405.18	3	0.175	-0.5	-1659.18	1	
	-0.175	-0.5	20-1	0												

## Allegati alla relazione di Calcolo

20	1.6	B_COMB_0_3_GEO	Combination	-63.351	-7.874	0	0	0	54.0644	2467.05	1	-0.175	-0.5	-2829.05	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB_0_3_GEO	Combination	-82.251	130.54	0	0	0	-42.2958	1836.63	3	0.175	-0.5	-2306.63	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB_0_4_GEO	Combination	-44.451	-81.559	0	0	0	-25.5588	1124.86	3	0.175	-0.5	-1378.86	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB_0_4_GEO	Combination	-63.351	-4.042	0	0	0	53.5836	2443.5	1	-0.175	-0.5	-2805.5	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB_0_4_GEO	Combination	-82.251	134.302	0	0	0	-48.8369	2157.01	3	0.175	-0.5	-2627.01	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB1	Combination	-90.802	-132.579	0	0	0	-61.5504	2755.28	3	0.175	-0.5	-3274.15	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB1	Combination	-109.702	-8.343	0	0	0	66.7527	2956.09	1	-0.175	-0.5	-3582.96	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB1	Combination	-128.602	173.412	0	0	0	-68.9214	3008.3	3	0.175	-0.5	-3743.18	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB2	Combination	-113.643	-142.199	0	0	0	-82.0054	3691.9	3	0.175	-0.5	-4341.28	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB2	Combination	-132.543	-20.232	0	0	0	63.3324	2723.3	1	-0.175	-0.5	-3480.69	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB2	Combination	-151.443	173.322	0	0	0	-62.0459	2606.29	3	0.175	-0.5	-3471.68	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB3	Combination	-90.802	-139.167	0	0	0	-67.8062	3061.68	3	0.175	-0.5	-3580.56	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB3	Combination	-109.702	-11.745	0	0	0	68.6174	3047.42	1	-0.175	-0.5	-3674.29	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB3	Combination	-128.602	171.111	0	0	0	-62.7955	2708.26	3	0.175	-0.5	-3443.13	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB4	Combination	-113.643	-148.788	0	0	0	-88.2611	3998.3	3	0.175	-0.5	-4647.69	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB4	Combination	-132.543	-23.634	0	0	0	65.197	2814.63	1	-0.175	-0.5	-3572.02	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB4	Combination	-151.443	171.02	0	0	0	-55.9201	2306.25	3	0.175	-0.5	-3171.64	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB5	Combination	-90.802	-119.495	0	0	0	-31.458	1281.36	3	0.175	-0.5	-1800.24	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB5	Combination	-109.702	2.857	0	0	0	77.1431	3465	1	-0.175	-0.5	-4091.87	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB5	Combination	-128.602	183.405	0	0	0	-75.1932	3315.5	3	0.175	-0.5	-4050.37	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB6	Combination	-113.643	-129.116	0	0	0	-51.9129	2217.98	3	0.175	-0.5	-2867.37	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB6	Combination	-132.543	-9.032	0	0	0	73.7227	3232.22	1	-0.175	-0.5	-3989.6	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB6	Combination	-151.443	183.314	0	0	0	-68.3178	2913.48	3	0.175	-0.5	-3778.87	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB7	Combination	-90.802	-126.084	0	0	0	-37.7137	1587.77	3	0.175	-0.5	-2106.64	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB7	Combination	-109.702	-0.545	0	0	0	79.0078	3556.33	1	-0.175	-0.5	-4183.2	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB7	Combination	-128.602	181.104	0	0	0	-69.0673	3015.45	3	0.175	-0.5	-3750.32	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB8	Combination	-113.643	-135.705	0	0	0	-58.1687	2524.38	3	0.175	-0.5	-3173.77	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB8	Combination	-132.543	-12.434	0	0	0	75.5874	3323.54	1	-0.175	-0.5	-4080.93	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB8	Combination	-151.443	181.013	0	0	0	-62.1919	2613.44	3	0.175	-0.5	-3478.83	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB9	Combination	-104.134	-123.583	0	0	0	-64.3635	2854.97	3	0.175	-0.5	-3450.02	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB9	Combination	-123.034	-9.538	0	0	0	56.7431	2427.73	1	-0.175	-0.5	-3130.78	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB9	Combination	-141.934	161.929	0	0	0	-67.8298	2916.75	3	0.175	-0.5	-3727.8	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB10	Combination	-134.588	-136.411	0	0	0	-91.6368	4103.8	3	0.175	-0.5	-4872.87	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	A_COMB10	Combination	-153.488	-25.39	0	0	0	52.1826	2117.34	1	-0.175	-0.5	-2994.42	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB10	Combination	-172.388	161.807	0	0	0	-58.6625	2380.73	3	0.175	-0.5	-3365.8	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB11	Combination	-104.134	-130.172	0	0	0	-70.6193	3161.38	3	0.175	-0.5	-3756.43	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB11	Combination	-123.034	-12.94	0	0	0	58.6077	2519.06	1	-0.175	-0.5	-3222.11	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB11	Combination	-141.934	159.627	0	0	0	-61.7039	2616.71	3	0.175	-0.5	-3427.75	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB12	Combination	-134.588	-142.999	0	0	0	-97.8925	4410.2	3	0.175	-0.5	-5179.27	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB12	Combination	-153.488	-28.792	0	0	0	54.0472	2208.67	1	-0.175	-0.5	-3085.75	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB12	Combination	-172.388	159.506	0	0	0	-52.5366	2080.69	3	0.175	-0.5	-3065.76	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB13	Combination	-104.134	-110.5	0	0	0	-34.2711	1381.06	3	0.175	-0.5	-1976.11	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB13	Combination	-123.034	1.661	0	0	0	67.1334	2936.64	1	-0.175	-0.5	-3639.69	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB13	Combination	-141.934	171.921	0	0	0	-74.1016	3223.94	3	0.175	-0.5	-4034.99	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB14	Combination	-134.588	-123.328	0	0	0	-61.5443	2629.88	3	0.175	-0.5	-3398.95	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB14	Combination	-153.488	-14.19	0	0	0	62.5729	2626.26	1	-0.175	-0.5	-3503.33	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB14	Combination	-172.388	171.8	0	0	0	-64.9344	2687.92	3	0.175	-0.5	-3673	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB15	Combination	-104.134	-118.866	0	0	0	-41.8088	1750.25	3	0.175	-0.5	-2345.3	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB15	Combination	-123.034	-2.293	0	0	0	69.6265	3058.76	1	-0.175	-0.5	-3761.8	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB15	Combination	-141.934	169.481	0	0	0	-66.9087	2871.64	3	0.175	-0.5	-3682.68	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB16	Combination	-134.588	-129.916	0	0	0	-67.8001	2936.28	3	0.175	-0.5	-3705.36	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB16	Combination	-153.488	-17.592	0	0	0	64.4376	2717.59	1	-0.175	-0.5	-3594.66	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB16	Combination	-172.388	169.499	0	0	0	-58.8085	2387.88	3	0.175	-0.5	-3372.95	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB17	Combination	-90.899	-125.291	0	0	0	-67.5158	3047.19	3	0.175	-0.5	-3566.61	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB17	Combination	-109.799	-10.95	0	0	0	56.1049	2434.28	1	-0.175	-0.5	-3061.71	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB17	Combination	-128.699	160.466	0	0	0	-66.1955	2874.52	3	0.175	-0.5	-3609.94	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB18	Combination	-113.74	-134.912	0	0	0	-87.9708	3983.8	3	0.175	-0.5	-4633.74	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB18	Combination	-132.64	-22.839	0	0	0	52.6845	2201.49	1	-0.175	-0.5	-2959.44	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB18	Combination	-151.54	160.375	0	0	0	-59.3201	2472.5	3	0.175	-0.5	-3338.44	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB19	Combination	-90.899	-136.272	0	0	0	-77.9421	3557.86	3	0.175	-0.5	-4077.28	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB19	Combination	-109.799	-16.62	0	0	0	59.2126	2586.5	1	-0.175	-0.5	-3213.92	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB19	Combination	-128.699	156.631	0	0	0	-55.9857	2374.44	3	0.175	-0.5	-3109.87	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB20	Combination	-113.74	-145.893	0	0	0	-98.397	4494.48	3	0.175	-0.5	-5144.42	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB20	Combination	-132.64	-28.509	0	0	0	55.7922	2353.71	1	-0.175	-0.5	-3111.65	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB20	Combination	-151.54	156.54	0	0	0	-49.1102	1972.43	3	0.175	-0.5	-2838.37	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB21	Combination	-90.899	-103.486	0	0	0	-17.3618	590.66	3	0.175	-0.5	-1110.08	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	A_COMB21	Combination	-109.799	7.716	0	0	0	73.4222	3282.48	1	-0.175	-0.5	-3909.9	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB21	Combination	-128.699	177.121	0	0	0	-76.6486	3386.5	3	0.175	-0.5	-4121.93	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB22	Combination	-113.74	-113.106	0	0	0	-37.8167	1527.28	3	0.175	-0.5	-2177.22	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB22	Combination	-132.64	-4.173	0	0	0	70.0018	3049.69	1	-0.175	-0.5	-3807.63	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB22	Combination	-151.54	177.03	0	0	0	-69.7731	2984.49	3	0.175	-0.5	-3850.43	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB23	Combination	-90.899	-114.467	0	0	0	-27.788	1101.33	3	0.175	-0.5	-1620.76	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB23	Combination	-109.799	2.046	0	0	0	76.5299	3434.69	1	-0.175	-0.5	-4062.11	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB23	Combination	-128.699	173.285	0	0	0	-66.4387	2886.43	3	0.175	-0.5	-3621.85	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB24	Combination	-113.74	-124.087	0	0	0	-48.243	2037.95	3	0.175	-0.5	-2687.89	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB24	Combination	-132.64	-9.843	0	0	0	73.1095	3201.9	1	-0.175	-0.5	-3959.84	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB24	Combination	-151.54	173.194	0	0	0	-59.5633	2484.42	3	0.175	-0.5	-3350.36	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB25	Combination	-100.289	-197.852	0	0	0	-67.7635	3032.49	3	0.175	-0.5	-3605.57	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB25	Combination	-119.189	17.499	0	0	0	90.7397	4103.85	1	-0.175	-0.5	-4784.93	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB25	Combination	-138.089	197.191	0	0	0	-88.685	3949.22	3	0.175	-0.5	-4738.29	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB26	Combination	-123.129	-207.472	0	0	0	-88.2185	3969.11	3	0.175	-0.5	-4672.7	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB26	Combination	-142.029	5.61	0	0	0	87.3193	3871.06	1	-0.175	-0.5	-4682.66	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB26	Combination	-160.929	197.1	0	0	0	-81.8096	3547.2	3	0.175	-0.5	-4466.8	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB27	Combination	-100.289	-204.44	0	0	0	-74.0193	3338.9	3	0.175	-0.5	-3911.97	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB27	Combination	-119.189	14.097	0	0	0	92.6043	4195.18	1	-0.175	-0.5	-4876.26	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB27	Combination	-138.089	194.889	0	0	0	-82.5591	3649.17	3	0.175	-0.5	-4438.25	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB28	Combination	-123.129	-214.061	0	0	0	-94.4742	4275.51	3	0.175	-0.5	-4979.11	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB28	Combination	-142.029	2.208	0	0	0	89.1839	3962.39	1	-0.175	-0.5	-4773.99	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB28	Combination	-160.929	194.798	0	0	0	-75.6837	3247.16	3	0.175	-0.5	-4166.75	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB29	Combination	-100.289	-184.768	0	0	0	-37.6711	1558.57	3	0.175	-0.5	-2131.65	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB29	Combination	-119.189	28.699	0	0	0	101.13	4612.77	1	-0.175	-0.5	-5293.85	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB29	Combination	-138.089	207.183	0	0	0	-94.9569	4256.41	3	0.175	-0.5	-5045.49	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB30	Combination	-123.129	-194.389	0	0	0	-58.126	2495.19	3	0.175	-0.5	-3198.79	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB30	Combination	-142.029	16.81	0	0	0	97.7096	4379.98	1	-0.175	-0.5	-5191.58	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB30	Combination	-160.929	207.092	0	0	0	-88.0814	3854.39	3	0.175	-0.5	-4773.99	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB31	Combination	-100.289	-191.357	0	0	0	-43.9268	1864.98	3	0.175	-0.5	-2438.06	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB31	Combination	-119.189	25.297	0	0	0	102.9947	4704.1	1	-0.175	-0.5	-5385.18	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB31	Combination	-138.089	204.882	0	0	0	-88.831	3956.37	3	0.175	-0.5	-4745.44	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB32	Combination	-123.129	-200.978	0	0	0	-64.3818	2801.59	3	0.175	-0.5	-3505.19	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	A_COMB32	Combination	-142.029	13.408	0	0	0	99.5743	4471.31	1	-0.175	-0.5	-5282.91	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB32	Combination	-160.929	204.791	0	0	0	-81.9555	3554.35	3	0.175	-0.5	-4473.95	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB33	Combination	-97.941	-182.393	0	0	0	-73.8359	3336.62	3	0.175	-0.5	-3896.28	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB33	Combination	-116.841	8.629	0	0	0	79.6318	3566.5	1	-0.175	-0.5	-4234.17	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB33	Combination	-135.741	186.837	0	0	0	-83.3093	3692.62	3	0.175	-0.5	-4468.29	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB34	Combination	-120.782	-192.013	0	0	0	-94.2908	4273.23	3	0.175	-0.5	-4963.42	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB34	Combination	-139.682	-3.26	0	0	0	76.2115	3333.71	1	-0.175	-0.5	-4131.9	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB34	Combination	-158.582	186.746	0	0	0	-76.4339	3290.61	3	0.175	-0.5	-4196.79	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB35	Combination	-97.941	-193.374	0	0	0	-84.2621	3847.29	3	0.175	-0.5	-4406.96	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB35	Combination	-116.841	2.959	0	0	0	82.7396	3718.72	1	-0.175	-0.5	-4386.38	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB35	Combination	-135.741	183.002	0	0	0	-73.0995	3192.55	3	0.175	-0.5	-3968.21	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB36	Combination	-120.782	-202.994	0	0	0	-104.7171	4783.91	3	0.175	-0.5	-5474.09	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB36	Combination	-139.682	-8.93	0	0	0	79.3192	3485.93	1	-0.175	-0.5	-4284.11	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB36	Combination	-158.582	182.911	0	0	0	-66.224	2790.54	3	0.175	-0.5	-3696.72	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB37	Combination	-97.941	-160.587	0	0	0	-23.6818	880.09	3	0.175	-0.5	-1439.76	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB37	Combination	-116.841	27.295	0	0	0	96.9491	4414.7	1	-0.175	-0.5	-5082.36	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB37	Combination	-135.741	203.491	0	0	0	-93.7624	4204.61	3	0.175	-0.5	-4980.28	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB38	Combination	-120.782	-170.208	0	0	0	-44.1367	1816.71	3	0.175	-0.5	-2506.89	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB38	Combination	-139.682	15.406	0	0	0	93.5287	4181.91	1	-0.175	-0.5	-4980.09	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB38	Combination	-158.582	203.4	0	0	0	-86.887	3802.6	3	0.175	-0.5	-4708.78	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB39	Combination	-97.941	-171.568	0	0	0	-34.1081	1390.77	3	0.175	-0.5	-1950.43	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB39	Combination	-116.841	21.625	0	0	0	100.0569	4566.91	1	-0.175	-0.5	-5234.58	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB39	Combination	-135.741	199.656	0	0	0	-83.5526	3704.54	3	0.175	-0.5	-4480.2	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB40	Combination	-120.782	-181.189	0	0	0	-54.563	2327.38	3	0.175	-0.5	-3017.56	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB40	Combination	-139.682	9.736	0	0	0	96.6365	4334.12	1	-0.175	-0.5	-5132.31	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB40	Combination	-158.582	199.565	0	0	0	-76.6771	3302.52	3	0.175	-0.5	-4208.71	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB41	Combination	-90.802	-132.713	0	0	0	-61.6198	2758.68	3	0.175	-0.5	-3277.55	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB41	Combination	-109.702	-8.477	0	0	0	66.8983	2963.22	1	-0.175	-0.5	-3590.09	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB41	Combination	-128.602	173.278	0	0	0	-68.5606	2990.64	3	0.175	-0.5	-3725.51	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB42	Combination	-113.643	-142.334	0	0	0	-82.0748	3695.29	3	0.175	-0.5	-4344.68	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB42	Combination	-132.543	-20.366	0	0	0	63.4779	2730.43	1	-0.175	-0.5	-3487.82	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB42	Combination	-151.443	173.187	0	0	0	-61.6852	2588.62	3	0.175	-0.5	-3454.01	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB43	Combination	-90.802	-139.302	0	0	0	-67.8756	3065.08	3	0.175	-0.5	-3583.95	1
	-0.175	-0.5	20-1	0											



## Allegati alla relazione di Calcolo

20	1.6	A_COMB43	Combination	-109.702	-11.879	0	0	0	68.763	3054.55	1	-0.175	-0.5	-3681.42	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB43	Combination	-128.602	170.977	0	0	0	-62.4347	2690.59	3	0.175	-0.5	-3425.46	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB44	Combination	-113.643	-148.922	0	0	0	-88.3305	4001.7	3	0.175	-0.5	-4651.09	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB44	Combination	-132.543	-23.768	0	0	0	65.3426	2821.76	1	-0.175	-0.5	-3579.15	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB44	Combination	-151.443	170.886	0	0	0	-55.5593	2288.58	3	0.175	-0.5	-3153.97	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB45	Combination	-90.802	-119.63	0	0	0	-31.5274	1284.76	3	0.175	-0.5	-1803.63	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB45	Combination	-109.702	2.723	0	0	0	77.2887	3472.13	1	-0.175	-0.5	-4099	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB45	Combination	-128.602	183.27	0	0	0	-74.8325	3297.83	3	0.175	-0.5	-4032.7	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB46	Combination	-113.643	-129.25	0	0	0	-51.9823	2221.38	3	0.175	-0.5	-2870.77	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB46	Combination	-132.543	-9.166	0	0	0	73.8683	3239.35	1	-0.175	-0.5	-3996.73	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB46	Combination	-151.443	183.18	0	0	0	-67.9571	2895.82	3	0.175	-0.5	-3761.2	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB47	Combination	-90.802	-126.218	0	0	0	-37.7831	1591.17	3	0.175	-0.5	-2110.04	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB47	Combination	-109.702	-0.679	0	0	0	79.1533	3563.46	1	-0.175	-0.5	-4190.33	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB47	Combination	-128.602	180.969	0	0	0	-68.7066	2997.79	3	0.175	-0.5	-3732.66	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB48	Combination	-113.643	-135.839	0	0	0	-58.2381	2527.78	3	0.175	-0.5	-3177.17	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB48	Combination	-132.543	-12.568	0	0	0	75.733	3330.67	1	-0.175	-0.5	-4088.06	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB48	Combination	-151.443	180.878	0	0	0	-61.8312	2595.77	3	0.175	-0.5	-3461.16	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB49	Combination	-104.134	-123.718	0	0	0	-64.4329	2858.37	3	0.175	-0.5	-3453.42	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB49	Combination	-123.034	-9.673	0	0	0	56.8886	2434.86	1	-0.175	-0.5	-3137.91	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB49	Combination	-141.934	161.794	0	0	0	-67.469	2899.08	3	0.175	-0.5	-3710.13	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB50	Combination	-134.588	-136.545	0	0	0	-91.7062	4107.19	3	0.175	-0.5	-4876.27	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB50	Combination	-153.488	-25.525	0	0	0	52.3281	2124.47	1	-0.175	-0.5	-3001.55	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB50	Combination	-172.388	161.673	0	0	0	-58.3018	2363.06	3	0.175	-0.5	-3348.13	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB51	Combination	-104.134	-130.306	0	0	0	-70.6887	3164.78	3	0.175	-0.5	-3759.83	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB51	Combination	-123.034	-13.075	0	0	0	58.7533	2526.19	1	-0.175	-0.5	-3229.24	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB51	Combination	-141.934	159.493	0	0	0	-61.3431	2599.04	3	0.175	-0.5	-3410.09	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB52	Combination	-134.588	-143.134	0	0	0	-97.9619	4413.6	3	0.175	-0.5	-5182.67	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB52	Combination	-153.488	-28.927	0	0	0	54.1928	2215.8	1	-0.175	-0.5	-3092.88	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB52	Combination	-172.388	159.372	0	0	0	-52.1759	2063.02	3	0.175	-0.5	-3048.09	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB53	Combination	-104.134	-110.634	0	0	0	-34.3405	1384.46	3	0.175	-0.5	-1979.51	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB53	Combination	-123.034	1.527	0	0	0	67.279	2943.77	1	-0.175	-0.5	-3646.82	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB53	Combination	-141.934	171.787	0	0	0	-73.7409	3206.27	3	0.175	-0.5	-4017.32	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB54	Combination	-134.588	-123.462	0	0	0	-61.6137	2633.28	3	0.175	-0.5	-3402.35	1
	-0.175	-0.5	20-1	0											



## Allegati alla relazione di Calcolo

20	1.6	A_COMB65	Combination	-119.189	17.365	0	0	0	90.8852	4110.98	1	-0.175	-0.5	-4792.06	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB65	Combination	-138.089	197.056	0	0	0	-88.3243	3931.55	3	0.175	-0.5	-4720.63	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB66	Combination	-123.129	-207.607	0	0	0	-88.2879	3972.51	3	0.175	-0.5	-4676.1	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB66	Combination	-142.029	5.476	0	0	0	87.4648	3878.19	1	-0.175	-0.5	-4689.79	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB66	Combination	-160.929	196.965	0	0	0	-81.4489	3529.53	3	0.175	-0.5	-4449.13	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB67	Combination	-100.289	-204.575	0	0	0	-74.0887	3342.29	3	0.175	-0.5	-3915.37	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB67	Combination	-119.189	13.963	0	0	0	92.7499	4202.31	1	-0.175	-0.5	-4883.39	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB67	Combination	-138.089	194.755	0	0	0	-82.1984	3631.5	3	0.175	-0.5	-4420.58	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB68	Combination	-123.129	-214.195	0	0	0	-94.5436	4278.91	3	0.175	-0.5	-4982.51	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB68	Combination	-142.029	2.074	0	0	0	89.3295	3969.52	1	-0.175	-0.5	-4781.12	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB68	Combination	-160.929	194.664	0	0	0	-75.323	3229.49	3	0.175	-0.5	-4149.09	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB69	Combination	-100.289	-184.903	0	0	0	-37.7405	1561.97	3	0.175	-0.5	-2135.05	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB69	Combination	-119.189	28.564	0	0	0	101.2756	4619.9	1	-0.175	-0.5	-5300.98	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB69	Combination	-138.089	207.049	0	0	0	-94.5961	4238.74	3	0.175	-0.5	-5027.82	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB70	Combination	-123.129	-194.523	0	0	0	-58.1954	2498.59	3	0.175	-0.5	-3202.19	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB70	Combination	-142.029	16.676	0	0	0	97.8552	4387.11	1	-0.175	-0.5	-5198.71	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB70	Combination	-160.929	206.958	0	0	0	-87.7207	3836.73	3	0.175	-0.5	-4756.32	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB71	Combination	-100.289	-191.491	0	0	0	-43.9962	1868.38	3	0.175	-0.5	-2441.46	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB71	Combination	-119.189	25.162	0	0	0	103.1402	4711.23	1	-0.175	-0.5	-5392.31	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB71	Combination	-138.089	204.747	0	0	0	-88.4702	3938.7	3	0.175	-0.5	-4727.78	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB72	Combination	-123.129	-201.112	0	0	0	-64.4512	2804.99	3	0.175	-0.5	-3508.59	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB72	Combination	-142.029	13.274	0	0	0	99.7199	4478.44	1	-0.175	-0.5	-5290.04	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB72	Combination	-160.929	204.656	0	0	0	-81.5948	3536.68	3	0.175	-0.5	-4456.28	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB73	Combination	-97.941	-182.527	0	0	0	-73.9053	3340.02	3	0.175	-0.5	-3899.68	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB73	Combination	-116.841	8.494	0	0	0	79.7774	3573.63	1	-0.175	-0.5	-4241.3	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB73	Combination	-135.741	186.703	0	0	0	-82.9486	3674.95	3	0.175	-0.5	-4450.62	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB74	Combination	-120.782	-192.148	0	0	0	-94.3602	4276.63	3	0.175	-0.5	-4966.82	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB74	Combination	-139.682	-3.395	0	0	0	76.357	3340.84	1	-0.175	-0.5	-4139.03	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB74	Combination	-158.582	186.612	0	0	0	-76.0731	3272.94	3	0.175	-0.5	-4179.12	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB75	Combination	-97.941	-193.508	0	0	0	-84.3315	3850.69	3	0.175	-0.5	-4410.36	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB75	Combination	-116.841	2.824	0	0	0	82.8851	3725.85	1	-0.175	-0.5	-4393.51	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB75	Combination	-135.741	182.867	0	0	0	-72.7387	3174.88	3	0.175	-0.5	-3950.55	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB76	Combination	-120.782	-203.128	0	0	0	-104.7865	4787.31	3	0.175	-0.5	-5477.49	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	A_COMB76	Combination	-139.682	-9.065	0	0	0	79.4648	3493.06	1	-0.175	-0.5	-4291.24	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB76	Combination	-158.582	182.776	0	0	0	-65.8633	2772.87	3	0.175	-0.5	-3679.05	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB77	Combination	-97.941	-160.721	0	0	0	-23.7512	883.49	3	0.175	-0.5	-1443.16	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB77	Combination	-116.841	27.161	0	0	0	97.0947	4421.83	1	-0.175	-0.5	-5089.49	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB77	Combination	-135.741	203.357	0	0	0	-93.4016	4186.94	3	0.175	-0.5	-4962.61	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB78	Combination	-120.782	-170.342	0	0	0	-44.2061	1820.11	3	0.175	-0.5	-2510.29	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB78	Combination	-139.682	15.272	0	0	0	93.6743	4189.04	1	-0.175	-0.5	-4987.22	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB78	Combination	-158.582	203.266	0	0	0	-86.5262	3784.93	3	0.175	-0.5	-4691.11	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB79	Combination	-97.941	-171.702	0	0	0	-34.1775	1394.17	3	0.175	-0.5	-1953.83	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB79	Combination	-116.841	21.491	0	0	0	100.2024	4574.04	1	-0.175	-0.5	-5241.71	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB79	Combination	-135.741	199.521	0	0	0	-83.1918	3686.87	3	0.175	-0.5	-4462.53	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB80	Combination	-120.782	-181.323	0	0	0	-54.6324	2330.78	3	0.175	-0.5	-3020.96	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB80	Combination	-139.682	9.602	0	0	0	96.7821	4341.25	1	-0.175	-0.5	-5139.44	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB80	Combination	-158.582	199.43	0	0	0	-76.3164	3284.86	3	0.175	-0.5	-4191.04	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB81	Combination	-97.941	-178.997	0	0	0	-65.7494	2940.55	3	0.175	-0.5	-3500.21	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB81	Combination	-116.841	10.793	0	0	0	83.0914	3735.95	1	-0.175	-0.5	-4403.62	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB81	Combination	-135.741	188.221	0	0	0	-82.4994	3652.96	3	0.175	-0.5	-4428.62	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB82	Combination	-120.782	-188.618	0	0	0	-86.2043	3877.16	3	0.175	-0.5	-4567.34	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB82	Combination	-139.682	-1.095	0	0	0	79.671	3503.16	1	-0.175	-0.5	-4301.35	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB82	Combination	-158.582	188.13	0	0	0	-75.624	3250.94	3	0.175	-0.5	-4157.12	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB83	Combination	-97.941	-185.586	0	0	0	-72.0051	3246.95	3	0.175	-0.5	-3806.61	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB83	Combination	-116.841	7.391	0	0	0	84.9561	3827.28	1	-0.175	-0.5	-4494.95	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB83	Combination	-135.741	185.92	0	0	0	-76.3735	3352.91	3	0.175	-0.5	-4128.58	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB84	Combination	-120.782	-195.206	0	0	0	-92.4601	4183.56	3	0.175	-0.5	-4873.75	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB84	Combination	-139.682	-4.497	0	0	0	81.5357	3594.49	1	-0.175	-0.5	-4392.68	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB84	Combination	-158.582	185.829	0	0	0	-69.4981	2950.9	3	0.175	-0.5	-3857.08	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB85	Combination	-97.941	-165.914	0	0	0	-35.6569	1466.63	3	0.175	-0.5	-2026.29	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB85	Combination	-116.841	21.993	0	0	0	93.4818	4244.87	1	-0.175	-0.5	-4912.53	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB85	Combination	-135.741	198.214	0	0	0	-88.7713	3960.15	3	0.175	-0.5	-4735.81	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB86	Combination	-120.782	-175.534	0	0	0	-56.1119	2403.24	3	0.175	-0.5	-3093.43	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB86	Combination	-139.682	10.104	0	0	0	90.0614	4012.08	1	-0.175	-0.5	-4810.26	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB86	Combination	-158.582	198.123	0	0	0	-81.8959	3558.13	3	0.175	-0.5	-4464.32	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB87	Combination	-97.941	-172.502	0	0	0	-41.9127	1773.03	3	0.175	-0.5	-2332.7	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	A_COMB87	Combination	-116.841	18.591	0	0	0	95.3464	4336.2	1	-0.175	-0.5	-5003.86	3	
	0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB87	Combination	-135.741	195.912	0	0	0	-82.6454	3660.11	3	0.175	-0.5	-4435.77	1	
	-0.175	-0.5	20-7	0.45714												
20	0	A_COMB88	Combination	-120.782	-182.123	0	0	0	-62.3676	2709.65	3	0.175	-0.5	-3399.83	1	
	-0.175	-0.5	20-1	0												
20	1.6	A_COMB88	Combination	-139.682	6.702	0	0	0	91.9261	4103.41	1	-0.175	-0.5	-4901.59	3	
	0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB88	Combination	-158.582	195.821	0	0	0	-75.77	3258.09	3	0.175	-0.5	-4164.27	1	
	-0.175	-0.5	20-7	0.45714												
20	0	A_COMB_0_2_STR_SBIL	Combination	-24.218	-66.288	0	0	0	0	-21.6015	988.84	3	0.175	-0.5	-	
1127.23	1	-0.175	-0.5	20-1	0											
20	1.6	A_COMB_0_2_STR_SBIL	Combination	-43.118	-5.296	0	0	0	44.4374	2053.33	1	-0.175	-0.5	-		
	0.175	-0.5	20-4	0.22857												
2299.72	3	A_COMB_0_2_STR_SBIL	Combination	-62.018	103.016	0	0	0	0	-33.7867	1477.66	3	0.175	-0.5	-	
	-0.175	-0.5	20-7	0.45714												
1832.05	1	A_COMB_0_2_1_STR_SBIL	Combination	-51.353	-68.519	0	0	0	-28.4352	1246.02	3	0.175	-0.5	-		
	-0.175	-0.5	20-1	0												
1539.47	1	A_COMB_0_2_1_STR_SBIL	Combination	-70.253	-6.048	0	0	0	40.2559	1770.99	1	-0.175	-0.5	-		
	0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB_0_2_1_STR_SBIL	Combination	-89.153	103.687	0	0	0	0	-38.1682	1614.74	3	0.175	-0.5	-	
	-0.175	-0.5	20-7	0.45714												
2124.19	1	A_COMB_0_3_STR_SBIL	Combination	-51.353	-68.519	0	0	0	-28.4352	1246.02	3	0.175	-0.5	-		
	-0.175	-0.5	20-1	0												
1539.47	1	A_COMB_0_3_STR_SBIL	Combination	-70.253	-6.048	0	0	0	40.2559	1770.99	1	-0.175	-0.5	-		
	0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB_0_3_STR_SBIL	Combination	-89.153	103.687	0	0	0	0	-38.1682	1614.74	3	0.175	-0.5	-	
	-0.175	-0.5	20-7	0.45714												
2124.19	1	A_COMB_0_4_STR_SBIL	Combination	-51.353	-63.834	0	0	0	-21.5673	909.63	3	0.175	-0.5	-		
	-0.175	-0.5	20-1	0												
1203.08	1	A_COMB_0_4_STR_SBIL	Combination	-70.253	-1.449	0	0	0	39.6789	1742.73	1	-0.175	-0.5	-		
	0.175	-0.5	20-4	0.22857												
2144.18	3	A_COMB_0_4_STR_SBIL	Combination	-89.153	108.201	0	0	0	-46.0175	1999.2	3	0.175	-0.5	-		
	-0.175	-0.5	20-7	0.45714												
2508.64	1	A_COMB89	Combination	-90.67	-118.246	0	0	0	-57.7706	2570.52	3	0.175	-0.5	-3088.64	1	
	-0.175	-0.5	20-1	0												
20	1.6	A_COMB89	Combination	-109.57	-6.706	0	0	0	56.4284	2450.78	1	-0.175	-0.5	-3076.9	3	
	0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB89	Combination	-128.47	151.084	0	0	0	-64.6194	2797.98	3	0.175	-0.5	-3532.09	1	
	-0.175	-0.5	20-7	0.45714												
20	0	A_COMB90	Combination	-113.511	-127.867	0	0	0	-78.2255	3507.14	3	0.175	-0.5	-4155.77	1	
	-0.175	-0.5	20-1	0												
20	1.6	A_COMB90	Combination	-132.411	-18.595	0	0	0	53.008	2217.99	1	-0.175	-0.5	-2974.63	3	
	0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB90	Combination	-151.311	150.993	0	0	0	-57.744	2395.96	3	0.175	-0.5	-3260.59	1	
	-0.175	-0.5	20-7	0.45714												
20	0	A_COMB91	Combination	-90.67	-124.835	0	0	0	-64.0263	2876.93	3	0.175	-0.5	-3395.04	1	
	-0.175	-0.5	20-1	0												
20	1.6	A_COMB91	Combination	-109.57	-10.108	0	0	0	58.293	2542.11	1	-0.175	-0.5	-3168.23	3	
	0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB91	Combination	-128.47	148.782	0	0	0	-58.4935	2497.93	3	0.175	-0.5	-3232.05	1	
	-0.175	-0.5	20-7	0.45714												
20	0	A_COMB92	Combination	-113.511	-134.455	0	0	0	-84.4813	3813.54	3	0.175	-0.5	-4462.17	1	
	-0.175	-0.5	20-1	0												
20	1.6	A_COMB92	Combination	-132.411	-21.997	0	0	0	54.8726	2309.32	1	-0.175	-0.5	-3065.96	3	
	0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB92	Combination	-151.311	148.692	0	0	0	-51.6181	2095.92	3	0.175	-0.5	-2960.55	1	
	-0.175	-0.5	20-7	0.45714												
20	0	A_COMB93	Combination	-90.67	-105.163	0	0	0	-27.6781	1096.61	3	0.175	-0.5	-1614.72	1	
	-0.175	-0.5	20-1	0												
20	1.6	A_COMB93	Combination	-109.57	4.494	0	0	0	66.8187	2959.7	1	-0.175	-0.5	-3585.81	3	
	0.175	-0.5	20-4	0.22857												
20	3.2	A_COMB93	Combination	-128.47	161.076	0	0	0	-70.8913	3105.17	3	0.175	-0.5	-3839.28	1	
	-0.175	-0.5	20-7	0.45714												
20	0	A_COMB94	Combination	-113.511	-114.783	0	0	0	-48.1331	2033.22	3	0.175	-0.5	-2681.85	1	
	-0.175	-0.5	20-1	0												

## Allegati alla relazione di Calcolo

20	1.6	A_COMB94	Combination	-132.411	-7.395	0	0	0	63.3984	2726.91	1	-0.175	-0.5	-3483.54	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB94	Combination	-151.311	160.985	0	0	0	-64.0159	2703.15	3	0.175	-0.5	-3567.79	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB95	Combination	-90.67	-111.751	0	0	0	-33.9339	1403.01	3	0.175	-0.5	-1921.13	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB95	Combination	-109.57	1.092	0	0	0	68.6834	3051.03	1	-0.175	-0.5	-3677.14	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB95	Combination	-128.47	158.775	0	0	0	-64.7654	2805.12	3	0.175	-0.5	-3539.24	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB96	Combination	-113.511	-121.372	0	0	0	-54.3888	2339.63	3	0.175	-0.5	-2988.26	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB96	Combination	-132.411	-10.797	0	0	0	65.263	2818.24	1	-0.175	-0.5	-3574.87	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB96	Combination	-151.311	158.684	0	0	0	-57.89	2403.11	3	0.175	-0.5	-3267.74	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB97	Combination	-104.001	-109.251	0	0	0	-60.5837	2670.22	3	0.175	-0.5	-3264.51	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB97	Combination	-122.901	-7.901	0	0	0	46.4187	1922.42	1	-0.175	-0.5	-2624.72	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB97	Combination	-141.801	139.6	0	0	0	-63.5278	2706.42	3	0.175	-0.5	-3516.71	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB98	Combination	-134.455	-122.078	0	0	0	-87.8569	3919.04	3	0.175	-0.5	-4687.35	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB98	Combination	-153.355	-23.753	0	0	0	41.8582	1612.04	1	-0.175	-0.5	-2488.35	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB98	Combination	-172.255	139.479	0	0	0	-54.3606	2170.4	3	0.175	-0.5	-3154.72	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB99	Combination	-104.001	-115.839	0	0	0	-66.8394	2976.62	3	0.175	-0.5	-3570.91	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB99	Combination	-122.901	-11.303	0	0	0	48.2833	2013.75	1	-0.175	-0.5	-2716.04	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB99	Combination	-141.801	137.299	0	0	0	-57.4019	2406.38	3	0.175	-0.5	-3216.67	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB100	Combination	-134.455	-128.667	0	0	0	-94.1127	4225.44	3	0.175	-0.5	-4993.76	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB100	Combination	-153.355	-27.155	0	0	0	43.7228	1703.37	1	-0.175	-0.5	-2579.68	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB100	Combination	-172.255	137.177	0	0	0	-48.2347	1870.36	3	0.175	-0.5	-2854.67	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB101	Combination	-104.001	-96.167	0	0	0	-30.4912	1196.3	3	0.175	-0.5	-1790.59	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB101	Combination	-122.901	3.298	0	0	0	56.8091	2431.34	1	-0.175	-0.5	-3133.63	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB101	Combination	-141.801	149.592	0	0	0	-69.7997	3013.61	3	0.175	-0.5	-3823.91	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB102	Combination	-134.455	-108.995	0	0	0	-57.7645	2445.12	3	0.175	-0.5	-3213.44	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB102	Combination	-153.355	-12.554	0	0	0	52.2486	2120.95	1	-0.175	-0.5	-2997.27	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB102	Combination	-172.255	149.471	0	0	0	-60.6325	2477.59	3	0.175	-0.5	-3461.91	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB103	Combination	-104.001	-102.756	0	0	0	-36.747	1502.7	3	0.175	-0.5	-2097	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB103	Combination	-122.901	-0.104	0	0	0	58.6737	2522.67	1	-0.175	-0.5	-3224.96	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB103	Combination	-141.801	147.291	0	0	0	-63.6738	2713.57	3	0.175	-0.5	-3523.86	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB104	Combination	-134.455	-115.583	0	0	0	-64.0202	2751.53	3	0.175	-0.5	-3519.84	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB104	Combination	-153.355	-15.956	0	0	0	54.1132	2212.28	1	-0.175	-0.5	-3088.6	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB104	Combination	-172.255	147.17	0	0	0	-54.5066	2177.55	3	0.175	-0.5	-3161.87	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB105	Combination	-90.767	-110.958	0	0	0	-63.736	2862.43	3	0.175	-0.5	-3381.1	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	A_COMB105	Combination	-109.667	-9.314	0	0	0	45.7805	1928.98	1	-0.175	-0.5	-2555.64	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB105	Combination	-128.567	138.138	0	0	0	-61.8935	2664.19	3	0.175	-0.5	-3398.85	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB106	Combination	-113.607	-120.579	0	0	0	-84.1909	3799.04	3	0.175	-0.5	-4448.23	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB106	Combination	-132.507	-21.202	0	0	0	42.3601	1696.19	1	-0.175	-0.5	-2453.37	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB106	Combination	-151.407	138.047	0	0	0	-55.0181	2262.17	3	0.175	-0.5	-3127.36	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB107	Combination	-90.767	-121.939	0	0	0	-74.1622	3373.1	3	0.175	-0.5	-3891.77	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB107	Combination	-109.667	-14.984	0	0	0	48.8882	2081.19	1	-0.175	-0.5	-2707.86	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB107	Combination	-128.567	134.302	0	0	0	-51.6837	2164.11	3	0.175	-0.5	-2898.78	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB108	Combination	-113.607	-131.56	0	0	0	-94.6172	4309.72	3	0.175	-0.5	-4958.9	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB108	Combination	-132.507	-26.872	0	0	0	45.4678	1848.4	1	-0.175	-0.5	-2605.59	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB108	Combination	-151.407	134.211	0	0	0	-44.8083	1762.1	3	0.175	-0.5	-2627.29	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB109	Combination	-90.767	-89.153	0	0	0	-13.5819	405.9	3	0.175	-0.5	-924.57	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB109	Combination	-109.667	9.353	0	0	0	63.0978	2777.17	1	-0.175	-0.5	-3403.84	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB109	Combination	-128.567	154.792	0	0	0	-72.3466	3176.17	3	0.175	-0.5	-3910.84	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB110	Combination	-113.607	-98.774	0	0	0	-34.0368	1342.52	3	0.175	-0.5	-1991.7	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB110	Combination	-132.507	-2.536	0	0	0	59.6774	2544.38	1	-0.175	-0.5	-3301.57	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB110	Combination	-151.407	154.701	0	0	0	-65.4712	2774.16	3	0.175	-0.5	-3639.35	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB111	Combination	-90.767	-100.134	0	0	0	-24.0081	916.58	3	0.175	-0.5	-1435.24	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB111	Combination	-109.667	3.683	0	0	0	66.2055	2929.39	1	-0.175	-0.5	-3556.05	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB111	Combination	-128.567	150.956	0	0	0	-62.1368	2676.1	3	0.175	-0.5	-3410.77	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB112	Combination	-113.607	-109.754	0	0	0	-44.4631	1853.19	3	0.175	-0.5	-2502.38	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB112	Combination	-132.507	-8.206	0	0	0	62.7851	2696.6	1	-0.175	-0.5	-3453.78	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB112	Combination	-151.407	150.866	0	0	0	-55.2614	2274.09	3	0.175	-0.5	-3139.27	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB113	Combination	-100.157	-183.519	0	0	0	-63.9837	2847.73	3	0.175	-0.5	-3420.05	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB113	Combination	-119.057	19.136	0	0	0	80.4153	3598.55	1	-0.175	-0.5	-4278.87	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB113	Combination	-137.957	174.862	0	0	0	-84.3831	3738.89	3	0.175	-0.5	-4527.21	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB114	Combination	-122.997	-193.14	0	0	0	-84.4386	3784.35	3	0.175	-0.5	-4487.19	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB114	Combination	-141.897	7.247	0	0	0	76.9949	3365.76	1	-0.175	-0.5	-4176.6	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB114	Combination	-160.797	174.771	0	0	0	-77.5077	3336.87	3	0.175	-0.5	-4255.71	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB115	Combination	-100.157	-190.108	0	0	0	-70.2394	3154.14	3	0.175	-0.5	-3726.46	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB115	Combination	-119.057	15.734	0	0	0	82.2799	3689.88	1	-0.175	-0.5	-4370.2	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB115	Combination	-137.957	172.561	0	0	0	-78.2572	3438.84	3	0.175	-0.5	-4227.17	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB116	Combination	-122.997	-199.728	0	0	0	-90.6943	4090.75	3	0.175	-0.5	-4793.59	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	A_COMB116	Combination	-141.897	3.845	0	0	0	78.8595	3457.09	1	-0.175	-0.5	-4267.93	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB116	Combination	-160.797	172.47	0	0	0	-71.3818	3036.83	3	0.175	-0.5	-3955.67	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB117	Combination	-100.157	-170.436	0	0	0	-33.8912	1373.82	3	0.175	-0.5	-1946.14	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB117	Combination	-119.057	30.336	0	0	0	90.8056	4107.46	1	-0.175	-0.5	-4787.78	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB117	Combination	-137.957	184.854	0	0	0	-90.6549	4046.08	3	0.175	-0.5	-4834.4	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB118	Combination	-122.997	-180.056	0	0	0	-54.3461	2310.43	3	0.175	-0.5	-3013.27	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB118	Combination	-141.897	18.447	0	0	0	87.3853	3874.67	1	-0.175	-0.5	-4685.51	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB118	Combination	-160.797	184.764	0	0	0	-83.7795	3644.07	3	0.175	-0.5	-4562.91	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB119	Combination	-100.157	-177.024	0	0	0	-40.147	1680.22	3	0.175	-0.5	-2252.54	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB119	Combination	-119.057	26.934	0	0	0	92.6703	4198.79	1	-0.175	-0.5	-4879.11	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB119	Combination	-137.957	182.553	0	0	0	-84.529	3746.04	3	0.175	-0.5	-4534.36	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB120	Combination	-122.997	-186.645	0	0	0	-60.6019	2616.84	3	0.175	-0.5	-3319.68	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB120	Combination	-141.897	15.045	0	0	0	89.2499	3966	1	-0.175	-0.5	-4776.84	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB120	Combination	-160.797	182.462	0	0	0	-77.6536	3344.02	3	0.175	-0.5	-4262.86	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB121	Combination	-97.809	-168.06	0	0	0	-70.056	3151.86	3	0.175	-0.5	-3710.77	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB121	Combination	-116.709	10.266	0	0	0	69.3075	3061.2	1	-0.175	-0.5	-3728.11	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB121	Combination	-135.609	164.508	0	0	0	-79.0074	3482.29	3	0.175	-0.5	-4257.2	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB122	Combination	-120.65	-177.681	0	0	0	-90.511	4088.48	3	0.175	-0.5	-4777.9	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB122	Combination	-139.55	-1.623	0	0	0	65.8871	2828.41	1	-0.175	-0.5	-3625.84	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB122	Combination	-158.45	164.417	0	0	0	-72.1319	3080.28	3	0.175	-0.5	-3985.71	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB123	Combination	-97.809	-179.041	0	0	0	-80.4823	3662.53	3	0.175	-0.5	-4221.44	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB123	Combination	-116.709	4.596	0	0	0	72.4152	3213.41	1	-0.175	-0.5	-3880.32	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB123	Combination	-135.609	160.673	0	0	0	-68.7975	2982.22	3	0.175	-0.5	-3757.13	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB124	Combination	-120.65	-188.661	0	0	0	-100.9372	4599.15	3	0.175	-0.5	-5288.58	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB124	Combination	-139.55	-7.293	0	0	0	68.9948	2980.62	1	-0.175	-0.5	-3778.05	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB124	Combination	-158.45	160.582	0	0	0	-61.9221	2580.21	3	0.175	-0.5	-3485.63	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB125	Combination	-97.809	-146.254	0	0	0	-19.9019	695.33	3	0.175	-0.5	-1254.24	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB125	Combination	-116.709	28.932	0	0	0	86.6247	3909.39	1	-0.175	-0.5	-4576.3	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB125	Combination	-135.609	181.163	0	0	0	-89.4604	3994.28	3	0.175	-0.5	-4769.19	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB126	Combination	-120.65	-155.875	0	0	0	-40.3569	1631.95	3	0.175	-0.5	-2321.38	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB126	Combination	-139.55	17.043	0	0	0	83.2044	3676.6	1	-0.175	-0.5	-4474.03	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB126	Combination	-158.45	181.072	0	0	0	-82.585	3592.27	3	0.175	-0.5	-4497.69	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB127	Combination	-97.809	-157.235	0	0	0	-30.3282	1206.01	3	0.175	-0.5	-1764.92	1
	-0.175	-0.5	20-1	0											



## Allegati alla relazione di Calcolo

20	1.6	A_COMB127	Combination	-116.709	23.262	0	0	0	89.7325	4061.61	1	-0.175	-0.5	-4728.52	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB127	Combination	-135.609	177.327	0	0	0	-79.2506	3494.21	3	0.175	-0.5	-4269.12	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB128	Combination	-120.65	-166.856	0	0	0	-50.7831	2142.62	3	0.175	-0.5	-2832.05	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB128	Combination	-139.55	11.373	0	0	0	86.3121	3828.82	1	-0.175	-0.5	-4626.24	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB128	Combination	-158.45	177.236	0	0	0	-72.3752	3092.19	3	0.175	-0.5	-3997.62	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB129	Combination	-90.67	-118.38	0	0	0	-57.84	2573.92	3	0.175	-0.5	-3092.04	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB129	Combination	-109.57	-6.84	0	0	0	56.5739	2457.91	1	-0.175	-0.5	-3084.03	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB129	Combination	-128.47	150.949	0	0	0	-64.2587	2780.31	3	0.175	-0.5	-3514.42	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB130	Combination	-113.511	-128.001	0	0	0	-78.2949	3510.54	3	0.175	-0.5	-4159.17	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB130	Combination	-132.411	-18.729	0	0	0	53.1536	2225.12	1	-0.175	-0.5	-2981.76	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB130	Combination	-151.311	150.858	0	0	0	-57.3833	2378.29	3	0.175	-0.5	-3242.93	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB131	Combination	-90.67	-124.969	0	0	0	-64.0957	2880.32	3	0.175	-0.5	-3398.44	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB131	Combination	-109.57	-10.242	0	0	0	58.4386	2549.24	1	-0.175	-0.5	-3175.36	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB131	Combination	-128.47	148.648	0	0	0	-58.1328	2480.26	3	0.175	-0.5	-3214.38	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB132	Combination	-113.511	-134.589	0	0	0	-84.5507	3816.94	3	0.175	-0.5	-4465.57	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB132	Combination	-132.411	-22.131	0	0	0	55.0182	2316.45	1	-0.175	-0.5	-3073.09	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB132	Combination	-151.311	148.557	0	0	0	-51.2574	2078.25	3	0.175	-0.5	-2942.88	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB133	Combination	-90.67	-105.297	0	0	0	-27.7475	1100	3	0.175	-0.5	-1618.12	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB133	Combination	-109.57	4.36	0	0	0	66.9643	2966.83	1	-0.175	-0.5	-3592.94	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB133	Combination	-128.47	160.942	0	0	0	-70.5306	3087.5	3	0.175	-0.5	-3821.62	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB134	Combination	-113.511	-114.918	0	0	0	-48.2025	2036.62	3	0.175	-0.5	-2685.25	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB134	Combination	-132.411	-7.529	0	0	0	63.5439	2734.04	1	-0.175	-0.5	-3490.67	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB134	Combination	-151.311	160.851	0	0	0	-63.6551	2685.49	3	0.175	-0.5	-3550.12	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB135	Combination	-90.67	-111.886	0	0	0	-34.0033	1406.41	3	0.175	-0.5	-1924.52	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB135	Combination	-109.57	0.957	0	0	0	68.829	3058.16	1	-0.175	-0.5	-3684.27	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB135	Combination	-128.47	158.64	0	0	0	-64.4047	2787.46	3	0.175	-0.5	-3521.57	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB136	Combination	-113.511	-121.506	0	0	0	-54.4582	2343.02	3	0.175	-0.5	-2991.66	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB136	Combination	-132.411	-10.931	0	0	0	65.4086	2825.37	1	-0.175	-0.5	-3582	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB136	Combination	-151.311	158.55	0	0	0	-57.5293	2385.44	3	0.175	-0.5	-3250.08	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB137	Combination	-104.001	-109.385	0	0	0	-60.653	2673.61	3	0.175	-0.5	-3267.91	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB137	Combination	-122.901	-8.036	0	0	0	46.5643	1929.55	1	-0.175	-0.5	-2631.85	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB137	Combination	-141.801	139.465	0	0	0	-63.1671	2688.75	3	0.175	-0.5	-3499.05	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB138	Combination	-134.455	-122.212	0	0	0	-87.9263	3922.44	3	0.175	-0.5	-4690.75	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	A_COMB138	Combination	-153.355	-23.888	0	0	0	42.0037	1619.17	1	-0.175	-0.5	-2495.48	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB138	Combination	-172.255	139.344	0	0	0	-53.9999	2152.73	3	0.175	-0.5	-3137.05	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB139	Combination	-104.001	-115.973	0	0	0	-66.9088	2980.02	3	0.175	-0.5	-3574.31	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB139	Combination	-122.901	-11.438	0	0	0	48.4289	2020.88	1	-0.175	-0.5	-2723.17	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB139	Combination	-141.801	137.164	0	0	0	-57.0412	2388.71	3	0.175	-0.5	-3199	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB140	Combination	-134.455	-128.801	0	0	0	-94.1821	4228.84	3	0.175	-0.5	-4997.16	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB140	Combination	-153.355	-27.29	0	0	0	43.8684	1710.5	1	-0.175	-0.5	-2586.81	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB140	Combination	-172.255	137.043	0	0	0	-47.874	1852.69	3	0.175	-0.5	-2837.01	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB141	Combination	-104.001	-96.302	0	0	0	-30.5606	1199.7	3	0.175	-0.5	-1793.99	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB141	Combination	-122.901	3.164	0	0	0	56.9546	2438.47	1	-0.175	-0.5	-3140.76	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB141	Combination	-141.801	149.458	0	0	0	-69.439	2995.95	3	0.175	-0.5	-3806.24	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB142	Combination	-134.455	-109.129	0	0	0	-57.8339	2448.52	3	0.175	-0.5	-3216.84	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB142	Combination	-153.355	-12.688	0	0	0	52.3941	2128.08	1	-0.175	-0.5	-3004.4	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB142	Combination	-172.255	149.337	0	0	0	-60.2717	2459.93	3	0.175	-0.5	-3444.24	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB143	Combination	-104.001	-102.89	0	0	0	-36.8164	1506.1	3	0.175	-0.5	-2100.4	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB143	Combination	-122.901	-0.238	0	0	0	58.8193	2529.8	1	-0.175	-0.5	-3232.09	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB143	Combination	-141.801	147.157	0	0	0	-63.3131	2695.9	3	0.175	-0.5	-3506.19	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB144	Combination	-134.455	-115.718	0	0	0	-64.0896	2754.92	3	0.175	-0.5	-3523.24	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB144	Combination	-153.355	-16.09	0	0	0	54.2588	2219.41	1	-0.175	-0.5	-3095.73	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB144	Combination	-172.255	147.035	0	0	0	-54.1458	2159.88	3	0.175	-0.5	-3144.2	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB145	Combination	-90.767	-111.093	0	0	0	-63.8054	2865.83	3	0.175	-0.5	-3384.49	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB145	Combination	-109.667	-9.448	0	0	0	45.9261	1936.11	1	-0.175	-0.5	-2562.77	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB145	Combination	-128.567	138.003	0	0	0	-61.5328	2646.52	3	0.175	-0.5	-3381.19	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB146	Combination	-113.607	-120.713	0	0	0	-84.2603	3802.44	3	0.175	-0.5	-4451.63	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB146	Combination	-132.507	-21.337	0	0	0	42.5057	1703.32	1	-0.175	-0.5	-2460.5	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB146	Combination	-151.407	137.912	0	0	0	-54.6574	2244.5	3	0.175	-0.5	-3109.69	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB147	Combination	-90.767	-122.074	0	0	0	-74.2316	3376.5	3	0.175	-0.5	-3895.17	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB147	Combination	-109.667	-15.118	0	0	0	49.0338	2088.32	1	-0.175	-0.5	-2714.99	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB147	Combination	-128.567	134.168	0	0	0	-51.323	2146.45	3	0.175	-0.5	-2881.11	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB148	Combination	-113.607	-131.694	0	0	0	-94.6866	4313.12	3	0.175	-0.5	-4962.3	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB148	Combination	-132.507	-27.007	0	0	0	45.6134	1855.53	1	-0.175	-0.5	-2612.72	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB148	Combination	-151.407	134.077	0	0	0	-44.4476	1744.43	3	0.175	-0.5	-2609.62	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB149	Combination	-90.767	-89.287	0	0	0	-13.6513	409.3	3	0.175	-0.5	-927.97	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	A_COMB149	Combination	-109.667	9.218	0	0	0	63.2434	2784.3	1	-0.175	-0.5	-3410.97	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB149	Combination	-128.567	154.657	0	0	0	-71.9859	3158.51	3	0.175	-0.5	-3893.17	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB150	Combination	-113.607	-98.908	0	0	0	-34.1062	1345.92	3	0.175	-0.5	-1995.1	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB150	Combination	-132.507	-2.671	0	0	0	59.823	2551.51	1	-0.175	-0.5	-3308.7	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB150	Combination	-151.407	154.566	0	0	0	-65.1105	2756.49	3	0.175	-0.5	-3621.68	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB151	Combination	-90.767	-100.268	0	0	0	-24.0775	919.97	3	0.175	-0.5	-1438.64	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB151	Combination	-109.667	3.548	0	0	0	66.3511	2936.52	1	-0.175	-0.5	-3563.18	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB151	Combination	-128.567	150.822	0	0	0	-61.7761	2658.43	3	0.175	-0.5	-3393.1	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB152	Combination	-113.607	-109.889	0	0	0	-44.5325	1856.59	3	0.175	-0.5	-2505.78	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB152	Combination	-132.507	-8.341	0	0	0	62.9307	2703.73	1	-0.175	-0.5	-3460.91	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB152	Combination	-151.407	150.731	0	0	0	-54.9007	2256.42	3	0.175	-0.5	-3121.61	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB153	Combination	-100.157	-183.653	0	0	0	-64.053	2851.13	3	0.175	-0.5	-3423.45	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB153	Combination	-119.057	19.002	0	0	0	80.5608	3605.68	1	-0.175	-0.5	-4286	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB153	Combination	-137.957	174.727	0	0	0	-84.0223	3721.22	3	0.175	-0.5	-4509.54	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB154	Combination	-122.997	-193.274	0	0	0	-84.508	3787.75	3	0.175	-0.5	-4490.59	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB154	Combination	-141.897	7.113	0	0	0	77.1405	3372.89	1	-0.175	-0.5	-4183.73	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB154	Combination	-160.797	174.637	0	0	0	-77.1469	3319.2	3	0.175	-0.5	-4238.05	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB155	Combination	-100.157	-190.242	0	0	0	-70.3088	3157.54	3	0.175	-0.5	-3729.86	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB155	Combination	-119.057	15.6	0	0	0	82.4255	3697.01	1	-0.175	-0.5	-4377.33	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB155	Combination	-137.957	172.426	0	0	0	-77.8965	3421.18	3	0.175	-0.5	-4209.5	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB156	Combination	-122.997	-199.862	0	0	0	-90.7637	4094.15	3	0.175	-0.5	-4796.99	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB156	Combination	-141.897	3.711	0	0	0	79.0051	3464.22	1	-0.175	-0.5	-4275.06	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB156	Combination	-160.797	172.335	0	0	0	-71.021	3019.16	3	0.175	-0.5	-3938	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB157	Combination	-100.157	-170.57	0	0	0	-33.9606	1377.21	3	0.175	-0.5	-1949.54	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB157	Combination	-119.057	30.201	0	0	0	90.9512	4114.59	1	-0.175	-0.5	-4794.92	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB157	Combination	-137.957	184.72	0	0	0	-90.2942	4028.41	3	0.175	-0.5	-4816.73	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB158	Combination	-122.997	-180.191	0	0	0	-54.4155	2313.83	3	0.175	-0.5	-3016.67	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB158	Combination	-141.897	18.312	0	0	0	87.5308	3881.8	1	-0.175	-0.5	-4692.64	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB158	Combination	-160.797	184.629	0	0	0	-83.4188	3626.4	3	0.175	-0.5	-4545.24	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB159	Combination	-100.157	-177.159	0	0	0	-40.2164	1683.62	3	0.175	-0.5	-2255.94	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB159	Combination	-119.057	26.799	0	0	0	92.8159	4205.92	1	-0.175	-0.5	-4886.24	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB159	Combination	-137.957	182.419	0	0	0	-84.1683	3728.37	3	0.175	-0.5	-4516.69	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB160	Combination	-122.997	-186.779	0	0	0	-60.6713	2620.23	3	0.175	-0.5	-3323.08	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	A_COMB160	Combination	-141.897	14.91	0	0	0	89.3955	3973.13	1	-0.175	-0.5	-4783.97	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB160	Combination	-160.797	182.328	0	0	0	-77.2929	3326.35	3	0.175	-0.5	-4245.19	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB161	Combination	-97.809	-168.194	0	0	0	-70.1254	3155.26	3	0.175	-0.5	-3714.17	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB161	Combination	-116.709	10.131	0	0	0	69.453	3068.33	1	-0.175	-0.5	-3735.24	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB161	Combination	-135.609	164.374	0	0	0	-78.6466	3464.63	3	0.175	-0.5	-4239.53	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB162	Combination	-120.65	-177.815	0	0	0	-90.5803	4091.87	3	0.175	-0.5	-4781.3	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB162	Combination	-139.55	-1.758	0	0	0	66.0326	2835.54	1	-0.175	-0.5	-3632.97	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB162	Combination	-158.45	164.283	0	0	0	-71.7712	3062.61	3	0.175	-0.5	-3968.04	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB163	Combination	-97.809	-179.175	0	0	0	-80.5517	3665.93	3	0.175	-0.5	-4224.84	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB163	Combination	-116.709	4.461	0	0	0	72.5608	3220.54	1	-0.175	-0.5	-3887.45	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB163	Combination	-135.609	160.538	0	0	0	-68.4368	2964.55	3	0.175	-0.5	-3739.46	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB164	Combination	-120.65	-188.796	0	0	0	-101.0066	4602.55	3	0.175	-0.5	-5291.98	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB164	Combination	-139.55	-7.428	0	0	0	69.1404	2987.75	1	-0.175	-0.5	-3785.18	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB164	Combination	-158.45	160.448	0	0	0	-61.5614	2562.54	3	0.175	-0.5	-3467.97	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB165	Combination	-97.809	-146.389	0	0	0	-19.9713	698.73	3	0.175	-0.5	-1257.64	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB165	Combination	-116.709	28.797	0	0	0	86.7703	3916.52	1	-0.175	-0.5	-4583.43	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB165	Combination	-135.609	181.028	0	0	0	-89.0997	3976.61	3	0.175	-0.5	-4751.52	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB166	Combination	-120.65	-156.009	0	0	0	-40.4263	1635.35	3	0.175	-0.5	-2324.78	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB166	Combination	-139.55	16.909	0	0	0	83.3499	3683.73	1	-0.175	-0.5	-4481.16	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB166	Combination	-158.45	180.937	0	0	0	-82.2243	3574.6	3	0.175	-0.5	-4480.03	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB167	Combination	-97.809	-157.37	0	0	0	-30.3976	1209.41	3	0.175	-0.5	-1768.32	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB167	Combination	-116.709	23.127	0	0	0	89.8781	4068.74	1	-0.175	-0.5	-4735.65	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB167	Combination	-135.609	177.193	0	0	0	-78.8899	3476.54	3	0.175	-0.5	-4251.45	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB168	Combination	-120.65	-166.99	0	0	0	-50.8525	2146.02	3	0.175	-0.5	-2835.45	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB168	Combination	-139.55	11.239	0	0	0	86.4577	3835.95	1	-0.175	-0.5	-4633.38	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB168	Combination	-158.45	177.102	0	0	0	-72.0145	3074.53	3	0.175	-0.5	-3979.95	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB169	Combination	-97.809	-164.664	0	0	0	-61.9695	2755.79	3	0.175	-0.5	-3314.7	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB169	Combination	-116.709	12.43	0	0	0	72.767	3230.65	1	-0.175	-0.5	-3897.55	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB169	Combination	-135.609	165.892	0	0	0	-78.1975	3442.63	3	0.175	-0.5	-4217.54	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB170	Combination	-120.65	-174.285	0	0	0	-82.4244	3692.4	3	0.175	-0.5	-4381.83	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB170	Combination	-139.55	0.541	0	0	0	69.3467	2997.86	1	-0.175	-0.5	-3795.28	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB170	Combination	-158.45	165.801	0	0	0	-71.3221	3040.61	3	0.175	-0.5	-3946.04	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB171	Combination	-97.809	-171.253	0	0	0	-68.2253	3062.19	3	0.175	-0.5	-3621.1	1
	-0.175	-0.5	20-1	0											



## Allegati alla relazione di Calcolo

20	1.6	A_COMB177_0_4	Combination	-52.137	-1.133	0	0	0	32.4442	1440.14	1	-0.175	-0.5	-1738.07	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB177_0_4	Combination	-66.138	88.216	0	0	0	-36.1807	1583.15	3	0.175	-0.5	-1961.08	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB177	Combination	-44.998	-113.503	0	0	0	-27.3943	1213.2	3	0.175	-0.5	-1470.33	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB177	Combination	-61.714	11.958	0	0	0	68.9767	3202.12	1	-0.175	-0.5	-3554.78	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB177	Combination	-78.43	133.496	0	0	0	-57.3138	2583.12	3	0.175	-0.5	-3031.29	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB178	Combination	-44.998	-113.503	0	0	0	-27.3943	1213.2	3	0.175	-0.5	-1470.33	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB178	Combination	-61.714	11.958	0	0	0	68.9767	3202.12	1	-0.175	-0.5	-3554.78	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB178	Combination	-78.43	133.496	0	0	0	-57.3138	2583.12	3	0.175	-0.5	-3031.29	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB181	Combination	-46.817	-82.279	0	0	0	-22.8258	984.24	3	0.175	-0.5	-1251.76	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB181	Combination	-66.249	6.036	0	0	0	49.298	2225.31	1	-0.175	-0.5	-2603.88	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB181	Combination	-85.681	112.003	0	0	0	-49.6618	2187.61	3	0.175	-0.5	-2677.22	1
	-0.175	-0.5	20-7	0.45714											
20	0	A_COMB182	Combination	-8.679	-30.848	0	0	0	-6.2733	282.47	3	0.175	-0.5	-332.06	1
	-0.175	-0.5	20-1	0											
20	1.6	A_COMB182	Combination	-14.111	7.169	0	0	0	16.8538	785.17	1	-0.175	-0.5	-865.81	3
	0.175	-0.5	20-4	0.22857											
20	3.2	A_COMB182	Combination	-19.543	23.787	0	0	0	-13.4812	604.46	3	0.175	-0.5	-716.14	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB185	Combination	-77.877	-135.176	0	0	0	-57.6725	2602.27	3	0.175	-0.5	-3047.28	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB185	Combination	-96.777	-8.276	0	0	0	72.9484	3296.48	1	-0.175	-0.5	-3849.49	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB185	Combination	-115.677	178.593	0	0	0	-66.7453	2938.65	3	0.175	-0.5	-3599.67	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB186	Combination	-97.334	-143.372	0	0	0	-75.0971	3400.13	3	0.175	-0.5	-3956.32	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB186	Combination	-116.234	-18.404	0	0	0	70.0347	3098.18	1	-0.175	-0.5	-3762.37	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB186	Combination	-135.134	178.516	0	0	0	-60.8885	2596.2	3	0.175	-0.5	-3368.39	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB189	Combination	-77.877	-124.273	0	0	0	-32.5955	1374.01	3	0.175	-0.5	-1819.02	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB189	Combination	-96.777	1.057	0	0	0	81.607	3720.57	1	-0.175	-0.5	-4273.59	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB189	Combination	-115.677	186.92	0	0	0	-71.9719	3194.65	3	0.175	-0.5	-3855.66	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB190	Combination	-97.334	-132.469	0	0	0	-50.0201	2171.87	3	0.175	-0.5	-2728.06	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB190	Combination	-116.234	-9.07	0	0	0	78.6934	3522.27	1	-0.175	-0.5	-4186.47	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB190	Combination	-135.134	186.843	0	0	0	-66.115	2852.19	3	0.175	-0.5	-3624.38	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB_0_2_GEO_SBIL	Combination	-24.256	-73.499	0	0	0	-23.5008	1081.76	3	0.175	-0.5	-	
1220.36	1	-0.175	-0.5	20-1	0										
20	1.6	B_COMB_0_2_GEO_SBIL	Combination	-43.156	-6.14	0	0	0	49.7344	2312.67	1	-0.175	-0.5	-	
2559.27	3	0.175	-0.5	20-4	0.22857										
20	3.2	B_COMB_0_2_GEO_SBIL	Combination	-62.056	113.98	0	0	0	-35.9554	1583.78	3	0.175	-0.5	-	
1938.38	1	-0.175	-0.5	20-7	0.45714										
20	0	B_COMB_0_2_1_GEO_SBIL	Combination	-44.356	-75.152	0	0	0	-28.5628	1272.26	3	0.175	-0.5	-	
1525.72	1	-0.175	-0.5	20-1	0										
20	1.6	B_COMB_0_2_1_GEO_SBIL	Combination	-63.256	-6.697	0	0	0	46.637	2103.53	1	-0.175	-0.5	-	
2464.99	3	0.175	-0.5	20-4	0.22857										
20	3.2	B_COMB_0_2_1_GEO_SBIL	Combination	-82.156	114.476	0	0	0	-39.201	1685.32	3	0.175	-0.5	-	
2154.78	1	-0.175	-0.5	20-7	0.45714										
20	0	B_COMB_0_3_GEO_SBIL	Combination	-44.356	-75.152	0	0	0	-28.5628	1272.26	3	0.175	-0.5	-	
1525.72	1	-0.175	-0.5	20-1	0										

## Allegati alla relazione di Calcolo

20	1.6	B_COMB_0_3_GEO_SBIL	Combination	-63.256	-6.697	0	0	0	46.637	2103.53	1	-0.175	-0.5	-	
2464.99	3	0.175 -0.5 20-4	0.22857												
20	3.2	B_COMB_0_3_GEO_SBIL	Combination	-82.156	114.476	0	0	0	-39.201	1685.32	3	0.175	-0.5	-	
2154.78	1	-0.175 -0.5 20-7	0.45714												
20	0	B_COMB_0_4_GEO_SBIL	Combination	-44.356	-71.248	0	0	0	-22.8395	991.94	3	0.175	-0.5	-	
1245.4	1	-0.175 -0.5 20-1	0												
20	1.6	B_COMB_0_4_GEO_SBIL	Combination	-63.256	-2.865	0	0	0	46.1561	2079.98	1	-0.175	-0.5	-	
2441.44	3	0.175 -0.5 20-4	0.22857												
20	3.2	B_COMB_0_4_GEO_SBIL	Combination	-82.156	118.238	0	0	0	-45.7421	2005.7	3	0.175	-0.5	-	
2475.16	1	-0.175 -0.5 20-7	0.45714												
20	0	B_COMB193	Combination	-89.25	-125.672	0	0	0	-59.6936	2668.77	3	0.175	-0.5	-3178.77	1
		-0.175 -0.5 20-1	0												
20	1.6	B_COMB193	Combination	-108.15	-9.339	0	0	0	63.1701	2785.05	1	-0.175	-0.5	-3403.05	3
		0.175 -0.5 20-4	0.22857												
20	3.2	B_COMB193	Combination	-127.05	166.881	0	0	0	-65.2976	2835.25	3	0.175	-0.5	-3561.25	1
		-0.175 -0.5 20-7	0.45714												
20	0	B_COMB194	Combination	-115.192	-136.599	0	0	0	-82.9264	3732.58	3	0.175	-0.5	-4390.82	1
		-0.175 -0.5 20-1	0												
20	1.6	B_COMB194	Combination	-134.092	-22.843	0	0	0	59.2852	2520.65	1	-0.175	-0.5	-3286.89	3
		0.175 -0.5 20-4	0.22857												
20	3.2	B_COMB194	Combination	-152.992	166.778	0	0	0	-57.4885	2378.64	3	0.175	-0.5	-3252.88	1
		-0.175 -0.5 20-7	0.45714												
20	0	B_COMB195	Combination	-89.25	-131.162	0	0	0	-64.9067	2924.11	3	0.175	-0.5	-3434.1	1
		-0.175 -0.5 20-1	0												
20	1.6	B_COMB195	Combination	-108.15	-12.174	0	0	0	64.724	2861.16	1	-0.175	-0.5	-3479.15	3
		0.175 -0.5 20-4	0.22857												
20	3.2	B_COMB195	Combination	-127.05	164.963	0	0	0	-60.1927	2585.21	3	0.175	-0.5	-3311.21	1
		-0.175 -0.5 20-7	0.45714												
20	0	B_COMB196	Combination	-115.192	-142.09	0	0	0	-88.1395	3987.92	3	0.175	-0.5	-4646.16	1
		-0.175 -0.5 20-1	0												
20	1.6	B_COMB196	Combination	-134.092	-25.678	0	0	0	60.8391	2596.75	1	-0.175	-0.5	-3362.99	3
		0.175 -0.5 20-4	0.22857												
20	3.2	B_COMB196	Combination	-152.992	164.86	0	0	0	-52.3835	2128.6	3	0.175	-0.5	-3002.84	1
		-0.175 -0.5 20-7	0.45714												
20	0	B_COMB197	Combination	-89.25	-114.769	0	0	0	-34.6166	1440.51	3	0.175	-0.5	-1950.5	1
		-0.175 -0.5 20-1	0												
20	1.6	B_COMB197	Combination	-108.15	-6.10E-03	0	0	0	71.8288	3209.14	1	-0.175	-0.5	-3827.14	3
		0.175 -0.5 20-4	0.22857												
20	3.2	B_COMB197	Combination	-127.05	175.208	0	0	0	-70.5241	3091.24	3	0.175	-0.5	-3817.24	1
		-0.175 -0.5 20-7	0.45714												
20	0	B_COMB198	Combination	-115.192	-125.696	0	0	0	-57.8493	2504.32	3	0.175	-0.5	-3162.56	1
		-0.175 -0.5 20-1	0												
20	1.6	B_COMB198	Combination	-134.092	-13.51	0	0	0	67.9439	2944.74	1	-0.175	-0.5	-3710.98	3
		0.175 -0.5 20-4	0.22857												
20	3.2	B_COMB198	Combination	-152.992	175.105	0	0	0	-62.715	2634.63	3	0.175	-0.5	-3508.88	1
		-0.175 -0.5 20-7	0.45714												
20	0	B_COMB199	Combination	-89.25	-120.26	0	0	0	-39.8297	1695.84	3	0.175	-0.5	-2205.84	1
		-0.175 -0.5 20-1	0												
20	1.6	B_COMB199	Combination	-108.15	-2.841	0	0	0	73.3826	3285.25	1	-0.175	-0.5	-3903.25	3
		0.175 -0.5 20-4	0.22857												
20	3.2	B_COMB199	Combination	-127.05	173.291	0	0	0	-65.4192	2841.21	3	0.175	-0.5	-3567.21	1
		-0.175 -0.5 20-7	0.45714												
20	0	B_COMB200	Combination	-115.192	-131.187	0	0	0	-63.0625	2759.65	3	0.175	-0.5	-3417.89	1
		-0.175 -0.5 20-1	0												
20	1.6	B_COMB200	Combination	-134.092	-16.345	0	0	0	69.4977	3020.85	1	-0.175	-0.5	-3787.09	3
		0.175 -0.5 20-4	0.22857												
20	3.2	B_COMB200	Combination	-152.992	173.187	0	0	0	-57.6101	2384.6	3	0.175	-0.5	-3258.84	1
		-0.175 -0.5 20-7	0.45714												
20	0	B_COMB201	Combination	-77.976	-127.061	0	0	0	-62.2274	2825.09	3	0.175	-0.5	-3270.66	1
		-0.175 -0.5 20-1	0												
20	1.6	B_COMB201	Combination	-96.876	-10.499	0	0	0	62.6869	2793.59	1	-0.175	-0.5	-3347.17	3
		0.175 -0.5 20-4	0.22857												
20	3.2	B_COMB201	Combination	-115.776	165.664	0	0	0	-63.8993	2798.97	3	0.175	-0.5	-3460.55	1
		-0.175 -0.5 20-7	0.45714												
20	0	B_COMB202	Combination	-97.433	-135.256	0	0	0	-79.652	3622.94	3	0.175	-0.5	-4179.7	1
		-0.175 -0.5 20-1	0												





## Allegati alla relazione di Calcolo

20	1.6	B_COMB213	Combination	-104.874	23.026	0	0	0	100.7888	4636.95	1	-0.175	-0.5	-5236.24	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB213	Combination	-123.774	205.246	0	0	0	-88.2897	3970.75	3	0.175	-0.5	-4678.03	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB214	Combination	-105.431	-186.23	0	0	0	-54.9374	2389.58	3	0.175	-0.5	-2992.05	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB214	Combination	-124.331	12.898	0	0	0	97.8751	4438.65	1	-0.175	-0.5	-5149.12	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB214	Combination	-143.231	205.169	0	0	0	-82.4329	3628.3	3	0.175	-0.5	-4446.76	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB215	Combination	-85.974	-183.525	0	0	0	-42.726	1847.06	3	0.175	-0.5	-2338.34	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB215	Combination	-104.874	20.191	0	0	0	102.3427	4713.06	1	-0.175	-0.5	-5312.34	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB215	Combination	-123.774	203.329	0	0	0	-83.1848	3720.72	3	0.175	-0.5	-4428	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB216	Combination	-105.431	-191.721	0	0	0	-60.1506	2644.92	3	0.175	-0.5	-3247.38	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB216	Combination	-124.331	10.063	0	0	0	99.429	4514.76	1	-0.175	-0.5	-5225.22	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB216	Combination	-143.231	203.251	0	0	0	-77.3279	3378.26	3	0.175	-0.5	-4196.72	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB217	Combination	-83.975	-175.703	0	0	0	-67.6112	3071.64	3	0.175	-0.5	-3551.5	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB217	Combination	-102.875	6.18	0	0	0	82.7284	3758.08	1	-0.175	-0.5	-4345.93	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB217	Combination	-121.775	188.128	0	0	0	-78.4777	3495.88	3	0.175	-0.5	-4191.74	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB218	Combination	-103.432	-183.898	0	0	0	-85.0358	3869.5	3	0.175	-0.5	-4460.54	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB218	Combination	-122.332	-3.948	0	0	0	79.8148	3559.78	1	-0.175	-0.5	-4258.81	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB218	Combination	-141.232	188.051	0	0	0	-72.6209	3153.42	3	0.175	-0.5	-3960.46	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB219	Combination	-83.975	-184.853	0	0	0	-76.2997	3497.2	3	0.175	-0.5	-3977.06	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB219	Combination	-102.875	1.455	0	0	0	85.3182	3884.92	1	-0.175	-0.5	-4472.78	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB219	Combination	-121.775	184.932	0	0	0	-69.9696	3079.15	3	0.175	-0.5	-3775.01	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB220	Combination	-103.432	-193.049	0	0	0	-93.7243	4295.06	3	0.175	-0.5	-4886.1	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB220	Combination	-122.332	-8.673	0	0	0	82.4045	3686.62	1	-0.175	-0.5	-4385.66	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB220	Combination	-141.232	184.855	0	0	0	-64.1127	2736.7	3	0.175	-0.5	-3543.73	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB221	Combination	-83.975	-157.531	0	0	0	-25.8161	1024.54	3	0.175	-0.5	-1504.39	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB221	Combination	-102.875	21.735	0	0	0	97.1595	4464.9	1	-0.175	-0.5	-5052.76	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB221	Combination	-121.775	202.007	0	0	0	-87.1887	3922.54	3	0.175	-0.5	-4618.39	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB222	Combination	-103.432	-165.727	0	0	0	-43.2407	1822.39	3	0.175	-0.5	-2413.43	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB222	Combination	-122.332	11.607	0	0	0	94.2458	4266.6	1	-0.175	-0.5	-4965.64	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB222	Combination	-141.232	201.93	0	0	0	-81.3318	3580.08	3	0.175	-0.5	-4387.12	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB223	Combination	-83.975	-166.682	0	0	0	-34.5047	1450.1	3	0.175	-0.5	-1929.95	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB223	Combination	-102.875	17.01	0	0	0	99.7493	4591.75	1	-0.175	-0.5	-5179.61	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB223	Combination	-121.775	198.811	0	0	0	-78.6805	3505.81	3	0.175	-0.5	-4201.67	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB224	Combination	-103.432	-174.878	0	0	0	-51.9292	2247.95	3	0.175	-0.5	-2838.99	1
	-0.175	-0.5	20-1	0											

*Allegati alla relazione di Calcolo*

20	1.6	B_COMB224	Combination	-122.332	6.882	0	0	0	96.8356	4393.45	1	-0.175	-0.5	-5092.49	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB224	Combination	-141.232	198.733	0	0	0	-72.8236	3163.35	3	0.175	-0.5	-3970.39	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB225	Combination	-77.877	-135.293	0	0	0	-57.7327	2605.22	3	0.175	-0.5	-3050.23	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB225	Combination	-96.777	-8.392	0	0	0	73.0746	3302.66	1	-0.175	-0.5	-3855.67	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB225	Combination	-115.677	178.477	0	0	0	-66.4327	2923.34	3	0.175	-0.5	-3584.35	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB226	Combination	-97.334	-143.488	0	0	0	-75.1573	3403.07	3	0.175	-0.5	-3959.27	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB226	Combination	-116.234	-18.52	0	0	0	70.1609	3104.35	1	-0.175	-0.5	-3768.55	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB226	Combination	-135.134	178.399	0	0	0	-60.5759	2580.88	3	0.175	-0.5	-3353.08	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB227	Combination	-77.877	-140.783	0	0	0	-62.9458	2860.55	3	0.175	-0.5	-3305.57	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB227	Combination	-96.777	-11.227	0	0	0	74.6284	3378.76	1	-0.175	-0.5	-3931.78	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB227	Combination	-115.677	176.559	0	0	0	-61.3278	2673.3	3	0.175	-0.5	-3334.32	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB228	Combination	-97.334	-148.978	0	0	0	-80.3704	3658.41	3	0.175	-0.5	-4214.61	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB228	Combination	-116.234	-21.355	0	0	0	71.7148	3180.46	1	-0.175	-0.5	-3844.66	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB228	Combination	-135.134	176.482	0	0	0	-55.4709	2330.85	3	0.175	-0.5	-3103.04	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB229	Combination	-77.877	-124.39	0	0	0	-32.6556	1376.95	3	0.175	-0.5	-1821.97	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB229	Combination	-96.777	0.941	0	0	0	81.7332	3726.75	1	-0.175	-0.5	-4279.77	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB229	Combination	-115.677	186.804	0	0	0	-71.6592	3179.33	3	0.175	-0.5	-3840.35	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB230	Combination	-97.334	-132.585	0	0	0	-50.0802	2174.81	3	0.175	-0.5	-2731.01	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB230	Combination	-116.234	-9.187	0	0	0	78.8195	3528.45	1	-0.175	-0.5	-4192.65	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB230	Combination	-135.134	186.726	0	0	0	-65.8024	2836.88	3	0.175	-0.5	-3609.07	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB231	Combination	-77.877	-129.88	0	0	0	-37.8688	1632.29	3	0.175	-0.5	-2077.3	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB231	Combination	-96.777	-1.894	0	0	0	83.2871	3802.86	1	-0.175	-0.5	-4355.87	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB231	Combination	-115.677	184.886	0	0	0	-66.5543	2929.3	3	0.175	-0.5	-3590.31	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB232	Combination	-97.334	-138.076	0	0	0	-55.2934	2430.15	3	0.175	-0.5	-2986.34	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB232	Combination	-116.234	-12.022	0	0	0	80.3734	3604.56	1	-0.175	-0.5	-4268.75	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB232	Combination	-135.134	184.809	0	0	0	-60.6975	2586.84	3	0.175	-0.5	-3359.04	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB233	Combination	-89.25	-125.788	0	0	0	-59.7537	2671.72	3	0.175	-0.5	-3181.71	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB233	Combination	-108.15	-9.456	0	0	0	63.2963	2791.23	1	-0.175	-0.5	-3409.22	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB233	Combination	-127.05	166.765	0	0	0	-64.9849	2819.94	3	0.175	-0.5	-3545.94	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB234	Combination	-115.192	-136.716	0	0	0	-82.9865	3735.53	3	0.175	-0.5	-4393.77	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB234	Combination	-134.092	-22.959	0	0	0	59.4114	2526.83	1	-0.175	-0.5	-3293.07	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB234	Combination	-152.992	166.661	0	0	0	-57.1758	2363.33	3	0.175	-0.5	-3237.57	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB235	Combination	-89.25	-131.279	0	0	0	-64.9669	2927.05	3	0.175	-0.5	-3437.05	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	B_COMB235	Combination	-108.15	-12.291	0	0	0	64.8501	2867.33	1	-0.175	-0.5	-3485.33	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB235	Combination	-127.05	164.847	0	0	0	-59.88	2569.9	3	0.175	-0.5	-3295.9	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB236	Combination	-115.192	-142.206	0	0	0	-88.1996	3990.86	3	0.175	-0.5	-4649.1	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB236	Combination	-134.092	-25.794	0	0	0	60.9653	2602.93	1	-0.175	-0.5	-3369.17	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB236	Combination	-152.992	164.744	0	0	0	-52.0709	2113.29	3	0.175	-0.5	-2987.53	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB237	Combination	-89.25	-114.886	0	0	0	-34.6767	1443.45	3	0.175	-0.5	-1953.45	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB237	Combination	-108.15	-0.123	0	0	0	71.9549	3215.32	1	-0.175	-0.5	-3833.32	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB237	Combination	-127.05	175.092	0	0	0	-70.2115	3075.93	3	0.175	-0.5	-3801.93	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB238	Combination	-115.192	-125.813	0	0	0	-57.9095	2507.26	3	0.175	-0.5	-3165.5	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB238	Combination	-134.092	-13.626	0	0	0	68.07	2950.92	1	-0.175	-0.5	-3717.16	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB238	Combination	-152.992	174.988	0	0	0	-62.4024	2619.32	3	0.175	-0.5	-3493.56	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB239	Combination	-89.25	-120.376	0	0	0	-39.8898	1698.79	3	0.175	-0.5	-2208.79	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB239	Combination	-108.15	-2.958	0	0	0	73.5088	3291.43	1	-0.175	-0.5	-3909.43	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB239	Combination	-127.05	173.174	0	0	0	-65.1066	2825.89	3	0.175	-0.5	-3551.89	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB240	Combination	-115.192	-131.303	0	0	0	-63.1226	2762.6	3	0.175	-0.5	-3420.84	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB240	Combination	-134.092	-16.461	0	0	0	69.6239	3027.03	1	-0.175	-0.5	-3793.27	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB240	Combination	-152.992	173.071	0	0	0	-57.2975	2369.29	3	0.175	-0.5	-3243.53	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB241	Combination	-77.976	-127.177	0	0	0	-62.2876	2828.03	3	0.175	-0.5	-3273.61	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB241	Combination	-96.876	-10.615	0	0	0	62.8131	2799.77	1	-0.175	-0.5	-3353.35	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB241	Combination	-115.776	165.548	0	0	0	-63.5867	2783.66	3	0.175	-0.5	-3445.24	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB242	Combination	-97.433	-135.372	0	0	0	-79.7122	3625.89	3	0.175	-0.5	-4182.65	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB242	Combination	-116.333	-20.743	0	0	0	59.8994	2601.47	1	-0.175	-0.5	-3266.23	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB242	Combination	-135.233	165.471	0	0	0	-57.7298	2441.21	3	0.175	-0.5	-3213.96	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB243	Combination	-77.976	-136.328	0	0	0	-70.9761	3253.59	3	0.175	-0.5	-3699.17	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB243	Combination	-96.876	-15.34	0	0	0	65.4029	2926.62	1	-0.175	-0.5	-3480.19	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB243	Combination	-115.776	162.352	0	0	0	-55.0785	2366.93	3	0.175	-0.5	-3028.51	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB244	Combination	-97.433	-144.523	0	0	0	-88.4007	4051.45	3	0.175	-0.5	-4608.21	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB244	Combination	-116.333	-25.468	0	0	0	62.4892	2728.32	1	-0.175	-0.5	-3393.08	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB244	Combination	-135.233	162.274	0	0	0	-49.2217	2024.48	3	0.175	-0.5	-2797.24	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB245	Combination	-77.976	-109.006	0	0	0	-20.4925	780.93	3	0.175	-0.5	-1226.5	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB245	Combination	-96.876	4.94	0	0	0	77.2442	3506.6	1	-0.175	-0.5	-4060.18	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB245	Combination	-115.776	179.426	0	0	0	-72.2976	3210.32	3	0.175	-0.5	-3871.9	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB246	Combination	-97.433	-117.201	0	0	0	-37.9171	1578.78	3	0.175	-0.5	-2135.54	1
	-0.175	-0.5	20-1	0											

Allegati alla relazione di Calcolo

20	1.6	B_COMB246	Combination	-116.333	-5.188	0	0	0	74.3305	3308.3	1	-0.175	-0.5	-3973.06	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB246	Combination	-135.233	179.349	0	0	0	-66.4408	2867.86	3	0.175	-0.5	-3640.62	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB247	Combination	-77.976	-118.157	0	0	0	-29.1811	1206.49	3	0.175	-0.5	-1652.07	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB247	Combination	-96.876	0.215	0	0	0	79.834	3633.45	1	-0.175	-0.5	-4187.02	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB247	Combination	-115.776	176.23	0	0	0	-63.7894	2793.59	3	0.175	-0.5	-3455.17	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB248	Combination	-97.433	-126.352	0	0	0	-46.6056	2004.35	3	0.175	-0.5	-2561.1	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB248	Combination	-116.333	-9.913	0	0	0	76.9203	3435.15	1	-0.175	-0.5	-4099.9	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB248	Combination	-135.233	176.153	0	0	0	-57.9326	2451.13	3	0.175	-0.5	-3223.89	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB249	Combination	-85.974	-189.054	0	0	0	-62.65	2822.93	3	0.175	-0.5	-3314.21	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB249	Combination	-104.874	13.576	0	0	0	92.2563	4219.04	1	-0.175	-0.5	-4818.32	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB249	Combination	-123.774	196.803	0	0	0	-82.7505	3699.45	3	0.175	-0.5	-4406.73	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB250	Combination	-105.431	-197.249	0	0	0	-80.0746	3620.79	3	0.175	-0.5	-4223.25	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB250	Combination	-124.331	3.449	0	0	0	89.3427	4020.74	1	-0.175	-0.5	-4731.2	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB250	Combination	-143.231	196.725	0	0	0	-76.8937	3356.99	3	0.175	-0.5	-4175.45	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB251	Combination	-85.974	-194.545	0	0	0	-67.8632	3078.27	3	0.175	-0.5	-3569.55	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB251	Combination	-104.874	10.741	0	0	0	93.8102	4295.14	1	-0.175	-0.5	-4894.43	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB251	Combination	-123.774	194.885	0	0	0	-77.6456	3449.41	3	0.175	-0.5	-4156.69	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB252	Combination	-105.431	-202.74	0	0	0	-85.2877	3876.13	3	0.175	-0.5	-4478.59	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB252	Combination	-124.331	0.614	0	0	0	90.8965	4096.84	1	-0.175	-0.5	-4807.31	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB252	Combination	-143.231	194.808	0	0	0	-71.7888	3106.95	3	0.175	-0.5	-3925.42	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB253	Combination	-85.974	-178.151	0	0	0	-37.573	1594.67	3	0.175	-0.5	-2085.95	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB253	Combination	-104.874	22.909	0	0	0	100.915	4643.13	1	-0.175	-0.5	-5242.42	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB253	Combination	-123.774	205.13	0	0	0	-87.9771	3955.44	3	0.175	-0.5	-4662.72	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB254	Combination	-105.431	-186.347	0	0	0	-54.9976	2392.53	3	0.175	-0.5	-2994.99	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB254	Combination	-124.331	12.782	0	0	0	98.0013	4444.83	1	-0.175	-0.5	-5155.3	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB254	Combination	-143.231	205.052	0	0	0	-82.1202	3612.98	3	0.175	-0.5	-4431.45	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB255	Combination	-85.974	-183.642	0	0	0	-42.7861	1850.01	3	0.175	-0.5	-2341.29	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB255	Combination	-104.874	20.074	0	0	0	102.4688	4719.24	1	-0.175	-0.5	-5318.52	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB255	Combination	-123.774	203.212	0	0	0	-82.8722	3705.4	3	0.175	-0.5	-4412.69	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB256	Combination	-105.431	-191.837	0	0	0	-60.2107	2647.86	3	0.175	-0.5	-3250.33	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB256	Combination	-124.331	9.947	0	0	0	99.5552	4520.94	1	-0.175	-0.5	-5231.4	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB256	Combination	-143.231	203.135	0	0	0	-77.0153	3362.95	3	0.175	-0.5	-4181.41	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB257	Combination	-83.975	-175.819	0	0	0	-67.6713	3074.59	3	0.175	-0.5	-3554.44	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	B_COMB257	Combination	-102.875	6.063	0	0	0	82.8546	3764.26	1	-0.175	-0.5	-4352.11	3
	0.175	-0.5 20-4	0.22857												
20	3.2	B_COMB257	Combination	-121.775	188.012	0	0	0	-78.1651	3480.57	3	0.175	-0.5	-4176.42	1
	-0.175	-0.5 20-7	0.45714												
20	0	B_COMB258	Combination	-103.432	-184.014	0	0	0	-85.0959	3872.44	3	0.175	-0.5	-4463.48	1
	-0.175	-0.5 20-1	0												
20	1.6	B_COMB258	Combination	-122.332	-4.064	0	0	0	79.9409	3565.95	1	-0.175	-0.5	-4264.99	3
	0.175	-0.5 20-4	0.22857												
20	3.2	B_COMB258	Combination	-141.232	187.934	0	0	0	-72.3083	3138.11	3	0.175	-0.5	-3945.15	1
	-0.175	-0.5 20-7	0.45714												
20	0	B_COMB259	Combination	-83.975	-184.97	0	0	0	-76.3599	3500.15	3	0.175	-0.5	-3980	1
	-0.175	-0.5 20-1	0												
20	1.6	B_COMB259	Combination	-102.875	1.338	0	0	0	85.4444	3891.1	1	-0.175	-0.5	-4478.96	3
	0.175	-0.5 20-4	0.22857												
20	3.2	B_COMB259	Combination	-121.775	184.816	0	0	0	-69.6569	3063.84	3	0.175	-0.5	-3759.7	1
	-0.175	-0.5 20-7	0.45714												
20	0	B_COMB260	Combination	-103.432	-193.165	0	0	0	-93.7845	4298.01	3	0.175	-0.5	-4889.04	1
	-0.175	-0.5 20-1	0												
20	1.6	B_COMB260	Combination	-122.332	-8.789	0	0	0	82.5307	3692.8	1	-0.175	-0.5	-4391.84	3
	0.175	-0.5 20-4	0.22857												
20	3.2	B_COMB260	Combination	-141.232	184.738	0	0	0	-63.8001	2721.38	3	0.175	-0.5	-3528.42	1
	-0.175	-0.5 20-7	0.45714												
20	0	B_COMB261	Combination	-83.975	-157.648	0	0	0	-25.8763	1027.48	3	0.175	-0.5	-1507.34	1
	-0.175	-0.5 20-1	0												
20	1.6	B_COMB261	Combination	-102.875	21.619	0	0	0	97.2857	4471.08	1	-0.175	-0.5	-5058.94	3
	0.175	-0.5 20-4	0.22857												
20	3.2	B_COMB261	Combination	-121.775	201.89	0	0	0	-86.876	3907.22	3	0.175	-0.5	-4603.08	1
	-0.175	-0.5 20-7	0.45714												
20	0	B_COMB262	Combination	-103.432	-165.843	0	0	0	-43.3008	1825.34	3	0.175	-0.5	-2416.38	1
	-0.175	-0.5 20-1	0												
20	1.6	B_COMB262	Combination	-122.332	11.491	0	0	0	94.372	4272.78	1	-0.175	-0.5	-4971.82	3
	0.175	-0.5 20-4	0.22857												
20	3.2	B_COMB262	Combination	-141.232	201.813	0	0	0	-81.0192	3564.77	3	0.175	-0.5	-4371.81	1
	-0.175	-0.5 20-7	0.45714												
20	0	B_COMB263	Combination	-83.975	-166.799	0	0	0	-34.5648	1453.04	3	0.175	-0.5	-1932.9	1
	-0.175	-0.5 20-1	0												
20	1.6	B_COMB263	Combination	-102.875	16.894	0	0	0	99.8754	4597.93	1	-0.175	-0.5	-5185.79	3
	0.175	-0.5 20-4	0.22857												
20	3.2	B_COMB263	Combination	-121.775	198.694	0	0	0	-78.3678	3490.5	3	0.175	-0.5	-4186.35	1
	-0.175	-0.5 20-7	0.45714												
20	0	B_COMB264	Combination	-103.432	-174.994	0	0	0	-51.9894	2250.9	3	0.175	-0.5	-2841.94	1
	-0.175	-0.5 20-1	0												
20	1.6	B_COMB264	Combination	-122.332	6.766	0	0	0	96.9618	4399.63	1	-0.175	-0.5	-5098.67	3
	0.175	-0.5 20-4	0.22857												
20	3.2	B_COMB264	Combination	-141.232	198.617	0	0	0	-72.511	3148.04	3	0.175	-0.5	-3955.08	1
	-0.175	-0.5 20-7	0.45714												
20	0	B_COMB265	Combination	-83.975	-172.879	0	0	0	-60.8755	2741.73	3	0.175	-0.5	-3221.59	1
	-0.175	-0.5 20-1	0												
20	1.6	B_COMB265	Combination	-102.875	7.978	0	0	0	85.6179	3899.6	1	-0.175	-0.5	-4487.46	3
	0.175	-0.5 20-4	0.22857												
20	3.2	B_COMB265	Combination	-121.775	189.276	0	0	0	-77.7868	3462.04	3	0.175	-0.5	-4157.9	1
	-0.175	-0.5 20-7	0.45714												
20	0	B_COMB266	Combination	-103.432	-181.074	0	0	0	-78.3001	3539.59	3	0.175	-0.5	-4130.63	1
	-0.175	-0.5 20-1	0												
20	1.6	B_COMB266	Combination	-122.332	-2.15	0	0	0	82.7042	3701.3	1	-0.175	-0.5	-4400.34	3
	0.175	-0.5 20-4	0.22857												
20	3.2	B_COMB266	Combination	-141.232	189.198	0	0	0	-71.93	3119.58	3	0.175	-0.5	-3926.62	1
	-0.175	-0.5 20-7	0.45714												
20	0	B_COMB267	Combination	-83.975	-178.369	0	0	0	-66.0886	2997.07	3	0.175	-0.5	-3476.92	1
	-0.175	-0.5 20-1	0												
20	1.6	B_COMB267	Combination	-102.875	5.143	0	0	0	87.1718	3975.71	1	-0.175	-0.5	-4563.56	3
	0.175	-0.5 20-4	0.22857												
20	3.2	B_COMB267	Combination	-121.775	187.358	0	0	0	-72.6819	3212	3	0.175	-0.5	-3907.86	1
	-0.175	-0.5 20-7	0.45714												
20	0	B_COMB268	Combination	-103.432	-186.565	0	0	0	-83.5132	3794.92	3	0.175	-0.5	-4385.96	1
	-0.175	-0.5 20-1	0												

## Allegati alla relazione di Calcolo

20	1.6	B_COMB268	Combination	-122.332	-4.985	0	0	0	84.2581	3777.41	1	-0.175	-0.5	-4476.45	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB268	Combination	-141.232	187.281	0	0	0	-66.8251	2869.55	3	0.175	-0.5	-3676.58	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB269	Combination	-83.975	-161.976	0	0	0	-35.7985	1513.47	3	0.175	-0.5	-1993.32	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB269	Combination	-102.875	17.311	0	0	0	94.2765	4323.7	1	-0.175	-0.5	-4911.55	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB269	Combination	-121.775	197.603	0	0	0	-83.0134	3718.03	3	0.175	-0.5	-4413.89	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB270	Combination	-103.432	-170.172	0	0	0	-53.223	2311.32	3	0.175	-0.5	-2902.36	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB270	Combination	-122.332	7.183	0	0	0	91.3629	4125.4	1	-0.175	-0.5	-4824.43	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB270	Combination	-141.232	197.525	0	0	0	-77.1565	3375.58	3	0.175	-0.5	-4182.61	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB271	Combination	-83.975	-167.467	0	0	0	-41.0116	1768.8	3	0.175	-0.5	-2248.66	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB271	Combination	-102.875	14.476	0	0	0	95.8304	4399.81	1	-0.175	-0.5	-4987.66	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB271	Combination	-121.775	195.685	0	0	0	-77.9085	3468	3	0.175	-0.5	-4163.85	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB272	Combination	-103.432	-175.662	0	0	0	-58.4362	2566.66	3	0.175	-0.5	-3157.7	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB272	Combination	-122.332	4.348	0	0	0	92.9167	4201.5	1	-0.175	-0.5	-4900.54	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB272	Combination	-141.232	195.608	0	0	0	-72.0516	3125.54	3	0.175	-0.5	-3932.58	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB273	Combination	-77.782	-124.865	0	0	0	-54.9533	2469.35	3	0.175	-0.5	-2913.82	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB273	Combination	-96.682	-7.098	0	0	0	65.521	2932.96	1	-0.175	-0.5	-3485.42	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB273	Combination	-115.582	162.53	0	0	0	-63.6505	2787.34	3	0.175	-0.5	-3447.81	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB274	Combination	-97.239	-133.061	0	0	0	-72.3779	3267.21	3	0.175	-0.5	-3822.86	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB274	Combination	-116.139	-17.226	0	0	0	62.6073	2734.65	1	-0.175	-0.5	-3398.31	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB274	Combination	-135.039	162.453	0	0	0	-57.7937	2444.88	3	0.175	-0.5	-3216.54	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB275	Combination	-77.782	-130.356	0	0	0	-60.1664	2724.69	3	0.175	-0.5	-3169.16	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB275	Combination	-96.682	-9.933	0	0	0	67.0748	3009.06	1	-0.175	-0.5	-3561.53	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB275	Combination	-115.582	160.612	0	0	0	-58.5456	2537.3	3	0.175	-0.5	-3197.77	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB276	Combination	-97.239	-138.551	0	0	0	-77.591	3522.55	3	0.175	-0.5	-4078.2	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB276	Combination	-116.139	-20.061	0	0	0	64.1612	2810.76	1	-0.175	-0.5	-3474.41	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB276	Combination	-135.039	160.535	0	0	0	-52.6887	2194.85	3	0.175	-0.5	-2966.5	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB277	Combination	-77.782	-113.962	0	0	0	-29.8762	1241.09	3	0.175	-0.5	-1685.56	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB277	Combination	-96.682	2.235	0	0	0	74.1796	3357.05	1	-0.175	-0.5	-3909.52	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB277	Combination	-115.582	170.857	0	0	0	-68.877	3043.33	3	0.175	-0.5	-3703.8	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB278	Combination	-97.239	-122.158	0	0	0	-47.3008	2038.95	3	0.175	-0.5	-2594.6	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB278	Combination	-116.139	-7.893	0	0	0	71.2659	3158.75	1	-0.175	-0.5	-3822.4	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB278	Combination	-135.039	170.78	0	0	0	-63.0202	2700.88	3	0.175	-0.5	-3472.53	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB279	Combination	-77.782	-119.453	0	0	0	-35.0894	1496.43	3	0.175	-0.5	-1940.9	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	B_COMB279	Combination	-96.682	-0.6	0	0	0	75.7335	3433.16	1	-0.175	-0.5	-3985.63	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB279	Combination	-115.582	168.939	0	0	0	-63.7721	2793.3	3	0.175	-0.5	-3453.77	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB280	Combination	-97.239	-127.648	0	0	0	-52.5139	2294.29	3	0.175	-0.5	-2849.94	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB280	Combination	-116.139	-10.728	0	0	0	72.8198	3234.86	1	-0.175	-0.5	-3898.51	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB280	Combination	-135.039	168.862	0	0	0	-57.9153	2450.84	3	0.175	-0.5	-3222.49	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB281	Combination	-89.155	-115.361	0	0	0	-56.9743	2535.85	3	0.175	-0.5	-3045.31	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB281	Combination	-108.055	-8.162	0	0	0	55.7427	2421.53	1	-0.175	-0.5	-3038.98	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB281	Combination	-126.955	150.818	0	0	0	-62.2027	2683.94	3	0.175	-0.5	-3409.39	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB282	Combination	-115.097	-126.288	0	0	0	-80.2071	3599.66	3	0.175	-0.5	-4257.36	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB282	Combination	-133.997	-21.665	0	0	0	51.8578	2157.13	1	-0.175	-0.5	-2922.82	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB282	Combination	-152.897	150.715	0	0	0	-54.3936	2227.33	3	0.175	-0.5	-3101.03	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB283	Combination	-89.155	-120.851	0	0	0	-62.1875	2791.19	3	0.175	-0.5	-3300.64	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB283	Combination	-108.055	-10.997	0	0	0	57.2966	2497.63	1	-0.175	-0.5	-3115.09	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB283	Combination	-126.955	148.9	0	0	0	-57.0978	2433.9	3	0.175	-0.5	-3159.36	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB284	Combination	-115.097	-131.779	0	0	0	-85.4202	3855	3	0.175	-0.5	-4512.7	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB284	Combination	-133.997	-24.5	0	0	0	53.4117	2233.23	1	-0.175	-0.5	-2998.93	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB284	Combination	-152.897	148.797	0	0	0	-49.2887	1977.29	3	0.175	-0.5	-2850.99	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB285	Combination	-89.155	-104.458	0	0	0	-31.8973	1307.59	3	0.175	-0.5	-1817.04	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB285	Combination	-108.055	1.171	0	0	0	64.4013	2845.62	1	-0.175	-0.5	-3463.08	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB285	Combination	-126.955	159.145	0	0	0	-67.4293	2939.93	3	0.175	-0.5	-3665.39	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB286	Combination	-115.097	-115.385	0	0	0	-55.1301	2371.4	3	0.175	-0.5	-3029.1	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB286	Combination	-133.997	-12.332	0	0	0	60.5165	2581.22	1	-0.175	-0.5	-3346.92	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB286	Combination	-152.897	159.042	0	0	0	-59.6202	2483.32	3	0.175	-0.5	-3357.02	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB287	Combination	-89.155	-109.949	0	0	0	-37.1104	1562.93	3	0.175	-0.5	-2072.38	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB287	Combination	-108.055	-1.664	0	0	0	65.9552	2921.73	1	-0.175	-0.5	-3539.19	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB287	Combination	-126.955	157.227	0	0	0	-62.3244	2689.89	3	0.175	-0.5	-3415.35	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB288	Combination	-115.097	-120.876	0	0	0	-60.3432	2626.74	3	0.175	-0.5	-3284.43	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB288	Combination	-133.997	-15.167	0	0	0	62.0703	2657.33	1	-0.175	-0.5	-3423.03	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB288	Combination	-152.897	157.124	0	0	0	-54.5153	2233.29	3	0.175	-0.5	-3106.98	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB289	Combination	-77.881	-116.75	0	0	0	-59.5082	2692.17	3	0.175	-0.5	-3137.2	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB289	Combination	-96.781	-9.321	0	0	0	55.2595	2430.07	1	-0.175	-0.5	-2983.1	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB289	Combination	-115.681	149.601	0	0	0	-60.8045	2647.66	3	0.175	-0.5	-3308.7	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB290	Combination	-97.338	-124.945	0	0	0	-76.9328	3490.03	3	0.175	-0.5	-4046.24	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	B_COMB290	Combination	-116.238	-19.449	0	0	0	52.3458	2231.77	1	-0.175	-0.5	-2895.99	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB290	Combination	-135.138	149.524	0	0	0	-54.9476	2305.21	3	0.175	-0.5	-3077.42	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB291	Combination	-77.881	-125.9	0	0	0	-68.1967	3117.73	3	0.175	-0.5	-3562.76	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB291	Combination	-96.781	-14.046	0	0	0	57.8493	2556.92	1	-0.175	-0.5	-3109.95	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB291	Combination	-115.681	146.405	0	0	0	-52.2963	2230.93	3	0.175	-0.5	-2891.97	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB292	Combination	-97.338	-134.096	0	0	0	-85.6213	3915.59	3	0.175	-0.5	-4471.8	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB292	Combination	-116.238	-24.174	0	0	0	54.9356	2358.62	1	-0.175	-0.5	-3022.83	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB292	Combination	-135.138	146.327	0	0	0	-46.4395	1888.48	3	0.175	-0.5	-2660.69	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB293	Combination	-77.881	-98.578	0	0	0	-17.7131	645.06	3	0.175	-0.5	-1090.1	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB293	Combination	-96.781	6.234	0	0	0	69.6906	3136.9	1	-0.175	-0.5	-3689.93	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB293	Combination	-115.681	163.48	0	0	0	-69.5154	3074.32	3	0.175	-0.5	-3735.35	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB294	Combination	-97.338	-106.774	0	0	0	-35.1377	1442.92	3	0.175	-0.5	-1999.14	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB294	Combination	-116.238	-3.893	0	0	0	66.7769	2938.6	1	-0.175	-0.5	-3602.81	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB294	Combination	-135.138	163.402	0	0	0	-63.6586	2731.86	3	0.175	-0.5	-3504.08	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB295	Combination	-77.881	-107.729	0	0	0	-26.4017	1070.63	3	0.175	-0.5	-1515.66	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB295	Combination	-96.781	1.509	0	0	0	72.2804	3263.75	1	-0.175	-0.5	-3816.78	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB295	Combination	-115.681	160.283	0	0	0	-61.0072	2657.59	3	0.175	-0.5	-3318.62	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB296	Combination	-97.338	-115.924	0	0	0	-43.8262	1868.48	3	0.175	-0.5	-2424.7	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB296	Combination	-116.238	-8.619	0	0	0	69.3667	3065.45	1	-0.175	-0.5	-3729.66	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB296	Combination	-135.138	160.206	0	0	0	-55.1504	2315.14	3	0.175	-0.5	-3087.35	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB297	Combination	-85.879	-178.627	0	0	0	-59.8706	2687.07	3	0.175	-0.5	-3177.81	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB297	Combination	-104.779	14.87	0	0	0	84.7027	3849.34	1	-0.175	-0.5	-4448.08	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB297	Combination	-123.679	180.856	0	0	0	-79.9683	3563.45	3	0.175	-0.5	-4270.19	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB298	Combination	-105.336	-186.822	0	0	0	-77.2952	3484.93	3	0.175	-0.5	-4086.85	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB298	Combination	-124.236	4.743	0	0	0	81.7891	3651.03	1	-0.175	-0.5	-4360.96	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB298	Combination	-143.136	180.778	0	0	0	-74.1115	3220.99	3	0.175	-0.5	-4038.91	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB299	Combination	-85.879	-184.117	0	0	0	-65.0838	2942.41	3	0.175	-0.5	-3433.15	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB299	Combination	-104.779	12.035	0	0	0	86.2566	3925.44	1	-0.175	-0.5	-4524.18	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB299	Combination	-123.679	178.938	0	0	0	-74.8634	3313.41	3	0.175	-0.5	-4020.15	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB300	Combination	-105.336	-192.312	0	0	0	-82.5083	3740.26	3	0.175	-0.5	-4342.19	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB300	Combination	-124.236	1.908	0	0	0	83.3429	3727.14	1	-0.175	-0.5	-4437.06	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB300	Combination	-143.136	178.861	0	0	0	-69.0066	2970.95	3	0.175	-0.5	-3788.87	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB301	Combination	-85.879	-167.724	0	0	0	-34.7936	1458.81	3	0.175	-0.5	-1949.55	1
	-0.175	-0.5	20-1	0											



## Allegati alla relazione di Calcolo

20	1.6	B_COMB301	Combination	-104.779	24.203	0	0	0	93.3614	4273.43	1	-0.175	-0.5	-4872.17	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB301	Combination	-123.679	189.183	0	0	0	-85.1949	3819.44	3	0.175	-0.5	-4526.18	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB302	Combination	-105.336	-175.919	0	0	0	-52.2182	2256.66	3	0.175	-0.5	-2858.59	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB302	Combination	-124.236	14.076	0	0	0	90.4477	4075.13	1	-0.175	-0.5	-4785.05	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB302	Combination	-143.136	189.106	0	0	0	-79.338	3476.98	3	0.175	-0.5	-4294.9	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB303	Combination	-85.879	-173.214	0	0	0	-40.0067	1714.14	3	0.175	-0.5	-2204.88	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB303	Combination	-104.779	21.368	0	0	0	94.9153	4349.54	1	-0.175	-0.5	-4948.28	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB303	Combination	-123.679	187.265	0	0	0	-80.09	3569.4	3	0.175	-0.5	-4276.14	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB304	Combination	-105.336	-181.41	0	0	0	-57.4313	2512	3	0.175	-0.5	-3113.92	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB304	Combination	-124.236	11.241	0	0	0	92.0016	4151.24	1	-0.175	-0.5	-4861.16	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB304	Combination	-143.136	187.188	0	0	0	-74.2331	3226.95	3	0.175	-0.5	-4044.87	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB305	Combination	-83.88	-165.392	0	0	0	-64.8919	2938.72	3	0.175	-0.5	-3418.04	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB305	Combination	-102.78	7.357	0	0	0	75.301	3394.56	1	-0.175	-0.5	-3981.87	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB305	Combination	-121.68	172.065	0	0	0	-75.3829	3344.57	3	0.175	-0.5	-4039.88	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB306	Combination	-103.337	-173.587	0	0	0	-82.3165	3736.58	3	0.175	-0.5	-4327.08	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB306	Combination	-122.237	-2.77	0	0	0	72.3873	3196.25	1	-0.175	-0.5	-3894.75	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB306	Combination	-141.137	171.988	0	0	0	-69.5261	3002.11	3	0.175	-0.5	-3808.61	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB307	Combination	-83.88	-174.542	0	0	0	-73.5805	3364.29	3	0.175	-0.5	-3843.6	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB307	Combination	-102.78	2.632	0	0	0	77.8908	3521.4	1	-0.175	-0.5	-4108.71	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB307	Combination	-121.68	168.869	0	0	0	-66.8747	2927.84	3	0.175	-0.5	-3623.15	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB308	Combination	-103.337	-182.738	0	0	0	-91.0051	4162.14	3	0.175	-0.5	-4752.64	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB308	Combination	-122.237	-7.495	0	0	0	74.9771	3323.1	1	-0.175	-0.5	-4021.6	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB308	Combination	-141.137	168.791	0	0	0	-61.0179	2585.38	3	0.175	-0.5	-3391.88	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB309	Combination	-83.88	-147.22	0	0	0	-23.0969	891.62	3	0.175	-0.5	-1370.93	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB309	Combination	-102.78	22.913	0	0	0	89.7321	4101.38	1	-0.175	-0.5	-4688.7	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB309	Combination	-121.68	185.944	0	0	0	-84.0938	3771.22	3	0.175	-0.5	-4466.54	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB310	Combination	-103.337	-155.416	0	0	0	-40.5214	1689.48	3	0.175	-0.5	-2279.97	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB310	Combination	-122.237	12.785	0	0	0	86.8184	3903.08	1	-0.175	-0.5	-4601.58	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB310	Combination	-141.137	185.866	0	0	0	-78.237	3428.77	3	0.175	-0.5	-4235.26	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB311	Combination	-83.88	-156.371	0	0	0	-31.7854	1317.18	3	0.175	-0.5	-1796.49	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB311	Combination	-102.78	18.188	0	0	0	92.3219	4228.23	1	-0.175	-0.5	-4815.54	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB311	Combination	-121.68	182.747	0	0	0	-75.5856	3354.5	3	0.175	-0.5	-4049.81	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB312	Combination	-103.337	-164.566	0	0	0	-49.21	2115.04	3	0.175	-0.5	-2705.53	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	B_COMB312	Combination	-122.237	8.06	0	0	0	89.4082	4029.93	1	-0.175	-0.5	-4728.42	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB312	Combination	-141.137	182.67	0	0	0	-69.7288	3012.04	3	0.175	-0.5	-3818.54	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB313	Combination	-77.782	-124.982	0	0	0	-55.0134	2472.3	3	0.175	-0.5	-2916.77	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB313	Combination	-96.682	-7.215	0	0	0	65.6471	2939.13	1	-0.175	-0.5	-3491.6	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB313	Combination	-115.582	162.413	0	0	0	-63.3379	2772.03	3	0.175	-0.5	-3432.5	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB314	Combination	-97.239	-133.177	0	0	0	-72.438	3270.16	3	0.175	-0.5	-3825.81	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB314	Combination	-116.139	-17.342	0	0	0	62.7335	2740.83	1	-0.175	-0.5	-3404.49	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB314	Combination	-135.039	162.336	0	0	0	-57.481	2429.57	3	0.175	-0.5	-3201.22	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB315	Combination	-77.782	-130.472	0	0	0	-60.2266	2727.64	3	0.175	-0.5	-3172.11	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB315	Combination	-96.682	-10.05	0	0	0	67.201	3015.24	1	-0.175	-0.5	-3567.71	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB315	Combination	-115.582	160.496	0	0	0	-58.233	2521.99	3	0.175	-0.5	-3182.46	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB316	Combination	-97.239	-138.667	0	0	0	-77.6511	3525.5	3	0.175	-0.5	-4081.15	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB316	Combination	-116.139	-20.177	0	0	0	64.2873	2816.94	1	-0.175	-0.5	-3480.59	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB316	Combination	-135.039	160.418	0	0	0	-52.3761	2179.54	3	0.175	-0.5	-2951.19	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB317	Combination	-77.782	-114.079	0	0	0	-29.9364	1244.04	3	0.175	-0.5	-1688.51	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB317	Combination	-96.682	2.118	0	0	0	74.3058	3363.23	1	-0.175	-0.5	-3915.7	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB317	Combination	-115.582	170.741	0	0	0	-68.5644	3028.02	3	0.175	-0.5	-3688.49	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB318	Combination	-97.239	-122.274	0	0	0	-47.361	2041.89	3	0.175	-0.5	-2597.55	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB318	Combination	-116.139	-8.009	0	0	0	71.3921	3164.93	1	-0.175	-0.5	-3828.58	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB318	Combination	-135.039	170.663	0	0	0	-62.7076	2685.57	3	0.175	-0.5	-3457.22	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB319	Combination	-77.782	-119.569	0	0	0	-35.1495	1499.37	3	0.175	-0.5	-1943.84	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB319	Combination	-96.682	-0.717	0	0	0	75.8596	3439.34	1	-0.175	-0.5	-3991.81	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB319	Combination	-115.582	168.823	0	0	0	-63.4595	2777.99	3	0.175	-0.5	-3438.45	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB320	Combination	-97.239	-127.765	0	0	0	-52.5741	2297.23	3	0.175	-0.5	-2852.88	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB320	Combination	-116.139	-10.844	0	0	0	72.946	3241.04	1	-0.175	-0.5	-3904.69	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB320	Combination	-135.039	168.745	0	0	0	-57.6027	2435.53	3	0.175	-0.5	-3207.18	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB321	Combination	-89.155	-115.477	0	0	0	-57.0345	2538.8	3	0.175	-0.5	-3048.25	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB321	Combination	-108.055	-8.278	0	0	0	55.8688	2427.71	1	-0.175	-0.5	-3045.16	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB321	Combination	-126.955	150.701	0	0	0	-61.8901	2668.62	3	0.175	-0.5	-3394.08	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB322	Combination	-115.097	-126.405	0	0	0	-80.2673	3602.61	3	0.175	-0.5	-4260.31	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB322	Combination	-133.997	-21.782	0	0	0	51.984	2163.3	1	-0.175	-0.5	-2929	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB322	Combination	-152.897	150.598	0	0	0	-54.081	2212.02	3	0.175	-0.5	-3085.71	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB323	Combination	-89.155	-120.968	0	0	0	-62.2476	2794.14	3	0.175	-0.5	-3303.59	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	B_COMB323	Combination	-108.055	-11.113	0	0	0	57.4227	2503.81	1	-0.175	-0.5	-3121.27	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB323	Combination	-126.955	148.783	0	0	0	-56.7852	2418.59	3	0.175	-0.5	-3144.04	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB324	Combination	-115.097	-131.895	0	0	0	-85.4804	3857.95	3	0.175	-0.5	-4515.64	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB324	Combination	-133.997	-24.617	0	0	0	53.5378	2239.41	1	-0.175	-0.5	-3005.11	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB324	Combination	-152.897	148.68	0	0	0	-48.9761	1961.98	3	0.175	-0.5	-2835.68	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB325	Combination	-89.155	-104.575	0	0	0	-31.9574	1310.54	3	0.175	-0.5	-1819.99	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB325	Combination	-108.055	1.055	0	0	0	64.5275	2851.8	1	-0.175	-0.5	-3469.26	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB325	Combination	-126.955	159.028	0	0	0	-67.1167	2924.62	3	0.175	-0.5	-3650.07	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB326	Combination	-115.097	-115.502	0	0	0	-55.1902	2374.35	3	0.175	-0.5	-3032.04	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB326	Combination	-133.997	-12.448	0	0	0	60.6426	2587.4	1	-0.175	-0.5	-3353.1	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB326	Combination	-152.897	158.925	0	0	0	-59.3075	2468.01	3	0.175	-0.5	-3341.71	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB327	Combination	-89.155	-110.065	0	0	0	-37.1706	1565.87	3	0.175	-0.5	-2075.33	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB327	Combination	-108.055	-1.78	0	0	0	66.0814	2927.91	1	-0.175	-0.5	-3545.37	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB327	Combination	-126.955	157.111	0	0	0	-62.0117	2674.58	3	0.175	-0.5	-3400.04	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB328	Combination	-115.097	-120.992	0	0	0	-60.4033	2629.68	3	0.175	-0.5	-3287.38	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB328	Combination	-133.997	-15.283	0	0	0	62.1965	2663.51	1	-0.175	-0.5	-3429.21	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB328	Combination	-152.897	157.007	0	0	0	-54.2026	2217.97	3	0.175	-0.5	-3091.67	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB329	Combination	-77.881	-116.866	0	0	0	-59.5683	2695.12	3	0.175	-0.5	-3140.15	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB329	Combination	-96.781	-9.438	0	0	0	55.3857	2436.25	1	-0.175	-0.5	-2989.28	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB329	Combination	-115.681	149.485	0	0	0	-60.4919	2632.35	3	0.175	-0.5	-3293.38	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB330	Combination	-97.338	-125.061	0	0	0	-76.9929	3492.97	3	0.175	-0.5	-4049.19	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB330	Combination	-116.238	-19.565	0	0	0	52.472	2237.95	1	-0.175	-0.5	-2902.16	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB330	Combination	-135.138	149.407	0	0	0	-54.635	2289.89	3	0.175	-0.5	-3062.11	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB331	Combination	-77.881	-126.017	0	0	0	-68.2569	3120.68	3	0.175	-0.5	-3565.71	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB331	Combination	-96.781	-14.163	0	0	0	57.9754	2563.1	1	-0.175	-0.5	-3116.13	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB331	Combination	-115.681	146.288	0	0	0	-51.9837	2215.62	3	0.175	-0.5	-2876.66	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB332	Combination	-97.338	-134.212	0	0	0	-85.6814	3918.53	3	0.175	-0.5	-4474.75	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB332	Combination	-116.238	-24.29	0	0	0	55.0618	2364.8	1	-0.175	-0.5	-3029.01	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB332	Combination	-135.138	146.211	0	0	0	-46.1268	1873.17	3	0.175	-0.5	-2645.38	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB333	Combination	-77.881	-98.695	0	0	0	-17.7733	648.01	3	0.175	-0.5	-1093.04	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB333	Combination	-96.781	6.118	0	0	0	69.8167	3143.08	1	-0.175	-0.5	-3696.11	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB333	Combination	-115.681	163.363	0	0	0	-69.2028	3059.01	3	0.175	-0.5	-3720.04	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB334	Combination	-97.338	-106.89	0	0	0	-35.1978	1445.87	3	0.175	-0.5	-2002.08	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	B_COMB334	Combination	-116.238	-4.01	0	0	0	66.9031	2944.78	1	-0.175	-0.5	-3608.99	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB334	Combination	-135.138	163.286	0	0	0	-63.3459	2716.55	3	0.175	-0.5	-3488.76	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB335	Combination	-77.881	-107.845	0	0	0	-26.4618	1073.57	3	0.175	-0.5	-1518.61	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB335	Combination	-96.781	1.393	0	0	0	72.4065	3269.93	1	-0.175	-0.5	-3822.96	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB335	Combination	-115.681	160.167	0	0	0	-60.6946	2642.28	3	0.175	-0.5	-3303.31	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB336	Combination	-97.338	-116.041	0	0	0	-43.8864	1871.43	3	0.175	-0.5	-2427.64	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB336	Combination	-116.238	-8.735	0	0	0	69.4929	3071.62	1	-0.175	-0.5	-3735.84	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB336	Combination	-135.138	160.089	0	0	0	-54.8377	2299.82	3	0.175	-0.5	-3072.04	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB337	Combination	-85.879	-178.743	0	0	0	-59.9308	2690.02	3	0.175	-0.5	-3180.75	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB337	Combination	-104.779	14.754	0	0	0	84.8289	3855.52	1	-0.175	-0.5	-4454.25	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB337	Combination	-123.679	180.739	0	0	0	-79.6557	3548.13	3	0.175	-0.5	-4254.87	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB338	Combination	-105.336	-186.938	0	0	0	-77.3554	3487.87	3	0.175	-0.5	-4089.79	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB338	Combination	-124.236	4.626	0	0	0	81.9152	3657.21	1	-0.175	-0.5	-4367.14	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB338	Combination	-143.136	180.662	0	0	0	-73.7988	3205.68	3	0.175	-0.5	-4023.6	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB339	Combination	-85.879	-184.233	0	0	0	-65.1439	2945.35	3	0.175	-0.5	-3436.09	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB339	Combination	-104.779	11.919	0	0	0	86.3828	3931.62	1	-0.175	-0.5	-4530.36	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB339	Combination	-123.679	178.822	0	0	0	-74.5508	3298.1	3	0.175	-0.5	-4004.84	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB340	Combination	-105.336	-192.429	0	0	0	-82.5685	3743.21	3	0.175	-0.5	-4345.13	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB340	Combination	-124.236	1.791	0	0	0	83.4691	3733.32	1	-0.175	-0.5	-4443.24	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB340	Combination	-143.136	178.744	0	0	0	-68.6939	2955.64	3	0.175	-0.5	-3773.56	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB341	Combination	-85.879	-167.84	0	0	0	-34.8537	1461.75	3	0.175	-0.5	-1952.49	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB341	Combination	-104.779	24.087	0	0	0	93.4875	4279.61	1	-0.175	-0.5	-4878.35	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB341	Combination	-123.679	189.066	0	0	0	-84.8822	3804.13	3	0.175	-0.5	-4510.87	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB342	Combination	-105.336	-176.036	0	0	0	-52.2783	2259.61	3	0.175	-0.5	-2861.53	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB342	Combination	-124.236	13.959	0	0	0	90.5739	4081.31	1	-0.175	-0.5	-4791.23	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB342	Combination	-143.136	188.989	0	0	0	-79.0254	3461.67	3	0.175	-0.5	-4279.59	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB343	Combination	-85.879	-173.331	0	0	0	-40.0669	1717.09	3	0.175	-0.5	-2207.83	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB343	Combination	-104.779	21.252	0	0	0	95.0414	4355.72	1	-0.175	-0.5	-4954.46	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB343	Combination	-123.679	187.149	0	0	0	-79.7773	3554.09	3	0.175	-0.5	-4260.83	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB344	Combination	-105.336	-181.526	0	0	0	-57.4914	2514.95	3	0.175	-0.5	-3116.87	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB344	Combination	-124.236	11.124	0	0	0	92.1278	4157.42	1	-0.175	-0.5	-4867.34	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB344	Combination	-143.136	187.071	0	0	0	-73.9205	3211.63	3	0.175	-0.5	-4029.56	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB345	Combination	-83.88	-165.508	0	0	0	-64.9521	2941.67	3	0.175	-0.5	-3420.98	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	B_COMB345	Combination	-102.78	7.241	0	0	0	75.4272	3400.73	1	-0.175	-0.5	-3988.05	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB345	Combination	-121.68	171.948	0	0	0	-75.0703	3329.26	3	0.175	-0.5	-4024.57	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB346	Combination	-103.337	-173.703	0	0	0	-82.3766	3739.53	3	0.175	-0.5	-4330.02	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB346	Combination	-122.237	-2.887	0	0	0	72.5135	3202.43	1	-0.175	-0.5	-3900.93	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB346	Combination	-141.137	171.871	0	0	0	-69.2134	2986.8	3	0.175	-0.5	-3793.29	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB347	Combination	-83.88	-174.659	0	0	0	-73.6406	3367.23	3	0.175	-0.5	-3846.54	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB347	Combination	-102.78	2.516	0	0	0	78.0169	3527.58	1	-0.175	-0.5	-4114.89	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB347	Combination	-121.68	168.752	0	0	0	-66.5621	2912.53	3	0.175	-0.5	-3607.84	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB348	Combination	-103.337	-182.854	0	0	0	-91.0652	4165.09	3	0.175	-0.5	-4755.58	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB348	Combination	-122.237	-7.612	0	0	0	75.1033	3329.28	1	-0.175	-0.5	-4027.78	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB348	Combination	-141.137	168.675	0	0	0	-60.7053	2570.07	3	0.175	-0.5	-3376.57	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB349	Combination	-83.88	-147.337	0	0	0	-23.157	894.56	3	0.175	-0.5	-1373.88	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB349	Combination	-102.78	22.796	0	0	0	89.8582	4107.56	1	-0.175	-0.5	-4694.88	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB349	Combination	-121.68	185.827	0	0	0	-83.7812	3755.91	3	0.175	-0.5	-4451.22	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB350	Combination	-103.337	-155.532	0	0	0	-40.5816	1692.42	3	0.175	-0.5	-2282.92	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB350	Combination	-122.237	12.669	0	0	0	86.9446	3909.26	1	-0.175	-0.5	-4607.76	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB350	Combination	-141.137	185.75	0	0	0	-77.9244	3413.46	3	0.175	-0.5	-4219.95	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB351	Combination	-83.88	-156.487	0	0	0	-31.8455	1320.13	3	0.175	-0.5	-1799.44	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB351	Combination	-102.78	18.071	0	0	0	92.448	4234.41	1	-0.175	-0.5	-4821.72	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB351	Combination	-121.68	182.631	0	0	0	-75.273	3339.18	3	0.175	-0.5	-4034.5	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB352	Combination	-103.337	-164.683	0	0	0	-49.2701	2117.98	3	0.175	-0.5	-2708.48	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB352	Combination	-122.237	7.944	0	0	0	89.5344	4036.11	1	-0.175	-0.5	-4734.6	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB352	Combination	-141.137	182.553	0	0	0	-69.4162	2996.73	3	0.175	-0.5	-3803.22	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB353	Combination	-83.88	-162.568	0	0	0	-58.1562	2608.81	3	0.175	-0.5	-3088.13	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB353	Combination	-102.78	9.155	0	0	0	78.1905	3536.08	1	-0.175	-0.5	-4123.39	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB353	Combination	-121.68	173.212	0	0	0	-74.692	3310.73	3	0.175	-0.5	-4006.04	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB354	Combination	-103.337	-170.763	0	0	0	-75.5808	3406.67	3	0.175	-0.5	-3997.17	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB354	Combination	-122.237	-0.972	0	0	0	75.2768	3337.78	1	-0.175	-0.5	-4036.27	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB354	Combination	-141.137	173.135	0	0	0	-68.8352	2968.27	3	0.175	-0.5	-3774.77	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB355	Combination	-83.88	-168.058	0	0	0	-63.3694	2864.15	3	0.175	-0.5	-3343.46	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB355	Combination	-102.78	6.32	0	0	0	79.7443	3612.19	1	-0.175	-0.5	-4199.5	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB355	Combination	-121.68	171.295	0	0	0	-69.5871	3060.69	3	0.175	-0.5	-3756	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB356	Combination	-103.337	-176.254	0	0	0	-80.794	3662.01	3	0.175	-0.5	-4252.5	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	B_COMB356	Combination	-122.237	-3.807	0	0	0	76.8307	3413.89	1	-0.175	-0.5	-4112.38	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB356	Combination	-141.137	171.217	0	0	0	-63.7303	2718.23	3	0.175	-0.5	-3524.73	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB357	Combination	-83.88	-151.665	0	0	0	-33.0792	1380.55	3	0.175	-0.5	-1859.86	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB357	Combination	-102.78	18.489	0	0	0	86.8491	3960.18	1	-0.175	-0.5	-4547.49	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB357	Combination	-121.68	181.54	0	0	0	-79.9185	3566.72	3	0.175	-0.5	-4262.03	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB358	Combination	-103.337	-159.86	0	0	0	-50.5038	2178.41	3	0.175	-0.5	-2768.9	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB358	Combination	-122.237	8.361	0	0	0	83.9354	3761.88	1	-0.175	-0.5	-4460.37	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB358	Combination	-141.137	181.462	0	0	0	-74.0617	3224.26	3	0.175	-0.5	-4030.76	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB359	Combination	-83.88	-157.156	0	0	0	-38.2923	1635.89	3	0.175	-0.5	-2115.2	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB359	Combination	-102.78	15.654	0	0	0	88.403	4036.28	1	-0.175	-0.5	-4623.6	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB359	Combination	-121.68	179.622	0	0	0	-74.8136	3316.69	3	0.175	-0.5	-4012	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB360	Combination	-103.337	-165.351	0	0	0	-55.7169	2433.74	3	0.175	-0.5	-3024.24	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB360	Combination	-122.237	5.526	0	0	0	85.4893	3837.98	1	-0.175	-0.5	-4536.48	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB360	Combination	-141.137	179.544	0	0	0	-68.9568	2974.23	3	0.175	-0.5	-3780.72	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB361_0_0	Combination	-18.038	0.645	0	0	0	-2.9292	91.94	3	0.175	-0.5	-195.01	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB361_0_0	Combination	-32.037	2.142	0	0	0	-4.8538	146.2	3	0.175	-0.5	-329.27	1
	-0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB361_0_0	Combination	-46.038	3.941	0	0	0	-10.0158	359.03	3	0.175	-0.5	-622.1	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB361_0_1	Combination	-18.038	0.645	0	0	0	-2.9292	91.94	3	0.175	-0.5	-195.01	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB361_0_1	Combination	-32.037	2.142	0	0	0	-4.8538	146.2	3	0.175	-0.5	-329.27	1
	-0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB361_0_1	Combination	-46.038	3.941	0	0	0	-10.0158	359.03	3	0.175	-0.5	-622.1	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB361_0_2	Combination	-18.038	-64.494	0	0	0	-20.0566	930.83	3	0.175	-0.5	-1033.9	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB361_0_2	Combination	-32.037	-5.711	0	0	0	44.1573	2071.27	1	-0.175	-0.5	-2254.34	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB361_0_2	Combination	-46.038	99.881	0	0	0	-29.6534	1320.88	3	0.175	-0.5	-1583.95	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB361_0_2_1	Combination	-38.138	-66.147	0	0	0	-25.1186	1121.33	3	0.175	-0.5	-1339.26	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB361_0_2_1	Combination	-52.137	-6.268	0	0	0	41.0599	1862.13	1	-0.175	-0.5	-2160.06	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB361_0_2_1	Combination	-66.138	100.378	0	0	0	-32.899	1422.41	3	0.175	-0.5	-1800.34	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB361_0_3	Combination	-38.138	-66.147	0	0	0	-25.1186	1121.33	3	0.175	-0.5	-1339.26	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB361_0_3	Combination	-52.137	-6.268	0	0	0	41.0599	1862.13	1	-0.175	-0.5	-2160.06	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB361_0_3	Combination	-66.138	100.378	0	0	0	-32.899	1422.41	3	0.175	-0.5	-1800.34	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB361_0_4	Combination	-38.138	-62.243	0	0	0	-19.3953	841.01	3	0.175	-0.5	-1058.94	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB361_0_4	Combination	-52.137	-2.436	0	0	0	40.5791	1838.58	1	-0.175	-0.5	-2136.51	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB361_0_4	Combination	-66.138	104.14	0	0	0	-39.4401	1742.8	3	0.175	-0.5	-2120.72	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB361	Combination	-44.998	-124.314	0	0	0	-30.2371	1352.44	3	0.175	-0.5	-1609.57	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	B_COMB361	Combination	-61.714	10.654	0	0	0	77.1115	3600.56	1	-0.175	-0.5	-3953.22	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB361	Combination	-78.43	149.42	0	0	0	-60.5733	2742.77	3	0.175	-0.5	-3190.94	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB362	Combination	-44.998	-124.314	0	0	0	-30.2371	1352.44	3	0.175	-0.5	-1609.57	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB362	Combination	-61.714	10.654	0	0	0	77.1115	3600.56	1	-0.175	-0.5	-3953.22	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB362	Combination	-78.43	149.42	0	0	0	-60.5733	2742.77	3	0.175	-0.5	-3190.94	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB363	Combination	-38	-124.564	0	0	0	-29.1006	1316.77	3	0.175	-0.5	-1533.91	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB363	Combination	-49.284	9.823	0	0	0	78.9948	3728.32	1	-0.175	-0.5	-4009.94	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB363	Combination	-60.568	147.891	0	0	0	-56.6871	2603.46	3	0.175	-0.5	-2949.56	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB364	Combination	-38	-124.564	0	0	0	-29.1006	1316.77	3	0.175	-0.5	-1533.91	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB364	Combination	-49.284	9.823	0	0	0	78.9948	3728.32	1	-0.175	-0.5	-4009.94	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB364	Combination	-60.568	147.891	0	0	0	-56.6871	2603.46	3	0.175	-0.5	-2949.56	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB365	Combination	-46.817	-93.091	0	0	0	-25.6686	1123.48	3	0.175	-0.5	-1391	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB365	Combination	-66.249	4.732	0	0	0	57.4328	2623.75	1	-0.175	-0.5	-3002.32	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB365	Combination	-85.681	127.927	0	0	0	-52.9213	2347.26	3	0.175	-0.5	-2836.86	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB366	Combination	-46.817	-93.091	0	0	0	-25.6686	1123.48	3	0.175	-0.5	-1391	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB366	Combination	-66.249	4.732	0	0	0	57.4328	2623.75	1	-0.175	-0.5	-3002.32	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB366	Combination	-85.681	127.927	0	0	0	-52.9213	2347.26	3	0.175	-0.5	-2836.86	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB367	Combination	-32.82	-93.591	0	0	0	-23.3956	1052.14	3	0.175	-0.5	-1239.68	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB367	Combination	-41.388	3.07	0	0	0	61.1994	2879.27	1	-0.175	-0.5	-3115.77	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB367	Combination	-49.956	124.869	0	0	0	-45.149	2068.65	3	0.175	-0.5	-2354.11	1
	-0.175	-0.5	20-7	0.45714											
20	0	B_COMB368	Combination	-32.82	-93.591	0	0	0	-23.3956	1052.14	3	0.175	-0.5	-1239.68	1
	-0.175	-0.5	20-1	0											
20	1.6	B_COMB368	Combination	-41.388	3.07	0	0	0	61.1994	2879.27	1	-0.175	-0.5	-3115.77	3
	0.175	-0.5	20-4	0.22857											
20	3.2	B_COMB368	Combination	-49.956	124.869	0	0	0	-45.149	2068.65	3	0.175	-0.5	-2354.11	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB369	Combination	-67.261	-92.233	0	0	0	-44.5058	1987.7	3	0.175	-0.5	-2372.05	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB369	Combination	-81.261	-5.352	0	0	0	44.3977	1942.41	1	-0.175	-0.5	-2406.76	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB369	Combination	-95.261	119.764	0	0	0	-50.0055	2177.08	3	0.175	-0.5	-2721.42	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB370	Combination	-84.18	-99.359	0	0	0	-59.6576	2681.49	3	0.175	-0.5	-3162.52	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB370	Combination	-98.18	-14.158	0	0	0	41.8641	1769.97	1	-0.175	-0.5	-2331	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB370	Combination	-112.18	119.696	0	0	0	-44.9126	1879.29	3	0.175	-0.5	-2520.32	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB373	Combination	-67.261	-81.33	0	0	0	-19.4288	759.44	3	0.175	-0.5	-1143.79	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB373	Combination	-81.261	3.981	0	0	0	53.0564	2366.5	1	-0.175	-0.5	-2830.85	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB373	Combination	-95.261	128.091	0	0	0	-55.2321	2433.07	3	0.175	-0.5	-2977.42	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB374	Combination	-84.18	-88.456	0	0	0	-34.5806	1453.23	3	0.175	-0.5	-1934.26	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	C_COMB374	Combination	-98.18	-4.825	0	0	0	50.5227	2194.07	1	-0.175	-0.5	-2755.1	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB374	Combination	-112.18	128.024	0	0	0	-50.1392	2135.28	3	0.175	-0.5	-2776.31	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB377	Combination	-77.136	-85.57	0	0	0	-46.5896	2061.55	3	0.175	-0.5	-2502.33	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB377	Combination	-91.136	-6.237	0	0	0	36.9831	1551.03	1	-0.175	-0.5	-2071.81	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB377	Combination	-105.136	111.257	0	0	0	-49.1969	2109.26	3	0.175	-0.5	-2710.03	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB378	Combination	-99.695	-95.071	0	0	0	-66.792	2986.6	3	0.175	-0.5	-3556.29	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB378	Combination	-113.695	-17.98	0	0	0	33.605	1321.12	1	-0.175	-0.5	-1970.8	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB378	Combination	-127.695	111.167	0	0	0	-42.4064	1712.21	3	0.175	-0.5	-2441.89	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB381	Combination	-77.136	-74.667	0	0	0	-21.5125	833.29	3	0.175	-0.5	-1274.06	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB381	Combination	-91.136	3.096	0	0	0	45.6418	1975.13	1	-0.175	-0.5	-2495.9	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB381	Combination	-105.136	119.584	0	0	0	-54.4235	2365.25	3	0.175	-0.5	-2966.03	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB382	Combination	-99.695	-84.169	0	0	0	-41.7149	1758.34	3	0.175	-0.5	-2328.02	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB382	Combination	-113.695	-8.646	0	0	0	42.2636	1745.21	1	-0.175	-0.5	-2394.9	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB382	Combination	-127.695	119.495	0	0	0	-47.6329	1968.2	3	0.175	-0.5	-2697.88	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB385	Combination	-67.333	-87.166	0	0	0	-49.6819	2241.02	3	0.175	-0.5	-2625.78	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB385	Combination	-81.333	-7.5	0	0	0	36.208	1541.08	1	-0.175	-0.5	-2005.83	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB385	Combination	-95.333	110.029	0	0	0	-48.0168	2079.46	3	0.175	-0.5	-2624.22	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB386	Combination	-84.252	-94.292	0	0	0	-64.8337	2934.81	3	0.175	-0.5	-3416.25	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB386	Combination	-98.252	-16.307	0	0	0	33.6744	1368.64	1	-0.175	-0.5	-1930.08	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB386	Combination	-112.252	109.962	0	0	0	-42.9239	1781.68	3	0.175	-0.5	-2423.11	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB387	Combination	-67.333	-96.316	0	0	0	-58.3705	2666.58	3	0.175	-0.5	-3051.34	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB387	Combination	-81.333	-12.225	0	0	0	38.7978	1667.92	1	-0.175	-0.5	-2132.68	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB387	Combination	-95.333	106.833	0	0	0	-39.5086	1662.74	3	0.175	-0.5	-2207.5	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB388	Combination	-84.252	-103.443	0	0	0	-73.5223	3360.37	3	0.175	-0.5	-3841.81	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB388	Combination	-98.252	-21.032	0	0	0	36.2642	1495.49	1	-0.175	-0.5	-2056.92	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB388	Combination	-112.252	106.766	0	0	0	-34.4157	1364.95	3	0.175	-0.5	-2006.39	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB389	Combination	-67.333	-68.994	0	0	0	-7.8869	193.92	3	0.175	-0.5	-578.67	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB389	Combination	-81.333	8.055	0	0	0	50.6391	2247.9	1	-0.175	-0.5	-2712.66	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB389	Combination	-95.333	123.908	0	0	0	-56.7277	2506.12	3	0.175	-0.5	-3050.88	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB390	Combination	-84.252	-76.121	0	0	0	-23.0387	887.71	3	0.175	-0.5	-1369.14	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB390	Combination	-98.252	-0.752	0	0	0	48.1055	2075.47	1	-0.175	-0.5	-2636.91	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB390	Combination	-112.252	123.84	0	0	0	-51.6348	2208.33	3	0.175	-0.5	-2849.77	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB391	Combination	-67.333	-78.145	0	0	0	-16.5754	619.48	3	0.175	-0.5	-1004.24	1
	-0.175	-0.5	20-1	0											



## Allegati alla relazione di Calcolo

20	1.6	C_COMB391	Combination	-81.333	3.33	0	0	0	53.2289	2374.75	1	-0.175	-0.5	-2839.51	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB391	Combination	-95.333	120.712	0	0	0	-48.2195	2089.39	3	0.175	-0.5	-2634.15	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB392	Combination	-84.252	-85.272	0	0	0	-31.7272	1313.27	3	0.175	-0.5	-1794.7	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB392	Combination	-98.252	-5.477	0	0	0	50.6953	2202.31	1	-0.175	-0.5	-2763.75	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB392	Combination	-112.252	120.644	0	0	0	-43.1266	1791.61	3	0.175	-0.5	-2433.04	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB393	Combination	-74.288	-140.583	0	0	0	-49.1081	2193.04	3	0.175	-0.5	-2617.55	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB393	Combination	-88.288	13.79	0	0	0	62.1658	2792.6	1	-0.175	-0.5	-3297.11	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB393	Combination	-102.288	137.377	0	0	0	-64.6453	2874.05	3	0.175	-0.5	-3458.55	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB394	Combination	-91.207	-147.71	0	0	0	-64.2599	2886.83	3	0.175	-0.5	-3408.01	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB394	Combination	-105.207	4.984	0	0	0	59.6322	2620.17	1	-0.175	-0.5	-3221.35	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB394	Combination	-119.207	137.31	0	0	0	-59.5524	2576.26	3	0.175	-0.5	-3257.44	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB395	Combination	-74.288	-146.074	0	0	0	-54.3212	2448.38	3	0.175	-0.5	-2872.88	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB395	Combination	-88.288	10.955	0	0	0	63.7197	2868.71	1	-0.175	-0.5	-3373.21	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB395	Combination	-102.288	135.46	0	0	0	-59.5404	2624.01	3	0.175	-0.5	-3208.51	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB396	Combination	-91.207	-153.2	0	0	0	-69.473	3142.17	3	0.175	-0.5	-3663.35	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB396	Combination	-105.207	2.149	0	0	0	61.186	2696.28	1	-0.175	-0.5	-3297.46	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB396	Combination	-119.207	135.392	0	0	0	-54.4474	2326.22	3	0.175	-0.5	-3007.4	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB397	Combination	-74.288	-129.68	0	0	0	-24.031	964.78	3	0.175	-0.5	-1389.28	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB397	Combination	-88.288	23.123	0	0	0	70.8244	3216.7	1	-0.175	-0.5	-3721.2	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB397	Combination	-102.288	145.704	0	0	0	-69.8718	3130.04	3	0.175	-0.5	-3714.54	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB398	Combination	-91.207	-136.807	0	0	0	-39.1828	1658.57	3	0.175	-0.5	-2179.75	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB398	Combination	-105.207	14.317	0	0	0	68.2908	3044.27	1	-0.175	-0.5	-3645.45	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB398	Combination	-119.207	145.637	0	0	0	-64.7789	2832.25	3	0.175	-0.5	-3513.44	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB399	Combination	-74.288	-135.171	0	0	0	-29.2442	1220.12	3	0.175	-0.5	-1644.62	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB399	Combination	-88.288	20.288	0	0	0	72.3783	3292.81	1	-0.175	-0.5	-3797.31	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB399	Combination	-102.288	143.787	0	0	0	-64.7669	2880	3	0.175	-0.5	-3464.51	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB400	Combination	-91.207	-142.297	0	0	0	-44.396	1913.91	3	0.175	-0.5	-2435.09	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB400	Combination	-105.207	11.482	0	0	0	69.8447	3120.37	1	-0.175	-0.5	-3721.56	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB400	Combination	-119.207	143.719	0	0	0	-59.674	2582.22	3	0.175	-0.5	-3263.4	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB401	Combination	-72.549	-129.463	0	0	0	-54.3634	2455.42	3	0.175	-0.5	-2869.98	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB401	Combination	-86.549	7.003	0	0	0	53.6354	2379.76	1	-0.175	-0.5	-2874.32	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB401	Combination	-100.549	129.563	0	0	0	-60.6937	2685.47	3	0.175	-0.5	-3260.04	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB402	Combination	-89.468	-136.589	0	0	0	-69.5153	3149.21	3	0.175	-0.5	-3660.45	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	C_COMB402	Combination	-103.468	-1.804	0	0	0	51.1018	2207.32	1	-0.175	-0.5	-2798.57	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB402	Combination	-117.468	129.496	0	0	0	-55.6008	2387.68	3	0.175	-0.5	-3058.93	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB403	Combination	-72.549	-138.614	0	0	0	-63.052	2880.98	3	0.175	-0.5	-3295.54	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB403	Combination	-86.549	2.278	0	0	0	56.2252	2506.6	1	-0.175	-0.5	-3001.17	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB403	Combination	-100.549	126.367	0	0	0	-52.1855	2268.74	3	0.175	-0.5	-2843.31	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB404	Combination	-89.468	-145.74	0	0	0	-78.2038	3574.77	3	0.175	-0.5	-4086.01	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB404	Combination	-103.468	-6.529	0	0	0	53.6916	2334.17	1	-0.175	-0.5	-2925.41	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB404	Combination	-117.468	126.3	0	0	0	-47.0926	1970.95	3	0.175	-0.5	-2642.2	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB405	Combination	-72.549	-111.292	0	0	0	-12.5684	408.31	3	0.175	-0.5	-822.88	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB405	Combination	-86.549	22.558	0	0	0	68.0665	3086.59	1	-0.175	-0.5	-3581.15	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB405	Combination	-100.549	143.442	0	0	0	-69.4046	3112.13	3	0.175	-0.5	-3686.69	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB406	Combination	-89.468	-118.418	0	0	0	-27.7202	1102.1	3	0.175	-0.5	-1613.35	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB406	Combination	-103.468	13.751	0	0	0	65.5329	2914.15	1	-0.175	-0.5	-3505.4	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB406	Combination	-117.468	143.374	0	0	0	-64.3117	2814.34	3	0.175	-0.5	-3485.58	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB407	Combination	-72.549	-120.442	0	0	0	-21.2569	833.87	3	0.175	-0.5	-1248.44	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB407	Combination	-86.549	17.833	0	0	0	70.6563	3213.43	1	-0.175	-0.5	-3708	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB407	Combination	-100.549	140.245	0	0	0	-60.8964	2695.4	3	0.175	-0.5	-3269.97	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB408	Combination	-89.468	-127.569	0	0	0	-36.4087	1527.66	3	0.175	-0.5	-2038.91	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB408	Combination	-103.468	9.026	0	0	0	68.1227	3041	1	-0.175	-0.5	-3632.24	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB408	Combination	-117.468	140.178	0	0	0	-55.8035	2397.61	3	0.175	-0.5	-3068.86	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB409	Combination	-67.261	-92.322	0	0	0	-44.5521	1989.97	3	0.175	-0.5	-2374.32	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB409	Combination	-81.261	-5.441	0	0	0	44.4948	1947.16	1	-0.175	-0.5	-2411.51	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB409	Combination	-95.261	119.674	0	0	0	-49.765	2165.3	3	0.175	-0.5	-2709.65	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB410	Combination	-84.18	-99.449	0	0	0	-59.7039	2683.76	3	0.175	-0.5	-3164.79	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB410	Combination	-98.18	-14.248	0	0	0	41.9611	1774.72	1	-0.175	-0.5	-2335.75	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB410	Combination	-112.18	119.607	0	0	0	-44.6721	1867.51	3	0.175	-0.5	-2508.54	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB411	Combination	-67.261	-97.813	0	0	0	-49.7652	2245.3	3	0.175	-0.5	-2629.65	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB411	Combination	-81.261	-8.276	0	0	0	46.0486	2023.27	1	-0.175	-0.5	-2487.62	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB411	Combination	-95.261	117.756	0	0	0	-44.6601	1915.26	3	0.175	-0.5	-2459.61	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB412	Combination	-84.18	-104.939	0	0	0	-64.917	2939.09	3	0.175	-0.5	-3420.12	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB412	Combination	-98.18	-17.083	0	0	0	43.515	1850.83	1	-0.175	-0.5	-2411.86	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB412	Combination	-112.18	117.689	0	0	0	-39.5672	1617.47	3	0.175	-0.5	-2258.5	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB413	Combination	-67.261	-81.42	0	0	0	-19.475	761.7	3	0.175	-0.5	-1146.05	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	C_COMB413	Combination	-81.261	3.892	0	0	0	53.1534	2371.26	1	-0.175	-0.5	-2835.61	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB413	Combination	-95.261	128.001	0	0	0	-54.9916	2421.29	3	0.175	-0.5	-2965.64	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB414	Combination	-84.18	-88.546	0	0	0	-34.6268	1455.49	3	0.175	-0.5	-1936.52	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB414	Combination	-98.18	-4.915	0	0	0	50.6198	2198.82	1	-0.175	-0.5	-2759.85	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB414	Combination	-112.18	127.934	0	0	0	-49.8987	2123.5	3	0.175	-0.5	-2764.53	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB415	Combination	-67.261	-86.91	0	0	0	-24.6881	1017.04	3	0.175	-0.5	-1401.39	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB415	Combination	-81.261	1.057	0	0	0	54.7073	2447.37	1	-0.175	-0.5	-2911.71	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB415	Combination	-95.261	126.083	0	0	0	-49.8867	2171.25	3	0.175	-0.5	-2715.6	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB416	Combination	-84.18	-94.036	0	0	0	-39.84	1710.83	3	0.175	-0.5	-2191.86	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB416	Combination	-98.18	-7.75	0	0	0	52.1737	2274.93	1	-0.175	-0.5	-2835.96	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB416	Combination	-112.18	126.016	0	0	0	-44.7938	1873.47	3	0.175	-0.5	-2514.5	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB417	Combination	-77.136	-85.659	0	0	0	-46.6358	2063.82	3	0.175	-0.5	-2504.59	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB417	Combination	-91.136	-6.327	0	0	0	37.0802	1555.78	1	-0.175	-0.5	-2076.56	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB417	Combination	-105.136	111.168	0	0	0	-48.9564	2097.48	3	0.175	-0.5	-2698.26	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB418	Combination	-99.695	-95.161	0	0	0	-66.8382	2988.87	3	0.175	-0.5	-3558.55	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB418	Combination	-113.695	-18.069	0	0	0	33.702	1325.87	1	-0.175	-0.5	-1975.55	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB418	Combination	-127.695	111.078	0	0	0	-42.1659	1700.43	3	0.175	-0.5	-2430.11	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB419	Combination	-77.136	-91.15	0	0	0	-51.849	2319.15	3	0.175	-0.5	-2759.93	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB419	Combination	-91.136	-9.162	0	0	0	38.634	1631.89	1	-0.175	-0.5	-2152.67	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB419	Combination	-105.136	109.25	0	0	0	-43.8515	1847.44	3	0.175	-0.5	-2448.22	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB420	Combination	-99.695	-100.651	0	0	0	-72.0514	3244.2	3	0.175	-0.5	-3813.89	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB420	Combination	-113.695	-20.904	0	0	0	35.2559	1401.98	1	-0.175	-0.5	-2051.66	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB420	Combination	-127.695	109.16	0	0	0	-37.061	1450.39	3	0.175	-0.5	-2180.07	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB421	Combination	-77.136	-74.756	0	0	0	-21.5588	835.55	3	0.175	-0.5	-1276.33	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB421	Combination	-91.136	3.006	0	0	0	45.7388	1979.88	1	-0.175	-0.5	-2500.66	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB421	Combination	-105.136	119.495	0	0	0	-54.183	2353.47	3	0.175	-0.5	-2954.25	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB422	Combination	-99.695	-84.258	0	0	0	-41.7612	1760.6	3	0.175	-0.5	-2330.29	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB422	Combination	-113.695	-8.736	0	0	0	42.3607	1749.97	1	-0.175	-0.5	-2399.65	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB422	Combination	-127.695	119.405	0	0	0	-47.3925	1956.42	3	0.175	-0.5	-2686.1	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB423	Combination	-77.136	-80.247	0	0	0	-26.7719	1090.89	3	0.175	-0.5	-1531.67	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB423	Combination	-91.136	0.171	0	0	0	47.2927	2055.99	1	-0.175	-0.5	-2576.77	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB423	Combination	-105.136	117.577	0	0	0	-49.0781	2103.44	3	0.175	-0.5	-2704.21	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB424	Combination	-99.695	-89.749	0	0	0	-46.9743	2015.94	3	0.175	-0.5	-2585.62	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	C_COMB424	Combination	-113.695	-11.571	0	0	0	43.9145	1826.07	1	-0.175	-0.5	-2475.76	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB424	Combination	-127.695	117.487	0	0	0	-42.2875	1706.39	3	0.175	-0.5	-2436.07	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB425	Combination	-67.333	-87.255	0	0	0	-49.7282	2243.29	3	0.175	-0.5	-2628.05	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB425	Combination	-81.333	-7.59	0	0	0	36.3051	1545.83	1	-0.175	-0.5	-2010.59	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB425	Combination	-95.333	109.94	0	0	0	-47.7763	2067.69	3	0.175	-0.5	-2612.44	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB426	Combination	-84.252	-94.382	0	0	0	-64.88	2937.08	3	0.175	-0.5	-3418.51	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB426	Combination	-98.252	-16.397	0	0	0	33.7715	1373.39	1	-0.175	-0.5	-1934.83	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB426	Combination	-112.252	109.872	0	0	0	-42.6834	1769.9	3	0.175	-0.5	-2411.34	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB427	Combination	-67.333	-96.406	0	0	0	-58.4167	2668.85	3	0.175	-0.5	-3053.61	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB427	Combination	-81.333	-12.315	0	0	0	38.8949	1672.68	1	-0.175	-0.5	-2137.43	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB427	Combination	-95.333	106.743	0	0	0	-39.2681	1650.96	3	0.175	-0.5	-2195.72	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB428	Combination	-84.252	-103.532	0	0	0	-73.5685	3362.64	3	0.175	-0.5	-3844.08	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB428	Combination	-98.252	-21.122	0	0	0	36.3612	1500.24	1	-0.175	-0.5	-2061.68	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB428	Combination	-112.252	106.676	0	0	0	-34.1752	1353.17	3	0.175	-0.5	-1994.61	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB429	Combination	-67.333	-69.084	0	0	0	-7.9331	196.18	3	0.175	-0.5	-580.94	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB429	Combination	-81.333	7.965	0	0	0	50.7362	2252.66	1	-0.175	-0.5	-2717.42	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB429	Combination	-95.333	123.818	0	0	0	-56.4872	2494.34	3	0.175	-0.5	-3039.1	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB430	Combination	-84.252	-76.21	0	0	0	-23.0849	889.97	3	0.175	-0.5	-1371.41	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB430	Combination	-98.252	-0.841	0	0	0	48.2025	2080.22	1	-0.175	-0.5	-2641.66	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB430	Combination	-112.252	123.751	0	0	0	-51.3943	2196.55	3	0.175	-0.5	-2837.99	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB431	Combination	-67.333	-78.235	0	0	0	-16.6217	621.74	3	0.175	-0.5	-1006.5	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB431	Combination	-81.333	3.24	0	0	0	53.3259	2379.5	1	-0.175	-0.5	-2844.26	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB431	Combination	-95.333	120.622	0	0	0	-47.979	2077.62	3	0.175	-0.5	-2622.37	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB432	Combination	-84.252	-85.361	0	0	0	-31.7735	1315.53	3	0.175	-0.5	-1796.97	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB432	Combination	-98.252	-5.566	0	0	0	50.7923	2207.07	1	-0.175	-0.5	-2768.51	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB432	Combination	-112.252	120.555	0	0	0	-42.8861	1779.83	3	0.175	-0.5	-2421.26	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB433	Combination	-74.288	-140.673	0	0	0	-49.1543	2195.31	3	0.175	-0.5	-2619.81	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB433	Combination	-88.288	13.701	0	0	0	62.2628	2797.36	1	-0.175	-0.5	-3301.86	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB433	Combination	-102.288	137.288	0	0	0	-64.4048	2862.27	3	0.175	-0.5	-3446.77	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB434	Combination	-91.207	-147.799	0	0	0	-64.3062	2889.1	3	0.175	-0.5	-3410.28	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB434	Combination	-105.207	4.894	0	0	0	59.7292	2624.92	1	-0.175	-0.5	-3226.1	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB434	Combination	-119.207	137.22	0	0	0	-59.3119	2564.48	3	0.175	-0.5	-3245.66	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB435	Combination	-74.288	-146.163	0	0	0	-54.3675	2450.65	3	0.175	-0.5	-2875.15	1
	-0.175	-0.5	20-1	0											

Allegati alla relazione di Calcolo

20	1.6	C_COMB435	Combination	-88.288	10.866	0	0	0	63.8167	2873.46	1	-0.175	-0.5	-3377.97	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB435	Combination	-102.288	135.37	0	0	0	-59.2999	2612.23	3	0.175	-0.5	-3196.73	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB436	Combination	-91.207	-153.29	0	0	0	-69.5193	3144.43	3	0.175	-0.5	-3665.62	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB436	Combination	-105.207	2.059	0	0	0	61.2831	2701.03	1	-0.175	-0.5	-3302.21	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB436	Combination	-119.207	135.303	0	0	0	-54.207	2314.44	3	0.175	-0.5	-2995.63	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB437	Combination	-74.288	-129.77	0	0	0	-24.0773	967.05	3	0.175	-0.5	-1391.55	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB437	Combination	-88.288	23.034	0	0	0	70.9215	3221.45	1	-0.175	-0.5	-3725.96	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB437	Combination	-102.288	145.615	0	0	0	-69.6313	3118.26	3	0.175	-0.5	-3702.76	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB438	Combination	-91.207	-136.896	0	0	0	-39.2291	1660.83	3	0.175	-0.5	-2182.02	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB438	Combination	-105.207	14.227	0	0	0	68.3879	3049.02	1	-0.175	-0.5	-3650.2	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB438	Combination	-119.207	145.547	0	0	0	-64.5384	2820.47	3	0.175	-0.5	-3501.66	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB439	Combination	-74.288	-135.26	0	0	0	-29.2904	1222.38	3	0.175	-0.5	-1646.88	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB439	Combination	-88.288	20.199	0	0	0	72.4753	3297.56	1	-0.175	-0.5	-3802.06	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB439	Combination	-102.288	143.697	0	0	0	-64.5264	2868.23	3	0.175	-0.5	-3452.73	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB440	Combination	-91.207	-142.387	0	0	0	-44.4422	1916.17	3	0.175	-0.5	-2437.35	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB440	Combination	-105.207	11.392	0	0	0	69.9417	3125.13	1	-0.175	-0.5	-3726.31	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB440	Combination	-119.207	143.63	0	0	0	-59.4335	2570.44	3	0.175	-0.5	-3251.62	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB441	Combination	-72.549	-129.553	0	0	0	-54.4097	2457.68	3	0.175	-0.5	-2872.25	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB441	Combination	-86.549	6.913	0	0	0	53.7325	2384.51	1	-0.175	-0.5	-2879.08	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB441	Combination	-100.549	129.474	0	0	0	-60.4532	2673.69	3	0.175	-0.5	-3248.26	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB442	Combination	-89.468	-136.679	0	0	0	-69.5615	3151.47	3	0.175	-0.5	-3662.72	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB442	Combination	-103.468	-1.894	0	0	0	51.1988	2212.08	1	-0.175	-0.5	-2803.32	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB442	Combination	-117.468	129.406	0	0	0	-55.3603	2375.9	3	0.175	-0.5	-3047.15	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB443	Combination	-72.549	-138.703	0	0	0	-63.0983	2883.24	3	0.175	-0.5	-3297.81	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB443	Combination	-86.549	2.188	0	0	0	56.3222	2511.36	1	-0.175	-0.5	-3005.92	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB443	Combination	-100.549	126.277	0	0	0	-51.945	2256.96	3	0.175	-0.5	-2831.53	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB444	Combination	-89.468	-145.83	0	0	0	-78.2501	3577.03	3	0.175	-0.5	-4088.28	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB444	Combination	-103.468	-6.619	0	0	0	53.7886	2338.92	1	-0.175	-0.5	-2930.17	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB444	Combination	-117.468	126.21	0	0	0	-46.8521	1959.18	3	0.175	-0.5	-2630.42	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB445	Combination	-72.549	-111.381	0	0	0	-12.6146	410.58	3	0.175	-0.5	-825.14	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB445	Combination	-86.549	22.468	0	0	0	68.1635	3091.34	1	-0.175	-0.5	-3585.91	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB445	Combination	-100.549	143.352	0	0	0	-69.1641	3100.35	3	0.175	-0.5	-3674.91	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB446	Combination	-89.468	-118.508	0	0	0	-27.7664	1104.37	3	0.175	-0.5	-1615.61	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	C_COMB446	Combination	-103.468	13.662	0	0	0	65.6299	2918.9	1	-0.175	-0.5	-3510.15	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB446	Combination	-117.468	143.285	0	0	0	-64.0712	2802.56	3	0.175	-0.5	-3473.81	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB447	Combination	-72.549	-120.532	0	0	0	-21.3032	836.14	3	0.175	-0.5	-1250.7	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB447	Combination	-86.549	17.743	0	0	0	70.7533	3218.19	1	-0.175	-0.5	-3712.75	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB447	Combination	-100.549	140.156	0	0	0	-60.6559	2683.62	3	0.175	-0.5	-3258.19	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB448	Combination	-89.468	-127.658	0	0	0	-36.455	1529.93	3	0.175	-0.5	-2041.17	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB448	Combination	-103.468	8.937	0	0	0	68.2197	3045.75	1	-0.175	-0.5	-3637	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB448	Combination	-117.468	140.088	0	0	0	-55.563	2385.83	3	0.175	-0.5	-3057.08	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB449	Combination	-72.549	-126.603	0	0	0	-47.6093	2124.6	3	0.175	-0.5	-2539.17	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB449	Combination	-86.549	8.836	0	0	0	56.4861	2519.38	1	-0.175	-0.5	-3013.95	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB449	Combination	-100.549	130.746	0	0	0	-60.099	2656.34	3	0.175	-0.5	-3230.91	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB450	Combination	-89.468	-133.73	0	0	0	-62.7611	2818.39	3	0.175	-0.5	-3329.63	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB450	Combination	-103.468	0.03	0	0	0	53.9524	2346.95	1	-0.175	-0.5	-2938.19	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB450	Combination	-117.468	130.679	0	0	0	-55.0061	2358.55	3	0.175	-0.5	-3029.8	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB451	Combination	-72.549	-132.094	0	0	0	-52.8224	2379.94	3	0.175	-0.5	-2794.5	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB451	Combination	-86.549	6.001	0	0	0	58.0399	2595.49	1	-0.175	-0.5	-3090.05	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB451	Combination	-100.549	128.829	0	0	0	-54.9941	2406.3	3	0.175	-0.5	-2980.87	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB452	Combination	-89.468	-139.22	0	0	0	-67.9742	3073.73	3	0.175	-0.5	-3584.97	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB452	Combination	-103.468	-2.805	0	0	0	55.5063	2423.05	1	-0.175	-0.5	-3014.3	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB452	Combination	-117.468	128.761	0	0	0	-49.9012	2108.52	3	0.175	-0.5	-2779.76	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB453	Combination	-72.549	-115.701	0	0	0	-22.5322	896.34	3	0.175	-0.5	-1310.9	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB453	Combination	-86.549	18.17	0	0	0	65.1447	2943.48	1	-0.175	-0.5	-3438.04	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB453	Combination	-100.549	139.074	0	0	0	-65.3255	2912.33	3	0.175	-0.5	-3486.9	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB454	Combination	-89.468	-122.827	0	0	0	-37.684	1590.13	3	0.175	-0.5	-2101.37	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB454	Combination	-103.468	9.363	0	0	0	62.6111	2771.04	1	-0.175	-0.5	-3362.29	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB454	Combination	-117.468	139.006	0	0	0	-60.2326	2614.55	3	0.175	-0.5	-3285.79	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB455	Combination	-72.549	-121.191	0	0	0	-27.7453	1151.67	3	0.175	-0.5	-1566.24	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB455	Combination	-86.549	15.335	0	0	0	66.6986	3019.59	1	-0.175	-0.5	-3514.15	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB455	Combination	-100.549	137.156	0	0	0	-60.2206	2662.3	3	0.175	-0.5	-3236.86	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB456	Combination	-89.468	-128.318	0	0	0	-42.8972	1845.46	3	0.175	-0.5	-2356.71	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB456	Combination	-103.468	6.528	0	0	0	64.165	2847.15	1	-0.175	-0.5	-3438.4	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB456	Combination	-117.468	137.088	0	0	0	-55.1277	2364.51	3	0.175	-0.5	-3035.76	1
	-0.175	-0.5	20-7	0.45714											
20	0	D_COMB457	Combination	-37.923	-79.293	0	0	0	-29.9916	1360.62	3	0.175	-0.5	-1577.33	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	D_COMB457	Combination	-51.923	-2.988	0	0	0	45.448	2077.67	1	-0.175	-0.5	-2374.38	3
	0.175	-0.5	20-4	0.22857											
20	3.2	D_COMB457	Combination	-65.923	111.883	0	0	0	-43.3116	1933.03	3	0.175	-0.5	-2309.74	1
	-0.175	-0.5	20-7	0.45714											
20	0	D_COMB458	Combination	-37.923	-83.869	0	0	0	-34.3359	1573.41	3	0.175	-0.5	-1790.11	1
	-0.175	-0.5	20-1	0											
20	1.6	D_COMB458	Combination	-51.923	-5.351	0	0	0	46.7429	2141.1	1	-0.175	-0.5	-2437.8	3
	0.175	-0.5	20-4	0.22857											
20	3.2	D_COMB458	Combination	-65.923	110.284	0	0	0	-39.0575	1724.67	3	0.175	-0.5	-2101.37	1
	-0.175	-0.5	20-7	0.45714											
20	0	D_COMB459	Combination	-37.923	-70.208	0	0	0	-9.0941	337.07	3	0.175	-0.5	-553.77	1
	-0.175	-0.5	20-1	0											
20	1.6	D_COMB459	Combination	-51.923	4.79	0	0	0	52.6635	2431.09	1	-0.175	-0.5	-2727.79	3
	0.175	-0.5	20-4	0.22857											
20	3.2	D_COMB459	Combination	-65.923	118.822	0	0	0	-47.6671	2146.36	3	0.175	-0.5	-2523.06	1
	-0.175	-0.5	20-7	0.45714											
20	0	D_COMB460	Combination	-37.923	-74.783	0	0	0	-13.4383	549.85	3	0.175	-0.5	-766.55	1
	-0.175	-0.5	20-1	0											
20	1.6	D_COMB460	Combination	-51.923	2.427	0	0	0	53.9584	2494.51	1	-0.175	-0.5	-2791.21	3
	0.175	-0.5	20-4	0.22857											
20	3.2	D_COMB460	Combination	-65.923	117.224	0	0	0	-43.413	1938	3	0.175	-0.5	-2314.7	1
	-0.175	-0.5	20-7	0.45714											
20	0	D_COMB461	Combination	-67.547	-59.304	0	0	0	-36.2429	1582.17	3	0.175	-0.5	-1968.15	1
	-0.175	-0.5	20-1	0											
20	1.6	D_COMB461	Combination	-81.547	-5.645	0	0	0	23.2043	903.54	1	-0.175	-0.5	-1369.53	3
	0.175	-0.5	20-4	0.22857											
20	3.2	D_COMB461	Combination	-95.547	86.363	0	0	0	-40.8858	1729.58	3	0.175	-0.5	-2275.56	1
	-0.175	-0.5	20-7	0.45714											
20	0	D_COMB462	Combination	-67.547	-63.879	0	0	0	-40.5872	1794.95	3	0.175	-0.5	-2180.94	1
	-0.175	-0.5	20-1	0											
20	1.6	D_COMB462	Combination	-81.547	-8.008	0	0	0	24.4992	966.97	1	-0.175	-0.5	-1432.95	3
	0.175	-0.5	20-4	0.22857											
20	3.2	D_COMB462	Combination	-95.547	84.765	0	0	0	-36.6317	1521.22	3	0.175	-0.5	-2067.2	1
	-0.175	-0.5	20-7	0.45714											
20	0	D_COMB463	Combination	-67.547	-50.218	0	0	0	-15.3454	558.62	3	0.175	-0.5	-944.6	1
	-0.175	-0.5	20-1	0											
20	1.6	D_COMB463	Combination	-81.547	2.133	0	0	0	30.4198	1256.96	1	-0.175	-0.5	-1722.94	3
	0.175	-0.5	20-4	0.22857											
20	3.2	D_COMB463	Combination	-95.547	93.302	0	0	0	-45.2413	1942.91	3	0.175	-0.5	-2488.89	1
	-0.175	-0.5	20-7	0.45714											
20	0	D_COMB464	Combination	-67.547	-54.793	0	0	0	-19.6896	771.4	3	0.175	-0.5	-1157.38	1
	-0.175	-0.5	20-1	0											
20	1.6	D_COMB464	Combination	-81.547	-0.23	0	0	0	31.7147	1320.38	1	-0.175	-0.5	-1786.37	3
	0.175	-0.5	20-4	0.22857											
20	3.2	D_COMB464	Combination	-95.547	91.704	0	0	0	-40.9872	1734.54	3	0.175	-0.5	-2280.53	1
	-0.175	-0.5	20-7	0.45714											
20	0	D_COMB465	Combination	-84.466	-66.43	0	0	0	-51.3947	2275.96	3	0.175	-0.5	-2758.62	1
	-0.175	-0.5	20-1	0											
20	1.6	D_COMB465	Combination	-98.466	-14.452	0	0	0	20.6707	731.11	1	-0.175	-0.5	-1293.77	3
	0.175	-0.5	20-4	0.22857											
20	3.2	D_COMB465	Combination	-112.466	86.296	0	0	0	-35.7929	1431.79	3	0.175	-0.5	-2074.46	1
	-0.175	-0.5	20-7	0.45714											
20	0	D_COMB466	Combination	-84.466	-71.005	0	0	0	-55.739	2488.74	3	0.175	-0.5	-2971.4	1
	-0.175	-0.5	20-1	0											
20	1.6	D_COMB466	Combination	-98.466	-16.814	0	0	0	21.9655	794.53	1	-0.175	-0.5	-1357.2	3
	0.175	-0.5	20-4	0.22857											
20	3.2	D_COMB466	Combination	-112.466	84.698	0	0	0	-31.5388	1223.43	3	0.175	-0.5	-1866.09	1
	-0.175	-0.5	20-7	0.45714											
20	0	D_COMB467	Combination	-84.466	-57.344	0	0	0	-30.4972	1252.41	3	0.175	-0.5	-1735.07	1
	-0.175	-0.5	20-1	0											
20	1.6	D_COMB467	Combination	-98.466	-6.674	0	0	0	27.8862	1084.52	1	-0.175	-0.5	-1647.19	3
	0.175	-0.5	20-4	0.22857											
20	3.2	D_COMB467	Combination	-112.466	93.235	0	0	0	-40.1484	1645.12	3	0.175	-0.5	-2287.78	1
	-0.175	-0.5	20-7	0.45714											
20	0	D_COMB468	Combination	-84.466	-61.92	0	0	0	-34.8414	1465.19	3	0.175	-0.5	-1947.85	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	D_COMB468	Combination	-98.466	-9.037	0	0	0	29.1811	1147.95	1	-0.175	-0.5	-1710.61	3
	0.175	-0.5 20-4	0.22857												
20	3.2	D_COMB468	Combination	-112.466	91.637	0	0	0	-35.8943	1436.76	3	0.175	-0.5	-2079.42	1
	-0.175	-0.5 20-7	0.45714												
20	0	D_COMB469	Combination	-38.138	-55.9	0	0	0	-26.7763	1202.53	3	0.175	-0.5	-1420.46	1
	-0.175	-0.5 20-1	0												
20	1.6	D_COMB469	Combination	-52.137	-4.063	0	0	0	28.3624	1240.21	1	-0.175	-0.5	-1538.14	3
	0.175	-0.5 20-4	0.22857												
20	3.2	D_COMB469	Combination	-66.138	86.262	0	0	0	-36.5918	1603.29	3	0.175	-0.5	-1981.21	1
	-0.175	-0.5 20-7	0.45714												
20	0	D_COMB470	Combination	-38.138	-61.39	0	0	0	-31.9895	1457.87	3	0.175	-0.5	-1675.8	1
	-0.175	-0.5 20-1	0												
20	1.6	D_COMB470	Combination	-52.137	-6.898	0	0	0	29.9163	1316.32	1	-0.175	-0.5	-1614.25	3
	0.175	-0.5 20-4	0.22857												
20	3.2	D_COMB470	Combination	-66.138	84.344	0	0	0	-31.4869	1353.25	3	0.175	-0.5	-1731.18	1
	-0.175	-0.5 20-7	0.45714												
20	0	D_COMB471	Combination	-38.138	-44.997	0	0	0	-1.6993	-25.73	3	0.175	-0.5	-192.2	1
	-0.175	-0.5 20-1	0												
20	1.6	D_COMB471	Combination	-52.137	5.271	0	0	0	37.021	1664.31	1	-0.175	-0.5	-1962.24	3
	0.175	-0.5 20-4	0.22857												
20	3.2	D_COMB471	Combination	-66.138	94.589	0	0	0	-41.8183	1859.28	3	0.175	-0.5	-2237.21	1
	-0.175	-0.5 20-7	0.45714												
20	0	D_COMB472	Combination	-38.138	-50.487	0	0	0	-6.9124	229.6	3	0.175	-0.5	-447.53	1
	-0.175	-0.5 20-1	0												
20	1.6	D_COMB472	Combination	-52.137	2.436	0	0	0	38.5749	1740.42	1	-0.175	-0.5	-2038.35	3
	0.175	-0.5 20-4	0.22857												
20	3.2	D_COMB472	Combination	-66.138	92.671	0	0	0	-36.7134	1609.24	3	0.175	-0.5	-1987.17	1
	-0.175	-0.5 20-7	0.45714												
20	0	D_COMB473	Combination	-38.138	-55.244	0	0	0	-25.1186	1121.34	3	0.175	-0.5	-1339.27	1
	-0.175	-0.5 20-1	0												
20	1.6	D_COMB473	Combination	-52.137	-3.664	0	0	0	29.1397	1278.29	1	-0.175	-0.5	-1576.22	3
	0.175	-0.5 20-4	0.22857												
20	3.2	D_COMB473	Combination	-66.138	86.498	0	0	0	-36.2828	1588.15	3	0.175	-0.5	-1966.08	1
	-0.175	-0.5 20-7	0.45714												
20	0	D_COMB474	Combination	-38.138	-59.82	0	0	0	-29.4629	1334.12	3	0.175	-0.5	-1552.05	1
	-0.175	-0.5 20-1	0												
20	1.6	D_COMB474	Combination	-52.137	-6.026	0	0	0	30.4346	1341.71	1	-0.175	-0.5	-1639.64	3
	0.175	-0.5 20-4	0.22857												
20	3.2	D_COMB474	Combination	-66.138	84.9	0	0	0	-32.0287	1379.79	3	0.175	-0.5	-1757.72	1
	-0.175	-0.5 20-7	0.45714												
20	0	D_COMB475	Combination	-38.138	-46.159	0	0	0	-4.2211	97.78	3	0.175	-0.5	-315.71	1
	-0.175	-0.5 20-1	0												
20	1.6	D_COMB475	Combination	-52.137	4.114	0	0	0	36.3553	1631.7	1	-0.175	-0.5	-1929.63	3
	0.175	-0.5 20-4	0.22857												
20	3.2	D_COMB475	Combination	-66.138	93.437	0	0	0	-40.6382	1801.48	3	0.175	-0.5	-2179.41	1
	-0.175	-0.5 20-7	0.45714												
20	0	D_COMB476	Combination	-38.138	-50.734	0	0	0	-8.5654	310.56	3	0.175	-0.5	-528.49	1
	-0.175	-0.5 20-1	0												
20	1.6	D_COMB476	Combination	-52.137	1.751	0	0	0	37.6502	1695.13	1	-0.175	-0.5	-1993.05	3
	0.175	-0.5 20-4	0.22857												
20	3.2	D_COMB476	Combination	-66.138	91.839	0	0	0	-36.3841	1593.12	3	0.175	-0.5	-1971.04	1
	-0.175	-0.5 20-7	0.45714												
20	0	E_COMB477	Combination	-38.138	-55.155	0	0	0	-25.0724	1119.07	3	0.175	-0.5	-1337	1
	-0.175	-0.5 20-1	0												
20	1.6	E_COMB477	Combination	-52.137	-3.574	0	0	0	29.0427	1273.54	1	-0.175	-0.5	-1571.46	3
	0.175	-0.5 20-4	0.22857												
20	3.2	E_COMB477	Combination	-66.138	86.588	0	0	0	-36.5232	1599.93	3	0.175	-0.5	-1977.86	1
	-0.175	-0.5 20-7	0.45714												
20	0	E_COMB478	Combination	-38.138	-59.73	0	0	0	-29.4167	1331.85	3	0.175	-0.5	-1549.78	1
	-0.175	-0.5 20-1	0												
20	1.6	E_COMB478	Combination	-52.137	-5.937	0	0	0	30.3376	1336.96	1	-0.175	-0.5	-1634.89	3
	0.175	-0.5 20-4	0.22857												
20	3.2	E_COMB478	Combination	-66.138	84.99	0	0	0	-32.2692	1391.57	3	0.175	-0.5	-1769.49	1
	-0.175	-0.5 20-7	0.45714												
20	0	E_COMB479	Combination	-38.138	-46.069	0	0	0	-4.1748	95.52	3	0.175	-0.5	-313.45	1
	-0.175	-0.5 20-1	0												



Allegati alla relazione di Calcolo

Table with columns for values: 20, 1.6, E\_COMB479, Combination, -52.137, 4.203, 0, 0, 0, 36.2582, 1626.95, 1, -0.175, -0.5, -1924.88, 3, 0.175, -0.5, 20-4, 0.22857, 20, 3.2, E\_COMB479, Combination, -66.138, 93.527, 0, 0, 0, -40.8787, 1813.26, 3, 0.175, -0.5, -2191.19, 1, -0.175, -0.5, 20-7, 0.45714, 20, 0, E\_COMB480, Combination, -38.138, -50.645, 0, 0, 0, -8.5191, 308.3, 3, 0.175, -0.5, -526.23, 1, -0.175, -0.5, 20-1, 0, 20, 1.6, E\_COMB480, Combination, -52.137, 1.841, 0, 0, 0, 37.5531, 1690.37, 1, -0.175, -0.5, -1988.3, 3, 0.175, -0.5, 20-4, 0.22857, 20, 3.2, E\_COMB480, Combination, -66.138, 91.929, 0, 0, 0, -36.6246, 1604.89, 3, 0.175, -0.5, -1982.82, 1, -0.175, -0.5, 20-7, 0.45714, 20, 0, A\_COMB179, Combination, -38, -113.753, 0, 0, 0, -26.2578, 1177.53, 3, 0.175, -0.5, -1394.67, 1, -0.175, -0.5, 20-1, 0, 20, 1.6, A\_COMB179, Combination, -49.284, 11.127, 0, 0, 0, 70.86, 3329.88, 1, -0.175, -0.5, -3611.5, 3, 0.175, -0.5, 20-4, 0.22857, 20, 3.2, A\_COMB179, Combination, -60.568, 131.967, 0, 0, 0, -53.4277, 2443.82, 3, 0.175, -0.5, -2789.92, 1, -0.175, -0.5, 20-7, 0.45714, 20, 0, A\_COMB180, Combination, -38, -113.753, 0, 0, 0, -26.2578, 1177.53, 3, 0.175, -0.5, -1394.67, 1, -0.175, -0.5, 20-1, 0, 20, 1.6, A\_COMB180, Combination, -49.284, 11.127, 0, 0, 0, 70.86, 3329.88, 1, -0.175, -0.5, -3611.5, 3, 0.175, -0.5, 20-4, 0.22857, 20, 3.2, A\_COMB180, Combination, -60.568, 131.967, 0, 0, 0, -53.4277, 2443.82, 3, 0.175, -0.5, -2789.92, 1, -0.175, -0.5, 20-7, 0.45714, 20, 0, A\_COMB183, Combination, -32.82, -82.78, 0, 0, 0, -20.5528, 912.9, 3, 0.175, -0.5, -1100.44, 1, -0.175, -0.5, 20-1, 0, 20, 1.6, A\_COMB183, Combination, -41.388, 4.374, 0, 0, 0, 53.0646, 2480.83, 1, -0.175, -0.5, -2717.33, 3, 0.175, -0.5, 20-4, 0.22857, 20, 3.2, A\_COMB183, Combination, -49.956, 108.945, 0, 0, 0, -41.8896, 1909, 3, 0.175, -0.5, -2194.47, 1, -0.175, -0.5, 20-7, 0.45714, 20, 0, A\_COMB184, Combination, -32.82, -82.78, 0, 0, 0, -20.5528, 912.9, 3, 0.175, -0.5, -1100.44, 1, -0.175, -0.5, 20-1, 0, 20, 1.6, A\_COMB184, Combination, -41.388, 4.374, 0, 0, 0, 53.0646, 2480.83, 1, -0.175, -0.5, -2717.33, 3, 0.175, -0.5, 20-4, 0.22857, 20, 3.2, A\_COMB184, Combination, -49.956, 108.945, 0, 0, 0, -41.8896, 1909, 3, 0.175, -0.5, -2194.47, 1, -0.175, -0.5, 20-7, 0.45714, 20, 0, B\_COMB187, Combination, -77.877, -140.667, 0, 0, 0, -62.8857, 2857.61, 3, 0.175, -0.5, -3302.62, 1, -0.175, -0.5, 20-1, 0, 20, 1.6, B\_COMB187, Combination, -96.777, -11.111, 0, 0, 0, 74.5023, 3372.58, 1, -0.175, -0.5, -3925.6, 3, 0.175, -0.5, 20-4, 0.22857, 20, 3.2, B\_COMB187, Combination, -115.677, 176.676, 0, 0, 0, -61.6404, 2688.62, 3, 0.175, -0.5, -3349.63, 1, -0.175, -0.5, 20-7, 0.45714, 20, 0, B\_COMB188, Combination, -97.334, -148.862, 0, 0, 0, -80.3103, 3655.47, 3, 0.175, -0.5, -4211.66, 1, -0.175, -0.5, 20-1, 0, 20, 1.6, B\_COMB188, Combination, -116.234, -21.239, 0, 0, 0, 71.5886, 3174.28, 1, -0.175, -0.5, -3838.48, 3, 0.175, -0.5, 20-4, 0.22857, 20, 3.2, B\_COMB188, Combination, -135.134, 176.598, 0, 0, 0, -55.7836, 2346.16, 3, 0.175, -0.5, -3118.35, 1, -0.175, -0.5, 20-7, 0.45714, 20, 0, B\_COMB191, Combination, -77.877, -129.764, 0, 0, 0, -37.8086, 1629.35, 3, 0.175, -0.5, -2074.36, 1, -0.175, -0.5, 20-1, 0, 20, 1.6, B\_COMB191, Combination, -96.777, -1.778, 0, 0, 0, 83.1609, 3796.68, 1, -0.175, -0.5, -4349.69, 3, 0.175, -0.5, 20-4, 0.22857, 20, 3.2, B\_COMB191, Combination, -115.677, 185.003, 0, 0, 0, -66.867, 2944.61, 3, 0.175, -0.5, -3605.62, 1, -0.175, -0.5, 20-7, 0.45714, 20, 0, B\_COMB192, Combination, -97.334, -137.959, 0, 0, 0, -55.2332, 2427.2, 3, 0.175, -0.5, -2983.4, 1, -0.175, -0.5, 20-1, 0, 20, 1.6, B\_COMB192, Combination, -116.234, -11.905, 0, 0, 0, 80.2472, 3598.38, 1, -0.175, -0.5, -4262.57, 3, 0.175, -0.5, 20-4, 0.22857, 20, 3.2, B\_COMB192, Combination, -135.134, 184.925, 0, 0, 0, -61.0101, 2602.15, 3, 0.175, -0.5, -3374.35, 1, -0.175, -0.5, 20-7, 0.45714, 20, 0, C\_COMB371, Combination, -67.261, -97.723, 0, 0, 0, -49.7189, 2243.04, 3, 0.175, -0.5, -2627.39, 1, -0.175, -0.5, 20-1, 0, 20, 1.6, C\_COMB371, Combination, -81.261, -8.187, 0, 0, 0, 45.9516, 2018.51, 1, -0.175, -0.5, -2482.86, 3, 0.175, -0.5, 20-4, 0.22857, 20, 3.2, C\_COMB371, Combination, -95.261, 117.846, 0, 0, 0, -44.9006, 1927.04, 3, 0.175, -0.5, -2471.39, 1, -0.175, -0.5, 20-7, 0.45714, 20, 0, C\_COMB372, Combination, -84.18, -104.85, 0, 0, 0, -64.8707, 2936.83, 3, 0.175, -0.5, -3417.86, 1, -0.175, -0.5, 20-1, 0

## Allegati alla relazione di Calcolo

20	1.6	C_COMB372	Combination	-98.18	-16.993	0	0	0	43.418	1846.08	1	-0.175	-0.5	-2407.11	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB372	Combination	-112.18	117.779	0	0	0	-39.8077	1629.25	3	0.175	-0.5	-2270.28	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB375	Combination	-67.261	-86.821	0	0	0	-24.6419	1014.77	3	0.175	-0.5	-1399.12	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB375	Combination	-81.261	1.146	0	0	0	54.6102	2442.61	1	-0.175	-0.5	-2906.96	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB375	Combination	-95.261	126.173	0	0	0	-50.1272	2183.03	3	0.175	-0.5	-2727.38	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB376	Combination	-84.18	-93.947	0	0	0	-39.7937	1708.56	3	0.175	-0.5	-2189.59	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB376	Combination	-98.18	-7.66	0	0	0	52.0766	2270.18	1	-0.175	-0.5	-2831.21	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB376	Combination	-112.18	126.106	0	0	0	-45.0343	1885.25	3	0.175	-0.5	-2526.27	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB379	Combination	-77.136	-91.06	0	0	0	-51.8027	2316.89	3	0.175	-0.5	-2757.66	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB379	Combination	-91.136	-9.072	0	0	0	38.537	1627.14	1	-0.175	-0.5	-2147.91	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB379	Combination	-105.136	109.34	0	0	0	-44.092	1859.22	3	0.175	-0.5	-2460	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB380	Combination	-99.695	-100.562	0	0	0	-72.0051	3241.94	3	0.175	-0.5	-3811.62	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB380	Combination	-113.695	-20.815	0	0	0	35.1588	1397.22	1	-0.175	-0.5	-2046.91	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB380	Combination	-127.695	109.25	0	0	0	-37.3015	1462.17	3	0.175	-0.5	-2191.85	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB383	Combination	-77.136	-80.157	0	0	0	-26.7257	1088.62	3	0.175	-0.5	-1529.4	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB383	Combination	-91.136	0.261	0	0	0	47.1956	2051.24	1	-0.175	-0.5	-2572.01	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB383	Combination	-105.136	117.667	0	0	0	-49.3186	2115.21	3	0.175	-0.5	-2715.99	1
	-0.175	-0.5	20-7	0.45714											
20	0	C_COMB384	Combination	-99.695	-89.659	0	0	0	-46.9281	2013.68	3	0.175	-0.5	-2583.36	1
	-0.175	-0.5	20-1	0											
20	1.6	C_COMB384	Combination	-113.695	-11.481	0	0	0	43.8175	1821.32	1	-0.175	-0.5	-2471	3
	0.175	-0.5	20-4	0.22857											
20	3.2	C_COMB384	Combination	-127.695	117.577	0	0	0	-42.528	1718.16	3	0.175	-0.5	-2447.85	1
	-0.175	-0.5	20-7	0.45714											
20	0	F_COMB481	Combination	-40.656	-80.442	0	0	0	-21.4584	934.86	3	0.175	-0.5	-1167.18	1
	-0.175	-0.5	20-1	0											
20	1.6	F_COMB481	Combination	-55.363	4.99	0	0	0	49.5704	2269.76	1	-0.175	-0.5	-2586.12	3
	0.175	-0.5	20-4	0.22857											
20	3.2	F_COMB481	Combination	-70.07	109.014	0	0	0	-45.6356	2035.01	3	0.175	-0.5	-2435.41	1
	-0.175	-0.5	20-7	0.45714											
20	0	F_COMB482	Combination	-40.656	-80.442	0	0	0	-21.4584	934.86	3	0.175	-0.5	-1167.18	1
	-0.175	-0.5	20-1	0											
20	1.6	F_COMB482	Combination	-55.363	4.99	0	0	0	49.5704	2269.76	1	-0.175	-0.5	-2586.12	3
	0.175	-0.5	20-4	0.22857											
20	3.2	F_COMB482	Combination	-70.07	109.014	0	0	0	-45.6356	2035.01	3	0.175	-0.5	-2435.41	1
	-0.175	-0.5	20-7	0.45714											
20	0	F_COMB483	Combination	-38.834	-80.507	0	0	0	-21.1625	925.58	3	0.175	-0.5	-1147.49	1
	-0.175	-0.5	20-1	0											
20	1.6	F_COMB483	Combination	-52.127	4.773	0	0	0	50.0606	2303.01	1	-0.175	-0.5	-2600.88	3
	0.175	-0.5	20-4	0.22857											
20	3.2	F_COMB483	Combination	-65.42	108.616	0	0	0	-44.624	1998.75	3	0.175	-0.5	-2372.58	1
	-0.175	-0.5	20-7	0.45714											
20	0	F_COMB484	Combination	-38.834	-80.507	0	0	0	-21.1625	925.58	3	0.175	-0.5	-1147.49	1
	-0.175	-0.5	20-1	0											
20	1.6	F_COMB484	Combination	-52.127	4.773	0	0	0	50.0606	2303.01	1	-0.175	-0.5	-2600.88	3
	0.175	-0.5	20-4	0.22857											
20	3.2	F_COMB484	Combination	-65.42	108.616	0	0	0	-44.624	1998.75	3	0.175	-0.5	-2372.58	1
	-0.175	-0.5	20-7	0.45714											
20	0	F_COMB485	Combination	-40.763	-65.888	0	0	0	-19.2273	825.28	3	0.175	-0.5	-1058.21	1
	-0.175	-0.5	20-1	0											

## Allegati alla relazione di Calcolo

20	1.6	F_COMB485	Combination	-56.177	2.091	0	0	0	40.6396	1830.01	1	-0.175	-0.5	-2151.02	3
	0.175	-0.5	20-4	0.22857											
20	3.2	F_COMB485	Combination	-71.591	98.914	0	0	0	-41.6668	1836.28	3	0.175	-0.5	-2245.37	1
	-0.175	-0.5	20-7	0.45714											
20	0	F_COMB486	Combination	-40.763	-65.888	0	0	0	-19.2273	825.28	3	0.175	-0.5	-1058.21	1
	-0.175	-0.5	20-1	0											
20	1.6	F_COMB486	Combination	-56.177	2.091	0	0	0	40.6396	1830.01	1	-0.175	-0.5	-2151.02	3
	0.175	-0.5	20-4	0.22857											
20	3.2	F_COMB486	Combination	-71.591	98.914	0	0	0	-41.6668	1836.28	3	0.175	-0.5	-2245.37	1
	-0.175	-0.5	20-7	0.45714											
20	0	F_COMB487	Combination	-37.119	-66.018	0	0	0	-18.6357	806.71	3	0.175	-0.5	-1018.82	1
	-0.175	-0.5	20-1	0											
20	1.6	F_COMB487	Combination	-49.705	1.658	0	0	0	41.6201	1896.52	1	-0.175	-0.5	-2180.55	3
	0.175	-0.5	20-4	0.22857											
20	3.2	F_COMB487	Combination	-62.291	98.118	0	0	0	-39.6436	1763.75	3	0.175	-0.5	-2119.7	1
	-0.175	-0.5	20-7	0.45714											
20	0	F_COMB488	Combination	-37.119	-66.018	0	0	0	-18.6357	806.71	3	0.175	-0.5	-1018.82	1
	-0.175	-0.5	20-1	0											
20	1.6	F_COMB488	Combination	-49.705	1.658	0	0	0	41.6201	1896.52	1	-0.175	-0.5	-2180.55	3
	0.175	-0.5	20-4	0.22857											
20	3.2	F_COMB488	Combination	-62.291	98.118	0	0	0	-39.6436	1763.75	3	0.175	-0.5	-2119.7	1
	-0.175	-0.5	20-7	0.45714											
140	0	A_COMB_0_0_STR	Combination	0.76	-6.581	0	0	0	13.0147	515.35	1	-0.195	-0.5	-511.45	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB_0_0_STR	Combination	0.76	7.07E-11	0	0	0	14.66	580.25	1	-0.195	-0.5	-576.36	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB_0_0_STR	Combination	0.76	6.581	0	0	0	13.0147	515.35	1	-0.195	-0.5	-511.45	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB_0_1_STR	Combination	0.76	-6.581	0	0	0	13.0147	515.35	1	-0.195	-0.5	-511.45	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB_0_1_STR	Combination	0.76	7.07E-11	0	0	0	14.66	580.25	1	-0.195	-0.5	-576.36	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB_0_1_STR	Combination	0.76	6.581	0	0	0	13.0147	515.35	1	-0.195	-0.5	-511.45	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB_0_2_STR	Combination	-89.715	-6.581	0	0	0	-25.5589	778.2	3	0.195	-0.5	-1238.28	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB_0_2_STR	Combination	-89.715	7.07E-11	0	0	0	-23.9136	713.3	3	0.195	-0.5	-1173.38	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB_0_2_STR	Combination	-89.715	6.581	0	0	0	-25.5589	778.2	3	0.195	-0.5	-1238.28	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB_0_2_1_STR	Combination	-92.042	-14.681	0	0	0	-12.1444	243.06	3	0.195	-0.5	-	
	715.07	1	-0.195	-0.5	140-1	0									
140	0.5	A_COMB_0_2_1_STR	Combination	-92.042	5.99E-11	0	0	0	-8.4741	98.28	3	0.195	-0.5	-	
	570.29	1	-0.195	-0.5	140-5	0.1									
140	1	A_COMB_0_2_1_STR	Combination	-92.042	14.681	0	0	0	-12.1444	243.06	3	0.195	-0.5	-	
	715.07	1	-0.195	-0.5	140-10	0.1									
140	0	A_COMB_0_3_STR	Combination	-92.042	-14.681	0	0	0	-12.1444	243.06	3	0.195	-0.5	-715.07	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB_0_3_STR	Combination	-92.042	5.99E-11	0	0	0	-8.4741	98.28	3	0.195	-0.5	-570.29	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB_0_3_STR	Combination	-92.042	14.681	0	0	0	-12.1444	243.06	3	0.195	-0.5	-715.07	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB_0_4_STR	Combination	-87.352	-14.681	0	0	0	-4.3621	-51.91	3	0.195	-0.5	-396.05	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB_0_4_STR	Combination	-87.352	5.98E-11	0	0	0	-0.6918	-196.69	3	0.195	-0.5	-251.27	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB_0_4_STR	Combination	-87.352	14.681	0	0	0	-4.3621	-51.91	3	0.195	-0.5	-396.05	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB_0_1_GEO	Combination	0.76	-6.581	0	0	0	13.0147	515.35	1	-0.195	-0.5	-511.45	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB_0_1_GEO	Combination	0.76	7.07E-11	0	0	0	14.66	580.25	1	-0.195	-0.5	-576.36	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB_0_1_GEO	Combination	0.76	6.581	0	0	0	13.0147	515.35	1	-0.195	-0.5	-511.45	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB_0_2_GEO	Combination	-93.256	-6.581	0	0	0	-27.0688	828.68	3	0.195	-0.5	-1306.92	1
	-0.195	-0.5	140-1	0											



## Allegati alla relazione di Calcolo

140	0.5	A_COMB7	Combination	-152.41	-0.386	0	0	0	30.9601	830.51	1	-0.195	-0.5	-1612.1	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB7	Combination	-152.41	53.998	0	0	0	17.5572	301.8	1	-0.195	-0.5	-1083.39	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB8	Combination	-161.84	-31.93	0	0	0	44.5524	1342.52	1	-0.195	-0.5	-2172.47	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB8	Combination	-161.84	22.454	0	0	0	46.9215	1435.97	1	-0.195	-0.5	-2265.92	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB8	Combination	-161.84	76.839	0	0	0	22.0983	456.75	1	-0.195	-0.5	-1286.7	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB9	Combination	-144.782	-67.909	0	0	0	7.5281	-74.27	1	-0.195	-0.5	-668.2	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB9	Combination	-144.782	-0.29	0	0	0	24.5778	598.3	1	-0.195	-0.5	-1340.77	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB9	Combination	-144.782	67.329	0	0	0	7.818	-62.83	1	-0.195	-0.5	-679.64	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB10	Combination	-157.356	-37.455	0	0	0	44.037	1333.68	1	-0.195	-0.5	-2140.64	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB10	Combination	-157.356	30.164	0	0	0	45.8596	1405.58	1	-0.195	-0.5	-2212.54	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB10	Combination	-157.356	97.783	0	0	0	13.8728	143.77	1	-0.195	-0.5	-950.73	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB11	Combination	-152.834	-67.909	0	0	0	-0.2302	-382.8	3	0.195	-0.5	-400.96	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB11	Combination	-152.834	-0.29	0	0	0	16.8195	271.61	1	-0.195	-0.5	-1055.37	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB11	Combination	-152.834	67.329	0	0	0	0.0597	-389.53	1	-0.195	-0.5	-394.24	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB12	Combination	-165.408	-37.455	0	0	0	36.2787	1006.99	1	-0.195	-0.5	-1855.24	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB12	Combination	-165.408	30.164	0	0	0	38.1013	1078.89	1	-0.195	-0.5	-1927.13	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB12	Combination	-165.408	97.783	0	0	0	6.1144	-182.92	1	-0.195	-0.5	-665.32	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB13	Combination	-131.553	-67.909	0	0	0	40.1983	1248.42	1	-0.195	-0.5	-1923.05	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB13	Combination	-131.553	-0.29	0	0	0	57.248	1920.99	1	-0.195	-0.5	-2595.62	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB13	Combination	-131.553	67.329	0	0	0	40.4881	1259.85	1	-0.195	-0.5	-1934.48	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB14	Combination	-144.127	-37.455	0	0	0	76.7072	2656.37	1	-0.195	-0.5	-3395.48	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB14	Combination	-144.127	30.164	0	0	0	78.5298	2728.27	1	-0.195	-0.5	-3467.38	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB14	Combination	-144.127	97.783	0	0	0	46.5429	1466.46	1	-0.195	-0.5	-2205.57	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB15	Combination	-141.951	-67.909	0	0	0	30.7269	848.13	1	-0.195	-0.5	-1576.08	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB15	Combination	-141.951	-0.29	0	0	0	47.7765	1520.7	1	-0.195	-0.5	-2248.65	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB15	Combination	-141.951	67.329	0	0	0	31.0167	859.56	1	-0.195	-0.5	-1587.51	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB16	Combination	-152.179	-37.455	0	0	0	68.9489	2329.67	1	-0.195	-0.5	-3110.08	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB16	Combination	-152.179	30.164	0	0	0	70.7715	2401.57	1	-0.195	-0.5	-3181.98	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB16	Combination	-152.179	97.783	0	0	0	38.7846	1139.76	1	-0.195	-0.5	-1920.17	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB17	Combination	-146.524	-54.674	0	0	0	-11.5137	78.49	3	0.195	-0.5	-829.89	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB17	Combination	-146.524	-0.29	0	0	0	2.2273	-287.84	1	-0.195	-0.5	-463.56	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB17	Combination	-146.524	54.095	0	0	0	-11.2239	67.05	3	0.195	-0.5	-818.46	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB18	Combination	-155.954	-31.834	0	0	0	15.8679	226.07	1	-0.195	-0.5	-1025.84	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	A_COMB18	Combination	-155.954	22.551	0	0	0	18.1887	317.62	1	-0.195	-0.5	-1117.39	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB18	Combination	-155.954	76.935	0	0	0	-6.6828	-136.26	3	0.195	-0.5	-663.5	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB19	Combination	-159.944	-54.674	0	0	0	-24.4443	554.16	3	0.195	-0.5	-1374.38	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB19	Combination	-159.944	-0.29	0	0	0	-10.7032	12.1	3	0.195	-0.5	-832.33	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB19	Combination	-159.944	54.095	0	0	0	-24.1544	542.72	3	0.195	-0.5	-1362.95	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB20	Combination	-169.375	-31.834	0	0	0	2.9374	-318.42	1	-0.195	-0.5	-550.17	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB20	Combination	-169.375	22.551	0	0	0	5.2582	-226.87	1	-0.195	-0.5	-641.72	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB20	Combination	-169.375	76.935	0	0	0	-19.6133	339.41	3	0.195	-0.5	-1208	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB21	Combination	-124.475	-54.674	0	0	0	42.9365	1374.58	1	-0.195	-0.5	-2012.91	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB21	Combination	-124.475	-0.29	0	0	0	56.6776	1916.64	1	-0.195	-0.5	-2554.97	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB21	Combination	-124.475	54.095	0	0	0	43.2264	1386.02	1	-0.195	-0.5	-2024.35	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB22	Combination	-133.905	-31.834	0	0	0	70.3182	2430.55	1	-0.195	-0.5	-3117.24	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB22	Combination	-133.905	22.551	0	0	0	72.639	2522.1	1	-0.195	-0.5	-3208.79	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB22	Combination	-133.905	76.935	0	0	0	47.7675	1540.97	1	-0.195	-0.5	-2227.67	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB23	Combination	-137.895	-54.674	0	0	0	30.006	830.09	1	-0.195	-0.5	-1537.25	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB23	Combination	-137.895	-0.29	0	0	0	43.7471	1372.14	1	-0.195	-0.5	-2079.3	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB23	Combination	-137.895	54.095	0	0	0	30.2958	841.53	1	-0.195	-0.5	-1548.68	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB24	Combination	-147.326	-31.834	0	0	0	57.3877	1886.06	1	-0.195	-0.5	-2641.57	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB24	Combination	-147.326	22.551	0	0	0	59.7084	1977.6	1	-0.195	-0.5	-2733.12	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB24	Combination	-147.326	76.935	0	0	0	34.8369	996.48	1	-0.195	-0.5	-1752	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB25	Combination	-192.303	-45.285	0	0	0	-14.0145	59.76	3	0.195	-0.5	-1045.93	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB25	Combination	-211.716	9.1	0	0	0	-4.9683	-346.87	3	0.195	-0.5	-738.85	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB25	Combination	-231.129	63.484	0	0	0	-23.1143	319.17	3	0.195	-0.5	-1504.44	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB26	Combination	-201.734	-22.444	0	0	0	13.3672	10.04	1	-0.195	-0.5	-1044.57	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB26	Combination	-221.147	31.94	0	0	0	10.9931	-133.39	1	-0.195	-0.5	-1000.7	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB26	Combination	-240.559	86.325	0	0	0	-18.5732	115.85	3	0.195	-0.5	-1349.49	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB27	Combination	-200.355	-45.285	0	0	0	-21.7729	345.16	3	0.195	-0.5	-1372.62	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB27	Combination	-219.768	9.1	0	0	0	-12.7266	-61.47	3	0.195	-0.5	-1065.54	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB27	Combination	-239.181	63.484	0	0	0	-30.8726	604.57	3	0.195	-0.5	-1831.14	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB28	Combination	-209.786	-22.444	0	0	0	5.6088	-316.66	1	-0.195	-0.5	-759.17	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB28	Combination	-229.199	31.94	0	0	0	3.2348	-460.08	1	-0.195	-0.5	-715.29	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB28	Combination	-248.612	86.325	0	0	0	-26.3315	401.25	3	0.195	-0.5	-1676.18	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB29	Combination	-179.074	-45.285	0	0	0	18.6556	276.76	1	-0.195	-0.5	-1195.09	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	A_COMB29	Combination	-198.487	9.1	0	0	0	27.7019	583.84	1	-0.195	-0.5	-1601.72	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB29	Combination	-217.9	63.484	0	0	0	9.5559	-181.76	1	-0.195	-0.5	-935.67	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB30	Combination	-188.504	-22.444	0	0	0	46.0373	1332.72	1	-0.195	-0.5	-2299.41	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB30	Combination	-207.917	31.94	0	0	0	43.6633	1189.3	1	-0.195	-0.5	-2255.54	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB30	Combination	-227.33	86.325	0	0	0	14.097	-26.8	1	-0.195	-0.5	-1138.99	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB31	Combination	-187.126	-45.285	0	0	0	10.8973	-49.94	1	-0.195	-0.5	-909.68	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB31	Combination	-206.539	9.1	0	0	0	19.9436	257.14	1	-0.195	-0.5	-1316.32	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB31	Combination	-225.952	63.484	0	0	0	1.7975	-508.45	1	-0.195	-0.5	-650.27	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB32	Combination	-196.556	-22.444	0	0	0	38.279	1006.03	1	-0.195	-0.5	-2014.01	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB32	Combination	-215.969	31.94	0	0	0	35.9049	862.6	1	-0.195	-0.5	-1970.14	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB32	Combination	-235.382	86.325	0	0	0	6.3386	-353.5	1	-0.195	-0.5	-853.59	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB33	Combination	-183.612	-47.632	0	0	0	-20.0595	320.5	3	0.195	-0.5	-1262.1	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB33	Combination	-198.172	6.752	0	0	0	-9.8395	-119.99	3	0.195	-0.5	-896.28	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB33	Combination	-212.731	61.137	0	0	0	-26.8118	512.2	3	0.195	-0.5	-1603.13	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB34	Combination	-193.042	-24.792	0	0	0	7.3222	-206.14	1	-0.195	-0.5	-783.82	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB34	Combination	-207.602	29.593	0	0	0	6.1219	-290.82	1	-0.195	-0.5	-773.81	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB34	Combination	-222.162	83.978	0	0	0	-22.2708	308.89	3	0.195	-0.5	-1448.18	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB35	Combination	-197.032	-47.632	0	0	0	-32.99	796.17	3	0.195	-0.5	-1806.59	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB35	Combination	-211.592	6.752	0	0	0	-22.7701	355.68	3	0.195	-0.5	-1440.77	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB35	Combination	-226.152	61.137	0	0	0	-39.7424	987.87	3	0.195	-0.5	-2147.62	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB36	Combination	-206.463	-24.792	0	0	0	-5.6084	-308.15	3	0.195	-0.5	-750.63	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB36	Combination	-221.022	29.593	0	0	0	-6.8087	-298.14	3	0.195	-0.5	-835.31	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB36	Combination	-235.582	83.978	0	0	0	-35.2013	784.56	3	0.195	-0.5	-1992.67	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB37	Combination	-161.563	-47.632	0	0	0	34.3908	942.38	1	-0.195	-0.5	-1770.9	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB37	Combination	-176.122	6.752	0	0	0	44.6107	1308.2	1	-0.195	-0.5	-2211.39	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB37	Combination	-190.682	61.137	0	0	0	27.6384	601.34	1	-0.195	-0.5	-1579.2	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB38	Combination	-170.993	-24.792	0	0	0	61.7725	1998.34	1	-0.195	-0.5	-2875.23	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB38	Combination	-185.553	29.593	0	0	0	60.5721	1913.66	1	-0.195	-0.5	-2865.21	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB38	Combination	-200.113	83.978	0	0	0	32.1795	756.3	1	-0.195	-0.5	-1782.52	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB39	Combination	-174.983	-47.632	0	0	0	21.4602	397.88	1	-0.195	-0.5	-1295.23	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB39	Combination	-189.543	6.752	0	0	0	31.6802	763.7	1	-0.195	-0.5	-1735.72	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB39	Combination	-204.103	61.137	0	0	0	14.7079	56.85	1	-0.195	-0.5	-1103.53	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB40	Combination	-184.414	-24.792	0	0	0	48.8419	1453.85	1	-0.195	-0.5	-2399.56	3
	0.195	-0.5	140-1	0											





## Allegati alla relazione di Calcolo

140	0.5	A_COMB51	Combination	-152.969	-0.29	0	0	0	16.7239	267.49	1	-0.195	-0.5	-1051.95	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB51	Combination	-152.969	67.329	0	0	0	-0.0359	-390.81	3	0.195	-0.5	-393.64	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB52	Combination	-165.543	-37.455	0	0	0	36.1831	1002.87	1	-0.195	-0.5	-1851.81	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB52	Combination	-165.543	30.164	0	0	0	38.0057	1074.77	1	-0.195	-0.5	-1923.71	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB52	Combination	-165.543	97.783	0	0	0	6.0189	-187.04	1	-0.195	-0.5	-661.9	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB53	Combination	-131.687	-67.909	0	0	0	40.1027	1244.3	1	-0.195	-0.5	-1919.62	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB53	Combination	-131.687	-0.29	0	0	0	57.1524	1916.87	1	-0.195	-0.5	-2592.19	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB53	Combination	-131.687	67.329	0	0	0	40.3926	1255.74	1	-0.195	-0.5	-1931.05	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB54	Combination	-144.261	-37.455	0	0	0	76.6116	2652.25	1	-0.195	-0.5	-3392.05	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB54	Combination	-144.261	30.164	0	0	0	78.4342	2724.15	1	-0.195	-0.5	-3463.95	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB54	Combination	-144.261	97.783	0	0	0	46.4473	1462.34	1	-0.195	-0.5	-2202.14	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB55	Combination	-139.739	-67.909	0	0	0	32.3444	917.61	1	-0.195	-0.5	-1634.22	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB55	Combination	-139.739	-0.29	0	0	0	49.394	1590.18	1	-0.195	-0.5	-2306.79	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB55	Combination	-139.739	67.329	0	0	0	32.6342	929.04	1	-0.195	-0.5	-1645.65	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB56	Combination	-154.763	-37.455	0	0	0	67.0637	2248.68	1	-0.195	-0.5	-3042.34	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB56	Combination	-154.763	30.164	0	0	0	68.8863	2320.58	1	-0.195	-0.5	-3114.24	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB56	Combination	-154.763	97.783	0	0	0	36.8994	1058.77	1	-0.195	-0.5	-1852.43	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB57	Combination	-146.658	-54.674	0	0	0	-11.6093	81.92	3	0.195	-0.5	-834.01	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB57	Combination	-146.658	-0.29	0	0	0	2.1317	-291.95	1	-0.195	-0.5	-460.14	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB57	Combination	-146.658	54.095	0	0	0	-11.3195	70.48	3	0.195	-0.5	-822.57	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB58	Combination	-156.088	-31.834	0	0	0	15.7724	221.96	1	-0.195	-0.5	-1022.41	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB58	Combination	-156.088	22.551	0	0	0	18.0931	313.51	1	-0.195	-0.5	-1113.96	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB58	Combination	-156.088	76.935	0	0	0	-6.7784	-132.84	3	0.195	-0.5	-667.62	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB59	Combination	-160.078	-54.674	0	0	0	-24.5399	557.58	3	0.195	-0.5	-1378.5	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB59	Combination	-160.078	-0.29	0	0	0	-10.7988	15.53	3	0.195	-0.5	-836.45	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB59	Combination	-160.078	54.095	0	0	0	-24.25	546.15	3	0.195	-0.5	-1367.07	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB60	Combination	-169.509	-31.834	0	0	0	2.8418	-322.54	1	-0.195	-0.5	-546.74	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB60	Combination	-169.509	22.551	0	0	0	5.1626	-230.99	1	-0.195	-0.5	-638.29	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB60	Combination	-169.509	76.935	0	0	0	-19.7089	342.83	3	0.195	-0.5	-1212.11	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB61	Combination	-124.609	-54.674	0	0	0	42.841	1370.47	1	-0.195	-0.5	-2009.49	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB61	Combination	-124.609	-0.29	0	0	0	56.582	1912.52	1	-0.195	-0.5	-2551.54	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB61	Combination	-124.609	54.095	0	0	0	43.1308	1381.9	1	-0.195	-0.5	-2020.92	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB62	Combination	-134.039	-31.834	0	0	0	70.2226	2426.43	1	-0.195	-0.5	-3113.81	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	A_COMB62	Combination	-134.039	22.551	0	0	0	72.5434	2517.98	1	-0.195	-0.5	-3205.36	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB62	Combination	-134.039	76.935	0	0	0	47.6719	1536.86	1	-0.195	-0.5	-2224.24	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB63	Combination	-138.029	-54.674	0	0	0	29.9104	825.98	1	-0.195	-0.5	-1533.82	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB63	Combination	-138.029	-0.29	0	0	0	43.6515	1368.03	1	-0.195	-0.5	-2075.87	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB63	Combination	-138.029	54.095	0	0	0	30.2003	837.41	1	-0.195	-0.5	-1545.25	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB64	Combination	-147.46	-31.834	0	0	0	57.2921	1881.94	1	-0.195	-0.5	-2638.14	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB64	Combination	-147.46	22.551	0	0	0	59.6129	1973.49	1	-0.195	-0.5	-2729.69	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB64	Combination	-147.46	76.935	0	0	0	34.7413	992.37	1	-0.195	-0.5	-1748.57	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB65	Combination	-192.438	-45.285	0	0	0	-14.1101	63.18	3	0.195	-0.5	-1050.04	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB65	Combination	-211.85	9.1	0	0	0	-5.0639	-343.45	3	0.195	-0.5	-742.96	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB65	Combination	-231.263	63.484	0	0	0	-23.2099	322.59	3	0.195	-0.5	-1508.56	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB66	Combination	-201.868	-22.444	0	0	0	13.2716	5.92	1	-0.195	-0.5	-1041.14	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB66	Combination	-221.281	31.94	0	0	0	10.8975	-137.5	1	-0.195	-0.5	-997.27	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB66	Combination	-240.694	86.325	0	0	0	-18.6688	119.28	3	0.195	-0.5	-1353.6	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB67	Combination	-200.49	-45.285	0	0	0	-21.8684	348.58	3	0.195	-0.5	-1376.74	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB67	Combination	-219.903	9.1	0	0	0	-12.8222	-58.05	3	0.195	-0.5	-1069.66	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB67	Combination	-239.316	63.484	0	0	0	-30.9682	608	3	0.195	-0.5	-1835.26	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB68	Combination	-209.92	-22.444	0	0	0	5.5132	-320.77	1	-0.195	-0.5	-755.74	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB68	Combination	-229.333	31.94	0	0	0	3.1392	-464.2	1	-0.195	-0.5	-711.87	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB68	Combination	-248.746	86.325	0	0	0	-26.4271	404.68	3	0.195	-0.5	-1680.3	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB69	Combination	-179.208	-45.285	0	0	0	18.5601	272.64	1	-0.195	-0.5	-1191.66	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB69	Combination	-198.621	9.1	0	0	0	27.6063	579.72	1	-0.195	-0.5	-1598.29	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB69	Combination	-218.034	63.484	0	0	0	9.4603	-185.87	1	-0.195	-0.5	-932.25	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB70	Combination	-188.639	-22.444	0	0	0	45.9417	1328.61	1	-0.195	-0.5	-2295.99	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB70	Combination	-208.051	31.94	0	0	0	43.5677	1185.18	1	-0.195	-0.5	-2252.11	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB70	Combination	-227.464	86.325	0	0	0	14.0014	-30.92	1	-0.195	-0.5	-1135.56	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB71	Combination	-187.26	-45.285	0	0	0	10.8017	-54.05	1	-0.195	-0.5	-906.26	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB71	Combination	-206.673	9.1	0	0	0	19.848	253.03	1	-0.195	-0.5	-1312.89	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB71	Combination	-226.086	63.484	0	0	0	1.702	-512.57	1	-0.195	-0.5	-646.85	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB72	Combination	-196.691	-22.444	0	0	0	38.1834	1001.91	1	-0.195	-0.5	-2010.58	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB72	Combination	-216.104	31.94	0	0	0	35.8094	858.49	1	-0.195	-0.5	-1966.71	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB72	Combination	-235.517	86.325	0	0	0	6.243	-357.61	1	-0.195	-0.5	-850.16	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB73	Combination	-183.746	-47.632	0	0	0	-20.1551	323.93	3	0.195	-0.5	-1266.22	1
	-0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	A_COMB73	Combination	-198.306	6.752	0	0	0	-9.9351	-116.56	3	0.195	-0.5	-900.39	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB73	Combination	-212.866	61.137	0	0	0	-26.9074	515.63	3	0.195	-0.5	-1607.25	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB74	Combination	-193.177	-24.792	0	0	0	7.2266	-210.25	1	-0.195	-0.5	-780.4	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB74	Combination	-207.736	29.593	0	0	0	6.0263	-294.93	1	-0.195	-0.5	-770.38	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB74	Combination	-222.296	83.978	0	0	0	-22.3663	312.31	3	0.195	-0.5	-1452.29	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB75	Combination	-197.167	-47.632	0	0	0	-33.0856	799.6	3	0.195	-0.5	-1810.71	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB75	Combination	-211.726	6.752	0	0	0	-22.8657	359.11	3	0.195	-0.5	-1444.89	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB75	Combination	-226.286	61.137	0	0	0	-39.838	991.3	3	0.195	-0.5	-2151.74	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB76	Combination	-206.597	-24.792	0	0	0	-5.7039	-304.73	3	0.195	-0.5	-754.74	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB76	Combination	-221.157	29.593	0	0	0	-6.9043	-294.71	3	0.195	-0.5	-839.43	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB76	Combination	-235.716	83.978	0	0	0	-35.2969	787.98	3	0.195	-0.5	-1996.78	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB77	Combination	-161.697	-47.632	0	0	0	34.2952	938.26	1	-0.195	-0.5	-1767.48	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB77	Combination	-176.257	6.752	0	0	0	44.5152	1304.08	1	-0.195	-0.5	-2207.96	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB77	Combination	-190.816	61.137	0	0	0	27.5428	597.23	1	-0.195	-0.5	-1575.78	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB78	Combination	-171.128	-24.792	0	0	0	61.6769	1994.22	1	-0.195	-0.5	-2871.8	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB78	Combination	-185.687	29.593	0	0	0	60.4765	1909.54	1	-0.195	-0.5	-2861.78	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB78	Combination	-200.247	83.978	0	0	0	32.0839	752.18	1	-0.195	-0.5	-1779.09	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB79	Combination	-175.118	-47.632	0	0	0	21.3647	393.77	1	-0.195	-0.5	-1291.81	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB79	Combination	-189.677	6.752	0	0	0	31.5846	759.59	1	-0.195	-0.5	-1732.29	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB79	Combination	-204.237	61.137	0	0	0	14.6123	52.74	1	-0.195	-0.5	-1100.11	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB80	Combination	-184.548	-24.792	0	0	0	48.7463	1449.73	1	-0.195	-0.5	-2396.13	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB80	Combination	-199.108	29.593	0	0	0	47.546	1365.05	1	-0.195	-0.5	-2386.11	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB80	Combination	-213.667	83.978	0	0	0	19.1534	207.69	1	-0.195	-0.5	-1303.42	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB81	Combination	-180.12	-47.632	0	0	0	-11.2934	-16.35	3	0.195	-0.5	-907.34	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB81	Combination	-194.679	6.752	0	0	0	-1.0734	-456.83	3	0.195	-0.5	-541.52	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB81	Combination	-209.239	61.137	0	0	0	-18.0458	175.35	3	0.195	-0.5	-1248.37	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB82	Combination	-189.55	-24.792	0	0	0	16.0883	148.62	1	-0.195	-0.5	-1120.67	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB82	Combination	-204.11	29.593	0	0	0	14.888	63.94	1	-0.195	-0.5	-1110.65	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB82	Combination	-218.669	83.978	0	0	0	-13.5047	-27.96	3	0.195	-0.5	-1093.42	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB83	Combination	-188.172	-47.632	0	0	0	-19.0517	269.06	3	0.195	-0.5	-1234.04	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB83	Combination	-202.732	6.752	0	0	0	-8.8318	-171.43	3	0.195	-0.5	-868.22	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB83	Combination	-217.291	61.137	0	0	0	-25.8041	460.76	3	0.195	-0.5	-1575.07	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB84	Combination	-197.602	-24.792	0	0	0	8.33	-178.07	1	-0.195	-0.5	-835.27	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	A_COMB84	Combination	-212.162	29.593	0	0	0	7.1296	-262.76	1	-0.195	-0.5	-825.25	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB84	Combination	-226.722	83.978	0	0	0	-21.263	257.44	3	0.195	-0.5	-1420.11	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB85	Combination	-166.89	-47.632	0	0	0	21.3768	415.34	1	-0.195	-0.5	-1271.19	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB85	Combination	-181.45	6.752	0	0	0	31.5967	781.16	1	-0.195	-0.5	-1711.68	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB85	Combination	-196.009	61.137	0	0	0	14.6244	74.31	1	-0.195	-0.5	-1079.49	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB86	Combination	-176.321	-24.792	0	0	0	48.7585	1471.31	1	-0.195	-0.5	-2375.51	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB86	Combination	-190.88	29.593	0	0	0	47.5581	1386.62	1	-0.195	-0.5	-2365.5	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB86	Combination	-205.44	83.978	0	0	0	19.1655	229.27	1	-0.195	-0.5	-1282.8	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB87	Combination	-174.942	-47.632	0	0	0	13.6184	88.65	1	-0.195	-0.5	-985.79	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB87	Combination	-189.502	6.752	0	0	0	23.8384	454.47	1	-0.195	-0.5	-1426.27	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB87	Combination	-204.062	61.137	0	0	0	6.8661	-252.38	1	-0.195	-0.5	-794.09	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB88	Combination	-184.373	-24.792	0	0	0	41.0001	1144.61	1	-0.195	-0.5	-2090.11	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB88	Combination	-198.932	29.593	0	0	0	39.7998	1059.93	1	-0.195	-0.5	-2080.09	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB88	Combination	-213.492	83.978	0	0	0	11.4072	-97.43	1	-0.195	-0.5	-997.4	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB_0_2_STR_SBIL	Combination	-74.636	-6.713	0	0	0	-19.196	565.87	3	0.195	-0.5	-	
948.61	1	-0.195	-0.5	140-1	0										
140	0.5	A_COMB_0_2_STR_SBIL	Combination	-74.636	-0.132	0	0	0	-17.4846	498.36	3	0.195	-0.5	-	
881.1	1	-0.195	-0.5	140-5	0.1										
140	1	A_COMB_0_2_STR_SBIL	Combination	-74.636	6.449	0	0	0	-19.0639	560.65	3	0.195	-0.5	-	
943.4	1	-0.195	-0.5	140-10	0.1										
140	0	A_COMB_0_2_1_STR_SBIL	Combination	-76.963	-14.813	0	0	0	-5.7815	30.73	3	0.195	-0.5	-	
425.41	1	-0.195	-0.5	140-1	0										
140	0.5	A_COMB_0_2_1_STR_SBIL	Combination	-76.963	-0.132	0	0	0	-2.0451	-116.66	3	0.195	-0.5	-	
278.02	1	-0.195	-0.5	140-5	0.1										
140	1	A_COMB_0_2_1_STR_SBIL	Combination	-76.963	14.549	0	0	0	-5.6494	25.51	3	0.195	-0.5	-	
420.19	1	-0.195	-0.5	140-10	0.1										
140	0	A_COMB_0_3_STR_SBIL	Combination	-76.963	-14.813	0	0	0	-5.7815	30.73	3	0.195	-0.5	-	
425.41	1	-0.195	-0.5	140-1	0										
140	0.5	A_COMB_0_3_STR_SBIL	Combination	-76.963	-0.132	0	0	0	-2.0451	-116.66	3	0.195	-0.5	-	
278.02	1	-0.195	-0.5	140-5	0.1										
140	1	A_COMB_0_3_STR_SBIL	Combination	-76.963	14.549	0	0	0	-5.6494	25.51	3	0.195	-0.5	-	
420.19	1	-0.195	-0.5	140-10	0.1										
140	0	A_COMB_0_4_STR_SBIL	Combination	-72.273	-14.813	0	0	0	2.0008	-106.39	1	-0.195	-0.5	-	
264.24	3	0.195	-0.5	140-1	0										
140	0.5	A_COMB_0_4_STR_SBIL	Combination	-72.273	-0.132	0	0	0	5.7372	41	1	-0.195	-0.5	-	
411.63	3	0.195	-0.5	140-5	0.1										
140	1	A_COMB_0_4_STR_SBIL	Combination	-72.273	14.549	0	0	0	2.1329	-101.18	1	-0.195	-0.5	-	
269.45	3	0.195	-0.5	140-10	0.1										
140	0	A_COMB89	Combination	-142.508	-54.903	0	0	0	-1.3783	-311.04	3	0.195	-0.5	-419.77	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB89	Combination	-142.508	-0.519	0	0	0	12.4772	126.79	1	-0.195	-0.5	-857.6	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB89	Combination	-142.508	53.866	0	0	0	-0.8596	-331.49	3	0.195	-0.5	-399.32	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB90	Combination	-151.938	-32.063	0	0	0	26.0034	636.19	1	-0.195	-0.5	-1415.36	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB90	Combination	-151.938	22.322	0	0	0	28.4386	732.25	1	-0.195	-0.5	-1511.42	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB90	Combination	-151.938	76.707	0	0	0	3.6815	-244.36	1	-0.195	-0.5	-534.81	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB91	Combination	-150.56	-54.903	0	0	0	-9.1366	-25.63	3	0.195	-0.5	-746.47	1
	-0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	A_COMB91	Combination	-150.56	-0.519	0	0	0	4.7189	-199.9	1	-0.195	-0.5	-572.2	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB91	Combination	-150.56	53.866	0	0	0	-8.618	-46.09	3	0.195	-0.5	-726.01	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB92	Combination	-159.99	-32.063	0	0	0	18.2451	309.5	1	-0.195	-0.5	-1129.96	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB92	Combination	-159.99	22.322	0	0	0	20.6802	405.56	1	-0.195	-0.5	-1226.02	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB92	Combination	-159.99	76.707	0	0	0	-4.0769	-249.41	3	0.195	-0.5	-571.06	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB93	Combination	-129.278	-54.903	0	0	0	31.2919	902.91	1	-0.195	-0.5	-1565.88	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB93	Combination	-129.278	-0.519	0	0	0	45.1474	1449.48	1	-0.195	-0.5	-2112.44	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB93	Combination	-129.278	53.866	0	0	0	31.8105	923.37	1	-0.195	-0.5	-1586.34	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB94	Combination	-138.709	-32.063	0	0	0	58.6736	1958.88	1	-0.195	-0.5	-2670.2	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB94	Combination	-138.709	22.322	0	0	0	61.1087	2054.94	1	-0.195	-0.5	-2766.26	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB94	Combination	-138.709	76.707	0	0	0	36.3516	1078.33	1	-0.195	-0.5	-1789.65	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB95	Combination	-137.331	-54.903	0	0	0	23.5336	576.22	1	-0.195	-0.5	-1280.48	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB95	Combination	-137.331	-0.519	0	0	0	37.389	1122.78	1	-0.195	-0.5	-1827.04	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB95	Combination	-137.331	53.866	0	0	0	24.0522	596.68	1	-0.195	-0.5	-1300.93	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB96	Combination	-146.761	-32.063	0	0	0	50.9152	1632.18	1	-0.195	-0.5	-2384.8	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB96	Combination	-146.761	22.322	0	0	0	53.3504	1728.24	1	-0.195	-0.5	-2480.86	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB96	Combination	-146.761	76.707	0	0	0	28.5933	751.63	1	-0.195	-0.5	-1504.25	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB97	Combination	-129.703	-68.041	0	0	0	13.891	215.4	1	-0.195	-0.5	-880.54	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB97	Combination	-129.703	-0.422	0	0	0	31.0067	890.57	1	-0.195	-0.5	-1555.72	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB97	Combination	-129.703	67.197	0	0	0	14.313	232.04	1	-0.195	-0.5	-897.19	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB98	Combination	-142.277	-37.587	0	0	0	50.3999	1623.35	1	-0.195	-0.5	-2352.97	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB98	Combination	-142.277	30.032	0	0	0	52.2886	1697.85	1	-0.195	-0.5	-2427.48	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB98	Combination	-142.277	97.651	0	0	0	20.3678	438.65	1	-0.195	-0.5	-1168.28	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB99	Combination	-137.755	-68.041	0	0	0	6.1327	-111.3	1	-0.195	-0.5	-595.14	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB99	Combination	-137.755	-0.422	0	0	0	23.2484	563.88	1	-0.195	-0.5	-1270.32	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB99	Combination	-137.755	67.197	0	0	0	6.5547	-94.65	1	-0.195	-0.5	-611.79	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB100	Combination	-150.329	-37.587	0	0	0	42.6416	1296.65	1	-0.195	-0.5	-2067.57	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB100	Combination	-150.329	30.032	0	0	0	44.5303	1371.16	1	-0.195	-0.5	-2142.08	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB100	Combination	-150.329	97.651	0	0	0	12.6095	111.96	1	-0.195	-0.5	-882.87	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB101	Combination	-116.473	-68.041	0	0	0	46.5611	1538.08	1	-0.195	-0.5	-2135.38	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB101	Combination	-116.473	-0.422	0	0	0	63.6769	2213.26	1	-0.195	-0.5	-2810.56	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB101	Combination	-116.473	67.197	0	0	0	46.9832	1554.73	1	-0.195	-0.5	-2152.03	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB102	Combination	-129.047	-37.587	0	0	0	83.0701	2946.03	1	-0.195	-0.5	-3607.82	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	A_COMB102	Combination	-129.047	30.032	0	0	0	84.9587	3020.54	1	-0.195	-0.5	-3682.32	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB102	Combination	-129.047	97.651	0	0	0	53.038	1761.34	1	-0.195	-0.5	-2423.12	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB103	Combination	-124.526	-68.041	0	0	0	38.8028	1211.39	1	-0.195	-0.5	-1849.98	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB103	Combination	-124.526	-0.422	0	0	0	55.9186	1886.56	1	-0.195	-0.5	-2525.16	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB103	Combination	-124.526	67.197	0	0	0	39.2248	1228.03	1	-0.195	-0.5	-1866.63	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB104	Combination	-137.1	-37.587	0	0	0	75.3117	2619.34	1	-0.195	-0.5	-3322.41	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB104	Combination	-137.1	30.032	0	0	0	77.2004	2693.84	1	-0.195	-0.5	-3396.92	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB104	Combination	-137.1	97.651	0	0	0	45.2796	1434.64	1	-0.195	-0.5	-2137.72	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB105	Combination	-131.445	-54.807	0	0	0	-5.1509	-133.85	3	0.195	-0.5	-540.23	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB105	Combination	-131.445	-0.422	0	0	0	8.6563	4.43	1	-0.195	-0.5	-678.51	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB105	Combination	-131.445	53.963	0	0	0	-4.7289	-150.49	3	0.195	-0.5	-523.58	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB106	Combination	-140.875	-31.966	0	0	0	22.2308	515.74	1	-0.195	-0.5	-1238.17	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB106	Combination	-140.875	22.419	0	0	0	24.6176	609.89	1	-0.195	-0.5	-1332.33	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB106	Combination	-140.875	76.803	0	0	0	-0.1878	-353.81	3	0.195	-0.5	-368.62	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB107	Combination	-144.865	-54.807	0	0	0	-18.0814	341.82	3	0.195	-0.5	-1084.72	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB107	Combination	-144.865	-0.422	0	0	0	-4.2743	-202.84	3	0.195	-0.5	-540.06	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB107	Combination	-144.865	53.963	0	0	0	-17.6594	325.18	3	0.195	-0.5	-1068.07	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB108	Combination	-154.295	-31.966	0	0	0	9.3002	-28.76	1	-0.195	-0.5	-762.5	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB108	Combination	-154.295	22.419	0	0	0	11.6871	65.4	1	-0.195	-0.5	-856.66	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB108	Combination	-154.295	76.803	0	0	0	-13.1183	121.86	3	0.195	-0.5	-913.12	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB109	Combination	-109.395	-54.807	0	0	0	49.2994	1664.25	1	-0.195	-0.5	-2225.25	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB109	Combination	-109.395	-0.422	0	0	0	63.1065	2208.91	1	-0.195	-0.5	-2769.91	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB109	Combination	-109.395	53.963	0	0	0	49.7214	1680.9	1	-0.195	-0.5	-2241.9	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB110	Combination	-118.826	-31.966	0	0	0	76.6811	2720.21	1	-0.195	-0.5	-3329.58	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB110	Combination	-118.826	22.419	0	0	0	79.0679	2814.37	1	-0.195	-0.5	-3423.73	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB110	Combination	-118.826	76.803	0	0	0	54.2625	1835.85	1	-0.195	-0.5	-2445.21	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB111	Combination	-122.816	-54.807	0	0	0	36.3688	1119.76	1	-0.195	-0.5	-1749.58	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB111	Combination	-122.816	-0.422	0	0	0	50.176	1664.42	1	-0.195	-0.5	-2294.24	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB111	Combination	-122.816	53.963	0	0	0	36.7909	1136.4	1	-0.195	-0.5	-1766.23	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB112	Combination	-132.246	-31.966	0	0	0	63.7505	2175.72	1	-0.195	-0.5	-2853.91	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB112	Combination	-132.246	22.419	0	0	0	66.1374	2269.88	1	-0.195	-0.5	-2948.06	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB112	Combination	-132.246	76.803	0	0	0	41.332	1291.36	1	-0.195	-0.5	-1969.54	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB113	Combination	-177.224	-45.417	0	0	0	-7.6517	-152.58	3	0.195	-0.5	-756.26	1
	-0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	A_COMB113	Combination	-196.637	8.968	0	0	0	1.4607	-446.58	1	-0.195	-0.5	-561.82	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB113	Combination	-216.05	63.352	0	0	0	-16.6193	101.62	3	0.195	-0.5	-1209.57	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB114	Combination	-186.654	-22.576	0	0	0	19.73	299.7	1	-0.195	-0.5	-1256.91	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB114	Combination	-206.067	31.808	0	0	0	17.4221	158.88	1	-0.195	-0.5	-1215.64	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB114	Combination	-225.48	86.193	0	0	0	-12.0782	-101.7	3	0.195	-0.5	-1054.61	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB115	Combination	-185.276	-45.417	0	0	0	-15.41	132.82	3	0.195	-0.5	-1082.96	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB115	Combination	-204.689	8.968	0	0	0	-6.2977	-276.42	3	0.195	-0.5	-773.27	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB115	Combination	-224.102	63.352	0	0	0	-24.3776	387.02	3	0.195	-0.5	-1536.26	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB116	Combination	-194.707	-22.576	0	0	0	11.9717	-26.99	1	-0.195	-0.5	-971.5	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB116	Combination	-214.12	31.808	0	0	0	9.6637	-167.81	1	-0.195	-0.5	-930.24	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB116	Combination	-233.532	86.193	0	0	0	-19.8365	183.7	3	0.195	-0.5	-1381.31	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB117	Combination	-163.995	-45.417	0	0	0	25.0185	566.42	1	-0.195	-0.5	-1407.42	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB117	Combination	-183.407	8.968	0	0	0	34.1308	876.11	1	-0.195	-0.5	-1816.66	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB117	Combination	-202.82	63.352	0	0	0	16.0509	113.12	1	-0.195	-0.5	-1153.22	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB118	Combination	-173.425	-22.576	0	0	0	52.4002	1622.39	1	-0.195	-0.5	-2511.75	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB118	Combination	-192.838	31.808	0	0	0	50.0922	1481.57	1	-0.195	-0.5	-2470.48	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB118	Combination	-212.251	86.193	0	0	0	20.592	268.07	1	-0.195	-0.5	-1356.54	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB119	Combination	-172.047	-45.417	0	0	0	17.2602	239.73	1	-0.195	-0.5	-1122.02	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB119	Combination	-191.46	8.968	0	0	0	26.3725	549.41	1	-0.195	-0.5	-1531.26	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB119	Combination	-210.873	63.352	0	0	0	8.2926	-213.58	1	-0.195	-0.5	-867.82	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB120	Combination	-181.477	-22.576	0	0	0	44.6418	1295.69	1	-0.195	-0.5	-2226.35	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB120	Combination	-200.89	31.808	0	0	0	42.3339	1154.87	1	-0.195	-0.5	-2185.08	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB120	Combination	-220.303	86.193	0	0	0	12.8337	-58.62	1	-0.195	-0.5	-1071.14	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB121	Combination	-168.533	-47.764	0	0	0	-13.6966	108.17	3	0.195	-0.5	-972.44	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB121	Combination	-183.092	6.62	0	0	0	-3.4106	-334.93	3	0.195	-0.5	-604.01	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB121	Combination	-197.652	61.005	0	0	0	-20.3168	294.65	3	0.195	-0.5	-1308.25	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB122	Combination	-177.963	-24.924	0	0	0	13.6851	83.53	1	-0.195	-0.5	-996.16	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB122	Combination	-192.523	29.461	0	0	0	12.5508	1.45	1	-0.195	-0.5	-988.75	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB122	Combination	-207.082	83.845	0	0	0	-15.7757	91.34	3	0.195	-0.5	-1153.3	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB123	Combination	-181.953	-47.764	0	0	0	-26.6272	583.84	3	0.195	-0.5	-1516.93	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB123	Combination	-196.513	6.62	0	0	0	-16.3411	140.74	3	0.195	-0.5	-1148.5	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB123	Combination	-211.072	61.005	0	0	0	-33.2474	770.32	3	0.195	-0.5	-1852.74	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB124	Combination	-191.384	-24.924	0	0	0	0.7545	-460.96	1	-0.195	-0.5	-520.49	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	A_COMB124	Combination	-205.943	29.461	0	0	0	-0.3798	-513.08	3	0.195	-0.5	-543.04	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB124	Combination	-220.503	83.845	0	0	0	-28.7063	567.01	3	0.195	-0.5	-1697.79	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB125	Combination	-146.484	-47.764	0	0	0	40.7536	1232.04	1	-0.195	-0.5	-1983.24	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB125	Combination	-161.043	6.62	0	0	0	51.0397	1600.47	1	-0.195	-0.5	-2426.33	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB125	Combination	-175.603	61.005	0	0	0	34.1334	896.22	1	-0.195	-0.5	-1796.75	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB126	Combination	-155.914	-24.924	0	0	0	68.1353	2288	1	-0.195	-0.5	-3087.56	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB126	Combination	-170.474	29.461	0	0	0	67.0011	2205.93	1	-0.195	-0.5	-3080.15	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB126	Combination	-185.033	83.845	0	0	0	38.6745	1051.18	1	-0.195	-0.5	-2000.07	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB127	Combination	-159.904	-47.764	0	0	0	27.8231	687.55	1	-0.195	-0.5	-1507.57	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB127	Combination	-174.464	6.62	0	0	0	38.1091	1055.98	1	-0.195	-0.5	-1950.66	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB127	Combination	-189.023	61.005	0	0	0	21.2029	351.73	1	-0.195	-0.5	-1321.08	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB128	Combination	-169.334	-24.924	0	0	0	55.2048	1743.51	1	-0.195	-0.5	-2611.89	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB128	Combination	-183.894	29.461	0	0	0	54.0705	1661.44	1	-0.195	-0.5	-2604.48	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB128	Combination	-198.454	83.845	0	0	0	25.744	506.69	1	-0.195	-0.5	-1524.4	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB129	Combination	-142.642	-54.903	0	0	0	-1.4739	-307.61	3	0.195	-0.5	-423.89	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB129	Combination	-142.642	-0.519	0	0	0	12.3816	122.68	1	-0.195	-0.5	-854.18	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB129	Combination	-142.642	53.866	0	0	0	-0.9552	-328.07	3	0.195	-0.5	-403.43	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB130	Combination	-152.073	-32.063	0	0	0	25.9078	632.08	1	-0.195	-0.5	-1411.93	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB130	Combination	-152.073	22.322	0	0	0	28.343	728.14	1	-0.195	-0.5	-1508	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB130	Combination	-152.073	76.707	0	0	0	3.5859	-248.47	1	-0.195	-0.5	-531.38	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB131	Combination	-150.694	-54.903	0	0	0	-9.2322	-22.21	3	0.195	-0.5	-750.58	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB131	Combination	-150.694	-0.519	0	0	0	4.6233	-204.02	1	-0.195	-0.5	-568.77	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB131	Combination	-150.694	53.866	0	0	0	-8.7135	-42.67	3	0.195	-0.5	-730.13	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB132	Combination	-160.125	-32.063	0	0	0	18.1495	305.38	1	-0.195	-0.5	-1126.53	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB132	Combination	-160.125	22.322	0	0	0	20.5847	401.44	1	-0.195	-0.5	-1222.59	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB132	Combination	-160.125	76.707	0	0	0	-4.1725	-245.98	3	0.195	-0.5	-575.17	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB133	Combination	-129.413	-54.903	0	0	0	31.1963	898.8	1	-0.195	-0.5	-1562.45	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB133	Combination	-129.413	-0.519	0	0	0	45.0518	1445.36	1	-0.195	-0.5	-2109.02	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB133	Combination	-129.413	53.866	0	0	0	31.7149	919.26	1	-0.195	-0.5	-1582.91	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB134	Combination	-138.843	-32.063	0	0	0	58.578	1954.76	1	-0.195	-0.5	-2666.78	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB134	Combination	-138.843	22.322	0	0	0	61.0132	2050.82	1	-0.195	-0.5	-2762.84	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB134	Combination	-138.843	76.707	0	0	0	36.256	1074.21	1	-0.195	-0.5	-1786.23	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB135	Combination	-137.465	-54.903	0	0	0	23.438	572.1	1	-0.195	-0.5	-1277.05	3
	0.195	-0.5	140-1	0											



## Allegati alla relazione di Calcolo

140	0.5	A_COMB135	Combination	-137.465	-0.519	0	0	0	37.2934	1118.67	1	-0.195	-0.5	-1823.62	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB135	Combination	-137.465	53.866	0	0	0	23.9566	592.56	1	-0.195	-0.5	-1297.51	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB136	Combination	-146.895	-32.063	0	0	0	50.8197	1628.07	1	-0.195	-0.5	-2381.38	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB136	Combination	-146.895	22.322	0	0	0	53.2548	1724.13	1	-0.195	-0.5	-2477.44	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB136	Combination	-146.895	76.707	0	0	0	28.4977	747.52	1	-0.195	-0.5	-1500.82	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB137	Combination	-129.837	-68.041	0	0	0	13.7954	211.28	1	-0.195	-0.5	-877.11	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB137	Combination	-129.837	-0.422	0	0	0	30.9111	886.46	1	-0.195	-0.5	-1552.29	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB137	Combination	-129.837	67.197	0	0	0	14.2174	227.93	1	-0.195	-0.5	-893.76	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB138	Combination	-142.411	-37.587	0	0	0	50.3043	1619.23	1	-0.195	-0.5	-2349.55	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB138	Combination	-142.411	30.032	0	0	0	52.193	1693.74	1	-0.195	-0.5	-2424.05	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB138	Combination	-142.411	97.651	0	0	0	20.2722	434.54	1	-0.195	-0.5	-1164.85	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB139	Combination	-137.889	-68.041	0	0	0	6.0371	-115.41	1	-0.195	-0.5	-591.71	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB139	Combination	-137.889	-0.422	0	0	0	23.1528	559.76	1	-0.195	-0.5	-1266.89	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB139	Combination	-137.889	67.197	0	0	0	6.4591	-98.77	1	-0.195	-0.5	-608.36	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB140	Combination	-150.463	-37.587	0	0	0	42.546	1292.54	1	-0.195	-0.5	-2064.15	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB140	Combination	-150.463	30.032	0	0	0	44.4347	1367.04	1	-0.195	-0.5	-2138.65	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB140	Combination	-150.463	97.651	0	0	0	12.5139	107.84	1	-0.195	-0.5	-879.45	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB141	Combination	-116.608	-68.041	0	0	0	46.4656	1533.97	1	-0.195	-0.5	-2131.96	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB141	Combination	-116.608	-0.422	0	0	0	63.5813	2209.14	1	-0.195	-0.5	-2807.13	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB141	Combination	-116.608	67.197	0	0	0	46.8876	1550.61	1	-0.195	-0.5	-2148.6	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB142	Combination	-129.182	-37.587	0	0	0	82.9745	2941.92	1	-0.195	-0.5	-3604.39	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB142	Combination	-129.182	30.032	0	0	0	84.8632	3016.42	1	-0.195	-0.5	-3678.89	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB142	Combination	-129.182	97.651	0	0	0	52.9424	1757.22	1	-0.195	-0.5	-2419.69	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB143	Combination	-124.66	-68.041	0	0	0	38.7072	1207.27	1	-0.195	-0.5	-1846.55	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB143	Combination	-124.66	-0.422	0	0	0	55.823	1882.45	1	-0.195	-0.5	-2521.73	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB143	Combination	-124.66	67.197	0	0	0	39.1292	1223.92	1	-0.195	-0.5	-1863.2	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB144	Combination	-137.234	-37.587	0	0	0	75.2161	2615.22	1	-0.195	-0.5	-3318.99	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB144	Combination	-137.234	30.032	0	0	0	77.1048	2689.73	1	-0.195	-0.5	-3393.49	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB144	Combination	-137.234	97.651	0	0	0	45.184	1430.53	1	-0.195	-0.5	-2134.29	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB145	Combination	-131.579	-54.807	0	0	0	-5.2465	-130.42	3	0.195	-0.5	-544.34	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB145	Combination	-131.579	-0.422	0	0	0	8.5607	0.32	1	-0.195	-0.5	-675.08	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB145	Combination	-131.579	53.963	0	0	0	-4.8244	-147.07	3	0.195	-0.5	-527.7	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB146	Combination	-141.009	-31.966	0	0	0	22.1352	511.62	1	-0.195	-0.5	-1234.75	3
	0.195	-0.5	140-1	0											

140	0.5	A_COMB146	Combination	-141.009	22.419	0	0	0	24.5221	605.78	1	-0.195	-0.5	-1328.9	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB146	Combination	-141.009	76.803	0	0	0	-0.2834	-350.38	3	0.195	-0.5	-372.74	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB147	Combination	-144.999	-54.807	0	0	0	-18.177	345.25	3	0.195	-0.5	-1088.84	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB147	Combination	-144.999	-0.422	0	0	0	-4.3699	-199.41	3	0.195	-0.5	-544.17	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB147	Combination	-144.999	53.963	0	0	0	-17.755	328.6	3	0.195	-0.5	-1072.19	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB148	Combination	-154.43	-31.966	0	0	0	9.2047	-32.87	1	-0.195	-0.5	-759.08	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB148	Combination	-154.43	22.419	0	0	0	11.5915	61.29	1	-0.195	-0.5	-853.23	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB148	Combination	-154.43	76.803	0	0	0	-13.2139	125.29	3	0.195	-0.5	-917.23	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB149	Combination	-109.53	-54.807	0	0	0	49.2038	1660.13	1	-0.195	-0.5	-2221.82	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB149	Combination	-109.53	-0.422	0	0	0	63.011	2204.79	1	-0.195	-0.5	-2766.48	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB149	Combination	-109.53	53.963	0	0	0	49.6258	1676.78	1	-0.195	-0.5	-2238.47	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB150	Combination	-118.96	-31.966	0	0	0	76.5855	2716.1	1	-0.195	-0.5	-3326.15	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB150	Combination	-118.96	22.419	0	0	0	78.9723	2810.25	1	-0.195	-0.5	-3420.31	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB150	Combination	-118.96	76.803	0	0	0	54.1669	1831.74	1	-0.195	-0.5	-2441.79	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB151	Combination	-122.95	-54.807	0	0	0	36.2733	1115.64	1	-0.195	-0.5	-1746.15	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB151	Combination	-122.95	-0.422	0	0	0	50.0804	1660.3	1	-0.195	-0.5	-2290.82	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB151	Combination	-122.95	53.963	0	0	0	36.6953	1132.29	1	-0.195	-0.5	-1762.8	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB152	Combination	-132.381	-31.966	0	0	0	63.6549	2171.61	1	-0.195	-0.5	-2850.48	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB152	Combination	-132.381	22.419	0	0	0	66.0418	2265.76	1	-0.195	-0.5	-2944.64	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB152	Combination	-132.381	76.803	0	0	0	41.2364	1287.24	1	-0.195	-0.5	-1966.12	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB153	Combination	-177.358	-45.417	0	0	0	-7.7473	-149.15	3	0.195	-0.5	-760.38	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB153	Combination	-196.771	8.968	0	0	0	1.3651	-450.69	1	-0.195	-0.5	-558.39	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB153	Combination	-216.184	63.352	0	0	0	-16.7149	105.05	3	0.195	-0.5	-1213.68	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB154	Combination	-186.789	-22.576	0	0	0	19.6344	295.59	1	-0.195	-0.5	-1253.48	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB154	Combination	-206.202	31.808	0	0	0	17.3265	154.77	1	-0.195	-0.5	-1212.21	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB154	Combination	-225.614	86.193	0	0	0	-12.1738	-98.27	3	0.195	-0.5	-1058.73	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB155	Combination	-185.411	-45.417	0	0	0	-15.5056	136.25	3	0.195	-0.5	-1087.07	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB155	Combination	-204.823	8.968	0	0	0	-6.3932	-272.99	3	0.195	-0.5	-777.39	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB155	Combination	-224.236	63.352	0	0	0	-24.4732	390.45	3	0.195	-0.5	-1540.38	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB156	Combination	-194.841	-22.576	0	0	0	11.8761	-31.11	1	-0.195	-0.5	-968.08	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB156	Combination	-214.254	31.808	0	0	0	9.5681	-171.93	1	-0.195	-0.5	-926.81	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB156	Combination	-233.667	86.193	0	0	0	-19.9321	187.13	3	0.195	-0.5	-1385.42	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB157	Combination	-164.129	-45.417	0	0	0	24.9229	562.31	1	-0.195	-0.5	-1404	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	A_COMB157	Combination	-183.542	8.968	0	0	0	34.0352	871.99	1	-0.195	-0.5	-1813.23	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB157	Combination	-202.955	63.352	0	0	0	15.9553	109	1	-0.195	-0.5	-1149.8	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB158	Combination	-173.559	-22.576	0	0	0	52.3046	1618.27	1	-0.195	-0.5	-2508.32	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB158	Combination	-192.972	31.808	0	0	0	49.9966	1477.45	1	-0.195	-0.5	-2467.05	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB158	Combination	-212.385	86.193	0	0	0	20.4964	263.96	1	-0.195	-0.5	-1353.11	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB159	Combination	-172.181	-45.417	0	0	0	17.1646	235.61	1	-0.195	-0.5	-1118.59	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB159	Combination	-191.594	8.968	0	0	0	26.2769	545.3	1	-0.195	-0.5	-1527.83	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB159	Combination	-211.007	63.352	0	0	0	8.197	-217.69	1	-0.195	-0.5	-864.4	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB160	Combination	-181.612	-22.576	0	0	0	44.5463	1291.58	1	-0.195	-0.5	-2222.92	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB160	Combination	-201.024	31.808	0	0	0	42.2383	1150.76	1	-0.195	-0.5	-2181.65	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB160	Combination	-220.437	86.193	0	0	0	12.7381	-62.74	1	-0.195	-0.5	-1067.71	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB161	Combination	-168.667	-47.764	0	0	0	-13.7922	111.59	3	0.195	-0.5	-976.55	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB161	Combination	-183.227	6.62	0	0	0	-3.5062	-331.5	3	0.195	-0.5	-608.12	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB161	Combination	-197.786	61.005	0	0	0	-20.4124	298.08	3	0.195	-0.5	-1312.37	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB162	Combination	-178.097	-24.924	0	0	0	13.5895	79.41	1	-0.195	-0.5	-992.73	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB162	Combination	-192.657	29.461	0	0	0	12.4552	-2.66	1	-0.195	-0.5	-985.32	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB162	Combination	-207.217	83.845	0	0	0	-15.8713	94.76	3	0.195	-0.5	-1157.41	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB163	Combination	-182.087	-47.764	0	0	0	-26.7228	587.26	3	0.195	-0.5	-1521.04	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB163	Combination	-196.647	6.62	0	0	0	-16.4367	144.17	3	0.195	-0.5	-1152.61	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB163	Combination	-211.207	61.005	0	0	0	-33.343	773.75	3	0.195	-0.5	-1856.86	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB164	Combination	-191.518	-24.924	0	0	0	0.6589	-465.08	1	-0.195	-0.5	-517.06	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB164	Combination	-206.077	29.461	0	0	0	-0.4753	-509.65	3	0.195	-0.5	-547.15	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB164	Combination	-220.637	83.845	0	0	0	-28.8019	570.43	3	0.195	-0.5	-1701.9	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB165	Combination	-146.618	-47.764	0	0	0	40.6581	1227.92	1	-0.195	-0.5	-1979.81	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB165	Combination	-161.178	6.62	0	0	0	50.9441	1596.35	1	-0.195	-0.5	-2422.9	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB165	Combination	-175.737	61.005	0	0	0	34.0379	892.11	1	-0.195	-0.5	-1793.32	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB166	Combination	-156.048	-24.924	0	0	0	68.0397	2283.89	1	-0.195	-0.5	-3084.14	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB166	Combination	-170.608	29.461	0	0	0	66.9055	2201.81	1	-0.195	-0.5	-3076.73	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB166	Combination	-185.168	83.845	0	0	0	38.579	1047.06	1	-0.195	-0.5	-1996.64	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB167	Combination	-160.038	-47.764	0	0	0	27.7275	683.43	1	-0.195	-0.5	-1504.14	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB167	Combination	-174.598	6.62	0	0	0	38.0135	1051.86	1	-0.195	-0.5	-1947.24	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB167	Combination	-189.158	61.005	0	0	0	21.1073	347.62	1	-0.195	-0.5	-1317.66	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB168	Combination	-169.469	-24.924	0	0	0	55.1092	1739.4	1	-0.195	-0.5	-2608.47	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	A_COMB168	Combination	-184.028	29.461	0	0	0	53.9749	1657.32	1	-0.195	-0.5	-2601.06	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB168	Combination	-198.588	83.845	0	0	0	25.6484	502.57	1	-0.195	-0.5	-1520.97	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB169	Combination	-165.04	-47.764	0	0	0	-4.9305	-228.68	3	0.195	-0.5	-617.68	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB169	Combination	-179.6	6.62	0	0	0	5.3555	-249.25	1	-0.195	-0.5	-671.78	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB169	Combination	-194.16	61.005	0	0	0	-11.5507	-42.2	3	0.195	-0.5	-953.5	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB170	Combination	-174.471	-24.924	0	0	0	22.4511	438.29	1	-0.195	-0.5	-1333.01	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB170	Combination	-189.03	29.461	0	0	0	21.3169	356.21	1	-0.195	-0.5	-1325.6	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB170	Combination	-203.59	83.845	0	0	0	-7.0096	-245.51	3	0.195	-0.5	-798.54	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB171	Combination	-173.093	-47.764	0	0	0	-12.6889	56.72	3	0.195	-0.5	-944.37	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB171	Combination	-187.652	6.62	0	0	0	-2.4028	-386.37	3	0.195	-0.5	-575.95	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB171	Combination	-202.212	61.005	0	0	0	-19.3091	243.21	3	0.195	-0.5	-1280.19	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB172	Combination	-182.523	-24.924	0	0	0	14.6928	111.59	1	-0.195	-0.5	-1047.61	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB172	Combination	-197.083	29.461	0	0	0	13.5586	29.51	1	-0.195	-0.5	-1040.19	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB172	Combination	-211.642	83.845	0	0	0	-14.768	39.89	3	0.195	-0.5	-1125.24	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB173	Combination	-151.811	-47.764	0	0	0	27.7396	705.01	1	-0.195	-0.5	-1483.52	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB173	Combination	-166.371	6.62	0	0	0	38.0257	1073.44	1	-0.195	-0.5	-1926.62	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB173	Combination	-180.93	61.005	0	0	0	21.1194	369.19	1	-0.195	-0.5	-1297.04	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB174	Combination	-161.241	-24.924	0	0	0	55.1213	1760.97	1	-0.195	-0.5	-2587.85	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB174	Combination	-175.801	29.461	0	0	0	53.9871	1678.89	1	-0.195	-0.5	-2580.44	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB174	Combination	-190.361	83.845	0	0	0	25.6605	524.15	1	-0.195	-0.5	-1500.35	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB175	Combination	-159.863	-47.764	0	0	0	19.9813	378.31	1	-0.195	-0.5	-1198.12	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB175	Combination	-174.423	6.62	0	0	0	30.2673	746.74	1	-0.195	-0.5	-1641.22	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB175	Combination	-188.982	61.005	0	0	0	13.3611	42.49	1	-0.195	-0.5	-1011.64	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB176	Combination	-169.294	-24.924	0	0	0	47.363	1434.28	1	-0.195	-0.5	-2302.45	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB176	Combination	-183.853	29.461	0	0	0	46.2287	1352.2	1	-0.195	-0.5	-2295.04	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB176	Combination	-198.413	83.845	0	0	0	17.9022	197.45	1	-0.195	-0.5	-1214.95	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB177_0_0	Combination	0.563	-4.875	0	0	0	9.6405	381.74	1	-0.195	-0.5	-378.85	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB177_0_0	Combination	0.563	5.24E-11	0	0	0	10.8593	429.82	1	-0.195	-0.5	-426.93	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB177_0_0	Combination	0.563	4.875	0	0	0	9.6405	381.74	1	-0.195	-0.5	-378.85	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB177_0_1	Combination	0.563	-4.875	0	0	0	9.6405	381.74	1	-0.195	-0.5	-378.85	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB177_0_1	Combination	0.563	5.24E-11	0	0	0	10.8593	429.82	1	-0.195	-0.5	-426.93	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB177_0_1	Combination	0.563	4.875	0	0	0	9.6405	381.74	1	-0.195	-0.5	-378.85	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB177_0_2	Combination	-59.754	-4.875	0	0	0	-16.0752	480.92	3	0.195	-0.5	-787.35	1
	-0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	A_COMB177_0_2	Combination	-59.754	5.24E-11	0	0	0	-14.8565	432.84	3	0.195	-0.5	-739.27	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB177_0_2	Combination	-59.754	4.875	0	0	0	-16.0752	480.92	3	0.195	-0.5	-787.35	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB177_0_2_1	Combination	-61.477	-10.875	0	0	0	-6.1385	84.52	3	0.195	-0.5	-399.79	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB177_0_2_1	Combination	-61.477	4.44E-11	0	0	0	-3.4198	-22.73	3	0.195	-0.5	-292.54	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB177_0_2_1	Combination	-61.477	10.875	0	0	0	-6.1385	84.52	3	0.195	-0.5	-399.79	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB177_0_3	Combination	-61.477	-10.875	0	0	0	-6.1385	84.52	3	0.195	-0.5	-399.79	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB177_0_3	Combination	-61.477	4.44E-11	0	0	0	-3.4198	-22.73	3	0.195	-0.5	-292.54	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB177_0_3	Combination	-61.477	10.875	0	0	0	-6.1385	84.52	3	0.195	-0.5	-399.79	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB177_0_4	Combination	-57.569	-10.875	0	0	0	0.3467	-133.94	1	-0.195	-0.5	-161.29	3
	0.195	-0.5	140-1	0											
140	0.5	A_COMB177_0_4	Combination	-57.569	4.43E-11	0	0	0	3.0655	-26.69	1	-0.195	-0.5	-268.54	3
	0.195	-0.5	140-5	0.1											
140	1	A_COMB177_0_4	Combination	-57.569	10.875	0	0	0	0.3467	-133.94	1	-0.195	-0.5	-161.29	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB177	Combination	-129.603	-8.459	0	0	0	-19.5632	439.41	3	0.195	-0.5	-1104.04	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB177	Combination	-135.877	3.362	0	0	0	-18.2887	373.05	3	0.195	-0.5	-1069.85	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB177	Combination	-143.719	15.182	0	0	0	-22.9247	535.82	3	0.195	-0.5	-1272.84	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB178	Combination	-129.603	-8.459	0	0	0	-19.5632	439.41	3	0.195	-0.5	-1104.04	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB178	Combination	-135.877	3.362	0	0	0	-18.2887	373.05	3	0.195	-0.5	-1069.85	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB178	Combination	-143.719	15.182	0	0	0	-22.9247	535.82	3	0.195	-0.5	-1272.84	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB181	Combination	-93.422	-11.086	0	0	0	-6.8028	28.81	3	0.195	-0.5	-507.9	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB181	Combination	-96.559	1.681	0	0	0	-4.4516	-71.98	3	0.195	-0.5	-423.19	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB181	Combination	-100.48	14.447	0	0	0	-8.4836	77.02	3	0.195	-0.5	-592.3	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB182	Combination	-35.853	-0.211	0	0	0	-7.1495	190.1	3	0.195	-0.5	-373.96	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB182	Combination	-38.99	1.681	0	0	0	-7.5171	196.56	3	0.195	-0.5	-396.5	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB182	Combination	-42.911	3.572	0	0	0	-8.8303	238.31	3	0.195	-0.5	-458.36	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB185	Combination	-160.791	-46.797	0	0	0	-16.7508	248.49	3	0.195	-0.5	-1073.07	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB185	Combination	-160.791	-0.395	0	0	0	-4.9528	-216.91	3	0.195	-0.5	-607.66	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB185	Combination	-160.791	46.008	0	0	0	-16.3561	232.92	3	0.195	-0.5	-1057.49	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB186	Combination	-168.825	-27.341	0	0	0	6.5744	-173.54	1	-0.195	-0.5	-692.23	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB186	Combination	-168.825	19.062	0	0	0	8.644	-91.9	1	-0.195	-0.5	-773.87	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB186	Combination	-168.825	65.465	0	0	0	-12.4877	59.73	3	0.195	-0.5	-925.5	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB189	Combination	-149.767	-46.797	0	0	0	10.4744	29.17	1	-0.195	-0.5	-797.21	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB189	Combination	-149.767	-0.395	0	0	0	22.2724	494.58	1	-0.195	-0.5	-1262.61	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB189	Combination	-149.767	46.008	0	0	0	10.8691	44.74	1	-0.195	-0.5	-812.78	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB190	Combination	-157.8	-27.341	0	0	0	33.7995	928.7	1	-0.195	-0.5	-1737.93	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	B_COMB190	Combination	-157.8	19.062	0	0	0	35.8691	1010.34	1	-0.195	-0.5	-1819.57	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB190	Combination	-157.8	65.465	0	0	0	14.7374	176.74	1	-0.195	-0.5	-985.97	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB_0_2_GEO_SBIL	Combination	-82.408	-6.676	0	0	0	0	-22.4913	675.93	3	0.195	-0.5	-
1098.53	1	-0.195	-0.5	140-1	0										
140	0.5	B_COMB_0_2_GEO_SBIL	Combination	-82.408	-0.095	0	0	0	0	-20.7984	609.15	3	0.195	-0.5	-
1031.75	1	-0.195	-0.5	140-5	0.1										
140	1	B_COMB_0_2_GEO_SBIL	Combination	-82.408	6.486	0	0	0	0	-22.3962	672.18	3	0.195	-0.5	-
1094.78	1	-0.195	-0.5	140-10	0.1										
140	0	B_COMB_0_2_1_GEO_SBIL	Combination	-84.132	-12.676	0	0	0	0	-12.5546	279.53	3	0.195	-0.5	-
710.97	1	-0.195	-0.5	140-1	0										
140	0.5	B_COMB_0_2_1_GEO_SBIL	Combination	-84.132	-0.095	0	0	0	0	-9.3618	153.58	3	0.195	-0.5	-
585.02	1	-0.195	-0.5	140-5	0.1										
140	1	B_COMB_0_2_1_GEO_SBIL	Combination	-84.132	12.486	0	0	0	0	-12.4595	275.78	3	0.195	-0.5	-
707.22	1	-0.195	-0.5	140-10	0.1										
140	0	B_COMB_0_3_GEO_SBIL	Combination	-84.132	-12.676	0	0	0	0	-12.5546	279.53	3	0.195	-0.5	-
710.97	1	-0.195	-0.5	140-1	0										
140	0.5	B_COMB_0_3_GEO_SBIL	Combination	-84.132	-0.095	0	0	0	0	-9.3618	153.58	3	0.195	-0.5	-
585.02	1	-0.195	-0.5	140-5	0.1										
140	1	B_COMB_0_3_GEO_SBIL	Combination	-84.132	12.486	0	0	0	0	-12.4595	275.78	3	0.195	-0.5	-
707.22	1	-0.195	-0.5	140-10	0.1										
140	0	B_COMB_0_4_GEO_SBIL	Combination	-80.224	-12.676	0	0	0	0	-6.0694	33.72	3	0.195	-0.5	-
445.12	1	-0.195	-0.5	140-1	0										
140	0.5	B_COMB_0_4_GEO_SBIL	Combination	-80.224	-0.095	0	0	0	0	-2.8765	-92.23	3	0.195	-0.5	-
319.17	1	-0.195	-0.5	140-5	0.1										
140	1	B_COMB_0_4_GEO_SBIL	Combination	-80.224	12.486	0	0	0	0	-5.9743	29.97	3	0.195	-0.5	-
441.37	1	-0.195	-0.5	140-10	0.1										
140	0	B_COMB193	Combination	-147.386	-57.972	0	0	0	-2.8755	-264.48	3	0.195	-0.5	-491.34	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB193	Combination	-147.386	-0.296	0	0	0	11.6916	83.3	1	-0.195	-0.5	-839.12	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB193	Combination	-147.386	57.38	0	0	0	-2.5795	-276.16	3	0.195	-0.5	-479.67	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB194	Combination	-158.097	-32.03	0	0	0	28.2247	708.02	1	-0.195	-0.5	-1518.78	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB194	Combination	-158.097	25.646	0	0	0	29.8206	770.98	1	-0.195	-0.5	-1581.73	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB194	Combination	-158.097	83.323	0	0	0	2.5783	-303.67	1	-0.195	-0.5	-507.08	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB195	Combination	-154.096	-57.972	0	0	0	-9.3408	-26.64	3	0.195	-0.5	-763.59	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB195	Combination	-154.096	-0.296	0	0	0	5.2263	-188.95	1	-0.195	-0.5	-601.28	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB195	Combination	-154.096	57.38	0	0	0	-9.0447	-38.32	3	0.195	-0.5	-751.91	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB196	Combination	-164.807	-32.03	0	0	0	21.7594	435.78	1	-0.195	-0.5	-1280.94	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB196	Combination	-164.807	25.646	0	0	0	23.3553	498.73	1	-0.195	-0.5	-1343.9	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB196	Combination	-164.807	83.323	0	0	0	-3.887	-269.25	3	0.195	-0.5	-575.91	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB197	Combination	-136.361	-57.972	0	0	0	24.3496	610.89	1	-0.195	-0.5	-1310.18	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB197	Combination	-136.361	-0.296	0	0	0	38.9167	1185.53	1	-0.195	-0.5	-1884.82	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB197	Combination	-136.361	57.38	0	0	0	24.6457	622.57	1	-0.195	-0.5	-1321.86	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB198	Combination	-147.072	-32.03	0	0	0	55.4498	1810.26	1	-0.195	-0.5	-2564.48	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB198	Combination	-147.072	25.646	0	0	0	57.0457	1873.22	1	-0.195	-0.5	-2627.43	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB198	Combination	-147.072	83.323	0	0	0	29.8035	798.57	1	-0.195	-0.5	-1552.79	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB199	Combination	-143.071	-57.972	0	0	0	17.8844	338.65	1	-0.195	-0.5	-1072.35	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	B_COMB199	Combination	-143.071	-0.296	0	0	0	32.4515	913.29	1	-0.195	-0.5	-1646.99	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB199	Combination	-143.071	57.38	0	0	0	18.1804	350.33	1	-0.195	-0.5	-1084.02	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB200	Combination	-153.782	-32.03	0	0	0	48.9845	1538.02	1	-0.195	-0.5	-2326.64	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB200	Combination	-153.782	25.646	0	0	0	50.5804	1600.97	1	-0.195	-0.5	-2389.6	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB200	Combination	-153.782	83.323	0	0	0	23.3382	526.32	1	-0.195	-0.5	-1314.95	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB201	Combination	-148.801	-46.699	0	0	0	-18.9317	365.27	3	0.195	-0.5	-1128.35	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB201	Combination	-148.801	-0.296	0	0	0	-7.183	-98.19	3	0.195	-0.5	-664.89	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB201	Combination	-148.801	46.107	0	0	0	-18.6356	353.59	3	0.195	-0.5	-1116.67	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB202	Combination	-156.835	-27.242	0	0	0	4.3935	-228.83	1	-0.195	-0.5	-575.45	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB202	Combination	-156.835	19.161	0	0	0	6.4137	-149.13	1	-0.195	-0.5	-655.15	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB202	Combination	-156.835	65.563	0	0	0	-14.7673	180.4	3	0.195	-0.5	-984.68	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB203	Combination	-159.985	-46.699	0	0	0	-29.7071	761.66	3	0.195	-0.5	-1582.1	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB203	Combination	-159.985	-0.296	0	0	0	-17.9584	298.2	3	0.195	-0.5	-1118.64	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB203	Combination	-159.985	46.107	0	0	0	-29.4111	749.98	3	0.195	-0.5	-1570.42	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB204	Combination	-168.018	-27.242	0	0	0	-6.382	-179.06	3	0.195	-0.5	-682.57	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB204	Combination	-168.018	19.161	0	0	0	-4.3617	-258.76	3	0.195	-0.5	-602.88	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB204	Combination	-168.018	65.563	0	0	0	-25.5427	576.79	3	0.195	-0.5	-1438.42	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB205	Combination	-130.427	-46.699	0	0	0	26.4436	708.71	1	-0.195	-0.5	-1377.57	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB205	Combination	-130.427	-0.296	0	0	0	38.1922	1172.17	1	-0.195	-0.5	-1841.03	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB205	Combination	-130.427	46.107	0	0	0	26.7396	720.39	1	-0.195	-0.5	-1389.25	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB206	Combination	-138.46	-27.242	0	0	0	49.7687	1608.24	1	-0.195	-0.5	-2318.29	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB206	Combination	-138.46	19.161	0	0	0	51.789	1687.93	1	-0.195	-0.5	-2397.98	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB206	Combination	-138.46	65.563	0	0	0	30.608	852.39	1	-0.195	-0.5	-1562.44	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB207	Combination	-141.611	-46.699	0	0	0	15.6681	254.97	1	-0.195	-0.5	-981.18	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB207	Combination	-141.611	-0.296	0	0	0	27.4168	718.43	1	-0.195	-0.5	-1444.63	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB207	Combination	-141.611	46.107	0	0	0	15.9642	266.65	1	-0.195	-0.5	-992.85	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB208	Combination	-149.644	-27.242	0	0	0	38.9932	1154.49	1	-0.195	-0.5	-1921.9	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB208	Combination	-149.644	19.161	0	0	0	41.0135	1234.19	1	-0.195	-0.5	-2001.59	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB208	Combination	-149.644	65.563	0	0	0	19.8325	398.64	1	-0.195	-0.5	-1166.05	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB209	Combination	-187.867	-38.7	0	0	0	-21.2267	355.63	3	0.195	-0.5	-1319.05	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB209	Combination	-204.403	7.703	0	0	0	-13.4773	7.54	3	0.195	-0.5	-1055.76	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB209	Combination	-220.94	54.105	0	0	0	-28.9292	574.68	3	0.195	-0.5	-1707.7	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB210	Combination	-195.9	-19.243	0	0	0	2.0985	-419.53	1	-0.195	-0.5	-585.09	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	B_COMB210	Combination	-212.437	27.159	0	0	0	0.1195	-540	1	-0.195	-0.5	-549.42	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB210	Combination	-228.974	73.562	0	0	0	-25.0608	401.48	3	0.195	-0.5	-1575.71	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB211	Combination	-194.577	-38.7	0	0	0	-27.6919	593.47	3	0.195	-0.5	-1591.3	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB211	Combination	-211.114	7.703	0	0	0	-19.9425	245.37	3	0.195	-0.5	-1328.01	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB211	Combination	-227.651	54.105	0	0	0	-35.3944	812.51	3	0.195	-0.5	-1979.95	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB212	Combination	-202.61	-19.243	0	0	0	-4.3668	-347.25	3	0.195	-0.5	-691.77	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB212	Combination	-219.147	27.159	0	0	0	-6.3458	-311.59	3	0.195	-0.5	-812.24	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB212	Combination	-235.684	73.562	0	0	0	-31.5261	639.32	3	0.195	-0.5	-1847.95	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB213	Combination	-176.842	-38.7	0	0	0	5.9985	-216.81	1	-0.195	-0.5	-690.07	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB213	Combination	-193.379	7.703	0	0	0	13.7479	46.48	1	-0.195	-0.5	-1038.17	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB213	Combination	-209.916	54.105	0	0	0	-1.704	-471.03	3	0.195	-0.5	-605.47	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB214	Combination	-184.875	-19.243	0	0	0	29.3236	682.71	1	-0.195	-0.5	-1630.79	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB214	Combination	-201.412	27.159	0	0	0	27.3446	562.24	1	-0.195	-0.5	-1595.12	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB214	Combination	-217.949	73.562	0	0	0	2.1643	-473.47	1	-0.195	-0.5	-644.22	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB215	Combination	-183.552	-38.7	0	0	0	-0.4668	-452.23	3	0.195	-0.5	-489.06	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB215	Combination	-200.089	7.703	0	0	0	7.2826	-225.77	1	-0.195	-0.5	-800.33	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB215	Combination	-216.626	54.105	0	0	0	-8.1693	-233.19	3	0.195	-0.5	-877.71	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB216	Combination	-191.586	-19.243	0	0	0	22.8583	410.46	1	-0.195	-0.5	-1392.95	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB216	Combination	-208.122	27.159	0	0	0	20.8793	289.99	1	-0.195	-0.5	-1357.29	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB216	Combination	-224.659	73.562	0	0	0	-4.301	-406.39	3	0.195	-0.5	-745.71	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB217	Combination	-180.395	-40.7	0	0	0	-26.2114	571.43	3	0.195	-0.5	-1496.53	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB217	Combination	-192.797	5.703	0	0	0	-17.4622	194.49	3	0.195	-0.5	-1183.2	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB217	Combination	-205.2	52.105	0	0	0	-31.9142	732.79	3	0.195	-0.5	-1785.1	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB218	Combination	-188.428	-21.243	0	0	0	-2.8862	-369.29	3	0.195	-0.5	-597	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB218	Combination	-200.831	25.16	0	0	0	-3.8654	-362.47	3	0.195	-0.5	-667.43	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB218	Combination	-213.233	71.562	0	0	0	-28.0459	559.6	3	0.195	-0.5	-1653.1	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB219	Combination	-191.578	-40.7	0	0	0	-36.9868	967.82	3	0.195	-0.5	-1950.27	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB219	Combination	-203.981	5.703	0	0	0	-28.2376	590.88	3	0.195	-0.5	-1636.94	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB219	Combination	-216.384	52.105	0	0	0	-42.6897	1129.18	3	0.195	-0.5	-2238.84	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB220	Combination	-199.612	-21.243	0	0	0	-13.6617	27.1	3	0.195	-0.5	-1050.75	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB220	Combination	-212.014	25.16	0	0	0	-14.6409	33.92	3	0.195	-0.5	-1121.18	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB220	Combination	-224.417	71.562	0	0	0	-38.8214	955.99	3	0.195	-0.5	-2106.84	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB221	Combination	-162.021	-40.7	0	0	0	19.1639	340.53	1	-0.195	-0.5	-1171.41	3
	0.195	-0.5	140-1	0											



## Allegati alla relazione di Calcolo

140	0.5	B_COMB221	Combination	-174.423	5.703	0	0	0	27.9131	653.87	1	-0.195	-0.5	-1548.35	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB221	Combination	-186.826	52.105	0	0	0	13.461	51.96	1	-0.195	-0.5	-1010.05	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB222	Combination	-170.054	-21.243	0	0	0	42.489	1240.06	1	-0.195	-0.5	-2112.13	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB222	Combination	-182.457	25.16	0	0	0	41.5098	1169.63	1	-0.195	-0.5	-2105.3	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB222	Combination	-194.859	71.562	0	0	0	17.3293	183.96	1	-0.195	-0.5	-1183.24	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB223	Combination	-173.204	-40.7	0	0	0	8.3884	-113.21	1	-0.195	-0.5	-775.02	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB223	Combination	-185.607	5.703	0	0	0	17.1376	200.12	1	-0.195	-0.5	-1151.95	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB223	Combination	-198.01	52.105	0	0	0	2.6855	-401.78	1	-0.195	-0.5	-613.65	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB224	Combination	-181.238	-21.243	0	0	0	31.7135	786.32	1	-0.195	-0.5	-1715.74	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB224	Combination	-193.64	25.16	0	0	0	30.7343	715.89	1	-0.195	-0.5	-1708.91	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB224	Combination	-206.043	71.562	0	0	0	6.5539	-269.78	1	-0.195	-0.5	-786.85	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB225	Combination	-160.908	-46.797	0	0	0	-16.8336	251.46	3	0.195	-0.5	-1076.63	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB225	Combination	-160.908	-0.395	0	0	0	-5.0356	-213.94	3	0.195	-0.5	-611.23	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB225	Combination	-160.908	46.008	0	0	0	-16.4389	235.89	3	0.195	-0.5	-1061.06	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB226	Combination	-168.941	-27.341	0	0	0	6.4915	-177.11	1	-0.195	-0.5	-689.26	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB226	Combination	-168.941	19.062	0	0	0	8.5611	-95.47	1	-0.195	-0.5	-770.9	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB226	Combination	-168.941	65.465	0	0	0	-12.5706	62.7	3	0.195	-0.5	-929.06	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB227	Combination	-167.618	-46.797	0	0	0	-23.2989	489.3	3	0.195	-0.5	-1348.88	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB227	Combination	-167.618	-0.395	0	0	0	-11.5009	23.89	3	0.195	-0.5	-883.47	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB227	Combination	-167.618	46.008	0	0	0	-22.9042	473.73	3	0.195	-0.5	-1333.31	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB228	Combination	-175.651	-27.341	0	0	0	0.0262	-449.35	1	-0.195	-0.5	-451.42	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB228	Combination	-175.651	19.062	0	0	0	2.0958	-367.71	1	-0.195	-0.5	-533.06	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB228	Combination	-175.651	65.465	0	0	0	-19.0358	300.53	3	0.195	-0.5	-1201.31	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB229	Combination	-149.883	-46.797	0	0	0	10.3915	25.61	1	-0.195	-0.5	-794.24	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB229	Combination	-149.883	-0.395	0	0	0	22.1895	491.01	1	-0.195	-0.5	-1259.64	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB229	Combination	-149.883	46.008	0	0	0	10.7862	41.18	1	-0.195	-0.5	-809.81	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB230	Combination	-157.917	-27.341	0	0	0	33.7166	925.13	1	-0.195	-0.5	-1734.96	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB230	Combination	-157.917	19.062	0	0	0	35.7863	1006.77	1	-0.195	-0.5	-1816.6	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB230	Combination	-157.917	65.465	0	0	0	14.6546	173.18	1	-0.195	-0.5	-983	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB231	Combination	-156.593	-46.797	0	0	0	3.9262	-246.64	1	-0.195	-0.5	-556.4	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB231	Combination	-156.593	-0.395	0	0	0	15.7242	218.76	1	-0.195	-0.5	-1021.81	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB231	Combination	-156.593	46.008	0	0	0	4.321	-231.07	1	-0.195	-0.5	-571.97	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB232	Combination	-164.627	-27.341	0	0	0	27.2514	652.88	1	-0.195	-0.5	-1497.12	3
	0.195	-0.5	140-1	0											

Allegati alla relazione di Calcolo

140	0.5	B_COMB232	Combination	-164.627	19.062	0	0	0	29.321	734.53	1	-0.195	-0.5	-1578.77	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB232	Combination	-164.627	65.465	0	0	0	8.1893	-99.07	1	-0.195	-0.5	-745.17	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB233	Combination	-147.502	-57.972	0	0	0	-2.9584	-261.51	3	0.195	-0.5	-494.91	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB233	Combination	-147.502	-0.296	0	0	0	11.6088	79.73	1	-0.195	-0.5	-836.15	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB233	Combination	-147.502	57.38	0	0	0	-2.6623	-273.19	3	0.195	-0.5	-483.23	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB234	Combination	-158.213	-32.03	0	0	0	28.1418	704.46	1	-0.195	-0.5	-1515.81	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB234	Combination	-158.213	25.646	0	0	0	29.7377	767.41	1	-0.195	-0.5	-1578.76	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB234	Combination	-158.213	83.323	0	0	0	2.4955	-307.23	1	-0.195	-0.5	-504.12	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB235	Combination	-154.212	-57.972	0	0	0	-9.4236	-23.68	3	0.195	-0.5	-767.16	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB235	Combination	-154.212	-0.296	0	0	0	5.1435	-192.52	1	-0.195	-0.5	-598.31	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB235	Combination	-154.212	57.38	0	0	0	-9.1276	-35.35	3	0.195	-0.5	-755.48	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB236	Combination	-164.923	-32.03	0	0	0	21.6766	432.21	1	-0.195	-0.5	-1277.97	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB236	Combination	-164.923	25.646	0	0	0	23.2725	495.17	1	-0.195	-0.5	-1340.93	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB236	Combination	-164.923	83.323	0	0	0	-3.9698	-266.28	3	0.195	-0.5	-579.48	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB237	Combination	-136.477	-57.972	0	0	0	24.2668	607.33	1	-0.195	-0.5	-1307.21	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB237	Combination	-136.477	-0.296	0	0	0	38.8339	1181.97	1	-0.195	-0.5	-1881.85	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB237	Combination	-136.477	57.38	0	0	0	24.5628	619.01	1	-0.195	-0.5	-1318.89	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB238	Combination	-147.189	-32.03	0	0	0	55.367	1806.69	1	-0.195	-0.5	-2561.51	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB238	Combination	-147.189	25.646	0	0	0	56.9629	1869.65	1	-0.195	-0.5	-2624.46	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB238	Combination	-147.189	83.323	0	0	0	29.7206	795	1	-0.195	-0.5	-1549.82	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB239	Combination	-143.188	-57.972	0	0	0	17.8015	335.08	1	-0.195	-0.5	-1069.38	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB239	Combination	-143.188	-0.296	0	0	0	32.3686	909.72	1	-0.195	-0.5	-1644.02	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB239	Combination	-143.188	57.38	0	0	0	18.0976	346.76	1	-0.195	-0.5	-1081.06	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB240	Combination	-153.899	-32.03	0	0	0	48.9017	1534.45	1	-0.195	-0.5	-2323.67	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB240	Combination	-153.899	25.646	0	0	0	50.4976	1597.4	1	-0.195	-0.5	-2386.63	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB240	Combination	-153.899	83.323	0	0	0	23.2553	522.76	1	-0.195	-0.5	-1311.98	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB241	Combination	-148.918	-46.699	0	0	0	-19.0145	368.24	3	0.195	-0.5	-1131.92	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB241	Combination	-148.918	-0.296	0	0	0	-7.2658	-95.22	3	0.195	-0.5	-668.46	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB241	Combination	-148.918	46.107	0	0	0	-18.7185	356.56	3	0.195	-0.5	-1120.24	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB242	Combination	-156.951	-27.242	0	0	0	4.3106	-232.39	1	-0.195	-0.5	-572.48	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB242	Combination	-156.951	19.161	0	0	0	6.3309	-152.7	1	-0.195	-0.5	-652.18	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB242	Combination	-156.951	65.563	0	0	0	-14.8501	183.37	3	0.195	-0.5	-988.24	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB243	Combination	-160.101	-46.699	0	0	0	-29.79	764.63	3	0.195	-0.5	-1585.66	1
	-0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	B_COMB243	Combination	-160.101	-0.296	0	0	0	-18.0413	301.17	3	0.195	-0.5	-1122.2	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB243	Combination	-160.101	46.107	0	0	0	-29.4939	752.95	3	0.195	-0.5	-1573.98	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB244	Combination	-168.135	-27.242	0	0	0	-6.4648	-176.09	3	0.195	-0.5	-686.14	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB244	Combination	-168.135	19.161	0	0	0	-4.4446	-255.79	3	0.195	-0.5	-606.44	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB244	Combination	-168.135	65.563	0	0	0	-25.6256	579.76	3	0.195	-0.5	-1441.99	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB245	Combination	-130.543	-46.699	0	0	0	26.3607	705.14	1	-0.195	-0.5	-1374.6	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB245	Combination	-130.543	-0.296	0	0	0	38.1094	1168.6	1	-0.195	-0.5	-1838.06	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB245	Combination	-130.543	46.107	0	0	0	26.6568	716.82	1	-0.195	-0.5	-1386.28	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB246	Combination	-138.577	-27.242	0	0	0	49.6859	1604.67	1	-0.195	-0.5	-2315.32	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB246	Combination	-138.577	19.161	0	0	0	51.7061	1684.36	1	-0.195	-0.5	-2395.01	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB246	Combination	-138.577	65.563	0	0	0	30.5251	848.82	1	-0.195	-0.5	-1559.47	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB247	Combination	-141.727	-46.699	0	0	0	15.5853	251.4	1	-0.195	-0.5	-978.21	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB247	Combination	-141.727	-0.296	0	0	0	27.3339	714.86	1	-0.195	-0.5	-1441.66	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB247	Combination	-141.727	46.107	0	0	0	15.8813	263.08	1	-0.195	-0.5	-989.88	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB248	Combination	-149.76	-27.242	0	0	0	38.9104	1150.93	1	-0.195	-0.5	-1918.93	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB248	Combination	-149.76	19.161	0	0	0	40.9307	1230.62	1	-0.195	-0.5	-1998.62	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB248	Combination	-149.76	65.563	0	0	0	19.7497	395.08	1	-0.195	-0.5	-1163.08	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB249	Combination	-187.983	-38.7	0	0	0	-21.3095	358.6	3	0.195	-0.5	-1322.62	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB249	Combination	-204.52	7.703	0	0	0	-13.5601	10.51	3	0.195	-0.5	-1059.33	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB249	Combination	-221.057	54.105	0	0	0	-29.012	577.65	3	0.195	-0.5	-1711.27	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB250	Combination	-196.016	-19.243	0	0	0	2.0156	-423.09	1	-0.195	-0.5	-582.12	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB250	Combination	-212.553	27.159	0	0	0	0.0366	-543.56	1	-0.195	-0.5	-546.45	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB250	Combination	-229.09	73.562	0	0	0	-25.1437	404.45	3	0.195	-0.5	-1579.27	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB251	Combination	-194.693	-38.7	0	0	0	-27.7748	596.44	3	0.195	-0.5	-1594.86	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB251	Combination	-211.23	7.703	0	0	0	-20.0254	248.34	3	0.195	-0.5	-1331.57	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB251	Combination	-227.767	54.105	0	0	0	-35.4773	815.48	3	0.195	-0.5	-1983.52	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB252	Combination	-202.726	-19.243	0	0	0	-4.4496	-344.28	3	0.195	-0.5	-695.34	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB252	Combination	-219.263	27.159	0	0	0	-6.4287	-308.62	3	0.195	-0.5	-815.81	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB252	Combination	-235.8	73.562	0	0	0	-31.609	642.29	3	0.195	-0.5	-1851.52	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB253	Combination	-176.958	-38.7	0	0	0	5.9156	-220.38	1	-0.195	-0.5	-687.1	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB253	Combination	-193.495	7.703	0	0	0	13.665	42.91	1	-0.195	-0.5	-1035.2	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB253	Combination	-210.032	54.105	0	0	0	-1.7869	-468.06	3	0.195	-0.5	-609.03	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB254	Combination	-184.992	-19.243	0	0	0	29.2408	679.14	1	-0.195	-0.5	-1627.82	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	B_COMB254	Combination	-201.529	27.159	0	0	0	27.2618	558.67	1	-0.195	-0.5	-1592.15	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB254	Combination	-218.066	73.562	0	0	0	2.0815	-477.03	1	-0.195	-0.5	-641.25	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB255	Combination	-183.669	-38.7	0	0	0	-0.5496	-449.26	3	0.195	-0.5	-492.63	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB255	Combination	-200.206	7.703	0	0	0	7.1998	-229.33	1	-0.195	-0.5	-797.36	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB255	Combination	-216.742	54.105	0	0	0	-8.2522	-230.22	3	0.195	-0.5	-881.28	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB256	Combination	-191.702	-19.243	0	0	0	22.7755	406.9	1	-0.195	-0.5	-1389.99	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB256	Combination	-208.239	27.159	0	0	0	20.7965	286.43	1	-0.195	-0.5	-1354.32	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB256	Combination	-224.776	73.562	0	0	0	-4.3838	-403.42	3	0.195	-0.5	-749.28	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB257	Combination	-180.511	-40.7	0	0	0	-26.2942	574.4	3	0.195	-0.5	-1500.1	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB257	Combination	-192.914	5.703	0	0	0	-17.545	197.46	3	0.195	-0.5	-1186.76	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB257	Combination	-205.317	52.105	0	0	0	-31.9971	735.76	3	0.195	-0.5	-1788.67	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB258	Combination	-188.545	-21.243	0	0	0	-2.9691	-366.32	3	0.195	-0.5	-600.57	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB258	Combination	-200.947	25.16	0	0	0	-3.9483	-359.5	3	0.195	-0.5	-671	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB258	Combination	-213.35	71.562	0	0	0	-28.1288	562.56	3	0.195	-0.5	-1656.67	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB259	Combination	-191.695	-40.7	0	0	0	-37.0697	970.79	3	0.195	-0.5	-1953.84	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB259	Combination	-204.098	5.703	0	0	0	-28.3205	593.85	3	0.195	-0.5	-1640.51	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB259	Combination	-216.5	52.105	0	0	0	-42.7725	1132.15	3	0.195	-0.5	-2242.41	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB260	Combination	-199.728	-21.243	0	0	0	-13.7445	30.07	3	0.195	-0.5	-1054.31	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB260	Combination	-212.131	25.16	0	0	0	-14.7237	36.89	3	0.195	-0.5	-1124.74	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB260	Combination	-224.534	71.562	0	0	0	-38.9042	958.96	3	0.195	-0.5	-2110.41	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB261	Combination	-162.137	-40.7	0	0	0	19.081	336.97	1	-0.195	-0.5	-1168.44	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB261	Combination	-174.54	5.703	0	0	0	27.8302	650.3	1	-0.195	-0.5	-1545.38	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB261	Combination	-186.942	52.105	0	0	0	13.3781	48.4	1	-0.195	-0.5	-1007.08	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB262	Combination	-170.17	-21.243	0	0	0	42.4062	1236.49	1	-0.195	-0.5	-2109.16	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB262	Combination	-182.573	25.16	0	0	0	41.427	1166.06	1	-0.195	-0.5	-2102.34	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB262	Combination	-194.976	71.562	0	0	0	17.2465	180.4	1	-0.195	-0.5	-1180.27	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB263	Combination	-173.321	-40.7	0	0	0	8.3056	-116.78	1	-0.195	-0.5	-772.05	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB263	Combination	-185.723	5.703	0	0	0	17.0548	196.56	1	-0.195	-0.5	-1148.99	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB263	Combination	-198.126	52.105	0	0	0	2.6027	-405.35	1	-0.195	-0.5	-610.69	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB264	Combination	-181.354	-21.243	0	0	0	31.6307	782.75	1	-0.195	-0.5	-1712.77	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB264	Combination	-193.757	25.16	0	0	0	30.6515	712.32	1	-0.195	-0.5	-1705.94	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB264	Combination	-206.159	71.562	0	0	0	6.471	-273.35	1	-0.195	-0.5	-783.88	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB265	Combination	-177.491	-40.7	0	0	0	-18.9105	290.87	3	0.195	-0.5	-1201.08	1
	-0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	B_COMB265	Combination	-189.893	5.703	0	0	0	-10.1613	-86.06	3	0.195	-0.5	-887.75	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB265	Combination	-202.296	52.105	0	0	0	-24.6134	452.24	3	0.195	-0.5	-1489.65	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB266	Combination	-185.524	-21.243	0	0	0	4.4146	-301.56	1	-0.195	-0.5	-649.85	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB266	Combination	-197.927	25.16	0	0	0	3.4354	-371.99	1	-0.195	-0.5	-643.02	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB266	Combination	-210.329	71.562	0	0	0	-20.7451	279.04	3	0.195	-0.5	-1357.65	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB267	Combination	-184.201	-40.7	0	0	0	-25.3758	528.71	3	0.195	-0.5	-1473.33	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB267	Combination	-196.603	5.703	0	0	0	-16.6266	151.77	3	0.195	-0.5	-1159.99	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB267	Combination	-209.006	52.105	0	0	0	-31.0787	690.07	3	0.195	-0.5	-1761.9	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB268	Combination	-192.234	-21.243	0	0	0	-2.0507	-412.01	3	0.195	-0.5	-573.8	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB268	Combination	-204.637	25.16	0	0	0	-3.0299	-405.19	3	0.195	-0.5	-644.23	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB268	Combination	-217.039	71.562	0	0	0	-27.2104	516.88	3	0.195	-0.5	-1629.9	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB269	Combination	-166.466	-40.7	0	0	0	8.3146	-98.84	1	-0.195	-0.5	-754.83	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB269	Combination	-178.869	5.703	0	0	0	17.0638	214.49	1	-0.195	-0.5	-1131.77	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB269	Combination	-191.271	52.105	0	0	0	2.6117	-387.41	1	-0.195	-0.5	-593.47	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB270	Combination	-174.499	-21.243	0	0	0	31.6397	800.68	1	-0.195	-0.5	-1695.55	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB270	Combination	-186.902	25.16	0	0	0	30.6605	730.25	1	-0.195	-0.5	-1688.72	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB270	Combination	-199.305	71.562	0	0	0	6.4801	-255.41	1	-0.195	-0.5	-766.66	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB271	Combination	-173.176	-40.7	0	0	0	1.8493	-371.09	1	-0.195	-0.5	-516.99	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB271	Combination	-185.579	5.703	0	0	0	10.5985	-57.76	1	-0.195	-0.5	-893.93	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB271	Combination	-197.982	52.105	0	0	0	-3.8536	-355.63	3	0.195	-0.5	-659.66	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB272	Combination	-181.21	-21.243	0	0	0	25.1745	528.44	1	-0.195	-0.5	-1457.72	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB272	Combination	-193.612	25.16	0	0	0	24.1953	458.01	1	-0.195	-0.5	-1450.89	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB272	Combination	-206.015	71.562	0	0	0	0.0148	-527.66	1	-0.195	-0.5	-528.83	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB273	Combination	-149.943	-46.892	0	0	0	-12.1733	95.74	3	0.195	-0.5	-864.68	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB273	Combination	-149.943	-0.49	0	0	0	-0.3278	-371.54	3	0.195	-0.5	-397.4	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB273	Combination	-149.943	45.913	0	0	0	-11.6835	76.42	3	0.195	-0.5	-845.36	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB274	Combination	-157.977	-27.436	0	0	0	11.1518	34.85	1	-0.195	-0.5	-844.98	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB274	Combination	-157.977	18.967	0	0	0	13.269	118.36	1	-0.195	-0.5	-928.5	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB274	Combination	-157.977	65.37	0	0	0	-7.8152	-96.78	3	0.195	-0.5	-713.36	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB275	Combination	-156.654	-46.892	0	0	0	-18.6386	333.57	3	0.195	-0.5	-1136.93	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB275	Combination	-156.654	-0.49	0	0	0	-6.793	-133.71	3	0.195	-0.5	-669.65	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB275	Combination	-156.654	45.913	0	0	0	-18.1488	314.25	3	0.195	-0.5	-1117.6	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB276	Combination	-164.687	-27.436	0	0	0	4.6866	-237.4	1	-0.195	-0.5	-607.15	3
	0.195	-0.5	140-1	0											

Allegati alla relazione di Calcolo

140	0.5	B_COMB276	Combination	-164.687	18.967	0	0	0	6.8037	-153.88	1	-0.195	-0.5	-690.66	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB276	Combination	-164.687	65.37	0	0	0	-14.2804	141.06	3	0.195	-0.5	-985.6	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB277	Combination	-138.919	-46.892	0	0	0	15.0518	237.56	1	-0.195	-0.5	-949.96	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB277	Combination	-138.919	-0.49	0	0	0	26.8974	704.84	1	-0.195	-0.5	-1417.24	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB277	Combination	-138.919	45.913	0	0	0	15.5416	256.88	1	-0.195	-0.5	-969.28	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB278	Combination	-146.952	-27.436	0	0	0	38.377	1137.08	1	-0.195	-0.5	-1890.68	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB278	Combination	-146.952	18.967	0	0	0	40.4941	1220.6	1	-0.195	-0.5	-1974.2	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB278	Combination	-146.952	65.37	0	0	0	19.41	388.88	1	-0.195	-0.5	-1142.48	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB279	Combination	-145.629	-46.892	0	0	0	8.5866	-34.69	1	-0.195	-0.5	-712.13	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB279	Combination	-145.629	-0.49	0	0	0	20.4321	432.59	1	-0.195	-0.5	-1179.41	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB279	Combination	-145.629	45.913	0	0	0	9.0764	-15.37	1	-0.195	-0.5	-731.45	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB280	Combination	-153.662	-27.436	0	0	0	31.9117	864.84	1	-0.195	-0.5	-1652.85	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB280	Combination	-153.662	18.967	0	0	0	34.0288	948.35	1	-0.195	-0.5	-1736.37	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB280	Combination	-153.662	65.37	0	0	0	12.9447	116.63	1	-0.195	-0.5	-904.65	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB281	Combination	-136.537	-58.067	0	0	0	1.702	-282.96	1	-0.195	-0.5	-417.23	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB281	Combination	-136.537	-0.391	0	0	0	16.3166	293.56	1	-0.195	-0.5	-993.75	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB281	Combination	-136.537	57.285	0	0	0	2.0931	-267.53	1	-0.195	-0.5	-432.66	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB282	Combination	-147.249	-32.125	0	0	0	32.8021	916.41	1	-0.195	-0.5	-1671.53	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB282	Combination	-147.249	25.551	0	0	0	34.4456	981.24	1	-0.195	-0.5	-1736.36	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB282	Combination	-147.249	83.228	0	0	0	7.2509	-91.53	1	-0.195	-0.5	-663.59	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB283	Combination	-143.248	-58.067	0	0	0	-4.7633	-179.4	3	0.195	-0.5	-555.2	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB283	Combination	-143.248	-0.391	0	0	0	9.8513	21.31	1	-0.195	-0.5	-755.91	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB283	Combination	-143.248	57.285	0	0	0	-4.3722	-194.83	3	0.195	-0.5	-539.77	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB284	Combination	-153.959	-32.125	0	0	0	26.3369	644.16	1	-0.195	-0.5	-1433.7	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB284	Combination	-153.959	25.551	0	0	0	27.9803	708.99	1	-0.195	-0.5	-1498.53	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB284	Combination	-153.959	83.228	0	0	0	0.7856	-363.78	1	-0.195	-0.5	-425.76	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB285	Combination	-125.513	-58.067	0	0	0	28.9271	819.28	1	-0.195	-0.5	-1462.94	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB285	Combination	-125.513	-0.391	0	0	0	43.5418	1395.8	1	-0.195	-0.5	-2039.45	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB285	Combination	-125.513	57.285	0	0	0	29.3182	834.71	1	-0.195	-0.5	-1478.37	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB286	Combination	-136.224	-32.125	0	0	0	60.0273	2018.65	1	-0.195	-0.5	-2717.23	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB286	Combination	-136.224	25.551	0	0	0	61.6707	2083.48	1	-0.195	-0.5	-2782.06	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB286	Combination	-136.224	83.228	0	0	0	34.476	1010.71	1	-0.195	-0.5	-1709.29	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB287	Combination	-132.223	-58.067	0	0	0	22.4618	547.03	1	-0.195	-0.5	-1225.1	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	B_COMB287	Combination	-132.223	-0.391	0	0	0	37.0765	1123.55	1	-0.195	-0.5	-1801.62	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB287	Combination	-132.223	57.285	0	0	0	22.853	562.46	1	-0.195	-0.5	-1240.53	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB288	Combination	-142.934	-32.125	0	0	0	53.562	1746.4	1	-0.195	-0.5	-2479.4	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB288	Combination	-142.934	25.551	0	0	0	55.2055	1811.23	1	-0.195	-0.5	-2544.23	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB288	Combination	-142.934	83.228	0	0	0	28.0107	738.46	1	-0.195	-0.5	-1471.46	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB289	Combination	-137.953	-46.794	0	0	0	-14.3542	212.51	3	0.195	-0.5	-919.97	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB289	Combination	-137.953	-0.391	0	0	0	-2.558	-252.82	3	0.195	-0.5	-454.63	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB289	Combination	-137.953	46.011	0	0	0	-13.9631	197.08	3	0.195	-0.5	-904.54	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB290	Combination	-145.986	-27.337	0	0	0	8.971	-20.44	1	-0.195	-0.5	-728.21	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB290	Combination	-145.986	19.066	0	0	0	11.0388	61.13	1	-0.195	-0.5	-809.78	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB290	Combination	-145.986	65.468	0	0	0	-10.0947	23.89	3	0.195	-0.5	-772.54	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB291	Combination	-149.137	-46.794	0	0	0	-25.1296	608.91	3	0.195	-0.5	-1373.71	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB291	Combination	-149.137	-0.391	0	0	0	-13.3334	143.57	3	0.195	-0.5	-908.38	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB291	Combination	-149.137	46.011	0	0	0	-24.7385	593.48	3	0.195	-0.5	-1358.28	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB292	Combination	-157.17	-27.337	0	0	0	-1.8045	-331.82	3	0.195	-0.5	-474.18	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB292	Combination	-157.17	19.066	0	0	0	0.2633	-392.61	1	-0.195	-0.5	-413.39	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB292	Combination	-157.17	65.468	0	0	0	-20.8702	420.28	3	0.195	-0.5	-1226.28	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB293	Combination	-119.579	-46.794	0	0	0	31.021	917.1	1	-0.195	-0.5	-1530.32	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB293	Combination	-119.579	-0.391	0	0	0	42.8173	1382.43	1	-0.195	-0.5	-1995.66	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB293	Combination	-119.579	46.011	0	0	0	31.4122	932.53	1	-0.195	-0.5	-1545.75	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB294	Combination	-127.612	-27.337	0	0	0	54.3462	1816.62	1	-0.195	-0.5	-2471.04	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB294	Combination	-127.612	19.066	0	0	0	56.414	1898.19	1	-0.195	-0.5	-2552.61	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB294	Combination	-127.612	65.468	0	0	0	35.2805	1064.53	1	-0.195	-0.5	-1718.95	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB295	Combination	-130.763	-46.794	0	0	0	20.2456	463.35	1	-0.195	-0.5	-1133.93	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB295	Combination	-130.763	-0.391	0	0	0	32.0418	928.69	1	-0.195	-0.5	-1599.26	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB295	Combination	-130.763	46.011	0	0	0	20.6367	478.78	1	-0.195	-0.5	-1149.36	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB296	Combination	-138.796	-27.337	0	0	0	43.5707	1362.88	1	-0.195	-0.5	-2074.65	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB296	Combination	-138.796	19.066	0	0	0	45.6385	1444.45	1	-0.195	-0.5	-2156.22	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB296	Combination	-138.796	65.468	0	0	0	24.5051	610.78	1	-0.195	-0.5	-1322.56	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB297	Combination	-177.018	-38.795	0	0	0	-16.6492	202.88	3	0.195	-0.5	-1110.67	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB297	Combination	-193.555	7.607	0	0	0	-8.8523	-147.09	3	0.195	-0.5	-845.5	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB297	Combination	-210.092	54.01	0	0	0	-24.2566	418.17	3	0.195	-0.5	-1495.57	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB298	Combination	-185.052	-19.338	0	0	0	6.676	-211.14	1	-0.195	-0.5	-737.84	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	B_COMB298	Combination	-201.589	27.064	0	0	0	4.7445	-329.73	1	-0.195	-0.5	-704.05	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB298	Combination	-218.126	73.467	0	0	0	-20.3883	244.98	3	0.195	-0.5	-1363.57	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB299	Combination	-183.729	-38.795	0	0	0	-23.1145	440.71	3	0.195	-0.5	-1382.91	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB299	Combination	-200.266	7.607	0	0	0	-15.3175	90.74	3	0.195	-0.5	-1117.74	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB299	Combination	-216.802	54.01	0	0	0	-30.7219	656.01	3	0.195	-0.5	-1767.81	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB300	Combination	-191.762	-19.338	0	0	0	0.2107	-483.39	1	-0.195	-0.5	-500.01	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB300	Combination	-208.299	27.064	0	0	0	-1.7208	-466.22	3	0.195	-0.5	-601.98	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB300	Combination	-224.836	73.467	0	0	0	-26.8536	482.81	3	0.195	-0.5	-1635.81	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB301	Combination	-165.994	-38.795	0	0	0	10.576	-8.43	1	-0.195	-0.5	-842.82	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB301	Combination	-182.531	7.607	0	0	0	18.3729	256.74	1	-0.195	-0.5	-1192.8	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB301	Combination	-199.068	54.01	0	0	0	2.9685	-393.33	1	-0.195	-0.5	-627.53	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB302	Combination	-174.027	-19.338	0	0	0	33.9011	891.1	1	-0.195	-0.5	-1783.54	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB302	Combination	-190.564	27.064	0	0	0	31.9696	772.5	1	-0.195	-0.5	-1749.75	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB302	Combination	-207.101	73.467	0	0	0	6.8369	-261.33	1	-0.195	-0.5	-800.73	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB303	Combination	-172.704	-38.795	0	0	0	4.1107	-280.67	1	-0.195	-0.5	-604.99	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB303	Combination	-189.241	7.607	0	0	0	11.9076	-15.51	1	-0.195	-0.5	-954.96	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB303	Combination	-205.778	54.01	0	0	0	-3.4968	-389.7	3	0.195	-0.5	-665.57	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB304	Combination	-180.737	-19.338	0	0	0	27.4358	618.85	1	-0.195	-0.5	-1545.71	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB304	Combination	-197.274	27.064	0	0	0	25.5043	500.26	1	-0.195	-0.5	-1511.92	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB304	Combination	-213.811	73.467	0	0	0	0.3716	-533.58	1	-0.195	-0.5	-562.89	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB305	Combination	-169.547	-40.795	0	0	0	-21.6339	418.67	3	0.195	-0.5	-1288.14	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB305	Combination	-181.949	5.608	0	0	0	-12.8371	39.86	3	0.195	-0.5	-972.93	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB305	Combination	-194.352	52.01	0	0	0	-27.2417	576.28	3	0.195	-0.5	-1572.96	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB306	Combination	-177.58	-21.338	0	0	0	1.6912	-388.62	1	-0.195	-0.5	-522.05	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB306	Combination	-189.983	25.065	0	0	0	0.7596	-457.17	1	-0.195	-0.5	-517.1	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB306	Combination	-202.385	71.467	0	0	0	-23.3734	403.09	3	0.195	-0.5	-1440.96	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB307	Combination	-180.73	-40.795	0	0	0	-32.4094	815.06	3	0.195	-0.5	-1741.89	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB307	Combination	-193.133	5.608	0	0	0	-23.6126	436.25	3	0.195	-0.5	-1426.68	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB307	Combination	-205.536	52.01	0	0	0	-38.0171	972.68	3	0.195	-0.5	-2026.7	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB308	Combination	-188.764	-21.338	0	0	0	-9.0842	-125.66	3	0.195	-0.5	-842.36	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB308	Combination	-201.166	25.065	0	0	0	-10.0159	-120.71	3	0.195	-0.5	-910.91	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB308	Combination	-213.569	71.467	0	0	0	-34.1488	799.48	3	0.195	-0.5	-1894.71	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB309	Combination	-151.173	-40.795	0	0	0	23.7413	548.92	1	-0.195	-0.5	-1324.16	3
	0.195	-0.5	140-1	0											



## Allegati alla relazione di Calcolo

140	0.5	B_COMB309	Combination	-163.575	5.608	0	0	0	32.5381	864.13	1	-0.195	-0.5	-1702.98	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB309	Combination	-175.978	52.01	0	0	0	18.1335	264.1	1	-0.195	-0.5	-1166.55	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB310	Combination	-159.206	-21.338	0	0	0	47.0665	1448.45	1	-0.195	-0.5	-2264.89	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB310	Combination	-171.608	25.065	0	0	0	46.1348	1379.89	1	-0.195	-0.5	-2259.94	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB310	Combination	-184.011	71.467	0	0	0	22.0019	396.1	1	-0.195	-0.5	-1339.75	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB311	Combination	-162.356	-40.795	0	0	0	12.9659	95.18	1	-0.195	-0.5	-927.77	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB311	Combination	-174.759	5.608	0	0	0	21.7626	410.39	1	-0.195	-0.5	-1306.59	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB311	Combination	-187.162	52.01	0	0	0	7.3581	-189.64	1	-0.195	-0.5	-770.16	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB312	Combination	-170.39	-21.338	0	0	0	36.291	994.7	1	-0.195	-0.5	-1868.49	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB312	Combination	-182.792	25.065	0	0	0	35.3594	926.15	1	-0.195	-0.5	-1863.54	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB312	Combination	-195.195	71.467	0	0	0	11.2264	-57.64	1	-0.195	-0.5	-943.36	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB313	Combination	-150.06	-46.892	0	0	0	-12.2561	98.71	3	0.195	-0.5	-868.25	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB313	Combination	-150.06	-0.49	0	0	0	-0.4106	-368.57	3	0.195	-0.5	-400.97	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB313	Combination	-150.06	45.913	0	0	0	-11.7663	79.39	3	0.195	-0.5	-848.92	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB314	Combination	-158.093	-27.436	0	0	0	11.069	31.28	1	-0.195	-0.5	-842.01	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB314	Combination	-158.093	18.967	0	0	0	13.1861	114.8	1	-0.195	-0.5	-925.53	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB314	Combination	-158.093	65.37	0	0	0	-7.898	-93.81	3	0.195	-0.5	-716.92	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB315	Combination	-156.77	-46.892	0	0	0	-18.7214	336.54	3	0.195	-0.5	-1140.49	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB315	Combination	-156.77	-0.49	0	0	0	-6.8759	-130.74	3	0.195	-0.5	-673.21	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB315	Combination	-156.77	45.913	0	0	0	-18.2316	317.22	3	0.195	-0.5	-1121.17	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB316	Combination	-164.803	-27.436	0	0	0	4.6037	-240.97	1	-0.195	-0.5	-604.18	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB316	Combination	-164.803	18.967	0	0	0	6.7209	-157.45	1	-0.195	-0.5	-687.7	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB316	Combination	-164.803	65.37	0	0	0	-14.3633	144.03	3	0.195	-0.5	-989.17	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB317	Combination	-139.035	-46.892	0	0	0	14.969	233.99	1	-0.195	-0.5	-946.99	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB317	Combination	-139.035	-0.49	0	0	0	26.8145	701.27	1	-0.195	-0.5	-1414.27	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB317	Combination	-139.035	45.913	0	0	0	15.4588	253.31	1	-0.195	-0.5	-966.32	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB318	Combination	-147.069	-27.436	0	0	0	38.2941	1133.52	1	-0.195	-0.5	-1887.72	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB318	Combination	-147.069	18.967	0	0	0	40.4113	1217.03	1	-0.195	-0.5	-1971.23	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB318	Combination	-147.069	65.37	0	0	0	19.3271	385.31	1	-0.195	-0.5	-1139.51	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB319	Combination	-145.745	-46.892	0	0	0	8.5037	-38.25	1	-0.195	-0.5	-709.16	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB319	Combination	-145.745	-0.49	0	0	0	20.3493	429.03	1	-0.195	-0.5	-1176.44	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB319	Combination	-145.745	45.913	0	0	0	8.9935	-18.93	1	-0.195	-0.5	-728.48	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB320	Combination	-153.779	-27.436	0	0	0	31.8288	861.27	1	-0.195	-0.5	-1649.88	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	B_COMB320	Combination	-153.779	18.967	0	0	0	33.946	944.79	1	-0.195	-0.5	-1733.4	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB320	Combination	-153.779	65.37	0	0	0	12.8619	113.07	1	-0.195	-0.5	-901.68	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB321	Combination	-136.654	-58.067	0	0	0	1.6191	-286.52	1	-0.195	-0.5	-414.27	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB321	Combination	-136.654	-0.391	0	0	0	16.2338	289.99	1	-0.195	-0.5	-990.78	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB321	Combination	-136.654	57.285	0	0	0	2.0103	-271.09	1	-0.195	-0.5	-429.69	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB322	Combination	-147.365	-32.125	0	0	0	32.7193	912.84	1	-0.195	-0.5	-1668.56	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB322	Combination	-147.365	25.551	0	0	0	34.3628	977.67	1	-0.195	-0.5	-1733.39	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB322	Combination	-147.365	83.228	0	0	0	7.168	-95.1	1	-0.195	-0.5	-660.62	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB323	Combination	-143.364	-58.067	0	0	0	-4.8461	-176.43	3	0.195	-0.5	-558.77	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB323	Combination	-143.364	-0.391	0	0	0	9.7685	17.75	1	-0.195	-0.5	-752.95	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB323	Combination	-143.364	57.285	0	0	0	-4.455	-191.86	3	0.195	-0.5	-543.34	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB324	Combination	-154.075	-32.125	0	0	0	26.254	640.6	1	-0.195	-0.5	-1430.73	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB324	Combination	-154.075	25.551	0	0	0	27.8975	705.43	1	-0.195	-0.5	-1495.56	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB324	Combination	-154.075	83.228	0	0	0	0.7028	-367.34	1	-0.195	-0.5	-422.79	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB325	Combination	-125.629	-58.067	0	0	0	28.8443	815.71	1	-0.195	-0.5	-1459.97	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB325	Combination	-125.629	-0.391	0	0	0	43.4589	1392.23	1	-0.195	-0.5	-2036.48	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB325	Combination	-125.629	57.285	0	0	0	29.2354	831.14	1	-0.195	-0.5	-1475.4	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB326	Combination	-136.34	-32.125	0	0	0	59.9444	2015.08	1	-0.195	-0.5	-2714.26	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB326	Combination	-136.34	25.551	0	0	0	61.5879	2079.91	1	-0.195	-0.5	-2779.09	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB326	Combination	-136.34	83.228	0	0	0	34.3932	1007.14	1	-0.195	-0.5	-1706.32	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB327	Combination	-132.34	-58.067	0	0	0	22.379	543.47	1	-0.195	-0.5	-1222.13	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB327	Combination	-132.34	-0.391	0	0	0	36.9936	1119.98	1	-0.195	-0.5	-1798.65	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB327	Combination	-132.34	57.285	0	0	0	22.7701	558.9	1	-0.195	-0.5	-1237.56	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB328	Combination	-143.051	-32.125	0	0	0	53.4792	1742.84	1	-0.195	-0.5	-2476.43	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB328	Combination	-143.051	25.551	0	0	0	55.1226	1807.67	1	-0.195	-0.5	-2541.26	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB328	Combination	-143.051	83.228	0	0	0	27.9279	734.9	1	-0.195	-0.5	-1468.49	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB329	Combination	-138.07	-46.794	0	0	0	-14.437	215.48	3	0.195	-0.5	-923.53	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB329	Combination	-138.07	-0.391	0	0	0	-2.6408	-249.85	3	0.195	-0.5	-458.2	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB329	Combination	-138.07	46.011	0	0	0	-14.0459	200.05	3	0.195	-0.5	-908.1	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB330	Combination	-146.103	-27.337	0	0	0	8.8881	-24.01	1	-0.195	-0.5	-725.24	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB330	Combination	-146.103	19.066	0	0	0	10.9559	57.56	1	-0.195	-0.5	-806.81	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB330	Combination	-146.103	65.468	0	0	0	-10.1776	26.86	3	0.195	-0.5	-776.1	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB331	Combination	-149.253	-46.794	0	0	0	-25.2125	611.87	3	0.195	-0.5	-1377.28	1
	-0.195	-0.5	140-1	0											

Allegati alla relazione di Calcolo

140	0.5	B_COMB331	Combination	-149.253	-0.391	0	0	0	-13.4163	146.54	3	0.195	-0.5	-911.94	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB331	Combination	-149.253	46.011	0	0	0	-24.8214	596.45	3	0.195	-0.5	-1361.85	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB332	Combination	-157.287	-27.337	0	0	0	-1.8873	-328.85	3	0.195	-0.5	-477.75	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB332	Combination	-157.287	19.066	0	0	0	0.1805	-396.18	1	-0.195	-0.5	-410.42	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB332	Combination	-157.287	65.468	0	0	0	-20.953	423.25	3	0.195	-0.5	-1229.85	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB333	Combination	-119.695	-46.794	0	0	0	30.9382	913.53	1	-0.195	-0.5	-1527.35	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB333	Combination	-119.695	-0.391	0	0	0	42.7344	1378.86	1	-0.195	-0.5	-1992.69	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB333	Combination	-119.695	46.011	0	0	0	31.3293	928.96	1	-0.195	-0.5	-1542.78	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB334	Combination	-127.729	-27.337	0	0	0	54.2633	1813.06	1	-0.195	-0.5	-2468.07	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB334	Combination	-127.729	19.066	0	0	0	56.3311	1894.63	1	-0.195	-0.5	-2549.65	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB334	Combination	-127.729	65.468	0	0	0	35.1977	1060.96	1	-0.195	-0.5	-1715.98	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB335	Combination	-130.879	-46.794	0	0	0	20.1627	459.79	1	-0.195	-0.5	-1130.96	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB335	Combination	-130.879	-0.391	0	0	0	31.959	925.12	1	-0.195	-0.5	-1596.3	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB335	Combination	-130.879	46.011	0	0	0	20.5539	475.22	1	-0.195	-0.5	-1146.39	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB336	Combination	-138.912	-27.337	0	0	0	43.4879	1359.31	1	-0.195	-0.5	-2071.68	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB336	Combination	-138.912	19.066	0	0	0	45.5557	1440.88	1	-0.195	-0.5	-2153.25	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB336	Combination	-138.912	65.468	0	0	0	24.4222	607.22	1	-0.195	-0.5	-1319.59	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB337	Combination	-177.135	-38.795	0	0	0	-16.732	205.85	3	0.195	-0.5	-1114.23	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB337	Combination	-193.672	7.607	0	0	0	-8.9351	-144.12	3	0.195	-0.5	-849.06	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB337	Combination	-210.209	54.01	0	0	0	-24.3395	421.14	3	0.195	-0.5	-1499.13	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB338	Combination	-185.168	-19.338	0	0	0	6.5931	-214.71	1	-0.195	-0.5	-734.87	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB338	Combination	-201.705	27.064	0	0	0	4.6616	-333.3	1	-0.195	-0.5	-701.08	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB338	Combination	-218.242	73.467	0	0	0	-20.4711	247.94	3	0.195	-0.5	-1367.13	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB339	Combination	-183.845	-38.795	0	0	0	-23.1973	443.68	3	0.195	-0.5	-1386.48	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB339	Combination	-200.382	7.607	0	0	0	-15.4004	93.71	3	0.195	-0.5	-1121.31	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB339	Combination	-216.919	54.01	0	0	0	-30.8047	658.97	3	0.195	-0.5	-1771.38	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB340	Combination	-191.878	-19.338	0	0	0	0.1278	-486.95	1	-0.195	-0.5	-497.04	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB340	Combination	-208.415	27.064	0	0	0	-1.8036	-463.25	3	0.195	-0.5	-605.55	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB340	Combination	-224.952	73.467	0	0	0	-26.9364	485.78	3	0.195	-0.5	-1639.38	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB341	Combination	-166.11	-38.795	0	0	0	10.4931	-11.99	1	-0.195	-0.5	-839.85	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB341	Combination	-182.647	7.607	0	0	0	18.29	253.17	1	-0.195	-0.5	-1189.83	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB341	Combination	-199.184	54.01	0	0	0	2.8857	-396.89	1	-0.195	-0.5	-624.56	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB342	Combination	-174.144	-19.338	0	0	0	33.8183	887.53	1	-0.195	-0.5	-1780.58	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	B_COMB342	Combination	-190.681	27.064	0	0	0	31.8868	768.94	1	-0.195	-0.5	-1746.79	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB342	Combination	-207.217	73.467	0	0	0	6.754	-264.9	1	-0.195	-0.5	-797.76	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB343	Combination	-172.821	-38.795	0	0	0	4.0278	-284.24	1	-0.195	-0.5	-602.02	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB343	Combination	-189.357	7.607	0	0	0	11.8248	-19.07	1	-0.195	-0.5	-951.99	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB343	Combination	-205.894	54.01	0	0	0	-3.5796	-386.73	3	0.195	-0.5	-669.14	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB344	Combination	-180.854	-19.338	0	0	0	27.353	615.29	1	-0.195	-0.5	-1542.74	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB344	Combination	-197.391	27.064	0	0	0	25.4215	496.69	1	-0.195	-0.5	-1508.95	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB344	Combination	-213.928	73.467	0	0	0	0.2887	-537.14	1	-0.195	-0.5	-559.92	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB345	Combination	-169.663	-40.795	0	0	0	-21.7167	421.64	3	0.195	-0.5	-1291.71	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB345	Combination	-182.066	5.608	0	0	0	-12.92	42.83	3	0.195	-0.5	-976.5	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB345	Combination	-194.468	52.01	0	0	0	-27.3245	579.25	3	0.195	-0.5	-1576.53	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB346	Combination	-177.696	-21.338	0	0	0	1.6084	-392.18	1	-0.195	-0.5	-519.08	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB346	Combination	-190.099	25.065	0	0	0	0.6767	-460.74	1	-0.195	-0.5	-514.13	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB346	Combination	-202.502	71.467	0	0	0	-23.4562	406.06	3	0.195	-0.5	-1444.53	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB347	Combination	-180.847	-40.795	0	0	0	-32.4922	818.03	3	0.195	-0.5	-1745.45	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB347	Combination	-193.249	5.608	0	0	0	-23.6954	439.22	3	0.195	-0.5	-1430.24	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB347	Combination	-205.652	52.01	0	0	0	-38.1	975.64	3	0.195	-0.5	-2030.27	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB348	Combination	-188.88	-21.338	0	0	0	-9.1671	-122.69	3	0.195	-0.5	-845.93	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB348	Combination	-201.283	25.065	0	0	0	-10.0987	-117.74	3	0.195	-0.5	-914.48	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB348	Combination	-213.685	71.467	0	0	0	-34.2317	802.45	3	0.195	-0.5	-1898.27	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB349	Combination	-151.289	-40.795	0	0	0	23.6585	545.35	1	-0.195	-0.5	-1321.19	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB349	Combination	-163.692	5.608	0	0	0	32.4552	860.56	1	-0.195	-0.5	-1700.01	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB349	Combination	-176.094	52.01	0	0	0	18.0507	260.54	1	-0.195	-0.5	-1163.58	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB350	Combination	-159.322	-21.338	0	0	0	46.9836	1444.88	1	-0.195	-0.5	-2261.92	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB350	Combination	-171.725	25.065	0	0	0	46.052	1376.33	1	-0.195	-0.5	-2256.97	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB350	Combination	-184.128	71.467	0	0	0	21.919	392.53	1	-0.195	-0.5	-1336.78	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB351	Combination	-162.473	-40.795	0	0	0	12.883	91.61	1	-0.195	-0.5	-924.8	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB351	Combination	-174.875	5.608	0	0	0	21.6798	406.82	1	-0.195	-0.5	-1303.62	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB351	Combination	-187.278	52.01	0	0	0	7.2752	-193.21	1	-0.195	-0.5	-767.19	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB352	Combination	-170.506	-21.338	0	0	0	36.2082	991.14	1	-0.195	-0.5	-1865.52	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB352	Combination	-182.909	25.065	0	0	0	35.2765	922.58	1	-0.195	-0.5	-1860.57	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB352	Combination	-195.311	71.467	0	0	0	11.1436	-61.21	1	-0.195	-0.5	-940.39	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB353	Combination	-166.642	-40.795	0	0	0	-14.3331	138.12	3	0.195	-0.5	-992.7	1
	-0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	B_COMB353	Combination	-179.045	5.608	0	0	0	-5.5363	-240.69	3	0.195	-0.5	-677.49	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB353	Combination	-191.448	52.01	0	0	0	-19.9409	295.73	3	0.195	-0.5	-1277.51	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB354	Combination	-174.676	-21.338	0	0	0	8.9921	-93.17	1	-0.195	-0.5	-802.6	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB354	Combination	-187.078	25.065	0	0	0	8.0604	-161.72	1	-0.195	-0.5	-797.65	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB354	Combination	-199.481	71.467	0	0	0	-16.0725	122.53	3	0.195	-0.5	-1145.51	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB355	Combination	-173.353	-40.795	0	0	0	-20.7983	375.95	3	0.195	-0.5	-1264.94	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB355	Combination	-185.755	5.608	0	0	0	-12.0016	-2.86	3	0.195	-0.5	-949.73	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB355	Combination	-198.158	52.01	0	0	0	-26.4061	533.56	3	0.195	-0.5	-1549.76	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB356	Combination	-181.386	-21.338	0	0	0	2.5268	-365.42	1	-0.195	-0.5	-564.77	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB356	Combination	-193.789	25.065	0	0	0	1.5951	-433.97	1	-0.195	-0.5	-559.82	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB356	Combination	-206.191	71.467	0	0	0	-22.5378	360.37	3	0.195	-0.5	-1417.76	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB357	Combination	-155.618	-40.795	0	0	0	12.8921	109.54	1	-0.195	-0.5	-907.58	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB357	Combination	-168.021	5.608	0	0	0	21.6888	424.75	1	-0.195	-0.5	-1286.4	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB357	Combination	-180.423	52.01	0	0	0	7.2843	-175.28	1	-0.195	-0.5	-749.97	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB358	Combination	-163.651	-21.338	0	0	0	36.2172	1009.07	1	-0.195	-0.5	-1848.31	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB358	Combination	-176.054	25.065	0	0	0	35.2856	940.51	1	-0.195	-0.5	-1843.36	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB358	Combination	-188.457	71.467	0	0	0	11.1526	-43.28	1	-0.195	-0.5	-923.17	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB359	Combination	-162.328	-40.795	0	0	0	6.4268	-162.7	1	-0.195	-0.5	-669.75	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB359	Combination	-174.731	5.608	0	0	0	15.2235	152.51	1	-0.195	-0.5	-1048.56	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB359	Combination	-187.133	52.01	0	0	0	0.819	-447.52	1	-0.195	-0.5	-512.14	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB360	Combination	-170.361	-21.338	0	0	0	29.7519	736.82	1	-0.195	-0.5	-1610.47	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB360	Combination	-182.764	25.065	0	0	0	28.8203	668.27	1	-0.195	-0.5	-1605.52	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB360	Combination	-195.167	71.467	0	0	0	4.6873	-315.52	1	-0.195	-0.5	-685.33	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB361_0_0	Combination	0.563	-4.875	0	0	0	9.6405	381.74	1	-0.195	-0.5	-378.85	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB361_0_0	Combination	0.563	5.24E-11	0	0	0	10.8593	429.82	1	-0.195	-0.5	-426.93	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB361_0_0	Combination	0.563	4.875	0	0	0	9.6405	381.74	1	-0.195	-0.5	-378.85	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB361_0_1	Combination	0.563	-4.875	0	0	0	9.6405	381.74	1	-0.195	-0.5	-378.85	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB361_0_1	Combination	0.563	5.24E-11	0	0	0	10.8593	429.82	1	-0.195	-0.5	-426.93	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB361_0_1	Combination	0.563	4.875	0	0	0	9.6405	381.74	1	-0.195	-0.5	-378.85	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB361_0_2	Combination	-71.757	-4.875	0	0	0	-21.1929	652.02	3	0.195	-0.5	-1020.01	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB361_0_2	Combination	-71.757	3.78E-11	0	0	0	-19.9742	603.94	3	0.195	-0.5	-971.93	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB361_0_2	Combination	-71.757	4.875	0	0	0	-21.1929	652.02	3	0.195	-0.5	-1020.01	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB361_0_2_1	Combination	-73.481	-10.875	0	0	0	-11.2562	255.62	3	0.195	-0.5	-632.45	1
	-0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	B_COMB361_0_2_1	Combination	-73.481	2.98E-11	0	0	0	-8.5375	148.37	3	0.195	-0.5	-525.2	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB361_0_2_1	Combination	-73.481	10.875	0	0	0	-11.2562	255.62	3	0.195	-0.5	-632.45	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB361_0_3	Combination	-73.481	-10.875	0	0	0	-11.2562	255.62	3	0.195	-0.5	-632.45	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB361_0_3	Combination	-73.481	2.98E-11	0	0	0	-8.5375	148.37	3	0.195	-0.5	-525.2	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB361_0_3	Combination	-73.481	10.875	0	0	0	-11.2562	255.62	3	0.195	-0.5	-632.45	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB361_0_4	Combination	-69.573	-10.875	0	0	0	-4.771	9.81	3	0.195	-0.5	-366.6	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB361_0_4	Combination	-69.573	2.97E-11	0	0	0	-2.0522	-97.44	3	0.195	-0.5	-259.35	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB361_0_4	Combination	-69.573	10.875	0	0	0	-4.771	9.81	3	0.195	-0.5	-366.6	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB361	Combination	-141.607	-8.459	0	0	0	-24.6809	610.51	3	0.195	-0.5	-1336.7	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB361	Combination	-147.881	3.362	0	0	0	-23.4064	544.15	3	0.195	-0.5	-1302.51	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB361	Combination	-155.723	15.182	0	0	0	-28.0424	706.92	3	0.195	-0.5	-1505.5	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB362	Combination	-141.607	-8.459	0	0	0	-24.6809	610.51	3	0.195	-0.5	-1336.7	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB362	Combination	-147.881	3.362	0	0	0	-23.4064	544.15	3	0.195	-0.5	-1302.51	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB362	Combination	-155.723	15.182	0	0	0	-28.0424	706.92	3	0.195	-0.5	-1505.5	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB363	Combination	-141.825	-6.568	0	0	0	-28.4214	757.5	3	0.195	-0.5	-1484.81	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB363	Combination	-148.099	3.362	0	0	0	-27.6199	709.8	3	0.195	-0.5	-1469.28	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB363	Combination	-155.941	13.291	0	0	0	-31.7829	853.92	3	0.195	-0.5	-1653.61	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB364	Combination	-141.825	-6.568	0	0	0	-28.4214	757.5	3	0.195	-0.5	-1484.81	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB364	Combination	-148.099	3.362	0	0	0	-27.6199	709.8	3	0.195	-0.5	-1469.28	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB364	Combination	-155.941	13.291	0	0	0	-31.7829	853.92	3	0.195	-0.5	-1653.61	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB365	Combination	-105.426	-11.086	0	0	0	-11.9205	199.91	3	0.195	-0.5	-740.56	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB365	Combination	-108.563	1.681	0	0	0	-9.5693	99.12	3	0.195	-0.5	-655.85	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB365	Combination	-112.484	14.447	0	0	0	-13.6013	248.12	3	0.195	-0.5	-824.96	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB366	Combination	-105.426	-11.086	0	0	0	-11.9205	199.91	3	0.195	-0.5	-740.56	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB366	Combination	-108.563	1.681	0	0	0	-9.5693	99.12	3	0.195	-0.5	-655.85	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB366	Combination	-112.484	14.447	0	0	0	-13.6013	248.12	3	0.195	-0.5	-824.96	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB367	Combination	-105.863	-7.303	0	0	0	-19.4016	493.9	3	0.195	-0.5	-1036.79	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB367	Combination	-109	1.681	0	0	0	-17.9961	430.42	3	0.195	-0.5	-989.39	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB367	Combination	-112.921	10.664	0	0	0	-21.0824	542.11	3	0.195	-0.5	-1121.19	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB368	Combination	-105.863	-7.303	0	0	0	-19.4016	493.9	3	0.195	-0.5	-1036.79	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB368	Combination	-109	1.681	0	0	0	-17.9961	430.42	3	0.195	-0.5	-989.39	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB368	Combination	-112.921	10.664	0	0	0	-21.0824	542.11	3	0.195	-0.5	-1121.19	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB369	Combination	-110.105	-40.571	0	0	0	-3.3915	-148.53	3	0.195	-0.5	-416.11	1
	-0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	C_COMB369	Combination	-110.105	-0.286	0	0	0	6.8229	-13.17	1	-0.195	-0.5	-551.47	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB369	Combination	-110.105	39.999	0	0	0	-3.1052	-159.83	3	0.195	-0.5	-404.81	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB370	Combination	-117.09	-23.652	0	0	0	16.8912	366.09	1	-0.195	-0.5	-966.55	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB370	Combination	-117.09	16.633	0	0	0	18.6461	435.31	1	-0.195	-0.5	-1035.78	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB370	Combination	-117.09	56.918	0	0	0	0.2586	-290.03	1	-0.195	-0.5	-310.43	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB373	Combination	-99.08	-40.571	0	0	0	23.8336	686.13	1	-0.195	-0.5	-1194.24	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB373	Combination	-99.08	-0.286	0	0	0	34.048	1089.06	1	-0.195	-0.5	-1597.17	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB373	Combination	-99.08	39.999	0	0	0	24.1199	697.42	1	-0.195	-0.5	-1205.53	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB374	Combination	-106.066	-23.652	0	0	0	44.1164	1468.33	1	-0.195	-0.5	-2012.25	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB374	Combination	-106.066	16.633	0	0	0	45.8712	1537.55	1	-0.195	-0.5	-2081.48	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB374	Combination	-106.066	56.918	0	0	0	27.4837	812.21	1	-0.195	-0.5	-1356.13	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB377	Combination	-100.62	-50.303	0	0	0	7.9191	54.39	1	-0.195	-0.5	-570.39	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB377	Combination	-100.62	-0.215	0	0	0	20.5485	552.59	1	-0.195	-0.5	-1068.59	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB377	Combination	-100.62	49.873	0	0	0	8.1338	62.86	1	-0.195	-0.5	-578.86	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB378	Combination	-109.934	-27.744	0	0	0	34.9627	1097.32	1	-0.195	-0.5	-1661.08	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB378	Combination	-109.934	22.344	0	0	0	36.3128	1150.58	1	-0.195	-0.5	-1714.34	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB378	Combination	-109.934	72.432	0	0	0	12.6188	215.9	1	-0.195	-0.5	-779.66	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB381	Combination	-89.595	-50.303	0	0	0	35.1442	1156.63	1	-0.195	-0.5	-1616.09	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB381	Combination	-89.595	-0.215	0	0	0	47.7736	1654.83	1	-0.195	-0.5	-2114.29	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB381	Combination	-89.595	49.873	0	0	0	35.3589	1165.1	1	-0.195	-0.5	-1624.56	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB382	Combination	-98.909	-27.744	0	0	0	62.1878	2199.56	1	-0.195	-0.5	-2706.78	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB382	Combination	-98.909	22.344	0	0	0	63.5379	2252.81	1	-0.195	-0.5	-2760.04	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB382	Combination	-98.909	72.432	0	0	0	39.8439	1318.14	1	-0.195	-0.5	-1825.37	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB385	Combination	-102.25	-40.5	0	0	0	-7.0095	14.33	3	0.195	-0.5	-538.69	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB385	Combination	-102.25	-0.215	0	0	0	3.1691	-137.17	1	-0.195	-0.5	-387.19	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB385	Combination	-102.25	40.07	0	0	0	-6.7948	5.86	3	0.195	-0.5	-530.22	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB386	Combination	-109.235	-23.581	0	0	0	13.2732	243.51	1	-0.195	-0.5	-803.69	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB386	Combination	-109.235	16.704	0	0	0	14.9923	311.32	1	-0.195	-0.5	-871.5	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB386	Combination	-109.235	56.989	0	0	0	-3.431	-144.74	3	0.195	-0.5	-415.44	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB387	Combination	-113.434	-40.5	0	0	0	-17.785	410.72	3	0.195	-0.5	-992.43	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB387	Combination	-113.434	-0.215	0	0	0	-7.6064	9.2	3	0.195	-0.5	-590.91	1
	-0.195	-0.5	140-5	0.1											
140	1	C_COMB387	Combination	-113.434	40.07	0	0	0	-17.5702	402.25	3	0.195	-0.5	-983.96	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB388	Combination	-120.419	-23.581	0	0	0	2.4978	-210.24	1	-0.195	-0.5	-407.3	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	C_COMB388	Combination	-120.419	16.704	0	0	0	4.2169	-142.42	1	-0.195	-0.5	-475.11	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB388	Combination	-120.419	56.989	0	0	0	-14.2065	251.65	3	0.195	-0.5	-869.18	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB389	Combination	-83.876	-40.5	0	0	0	38.3657	1298.38	1	-0.195	-0.5	-1728.51	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB389	Combination	-83.876	-0.215	0	0	0	48.5443	1699.9	1	-0.195	-0.5	-2130.03	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB389	Combination	-83.876	40.07	0	0	0	38.5804	1306.85	1	-0.195	-0.5	-1736.98	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB390	Combination	-90.861	-23.581	0	0	0	58.6485	2080.57	1	-0.195	-0.5	-2546.53	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB390	Combination	-90.861	16.704	0	0	0	60.3675	2148.39	1	-0.195	-0.5	-2614.34	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB390	Combination	-90.861	56.989	0	0	0	41.9442	1421.63	1	-0.195	-0.5	-1887.58	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB391	Combination	-95.059	-40.5	0	0	0	27.5903	844.63	1	-0.195	-0.5	-1332.12	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB391	Combination	-95.059	-0.215	0	0	0	37.7688	1246.15	1	-0.195	-0.5	-1733.64	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB391	Combination	-95.059	40.07	0	0	0	27.805	853.1	1	-0.195	-0.5	-1340.59	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB392	Combination	-102.045	-23.581	0	0	0	47.873	1626.83	1	-0.195	-0.5	-2150.13	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB392	Combination	-102.045	16.704	0	0	0	49.5921	1694.64	1	-0.195	-0.5	-2217.95	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB392	Combination	-102.045	56.989	0	0	0	31.1688	967.88	1	-0.195	-0.5	-1491.19	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB393	Combination	-135.821	-33.544	0	0	0	-8.0385	-31.16	3	0.195	-0.5	-665.36	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB393	Combination	-150.201	6.741	0	0	0	-1.3375	-332.37	3	0.195	-0.5	-437.89	1
	-0.195	-0.5	140-5	0.1											
140	1	C_COMB393	Combination	-164.58	47.025	0	0	0	-14.779	161	3	0.195	-0.5	-1005	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB394	Combination	-142.806	-16.625	0	0	0	12.2443	116.84	1	-0.195	-0.5	-849.18	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB394	Combination	-157.186	23.66	0	0	0	10.4857	10.6	1	-0.195	-0.5	-816.68	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB394	Combination	-171.566	63.944	0	0	0	-11.4153	10.39	3	0.195	-0.5	-890.22	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB395	Combination	-142.531	-33.544	0	0	0	-14.5037	206.68	3	0.195	-0.5	-937.6	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB395	Combination	-156.911	6.741	0	0	0	-7.8028	-94.53	3	0.195	-0.5	-710.14	1
	-0.195	-0.5	140-5	0.1											
140	1	C_COMB395	Combination	-171.291	47.025	0	0	0	-21.2443	398.83	3	0.195	-0.5	-1277.25	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB396	Combination	-149.516	-16.625	0	0	0	5.779	-155.41	1	-0.195	-0.5	-611.34	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB396	Combination	-163.896	23.66	0	0	0	4.0204	-261.65	1	-0.195	-0.5	-578.84	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB396	Combination	-178.276	63.944	0	0	0	-17.8805	248.23	3	0.195	-0.5	-1162.46	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB397	Combination	-124.796	-33.544	0	0	0	19.1867	436.88	1	-0.195	-0.5	-1076.86	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB397	Combination	-139.176	6.741	0	0	0	25.8876	664.35	1	-0.195	-0.5	-1378.07	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB397	Combination	-153.556	47.025	0	0	0	12.4461	97.24	1	-0.195	-0.5	-884.7	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB398	Combination	-131.782	-16.625	0	0	0	39.4694	1219.08	1	-0.195	-0.5	-1894.88	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB398	Combination	-146.162	23.66	0	0	0	37.7109	1112.83	1	-0.195	-0.5	-1862.38	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB398	Combination	-160.541	63.944	0	0	0	15.8099	212.02	1	-0.195	-0.5	-1035.31	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB399	Combination	-131.506	-33.544	0	0	0	12.7214	164.63	1	-0.195	-0.5	-839.03	3
	0.195	-0.5	140-1	0											



## Allegati alla relazione di Calcolo

140	0.5	C_COMB399	Combination	-145.886	6.741	0	0	0	19.4223	392.1	1	-0.195	-0.5	-1140.23	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB399	Combination	-160.266	47.025	0	0	0	5.9808	-175.01	1	-0.195	-0.5	-646.87	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB400	Combination	-138.492	-16.625	0	0	0	33.0041	946.83	1	-0.195	-0.5	-1657.05	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB400	Combination	-152.872	23.66	0	0	0	31.2456	840.59	1	-0.195	-0.5	-1624.55	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB400	Combination	-167.252	63.944	0	0	0	9.3446	-60.23	1	-0.195	-0.5	-797.47	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB401	Combination	-129.723	-35.283	0	0	0	-13.3397	193.6	3	0.195	-0.5	-858.84	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB401	Combination	-140.507	5.002	0	0	0	-5.7693	-132.69	3	0.195	-0.5	-587.86	1
	-0.195	-0.5	140-5	0.1											
140	1	C_COMB401	Combination	-151.292	45.287	0	0	0	-18.3414	335.6	3	0.195	-0.5	-1111.46	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB402	Combination	-136.708	-18.364	0	0	0	6.943	-76.65	1	-0.195	-0.5	-624.42	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB402	Combination	-147.493	21.921	0	0	0	6.0539	-139.37	1	-0.195	-0.5	-617	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB402	Combination	-158.278	62.206	0	0	0	-14.9777	184.99	3	0.195	-0.5	-996.68	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB403	Combination	-140.906	-35.283	0	0	0	-24.1151	589.99	3	0.195	-0.5	-1312.59	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB403	Combination	-151.691	5.002	0	0	0	-16.5448	263.7	3	0.195	-0.5	-1041.61	1
	-0.195	-0.5	140-5	0.1											
140	1	C_COMB403	Combination	-162.476	45.287	0	0	0	-29.1169	731.99	3	0.195	-0.5	-1565.2	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB404	Combination	-147.892	-18.364	0	0	0	-3.8324	-228.03	3	0.195	-0.5	-530.39	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB404	Combination	-158.677	21.921	0	0	0	-4.7215	-220.61	3	0.195	-0.5	-593.12	1
	-0.195	-0.5	140-5	0.1											
140	1	C_COMB404	Combination	-169.462	62.206	0	0	0	-25.7531	581.39	3	0.195	-0.5	-1450.42	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB405	Combination	-111.348	-35.283	0	0	0	32.0356	978.22	1	-0.195	-0.5	-1549.24	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB405	Combination	-122.133	5.002	0	0	0	39.6059	1249.2	1	-0.195	-0.5	-1875.52	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB405	Combination	-132.918	45.287	0	0	0	27.0338	725.61	1	-0.195	-0.5	-1407.24	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB406	Combination	-118.334	-18.364	0	0	0	52.3183	1760.42	1	-0.195	-0.5	-2367.26	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB406	Combination	-129.119	21.921	0	0	0	51.4291	1697.69	1	-0.195	-0.5	-2359.84	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB406	Combination	-139.904	62.206	0	0	0	30.3976	840.39	1	-0.195	-0.5	-1557.84	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB407	Combination	-122.532	-35.283	0	0	0	21.2601	524.48	1	-0.195	-0.5	-1152.85	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB407	Combination	-133.317	5.002	0	0	0	28.8304	795.46	1	-0.195	-0.5	-1479.13	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB407	Combination	-144.102	45.287	0	0	0	16.2583	271.86	1	-0.195	-0.5	-1010.85	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB408	Combination	-129.518	-18.364	0	0	0	41.5428	1306.67	1	-0.195	-0.5	-1970.87	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB408	Combination	-140.302	21.921	0	0	0	40.6537	1243.95	1	-0.195	-0.5	-1963.45	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB408	Combination	-151.087	62.206	0	0	0	19.6221	386.64	1	-0.195	-0.5	-1161.45	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB409	Combination	-110.194	-40.571	0	0	0	-3.4552	-146.25	3	0.195	-0.5	-418.85	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB409	Combination	-110.194	-0.286	0	0	0	6.7591	-15.92	1	-0.195	-0.5	-549.18	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB409	Combination	-110.194	39.999	0	0	0	-3.1689	-157.54	3	0.195	-0.5	-407.56	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB410	Combination	-117.18	-23.652	0	0	0	16.8275	363.35	1	-0.195	-0.5	-964.27	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	C_COMB410	Combination	-117.18	16.633	0	0	0	18.5824	432.57	1	-0.195	-0.5	-1033.49	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB410	Combination	-117.18	56.918	0	0	0	0.1948	-292.78	1	-0.195	-0.5	-308.15	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB411	Combination	-116.905	-40.571	0	0	0	-9.9205	91.59	3	0.195	-0.5	-691.1	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB411	Combination	-116.905	-0.286	0	0	0	0.2939	-288.16	1	-0.195	-0.5	-311.35	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB411	Combination	-116.905	39.999	0	0	0	-9.6342	80.29	3	0.195	-0.5	-679.8	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB412	Combination	-123.89	-23.652	0	0	0	10.3622	91.1	1	-0.195	-0.5	-726.43	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB412	Combination	-123.89	16.633	0	0	0	12.1171	160.33	1	-0.195	-0.5	-795.66	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB412	Combination	-123.89	56.918	0	0	0	-6.2704	-70.31	3	0.195	-0.5	-565.02	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB413	Combination	-99.17	-40.571	0	0	0	23.7699	683.39	1	-0.195	-0.5	-1191.95	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB413	Combination	-99.17	-0.286	0	0	0	33.9843	1086.32	1	-0.195	-0.5	-1594.88	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB413	Combination	-99.17	39.999	0	0	0	24.0562	694.68	1	-0.195	-0.5	-1203.24	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB414	Combination	-106.155	-23.652	0	0	0	44.0527	1465.58	1	-0.195	-0.5	-2009.97	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB414	Combination	-106.155	16.633	0	0	0	45.8075	1534.81	1	-0.195	-0.5	-2079.2	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB414	Combination	-106.155	56.918	0	0	0	27.42	809.46	1	-0.195	-0.5	-1353.85	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB415	Combination	-105.88	-40.571	0	0	0	17.3047	411.14	1	-0.195	-0.5	-954.12	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB415	Combination	-105.88	-0.286	0	0	0	27.519	814.07	1	-0.195	-0.5	-1357.05	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB415	Combination	-105.88	39.999	0	0	0	17.5909	422.43	1	-0.195	-0.5	-965.41	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB416	Combination	-112.866	-23.652	0	0	0	37.5874	1193.34	1	-0.195	-0.5	-1772.14	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB416	Combination	-112.866	16.633	0	0	0	39.3422	1262.56	1	-0.195	-0.5	-1841.36	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB416	Combination	-112.866	56.918	0	0	0	20.9547	537.22	1	-0.195	-0.5	-1116.01	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB417	Combination	-100.709	-50.303	0	0	0	7.8553	51.65	1	-0.195	-0.5	-568.1	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB417	Combination	-100.709	-0.215	0	0	0	20.4847	549.85	1	-0.195	-0.5	-1066.31	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB417	Combination	-100.709	49.873	0	0	0	8.07	60.12	1	-0.195	-0.5	-576.57	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB418	Combination	-110.023	-27.744	0	0	0	34.899	1094.57	1	-0.195	-0.5	-1658.8	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB418	Combination	-110.023	22.344	0	0	0	36.2491	1147.83	1	-0.195	-0.5	-1712.05	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB418	Combination	-110.023	72.432	0	0	0	12.5551	213.16	1	-0.195	-0.5	-777.38	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB419	Combination	-107.42	-50.303	0	0	0	1.3901	-220.6	1	-0.195	-0.5	-330.27	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB419	Combination	-107.42	-0.215	0	0	0	14.0195	277.6	1	-0.195	-0.5	-828.47	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB419	Combination	-107.42	49.873	0	0	0	1.6048	-212.13	1	-0.195	-0.5	-338.74	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB420	Combination	-116.734	-27.744	0	0	0	28.4337	822.33	1	-0.195	-0.5	-1420.96	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB420	Combination	-116.734	22.344	0	0	0	29.7838	875.59	1	-0.195	-0.5	-1474.22	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB420	Combination	-116.734	72.432	0	0	0	6.0898	-59.09	1	-0.195	-0.5	-539.55	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB421	Combination	-89.685	-50.303	0	0	0	35.0805	1153.88	1	-0.195	-0.5	-1613.81	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	C_COMB421	Combination	-89.685	-0.215	0	0	0	47.7099	1652.08	1	-0.195	-0.5	-2112.01	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB421	Combination	-89.685	49.873	0	0	0	35.2952	1162.35	1	-0.195	-0.5	-1622.28	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB422	Combination	-98.999	-27.744	0	0	0	62.1241	2196.81	1	-0.195	-0.5	-2704.5	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB422	Combination	-98.999	22.344	0	0	0	63.4742	2250.07	1	-0.195	-0.5	-2757.76	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB422	Combination	-98.999	72.432	0	0	0	39.7802	1315.4	1	-0.195	-0.5	-1823.08	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB423	Combination	-96.395	-50.303	0	0	0	28.6152	881.64	1	-0.195	-0.5	-1375.97	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB423	Combination	-96.395	-0.215	0	0	0	41.2446	1379.84	1	-0.195	-0.5	-1874.17	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB423	Combination	-96.395	49.873	0	0	0	28.8299	890.11	1	-0.195	-0.5	-1384.44	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB424	Combination	-105.709	-27.744	0	0	0	55.6588	1924.57	1	-0.195	-0.5	-2466.66	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB424	Combination	-105.709	22.344	0	0	0	57.0089	1977.82	1	-0.195	-0.5	-2519.92	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB424	Combination	-105.709	72.432	0	0	0	33.3149	1043.15	1	-0.195	-0.5	-1585.25	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB425	Combination	-102.339	-40.5	0	0	0	-7.0732	16.61	3	0.195	-0.5	-541.43	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB425	Combination	-102.339	-0.215	0	0	0	3.1053	-139.91	1	-0.195	-0.5	-384.91	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB425	Combination	-102.339	40.07	0	0	0	-6.8585	8.14	3	0.195	-0.5	-532.96	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB426	Combination	-109.325	-23.581	0	0	0	13.2095	240.76	1	-0.195	-0.5	-801.41	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB426	Combination	-109.325	16.704	0	0	0	14.9286	308.58	1	-0.195	-0.5	-869.22	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB426	Combination	-109.325	56.989	0	0	0	-3.4947	-142.46	3	0.195	-0.5	-418.18	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB427	Combination	-113.523	-40.5	0	0	0	-17.8487	413	3	0.195	-0.5	-995.17	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB427	Combination	-113.523	-0.215	0	0	0	-7.6701	11.48	3	0.195	-0.5	-593.65	1
	-0.195	-0.5	140-5	0.1											
140	1	C_COMB427	Combination	-113.523	40.07	0	0	0	-17.634	404.54	3	0.195	-0.5	-986.7	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB428	Combination	-120.509	-23.581	0	0	0	2.4341	-212.98	1	-0.195	-0.5	-405.01	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB428	Combination	-120.509	16.704	0	0	0	4.1531	-145.16	1	-0.195	-0.5	-472.83	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB428	Combination	-120.509	56.989	0	0	0	-14.2702	253.93	3	0.195	-0.5	-871.92	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB429	Combination	-83.965	-40.5	0	0	0	38.302	1295.63	1	-0.195	-0.5	-1726.22	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB429	Combination	-83.965	-0.215	0	0	0	48.4806	1697.15	1	-0.195	-0.5	-2127.74	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB429	Combination	-83.965	40.07	0	0	0	38.5167	1304.1	1	-0.195	-0.5	-1734.69	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB430	Combination	-90.951	-23.581	0	0	0	58.5847	2077.83	1	-0.195	-0.5	-2544.24	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB430	Combination	-90.951	16.704	0	0	0	60.3038	2145.64	1	-0.195	-0.5	-2612.06	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB430	Combination	-90.951	56.989	0	0	0	41.8805	1418.88	1	-0.195	-0.5	-1885.3	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB431	Combination	-95.149	-40.5	0	0	0	27.5266	841.89	1	-0.195	-0.5	-1329.83	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB431	Combination	-95.149	-0.215	0	0	0	37.7051	1243.41	1	-0.195	-0.5	-1731.35	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB431	Combination	-95.149	40.07	0	0	0	27.7413	850.36	1	-0.195	-0.5	-1338.3	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB432	Combination	-102.134	-23.581	0	0	0	47.8093	1624.08	1	-0.195	-0.5	-2147.85	3
	0.195	-0.5	140-1	0											

Allegati alla relazione di Calcolo

140	0.5	C_COMB432	Combination	-102.134	16.704	0	0	0	49.5284	1691.9	1	-0.195	-0.5	-2215.66	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB432	Combination	-102.134	56.989	0	0	0	31.105	965.14	1	-0.195	-0.5	-1488.91	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB433	Combination	-135.91	-33.544	0	0	0	-8.1022	-28.88	3	0.195	-0.5	-668.1	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB433	Combination	-150.29	6.741	0	0	0	-1.4012	-330.08	3	0.195	-0.5	-440.64	1
	-0.195	-0.5	140-5	0.1											
140	1	C_COMB433	Combination	-164.67	47.025	0	0	0	-14.8427	163.28	3	0.195	-0.5	-1007.74	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB434	Combination	-142.896	-16.625	0	0	0	12.1805	114.1	1	-0.195	-0.5	-846.89	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB434	Combination	-157.276	23.66	0	0	0	10.422	7.85	1	-0.195	-0.5	-814.39	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB434	Combination	-171.655	63.944	0	0	0	-11.479	12.68	3	0.195	-0.5	-892.96	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB435	Combination	-142.62	-33.544	0	0	0	-14.5675	208.96	3	0.195	-0.5	-940.35	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB435	Combination	-157	6.741	0	0	0	-7.8665	-92.25	3	0.195	-0.5	-712.88	1
	-0.195	-0.5	140-5	0.1											
140	1	C_COMB435	Combination	-171.38	47.025	0	0	0	-21.308	401.12	3	0.195	-0.5	-1279.99	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB436	Combination	-149.606	-16.625	0	0	0	5.7153	-158.15	1	-0.195	-0.5	-609.06	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB436	Combination	-163.986	23.66	0	0	0	3.9567	-264.39	1	-0.195	-0.5	-576.56	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB436	Combination	-178.366	63.944	0	0	0	-17.9443	250.51	3	0.195	-0.5	-1165.21	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB437	Combination	-124.886	-33.544	0	0	0	19.123	434.14	1	-0.195	-0.5	-1074.58	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB437	Combination	-139.266	6.741	0	0	0	25.8239	661.6	1	-0.195	-0.5	-1375.79	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB437	Combination	-153.645	47.025	0	0	0	12.3824	94.49	1	-0.195	-0.5	-882.42	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB438	Combination	-131.871	-16.625	0	0	0	39.4057	1216.33	1	-0.195	-0.5	-1892.6	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB438	Combination	-146.251	23.66	0	0	0	37.6471	1110.09	1	-0.195	-0.5	-1860.1	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB438	Combination	-160.631	63.944	0	0	0	15.7462	209.28	1	-0.195	-0.5	-1033.02	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB439	Combination	-131.596	-33.544	0	0	0	12.6577	161.89	1	-0.195	-0.5	-836.74	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB439	Combination	-145.976	6.741	0	0	0	19.3586	389.36	1	-0.195	-0.5	-1137.95	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB439	Combination	-160.356	47.025	0	0	0	5.9171	-177.75	1	-0.195	-0.5	-644.59	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB440	Combination	-138.581	-16.625	0	0	0	32.9404	944.09	1	-0.195	-0.5	-1654.76	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB440	Combination	-152.961	23.66	0	0	0	31.1819	837.85	1	-0.195	-0.5	-1622.26	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB440	Combination	-167.341	63.944	0	0	0	9.2809	-62.97	1	-0.195	-0.5	-795.19	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB441	Combination	-129.812	-35.283	0	0	0	-13.4034	195.88	3	0.195	-0.5	-861.59	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB441	Combination	-140.597	5.002	0	0	0	-5.8331	-130.4	3	0.195	-0.5	-590.61	1
	-0.195	-0.5	140-5	0.1											
140	1	C_COMB441	Combination	-151.382	45.287	0	0	0	-18.4052	337.88	3	0.195	-0.5	-1114.2	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB442	Combination	-136.798	-18.364	0	0	0	6.8793	-79.39	1	-0.195	-0.5	-622.14	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB442	Combination	-147.583	21.921	0	0	0	5.9902	-142.12	1	-0.195	-0.5	-614.72	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB442	Combination	-158.367	62.206	0	0	0	-15.0414	187.28	3	0.195	-0.5	-999.42	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB443	Combination	-140.996	-35.283	0	0	0	-24.1789	592.27	3	0.195	-0.5	-1315.33	1
	-0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	C_COMB443	Combination	-151.781	5.002	0	0	0	-16.6085	265.99	3	0.195	-0.5	-1044.35	1
	-0.195	-0.5	140-5	0.1											
140	1	C_COMB443	Combination	-162.566	45.287	0	0	0	-29.1806	734.27	3	0.195	-0.5	-1567.94	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB444	Combination	-147.981	-18.364	0	0	0	-3.8961	-225.75	3	0.195	-0.5	-533.13	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB444	Combination	-158.766	21.921	0	0	0	-4.7853	-218.32	3	0.195	-0.5	-595.86	1
	-0.195	-0.5	140-5	0.1											
140	1	C_COMB444	Combination	-169.551	62.206	0	0	0	-25.8168	583.67	3	0.195	-0.5	-1453.16	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB445	Combination	-111.438	-35.283	0	0	0	31.9718	975.48	1	-0.195	-0.5	-1546.95	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB445	Combination	-122.223	5.002	0	0	0	39.5422	1246.46	1	-0.195	-0.5	-1873.24	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB445	Combination	-133.008	45.287	0	0	0	26.9701	722.86	1	-0.195	-0.5	-1404.95	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB446	Combination	-118.423	-18.364	0	0	0	52.2546	1757.67	1	-0.195	-0.5	-2364.97	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB446	Combination	-129.208	21.921	0	0	0	51.3654	1694.95	1	-0.195	-0.5	-2357.55	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB446	Combination	-139.993	62.206	0	0	0	30.3338	837.64	1	-0.195	-0.5	-1555.56	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB447	Combination	-122.622	-35.283	0	0	0	21.1964	521.73	1	-0.195	-0.5	-1150.56	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB447	Combination	-133.407	5.002	0	0	0	28.7667	792.71	1	-0.195	-0.5	-1476.85	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB447	Combination	-144.191	45.287	0	0	0	16.1946	269.12	1	-0.195	-0.5	-1008.56	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB448	Combination	-129.607	-18.364	0	0	0	41.4791	1303.93	1	-0.195	-0.5	-1968.58	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB448	Combination	-140.392	21.921	0	0	0	40.59	1241.2	1	-0.195	-0.5	-1961.16	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB448	Combination	-151.177	62.206	0	0	0	19.5584	383.9	1	-0.195	-0.5	-1159.17	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB449	Combination	-126.782	-35.283	0	0	0	-6.0134	-87.87	3	0.195	-0.5	-562.3	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB449	Combination	-137.567	5.002	0	0	0	1.557	-291.32	1	-0.195	-0.5	-414.16	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB449	Combination	-148.352	45.287	0	0	0	-11.0151	54.13	3	0.195	-0.5	-814.91	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB450	Combination	-133.768	-18.364	0	0	0	14.2694	219.9	1	-0.195	-0.5	-905.89	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB450	Combination	-144.553	21.921	0	0	0	13.3802	157.17	1	-0.195	-0.5	-898.47	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB450	Combination	-155.338	62.206	0	0	0	-7.6513	-96.47	3	0.195	-0.5	-700.13	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB451	Combination	-133.493	-35.283	0	0	0	-12.4786	149.96	3	0.195	-0.5	-834.54	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB451	Combination	-144.278	5.002	0	0	0	-4.9083	-176.32	3	0.195	-0.5	-563.56	1
	-0.195	-0.5	140-5	0.1											
140	1	C_COMB451	Combination	-155.063	45.287	0	0	0	-17.4804	291.97	3	0.195	-0.5	-1087.16	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB452	Combination	-140.478	-18.364	0	0	0	7.8041	-52.35	1	-0.195	-0.5	-668.05	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB452	Combination	-151.263	21.921	0	0	0	6.915	-115.07	1	-0.195	-0.5	-660.63	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB452	Combination	-162.048	62.206	0	0	0	-14.1166	141.36	3	0.195	-0.5	-972.38	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB453	Combination	-115.758	-35.283	0	0	0	21.2118	539.94	1	-0.195	-0.5	-1133.57	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB453	Combination	-126.543	5.002	0	0	0	28.7821	810.92	1	-0.195	-0.5	-1459.86	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB453	Combination	-137.328	45.287	0	0	0	16.21	287.33	1	-0.195	-0.5	-991.57	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB454	Combination	-122.743	-18.364	0	0	0	41.4945	1322.14	1	-0.195	-0.5	-1951.59	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	C_COMB454	Combination	-133.528	21.921	0	0	0	40.6054	1259.41	1	-0.195	-0.5	-1944.17	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB454	Combination	-144.313	62.206	0	0	0	19.5738	402.11	1	-0.195	-0.5	-1142.18	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB455	Combination	-122.468	-35.283	0	0	0	14.7465	267.7	1	-0.195	-0.5	-895.74	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB455	Combination	-133.253	5.002	0	0	0	22.3168	538.67	1	-0.195	-0.5	-1222.02	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB455	Combination	-144.038	45.287	0	0	0	9.7448	15.08	1	-0.195	-0.5	-753.74	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB456	Combination	-129.454	-18.364	0	0	0	35.0292	1049.89	1	-0.195	-0.5	-1713.76	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB456	Combination	-140.239	21.921	0	0	0	34.1401	987.16	1	-0.195	-0.5	-1706.34	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB456	Combination	-151.024	62.206	0	0	0	13.1085	129.86	1	-0.195	-0.5	-904.34	3
	0.195	-0.5	140-10	0.1											
140	0	D_COMB457	Combination	-94.137	-11.09	0	0	0	-20.2972	559.3	3	0.195	-0.5	-1042.06	1
	-0.195	-0.5	140-1	0											
140	0.5	D_COMB457	Combination	-94.137	-0.215	0	0	0	-17.4711	447.82	3	0.195	-0.5	-930.57	1
	-0.195	-0.5	140-5	0.1											
140	1	D_COMB457	Combination	-94.137	10.66	0	0	0	-20.0825	550.83	3	0.195	-0.5	-1033.59	1
	-0.195	-0.5	140-10	0.1											
140	0	D_COMB458	Combination	-99.729	-11.09	0	0	0	-25.6849	757.5	3	0.195	-0.5	-1268.93	1
	-0.195	-0.5	140-1	0											
140	0.5	D_COMB458	Combination	-99.729	-0.215	0	0	0	-22.8588	646.01	3	0.195	-0.5	-1157.45	1
	-0.195	-0.5	140-5	0.1											
140	1	D_COMB458	Combination	-99.729	10.66	0	0	0	-25.4702	749.03	3	0.195	-0.5	-1260.46	1
	-0.195	-0.5	140-10	0.1											
140	0	D_COMB459	Combination	-84.95	-11.09	0	0	0	2.3904	-123.53	1	-0.195	-0.5	-312.12	3
	0.195	-0.5	140-1	0											
140	0.5	D_COMB459	Combination	-84.95	-0.215	0	0	0	5.2165	-12.04	1	-0.195	-0.5	-423.6	3
	0.195	-0.5	140-5	0.1											
140	1	D_COMB459	Combination	-84.95	10.66	0	0	0	2.6051	-115.06	1	-0.195	-0.5	-320.59	3
	0.195	-0.5	140-10	0.1											
140	0	D_COMB460	Combination	-90.542	-11.09	0	0	0	-2.9973	-113.92	3	0.195	-0.5	-350.4	1
	-0.195	-0.5	140-1	0											
140	0.5	D_COMB460	Combination	-90.542	-0.215	0	0	0	-0.1712	-225.4	3	0.195	-0.5	-238.91	1
	-0.195	-0.5	140-5	0.1											
140	1	D_COMB460	Combination	-90.542	10.66	0	0	0	-2.7826	-122.39	3	0.195	-0.5	-341.93	1
	-0.195	-0.5	140-10	0.1											
140	0	D_COMB461	Combination	-65.682	-40.285	0	0	0	13.6344	369.43	1	-0.195	-0.5	-706.26	3
	0.195	-0.5	140-1	0											
140	0.5	D_COMB461	Combination	-65.682	3.09E-11	0	0	0	23.7057	766.72	1	-0.195	-0.5	-1103.55	3
	0.195	-0.5	140-5	0.1											
140	1	D_COMB461	Combination	-65.682	40.285	0	0	0	13.6344	369.43	1	-0.195	-0.5	-706.26	3
	0.195	-0.5	140-10	0.1											
140	0	D_COMB462	Combination	-71.274	-40.285	0	0	0	8.2467	142.56	1	-0.195	-0.5	-508.07	3
	0.195	-0.5	140-1	0											
140	0.5	D_COMB462	Combination	-71.274	3.17E-11	0	0	0	18.3179	539.85	1	-0.195	-0.5	-905.35	3
	0.195	-0.5	140-5	0.1											
140	1	D_COMB462	Combination	-71.274	40.285	0	0	0	8.2467	142.56	1	-0.195	-0.5	-508.07	3
	0.195	-0.5	140-10	0.1											
140	0	D_COMB463	Combination	-56.495	-40.285	0	0	0	36.3221	1287.96	1	-0.195	-0.5	-1577.68	3
	0.195	-0.5	140-1	0											
140	0.5	D_COMB463	Combination	-56.495	3.00E-11	0	0	0	46.3933	1685.25	1	-0.195	-0.5	-1974.97	3
	0.195	-0.5	140-5	0.1											
140	1	D_COMB463	Combination	-56.495	40.285	0	0	0	36.3221	1287.96	1	-0.195	-0.5	-1577.68	3
	0.195	-0.5	140-10	0.1											
140	0	D_COMB464	Combination	-62.087	-40.285	0	0	0	30.9343	1061.09	1	-0.195	-0.5	-1379.49	3
	0.195	-0.5	140-1	0											
140	0.5	D_COMB464	Combination	-62.087	3.08E-11	0	0	0	41.0055	1458.38	1	-0.195	-0.5	-1776.77	3
	0.195	-0.5	140-5	0.1											
140	1	D_COMB464	Combination	-62.087	40.285	0	0	0	30.9343	1061.09	1	-0.195	-0.5	-1379.49	3
	0.195	-0.5	140-10	0.1											
140	0	D_COMB465	Combination	-72.667	-23.366	0	0	0	33.9172	1151.63	1	-0.195	-0.5	-1524.28	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	D_COMB465	Combination	-72.667	16.919	0	0	0	35.5289	1215.21	1	-0.195	-0.5	-1587.86	3
	0.195	-0.5	140-5	0.1											
140	1	D_COMB465	Combination	-72.667	57.204	0	0	0	16.9982	484.21	1	-0.195	-0.5	-856.87	3
	0.195	-0.5	140-10	0.1											
140	0	D_COMB466	Combination	-78.259	-23.366	0	0	0	28.5294	924.76	1	-0.195	-0.5	-1326.09	3
	0.195	-0.5	140-1	0											
140	0.5	D_COMB466	Combination	-78.259	16.919	0	0	0	30.1412	988.34	1	-0.195	-0.5	-1389.67	3
	0.195	-0.5	140-5	0.1											
140	1	D_COMB466	Combination	-78.259	57.204	0	0	0	11.6105	257.34	1	-0.195	-0.5	-658.67	3
	0.195	-0.5	140-10	0.1											
140	0	D_COMB467	Combination	-63.48	-23.366	0	0	0	56.6048	2070.16	1	-0.195	-0.5	-2395.7	3
	0.195	-0.5	140-1	0											
140	0.5	D_COMB467	Combination	-63.48	16.919	0	0	0	58.2165	2133.74	1	-0.195	-0.5	-2459.28	3
	0.195	-0.5	140-5	0.1											
140	1	D_COMB467	Combination	-63.48	57.204	0	0	0	39.6858	1402.75	1	-0.195	-0.5	-1728.29	3
	0.195	-0.5	140-10	0.1											
140	0	D_COMB468	Combination	-69.072	-23.366	0	0	0	51.2171	1843.29	1	-0.195	-0.5	-2197.5	3
	0.195	-0.5	140-1	0											
140	0.5	D_COMB468	Combination	-69.072	16.919	0	0	0	52.8288	1906.87	1	-0.195	-0.5	-2261.08	3
	0.195	-0.5	140-5	0.1											
140	1	D_COMB468	Combination	-69.072	57.204	0	0	0	34.2981	1175.87	1	-0.195	-0.5	-1530.09	3
	0.195	-0.5	140-10	0.1											
140	0	D_COMB469	Combination	-62.158	-10.875	0	0	0	-10.7702	265.48	3	0.195	-0.5	-584.24	1
	-0.195	-0.5	140-1	0											
140	0.5	D_COMB469	Combination	-62.158	4.41E-11	0	0	0	-8.0515	158.23	3	0.195	-0.5	-476.99	1
	-0.195	-0.5	140-5	0.1											
140	1	D_COMB469	Combination	-62.158	10.875	0	0	0	-10.7702	265.48	3	0.195	-0.5	-584.24	1
	-0.195	-0.5	140-10	0.1											
140	0	D_COMB470	Combination	-68.869	-10.875	0	0	0	-17.2355	503.31	3	0.195	-0.5	-856.49	1
	-0.195	-0.5	140-1	0											
140	0.5	D_COMB470	Combination	-68.869	4.51E-11	0	0	0	-14.5167	396.07	3	0.195	-0.5	-749.24	1
	-0.195	-0.5	140-5	0.1											
140	1	D_COMB470	Combination	-68.869	10.875	0	0	0	-17.2355	503.31	3	0.195	-0.5	-856.49	1
	-0.195	-0.5	140-10	0.1											
140	0	D_COMB471	Combination	-51.134	-10.875	0	0	0	16.4549	518	1	-0.195	-0.5	-780.22	3
	0.195	-0.5	140-1	0											
140	0.5	D_COMB471	Combination	-51.134	4.30E-11	0	0	0	19.1737	625.25	1	-0.195	-0.5	-887.47	3
	0.195	-0.5	140-5	0.1											
140	1	D_COMB471	Combination	-51.134	10.875	0	0	0	16.4549	518	1	-0.195	-0.5	-780.22	3
	0.195	-0.5	140-10	0.1											
140	0	D_COMB472	Combination	-57.844	-10.875	0	0	0	9.9897	245.75	1	-0.195	-0.5	-542.39	3
	0.195	-0.5	140-1	0											
140	0.5	D_COMB472	Combination	-57.844	4.40E-11	0	0	0	12.7084	353	1	-0.195	-0.5	-649.64	3
	0.195	-0.5	140-5	0.1											
140	1	D_COMB472	Combination	-57.844	10.875	0	0	0	9.9897	245.75	1	-0.195	-0.5	-542.39	3
	0.195	-0.5	140-10	0.1											
140	0	D_COMB473	Combination	-61.483	-10.875	0	0	0	-8.9811	196.64	3	0.195	-0.5	-511.93	1
	-0.195	-0.5	140-1	0											
140	0.5	D_COMB473	Combination	-61.483	4.35E-11	0	0	0	-6.2624	89.39	3	0.195	-0.5	-404.68	1
	-0.195	-0.5	140-5	0.1											
140	1	D_COMB473	Combination	-61.483	10.875	0	0	0	-8.9811	196.64	3	0.195	-0.5	-511.93	1
	-0.195	-0.5	140-10	0.1											
140	0	D_COMB474	Combination	-67.075	-10.875	0	0	0	-14.3688	394.83	3	0.195	-0.5	-738.81	1
	-0.195	-0.5	140-1	0											
140	0.5	D_COMB474	Combination	-67.075	4.43E-11	0	0	0	-11.6501	287.58	3	0.195	-0.5	-631.56	1
	-0.195	-0.5	140-5	0.1											
140	1	D_COMB474	Combination	-67.075	10.875	0	0	0	-14.3688	394.83	3	0.195	-0.5	-738.81	1
	-0.195	-0.5	140-10	0.1											
140	0	D_COMB475	Combination	-52.296	-10.875	0	0	0	13.7065	406.6	1	-0.195	-0.5	-674.78	3
	0.195	-0.5	140-1	0											
140	0.5	D_COMB475	Combination	-52.296	4.26E-11	0	0	0	16.4253	513.85	1	-0.195	-0.5	-782.03	3
	0.195	-0.5	140-5	0.1											
140	1	D_COMB475	Combination	-52.296	10.875	0	0	0	13.7065	406.6	1	-0.195	-0.5	-674.78	3
	0.195	-0.5	140-10	0.1											
140	0	D_COMB476	Combination	-57.888	-10.875	0	0	0	8.3188	179.73	1	-0.195	-0.5	-476.59	3
	0.195	-0.5	140-1	0											

## Allegati alla relazione di Calcolo

140	0.5	D_COMB476	Combination	-57.888	4.34E-11	0	0	0	11.0375	286.98	1	-0.195	-0.5	-583.84	3
	0.195	-0.5	140-5	0.1											
140	1	D_COMB476	Combination	-57.888	10.875	0	0	0	8.3188	179.73	1	-0.195	-0.5	-476.59	3
	0.195	-0.5	140-10	0.1											
140	0	E_COMB477	Combination	-61.394	-10.875	0	0	0	-8.9174	194.35	3	0.195	-0.5	-509.19	1
	-0.195	-0.5	140-1	0											
140	0.5	E_COMB477	Combination	-61.394	4.42E-11	0	0	0	-6.1986	87.1	3	0.195	-0.5	-401.94	1
	-0.195	-0.5	140-5	0.1											
140	1	E_COMB477	Combination	-61.394	10.875	0	0	0	-8.9174	194.35	3	0.195	-0.5	-509.19	1
	-0.195	-0.5	140-10	0.1											
140	0	E_COMB478	Combination	-66.985	-10.875	0	0	0	-14.3051	392.55	3	0.195	-0.5	-736.06	1
	-0.195	-0.5	140-1	0											
140	0.5	E_COMB478	Combination	-66.985	4.50E-11	0	0	0	-11.5864	285.3	3	0.195	-0.5	-628.81	1
	-0.195	-0.5	140-5	0.1											
140	1	E_COMB478	Combination	-66.985	10.875	0	0	0	-14.3051	392.55	3	0.195	-0.5	-736.06	1
	-0.195	-0.5	140-10	0.1											
140	0	E_COMB479	Combination	-52.206	-10.875	0	0	0	13.7702	409.34	1	-0.195	-0.5	-677.07	3
	0.195	-0.5	140-1	0											
140	0.5	E_COMB479	Combination	-52.206	4.32E-11	0	0	0	16.489	516.59	1	-0.195	-0.5	-784.32	3
	0.195	-0.5	140-5	0.1											
140	1	E_COMB479	Combination	-52.206	10.875	0	0	0	13.7702	409.34	1	-0.195	-0.5	-677.07	3
	0.195	-0.5	140-10	0.1											
140	0	E_COMB480	Combination	-57.798	-10.875	0	0	0	8.3825	182.47	1	-0.195	-0.5	-478.87	3
	0.195	-0.5	140-1	0											
140	0.5	E_COMB480	Combination	-57.798	4.40E-11	0	0	0	11.1013	289.72	1	-0.195	-0.5	-586.12	3
	0.195	-0.5	140-5	0.1											
140	1	E_COMB480	Combination	-57.798	10.875	0	0	0	8.3825	182.47	1	-0.195	-0.5	-478.87	3
	0.195	-0.5	140-10	0.1											
140	0	A_COMB179	Combination	-129.822	-6.568	0	0	0	-23.3037	586.4	3	0.195	-0.5	-1252.15	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB179	Combination	-136.095	3.362	0	0	0	-22.5021	538.7	3	0.195	-0.5	-1236.62	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB179	Combination	-143.938	13.291	0	0	0	-26.6652	682.81	3	0.195	-0.5	-1420.95	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB180	Combination	-129.822	-6.568	0	0	0	-23.3037	586.4	3	0.195	-0.5	-1252.15	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB180	Combination	-136.095	3.362	0	0	0	-22.5021	538.7	3	0.195	-0.5	-1236.62	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB180	Combination	-143.938	13.291	0	0	0	-26.6652	682.81	3	0.195	-0.5	-1420.95	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB183	Combination	-93.859	-7.303	0	0	0	-14.2839	322.8	3	0.195	-0.5	-804.13	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB183	Combination	-96.996	1.681	0	0	0	-12.8784	259.31	3	0.195	-0.5	-756.73	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB183	Combination	-100.917	10.664	0	0	0	-15.9646	371.01	3	0.195	-0.5	-888.53	1
	-0.195	-0.5	140-10	0.1											
140	0	A_COMB184	Combination	-93.859	-7.303	0	0	0	-14.2839	322.8	3	0.195	-0.5	-804.13	1
	-0.195	-0.5	140-1	0											
140	0.5	A_COMB184	Combination	-96.996	1.681	0	0	0	-12.8784	259.31	3	0.195	-0.5	-756.73	1
	-0.195	-0.5	140-5	0.1											
140	1	A_COMB184	Combination	-100.917	10.664	0	0	0	-15.9646	371.01	3	0.195	-0.5	-888.53	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB187	Combination	-167.502	-46.797	0	0	0	-23.2161	486.33	3	0.195	-0.5	-1345.31	1
	-0.195	-0.5	140-1	0											
140	0.5	B_COMB187	Combination	-167.502	-0.395	0	0	0	-11.418	20.92	3	0.195	-0.5	-879.91	1
	-0.195	-0.5	140-5	0.1											
140	1	B_COMB187	Combination	-167.502	46.008	0	0	0	-22.8213	470.76	3	0.195	-0.5	-1329.74	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB188	Combination	-175.535	-27.341	0	0	0	0.1091	-445.79	1	-0.195	-0.5	-454.39	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB188	Combination	-175.535	19.062	0	0	0	2.1787	-364.15	1	-0.195	-0.5	-536.03	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB188	Combination	-175.535	65.465	0	0	0	-18.953	297.56	3	0.195	-0.5	-1197.74	1
	-0.195	-0.5	140-10	0.1											
140	0	B_COMB191	Combination	-156.477	-46.797	0	0	0	4.0091	-243.07	1	-0.195	-0.5	-559.37	3
	0.195	-0.5	140-1	0											



## Allegati alla relazione di Calcolo

140	0.5	B_COMB191	Combination	-156.477	-0.395	0	0	0	15.8071	222.33	1	-0.195	-0.5	-1024.78	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB191	Combination	-156.477	46.008	0	0	0	4.4038	-227.5	1	-0.195	-0.5	-574.94	3
	0.195	-0.5	140-10	0.1											
140	0	B_COMB192	Combination	-164.51	-27.341	0	0	0	27.3342	656.45	1	-0.195	-0.5	-1500.09	3
	0.195	-0.5	140-1	0											
140	0.5	B_COMB192	Combination	-164.51	19.062	0	0	0	29.4038	738.09	1	-0.195	-0.5	-1581.74	3
	0.195	-0.5	140-5	0.1											
140	1	B_COMB192	Combination	-164.51	65.465	0	0	0	8.2721	-95.5	1	-0.195	-0.5	-748.14	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB371	Combination	-116.815	-40.571	0	0	0	-9.8568	89.3	3	0.195	-0.5	-688.35	1
	-0.195	-0.5	140-1	0											
140	0.5	C_COMB371	Combination	-116.815	-0.286	0	0	0	0.3576	-285.42	1	-0.195	-0.5	-313.63	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB371	Combination	-116.815	39.999	0	0	0	-9.5705	78.01	3	0.195	-0.5	-677.06	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB372	Combination	-123.801	-23.652	0	0	0	10.426	93.84	1	-0.195	-0.5	-728.72	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB372	Combination	-123.801	16.633	0	0	0	12.1808	163.07	1	-0.195	-0.5	-797.94	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB372	Combination	-123.801	56.918	0	0	0	-6.2067	-72.6	3	0.195	-0.5	-562.28	1
	-0.195	-0.5	140-10	0.1											
140	0	C_COMB375	Combination	-105.791	-40.571	0	0	0	17.3684	413.88	1	-0.195	-0.5	-956.4	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB375	Combination	-105.791	-0.286	0	0	0	27.5827	816.82	1	-0.195	-0.5	-1359.33	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB375	Combination	-105.791	39.999	0	0	0	17.6546	425.18	1	-0.195	-0.5	-967.69	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB376	Combination	-112.776	-23.652	0	0	0	37.6511	1196.08	1	-0.195	-0.5	-1774.42	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB376	Combination	-112.776	16.633	0	0	0	39.406	1265.31	1	-0.195	-0.5	-1843.65	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB376	Combination	-112.776	56.918	0	0	0	21.0184	539.96	1	-0.195	-0.5	-1118.3	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB379	Combination	-107.33	-50.303	0	0	0	1.4538	-217.86	1	-0.195	-0.5	-332.55	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB379	Combination	-107.33	-0.215	0	0	0	14.0832	280.34	1	-0.195	-0.5	-830.75	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB379	Combination	-107.33	49.873	0	0	0	1.6685	-209.39	1	-0.195	-0.5	-341.02	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB380	Combination	-116.644	-27.744	0	0	0	28.4974	825.07	1	-0.195	-0.5	-1423.25	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB380	Combination	-116.644	22.344	0	0	0	29.8475	878.33	1	-0.195	-0.5	-1476.5	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB380	Combination	-116.644	72.432	0	0	0	6.1535	-56.34	1	-0.195	-0.5	-541.83	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB383	Combination	-96.305	-50.303	0	0	0	28.6789	884.38	1	-0.195	-0.5	-1378.26	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB383	Combination	-96.305	-0.215	0	0	0	41.3083	1382.58	1	-0.195	-0.5	-1876.46	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB383	Combination	-96.305	49.873	0	0	0	28.8936	892.85	1	-0.195	-0.5	-1386.73	3
	0.195	-0.5	140-10	0.1											
140	0	C_COMB384	Combination	-105.619	-27.744	0	0	0	55.7226	1927.31	1	-0.195	-0.5	-2468.95	3
	0.195	-0.5	140-1	0											
140	0.5	C_COMB384	Combination	-105.619	22.344	0	0	0	57.0726	1980.57	1	-0.195	-0.5	-2522.21	3
	0.195	-0.5	140-5	0.1											
140	1	C_COMB384	Combination	-105.619	72.432	0	0	0	33.3787	1045.89	1	-0.195	-0.5	-1587.53	3
	0.195	-0.5	140-10	0.1											
140	0	F_COMB481	Combination	-90.962	-9.514	0	0	0	-9.2167	130.34	3	0.195	-0.5	-596.81	1
	-0.195	-0.5	140-1	0											
140	0.5	F_COMB481	Combination	-93.947	1.607	0	0	0	-7.24	44.71	3	0.195	-0.5	-526.49	1
	-0.195	-0.5	140-5	0.1											
140	1	F_COMB481	Combination	-97.678	12.728	0	0	0	-10.8238	176.52	3	0.195	-0.5	-677.43	1
	-0.195	-0.5	140-10	0.1											
140	0	F_COMB482	Combination	-90.962	-9.514	0	0	0	-9.2167	130.34	3	0.195	-0.5	-596.81	1
	-0.195	-0.5	140-1	0											

Allegati alla relazione di Calcolo

140	0.5	F_COMB482	Combination	-93.947	1.607	0	0	0	-7.24	44.71	3	0.195	-0.5	-526.49	1
	-0.195	-0.5	140-5	0.1											
140	1	F_COMB482	Combination	-97.678	12.728	0	0	0	-10.8238	176.52	3	0.195	-0.5	-677.43	1
	-0.195	-0.5	140-10	0.1											
140	0	F_COMB483	Combination	-91.019	-9.022	0	0	0	-10.1904	168.6	3	0.195	-0.5	-635.37	1
	-0.195	-0.5	140-1	0											
140	0.5	F_COMB483	Combination	-94.004	1.607	0	0	0	-8.3367	87.83	3	0.195	-0.5	-569.9	1
	-0.195	-0.5	140-5	0.1											
140	1	F_COMB483	Combination	-97.735	12.236	0	0	0	-11.7975	214.78	3	0.195	-0.5	-715.99	1
	-0.195	-0.5	140-10	0.1											
140	0	F_COMB484	Combination	-91.019	-9.022	0	0	0	-10.1904	168.6	3	0.195	-0.5	-635.37	1
	-0.195	-0.5	140-1	0											
140	0.5	F_COMB484	Combination	-94.004	1.607	0	0	0	-8.3367	87.83	3	0.195	-0.5	-569.9	1
	-0.195	-0.5	140-5	0.1											
140	1	F_COMB484	Combination	-97.735	12.236	0	0	0	-11.7975	214.78	3	0.195	-0.5	-715.99	1
	-0.195	-0.5	140-10	0.1											
140	0	F_COMB485	Combination	-74.223	-10.564	0	0	0	-3.7047	-44.17	3	0.195	-0.5	-336.46	1
	-0.195	-0.5	140-1	0											
140	0.5	F_COMB485	Combination	-75.716	0.804	0	0	0	-1.2647	-144.25	3	0.195	-0.5	-244.03	1
	-0.195	-0.5	140-5	0.1											
140	1	F_COMB485	Combination	-77.581	12.171	0	0	0	-4.5083	-21.08	3	0.195	-0.5	-376.77	1
	-0.195	-0.5	140-10	0.1											
140	0	F_COMB486	Combination	-74.223	-10.564	0	0	0	-3.7047	-44.17	3	0.195	-0.5	-336.46	1
	-0.195	-0.5	140-1	0											
140	0.5	F_COMB486	Combination	-75.716	0.804	0	0	0	-1.2647	-144.25	3	0.195	-0.5	-244.03	1
	-0.195	-0.5	140-5	0.1											
140	1	F_COMB486	Combination	-77.581	12.171	0	0	0	-4.5083	-21.08	3	0.195	-0.5	-376.77	1
	-0.195	-0.5	140-10	0.1											
140	0	F_COMB487	Combination	-74.337	-9.579	0	0	0	-5.6521	32.35	3	0.195	-0.5	-413.57	1
	-0.195	-0.5	140-1	0											
140	0.5	F_COMB487	Combination	-75.829	0.804	0	0	0	-3.4582	-58.02	3	0.195	-0.5	-330.85	1
	-0.195	-0.5	140-5	0.1											
140	1	F_COMB487	Combination	-77.695	11.186	0	0	0	-6.4557	55.44	3	0.195	-0.5	-453.88	1
	-0.195	-0.5	140-10	0.1											
140	0	F_COMB488	Combination	-74.337	-9.579	0	0	0	-5.6521	32.35	3	0.195	-0.5	-413.57	1
	-0.195	-0.5	140-1	0											
140	0.5	F_COMB488	Combination	-75.829	0.804	0	0	0	-3.4582	-58.02	3	0.195	-0.5	-330.85	1
	-0.195	-0.5	140-5	0.1											
140	1	F_COMB488	Combination	-77.695	11.186	0	0	0	-6.4557	55.44	3	0.195	-0.5	-453.88	1
	-0.195	-0.5	140-10	0.1											

3. TABLE: JOINT REACTIONS

Joint	OutputCase	CaseType	StepType	F1	F2	F3	M1	M2	M3
Text	Text	Text	Text	KN	KN	KN	KN-m	KN-m	KN-m
1	INVILUPPO_GEO	Combination	Max	6.952	0	6.473	0	0	0
1	INVILUPPO_GEO	Combination	Min	0	0	1.791	0	0	0
2	INVILUPPO_GEO	Combination	Max	0	0	12.827	0	0	0
2	INVILUPPO_GEO	Combination	Min	0	0	3.571	0	0	0
3	INVILUPPO_GEO	Combination	Max	0	0	24.509	0	0	0
3	INVILUPPO_GEO	Combination	Min	0	0	6.866	0	0	0
4	INVILUPPO_GEO	Combination	Max	0	0	19.539	0	0	0
4	INVILUPPO_GEO	Combination	Min	0	0	6.866	0	0	0
5	INVILUPPO_GEO	Combination	Max	0	0	10.105	0	0	0
5	INVILUPPO_GEO	Combination	Min	0	0	3.571	0	0	0
6	INVILUPPO_GEO	Combination	Max	0	0	5.039	0	0	0
6	INVILUPPO_GEO	Combination	Min	-6.801	0	1.791	0	0	0
7	INVILUPPO_GEO	Combination	Max	13.083	0	0	0	0	0
7	INVILUPPO_GEO	Combination	Min	0.025	0	0	0	0	0
8	INVILUPPO_GEO	Combination	Max	31.03	0	0	0	0	0
8	INVILUPPO_GEO	Combination	Min	0.122	0	0	0	0	0
9	INVILUPPO_GEO	Combination	Max	11.767	0	0	0	0	0
9	INVILUPPO_GEO	Combination	Min	0.069	0	0	0	0	0
10	INVILUPPO_GEO	Combination	Max	4.101	0	0	0	0	0
10	INVILUPPO_GEO	Combination	Min	0.012	0	0	0	0	0
11	INVILUPPO_GEO	Combination	Max	2.03	0	0	0	0	0
11	INVILUPPO_GEO	Combination	Min	0.00007238	0	0	0	0	0

PV\_E\_SR\_VS\_SO\_2\_B\_014-001\_0\_002\_R\_A\_0

## Allegati alla relazione di Calcolo

18	INVILUPPO_GEO	Combination	Max	-0.00007238	0	0	0	0	0
18	INVILUPPO_GEO	Combination	Min	-8.353	0	0	0	0	0
19	INVILUPPO_GEO	Combination	Max	-0.012	0	0	0	0	0
19	INVILUPPO_GEO	Combination	Min	-16.289	0	0	0	0	0
20	INVILUPPO_GEO	Combination	Max	-0.069	0	0	0	0	0
20	INVILUPPO_GEO	Combination	Min	-45.12	0	0	0	0	0
21	INVILUPPO_GEO	Combination	Max	-0.122	0	0	0	0	0
21	INVILUPPO_GEO	Combination	Min	-32.717	0	0	0	0	0
22	INVILUPPO_GEO	Combination	Max	-0.025	0	0	0	0	0
22	INVILUPPO_GEO	Combination	Min	-13.267	0	0	0	0	0
-1	INVILUPPO_GEO	Combination	Max	0	0	35.351	0	0	0
-1	INVILUPPO_GEO	Combination	Min	0	0	10.082	0	0	0
-2	INVILUPPO_GEO	Combination	Max	0	0	34.415	0	0	0
-2	INVILUPPO_GEO	Combination	Min	0	0	9.997	0	0	0
-3	INVILUPPO_GEO	Combination	Max	0	0	33.529	0	0	0
-3	INVILUPPO_GEO	Combination	Min	0	0	9.925	0	0	0
-4	INVILUPPO_GEO	Combination	Max	0	0	32.721	0	0	0
-4	INVILUPPO_GEO	Combination	Min	0	0	9.87	0	0	0
-5	INVILUPPO_GEO	Combination	Max	0	0	31.989	0	0	0
-5	INVILUPPO_GEO	Combination	Min	0	0	9.836	0	0	0
-6	INVILUPPO_GEO	Combination	Max	0	0	31.331	0	0	0
-6	INVILUPPO_GEO	Combination	Min	0	0	9.824	0	0	0
-7	INVILUPPO_GEO	Combination	Max	0	0	30.748	0	0	0
-7	INVILUPPO_GEO	Combination	Min	0	0	9.836	0	0	0
-8	INVILUPPO_GEO	Combination	Max	0	0	30.242	0	0	0
-8	INVILUPPO_GEO	Combination	Min	0	0	9.87	0	0	0
-9	INVILUPPO_GEO	Combination	Max	0	0	29.815	0	0	0
-9	INVILUPPO_GEO	Combination	Min	0	0	9.925	0	0	0
-10	INVILUPPO_GEO	Combination	Max	0	0	29.473	0	0	0
-10	INVILUPPO_GEO	Combination	Min	0	0	9.997	0	0	0
-11	INVILUPPO_GEO	Combination	Max	0	0	29.192	0	0	0
-11	INVILUPPO_GEO	Combination	Min	0	0	10.082	0	0	0
-12	INVILUPPO_GEO	Combination	Max	36.009	0	0	0	0	0
-12	INVILUPPO_GEO	Combination	Min	0.483	0	0	0	0	0
-13	INVILUPPO_GEO	Combination	Max	22.933	0	0	0	0	0
-13	INVILUPPO_GEO	Combination	Min	0.636	0	0	0	0	0
-14	INVILUPPO_GEO	Combination	Max	20.377	0	0	0	0	0
-14	INVILUPPO_GEO	Combination	Min	0.68	0	0	0	0	0
-15	INVILUPPO_GEO	Combination	Max	19.65	0	0	0	0	0
-15	INVILUPPO_GEO	Combination	Min	0.635	0	0	0	0	0
-16	INVILUPPO_GEO	Combination	Max	19.752	0	0	0	0	0
-16	INVILUPPO_GEO	Combination	Min	0.519	0	0	0	0	0
-17	INVILUPPO_GEO	Combination	Max	19.765	0	0	0	0	0
-17	INVILUPPO_GEO	Combination	Min	0.343	0	0	0	0	0
-29	INVILUPPO_GEO	Combination	Max	-0.343	0	0	0	0	0
-29	INVILUPPO_GEO	Combination	Min	-64.626	0	0	0	0	0
-30	INVILUPPO_GEO	Combination	Max	-0.519	0	0	0	0	0
-30	INVILUPPO_GEO	Combination	Min	-54.996	0	0	0	0	0
-31	INVILUPPO_GEO	Combination	Max	-0.635	0	0	0	0	0
-31	INVILUPPO_GEO	Combination	Min	-46.158	0	0	0	0	0
-32	INVILUPPO_GEO	Combination	Max	-0.68	0	0	0	0	0
-32	INVILUPPO_GEO	Combination	Min	-42.24	0	0	0	0	0
-33	INVILUPPO_GEO	Combination	Max	-0.636	0	0	0	0	0
-33	INVILUPPO_GEO	Combination	Min	-40.867	0	0	0	0	0
-34	INVILUPPO_GEO	Combination	Max	-0.483	0	0	0	0	0
-34	INVILUPPO_GEO	Combination	Min	-46.604	0	0	0	0	0
1	INVILUPPO_SLU	Combination	Max	7.391	0	7.319	0	0	0
1	INVILUPPO_SLU	Combination	Min	0	0	0.695	0	0	0
2	INVILUPPO_SLU	Combination	Max	0	0	14.503	0	0	0
2	INVILUPPO_SLU	Combination	Min	0	0	1.386	0	0	0
3	INVILUPPO_SLU	Combination	Max	0	0	27.707	0	0	0
3	INVILUPPO_SLU	Combination	Min	0	0	2.664	0	0	0
4	INVILUPPO_SLU	Combination	Max	0	0	21.873	0	0	0
4	INVILUPPO_SLU	Combination	Min	0	0	2.664	0	0	0
5	INVILUPPO_SLU	Combination	Max	0	0	11.307	0	0	0
5	INVILUPPO_SLU	Combination	Min	0	0	1.386	0	0	0
6	INVILUPPO_SLU	Combination	Max	0	0	5.636	0	0	0

PV\_E\_SR\_VS\_SO\_2\_B\_014\_001\_0\_002\_R\_A\_0

## Allegati alla relazione di Calcolo

6	INVILUPPO_SLU	Combination	Min	-6.798	0	0.695	0	0	0
7	INVILUPPO_SLU	Combination	Max	13.864	0	0	0	0	0
7	INVILUPPO_SLU	Combination	Min	0.025	0	0	0	0	0
8	INVILUPPO_SLU	Combination	Max	32.763	0	0	0	0	0
8	INVILUPPO_SLU	Combination	Min	0.122	0	0	0	0	0
9	INVILUPPO_SLU	Combination	Max	13.095	0	0	0	0	0
9	INVILUPPO_SLU	Combination	Min	0.027	0	0	0	0	0
10	INVILUPPO_SLU	Combination	Max	4.607	0	0	0	0	0
10	INVILUPPO_SLU	Combination	Min	0.004811	0	0	0	0	0
11	INVILUPPO_SLU	Combination	Max	2.302	0	0	0	0	0
11	INVILUPPO_SLU	Combination	Min	0.00002808	0	0	0	0	0
18	INVILUPPO_SLU	Combination	Max	-0.00007238	0	0	0	0	0
18	INVILUPPO_SLU	Combination	Min	-9.382	0	0	0	0	0
19	INVILUPPO_SLU	Combination	Max	-0.012	0	0	0	0	0
19	INVILUPPO_SLU	Combination	Min	-18.261	0	0	0	0	0
20	INVILUPPO_SLU	Combination	Max	-0.069	0	0	0	0	0
20	INVILUPPO_SLU	Combination	Min	-50.485	0	0	0	0	0
21	INVILUPPO_SLU	Combination	Max	-0.122	0	0	0	0	0
21	INVILUPPO_SLU	Combination	Min	-32.694	0	0	0	0	0
22	INVILUPPO_SLU	Combination	Max	-0.025	0	0	0	0	0
22	INVILUPPO_SLU	Combination	Min	-13.26	0	0	0	0	0
~1	INVILUPPO_SLU	Combination	Max	0	0	39.933	0	0	0
~1	INVILUPPO_SLU	Combination	Min	0	0	3.912	0	0	0
~2	INVILUPPO_SLU	Combination	Max	0	0	38.843	0	0	0
~2	INVILUPPO_SLU	Combination	Min	0	0	3.879	0	0	0
~3	INVILUPPO_SLU	Combination	Max	0	0	37.814	0	0	0
~3	INVILUPPO_SLU	Combination	Min	0	0	3.851	0	0	0
~4	INVILUPPO_SLU	Combination	Max	0	0	36.874	0	0	0
~4	INVILUPPO_SLU	Combination	Min	0	0	3.83	0	0	0
~5	INVILUPPO_SLU	Combination	Max	0	0	36.021	0	0	0
~5	INVILUPPO_SLU	Combination	Min	0	0	3.816	0	0	0
~6	INVILUPPO_SLU	Combination	Max	0	0	35.25	0	0	0
~6	INVILUPPO_SLU	Combination	Min	0	0	3.812	0	0	0
~7	INVILUPPO_SLU	Combination	Max	0	0	34.564	0	0	0
~7	INVILUPPO_SLU	Combination	Min	0	0	3.816	0	0	0
~8	INVILUPPO_SLU	Combination	Max	0	0	33.964	0	0	0
~8	INVILUPPO_SLU	Combination	Min	0	0	3.83	0	0	0
~9	INVILUPPO_SLU	Combination	Max	0	0	33.454	0	0	0
~9	INVILUPPO_SLU	Combination	Min	0	0	3.851	0	0	0
~10	INVILUPPO_SLU	Combination	Max	0	0	33.042	0	0	0
~10	INVILUPPO_SLU	Combination	Min	0	0	3.879	0	0	0
~11	INVILUPPO_SLU	Combination	Max	0	0	32.703	0	0	0
~11	INVILUPPO_SLU	Combination	Min	0	0	3.912	0	0	0
~12	INVILUPPO_SLU	Combination	Max	37.199	0	0	0	0	0
~12	INVILUPPO_SLU	Combination	Min	0.483	0	0	0	0	0
~13	INVILUPPO_SLU	Combination	Max	22.648	0	0	0	0	0
~13	INVILUPPO_SLU	Combination	Min	0.247	0	0	0	0	0
~14	INVILUPPO_SLU	Combination	Max	20.364	0	0	0	0	0
~14	INVILUPPO_SLU	Combination	Min	0.264	0	0	0	0	0
~15	INVILUPPO_SLU	Combination	Max	20.104	0	0	0	0	0
~15	INVILUPPO_SLU	Combination	Min	0.247	0	0	0	0	0
~16	INVILUPPO_SLU	Combination	Max	20.735	0	0	0	0	0
~16	INVILUPPO_SLU	Combination	Min	0.202	0	0	0	0	0
~17	INVILUPPO_SLU	Combination	Max	21.187	0	0	0	0	0
~17	INVILUPPO_SLU	Combination	Min	0.133	0	0	0	0	0
~29	INVILUPPO_SLU	Combination	Max	-0.343	0	0	0	0	0
~29	INVILUPPO_SLU	Combination	Min	-71.524	0	0	0	0	0
~30	INVILUPPO_SLU	Combination	Max	-0.519	0	0	0	0	0
~30	INVILUPPO_SLU	Combination	Min	-59.913	0	0	0	0	0
~31	INVILUPPO_SLU	Combination	Max	-0.635	0	0	0	0	0
~31	INVILUPPO_SLU	Combination	Min	-49.099	0	0	0	0	0
~32	INVILUPPO_SLU	Combination	Max	-0.68	0	0	0	0	0
~32	INVILUPPO_SLU	Combination	Min	-41.034	0	0	0	0	0
~33	INVILUPPO_SLU	Combination	Max	-0.636	0	0	0	0	0
~33	INVILUPPO_SLU	Combination	Min	-40.763	0	0	0	0	0
~34	INVILUPPO_SLU	Combination	Max	-0.483	0	0	0	0	0
~34	INVILUPPO_SLU	Combination	Min	-46.543	0	0	0	0	0

PV\_E\_SR\_VS\_SO\_2\_B\_014-\_001\_0\_002\_R\_A\_0