

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00	14.4	86.6	1011.6	1289240		30 21.4	2.6	21.8
#####	02:00	14.4	86.6	1011.5	1530345		30 21.5	2.6	21.9
#####	03:00	14.4	86.6	1011.4	1406545		30 21.1	2.4	21.6
#####	04:00	14.4	86.7	1011.0	1712108		30 21.1	2.5	21.6
#####	05:00	14.4	86.7	1010.7	1288364		30 21.2	2.4	21.6
#####	06:00	14.4	86.8	1010.6	973908		30 21.0	2.5	21.5
#####	07:00	14.4	86.4	1011.0	1226578		30 21.0	2.4	21.5
#####	08:00	14.6	87.0	1010.6	906155		30 22.6	41.4	22.0
#####	09:00						34		
#####	10:00						34		
#####	11:00						34		
#####	12:00						34		
#####	13:00						34		
#####	14:00						34		
#####	15:00						34		
#####	16:00						34		
#####	17:00						34		
#####	18:00						34		
#####	19:00						34		
#####	20:00						34		
#####	21:00						34		
#####	22:00						34		
#####	23:00						34		
#####	24:00:00						31		

CO
mg/Nm³
5.2
5.3
4.8
5.2
4.8
5.1
4.8
4.9