

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00						34		
#####	02:00						34		
#####	03:00						34		
#####	04:00						34		
#####	05:00						34		
#####	06:00						31		
#####	07:00						31		
#####	08:00	18.3	99.4	1002.7	1681052		30 12.6	10.8	15.6
#####	09:00	18.3	96.5	1003.3	1775274		30 11.2	0.7	15.2
#####	10:00	18.4	95.8	1004.3	1830933		30 10.8	0.6	15.0
#####	11:00	18.4	93.1	1005.0	1592730		30 11.9	0.3	16.0
#####	12:00		92.5	1005.0			30		
#####	13:00	18.3	96.4	1004.1			30 10.5	0.1	14.6
#####	14:00	18.4	95.7	1003.5	1417898		30 10.3	0.1	14.4
#####	15:00	18.3	96.7	1003.4	1537300		30 10.2	0.1	14.3
#####	16:00	18.3	96.3	1003.1	1694210		30 10.2	0.1	14.2
#####	17:00	18.3	96.2	1003.3	1714295		30 10.3	0.2	14.4
#####	18:00	18.3	96.4	1004.2	1725731		30 10.5	0.4	14.6
#####	19:00	18.4	90.1	1004.6	1776193		30 12.5	2.9	16.7
#####	20:00	18.4	92.8	1004.7	1744579		30 12.5	2.3	16.6
#####	21:00	18.3	96.6	1004.7	1752274		30 11.0	0.3	15.1
#####	22:00	18.3	95.8	1004.6	1704825		30 10.8	0.1	14.8
#####	23:00	18.3	95.1	1004.9	1682766		30 10.9	0.3	14.9
#####	24:00:00						34		

CO
mg/Nm3

1.5
1.6
1.4
0.8

0.5
0.4
0.4
0.4
0.7
1.1
6.1
4.7
0.7
0.5
0.8