

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00						34		
#####	02:00						34		
#####	03:00						34		
#####	04:00						34		
#####	05:00						34		
#####	06:00						34		
#####	07:00						31		
#####	08:00	13.7	96.8	1011.3	1472257		30 19.3	0.4	19.8
#####	09:00	13.7	96.3	1011.3	1555512		30 18.0	0.4	18.6
#####	10:00	13.9	93.7	1011.2	1250081		30 19.0	1.0	19.5
#####	11:00	14.0	96.1	1011.1	1145876		30 18.6	0.8	19.2
#####	12:00	14.4	88.9	1010.9	489235		30 21.1	1.9	21.6
#####	13:00						34		
#####	14:00						34		
#####	15:00						34		
#####	16:00						31		
#####	17:00	14.2	90.4	1009.0	1161403		30 22.2	15.2	22.0
#####	18:00	13.7	98.6	1008.0	1751677		30 19.6	0.2	20.0
#####	19:00	13.6	100.2	1007.6	1844525		30 18.1	0.2	18.6
#####	20:00	13.8	97.9	1007.9	1793735		30 19.7	0.2	20.1
#####	21:00	13.9	95.6	1008.2	1701796		30 21.0	0.3	21.3
#####	22:00	13.8	95.8	1008.6	1651470		30 19.6	0.8	20.0
#####	23:00	14.2	87.9	1008.9	1462996		30 20.9	2.3	21.3
#####	24:00:00	14.2	88.3	1008.7	1817298		30 21.1	2.3	21.5

CO
mg/Nm3

0.8
0.9
2.1
1.7
4.0

3.8
0.6
0.5
0.6
0.6
1.7
4.6
4.6