

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00						34		
#####	02:00						34		
#####	03:00						34		
#####	04:00						34		
#####	05:00						34		
#####	06:00						34		
#####	07:00						31		
#####	08:00	14.4	99.5	1013.2	1431856		30 21.4	0.8	21.9
#####	09:00	14.6	100.3	1013.2	1714455		30 22.5	0.9	22.9
#####	10:00	14.6	99.6	1013.0	1497805		30 21.8	1.0	22.3
#####	11:00		104.1	1012.8			30		
#####	12:00		105.0	1012.6			30		
#####	13:00	14.8	103.7	1012.5	1059095		30 22.4	1.3	22.9
#####	14:00	14.6	105.1	1011.8	1587369		30 21.7	0.5	22.1
#####	15:00	14.8	104.1	1011.7	1254538		30 21.9	1.4	22.5
#####	16:00	14.8	100.4	1011.4	794852		30 21.6	1.6	22.1
#####	17:00	14.6	103.1	1011.1	999478		30 22.1	1.0	22.6
#####	18:00	14.7	97.9	1011.1	1093780		30 21.5	1.9	22.0
#####	19:00	14.6	97.5	1011.2	1172092		30 21.4	1.9	21.9
#####	20:00	14.1	106.2	1011.2	1959514		30 19.1	0.2	19.7
#####	21:00	14.1	105.7	1011.9	1983173		30 18.7	0.2	19.3
#####	22:00	14.1	105.2	1012.5	1910937		30 19.0	0.2	19.5
#####	23:00	14.3	104.8	1012.9	1705690		30 20.1	0.3	20.6
#####	24:00:00	14.2	105.8	1012.9	1578926		30 19.6	0.3	20.1

CO  
mg/Nm3

1.8  
1.8  
2.1

2.6  
1.1  
3.0  
3.4  
2.1  
4.0  
3.8  
0.6  
0.6  
0.6  
0.6  
0.6