

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00	14.1	91.1	1000.2	1366088		30 21.2	3.5	21.4
#####	02:00	14.1	86.8	999.8	881929		30 21.0	2.6	21.4
#####	03:00	14.1	86.8	999.1	804885		30 20.4	2.9	20.8
#####	04:00	14.1	87.0	998.4	640310		30 21.3	2.1	21.7
#####	05:00	14.1	87.1	997.8	863921		30 21.3	2.1	21.7
#####	06:00	14.1	86.4	998.0	1680267		30 20.3	3.0	20.7
#####	07:00	14.1	86.2	997.8	1236729		30 21.2	2.2	21.6
#####	08:00	14.1	85.4	998.0	1907770		30 21.1	2.5	21.5
#####	09:00	14.1	86.1	998.1	615597		30 20.2	2.9	20.7
#####	10:00	14.1	86.3	998.1	467164		30 20.3	3.0	20.7
#####	11:00						34		
#####	12:00						34		
#####	13:00						34		
#####	14:00						34		
#####	15:00						34		
#####	16:00						34		
#####	17:00						34		
#####	18:00						34		
#####	19:00						34		
#####	20:00						34		
#####	21:00						34		
#####	22:00						34		
#####	23:00						34		
#####	24:00:00						31		

CO
mg/Nm3
5.8
5.4
5.8
4.3
4.3
6.1
4.6
5.1
5.9
6.1