

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00	14.4	90.7	1015.0	1250696	30	22.1	7.0	22.0
#####	02:00	14.3	86.9	1014.6	1490617	30	21.2	3.2	21.7
#####	03:00	14.3	86.5	1014.1	1506398	30	21.6	2.8	22.0
#####	04:00	14.4	86.1	1014.1	1922058	30	22.3	2.3	22.7
#####	05:00	14.4	85.6	1014.3	1788671	30	22.0	2.3	22.4
#####	06:00	14.4	85.5	1014.3	1404014	30	21.9	2.3	22.3
#####	07:00	14.4	86.1	1014.5	1797563	30	22.2	2.2	22.6
#####	08:00	14.4	86.4	1014.4	1383750	30	22.0	2.2	22.4
#####	09:00	14.4	86.5	1014.1	1087125	30	22.0	2.1	22.4
#####	10:00	14.6	86.5	1014.0	443044	30	24.1	32.6	23.0
#####	11:00					34			
#####	12:00					34			
#####	13:00					34			
#####	14:00					34			
#####	15:00					34			
#####	16:00					34			
#####	17:00					34			
#####	18:00					34			
#####	19:00					34			
#####	20:00					34			
#####	21:00					34			
#####	22:00					34			
#####	23:00					34			
#####	24:00:00					31			

CO
mg/Nm3
6.2
6.6
5.8
4.6
4.7
4.7
4.5
4.5
4.4
5.0