

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00	14.4	87.2	1025.3	1445026	30	18.2	2.7	18.9
#####	02:00	14.4	86.3	1024.8	1104592	30	18.0	3.2	18.7
#####	03:00	14.4	85.7	1024.3	1058756	30	18.0	3.2	18.7
#####	04:00	14.4	86.4	1023.7	704599	30	17.7	3.5	18.4
#####	05:00	14.4	86.2	1023.3	720336	30	17.7	3.3	18.4
#####	06:00	14.4	86.2	1022.9	654950	30	18.1	3.1	18.8
#####	07:00	14.3	86.9	1022.6	595501	30	17.9	3.0	18.6
#####	08:00	14.4	86.6	1022.5	473448	30	18.1	3.0	18.8
#####	09:00	14.3	87.0	1022.3	823840	30	17.9	2.8	18.6
#####	10:00					31			
#####	11:00					34			
#####	12:00					34			
#####	13:00					34			
#####	14:00					34			
#####	15:00					34			
#####	16:00					34			
#####	17:00					34			
#####	18:00					34			
#####	19:00					34			
#####	20:00					34			
#####	21:00					34			
#####	22:00					34			
#####	23:00					34			
#####	24:00:00					31			

CO
mg/Nm3
5.4
6.6
6.5
7.2
6.7
6.2
6.0
6.2
5.7