

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF ° C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00	18.5	87.9	1009.2	329786		30 13.4	2.7	17.7
#####	02:00	18.5	87.9	1007.9	359612		30 13.4	2.1	17.6
#####	03:00	18.5	87.2	1006.7	648256		30 13.2	2.2	17.4
#####	04:00	18.5	86.8	1005.9	1014481		30 13.0	2.3	17.2
#####	05:00	18.5	87.1	1004.6	997384		30 12.9	2.0	17.1
#####	06:00	18.5	86.3	1004.8	1465284		30 12.7	2.3	16.9
#####	07:00	18.5	87.0	1004.7	1021703		30 12.5	3.0	16.8
#####	08:00	18.5	86.7	1004.4	559745		30 14.0	33.6	17.0
#####	09:00						34		
#####	10:00						34		
#####	11:00						34		
#####	12:00						34		
#####	13:00						34		
#####	14:00						34		
#####	15:00						34		
#####	16:00						34		
#####	17:00						34		
#####	18:00						34		
#####	19:00						34		
#####	20:00						34		
#####	21:00						34		
#####	22:00						34		
#####	23:00						31		
#####	24:00:00						31		

CO  
mg/Nm<sup>3</sup>  
5.7  
4.4  
4.6  
4.8  
4.2  
4.9  
6.3  
6.4