

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00						34		
#####	02:00						34		
#####	03:00						34		
#####	04:00						34		
#####	05:00						34		
#####	06:00						31		
#####	07:00	14.1	95.4	1019.4	1039019		30 19.8	3.2	20.0
#####	08:00	13.9	93.5	1019.3	1192825		30 18.2	1.2	18.8
#####	09:00	13.6	96.8	1019.3	1873372		30 16.6	0.3	17.2
#####	10:00	13.6	96.9	1019.1	1652314		30 16.4	0.3	17.0
#####	11:00	13.6	96.6	1019.0	1780646		30 16.0	0.3	16.7
#####	12:00	14.1	91.1	1018.8	1299088		30 17.7	1.3	18.3
#####	13:00	14.0	94.0	1017.9	1612852		30 18.9	0.6	19.4
#####	14:00	13.6	97.5	1016.6	1974889		30 15.9	0.3	16.5
#####	15:00	13.6	97.5	1015.5	1979936		30 15.6	0.3	16.3
#####	16:00	13.6	97.3	1014.8	1982947		30 15.5	0.3	16.2
#####	17:00	13.6	96.8	1014.1	1985982		30 15.5	0.3	16.2
#####	18:00						31		
#####	19:00	14.1	88.2	1013.0	1564312		30 17.4	1.8	18.0
#####	20:00	13.9	91.8	1011.7	1841209		30 17.3	0.9	17.9
#####	21:00	14.0	90.0	1010.8	1451433		30 18.2	1.4	18.7
#####	22:00	14.0	89.9	1009.9	1204430		30 18.3	1.4	18.9
#####	23:00						34		
#####	24:00:00						34		

CO  
mg/Nm3

- 1.5
- 2.5
- 0.8
- 0.7
- 0.6
- 2.6
- 1.2
- 0.6
- 0.6
- 0.6
- 0.6
- 3.7
- 1.9
- 2.8
- 2.6