

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00	14.4	85.5	1008.5	1853658		30 19.9	2.9	20.4
#####	02:00	14.3	86.2	1008.3	1954989		30 20.3	2.2	20.8
#####	03:00	14.3	86.2	1008.0	1955925		30 20.4	2.2	20.9
#####	04:00	14.3	85.9	1007.6	1982494		30 20.2	2.4	20.7
#####	05:00	14.3	86.2	1007.6	1977818		30 20.4	2.1	20.9
#####	06:00	14.2	86.2	1007.3	1884308		30 19.4	2.7	19.9
#####	07:00	14.2	86.4	1007.4	1832751		30 19.6	2.7	20.1
#####	08:00	14.4	86.8	1007.5	1648067		30 22.1	30.1	20.5
#####	09:00	14.3	86.0	1007.7	1326097		30 19.2	3.0	19.7
#####	10:00						31		
#####	11:00						34		
#####	12:00						34		
#####	13:00						34		
#####	14:00						34		
#####	15:00						34		
#####	16:00						34		
#####	17:00						34		
#####	18:00						34		
#####	19:00						34		
#####	20:00						34		
#####	21:00						34		
#####	22:00						34		
#####	23:00						34		
#####	24:00:00						31		

CO
mg/Nm3
5.8
4.6
4.5
5.0
4.3
5.5
5.4
8.3
6.1