

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00						34		
#####	02:00						34		
#####	03:00						34		
#####	04:00						34		
#####	05:00						34		
#####	06:00						34		
#####	07:00						34		
#####	08:00						34		
#####	09:00						34		
#####	10:00						34		
#####	11:00						34		
#####	12:00						34		
#####	13:00						34		
#####	14:00						34		
#####	15:00						31		
#####	16:00						31		
#####	17:00	18.5	99.6	1014.0	1681057	30	12.6	0.2	17.0
#####	18:00	18.5	96.3	1014.7	1853228	30	11.6	0.3	16.0
#####	19:00	18.6	95.8	1015.4	1903730	30	11.4	0.4	15.8
#####	20:00	18.6	95.4	1015.9	1897466	30	11.5	0.3	16.0
#####	21:00	18.6	95.0	1016.5	1917591	30	11.6	0.4	16.1
#####	22:00	18.6	95.3	1017.0	1916296	30	11.7	0.6	16.1
#####	23:00	18.6	95.4	1017.5	1916222	30	11.8	0.8	16.2
#####	24:00:00	18.6	95.2	1017.7	1822754	30	12.1	1.3	16.5

CO  
mg/Nm<sup>3</sup>

0.7  
0.9  
1.1  
0.8  
1.1  
1.5  
1.8  
2.8