

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00						34		
#####	02:00						34		
#####	03:00						34		
#####	04:00						34		
#####	05:00						34		
#####	06:00						31		
#####	07:00						31		
#####	08:00	14.0	93.1	1027.0	1998623		30 18.5	0.5	19.0
#####	09:00	13.8	95.7	1027.2	1932193		30 16.6	0.7	17.2
#####	10:00	14.5	85.9	1027.5	857589		30 18.7	2.7	19.4
#####	11:00	14.4	89.5	1027.4	576904		30 18.3	1.9	19.0
#####	12:00	14.5	87.2	1027.0	381516		30 19.0	2.1	19.7
#####	13:00	14.2	91.6	1026.2	1376108		30 18.0	1.2	18.7
#####	14:00	14.3	89.7	1025.6	1122583		30 18.5	1.6	19.1
#####	15:00	14.3	91.0	1025.0	1388152		30 19.0	1.2	19.6
#####	16:00	13.9	96.0	1024.6	1576936		30 17.6	0.3	18.1
#####	17:00	13.7	96.7	1024.3	1722200		30 16.5	0.3	17.1
#####	18:00	13.7	97.0	1023.7	1542232		30 16.3	0.3	16.9
#####	19:00	13.7	96.9	1023.8	1710481		30 16.2	0.3	16.8
#####	20:00	13.7	96.4	1024.1	1836622		30 16.2	0.3	16.8
#####	21:00	13.7	96.1	1024.4	1918708		30 16.2	0.3	16.8
#####	22:00	13.7	95.9	1024.5	1760293		30 16.2	0.3	16.8
#####	23:00	13.8	95.9	1023.9	1646899		30 16.3	0.3	16.9
#####	24:00:00						34		

CO  
mg/Nm3

1.1  
1.4  
5.6  
3.9  
4.4  
2.4  
3.2  
2.4  
0.7  
0.6  
0.6  
0.7  
0.6  
0.7  
0.6  
0.7