

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00						34		
#####	02:00						34		
#####	03:00						34		
#####	04:00						34		
#####	05:00						34		
#####	06:00						34		
#####	07:00						34		
#####	08:00						34		
#####	09:00						34		
#####	10:00						34		
#####	11:00						34		
#####	12:00						34		
#####	13:00						31		
#####	14:00						31		
#####	15:00	13.9	98.8	1022.2	1360516		30 17.4	0.4	18.0
#####	16:00	13.7	97.4	1022.3	1769902		30 16.2	0.2	16.9
#####	17:00	13.6	96.9	1022.9	1989777		30 16.9	0.2	17.5
#####	18:00	13.7	96.6	1023.7	1993983		30 15.8	0.3	16.4
#####	19:00	13.7	96.0	1024.7	1997044		30 15.7	0.3	16.3
#####	20:00	13.7	95.8	1025.0	1904559		30 15.8	0.4	16.5
#####	21:00	13.7	95.3	1025.5	2000420		30 15.8	0.3	16.5
#####	22:00	13.7	95.5	1025.8	2000753		30 15.7	0.3	16.4
#####	23:00	13.8	95.0	1026.2	2003614		30 15.8	0.5	16.5
#####	24:00:00						34		

CO  
mg/Nm3

0.8  
0.6  
0.6  
0.6  
0.7  
0.8  
0.7  
0.7  
1.0