

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00						34		
#####	02:00						34		
#####	03:00						34		
#####	04:00						34		
#####	05:00						34		
#####	06:00						34		
#####	07:00						34		
#####	08:00						34		
#####	09:00						34		
#####	10:00						34		
#####	11:00						34		
#####	12:00						34		
#####	13:00						34		
#####	14:00						31		
#####	15:00						31		
#####	16:00	14.1	101.2	1022.3	1762104	30	20.8	0.3	21.2
#####	17:00	14.0	102.6	1022.5	1877127	30	19.2	0.2	19.7
#####	18:00	14.1	96.1	1022.9	1897277	30	19.4	0.2	19.9
#####	19:00	14.1	95.4	1023.4	1898796	30	19.3	0.2	19.8
#####	20:00	14.1	95.6	1023.5	1897667	30	19.2	0.2	19.7
#####	21:00	14.1	95.4	1023.6	1899297	30	19.1	0.2	19.6
#####	22:00	14.1	95.2	1024.2	1900439	30	19.1	0.2	19.6
#####	23:00	14.1	94.6	1024.4	1902747	30	19.1	0.2	19.6
#####	24:00:00	14.8	83.0	1024.6	1934352	30	22.1	3.4	22.6

CO  
mg/Nm3

0.6  
0.5  
0.5  
0.5  
0.5  
0.5  
0.5  
0.5  
7.0