

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00	14.2	86.5	1004.0	1898822		30 21.1	2.5	21.5
#####	02:00	14.2	86.5	1003.5	1844870		30 21.0	2.7	21.4
#####	03:00	14.2	86.1	1003.0	1686988		30 21.0	2.4	21.4
#####	04:00	14.2	86.6	1002.8	1530349		30 21.0	2.4	21.4
#####	05:00	14.2	86.6	1002.5	1331941		30 21.0	2.3	21.4
#####	06:00	14.2	86.0	1002.8	1399312		30 20.6	2.9	21.0
#####	07:00	14.2	86.6	1003.4	1169115		30 20.7	2.9	21.1
#####	08:00	14.3	86.9	1003.5	915370		30 22.4	27.7	21.6
#####	09:00						34		
#####	10:00						34		
#####	11:00						34		
#####	12:00						34		
#####	13:00						34		
#####	14:00						34		
#####	15:00						34		
#####	16:00						34		
#####	17:00						34		
#####	18:00						34		
#####	19:00						34		
#####	20:00						34		
#####	21:00						34		
#####	22:00						34		
#####	23:00						34		
#####	24:00:00						31		

CO  
mg/Nm3  
5.0  
5.6  
4.8  
4.8  
4.7  
5.9  
5.9  
6.3