

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00	14.1	86.9	1002.0	840884		30 18.7	2.5	19.2
#####	02:00	14.2	85.8	1002.9	1212052		30 19.2	2.7	19.8
#####	03:00	14.2	85.9	1002.8	958085		30 19.1	2.5	19.6
#####	04:00	14.1	86.7	1002.7	720279		30 18.5	2.8	19.1
#####	05:00	14.2	86.5	1003.0	1286508		30 18.4	3.3	19.0
#####	06:00	14.2	86.3	1003.0	1300032		30 18.4	3.4	19.0
#####	07:00	14.1	86.2	1002.8	966358		30 18.5	3.3	19.0
#####	08:00	14.1	87.4	1002.7	1120152		30 18.8	2.3	19.4
#####	09:00	14.2	86.3	1002.8	1079623		30 19.2	2.9	19.7
#####	10:00	14.2	85.5	1002.9	1042019		30 18.4	3.4	19.0
#####	11:00	14.2	85.8	1002.8	664986		30 18.4	3.4	19.0
#####	12:00	14.2	86.3	1002.6	498775		30 19.4	2.6	20.0
#####	13:00	14.2	86.0	1002.0	437024		30 18.6	3.2	19.2
#####	14:00	14.2	86.1	1001.0	384679		30 19.5	2.3	20.0
#####	15:00	14.2	86.4	1000.5	534646		30 19.7	2.1	20.2
#####	16:00	14.2	86.0	1000.3	883176		30 19.4	2.3	19.9
#####	17:00						31		
#####	18:00						34		
#####	19:00						34		
#####	20:00						34		
#####	21:00						34		
#####	22:00						34		
#####	23:00						34		
#####	24:00:00						31		

CO  
mg/Nm3  
5.1  
5.5  
5.0  
5.6  
6.7  
6.8  
6.7  
4.8  
5.8  
7.0  
6.9  
5.3  
6.5  
4.8  
4.2  
4.6