

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00						34		
#####	02:00						34		
#####	03:00						34		
#####	04:00						34		
#####	05:00						34		
#####	06:00						34		
#####	07:00						31		
#####	08:00	18.5	93.3	1013.0	1787224		30 14.4	0.9	18.5
#####	09:00	18.5	97.1	1012.4	1923848		30 11.3	0.5	15.6
#####	10:00	18.5	96.4	1012.5	1900875		30 10.9	0.4	15.2
#####	11:00	18.5	96.5	1012.7	1817425		30 11.0	0.4	15.3
#####	12:00	18.5	96.3	1012.1	1719645		30 11.1	0.3	15.5
#####	13:00	18.5	96.2	1011.7	1730755		30 11.3	0.4	15.6
#####	14:00	18.5	96.3	1010.9	1801875		30 11.0	0.4	15.3
#####	15:00	18.4	95.5	1010.6	1823328		30 10.8	0.4	15.1
#####	16:00	18.4	95.3	1010.5	1885040		30 10.7	0.4	14.9
#####	17:00	18.4	95.4	1010.8	1879952		30 10.8	0.4	15.1
#####	18:00	18.5	95.4	1011.2	1899294		30 10.8	0.4	15.1
#####	19:00	18.5	95.0	1011.7	1909832		30 10.5	0.4	14.8
#####	20:00	18.5	95.0	1012.1	1908209		30 10.6	0.4	14.9
#####	21:00	18.5	95.3	1012.6	1910385		30 10.6	0.4	15.0
#####	22:00	18.5	95.0	1013.3	1878900		30 10.9	0.4	15.3
#####	23:00	18.5	94.8	1013.7	1932902		30 10.8	0.5	15.2
#####	24:00:00	18.5	92.3	1014.0	1721197		30 11.8	0.6	16.1

CO
mg/Nm3

2.1
1.2
1.1
1.0
0.9
1.0
1.0
1.0
1.0
1.0
1.1
1.1
1.1
1.1
1.1
1.1
1.1
1.5