

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00	18.5	92.2	1004.8	1194107		30 14.2	10.9	18.0
#####	02:00	18.5	87.1	1004.9	1617169		30 13.4	3.2	17.5
#####	03:00	18.5	86.8	1004.6	1471615		30 13.5	3.1	17.6
#####	04:00	18.4	86.3	1003.5	1018141		30 13.4	3.9	17.5
#####	05:00	18.4	86.4	1002.5	909603		30 13.3	3.8	17.4
#####	06:00	18.5	86.9	1002.1	997138		30 14.5	34.3	17.3
#####	07:00						34		
#####	08:00						34		
#####	09:00						34		
#####	10:00						34		
#####	11:00						34		
#####	12:00						34		
#####	13:00						34		
#####	14:00						34		
#####	15:00						34		
#####	16:00						34		
#####	17:00						34		
#####	18:00						34		
#####	19:00						34		
#####	20:00						34		
#####	21:00						34		
#####	22:00						34		
#####	23:00						34		
#####	24:00:00						34		

CO
mg/Nm³
5.3
6.6
6.5
8.0
7.8
8.2