

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00	18.5	92.8	1004.1	1797320		30 14.4	11.3	17.8
#####	02:00	18.4	86.2	1004.4	1893745		30 13.2	4.3	17.3
#####	03:00	18.5	86.7	1004.8	1914219		30 13.4	4.2	17.5
#####	04:00	18.5	86.7	1005.2	1910672		30 13.3	4.2	17.4
#####	05:00	18.5	86.6	1005.3	1878725		30 13.7	3.4	17.8
#####	06:00	18.5	86.1	1005.4	1865206		30 13.9	3.1	18.0
#####	07:00	18.5	85.7	1006.0	1704883		30 13.8	3.6	17.9
#####	08:00	18.5	86.3	1006.5	1499313		30 15.6	42.3	18.4
#####	09:00						34		
#####	10:00						34		
#####	11:00						34		
#####	12:00						34		
#####	13:00						34		
#####	14:00						34		
#####	15:00						34		
#####	16:00						34		
#####	17:00						34		
#####	18:00								
#####	19:00						34		
#####	20:00						34		
#####	21:00						34		
#####	22:00						34		
#####	23:00						34		
#####	24:00:00						31		

CO
mg/Nm3
7.4
8.9
8.8
8.7
7.1
6.4
7.4
8.1