

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00						34		
#####	02:00						34		
#####	03:00						34		
#####	04:00						34		
#####	05:00						31		
#####	06:00						31		
#####	07:00	14.1	95.6	1013.2	925570		30 22.2	1.1	22.5
#####	08:00	13.7	93.3	1012.9	1648042		30 20.0	0.6	20.3
#####	09:00	13.6	92.2	1013.2	1782518		30 19.2	0.4	19.6
#####	10:00	13.6	92.3	1013.6	1906438		30 19.0	0.4	19.4
#####	11:00	13.7	94.6	1013.3	1577281		30 19.2	0.3	19.6
#####	12:00	14.0	89.9	1012.5	976176		30 20.5	1.3	20.9
#####	13:00	14.3	82.7	1012.5	902124		30 21.7	2.6	22.2
#####	14:00	14.4	83.3	1012.4	785669		30 21.9	2.3	22.3
#####	15:00	14.4	83.6	1012.5	758482		30 22.5	2.0	22.9
#####	16:00	14.3	83.4	1013.3	952885		30 21.5	2.5	21.9
#####	17:00	14.3	82.6	1014.1	1413309		30 21.7	2.5	22.2
#####	18:00	13.8	93.5	1014.5	1900732		30 19.4	0.4	19.8
#####	19:00	13.7	96.0	1015.4	1900294		30 18.7	0.2	19.1
#####	20:00	14.2	87.8	1016.6	1923749		30 20.6	1.8	21.1
#####	21:00	13.7	94.4	1016.9	1905505		30 18.8	0.2	19.2
#####	22:00	14.1	88.7	1018.1	1846529		30 20.3	1.3	20.8
#####	23:00	14.4	82.4	1019.1	1919758		30 21.7	2.7	22.2
#####	24:00:00	14.5	81.9	1019.7	1909290		30 22.3	2.9	22.7

CO
mg/Nm³

2.2

1.4

0.8

0.8

0.7

2.7

5.4

4.8

4.0

5.2

5.0

0.8

0.6

3.7

0.6

2.6

5.6

5.9