

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00	13.8	97.1	1017.8	1900556		30 20.4	0.4	20.8
#####	02:00	14.1	94.4	1018.0	1868876		30 22.8	0.8	23.1
#####	03:00	14.3	89.1	1018.2	1571501		30 22.2	2.3	22.5
#####	04:00	14.3	88.9	1018.1	1262458		30 21.9	2.2	22.3
#####	05:00	14.3	90.3	1018.1	1494223		30 21.7	2.2	22.1
#####	06:00	14.3	91.7	1018.1	1116487		30 22.6	1.8	22.9
#####	07:00	14.0	96.0	1018.2	1273596		30 23.0	0.3	23.3
#####	08:00	14.0	95.8	1018.6	1291570		30 22.6	0.2	22.8
#####	09:00	13.9	96.5	1019.0	1857664		30 21.7	0.2	22.0
#####	10:00	13.7	99.0	1019.0	1593788		30 20.0	0.2	20.3
#####	11:00	13.7	99.4	1018.9	1522478		30 19.5	0.2	19.9
#####	12:00	13.7	100.2	1018.2	1418657		30 19.2	0.1	19.6
#####	13:00	13.6	100.5	1017.7	1637399		30 19.2	0.1	19.6
#####	14:00	14.1	97.3	1017.3	1523060		30 21.0	0.8	21.4
#####	15:00	14.2	96.0	1017.4	1885729		30 22.1	1.2	22.5
#####	16:00	13.8	101.3	1017.4	1887704		30 19.5	0.1	19.9
#####	17:00	13.6	100.9	1017.6	1890672		30 19.4	0.1	19.8
#####	18:00	13.7	100.3	1017.8	1888756		30 19.3	0.1	19.7
#####	19:00	13.9	98.5	1018.3	1896393		30 20.0	0.2	20.5
#####	20:00	13.9	98.2	1018.4	1898245		30 20.8	0.2	21.2
#####	21:00	13.9	98.0	1018.6	1898784		30 20.5	0.2	20.9
#####	22:00	13.9	97.2	1018.7	1898701		30 20.6	0.2	21.0
#####	23:00	13.8	98.4	1018.9	1893842		30 19.8	0.2	20.2
#####	24:00:00	13.9	96.4	1019.0	1895248		30 20.9	0.2	21.3

CO
mg/Nm3
0.8
1.7
4.6
4.4
4.4
3.7
0.6
0.5
0.5
0.4
0.4
0.3
0.3
1.8
2.4
0.3
0.3
0.3
0.4
0.4
0.5
0.5
0.6
0.6