

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00	14.5	89.1	1009.3	850438		30 21.3	2.6	21.8
#####	02:00	14.5	88.1	1009.0	870013		30 21.6	2.5	22.1
#####	03:00	14.5	88.7	1008.6	532372		30 21.8	2.3	22.3
#####	04:00	14.5	89.3	1007.6	409216		30 21.8	2.3	22.2
#####	05:00	14.4	89.5	1006.9	491291		30 22.1	2.3	22.5
#####	06:00	14.4	89.5	1006.6	513541		30 22.2	2.0	22.6
#####	07:00	14.4	89.4	1006.4	773331		30 22.0	2.1	22.5
#####	08:00	14.4	89.3	1006.3	776700		30 22.1	2.0	22.5
#####	09:00	14.5	89.5	1006.0	647709		30 24.4	32.4	22.8
#####	10:00						34		
#####	11:00						34		
#####	12:00						34		
#####	13:00						34		
#####	14:00						34		
#####	15:00						34		
#####	16:00						34		
#####	17:00						34		
#####	18:00						34		
#####	19:00						34		
#####	20:00						34		
#####	21:00						34		
#####	22:00						34		
#####	23:00						34		
#####	24:00:00						34		

CO  
mg/Nm3  
5.3  
5.1  
4.7  
4.8  
4.6  
4.1  
4.3  
4.2  
4.6