

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00					34			
#####	02:00					34			
#####	03:00					34			
#####	04:00					34			
#####	05:00					34			
#####	06:00					34			
#####	07:00					34			
#####	08:00					34			
#####	09:00					34			
#####	10:00					34			
#####	11:00					34			
#####	12:00					34			
#####	13:00					34			
#####	14:00					34			
#####	15:00					34			
#####	16:00					34			
#####	17:00					34			
#####	18:00					31			
#####	19:00	14.6	97.0	1012.1	888609	30	23.5	18.1	23.5
#####	20:00	14.1	102.9	1012.1	1542760	30	20.7	0.5	21.1
#####	21:00	14.4	94.6	1013.0	839724	30	21.4	1.6	21.9
#####	22:00	14.4	91.7	1013.3	983106	30	21.7	1.6	22.2
#####	23:00	14.5	90.6	1013.3	700621	30	22.0	1.9	22.4
#####	24:00:00	14.4	92.2	1013.4	590414	30	21.5	1.7	22.0

CO
mg/Nm3

3.0
1.0
3.2
3.3
3.9
3.6