

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00						34		
#####	02:00						34		
#####	03:00						34		
#####	04:00						34		
#####	05:00						34		
#####	06:00						31		
#####	07:00	13.8	97.8	1024.4	1950600		30 18.2	0.3	18.7
#####	08:00	13.7	96.0	1024.8	1964483		30 16.9	0.3	17.4
#####	09:00	13.7	96.0	1025.2	1855964		30 16.9	0.2	17.5
#####	10:00	13.7	95.9	1025.7	1998294		30 16.9	0.3	17.5
#####	11:00	13.7	96.6	1025.9	1750130		30 16.8	0.2	17.4
#####	12:00	13.7	96.4	1025.8	1629642		30 16.8	0.2	17.4
#####	13:00	13.7	96.3	1025.5	1684350		30 16.7	0.2	17.3
#####	14:00	13.7	96.0	1025.3	1964715		30 16.7	0.2	17.3
#####	15:00	13.7	95.8	1025.4	2007130		30 16.5	0.2	17.1
#####	16:00	13.8	95.6	1025.6	2007362		30 16.5	0.2	17.2
#####	17:00	13.8	95.4	1026.1	1993782		30 16.6	0.2	17.2
#####	18:00	13.8	95.4	1026.8	1992224		30 16.9	0.2	17.5
#####	19:00	13.8	95.4	1027.3	2010401		30 16.8	0.2	17.4
#####	20:00	13.7	95.3	1027.7	2011132		30 16.8	0.2	17.4
#####	21:00	13.7	95.3	1028.4	1994061		30 17.0	0.2	17.6
#####	22:00	13.7	95.6	1028.7	1794890		30 17.1	0.3	17.6
#####	23:00	13.8	95.3	1029.0	1963302		30 17.1	0.3	17.7
#####	24:00:00	14.0	92.4	1029.4	1971947		30 18.1	1.1	18.6

CO
mg/Nm³

[illegible]