

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00	14.7	91.5	1012.8	740264		30 23.2	6.1	23.5
#####	02:00	14.8	89.0	1012.0	688029		30 22.5	2.1	23.0
#####	03:00	14.8	89.5	1011.5	607894		30 22.5	2.0	23.0
#####	04:00	14.8	88.3	1011.6	801523		30 22.3	2.3	22.8
#####	05:00	14.8	88.0	1012.1	542485		30 22.3	2.3	22.8
#####	06:00	14.8	88.4	1012.3	614714		30 22.3	2.3	22.8
#####	07:00	14.8	88.5	1012.9	1156434		30 22.2	2.5	22.7
#####	08:00	14.8	88.6	1012.8	484604		30 22.0	2.4	22.6
#####	09:00	14.9	88.6	1012.6	483218		30 23.2	24.3	22.9
#####	10:00						34		
#####	11:00						34		
#####	12:00						34		
#####	13:00						34		
#####	14:00						34		
#####	15:00						34		
#####	16:00						34		
#####	17:00						34		
#####	18:00						34		
#####	19:00						34		
#####	20:00						34		
#####	21:00						34		
#####	22:00						34		
#####	23:00						34		
#####	24:00:00						34		

CO
mg/Nm³
4.2
4.2
4.1
4.6
4.8
4.7
5.0
4.9
5.4