

postazione : PK-207A - Misure normalizzate e corrette in Ossigeno

data	ora	O2 %dry	TempF °C	PressF mbar	Portata m3/h	St.IMP	NOxQAL2 mg/Nm3	CO QAL2 mg/Nm3	NOx mg/Nm3
#####	01:00						34		
#####	02:00						34		
#####	03:00						34		
#####	04:00						34		
#####	05:00						31		
#####	06:00						31		
#####	07:00	14.0	95.2	998.2	1659063		30 20.3	7.7	20.2
#####	08:00	13.9	89.8	999.6	1231124		30 19.5	1.4	19.9
#####	09:00	13.9	93.4	1000.4	1110100		30 19.8	0.3	20.2
#####	10:00	13.6	94.8	1000.9	1471466		30 16.5	0.7	17.1
#####	11:00	14.2	85.1	1001.9	600356		30 17.7	4.6	18.4
#####	12:00	14.3	86.9	1002.5	613161		30 17.7	4.7	18.4
#####	13:00	14.3	87.5	1002.7	928711		30 17.6	4.6	18.3
#####	14:00	14.3	87.4	1002.8	537649		30 18.1	3.7	18.8
#####	15:00	14.3	87.2	1003.1	436266		30 18.1	4.0	18.7
#####	16:00	13.9	92.3	1003.5	1197319		30 17.6	1.7	18.2
#####	17:00	13.6	96.3	1004.0	1844778		30 16.0	0.1	16.6
#####	18:00	13.6	96.0	1004.9	1933278		30 15.9	0.1	16.5
#####	19:00	13.6	95.2	1005.5	1953813		30 15.9	0.1	16.5
#####	20:00	13.6	95.1	1006.1	1784968		30 16.1	0.2	16.7
#####	21:00	13.6	95.0	1006.7	1906082		30 16.1	0.2	16.7
#####	22:00	13.6	94.9	1007.5	1956645		30 16.2	0.2	16.8
#####	23:00	13.6	95.3	1007.6	1732145		30 16.1	0.2	16.7
#####	24:00:00	13.9	91.4	1007.8	1754741		30 18.0	1.3	18.5

CO  
mg/Nm3

2.2

2.9

0.7

1.4

9.2

9.6

9.3

7.5

8.1

3.5

0.3

0.3

0.4

0.4

0.4

0.5

0.6

2.6