Regione Sicilia

Comune di Mazara del Vallo

Comune di Castelvetrano

Comune di Santa Ninfa

PROGETTO PER LA REALIZZAZIONE
DI UN IMPIANTO PER LA PRODUZIONE DI ENERGIA ELETTRICA A FONTE RINNOVABILE EOLICA, OPERE CONNESSE ED INFRASTRUTTURE INDISPENSABILI
località Gazzera di Mazara del Vallo

PROGETTO DEFINITIVO

SEU_04.D

Profili degli assi stradali in progetto

Proponente

SOCIETA' EOLICA UNO SRL
VIA ENRICO FERMI N 22/24
Palermo 90145
P.IVA: 06699240823

Progettista

Studio Bordonali
Engineering & Ambiente

Dott. Ing. Eugenio Bordonali n. 3214 – Ordine degli Ingegneri della Provincia di Palermo

Progettisti Opere Civili

dott. ing. Riccardo Cangelosi

dott. ing. Gaetano Scurto

Formato: A3

Scala: Varie

Scala stampa: 1:1

Revisione	Descrizione	Data	Preparato	Controllato	Approvato
00	Prima emissione	24/09/2019	RC	GS	Francesco Rossi


Schlumberger
Schlumberger
Schlumberger
Schlumberger
Schlumberger
Schlumberger
Schlumberger
Schlumberger
Schlumberger
Schlumberger


Schlumberger
Schlumberger
Schlumberger
Schlumberger
Schlumberger
Schlumberger
Schlumberger
Schlumberger
Schlumberger
Schlumberger


SCALE : 1:200
0 2 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 44 46 48 50 52 54 56 58 60 62 64 66 68 70 72 74 76 78

Measurement	0.000	0.000
Mean	0.000	0.000
Minimum	0.000	0.000
Maximum	0.000	0.000
Standard deviation	0.000	0.000
Coefficient of variation	0.000	0.000
Lower control limit (LCL)	0.000	0.000
Upper control limit (UCL)	0.000	0.000
Number of points	1	1
Number of points outside control limits	0	0
Percentage of points outside control limits	0.000	0.000

Date/Time: 2/10/2021 1:10:00 PM
Subgroups: 1-100
Specimen: 1-100
Subgroup size: 1-100
Operator: 1-100

Chart

X-bar: 1-100

R: 1-100

| | | |

Measurement
Result
Limit Check
Pass
Fail
Not Measured
Frequency Range
Start 1 GHz
Stop 2 GHz
Sweep Type
Linear
Sweep Points
Sweep Time
Auto
Manual
Resolution Bandwidth
Auto
Manual
Video Bandwidth
Auto
Manual
Trace 1
Clear Trace
Trace Type
Clear Trace
Trace Type
Clear Trace
Trace Type

SCAVI E BONIFICHE	
STERRO	18.388 mq
BONIFICA	0.042 mq

RILEVATI	
RILEVATO	0.026 mq

SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	8.000 mq
FONDAZIONE - TOUT-VENENANT	16.000 mq

LEGENDA	
STERRO	
BONIFICA	
RILEVATO	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	
FONDAZIONE - TOUT-VENENANT	
PROFILO TERRENO	

SEZIONE N. : 35 ASSE A02

QT. PROGETTO : 21.571

DIST.PROG. : 440.000

DIST.PREC. : 20.000

DIST.SUCC. : 18.114



SCALA 1: 200

QT. RIF. -2.222

| | | |

Ultrasound Examination		
Operator	:	Sonia
Patient	:	[illegible]
Date	:	2022-04-12
Time	:	10:00:00
Ultrasound Machine	:	Mindray DC-70
Probe	:	6C1HD
Probe Serial Number	:	[illegible]
Probe Frequency	:	2.0 - 6.0 MHz
Probe Type	:	Convex
Probe Scan Mode	:	Sector
Probe Scan Angle	:	75°
Probe Focus Depth	:	0.0 - 20.0 cm
Probe Focus Width	:	0.0 - 0.0 cm
Probe Focus Number	:	1
Probe Field of View	:	60.0 mm
Probe Image Orientation	:	Top Left Marker
Probe Image Type	:	Real Time
Probe Image Size	:	1024 x 768
Probe Image Resolution	:	96 x 96 dpi
Probe Image Bits	:	24
Probe Image Color	:	Yes
Probe Image Compression	:	None
Probe Image Format	:	BMP
Probe Image Name	:	[illegible]
Probe Image Path	:	[illegible]
Probe Image Size	:	[illegible]
Probe Image Resolution	:	[illegible]
Probe Image Bits	:	[illegible]
Probe Image Color	:	[illegible]
Probe Image Compression	:	[illegible]
Probe Image Format	:	[illegible]

SCALE D'ERRAT.(CM)	
SCARTO	0.000 (%)
ALTEZZA	0.000 (%)
ALI	
ALI	0.000 (%)
INCLINAZIONE STRADALE	0.000 (%)
PENDENZA TRASV. DEL CORPO STRADALE	0.000 (%)
PENDENZA TRASV. DEL CORPO STRADALE	0.000 (%)

LEGENDA
SCARTO
ALTEZZA
ALI
INCLINAZIONE STRADALE
PENDENZA TRASV. DEL CORPO STRADALE
PENDENZA TRASV. DEL CORPO STRADALE

SEZIONE N. - 13-ASSE 400
LV. PROGETTO: 20.60
DIST.PROG.: 190.00
DIST.PARZ.: 0.00
DIST.SUCC.: 19.00

SCALA 1:200

QT. R.LF. 7.000

| | | |

SCAVI E BONIFICHE	
TERRENO	12.240 mq
RILEVATO	
TRIVELLETTI	81.590 mq
RIPRESA	
ESPLANAZIONE PER STRADE	
PAVIMENTAZIONE MISTO GRANULOMETRICO	4.800 mq
FORMAZIONE - TUTT VERDEPIANT	8.990 mq

SEZIONE N. 1-ASSE ASH
QT. PROGETTO : 148.614
DIST.PROG. : 0.000
DIST.SUCC. : 20.000

LEGENDA
TERRENO
RILEVATO
PAVIMENTAZIONE MISTO GRANULOMETRICO
FORMAZIONE - TUTT VERDEPIANT
PROFILO TERRENO

SCALA 1:200

QT. RIF. 124.000

| | | |

Ordered	2025-08-21 7:00:00 AM
Requested	2025-08-21 7:00:00 AM
Completed	2025-08-21 7:00:00 AM
Limit	60
Found	1
Displayed	1

Filters:
Exclude: Hide all other species
Include: Species=Ficedula hypoleuca

Sort:
Primary: Time

Show: 1-100

#	Id	Time	Sci. Name	Com. Name	Score	Lat	Lon	Cutoff	Week	Sens	Overlap
1	1	07:00:00	Ficedula hypoleuca	Pied Flycatcher	0.94	0	0	0.50	34	1.00	0.00

2025-08-21 Thursday																							
Pied Flycatcher, Ficedula hypoleuca																							
07:00	0.94																						
2025-08-21 Thursday, Summer																							
2025-08-21 Thursday, Week 34																							
07:00	0.94																						

SCALE BONIFICHE	
TERRENO	2.037 ml
SCARIFICA	0.032 ml
RILEVATO	
TERRENO	3.300 ml
RILEVATO	
FONDAZIONE PER STRADALE	
FONDAZIONE - PROFILO ORAMA/LOMETRICO	1.000 ml
FONDAZIONE - TOLLE VERDRAMAT	0.000 ml

LEGENDA
TERRENO
SCARIFICA
RILEVATO
FONDAZIONE FONDAZIONE MISTO ORAMA/LOMETRICO
FONDAZIONE - TOLLE VERDRAMAT
PROFILO TERRENO

SEZIONE N. : 12 ASSE ASA 1
QT. PROGETTO : 102.576
DIST.PROG. : 80.000
DIST.PREC. : 2.000
DIST.SUCC. : 20.000

SCALA 1: 200

QT. RIF.: 130.000

| | | |

SCAVI E BONIFICHE	
DEMOLIZIONE	0.269 mq
BONIFICA	0.269 mq
RILEVATI	
RILEVATO	0.132 mq
SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE MISTO GRANULOMETRICO	7.000 mq
FONDAZIONE - TOUT-VENENANT	2.000 mq

SEZIONE N. : 1 ASSE A04.2
QT. PROGETTO : 141.738
DIST.PROG. : 0.000
DIST.SUCC. : 20.000

LEGENDA
TERRENO
SCAVO
RILEVATO
PAVIMENTAZIONE MISTO GRANULOMETRICO
FONDAZIONE - TOUT-VENENANT
PROFILO TERRENO



SCALA 1: 200

QT. RIF. 120.000

| | | |

SECTION 1 - 1 (0.00 m)
SECTION 2 - 2 (0.00 m)
SECTION 3 - 3 (0.00 m)
SECTION 4 - 4 (0.00 m)
SECTION 5 - 5 (0.00 m)
SECTION 6 - 6 (0.00 m)
SECTION

ANGLE OF BRAKE(CLW):	0.000 rad
BRAKE(TON):	0.000 TN
BRAKE(KN):	0.000 kN
BRAKE(KJ):	0.000 kNm
ACCELERATION:	0.000 m/s
ACCELERATION DUE TO BRAKE:	
ACCELERATION DUE TO BRAKE(METRES):	0.000 m/s
ACCELERATION DUE TO BRAKE(METRES) PER TON:	0.000 m/s

SECTION N. 1-0.000 KM
LP PROJECTS: 20.00
DIST PREC: 0.00
DIST SUCC: 0.00

LEGEND:
NORMAL
WARNING
OVERSPEED
OVERSPEED WITH SPEED BRAKE(METRES)
OVERSPEED WITH SPEED BRAKE(TON)
OVERSPEED WITH SPEED BRAKE(KN)

ANGLE OF BRAKE(CLW):	0.000 rad
BRAKE(TON):	0.000 TN
BRAKE(KN):	0.000 kN
BRAKE(KJ):	0.000 kNm
ACCELERATION:	0.000 m/s
ACCELERATION DUE TO BRAKE:	
ACCELERATION DUE TO BRAKE(METRES):	0.000 m/s
ACCELERATION DUE TO BRAKE(METRES) PER TON:	0.000 m/s

SECTION N. 1-0.000 KM
LP PROJECTS: 20.00
DIST PREC: 0.00
DIST SUCC: 0.00

LEGEND:
NORMAL
WARNING
OVERSPEED
OVERSPEED WITH SPEED BRAKE(METRES)
OVERSPEED WITH SPEED BRAKE(TON)
OVERSPEED WITH SPEED BRAKE(KN)



ANGLE OF BRAKE(CLW):	0.000 rad
BRAKE(TON):	0.000 TN
BRAKE(KN):	0.000 kN
BRAKE(KJ):	0.000 kNm
ACCELERATION:	0.000 m/s
ACCELERATION DUE TO BRAKE:	
ACCELERATION DUE TO BRAKE(METRES):	0.000 m/s
ACCELERATION DUE TO BRAKE(METRES) PER TON:	0.000 m/s

SECTION N. 1-0.000 KM
LP PROJECTS: 20.00
DIST PREC: 0.00
DIST SUCC: 0.00

LEGEND:
NORMAL
WARNING
OVERSPEED
OVERSPEED WITH SPEED BRAKE(METRES)
OVERSPEED WITH SPEED BRAKE(TON)
OVERSPEED WITH SPEED BRAKE(KN)

ANGLE OF BRAKE(CLW):	0.000 rad
BRAKE(TON):	0.000 TN
BRAKE(KN):	0.000 kN
BRAKE(KJ):	0.000 kNm
ACCELERATION:	0.000 m/s
ACCELERATION DUE TO BRAKE:	
ACCELERATION DUE TO BRAKE(METRES):	0.000 m/s
ACCELERATION DUE TO BRAKE(METRES) PER TON:	0.000 m/s

SECTION N. 1-0.000 KM
LP PROJECTS: 20.00
DIST PREC: 0.00
DIST SUCC: 0.00

LEGEND:
NORMAL
WARNING
OVERSPEED
OVERSPEED WITH SPEED BRAKE(METRES)
OVERSPEED WITH SPEED BRAKE(TON)
OVERSPEED WITH SPEED BRAKE(KN)

ANGLE OF BRAKE(CLW):	0.000 rad
BRAKE(TON):	0.000 TN
BRAKE(KN):	0.000 kN
BRAKE(KJ):	0.000 kNm
ACCELERATION:	0.000 m/s
ACCELERATION DUE TO BRAKE:	
ACCELERATION DUE TO BRAKE(METRES):	0.000 m/s
ACCELERATION DUE TO BRAKE(METRES) PER TON:	0.000 m/s

SECTION N. 1-0.000 KM
LP PROJECTS: 20.00
DIST PREC: 0.00
DIST SUCC: 0.00

LEGEND:
NORMAL
WARNING
OVERSPEED
OVERSPEED WITH SPEED BRAKE(METRES)
OVERSPEED WITH SPEED BRAKE(TON)
OVERSPEED WITH SPEED BRAKE(KN)

ANGLE OF BRAKE(CLW):	0.000 rad
BRAKE(TON):	0.000 TN
BRAKE(KN):	0.000 kN
BRAKE(KJ):	0.000 kNm
ACCELERATION:	0.000 m/s
ACCELERATION DUE TO BRAKE:	
ACCELERATION DUE TO BRAKE(METRES):	0.000 m/s
ACCELERATION DUE TO BRAKE(METRES) PER TON:	0.000 m/s

SECTION N. 1-0.000 KM
LP PROJECTS: 20.00
DIST PREC: 0.00
DIST SUCC: 0.00

LEGEND:
NORMAL
WARNING
OVERSPEED
OVERSPEED WITH SPEED BRAKE(METRES)
OVERSPEED WITH SPEED BRAKE(TON)
OVERSPEED WITH SPEED BRAKE(KN)

ANGLE OF BRAKE(CLW):	0.000 rad
BRAKE(TON):	0.000 TN
BRAKE(KN):	0.000 kN
BRAKE(KJ):	0.000 kNm
ACCELERATION:	0.000 m/s
ACCELERATION DUE TO BRAKE:	
ACCELERATION DUE TO BRAKE(METRES):	0.000 m/s
ACCELERATION DUE TO BRAKE(METRES) PER TON:	0.000 m/s

SECTION N. 1-0.000 KM
LP PROJECTS: 20.00
DIST PREC: 0.00
DIST SUCC: 0.00

LEGEND:
NORMAL
WARNING
OVERSPEED
OVERSPEED WITH SPEED BRAKE(METRES)
OVERSPEED WITH SPEED BRAKE(TON)
OVERSPEED WITH SPEED BRAKE(KN)



Project Number	1	1
Project Name	1	1
Client Name	1	1
Operator	1	1
Comments	1	1
Test Date	1	1
Test Time	1	1
Test Duration (hh:mm:ss)	1	1
Sample Rate (Hz)	1	1
Total Samples	1	1
Test Type	1	1
Channel Count	1	1
Channel Name	1	1
Channel Serial	1	1
Channel Type	1	1
Channel Unit	1	1
Channel Sensitivity	1	1
Channel Offset	1	1
Channel Gain	1	1
Channel Excitation	1	1
Channel Bridge Type	1	1
Channel Bridge Resistance	1	1
Channel Shunt Resistance	1	1
Channel Shunt Location	1	1
Channel Shunt Polarity	1	1
Channel Shunt Delay	1	1
Channel Shunt Duration	1	1
Channel Shunt Value	1	1
Channel Shunt Type	1	1
Channel Shunt Unit	1	1
Channel Shunt Sensitivity	1	1
Channel Shunt Offset	1	1
Channel Shunt Gain	1	1
Channel Shunt Excitation	1	1
Channel Shunt Bridge Type	1	1
Channel Shunt Bridge Resistance	1	1
Channel Shunt Shunt Resistance	1	1
Channel Shunt Shunt Location	1	1
Channel Shunt Shunt Polarity	1	1
Channel Shunt Shunt Delay	1	1
Channel Shunt Shunt Duration	1	1
Channel Shunt Shunt Value	1	1
Channel Shunt Shunt Type	1	1
Channel Shunt Shunt Unit	1	1
Channel Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Offset	1	1
Channel Shunt Shunt Gain	1	1
Channel Shunt Shunt Excitation	1	1
Channel Shunt Shunt Bridge Type	1	1
Channel Shunt Shunt Bridge Resistance	1	1
Channel Shunt Shunt Shunt Resistance	1	1
Channel Shunt Shunt Shunt Location	1	1
Channel Shunt Shunt Shunt Polarity	1	1
Channel Shunt Shunt Shunt Delay	1	1
Channel Shunt Shunt Shunt Duration	1	1
Channel Shunt Shunt Shunt Value	1	1
Channel Shunt Shunt Shunt Type	1	1
Channel Shunt Shunt Shunt Unit	1	1
Channel Shunt Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Shunt Offset	1	1
Channel Shunt Shunt Shunt Gain	1	1
Channel Shunt Shunt Shunt Excitation	1	1
Channel Shunt Shunt Shunt Bridge Type	1	1
Channel Shunt Shunt Shunt Bridge Resistance	1	1
Channel Shunt Shunt Shunt Shunt Resistance	1	1
Channel Shunt Shunt Shunt Shunt Location	1	1
Channel Shunt Shunt Shunt Shunt Polarity	1	1
Channel Shunt Shunt Shunt Shunt Delay	1	1
Channel Shunt Shunt Shunt Shunt Duration	1	1
Channel Shunt Shunt Shunt Shunt Value	1	1
Channel Shunt Shunt Shunt Shunt Type	1	1
Channel Shunt Shunt Shunt Shunt Unit	1	1
Channel Shunt Shunt Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Shunt Shunt Offset	1	1
Channel Shunt Shunt Shunt Shunt Gain	1	1
Channel Shunt Shunt Shunt Shunt Excitation	1	1
Channel Shunt Shunt Shunt Shunt Bridge Type	1	1
Channel Shunt Shunt Shunt Shunt Bridge Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Location	1	1
Channel Shunt Shunt Shunt Shunt Shunt Polarity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Delay	1	1
Channel Shunt Shunt Shunt Shunt Shunt Duration	1	1
Channel Shunt Shunt Shunt Shunt Shunt Value	1	1
Channel Shunt Shunt Shunt Shunt Shunt Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Unit	1	1
Channel Shunt Shunt Shunt Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Offset	1	1
Channel Shunt Shunt Shunt Shunt Shunt Gain	1	1
Channel Shunt Shunt Shunt Shunt Shunt Excitation	1	1
Channel Shunt Shunt Shunt Shunt Shunt Bridge Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Bridge Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Location	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Polarity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Delay	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Duration	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Value	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Unit	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Offset	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Gain	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Excitation	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Bridge Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Bridge Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Location	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Polarity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Delay	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Duration	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Value	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Unit	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Offset	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Gain	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Excitation	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Location	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Polarity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Delay	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Duration	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Value	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Unit	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Offset	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Gain	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Excitation	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Location	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Polarity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Delay	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Duration	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Value	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Unit	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Offset	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Gain	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Excitation	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Location	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Polarity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Delay	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Duration	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Value	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Unit	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Offset	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Gain	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Excitation	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Location	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Polarity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Delay	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Duration	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Value	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Unit	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Offset	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Gain	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Excitation	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Location	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Polarity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Delay	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Duration	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Value	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Unit	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Offset	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Gain	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Excitation	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Location	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Polarity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Delay	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Duration	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Value	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Unit	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Offset	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Gain	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Excitation	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Location	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Polarity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Delay	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Duration	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Value	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Unit	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Offset	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Gain	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Excitation	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Resistance	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Location	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Polarity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Delay	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Duration	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Value	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Type	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Unit	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Sensitivity	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Offset	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Gain	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Excitation	1	1
Channel Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Shunt Bridge Type	1	1
Channel Shunt

Measurement	1	1
Results	1	1
Statistics	1	1
Limits	1	1
Frequency Response Analysis	1	1
Overall Results	1	1
Frequency Response Analysis	1	1

07/20/21 7:12:00 AM
Device: 0-00-00-00-00-00
Job Name: 0-00
Job Comp: 0-00
Job Lock: 0-00

0.0s/d 1.00

0.00 - 0.00
0.00 - 0.00

| | | |

Analysis Preferences
Units: Metric
Force: kN
Length: m
Temperature: C
Time: sec
Rotation: rad
Gravity: 9.806 m/s²
Mass Source: Mass Source
Mass Source: Mass Source
Mass Source: Mass Source

SCAVI E BONIFICHE	
BONIFICA	9.218 mq

RILEVATI	
RILEVATO	38.011 mq

SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	5.000 mq
FONDAZIONE - TOUT-VENENANT	10.000 mq

LEGENDA	
STERRO	
BONIFICA	
RILEVATO	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	
FONDAZIONE - TOUT-VENENANT	
PROFILO TERRENO	

SEZIONE N. : 34 ASSE A06

QT. PROGETTO : 32.517

DIST.PROG. : 360.000

DIST.PREC. : 20.000

DIST.SUCC. : 9.613



SCALA 1: 200

QT. RIF. 8.094

| | | |

Patient name	[redacted]	
Birth date	[redacted]	
Sex	[redacted]	
Study description	[redacted]	
Forward direction	[redacted]	
Patient comments	[redacted]	
Institution name	[redacted]	
Institution address	[redacted]	
Station name	[redacted]	
Operators' name	[redacted]	
Manufacturer	[redacted]	
Manufacturer's model name	[redacted]	
Software versions	[redacted]	
Protocol name	[redacted]	
Exposure control mode	[redacted]	
Exposure	[redacted]	
Exposure time	[redacted]	
Image and fluoroscopy area dose product	[redacted]	
Focal spot(s)	[redacted]	
Anti-scatter grid	[redacted]	

| | | |

Patient name		Birthdate	
Patient ID		Sex	
Acquisition date		Acquisition time	
Operator		Study description	
Equipment		Protocol	
Manufacturer		Model	
Institution name		Station name	
Institutional department		Software versions	
Patient position		Distance source to detector	
Field of view shape	CIRCLE	Field of view dimensions	256
Image size	256	Pixel spacing	1.000
Slice thickness	1.000	Number of slices	1
Data collection diameter	256	Reconstruction diameter	256
Distance source to isocenter		Gantry/detector tilt angle	
Table height		Rotation direction	
Exposure		Exposure time	
Primary counts		Decay correction	NONE
Decay factor		Dose calibration factor	
Scatter fraction factor		Dead time factor	
Image start position		Image orientation	
Slice location		Number of projections	
Time slice		Number of time slices	
Number of energy windows		Number of detectors	
Number of rotations		Number of R-R intervals	
Gantry motion		Gantry offset	
Starting angle		Angular step	
Scan arc		Radial step	
Number of R-R intervals		Number of time slices	
Number of slices		Number of projections	
Image type	ORIGINAL\PRIMARY\SINOGRAM	Series type	STATIC\NONE
Series description		Series number	
Acquisition number		Image number	
Series date		Series time	
Acquisition date		Acquisition time	
Image date		Image time	
Content date		Content time	
Patient comments		Image comments	
Acquisition comments		Series comments	
Study comments			



ZEITLICHER ABSTAND	1:00:00	
ZEITPUNKT	1:00:00	
ZEITDAUER	0:00:00	
ZEITPUNKT DER ERSTEN ZEITMARKE	1:00:00	
ZEITPUNKT DER ZEITMARKE	1:00:00	
ZEITDAUER	0

SCALE BENEFICHE	
TERRENO	13.487 (%)
RELEVATO	
TERRENO	26.610 (%)
RELEVATO	
PROGRESSIVA DEL STRADALE	
PROFONDITA'DEL BENTONITICO DIAMETRICO	8.000 (m)
FORMAZIONE - TUFI VERDINARI	8.000 (m)
	2.400 (m)

SEZIONE N. 1-ASSE A48
CC PROGETTO: +0.243
DIST.PROG.: 0.000
DIST.SUCC.: 20.000

LEGENDA
TERRENO
RELEVATO
PROFONDITA'DEL BENTONITICO DIAMETRICO
FORMAZIONE - TUFI VERDINARI
PROFILO TERRENO

SCALA 1:200

QT. R1F. 16.000

| | | |

Analysis Method: Static
Code: ACI 318-14
Units: Kip, in, F

Concrete: 4000 psi
Rebar: 60000 psi
Cover: 1.500 in
Bar Size: #4
Bar Spacing: 12.000 in

Section Name: Section 1
Section Type: Rectangular
Section Dim: 12.000 in x 12.000 in
Section Area: 144.000 in²
Section Ixx: 1728.000 in⁴
Section Iyy: 1728.000 in⁴

Load Combination: 1.4D
Description: 1.4 Dead
Factors: 1.400 D

Load Combination: 1.2D+1.6L
Description: 1.2 Dead + 1.6 Live
Factors: 1.200 D + 1.600 L

Load Combination: 1.2D+1.0W+1.0L
Description: 1.2 Dead + 1.0 Wind + 1.0 Live
Factors: 1.200 D + 1.000 W + 1.000 L

Load Combination: 1.2D+1.0E+1.0L
Description: 1.2 Dead + 1.0 Seismic + 1.0 Live
Factors: 1.200 D + 1.000 E + 1.000 L

Load Combination: 0.9D+1.0W
Description: 0.9 Dead + 1.0 Wind
Factors: 0.900 D + 1.000 W

Load Combination: 0.9D+1.0E
Description: 0.9 Dead + 1.0 Seismic
Factors: 0.900 D + 1.000 E

Load Combination: 1.2D+1.0E+1.0L+0.2S
Description: 1.2 Dead + 1.0 Seismic + 1.0 Live + 0.2 Snow
Factors: 1.200 D + 1.000 E + 1.000 L + 0.200 S

Load Combination: 0.9D+1.0E+0.2S
Description: 0.9 Dead + 1.0 Seismic + 0.2 Snow
Factors: 0.900 D + 1.000 E + 0.200 S

Load Combination: 1.2D+1.0W+1.0L+0.5S
Description: 1.2 Dead + 1.0 Wind + 1.0 Live + 0.5 Snow
Factors: 1.200 D + 1.000 W + 1.000 L + 0.500 S

Load Combination: 0.9D+1.0W+0.5S
Description: 0.9 Dead + 1.0 Wind + 0.5 Snow
Factors: 0.900 D + 1.000 W + 0.500 S

Load Combination: 1.2D+1.0L+0.2S
Description: 1.2 Dead + 1.0 Live + 0.2 Snow
Factors: 1.200 D + 1.000 L + 0.200 S

Load Combination: 1.2D+1.0L+1.0S
Description: 1.2 Dead + 1.0 Live + 1.0 Snow
Factors: 1.200 D + 1.000 L + 1.000 S

Load Combination: 1.2D+1.0S
Description: 1.2 Dead + 1.0 Snow
Factors: 1.200 D + 1.000 S

Load Combination: 1.2D+1.0W+1.0L+0.2S
Description: 1.2 Dead + 1.0 Wind + 1.0 Live + 0.2 Snow
Factors: 1.200 D + 1.000 W + 1.000 L + 0.200 S

Load Combination: 0.9D+1.0W+0.2S
Description: 0.9 Dead + 1.0 Wind + 0.2 Snow
Factors: 0.900 D + 1.000 W + 0.200 S

Load Combination: 1.2D+1.0E+1.0L+1.0S
Description: 1.2 Dead + 1.0 Seismic + 1.0 Live + 1.0 Snow
Factors: 1.200 D + 1.000 E + 1.000 L + 1.000 S

Load Combination: 0.9D+1.0E+1.0S
Description: 0.9 Dead + 1.0 Seismic + 1.0 Snow
Factors: 0.900 D + 1.000 E + 1.000 S

Load Combination: 1.2D+1.0W+1.0L+1.0S
Description: 1.2 Dead + 1.0 Wind + 1.0 Live + 1.0 Snow
Factors: 1.200 D + 1.000 W + 1.000 L + 1.000 S

Load Combination: 0.9D+1.0W+1.0S
Description: 0.9 Dead + 1.0 Wind + 1.0 Snow
Factors: 0.900 D + 1.000 W + 1.000 S

Load Combination: 1.2D+1.0E+1.0L+0.2S
Description: 1.2 Dead + 1.0 Seismic + 1.0 Live + 0.2 Snow
Factors: 1.200 D + 1.000 E + 1.000 L + 0.200 S

Load Combination: 0.9D+1.0E+0.2S
Description: 0.9 Dead + 1.0 Seismic + 0.2 Snow
Factors: 0.900 D + 1.000 E + 0.200 S

Load Combination: 1.2D+1.0W+1.0L+0.5S
Description: 1.2 Dead + 1.0 Wind + 1.0 Live + 0.5 Snow
Factors: 1.200 D + 1.000 W + 1.000 L + 0.500 S

Load Combination: 0.9D+1.0W+0.5S
Description: 0.9 Dead + 1.0 Wind + 0.5 Snow
Factors: 0.900 D + 1.000 W + 0.500 S

Bars = 1.000
X: 0.0 - 12.000
Y: 0.0 - 12.000
Bars: 1 #4 - 1.000
Bars: 1 #4 - 1.000
Bars: 1 #4 - 1

SCAVI E BONIFICHE	
STERRO	11.288 mq

SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	3.400 mq
FONDAZIONE - TOUT-VENENANT	6.800 mq

LEGENDA	
STERRO	
BONIFICA	
RILEVATO	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	
FONDAZIONE - TOUT-VENENANT	
PROFILO TERRENO	

SEZIONE N. : 12 ASSE A08.1

QT. PROGETTO : 35.000

DIST.PROG. : 94.869

DIST.PREC. : 12.000



SCALA 1: 200

QT. RIF. 11.000

QUOTE TERRENO	35.000	35.000	35.000
DIST. PARZIALI TERRENO	20.000	20.000	
QUOTE PROGETTO	35.000 34.775 34.775 34.375	34.400 34.400 34.400 34.400	34.855 34.855 34.655 35.000
DIST. PARZIALI PROGETTO	2.500	14.500	

Project Name
Project Number
Date
Time
Scale
Units
Analysis Type
Combination
Design Code
Frame Type
Location
PROGRAM NAME: SAP2000
SAP2000 v14.0.0 - Licensed
Solution Type: Static
Solution Stiffness: Linear
Load Combination: 1.4DL
Units: Kip, in, F
Displacements
Max: 0.000 in
Min: 0.000 in
Max Rotation: 0.000 rad
Max Rotation: 0.000 rad
Max Rotation: 0.000 rad

SCAVI E BONIFICHE	
BONIFICA	13.357 mq

RILEVATI	
RILEVATO	44.030 mq

SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	8.000 mq
FONDAZIONE - TOUT-VENENANT	16.000 mq

LEGENDA	
STERRO	
BONIFICA	
RILEVATO	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	
FONDAZIONE - TOUT-VENENANT	
PROFILO TERRENO	

SEZIONE N. : 13 ASSE A09

QT. PROGETTO : 36.223

DIST.PROG. : 140.000

DIST.PREC. : 20.000

DIST.SUCC. : 9.413



SCALA 1: 200

QT. RIF. 11.461

| | | |

Operator	1 OPEN	BRIANNA CHAMPION
Serial Number	1 OPEN	0000000-000000
Test Date	1 OPEN	2021-Feb-18
Test Time	1 OPEN	08:00:00 - 5:00
Test Duration	1 OPEN	00:00:00 - 5:00
Overall Test Result	1 OPEN	
Test Sequence	1 OPEN	
Test Step	1 OPEN	
Test Step Description	1 OPEN	
Test Step Result	1 OPEN	
Test Step Measurement	1 OPEN	
Test Step Measurement Unit	1 OPEN	
Test Step Limits	1 OPEN	
Test Step Start Time	1 OPEN	
Test Step End Time	1 OPEN	

| | | |

Displacement
Step: 1
Frame: 1
Time: 0.000
Displacement
Magnitude: 0.000
Scale: 1.000
Deformed: Shell Edges
Contour: Shell Edges

SCALE : 1:200

SCALE : 1:200

SCALE : 1:200

SCALE : 1:200

SCALE : 1:200

SCALE : 1:200

SCALE : 1:200

SCALE : 1:200

SCALE : 1:200

SCALE : 1:200


Project
Date
Comment
Pressure
Pressure
Pressure

SCALE ALTIMETRICHE:	
SCAVO:	0.50 ML
RIEMPIMENTO:	0.50 ML
TRATTI:	
ALTEZZA:	0.500 ML
SOVRAMONTLITURA STRADALE	
PAVIMENTAZIONE BITUMINOSA (MATTRICE)	0.050 ML
PAVIMENTAZIONE BITUMINOSA (USURA)	0.050 ML
LEGENDA	
SCAVO	
RIEMPIMENTO	
TRATTI	
PAVIMENTAZIONE BITUMINOSA (MATTRICE)	
PAVIMENTAZIONE BITUMINOSA (USURA)	
PROFILO TERRENO	

SEZIONE N. - 13-AGGE-R11
LIV. PROGETTO: 73.00
DIST.PROGL: 190.00
DIST.RAIL: 0.00
DIST.SUOL: 19.00

SCALA 1: 200



DT. KIT. KR.140

| | | |

DOLCE & BONIFICHE	
LEGENDA	20.207 (%)
INCLINAZIONI PER LA SINGOLA	
PENDENZA MEDIA DEL TRATTO LOMBITRICO	5.000 (%)
PENDENZA TRA I VERTICI CONTIGUI	5.000 (%)

SEZIONE N. 1 ASSE A11.1
QT. PROGETTO : 61.641
DIST.PROG. : 0.000
DIST.SUCC. : 20.000

LEGENDA
TERRENO
PROGETTO
PREMASSO
PENDENZA MEDIA DEL TRATTO LOMBITRICO
PENDENZA TRA I VERTICI CONTIGUI
PROFILO TERRENO

SCALA 1:200

QT. R1F. 61.275

| | | |

Calculation of the
Stability
Strength
Serviceability
Stability of the structure
Strength of the structure
Serviceability of the structure
Calculation of the
Stability of the structure
Strength of the structure
Serviceability of the structure
Calculation of the
Stability of the structure
Strength of the structure
Serviceability of the structure
Calculation of the
Stability of the structure
Strength of the structure
Serviceability of the structure
Calculation of the
Stability of the structure
Strength of the structure
Serviceability of the structure
Calculation of the
Stability of the structure
Strength of the structure
Serviceability of the structure
Calculation of the
Stability of the structure
Strength of the structure
Serviceability of the structure
Calculation of the
Stability of the structure
Strength of the structure
Serviceability of the structure
Calculation of the
Stability of the structure
Strength of the structure
Serviceability of the structure
Calculation of the
Stability of the structure
Strength of the structure
Serviceability of the structure
Calculation of the
Stability of the structure
Strength of the structure
Serviceability of the structure



SCAVI E BONIFICHE	
STERRO	6.442 mq

SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE MISTO GRANULOMETRICO	1.000 mq
FONDAZIONE - TOUT-VENENANT	2.000 mq

SEZIONE N. : 36 ASSE A11.2
QT. PROGETTO : 72.713
DIST.PROG. : 660.000
DIST.PREC. : 20.000
DIST.SUCC. : 20.000

LEGENDA	
STERRO	
BONIFICA	
RILEVATO	
PAVIMENTAZIONE MISTO GRANULOMETRICO	
FONDAZIONE - TOUT-VENENANT	
PROFILO TERRENO	



SCALA 1: 200

QT. RIF. 49.409

| | | |

DOLCE & GABBANA	
ALTEZZA	+ 13.87 ft/m
PENDENZA	
ALTEZZA	+ 10.72 ft/m
PENDENZA	
ALTEZZA PILONE STRADALE	
PENDENZA PILONE STRADALE	
PENDENZA DEL SEGMENTO ASSIALE/METRICO	0.00 ft/m
PENDENZA DEL SEGMENTO ASSIALE/METRICO	0.00 ft/m

SEZIONE N. 1-4608 #12
LP PROGETTO: 11-A0
DIST PROG: 3.00
DIST BASO: 30.00

LEGENDA
TRACCIA
PILONE
PILONE STRADALE
PENDENZA DEL SEGMENTO ASSIALE/METRICO
PENDENZA DEL SEGMENTO ASSIALE/METRICO
PENDENZA TERRENO

SCALA 1:200

QT. KIT. 77.251

| | | |

Patient Name		
Patient ID		
Birth Date		
Gender		
Physician		
Study Description		
Series Description		
Protocol Name		
Institution Name		
Station Name		
Manufacturer		
Manufacturer's Model Name		
Software Versions		
Protocol Definition		
Contrast/Bolus Agent		
Slice Thickness	1.00 mm	
Data Collection Diameter		
Reconstruction Diameter		
Distance Source to Detector		
Distance Source to Patient		
Gantry/Detector Tilt		
Table Height		
Rotation Direction		
Exposure Time		
Exposure		
Generator Power		
Focal Spots		
Chars. of Focal Spot(s)		
Convolution Kernel		
Kvp		
Data Collection Mode		
Scan Mode		
Scan Type		
Image Type		
Acquisition Date	20180811	
Acquisition Time	140000.000000	
Image Date	20180811	
Image Time	140000.000000	
Series Date	20180811	
Series Time	140000.000000	
Study Date	20180811	
Study Time	140000.000000	



Slice	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
Slice	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
Slice	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69
Slice	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92
Slice	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115
Slice	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138
Slice	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161
Slice	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184
Slice	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207
Slice	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230
Slice	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253
Slice	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276
Slice	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299
Slice	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322
Slice	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345
Slice	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368
Slice	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391
Slice	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414
Slice	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437
Slice	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460
Slice	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483
Slice	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506
Slice	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529
Slice	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552
Slice	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575
Slice	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598
Slice	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621
Slice	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644
Slice	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667
Slice	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690
Slice	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713
Slice	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736
Slice	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759
Slice	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782
Slice	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805
Slice	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828
Slice	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851
Slice	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874
Slice	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897
Slice	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920
Slice	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943
Slice	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966
Slice	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989
Slice	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012
Slice	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035
Slice	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058
Slice	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081
Slice	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104
Slice	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127
Slice	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150
Slice	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173
Slice	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196
Slice	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219
Slice	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242
Slice	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265
Slice	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288
Slice	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311
Slice	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334
Slice	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357
Slice	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380
Slice	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403
Slice	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421	1422	1423	1424	1425	1426
Slice	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449
Slice	1450	1451	1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466	1467	1468	1469	1470	1471	1472
Slice	1473	1474	1475	1476	1477	1478	1479	1480	1481	1482	1483	1484	1485	1486	1487	1488	1489	1490	1491	1492	1493	1494	1495
Slice	1496	1497	1498	1499	1500	1501	1502	1503	1504	1505	1506	1507	1508	1509	1510	1511	1512	1513	1514	1515	1516	1517	1518
Slice	1519	1520	1521	1522	1523	1524	1525	1526	1527	1528	1529	1530	1531	1532	1533	1534	1535	1536	1537	1538	1539	1540	1541
Slice	1542	1543	1544	1545	1546	1547	1548	1549	1550	1551	1552	1553	1554	1555	1556	1557	1558	1559	1560	1561	1562	1563	1564
Slice	1565	1566	1567	1568	1569	1570	1571	1572	1573	1574	1575	1576	1577	1578	1579	1580	1581	1582	1583	1584	1585	1586	1587
Slice	1588	1589	1590	1591	1592	1593	1594	1595	1596	1597	1598	1599	1600	1601	1602	1603	1604	1605	1606	1607	1608	1609	1610
Slice	1611	1612	1613	1614	1615	1616	1617	1618	1619	1620	1621	1622	1623	1624	1625	1626	1627	1628	1629	1630	1631	1632	1633
Slice	1634	1635	1636	1637	1638	1639	1640	1641	1642	1643	1644	1645	1646	1647	1648	1649	1650	1651	1652	1653	1654	1655	1656
Slice	1657	1658	1659	1660	1661	1662	1663	1664	1665	1666	1667	1668	1669	1670	1671	1672	1673	1674	1675	1676	1677	1678	1679
Slice	1680	1681	1682	1683	1684	1685	1686	1687	1688	1689	1690	1691	1692	1693	1694	1695	1696	1697	1698	1699	1700	1701	1702
Slice	1703	1704	1705	1706	1707	1708	1709	1710	1711	1712	1713	1714	1715	1716	1717	1718	1719	1720	1721	1722	1723	1724	1725
Slice	1726	1727	1728	1729	1730	1731	1732	1733	1734	1735	1736	1737	1738	1739	1740	1741	1742	1743	1744	1745	1746	1747	1748
Slice	1749	1750	1751	1752	1753	1754	1755	1756	1757	1758	1759	1760	1761	1762	1763	1764	1765	1766	1767	1768	1769	1770	1771
Slice	1772	1773	1774	1775	1776	1777	1778	1779	1780	1781	1782	1783	1784	1785	1786	1787	1788	1789	1790	1791	1792	1793	1794
Slice	1795	1796	1797	1798	1799	1800	1801	1802	1803	1804	1805	1806	1807	1808	1809	1810	1811	1812	1813	1814	1815	1816	1817
Slice	1818	1819	1820	1821	1822	1823	1824	1825	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840
Slice	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863
Slice	1864	1865	1866	1867	1868	1869	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	1885	1886
Slice	1887	1888	1889	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909
Slice	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
Slice	1933	1934	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955
Slice	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978
Slice	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Slice	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Slice	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047

DIGHE E BONIFICHE	
TESORO	1.90 ms
SCHIFFA	0.47 ms
TRAVERSA	
TRAVERSA	0.38 ms
FONDAZIONI PER STRADA	
FONDAZIONI PER STRADA A GEOMETRICO	1.00 ms
FONDAZIONI PER STRADA	0.60 ms

SEZIONE N. : 12 ASSE A12 1
QT. PROGETTO : 102.473
DIST.PROG. : 80.000
DIST.PREC. : 2.000
DIST.SUCC. : 20.000

LEGENDA
TESORO
SCHIFFA
TRAVERSA
FONDAZIONI PER STRADA A GEOMETRICO
FONDAZIONI PER STRADA
PROFILO TERRENO

SCALA 1: 200

QT. R.I.F. : 78.794

| | | |

DIGUE E BONIFICHE	
TESSERA	0.90 ms
SCAPIGLIA	10.00 ms
TRAVERSA	
TRAVERSA	20.90 ms
RICOSTRUZIONE STRADALE	
RICOSTRUZIONE SEGNALETICA ORIZZ.LIMITROFA	7.00 ms
FORMAZIONE "OLD" DRENANTE	1.00 ms

LEGENDA
TESSERA
SCAPIGLIA
TRAVERSA
RICOSTRUZIONE SEGNALETICA ORIZZ.LIMITROFA
FORMAZIONE "OLD" DRENANTE
PROFILO TERRENO

SEZIONE N. 1 ASSE A013
QT. PROGETTO: 14.132
DIST.PROG.: 0.000
DIST.SUCC.: 20.000

SCALA 1: 200

QT. RIF.: 19.659

| | | |

Project	1 - Initial
Calculation	Calculation of Sight Distance
Alignment	Alignment 1
Profile	Profile 1
Vehicle	Vehicle 1
Calculation Method	Sight Distance Calculation
Calculation Type	Sight Distance
Calculation Mode	Calculation
Calculation Direction	Forward
Calculation Start	Alignment 1, Station 0.000, Offset 0.000, Elevation 0.000
Calculation End	Alignment 1, Station 1,000.000, Offset 0.000, Elevation 0.000
Calculation Step Size	10.000
Calculation Tolerance	0.010
Vehicle Path	Vehicle Path 1
Vehicle Speed	50.000 km/h
Vehicle Height	1.080 m
Vehicle Type	Car
Calculation Time	0.000 s
Calculation Status	Calculation succeeded.

Station 1,000
0.000 - 0.000
Alignment 1, Station 0.000, Offset 0.000, Elevation 0.000
Alignment 1, Station 1,000.000, Offset 0.000, Elevation

Project	1 1 2 3
Model	1 1 2 3
Analysis	1 1 2 3
Design	1 1 2 3
Check	1 1 2 3
Post-processing	1 1 2 3
Results saved	1 1 2 3
Finished	1 1 2 3

Maximum = 0.00 m/s
Minimum = 0.00 m/s
Average = 0.00 m/s
Sum = 0.00 m/s

Maximum = 0.00 m/s
Minimum = 0.00 m/s
Average = 0.00 m/s
Sum = 0.00 m/s

Scale: 1 : 100

| | | |

Patient name	[redacted]	
Birth date	[redacted]	
Sex	[redacted]	
Study	[redacted]	
Ordering physician	[redacted]	
Referring physician	[redacted]	
Institution name	[redacted]	
Station name	[redacted]	
Study description	[redacted]	
Series description	[redacted]	
Institution address	[redacted]	
Performing physicians name	[redacted]	
Operators name	[redacted]	
Manufacturer	[redacted]	
Manufacturer model name	[redacted]	
Software versions	[redacted]	
Protocol name	[redacted]	
Image comments	[redacted]	

Projekt		
Nr.		
Bauteil		
Position		
Datum		
Statik		
Stahlbetonstützen nach DIN EN 1992-1-1:2011-01		
Querschnittsnachweis		
Normalkraft		
Biegung um die Querachse		
Biegung um die Hochachse		
Querkraft		
Nachweisverfahren		
Verfahren	Näherungsverfahren	
Knicklänge	ideelle Knicklänge	
Biegung um die Querachse		
Biegung um die Hochachse		
Schlankheit		
Grenzschlankheit		
Kriechzahl		
Stahlspannungen		
Stahl		
Spannungsunabhängiger Kriechbeiwert		
Bewehrung		
Bewehrungsgehalt		
Minimale Querbewehrung		
Maximale Querbewehrung		
Bewehrung		
Bewehrungsgehalt		
Minimale Querbewehrung		
Maximale Querbewehrung		

| | | |

SCAVI E BONIFICHE	
STERRO	1.835 mq
BONIFICA	0.227 mq

RILEVATI	
RILEVATO	0.098 mq

SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	1.000 mq
FONDAZIONE - TOUT-VENENANT	2.000 mq

LEGENDA	
STERRO	
BONIFICA	
RILEVATO	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	
FONDAZIONE - TOUT-VENENANT	
PROFILO TERRENO	

SEZIONE N. : 48 ASSE A13.1

QT. PROGETTO : 45.436

DIST.PROG. : 700.000

DIST.PREC. : 4.000

DIST.SUCC. : 20.000



SCALA 1: 200

QT. RIF. 21.775

QUOTE TERRENO	44.397	44.435	44.483				45.119	45.255	45.274	45.448	45.674	45.687		45.903
DIST. PARZIALI TERRENO	0.908	1.373	17.719				1.537	3.067	4.846	4.530	0.388	5.435		
QUOTE PROGETTO					45.077	45.077	45.077	45.077	45.077	45.077				
DIST. PARZIALI PROGETTO					0.908	2.500	2.500	0.388						

SCAVI E BONIFICHE	
STERRO	2.098 mq
BONIFICA	0.162 mq

RILEVATI	
RILEVATO	0.072 mq

SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	1.000 mq
FONDAZIONE - TOUT-VENENANT	2.000 mq

LEGENDA	
STERRO	
BONIFICA	
RILEVATO	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	
FONDAZIONE - TOUT-VENENANT	
PROFILO TERRENO	

SEZIONE N. : 49 ASSE A13.1

QT. PROGETTO : 44.573

DIST.PROG. : 720.000

DIST.PREC. : 20.000

DIST.SUCC. : 3.909



SCALA 1: 200

QT. RIF. 21.103

QUOTE TERRENO	45.413			44.580	44.560	44.380		44.694	44.975		45.414	45.792
DIST. PARZIALI TERRENO		17.332			2.562	6.272		4.050	6.305		3.373	
QUOTE PROGETTO				44.573	44.573	44.573	44.573	44.573	44.573	44.573		
DIST. PARZIALI PROGETTO				0.147	2.500	2.500						


Geometrie
Geometrie
Geometrie

Calculation
Calculation method: Simplified Bishop
Slip surface: Circle
Search method: Grid search
Tension crack: Not allowed
Tension crack method: Water pressure
Water pressure: Ru = 0.000
Seismic coefficients
Horizontal seismic coefficient: 0.000
Vertical seismic coefficient: 0.000
Results
Minimum safety factor: 1.000
Calculation time: 0.000 s
Slip surface: Circle
Center: (-0.000, 0.000)
Radius: 0.000
Entry: (-0.000, 0.000)
Exit: (-0.000, 0.000)
Slices
Slice width: 1.000
Slice material: Sand
Slice material: Clay
Slice material: Peat

Calculation
Calculation method: Simplified Bishop
Slip surface: Circle
Search method: Grid search
Tension crack: Not allowed
Tension crack method: Water pressure
Water pressure: Ru = 0.000
Seismic coefficients
Horizontal seismic coefficient: 0.000
Vertical seismic coefficient: 0.000
Results
Minimum safety factor: 1.000
Calculation time: 0.000 s
Slip surface: Circle
Center: (-0.000, 0.000)
Radius: 0.000
Entry: (-0.000, 0.000)
Exit: (-0.000, 0.000)
Slices
Slice width: 1.000
Slice material: Sand
Slice material: Clay
Slice material: Peat

Calculation
Calculation method: Simplified Bishop
Slip surface: Circle
Search method: Grid search
Tension crack: Not allowed
Tension crack method: Water pressure
Water pressure: Ru = 0.000
Seismic coefficients
Horizontal seismic coefficient: 0.000
Vertical seismic coefficient: 0.000
Results
Minimum safety factor: 1.000
Calculation time: 0.000 s
Slip surface: Circle
Center: (-0.000, 0.000)
Radius: 0.000
Entry: (-0.000, 0.000)
Exit: (-0.000, 0.000)
Slices
Slice width: 1.000
Slice material: Sand
Slice material: Clay
Slice material: Peat

Calculation
Calculation method: Simplified Bishop
Slip surface: Circle
Search method: Grid search
Tension crack: Not allowed
Tension crack method: Water pressure
Water pressure: Ru = 0.000
Seismic coefficients
Horizontal seismic coefficient: 0.000
Vertical seismic coefficient: 0.000
Results
Minimum safety factor: 1.000
Calculation time: 0.000 s
Slip surface: Circle
Center: (-0.000, 0.000)
Radius: 0.000
Entry: (-0.000, 0.000)
Exit: (-0.000, 0.000)
Slices
Slice width: 1.000
Slice material: Sand
Slice material: Clay
Slice material: Peat

Calculation
Calculation method: Simplified Bishop
Slip surface: Circle
Search method: Grid search
Tension crack: Not allowed
Tension crack method: Water pressure
Water pressure: Ru = 0.000
Seismic coefficients
Horizontal seismic coefficient: 0.000
Vertical seismic coefficient: 0.000
Results
Minimum safety factor: 1.000
Calculation time: 0.000 s
Slip surface: Circle
Center: (-0.000, 0.000)
Radius: 0.000
Entry: (-0.000, 0.000)
Exit: (-0.000, 0.000)
Slices
Slice width: 1.000
Slice material: Sand
Slice material: Clay
Slice material: Peat

Calculation
Calculation method: Simplified Bishop
Slip surface: Circle
Search method: Grid search
Tension crack: Not allowed
Tension crack method: Water pressure
Water pressure: Ru = 0.000
Seismic coefficients
Horizontal seismic coefficient: 0.000
Vertical seismic coefficient: 0.000
Results
Minimum safety factor: 1.000
Calculation time: 0.000 s
Slip surface: Circle
Center: (-0.000, 0.000)
Radius: 0.000
Entry: (-0.000, 0.000)
Exit: (-0.000, 0.000)
Slices
Slice width: 1.000
Slice material: Sand
Slice material: Clay
Slice material: Peat

Calculation
Calculation method: Simplified Bishop
Slip surface: Circle
Search method: Grid search
Tension crack: Not allowed
Tension crack method: Water pressure
Water pressure: Ru = 0.000
Seismic coefficients
Horizontal seismic coefficient: 0.000
Vertical seismic coefficient: 0.000
Results
Minimum safety factor: 1.000
Calculation time: 0.000 s
Slip surface: Circle
Center: (-0.000, 0.000)
Radius: 0.000
Entry: (-0.000, 0.000)
Exit: (-0.000, 0.000)
Slices
Slice width: 1.000
Slice material: Sand
Slice material: Clay
Slice material: Peat

Calculation
Calculation method: Simplified Bishop
Slip surface: Circle
Search method: Grid search
Tension crack: Not allowed
Tension crack method: Water pressure
Water pressure: Ru = 0.000
Seismic coefficients
Horizontal seismic coefficient: 0.000
Vertical seismic coefficient: 0.000
Results
Minimum safety factor: 1.000
Calculation time: 0.000 s
Slip surface: Circle
Center: (-0.000, 0.000)
Radius: 0.000
Entry: (-0.000, 0.000)
Exit: (-0.000, 0.000)
Slices
Slice width: 1.000
Slice material: Sand
Slice material: Clay
Slice material: Peat

Calculation
Calculation method: Simplified Bishop
Slip surface: Circle
Search method: Grid search
Tension crack: Not allowed
Tension crack method: Water pressure
Water pressure: Ru = 0.000
Seismic coefficients
Horizontal seismic coefficient: 0.000
Vertical seismic coefficient: 0.000
Results
Minimum safety factor: 1.000
Calculation time: 0.000 s
Slip surface: Circle
Center: (-0.000, 0.000)
Radius: 0.000
Entry: (-0.000, 0.000)
Exit: (-0.000, 0.000)
Slices
Slice width: 1.000
Slice material: Sand
Slice material: Clay
Slice material: Peat

Calculation
Calculation method: Simplified Bishop
Slip surface: Circle
Search method: Grid search
Tension crack: Not allowed
Tension crack method: Water pressure
Water pressure: Ru = 0.000
Seismic coefficients
Horizontal seismic coefficient: 0.000
Vertical seismic coefficient: 0.000
Results
Minimum safety factor: 1.000
Calculation time: 0.000 s
Slip surface: Circle
Center: (-0.000, 0.000)
Radius: 0.000
Entry: (-0.000, 0.000)
Exit: (-0.000, 0.000)
Slices
Slice width: 1.000
Slice material: Sand
Slice material: Clay
Slice material: Peat

Calculation
Calculation method: Simplified Bishop
Slip surface: Circle
Search method: Grid search
Tension crack: Not allowed
Tension crack method: Water pressure
Water pressure: Ru = 0.000
Seismic coefficients
Horizontal seismic coefficient: 0.000
Vertical seismic coefficient: 0.000
Results
Minimum safety factor: 1.000
Calculation time: 0.000 s
Slip surface: Circle
Center: (-0.000, 0.000)
Radius: 0.000
Entry: (-0.000, 0.000)
Exit: (-0.000, 0.000)
Slices
Slice width: 1.000
Slice material: Sand
Slice material: Clay
Slice material: Peat

Calculation
Calculation method: Simplified Bishop
Slip surface: Circle
Search method: Grid search
Tension crack: Not allowed
Tension crack method: Water pressure
Water pressure: Ru = 0.000
Seismic coefficients
Horizontal seismic coefficient: 0.000
Vertical seismic coefficient: 0.000
Results
Minimum safety factor: 1.000
Calculation time: 0.000 s
Slip surface: Circle
Center: (-0.000, 0.000)
Radius: 0.000
Entry: (-0.000, 0.000)
Exit: (-0.000, 0.000)
Slices
Slice width: 1.000
Slice material: Sand
Slice material: Clay
Slice material: Peat

QUOTA ASSOLUTA	1.000 ms
QUOTA	1.000 ms
PENDENZA	0.000 %
PENDENZA	0.000 ms
PENDENZA MEDIA DEFLUSSO	
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 %
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 ms

SEZIONE N. 15.4928 P.P.
LP PROGETTO: 75.00
DIST.PREC.: 0.00
DIST.PREC.: 0.00
DIST.SUCC.: 0.00

LEGENDA
PENDENZA
PENDENZA
PENDENZA MEDIA DEFLUSSO
PENDENZA MEDIA DEFLUSSO CONTRATTO
PENDENZA MEDIA DEFLUSSO CONTRATTO



QUOTA ASSOLUTA	1.000 ms
QUOTA	1.000 ms
PENDENZA	0.000 %
PENDENZA	0.000 ms
PENDENZA MEDIA DEFLUSSO	
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 %
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 ms

SEZIONE N. 16.4928 P.P.
LP PROGETTO: 75.00
DIST.PREC.: 0.00
DIST.PREC.: 0.00
DIST.SUCC.: 0.00

LEGENDA
PENDENZA
PENDENZA
PENDENZA MEDIA DEFLUSSO
PENDENZA MEDIA DEFLUSSO CONTRATTO
PENDENZA MEDIA DEFLUSSO CONTRATTO



QUOTA ASSOLUTA	1.000 ms
QUOTA	1.000 ms
PENDENZA	0.000 %
PENDENZA	0.000 ms
PENDENZA MEDIA DEFLUSSO	
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 %
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 ms

SEZIONE N. 18.4928 P.P.
LP PROGETTO: 80.00
DIST.PREC.: 0.00
DIST.PREC.: 0.00
DIST.SUCC.: 0.00

LEGENDA
PENDENZA
PENDENZA
PENDENZA MEDIA DEFLUSSO
PENDENZA MEDIA DEFLUSSO CONTRATTO
PENDENZA MEDIA DEFLUSSO CONTRATTO



QUOTA ASSOLUTA	1.000 ms
QUOTA	1.000 ms
PENDENZA	0.000 %
PENDENZA	0.000 ms
PENDENZA MEDIA DEFLUSSO	
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 %
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 ms

SEZIONE N. 19.4928 P.P.
LP PROGETTO: 80.00
DIST.PREC.: 0.00
DIST.PREC.: 0.00
DIST.SUCC.: 2.646

LEGENDA
PENDENZA
PENDENZA
PENDENZA MEDIA DEFLUSSO
PENDENZA MEDIA DEFLUSSO CONTRATTO
PENDENZA MEDIA DEFLUSSO CONTRATTO



QUOTA ASSOLUTA	1.000 ms
QUOTA	1.000 ms
PENDENZA	0.000 %
PENDENZA	0.000 ms
PENDENZA MEDIA DEFLUSSO	
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 %
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 ms

SEZIONE N. 17.4928 P.P.
LP PROGETTO: 80.00
DIST.PREC.: 0.00
DIST.PREC.: 0.00
DIST.SUCC.: 0.00

LEGENDA
PENDENZA
PENDENZA
PENDENZA MEDIA DEFLUSSO
PENDENZA MEDIA DEFLUSSO CONTRATTO
PENDENZA MEDIA DEFLUSSO CONTRATTO

QUOTA ASSOLUTA	1.000 ms
QUOTA	1.000 ms
PENDENZA	0.000 %
PENDENZA	0.000 ms
PENDENZA MEDIA DEFLUSSO	
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 %
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 ms

SEZIONE N. 20.4928 P.P.
LP PROGETTO: 80.00
DIST.PREC.: 0.00
DIST.PREC.: 0.00
DIST.SUCC.: 10.718

LEGENDA
PENDENZA
PENDENZA
PENDENZA MEDIA DEFLUSSO
PENDENZA MEDIA DEFLUSSO CONTRATTO
PENDENZA MEDIA DEFLUSSO CONTRATTO

QUOTA ASSOLUTA	1.000 ms
QUOTA	1.000 ms
PENDENZA	0.000 %
PENDENZA	0.000 ms
PENDENZA MEDIA DEFLUSSO	
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 %
PENDENZA MEDIA DEFLUSSO CONTRATTO	0.000 ms

SEZIONE N. 18.4928 P.P.
LP PROGETTO: 80.00
DIST.PREC.: 0.00
DIST.PREC.: 0.00
DIST.SUCC.: 10.718

LEGENDA
PENDENZA
PENDENZA
PENDENZA MEDIA DEFLUSSO
PENDENZA MEDIA DEFLUSSO CONTRATTO
PENDENZA MEDIA DEFLUSSO CONTRATTO

QUOTE E BONIFICHE	
TESTATA	34.287 ml
SCARPATA	0.000 ml
TRINCEA	
TESTATA	0.138 ml
FONDAZIONI PER STRADA	
FONDAZIONE SUPERIORE LATO LAMETRICO	0.000 ml
FONDAZIONE INFERIORE LATO LEVANTE	0.000 ml

SEZIONE N. 1 ASSE A15
QT PROGETTO 36.426
DIST.PROG. -0.000
DIST.SUCC. -20.000

LEGENDA

TERRENO	
PROGETTO	
FONDAZIONE	
FONDAZIONE INFERIORE LATO LAMETRICO	
FONDAZIONE INFERIORE LATO LEVANTE	
PROFILO TERRENO	

SCALA 1:200

QT. R1F. 72.940

QUOTE TERRENO	1		2		3		4		5
DIST. PARZIALI TERRENO		4.94		4.94		10.00		10.00	
QUOTE PROGETTO		1.000 / 1.000		1.000 / 1.000		1.000 / 1.000		1.000 / 1.000	
DIST. PARZIALI PROGETTO		4.94		10.00		10.00		10.00	

QUOTE E BONIFICHE	
TESTATA	1.203 ml
SCARPATA	1.050 ml
TRINCEA	
TESTATA	0.298 ml
FONDAZIONI PER STRADA	
FONDAZIONE SUPERIORE LATO LAMETRICO	0.000 ml
FONDAZIONE INFERIORE LATO LEVANTE	0.000 ml

SEZIONE N. 2 ASSE A15
QT PROGETTO 36.536
DIST.PROG. 20.000
DIST.SUCC. 20.000

LEGENDA

TERRENO	
PROGETTO	
FONDAZIONE	
FONDAZIONE INFERIORE LATO LAMETRICO	
FONDAZIONE INFERIORE LATO LEVANTE	
PROFILO TERRENO	

SCALA 1:200

QT. R1F. 72.995

QUOTE TERRENO	1		2		3		4		5
DIST. PARZIALI TERRENO		20.00		20.00		20.00		20.00	
QUOTE PROGETTO		1.000 / 1.000		1.000 / 1.000		1.000 / 1.000		1.000 / 1.000	
DIST. PARZIALI PROGETTO		20.00		20.00		20.00		20.00	

QUOTE E BONIFICHE	
TESTATA	1.038 ml
SCARPATA	1.138 ml
TRINCEA	
TESTATA	0.187 ml
FONDAZIONI PER STRADA	
FONDAZIONE SUPERIORE LATO LAMETRICO	0.000 ml
FONDAZIONE INFERIORE LATO LEVANTE	0.000 ml

SEZIONE N. 3 ASSE A15
QT PROGETTO 36.535
DIST.PROG. 40.000
DIST.SUCC. 20.000

LEGENDA

TERRENO	
PROGETTO	
FONDAZIONE	
FONDAZIONE INFERIORE LATO LAMETRICO	
FONDAZIONE INFERIORE LATO LEVANTE	
PROFILO TERRENO	

SCALA 1:200

QT. R1F. 73.003

QUOTE TERRENO	1		2		3		4		5		6
DIST. PARZIALI TERRENO		1.40		4.60		4.60		10.07		1.98	
QUOTE PROGETTO		1.000 / 1.000		1.000 / 1.000		1.000 / 1.000		1.000 / 1.000		1.000 / 1.000	
DIST. PARZIALI PROGETTO		4.60		10.00		10.00		10.00		1.98	

QUOTE E BONIFICHE	
TESTATA	0.938 ml
SCARPATA	1.038 ml
TRINCEA	
TESTATA	0.388 ml
FONDAZIONI PER STRADA	
FONDAZIONE SUPERIORE LATO LAMETRICO	0.000 ml
FONDAZIONE INFERIORE LATO LEVANTE	0.000 ml

SEZIONE N. 4 ASSE A15
QT PROGETTO 36.735
DIST.PROG. 60.000
DIST.SUCC. 20.000

LEGENDA

TERRENO	
PROGETTO	
FONDAZIONE	
FONDAZIONE INFERIORE LATO LAMETRICO	
FONDAZIONE INFERIORE LATO LEVANTE	
PROFILO TERRENO	

SCALA 1:200

QT. R1F. 73.157

QUOTE TERRENO	1		2		3		4		5
DIST. PARZIALI TERRENO		20.00		1.00		4.47			
QUOTE PROGETTO		1.000 / 1.000		1.000 / 1.000		1.000 / 1.000			
DIST. PARZIALI PROGETTO		20.00		20.00		20.00			

QUOTE E BONIFICHE	
TESTATA	0.738 ml
SCARPATA	0.838 ml
TRINCEA	
TESTATA	1.087 ml
FONDAZIONI PER STRADA	
FONDAZIONE SUPERIORE LATO LAMETRICO	0.000 ml
FONDAZIONE INFERIORE LATO LEVANTE	0.000 ml

SEZIONE N. 5 ASSE A15
QT PROGETTO 36.835
DIST.PROG. 80.000
DIST.PREC. 20.000

LEGENDA

TERRENO	
PROGETTO	
FONDAZIONE	
FONDAZIONE INFERIORE LATO LAMETRICO	
FONDAZIONE INFERIORE LATO LEVANTE	
PROFILO TERRENO	

SCALA 1:200

QT. R1F. 73.020

QUOTE TERRENO	1		2		3		4		5
DIST. PARZIALI TERRENO		20.00		20.00		20.00			
QUOTE PROGETTO		1.000 / 1.000		1.000 / 1.000		1.000 / 1.000			
DIST. PARZIALI PROGETTO		20.00		20.00		20.00			

Patient Name	[redacted]	
Patient ID	[redacted]	
Birth Date	[redacted]	
Sex	[redacted]	
Referring Physician	[redacted]	
Study Description	[redacted]	
Accession Number	[redacted]	
Study Date	[redacted]	
Study Time	[redacted]	
Institution Name	[redacted]	
Station Name	[redacted]	
Manufacturer	[redacted]	
Model	[redacted]	
Software Version	[redacted]	
Protocol Name	[redacted]	
Series Description	[redacted]	
Series Number	[redacted]	
Acquisition Number	[redacted]	
Image Type	[redacted]	
Acquisition Date	[redacted]	
Acquisition Time	[redacted]	
Image Position (Patient)	[redacted]	
Image Orientation (Patient)	[redacted]	
Frame of Reference UID	[redacted]	
Synchronization Frame of Reference UID	[redacted]	
Slice Location	[redacted]	
Slice Thickness	[redacted]	
Spacing Between Slices	[redacted]	
Pixel Spacing	[redacted]	
Rows	[redacted]	
Columns	[redacted]	
Bits Allocated	[redacted]	
Bits Stored	[redacted]	
High Bit	[redacted]	
Pixel Representation	[redacted]	
Window Center	[redacted]	
Window Width	[redacted]	
Rescale Intercept	[redacted]	
Rescale Slope	[redacted]	
Rescale Type	[redacted]	
Lossy Image Compression	[redacted]	
Lossy Image Compression Method	[redacted]	
Lossy Image Compression Ratio	[redacted]	
Pixel Data	[redacted]	

SCAVI E BONIFICHE	
STERRO	8.448 mq
BONIFICA	0.112 mq

RILEVATI	
RILEVATO	0.045 mq

SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	3.400 mq
FONDAZIONE - TOUT-VENENANT	6.800 mq

LEGENDA	
STERRO	
BONIFICA	
RILEVATO	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	
FONDAZIONE - TOUT-VENENANT	
PROFILO TERRENO	

SEZIONE N. : 12 ASSE A15.1

QT. PROGETTO : 92.499

DIST.PROG. : 102.000

DIST.PREC. : 12.000

SCALA 1: 200

QT. RIF. 68.908

QUOTE TERRENO	92.780	92.716		92.299	92.236	92.165		91.993	91.837
DIST. PARZIALI TERRENO		4.009	15.991		2.391	4.158	8.092		5.359
QUOTE PROGETTO		92.678 92.644 92.611 92.044		91.899 91.899 91.899 91.899	91.874 92.274 92.474 92.228				
DIST. PARZIALI PROGETTO			14.500		2.500	0.372			

Patient Name		
Patient ID		
Birth Date		
Sex		
Study Description		
Series Description		
Protocol Name		
Operator's Name		
Manufacturer		
Model		
Station Name		
Software Version		
Acquisition Date		
Acquisition Time		
Image Type		
Image Size		
Pixel Spacing		
Window Center		
Window Width		
Rescale Intercept		
Rescale Slope		
Rescale Type		
Bits Allocated		
Bits Stored		
High Bit		
Pixel Representation		
Samples Per Pixel		
Photometric Interpretation		
Transfer Syntax UID		
Implementation Class UID		
Implementation Version Name		
Source AE Title		
Specific Character Set		
Instance Number		
Series Number		
Acquisition Number		
Image Orientation (Patient)		
Image Position (Patient)		
Frame of Reference UID		
Study Instance UID		
Series Instance UID		
SOP Class UID		
SOP Instance UID		
Modality		
Study Date		
Series Date		
Acquisition Date		
Content Date		
Study Time		
Series Time		
Acquisition Time		
Content Time		
Accession Number		
Referring Physician's Name		
Patient's Birth Date		
Patient's Sex		
Patient's Age		
Patient's Weight		
Patient's Size		
Patient's Address		
Patient's Telephone Number		
Patient's Mother's Birth Name		
Patient's Ethnic Group		
Patient's Occupation		
Patient's Comments		
Pixel Data		



Gesamtergebnis	1,00 s	
Messung	1,00 s	
Grenze		
Grenzverletzungen	0	
Grenzverletzungen (Messwertanzahl)	0	
Messwertanzahl	1	
Messwertanzahl (Grenzverletzungen)	0	
Gesamtergebnis (Grenzverletzungen)		
Messung (Grenzverletzungen)		

Gerät: 1-0-0-0
Messung: 1-0-0-0

SCAVI E BONIFICHE	
SCAVI A SEZIONE BONIFICA	18.398 mq 8.396 mq
RILEVATO	
RILEVATO	0.078 mq
SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE MISTO GRANULOMETRICO	7.000 mq
FORMAZIONE TOVO SENEMARI	18.000 mq

LEGENDA
TERRENO
SCAVO
RILEVATO
PAVIMENTAZIONE MISTO GRANULOMETRICO
FORMAZIONE TOVO SENEMARI
PROFILO TERRENO

SEZIONE N. : 23 ASSE A16
QT. PROGETTO : 115.653
DIST.PREC. : 220.000
DIST.PREC. : 20.000
DIST.SUCC. : 20.000

SCALA 1: 200



SCAVI E BONIFICHE	
SCAVI A SEZIONE BONIFICA	18.417 mq 8.740 mq
RILEVATO	
RILEVATO	0.071 mq
SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE MISTO GRANULOMETRICO	7.000 mq
FORMAZIONE TOVO SENEMARI	18.000 mq

LEGENDA
TERRENO
SCAVO
RILEVATO
PAVIMENTAZIONE MISTO GRANULOMETRICO
FORMAZIONE TOVO SENEMARI
PROFILO TERRENO

SEZIONE N. : 24 ASSE A16
QT. PROGETTO : 115.553
DIST.PREC. : 240.000
DIST.PREC. : 20.000
DIST.SUCC. : 20.000

SCALA 1: 200



SCAVI E BONIFICHE	
SCAVI A SEZIONE BONIFICA	17.418 mq 8.398 mq
RILEVATO	
RILEVATO	0.056 mq
SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE MISTO GRANULOMETRICO	7.000 mq
FORMAZIONE TOVO SENEMARI	18.000 mq

LEGENDA
TERRENO
SCAVO
RILEVATO
PAVIMENTAZIONE MISTO GRANULOMETRICO
FORMAZIONE TOVO SENEMARI
PROFILO TERRENO

SEZIONE N. : 25 ASSE A16
QT. PROGETTO : 115.453
DIST.PREC. : 260.000
DIST.PREC. : 20.000
DIST.SUCC. : 19.730

SCALA 1: 200



SCAVI E BONIFICHE	
SCAVI A SEZIONE BONIFICA	18.147 mq 8.731 mq
RILEVATO	
RILEVATO	0.052 mq
SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE MISTO GRANULOMETRICO	7.000 mq
FORMAZIONE TOVO SENEMARI	18.000 mq

LEGENDA
TERRENO
SCAVO
RILEVATO
PAVIMENTAZIONE MISTO GRANULOMETRICO
FORMAZIONE TOVO SENEMARI
PROFILO TERRENO

SEZIONE N. : 26 ASSE A16
QT. PROGETTO : 115.355
DIST.PREC. : 279.730
DIST.PREC. : 19.730

SCALA 1: 200




Patient Name
Patient ID
Birth Date
Sex
Study Description
Series Description
Institution Name
Station Name
Manufacturer
Operator Name
Protocol Name
Acquisition Date
Acquisition Time
Image Comments
Acquisition Comments
Image Type
Acquisition Type
Scan Options
Image Size
Image Dimensions
Pixel Spacing
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time
Slice Thickness
Slice Gap
Image Position
Image Orientation
Frame of Reference UID
Study Instance UID
Series Instance UID
Acquisition Number
Series Number
Image Number
Slice Location
Window Center
Window Width
Rescale Intercept
Rescale Slope
Rescale Type
Pixel Representation
Bits Allocated
Bits Stored
High Bit
Samples per Pixel
Photometric Interpretation
Transfer Syntax UID
Implementation Class UID
Implementation Version Name
Source AE Title
Sending AE Title
Receiving AE Title
Storage Media File-Set ID
Storage Media File-Set UID
Date/Time

Operator	[redacted]
Serial Number	[redacted]
Model	[redacted]
Firmware Version	[redacted]
Device Type	[redacted]
Capacity	[redacted]
Sector Sizes	[redacted]
Rotation Rate	[redacted]
Form Factor	[redacted]
Logical Unit id	[redacted]
Device is	[redacted]
ATA/ATAPI-7 T13/1532D revision 1	[redacted]
SATA Version is	[redacted]
Local Time is	[redacted]
SMART support is	[redacted]
Error Logging support is	[redacted]
Short self-test routine recommended polling time	[redacted]
Extended self-test routine recommended polling time	[redacted]
SCT capabilities	[redacted]

SMART Attributes Data Structure revision number: [redacted]
Vendor Specific SMART Attributes with Thresholds:

ID#	ATTRIBUTE NAME	FLAG	VALUE	WORST	THRESH	TYPE	UPDATED	WHEN FAILED	RAW VALUE
[redacted]									

SMART Error Log Version: [redacted]
No Errors Logged

SMART Self-test log structure revision number [redacted]
Num Test_Description Status Remaining LifeTime(hours) LBA_of_first_error
[redacted]
SMART Selective self-test log data structure revision number [redacted]
SPAN MIN_LBA MAX_LBA CURRENT_TEST_STATUS
[redacted]
SELECTIVE SELF-TEST LOG [redacted]
If Selective self-test is pending on power-up, resumption at LBA [redacted] is in progress [redacted] complete
[redacted]
SMART Attributes Data Structure revision number: [redacted]
Vendor Specific SMART Attributes with Thresholds:

ID#	ATTRIBUTE NAME	FLAG	VALUE	WORST	THRESH	TYPE	UPDATED	WHEN FAILED	RAW VALUE
[redacted]									

SMART Error Log Version: [redacted]
No Errors Logged

SMART Self-test log structure revision number [redacted]
Num Test_Description Status Remaining LifeTime(hours) LBA_of_first_error
[redacted]
SMART Selective self-test log data structure revision number [redacted]
SPAN MIN_LBA MAX_LBA CURRENT_TEST_STATUS
[redacted]
SELECTIVE SELF-TEST LOG [redacted]
If Selective self-test is pending on power-up, resumption at LBA [redacted] is in progress [redacted] complete
[redacted]
SMART Attributes Data Structure revision number: [redacted]
Vendor Specific SMART Attributes with Thresholds:

ID#	ATTRIBUTE NAME	FLAG	VALUE	WORST	THRESH	TYPE	UPDATED	WHEN FAILED	RAW VALUE
[redacted]									

SMART Error Log Version: [redacted]
No Errors Logged

SMART Self-test log structure revision number [redacted]
Num Test_Description Status Remaining LifeTime(hours) LBA_of_first_error
[redacted]
SMART Selective self-test log data structure revision number [redacted]
SPAN MIN_LBA MAX_LBA CURRENT_TEST_STATUS
[redacted]
SELECTIVE SELF-TEST LOG [redacted]
If Selective self-test is pending on power-up, resumption at LBA [redacted] is in progress [redacted] complete
[redacted]
SMART Attributes Data Structure revision number: [redacted]
Vendor Specific SMART Attributes with Thresholds:

ID#	ATTRIBUTE NAME	FLAG	VALUE	WORST	THRESH	TYPE	UPDATED	WHEN FAILED	RAW VALUE
[redacted]									

SMART Error Log Version: [redacted]
No Errors Logged

SMART Self-test log structure revision number [redacted]
Num Test_Description Status Remaining LifeTime(hours) LBA_of_first_error
[redacted]
SMART Selective self-test log data structure revision number [redacted]
SPAN MIN_LBA MAX_LBA CURRENT_TEST_STATUS
[redacted]
SELECTIVE SELF-TEST LOG [redacted]
If Selective self-test is pending on power-up, resumption at LBA [redacted] is in progress [redacted] complete
[redacted]
SMART Attributes Data Structure revision number: [redacted]
Vendor Specific SMART Attributes with Thresholds:

ID#	ATTRIBUTE NAME	FLAG	VALUE	WORST	THRESH	TYPE	UPDATED	WHEN FAILED	RAW VALUE
[redacted]									

SMART Error Log Version: [redacted]
No Errors Logged

SMART Self-test log structure revision number [redacted]
Num Test_Description Status Remaining LifeTime(hours) LBA_of_first_error
[redacted]
SMART Selective self-test log data structure revision number [redacted]
SPAN MIN_LBA MAX_LBA CURRENT_TEST_STATUS
[redacted]
SELECTIVE SELF-TEST LOG [redacted]
If Selective self-test is pending on power-up, resumption at LBA [redacted] is in progress [redacted] complete
[redacted]
SMART Attributes Data Structure revision number: [redacted]
Vendor Specific SMART Attributes with Thresholds:

ID#	ATTRIBUTE NAME	FLAG	VALUE	WORST	THRESH	TYPE	UPDATED	WHEN FAILED	RAW VALUE
[redacted]									

SMART Error Log Version: [redacted]
No Errors Logged

SMART Self-test log structure revision number [redacted]
Num Test_Description Status Remaining LifeTime(hours) LBA_of_first_error
[redacted]
SMART Selective self-test log data structure revision number [redacted]
SPAN MIN_LBA MAX_LBA CURRENT_TEST_STATUS
[redacted]
SELECTIVE SELF-TEST LOG [redacted]
If Selective self-test is pending on power-up, resumption at LBA [redacted] is in progress [redacted] complete
[redacted]
SMART Attributes Data Structure revision number: [redacted]
Vendor Specific SMART Attributes with Thresholds:

ID#	ATTRIBUTE NAME	FLAG	VALUE	WORST	THRESH	TYPE	UPDATED	WHEN FAILED	RAW VALUE
[redacted]									

SMART Error Log Version: [redacted]
No Errors Logged

SMART Self-test log structure revision number [redacted]
Num Test_Description Status Remaining LifeTime(hours) LBA_of_first_error
[redacted]
SMART Selective self-test log data structure revision number [redacted]
SPAN MIN_LBA MAX_LBA CURRENT_TEST_STATUS
[redacted]
SELECTIVE SELF-TEST LOG [redacted]
If Selective self-test is pending on power-up, resumption at LBA [redacted] is in progress [redacted] complete
[redacted]
SMART Attributes Data Structure revision number: [redacted]
Vendor Specific SMART Attributes with Thresholds:

ID#	ATTRIBUTE NAME	FLAG	VALUE	WORST	THRESH	TYPE	UPDATED	WHEN FAILED	RAW VALUE
[redacted]									

SMART Error Log Version: [redacted]
No Errors Logged

SMART Self-test log structure revision number [redacted]
Num Test_Description Status Remaining LifeTime(hours) LBA_of_first_error
[redacted]
SMART Selective self-test log data structure revision number [redacted]
SPAN MIN_LBA MAX_LBA CURRENT_TEST_STATUS
[redacted]
SELECTIVE SELF-TEST LOG [redacted]
If Selective self-test is pending on power-up, resumption at LBA [redacted] is in progress [redacted] complete
[redacted]
SMART Attributes Data Structure revision number: [redacted]
Vendor Specific SMART Attributes with Thresholds:

ID#	ATTRIBUTE NAME	FLAG	VALUE	WORST	THRESH	TYPE	UPDATED	WHEN FAILED	RAW VALUE
[redacted]									

SMART Error Log Version: [redacted]
No Errors Logged

SMART Self-test log structure revision number [redacted]
Num Test_Description Status Remaining LifeTime(hours) LBA_of_first_error
[redacted]
SMART Selective self-test log data structure revision number [redacted]
SPAN MIN_LBA MAX_LBA CURRENT_TEST_STATUS
[redacted]
SELECTIVE SELF-TEST LOG [redacted]
If Selective self-test is pending on power-up, resumption at LBA [redacted] is in progress [redacted] complete
[redacted]
SMART Attributes Data Structure revision number: [redacted]
Vendor Specific SMART Attributes with Thresholds:

ID#	ATTRIBUTE NAME	FLAG	VALUE	WORST	THRESH	TYPE	UPDATED	WHEN FAILED	RAW VALUE
[redacted]									

SMART Error Log Version: [redacted]
No Errors Logged

SMART Self-test log structure revision number [redacted]
Num Test_Description Status Remaining LifeTime(hours) LBA_of_first_error
[redacted]
SMART Selective self-test log data structure revision number [redacted]
SPAN MIN_LBA MAX_LBA CURRENT_TEST_STATUS
[redacted]
SELECTIVE SELF-TEST LOG [redacted]
If Selective self-test is pending on power-up, resumption at LBA [redacted] is in progress [redacted] complete
[redacted]
SMART Attributes Data Structure revision number: [redacted]
Vendor Specific SMART Attributes with Thresholds:

ID#	ATTRIBUTE NAME	FLAG	VALUE	WORST	THRESH	TYPE	UPDATED	WHEN FAILED	RAW VALUE
[redacted]									

SMART Error Log Version: [redacted]
No Errors Logged

SMART Self-test log structure revision number [redacted]
Num Test_Description Status Remaining LifeTime(hours) LBA_of_first_error
[redacted]
SMART Selective self-test log data structure revision number [redacted]
SPAN MIN_LBA MAX_LBA CURRENT_TEST_STATUS
[redacted]
SELECTIVE SELF-TEST LOG [redacted]
If Selective self-test is pending on power-up, resumption at LBA [redacted] is in progress [redacted] complete
[redacted]

SCAVI E BONIFICHE	
STERRO	0.336 mq
BONIFICA	9.249 mq

RILEVATI	
RILEVATO	3.178 mq

SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	6.000 mq
FONDAZIONE - TOUT-VENENANT	12.000 mq

LEGENDA	
STERRO	
BONIFICA	
RILEVATO	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	
FONDAZIONE - TOUT-VENENANT	
PROFILO TERRENO	

SEZIONE N. : 23 ASSE A17

QT. PROGETTO : 121.751

DIST.PROG. : 215.314

DIST.PREC. : 15.314



SCALA 1: 200

QT. RIF. 97.798

QUOTE TERRENO	120.924	120.936	120.935	120.946	120.954	120.951	120.949	120.945	120.964														
DIST. PARZIALI TERRENO	0.887	1.133	6.052	9.304	2.624	0.914	10.596	18.490															
QUOTE PROGETTO					120.953	121.726 121.586 121.126	121.151 121.151 121.151												120.876 121.276 121.746	120.963			
DIST. PARZIALI PROGETTO					1.170	2.500	27.500												0.777				

QUOTE E BONIFICHE	
TERRENO	0.00 ml
SCARTICA	0.70 ml
RILEVATO	
RILEVATO	0.90 ml
FONDAZIONE PER STRADA	
FONDAZIONE MOTORWAY/FERROVIA/LIMITROFO	0.00 ml
FONDAZIONE "PILE VIADANO"	0.00 ml

SEZIONE N. 1 ASSE A18
QT. PROGETTO : 130.140
DIST.PROG. : 0.000
DIST.SUCC. : 20.000

LEGENDA
TERRENO
SCARTICA
RILEVATO
FONDAZIONE PER STRADA/FERROVIA/LIMITROFO
FONDAZIONE "PILE VIADANO"
PROFILO TERRENO

SCALA 1:200

QT. RIF. 111.000

| | | |

Patient Name		
Patient ID		
Date of Birth		
Gender		
Ordering Physician		
Study Description		
Acquisition Date/Time		
Accession Number		
Institution Name		
Station Name		
Operator Name		
Manufacturer		
Model		
Software Version		
Protocol Name		
Series Description		
Image Type		
Image Size		
Pixel Spacing		
Slice Thickness		
Slice Gap		
Window Center		
Window Width		
Rotation		
Flip		
Zoom		
Pan		
Brightness		
Contrast		
Gamma		
Sharpness		
Saturation		
Hue		
Color Map		
Interpolation		
Annotations		
Measurements		
Regions of Interest		
Overlays		
Curves		
Text Annotations		
Arrows		
Circles		
Rectangles		
Polygons		
Freehand Lines		
Angle Measurements		
Distance Measurements		
Area Measurements		
Volume Measurements		
Density Measurements		
Histogram		
Profile		
Cine		
Loop		
Bookmarks		
Notes		
Comments		
Tags		
Keywords		
Categories		
Ratings		
Favorites		
Hidden		
Locked		
Read Only		
Write Protected		
Encrypted		
Digital Signature		
Watermark		
Steganography		
Checksum		
Hash		
Timestamp		
Version		
Revision		
Backup		
Archive		
Compressed		
Uncompressed		
Lossy		
Lossless		
Transparency		
Opacity		
Alpha Channel		
Color Space		
Bit Depth		
Resolution		
Dpi		
Ppi		
Aspect Ratio		
Orientation		
Landscape		
Portrait		
Square		
Panoramic		
Wide Angle		
Fisheye		
Macro		
Micro		
Telephoto		
Zoom Lens		
Prime Lens		
Aperture		
Shutter Speed		
Exposure Time		
Exposure Bias		
Exposure Program		
Exposure Mode		
Metering Mode		
Focal Length		
Focal Length 35mm		
Digital Zoom		
Optical Zoom		
Flash		
Flash Mode		
Flash Energy		
Red Eye		
Red Eye Reduction		
Red Eye Correction		
Red Eye Detection		
Red Eye Removal		
Red Eye Fix		
Red Eye Correction Mode		
Red Eye Correction Strength		
Red Eye Correction Threshold		
Red Eye Correction Radius		
Red Eye Correction Sensitivity		
Red Eye Correction Smoothing		
Red Eye Correction Blur		
Red Eye Correction Sharpen		
Red Eye Correction Contrast		
Red Eye Correction Brightness		
Red Eye Correction Saturation		
Red Eye Correction Hue		
Red Eye Correction Color Map		
Red Eye Correction Interpolation		
Red Eye Correction Annotations		
Red Eye Correction Measurements		
Red Eye Correction Regions of Interest		
Red Eye Correction Overlays		
Red Eye Correction Curves		
Red Eye Correction Text Annotations		
Red Eye Correction Arrows		
Red Eye Correction Circles		
Red Eye Correction Rectangles		
Red Eye Correction Polygons		
Red Eye Correction Freehand Lines		
Red Eye Correction Angle Measurements		
Red Eye Correction Distance Measurements		
Red Eye Correction Area Measurements		
Red Eye Correction Volume Measurements		
Red Eye Correction Density Measurements		
Red Eye Correction Histogram		
Red Eye Correction Profile		
Red Eye Correction Cine		
Red Eye Correction Loop		
Red Eye Correction Bookmarks		
Red Eye Correction Notes		
Red Eye Correction Comments		
Red Eye Correction Tags		
Red Eye Correction Keywords		
Red Eye Correction Categories		
Red Eye Correction Ratings		
Red Eye Correction Favorites		
Red Eye Correction Hidden		
Red Eye Correction Locked		
Red Eye Correction Read Only		
Red Eye Correction Write Protected		
Red Eye Correction Encrypted		
Red Eye Correction Digital Signature		
Red Eye Correction Watermark		
Red Eye Correction Steganography		
Red Eye Correction Checksum		
Red Eye Correction Hash		
Red Eye Correction Timestamp		
Red Eye Correction Version		
Red Eye Correction Revision		
Red Eye Correction Backup		
Red Eye Correction Archive		
Red Eye Correction Compressed		
Red Eye Correction Uncompressed		
Red Eye Correction Lossy		
Red Eye Correction Lossless		
Red Eye Correction Transparency		
Red Eye Correction Opacity		
Red Eye Correction Alpha Channel		
Red Eye Correction Color Space		
Red Eye Correction Bit Depth		
Red Eye Correction Resolution		
Red Eye Correction Dpi		
Red Eye Correction Ppi		
Red Eye Correction Aspect Ratio		
Red Eye Correction Orientation		
Red Eye Correction Landscape		
Red Eye Correction Portrait		
Red Eye Correction Square		
Red Eye Correction Panoramic		
Red Eye Correction Wide Angle		
Red Eye Correction Fisheye		
Red Eye Correction Macro		
Red Eye Correction Micro		
Red Eye Correction Telephoto		
Red Eye Correction Zoom Lens		
Red Eye Correction Prime Lens		
Red Eye Correction Aperture		
Red Eye Correction Shutter Speed		
Red Eye Correction Exposure Time		
Red Eye Correction Exposure Bias		
Red Eye Correction Exposure Program		
Red Eye Correction Exposure Mode		
Red Eye Correction Metering Mode		
Red Eye Correction Focal Length		
Red Eye Correction Focal Length 35mm		
Red Eye Correction Digital Zoom		
Red Eye Correction Optical Zoom		
Red Eye Correction Flash		
Red Eye Correction Flash Mode		
Red Eye Correction Flash Energy		
Red Eye Correction Red Eye		
Red Eye Correction Red Eye Reduction		
Red Eye Correction Red Eye Correction		
Red Eye Correction Red Eye Detection		
Red Eye Correction Red Eye Removal		
Red Eye Correction Red Eye Fix		
Red Eye Correction Red Eye Correction Mode		
Red Eye Correction Red Eye Correction Strength		
Red Eye Correction Red Eye Correction Threshold		
Red Eye Correction Red Eye Correction Radius		
Red Eye Correction Red Eye Correction Sensitivity		
Red Eye Correction Red Eye Correction Smoothing		
Red Eye Correction Red Eye Correction Blur		
Red Eye Correction Red Eye Correction Sharpen		
Red Eye Correction Red Eye Correction Contrast		
Red Eye Correction Red Eye Correction Brightness		
Red Eye Correction Red Eye Correction Saturation		
Red Eye Correction Red Eye Correction Hue		
Red Eye Correction Red Eye Correction Color Map		
Red Eye Correction Red Eye Correction Interpolation		
Red Eye Correction Red Eye Correction Annotations		
Red Eye Correction Red Eye Correction Measurements		
Red Eye Correction Red Eye Correction Regions of Interest		
Red Eye Correction Red Eye Correction Overlays		
Red Eye Correction Red Eye Correction Curves		
Red Eye Correction Red Eye Correction Text Annotations		
Red Eye Correction Red Eye Correction Arrows		
Red Eye Correction Red Eye Correction Circles		
Red Eye Correction Red Eye Correction Rectangles		
Red Eye Correction Red Eye Correction Polygons		
Red Eye Correction Red Eye Correction Freehand Lines		
Red Eye Correction Red Eye Correction Angle Measurements		
Red Eye Correction Red Eye Correction Distance Measurements		
Red Eye Correction Red Eye Correction Area Measurements		
Red Eye Correction Red Eye Correction Volume Measurements		
Red Eye Correction Red Eye Correction Density Measurements		
Red Eye Correction Red Eye Correction Histogram		
Red Eye Correction Red Eye Correction Profile		
Red Eye Correction Red Eye Correction Cine		
Red Eye Correction Red Eye Correction Loop		
Red Eye Correction Red Eye Correction Bookmarks		
Red Eye Correction Red Eye Correction Notes		
Red Eye Correction Red Eye Correction Comments		
Red Eye Correction Red Eye Correction Tags		
Red Eye Correction Red Eye Correction Keywords		
Red Eye Correction Red Eye Correction Categories		
Red Eye Correction Red Eye Correction Ratings		
Red Eye Correction Red Eye Correction Favorites		
Red Eye Correction Red Eye Correction Hidden		
Red Eye Correction Red Eye Correction Locked		
Red Eye Correction Red Eye Correction Read Only		
Red Eye Correction Red Eye Correction Write Protected		
Red Eye Correction Red Eye Correction Encrypted		
Red Eye Correction Red Eye Correction Digital Signature		
Red Eye Correction Red Eye Correction Watermark		
Red Eye Correction Red Eye Correction Steganography		
Red Eye Correction Red Eye Correction Checksum		
Red Eye Correction Red Eye Correction Hash		
Red Eye Correction Red Eye Correction Timestamp		
Red Eye Correction Red Eye Correction Version		
Red Eye Correction Red Eye Correction Revision		
Red Eye Correction Red Eye Correction Backup		
Red Eye Correction Red Eye Correction Archive		
Red Eye Correction Red Eye Correction Compressed		
Red Eye Correction Red Eye Correction Uncompressed		
Red Eye Correction Red Eye Correction Lossy		
Red Eye Correction Red Eye Correction Lossless		
Red Eye Correction Red Eye Correction Transparency		
Red Eye Correction Red Eye Correction Opacity		
Red Eye Correction Red Eye Correction Alpha Channel		
Red Eye Correction Red Eye Correction Color Space		
Red Eye Correction Red Eye Correction Bit Depth		
Red Eye Correction Red Eye Correction Resolution		
Red Eye Correction Red Eye Correction Dpi		
Red Eye Correction Red Eye Correction Ppi		
Red Eye Correction Red Eye Correction Aspect Ratio		
Red Eye Correction Red Eye Correction Orientation		
Red Eye Correction Red Eye Correction Landscape		
Red Eye Correction Red Eye Correction Portrait		
Red Eye Correction Red Eye Correction Square		
Red Eye Correction Red Eye Correction Panoramic		
Red Eye Correction Red Eye Correction Wide Angle		
Red Eye Correction Red Eye Correction Fisheye		
Red Eye Correction Red Eye Correction Macro		
Red Eye Correction Red Eye Correction Micro		
Red Eye Correction Red Eye Correction Telephoto		
Red Eye Correction Red Eye Correction Zoom Lens		
Red Eye Correction Red Eye Correction Prime Lens		
Red Eye Correction Red Eye Correction Aperture		
Red Eye Correction Red Eye Correction Shutter Speed		
Red Eye Correction Red Eye Correction Exposure Time		
Red Eye Correction Red Eye Correction Exposure Bias		
Red Eye Correction Red Eye Correction Exposure Program		
Red Eye Correction Red Eye Correction Exposure Mode		
Red Eye Correction Red Eye Correction Metering Mode		
Red Eye Correction Red Eye Correction Focal Length		
Red Eye Correction Red Eye Correction Focal Length 35mm		
Red Eye Correction Red Eye Correction Digital Zoom		
Red Eye Correction Red Eye Correction Optical Zoom		
Red Eye Correction Red Eye Correction Flash		
Red Eye Correction Red Eye Correction Flash Mode		
Red Eye Correction Red Eye Correction Flash Energy		
Red Eye Correction Red Eye Correction Red Eye		
Red Eye Correction Red Eye Correction Red Eye Reduction		
Red Eye Correction Red Eye Correction Red Eye Correction		
Red Eye Correction Red Eye Correction Red Eye Detection		
Red Eye Correction Red Eye Correction Red Eye Removal		
Red Eye Correction Red Eye Correction Red Eye Fix		
Red Eye Correction Red Eye Correction Red Eye Correction Mode		
Red Eye Correction Red Eye Correction Red Eye Correction Strength		
Red Eye Correction Red Eye Correction Red Eye Correction Threshold		
Red Eye Correction Red Eye Correction Red Eye Correction Radius		
Red Eye Correction Red Eye Correction Red Eye Correction Sensitivity		
Red Eye Correction Red Eye Correction Red Eye Correction Smoothing		
Red Eye Correction Red Eye Correction Red Eye Correction Blur		
Red Eye Correction Red Eye Correction Red Eye Correction Sharpen		
Red Eye Correction Red Eye Correction Red Eye Correction Contrast		
Red Eye Correction Red Eye Correction Red Eye Correction Brightness		
Red Eye Correction Red Eye Correction Red Eye Correction Saturation		
Red Eye Correction Red Eye Correction Red Eye Correction Hue		
Red Eye Correction Red Eye Correction Red Eye Correction Color Map		
Red Eye Correction Red Eye Correction Red Eye Correction Interpolation		
Red Eye Correction Red Eye Correction Red Eye Correction Annotations		
Red Eye Correction Red Eye Correction Red Eye Correction Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Regions of Interest		
Red Eye Correction Red Eye Correction Red Eye Correction Overlays		
Red Eye Correction Red Eye Correction Red Eye Correction Curves		
Red Eye Correction Red Eye Correction Red Eye Correction Text Annotations		
Red Eye Correction Red Eye Correction Red Eye Correction Arrows		
Red Eye Correction Red Eye Correction Red Eye Correction Circles		
Red Eye Correction Red Eye Correction Red Eye Correction Rectangles		
Red Eye Correction Red Eye Correction Red Eye Correction Polygons		
Red Eye Correction Red Eye Correction Red Eye Correction Freehand Lines		
Red Eye Correction Red Eye Correction Red Eye Correction Angle Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Distance Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Area Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Volume Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Density Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Histogram		
Red Eye Correction Red Eye Correction Red Eye Correction Profile		
Red Eye Correction Red Eye Correction Red Eye Correction Cine		
Red Eye Correction Red Eye Correction Red Eye Correction Loop		
Red Eye Correction Red Eye Correction Red Eye Correction Bookmarks		
Red Eye Correction Red Eye Correction Red Eye Correction Notes		
Red Eye Correction Red Eye Correction Red Eye Correction Comments		
Red Eye Correction Red Eye Correction Red Eye Correction Tags		
Red Eye Correction Red Eye Correction Red Eye Correction Keywords		
Red Eye Correction Red Eye Correction Red Eye Correction Categories		
Red Eye Correction Red Eye Correction Red Eye Correction Ratings		
Red Eye Correction Red Eye Correction Red Eye Correction Favorites		
Red Eye Correction Red Eye Correction Red Eye Correction Hidden		
Red Eye Correction Red Eye Correction Red Eye Correction Locked		
Red Eye Correction Red Eye Correction Red Eye Correction Read Only		
Red Eye Correction Red Eye Correction Red Eye Correction Write Protected		
Red Eye Correction Red Eye Correction Red Eye Correction Encrypted		
Red Eye Correction Red Eye Correction Red Eye Correction Digital Signature		
Red Eye Correction Red Eye Correction Red Eye Correction Watermark		
Red Eye Correction Red Eye Correction Red Eye Correction Steganography		
Red Eye Correction Red Eye Correction Red Eye Correction Checksum		
Red Eye Correction Red Eye Correction Red Eye Correction Hash		
Red Eye Correction Red Eye Correction Red Eye Correction Timestamp		
Red Eye Correction Red Eye Correction Red Eye Correction Version		
Red Eye Correction Red Eye Correction Red Eye Correction Revision		
Red Eye Correction Red Eye Correction Red Eye Correction Backup		
Red Eye Correction Red Eye Correction Red Eye Correction Archive		
Red Eye Correction Red Eye Correction Red Eye Correction Compressed		
Red Eye Correction Red Eye Correction Red Eye Correction Uncompressed		
Red Eye Correction Red Eye Correction Red Eye Correction Lossy		
Red Eye Correction Red Eye Correction Red Eye Correction Lossless		
Red Eye Correction Red Eye Correction Red Eye Correction Transparency		
Red Eye Correction Red Eye Correction Red Eye Correction Opacity		
Red Eye Correction Red Eye Correction Red Eye Correction Alpha Channel		
Red Eye Correction Red Eye Correction Red Eye Correction Color Space		
Red Eye Correction Red Eye Correction Red Eye Correction Bit Depth		
Red Eye Correction Red Eye Correction Red Eye Correction Resolution		
Red Eye Correction Red Eye Correction Red Eye Correction Dpi		
Red Eye Correction Red Eye Correction Red Eye Correction Ppi		
Red Eye Correction Red Eye Correction Red Eye Correction Aspect Ratio		
Red Eye Correction Red Eye Correction Red Eye Correction Orientation		
Red Eye Correction Red Eye Correction Red Eye Correction Landscape		
Red Eye Correction Red Eye Correction Red Eye Correction Portrait		
Red Eye Correction Red Eye Correction Red Eye Correction Square		
Red Eye Correction Red Eye Correction Red Eye Correction Panoramic		
Red Eye Correction Red Eye Correction Red Eye Correction Wide Angle		
Red Eye Correction Red Eye Correction Red Eye Correction Fisheye		
Red Eye Correction Red Eye Correction Red Eye Correction Macro		
Red Eye Correction Red Eye Correction Red Eye Correction Micro		
Red Eye Correction Red Eye Correction Red Eye Correction Telephoto		
Red Eye Correction Red Eye Correction Red Eye Correction Zoom Lens		
Red Eye Correction Red Eye Correction Red Eye Correction Prime Lens		
Red Eye Correction Red Eye Correction Red Eye Correction Aperture		
Red Eye Correction Red Eye Correction Red Eye Correction Shutter Speed		
Red Eye Correction Red Eye Correction Red Eye Correction Exposure Time		
Red Eye Correction Red Eye Correction Red Eye Correction Exposure Bias		
Red Eye Correction Red Eye Correction Red Eye Correction Exposure Program		
Red Eye Correction Red Eye Correction Red Eye Correction Exposure Mode		
Red Eye Correction Red Eye Correction Red Eye Correction Metering Mode		
Red Eye Correction Red Eye Correction Red Eye Correction Focal Length		
Red Eye Correction Red Eye Correction Red Eye Correction Focal Length 35mm		
Red Eye Correction Red Eye Correction Red Eye Correction Digital Zoom		
Red Eye Correction Red Eye Correction Red Eye Correction Optical Zoom		
Red Eye Correction Red Eye Correction Red Eye Correction Flash		
Red Eye Correction Red Eye Correction Red Eye Correction Flash Mode		
Red Eye Correction Red Eye Correction Red Eye Correction Flash Energy		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Reduction		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Detection		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Removal		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Fix		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Mode		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Strength		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Threshold		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Radius		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Sensitivity		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Smoothing		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Blur		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Sharpen		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Contrast		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Brightness		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Saturation		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Hue		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Color Map		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Interpolation		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Annotations		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Regions of Interest		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Overlays		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Curves		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Text Annotations		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Arrows		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Circles		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Rectangles		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Polygons		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Freehand Lines		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Angle Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Distance Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Area Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Volume Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Density Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Histogram		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Profile		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Cine		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Loop		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Bookmarks		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Notes		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Comments		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Tags		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Keywords		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Categories		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Ratings		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Favorites		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Hidden		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Locked		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Read Only		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Write Protected		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Encrypted		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Digital Signature		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Watermark		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Steganography		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Checksum		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Hash		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Timestamp		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Version		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Revision		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Backup		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Archive		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Compressed		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Uncompressed		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Lossy		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Lossless		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Transparency		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Opacity		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Alpha Channel		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Color Space		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Bit Depth		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Resolution		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Dpi		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Ppi		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Aspect Ratio		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Orientation		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Landscape		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Portrait		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Square		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Panoramic		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Wide Angle		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Fisheye		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Macro		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Micro		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Telephoto		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Zoom Lens		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Prime Lens		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Aperture		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Shutter Speed		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Exposure Time		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Exposure Bias		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Exposure Program		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Exposure Mode		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Metering Mode		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Focal Length		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Focal Length 35mm		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Digital Zoom		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Optical Zoom		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Flash		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Flash Mode		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Flash Energy		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Reduction		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Detection		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Removal		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Fix		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Mode		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Strength		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Threshold		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Radius		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Sensitivity		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Smoothing		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Blur		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Sharpen		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Contrast		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Brightness		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Saturation		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Hue		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Color Map		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Interpolation		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Annotations		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Regions of Interest		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Overlays		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Curves		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Text Annotations		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Arrows		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Circles		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Rectangles		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Polygons		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Freehand Lines		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Angle Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Distance Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Area Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Volume Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Density Measurements		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Histogram		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Profile		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Cine		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Loop		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Bookmarks		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Notes		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Comments		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Tags		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Keywords		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Categories		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Ratings		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Favorites		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Hidden		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Locked		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Read Only		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Write Protected		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Encrypted		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Digital Signature		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Watermark		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Steganography		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Checksum		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Hash		
Red Eye Correction Red Eye Correction Red Eye Correction Red Eye Correction Red

[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]

Project	[illegible]
Section	[illegible]
Date	[illegible]
Time	[illegible]
Operator	[illegible]
Equipment	[illegible]
Serial number	[illegible]
Calibration date	[illegible]
Calibration expiry	[illegible]
Calibration number	[illegible]
Calibration factor	[illegible]
Calibration factor expiry	[illegible]
Calibration factor number	[illegible]
Comments	[illegible]
Gps	[illegible]

Distance	1.000
Speed	1.000

07:07:49.000																							
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Project	[illegible]
Section	[illegible]
Date	[illegible]
Time	[illegible]
Operator	[illegible]
Equipment	[illegible]
Serial number	[illegible]
Calibration date	[illegible]
Calibration expiry	[illegible]
Calibration number	[illegible]
Calibration factor	[illegible]
Calibration factor expiry	[illegible]
Calibration factor number	[illegible]
Comments	[illegible]
Gps	[illegible]

Distance	1.000
Speed	1.000

07:07:49.000																							
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Project	[illegible]
Section	[illegible]
Date	[illegible]
Time	[illegible]
Operator	[illegible]
Equipment	[illegible]
Serial number	[illegible]
Calibration date	[illegible]
Calibration expiry	[illegible]
Calibration number	[illegible]
Calibration factor	[illegible]
Calibration factor expiry	[illegible]
Calibration factor number	[illegible]
Comments	[illegible]
Gps	[illegible]

Distance	1.000
Speed	1.000

07:07:49.000																							
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Project	[illegible]
Section	[illegible]
Date	[illegible]
Time	[illegible]
Operator	[illegible]
Equipment	[illegible]
Serial number	[illegible]
Calibration date	[illegible]
Calibration expiry	[illegible]
Calibration number	[illegible]
Calibration factor	[illegible]
Calibration factor expiry	[illegible]
Calibration factor number	[illegible]
Comments	[illegible]
Gps	[illegible]

Distance	1.000
Speed	1.000

07:07:49.000																							
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Project	[illegible]
Section	[illegible]
Date	[illegible]
Time	[illegible]
Operator	[illegible]
Equipment	[illegible]
Serial number	[illegible]
Calibration date	[illegible]
Calibration expiry	[illegible]
Calibration number	[illegible]
Calibration factor	[illegible]
Calibration factor expiry	[illegible]
Calibration factor number	[illegible]
Comments	[illegible]
Gps	[illegible]

Distance	1.000
Speed	1.000

07:07:49.000																							
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Project	[illegible]
Section	[illegible]
Date	[illegible]
Time	[illegible]
Operator	[illegible]
Equipment	[illegible]
Serial number	[illegible]
Calibration date	[illegible]
Calibration expiry	[illegible]
Calibration number	[illegible]
Calibration factor	[illegible]
Calibration factor expiry	[illegible]
Calibration factor number	[illegible]
Comments	[illegible]
Gps	[illegible]

Distance	1.000
Speed	1.000

07:07:49.000																							
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Project	[illegible]
Section	[illegible]
Date	[illegible]
Time	[illegible]
Operator	[illegible]
Equipment	[illegible]
Serial number	[illegible]
Calibration date	[illegible]
Calibration expiry	[illegible]
Calibration number	[illegible]
Calibration factor	[illegible]
Calibration factor expiry	[illegible]
Calibration factor number	[illegible]
Comments	[illegible]
Gps	[illegible]

Distance	1.000
Speed	1.000

07:07:49.000																							
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Project	[illegible]
Section	[illegible]
Date	[illegible]
Time	[illegible]
Operator	[illegible]
Equipment	[illegible]
Serial number	[illegible]
Calibration date	[illegible]
Calibration expiry	[illegible]
Calibration number	[illegible]
Calibration factor	[illegible]
Calibration factor expiry	[illegible]
Calibration factor number	[illegible]
Comments	[illegible]
Gps	[illegible]

Distance	1.000
Speed	1.000

07:07:49.000																							
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Project	[illegible]
Section	[illegible]
Date	[illegible]
Time	[illegible]
Operator	[illegible]
Equipment	[illegible]
Serial number	[illegible]
Calibration date	[illegible]
Calibration expiry	[illegible]
Calibration number	[illegible]
Calibration factor	[illegible]
Calibration factor expiry	[illegible]
Calibration factor number	[illegible]
Comments	[illegible]
Gps	[illegible]

Distance	1.000
Speed	1.000

07:07:49.000																							
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Project	[illegible]
Section	[illegible]
Date	[illegible]
Time	[illegible]
Operator	[illegible]
Equipment	[illegible]
Serial number	[illegible]
Calibration date	[illegible]
Calibration expiry	[illegible]
Calibration number	[illegible]
Calibration factor	[illegible]
Calibration factor expiry	[illegible]
Calibration factor number	[illegible]
Comments	[illegible]
Gps	[illegible]

Distance	1.000
Speed	1.000

07:07:49.000																							
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Project	[illegible]
Section	[illegible]
Date	[illegible]
Time	[illegible]
Operator	[illegible]
Equipment	[illegible]
Serial number	[illegible]
Calibration date	[illegible]
Calibration expiry	[illegible]
Calibration number	[illegible]
Calibration factor	[illegible]
Calibration factor expiry	[illegible]
Calibration factor number	[illegible]
Comments	[illegible]
Gps	[illegible]

Distance	1.000
Speed	1.000

07:07:49.000																							
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Left Vertical Tramline	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

SCAVI E BONIFICHE	
STERRO	2.438 mq
BONIFICA	0.095 mq

RILEVATI	
RILEVATO	0.050 mq

SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	1.200 mq
FONDAZIONE - TOUT-VENENANT	2.400 mq

LEGENDA	
STERRO	
BONIFICA	
RILEVATO	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	
FONDAZIONE - TOUT-VENENANT	
PROFILO TERRENO	

SEZIONE N. : 34 ASSE A18.1

QT. PROGETTO : 115.756

DIST.PROG. : 414.064

DIST.PREC. : 14.064

DIST.SUCC. : 5.936



SCAVI E BONIFICHE	
STERRO	2.421 mq
BONIFICA	0.102 mq

RILEVATI	
RILEVATO	0.053 mq

SOVRASTRUTTURA STRADALE	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	1.200 mq
FONDAZIONE - TOUT-VENENANT	2.400 mq

LEGENDA	
STERRO	
BONIFICA	
RILEVATO	
PAVIMENTAZIONE-MISTO GRANULOMETRICO	
FONDAZIONE - TOUT-VENENANT	
PROFILO TERRENO	

SEZIONE N. : 35 ASSE A18.1

QT. PROGETTO : 115.600

DIST.PROG. : 420.000

DIST.PREC. : 5.936

DIST.SUCC. : 20.000