



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT7140203

SITENAME Maiella

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type B | 1.2 Site code IT7140203 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

| |
|---------|
| Maiella |
|---------|

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 1995-12 | 1.5 Update date 2017-01 |
|--|-----------------------------------|

1.6 Respondent:

| | |
|---------------------------|---|
| Name/Organisation: | Regione Abruzzo Direzione Territorio, Urbanistica e beni Ambientali |
| Address: | Via L. Da Vinci, 1 67100 - L'AQUILA |
| Email: | |

| | |
|---|---------|
| Date site proposed as SCI: | 1995-04 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | No data |
| National legal reference of SAC designation: | No data |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

| | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glc | |
|---|------|--|--|--|-----|-----|----|---|---|------|------|------|-----|---|
| P | 1479 | Adonis distorta | | | p | | | | R | DD | A | A | B | A |
| B | A412 | Alectoris graeca saxatilis | | | p | | | | C | DD | C | B | C | C |
| P | 1630 | Androsace mathildae | | | p | | | | R | DD | A | A | B | A |
| B | A255 | Anthus campestris | | | r | | | | R | DD | D | | | |
| B | A228 | Apus melba | | | r | | | | R | DD | C | B | B | C |
| B | A091 | Aquila chrysaetos | | | p | | | | R | DD | C | B | C | C |
| P | 1558 | Astragalus aquilanus | | | p | | | | P | DD | C | B | B | B |
| I | 1092 | Austropotamobius pallipes | | | p | | | | C | DD | C | B | A | B |
| F | 5097 | Barbus tyberinus | | | p | | | | C | DD | C | B | A | C |
| A | 5357 | Bombina pachipus | | | p | | | | V | DD | C | B | C | B |
| B | A215 | Bubo bubo | | | p | | | | V | DD | C | C | B | C |
| M | 1352 | Canis lupus | | | p | | | | C | DD | B | B | C | B |
| B | A224 | Caprimulgus europaeus | | | r | | | | R | DD | C | B | C | C |
| B | A139 | Charadrius morinellus | | | r | 5 | 10 | i | | G | A | B | A | A |
| P | 1902 | Cypripedium calceolus | | | p | | | | V | DD | C | A | A | A |
| B | A239 | Dendrocopos leucotos | | | p | | | | R | DD | C | B | B | C |
| R | 1279 | Elaphe quatuorlineata | | | p | | | | V | DD | D | | | |
| B | A379 | Emberiza hortulana | | | p | | | | R | DD | C | B | C | C |
| I | 1065 | Euphydrias aurinia | | | p | | | | P | DD | B | B | C | B |
| B | A101 | Falco biarmicus | | | p | | | | R | DD | B | B | B | B |
| B | A103 | Falco peregrinus | | | p | | | | R | DD | C | B | C | C |
| B | A321 | Ficedula albicollis | | | p | | | | R | DD | C | B | B | C |
| P | 4104 | Himantoglossum adriaticum | | | p | | | | P | DD | C | B | B | B |
| B | A338 | Lanius collurio | | | r | | | | C | DD | D | | | |
| B | A246 | Lullula arborea | | | r | | | | C | DD | D | | | |
| I | 1062 | Melanargia arge | | | p | | | | R | DD | C | B | A | B |
| B | A073 | Milvus migrans | | | p | | | | R | DD | C | B | C | C |
| M | 1310 | Miniopterus schreibersii | | | p | | | | R | DD | C | C | C | C |
| B | A280 | Monticola saxatilis | | | r | | | | R | DD | C | B | C | C |
| B | A281 | Monticola solitarius | | | p | | | | P | DD | B | B | B | B |

| | | | | | | | | | | | | | | |
|---|------|--|--|--|--|--|--|---|--|---|---|---|--|---|
| P | | Achillea barrelieri | | | | | | R | | | | X | | |
| P | | Allium moschatum | | | | | | R | | | | | | X |
| P | | Allium saxatile | | | | | | R | | | | | | X |
| P | | Alyssum cuneifolium | | | | | | R | | | | X | | |
| I | | Amara samnitica | | | | | | R | | | X | | | |
| P | | Androsacea vitalina praetutiana | | | | | | C | | | | X | | |
| P | | Anthemis montana | | | | | | R | | | | X | | |
| I | | Anthocharis euphenoides | | | | | | V | | | X | | | |
| I | | Anthophagus alpestris | | | | | | R | | | | X | | |
| P | | Aquilegia magellensis | | | | | | V | | | | X | | |
| P | 1763 | Artemisia eriantha | | | | | | R | | X | | | | |
| P | | Asphodeline liburnica | | | | | | R | | | | | | X |
| P | | Asphodelus aestivus | | | | | | R | | | | | | X |
| P | | Astragalus australis | | | | | | V | | | | | | X |
| P | | Athamanta sicula | | | | | | R | | | | | | X |
| P | | Aubrieta columnae columnae | | | | | | R | | | | X | | |
| P | | Aurinia rupestris | | | | | | V | | | | | | X |
| P | | Aurinia sinuata | | | | | | R | | | | | | X |
| P | | Ballota hispanica | | | | | | V | | | | | | X |
| P | | Betula pendula | | | | | | V | | | | | | X |
| P | | Biarum tenuifolium | | | | | | R | | | | | | X |
| I | | Brachyptera pasquinii | | | | | | R | | | | X | | |
| P | | Brassica gravinae | | | | | | R | | | | X | | |
| I | | Brenthis daphne | | | | | | R | | | X | | | |
| I | | Brenthis hecate | | | | | | R | | | | | | X |
| I | | Calathus fracasii | | | | | | R | | | X | | | |
| P | | Calicotome infesta | | | | | | V | | | | | | X |
| I | | Callimorpha dominula | | | | | | R | | | X | | | |
| P | | Campanula fragilis ssp. cavolini | | | | | | R | | | | X | | |

| | | | | | | | | | | | | | | |
|---|------|--|--|--|--|--|--|---|---|--|---|---|--|---|
| I | | Eusimulium marrucinum | | | | | | R | | | | X | | |
| M | 1363 | Felis silvestris | | | | | | R | X | | | | | |
| P | | Filago pygmaea | | | | | | V | | | | | | X |
| P | | Fraxinus angustifolia ssp. oxycarpa | | | | | | R | | | | | | X |
| P | | Gagea granatellii | | | | | | V | | | | | | X |
| P | | Gentiana magellensis | | | | | | R | | | | X | | |
| I | | HEMARIS TIRYUS | | | | | | R | | | X | | | |
| I | | Hipparchia semele appenninigera | | | | | | R | | | | X | | |
| M | 1344 | Hystrix cristata | | | | | | R | X | | | | | |
| P | | ISATIS ALLIONII BALL | | | | | | R | | | | X | | |
| I | | Ischnopteron cognatum | | | | | | R | | | | | | X |
| P | | JUNIPERUS SABINA L. | | | | | | R | | | | | | X |
| P | | JURINEA MOLLIS (L.) RCHB. | | | | | | R | | | | | | X |
| I | | Laemostenus magellensis | | | | | | R | | | X | | | |
| P | | Lathyrus odoratus | | | | | | V | | | | X | | |
| P | | Lavandula angustifolia ssp. angustifolia | | | | | | V | | | | | | X |
| P | | Leontopodium nivale | | | | | | R | | | X | | | |
| I | | Lepidapion argentatum | | | | | | R | | | | | | X |
| I | | Licinus italicus | | | | | | R | | | | | | X |
| P | | Ligusticum lucidum ssp. cuneifolium | | | | | | R | | | | X | | |
| P | | Lilium bulbiferum var. croceum | | | | | | R | | | | | | X |
| P | | Lilium martagon | | | | | | R | | | | | | X |
| I | | Limenitis populi | | | | | | V | | | X | | | |
| P | | LONICERA NIGRA L. | | | | | | V | | | | | | X |
| I | | LUPERUS FIORII | | | | | | R | | | | | | X |
| I | | Maculineaalcon | | | | | | V | | | X | | | |
| P | | Malcolmia orsiniana | | | | | | R | | | X | | | |
| I | | MANNHEREIMIA APRUTIANA | | | | | | V | | | | X | | |

| | | | | | | | | | | | | | | |
|---|------|--|--|--|--|--|--|---|---|--|--|---|--|---|
| P | | ITALICA D.A. WEBB | | | | | | R | | | | X | | |
| P | | SAXIFRAGA POROPHYLLA POROPHYLLA | | | | | | C | | | | X | | |
| P | | SAXIFRAGA SEDOIDES L. | | | | | | R | | | | | | X |
| P | | Scutellaria alpina | | | | | | V | | | | | | X |
| P | | SESELI TOMMASINII RCHB.FIL. | | | | | | R | | | | X | | |
| P | | SILENE PARNASSICA PARNASSICA | | | | | | R | | | | | | X |
| I | | SIMULIUM PARAMORSITANS | | | | | | R | | | | X | | |
| P | | SOLDANELLA MINIMA SAMNITICA | | | | | | V | | | | X | | |
| A | 1185 | Speleomantes italicus | | | | | | R | X | | | | | |
| I | | Synapion falzonii | | | | | | R | | | | X | | |
| P | | TARAXACUM GLACIALE HUET EX HAND.-MAZZ. | | | | | | R | | | | X | | |
| P | | THALICTRUM FOETIDUM L. | | | | | | R | | | | | | X |
| I | | TRECHUS ITALICUS | | | | | | R | | | | X | | |
| P | | TRINUS ALPINUS | | | | | | V | | | | | | X |
| P | | TRISSETUM BERTOLONII | | | | | | R | | | | X | | |
| A | 1168 | Triturus italicus | | | | | | R | X | | | | | |
| P | | Typha minima | | | | | | R | | | | | | X |
| P | | Vaccinium myrtillus | | | | | | R | | | | | | X |
| P | | Valantia hispida | | | | | | V | | | | | | X |
| P | | Valeriana saliuunca | | | | | | R | | | | X | | |
| P | | Viola magellensis | | | | | | R | | | | X | | |
| P | | Ziziphora capitata | | | | | | V | | | | | | X |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|------------|
| N12 | 1.0 |
| N22 | 20.0 |
| N17 | 1.0 |
| N16 | 36.0 |
| N07 | 1.0 |
| N09 | 18.0 |
| N11 | 7.0 |
| N18 | 1.0 |
| N06 | 2.0 |
| N20 | 1.0 |
| N23 | 2.0 |
| N08 | 10.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Morfologia estremamente varia con ghiaioni, pareti calcaree, balze rocciose, cavità carsiche, profondi valloni di origine tettonica e da erosione fluviale; complessa idrografia superficiale. Estesi boschi di faggio e di roverella. Formazione a carpino nero e vegetazione ripariale con *Salix purpurea* e *Salix eleagnos*. Nuclei di carpino bianco. Il sito per le sue caratteristiche ecologiche viene attribuito alla regione biogeografica alpina anche se ricade per il 13% nella regione continentale e per il 10% in quella mediterranea all'interno dei 7 Km di buffer.

4.2 Quality and importance

Elevata naturalità ed eccellente qualità ambientale. La ricchezza di habitat con la presenza di popolazione di mammiferi, uccelli, anfibi, rettili e insetti rari, endemiche e in pericolo di estinzione, testimonia la diversificazione delle unità ecosistemiche e la complessità del sito. Alta la connettività strutturale e funzionale del sistema idrico. Alto anche il valore scenico e culturale per la presenza di eremi e di grotte abitate dall'uomo in epoche passate.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| IT01 | 100.0 | | | | |

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|------------------------------------|
| Organisation: | Ente Parco nazionale della Majella |
| Address: | |

Email: _____

6.2 Management Plan(s):

An actual management plan does exist:

- Yes
 No, but in preparation
 No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID: _____

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

146-147-153 1:100000 Gauss -Boaga