

Analyte Method

Units

Leg Lim Max (DM367/03)

Lim Intervento Taranto

arsenic EPA 6020A/98 mg/Kg (%)	cadmium EPA 6020A/98 mg/Kg (%)	chromium EPA 6020A/98 mg/Kg (%)	mercury EPA 6020A/98 mg/Kg (%)	nickel EPA 6020A/98 mg/Kg (%)	lead EPA 6020A/98 mg/Kg (%)
12	0.30	50	0.3	30	30
20	1,00	70	0,8	40	50
		160		100	

Allegato 2

Lab. Sample ID	Soil drilling ID	Sample ID	Depth b.g.l. (cm-cm)	arsenic EPA 6020A/98 mg/Kg (%)	cadmium EPA 6020A/98 mg/Kg (%)	chromium EPA 6020A/98 mg/Kg (%)	mercury EPA 6020A/98 mg/Kg (%)	nickel EPA 6020A/98 mg/Kg (%)	lead EPA 6020A/98 mg/Kg (%)	Analysis ID
10/12538	VC1	1	10-30	10.9	0.2	22.8	0.068	17.2	17.7	1
11/12538	VC1	2	30-50	11.9	0.5	35.5	0.125	26.7	66.2	2
12/12538	VC1	3	100-120	12.4	0.3	61.7	0.049	51.7	21.1	3
13/12538	VC1	4	180-200	14.0	0.1	49.7	<0.0137	36.1	10.3	4
14/12538	VC1	5	200-220	10.0	0.2	27.4	<0.014	21.4	16.5	5
15/12538	VC1	6	220-240	9.5	0.2	26.1	<0.0141	21.1	12.9	6
16/12538	VC1	7	240-260	13.3	0.3	41.7	0.269	28.0	32.0	7
17/12538	VC1	8	260-280	14.2	0.2	49.6	0.178	44.7	20.9	8
18/12538	VC1	9	280-300	13.6	0.2	59.2	0.026	57.9	14.2	9
19/12538	VC2	1	10-30	14.0	0.4	36.3	0.074	27.2	43.3	10
20/12538	VC2	2	30-50	14.4	0.3	42.7	0.527	34.2	48.7	11
21/12538	VC2	3	100-120	7.8	0.1	26.8	<0.0138	17.7	6.3	12
22/12538	VC2	4	180-200	8.9	0.1	31.3	<0.0136	24.6	5.2	13
23/12538	VC2	5	200-220	10.3	0.1	35.1	<0.0136	30.4	4.8	14
24/12538	VC2	6	220-240	8.0	0.1	29.4	<0.0135	25.0	4.3	15
25/12538	VC2	7	240-260	8.3	0.1	37.2	<0.0139	27.0	4.8	16
26/12538	VC2	8	260-280	9.0	0.1	35.8	<0.0138	28.0	4.7	17
27/12538	VC2	9	280-300	9.4	0.1	34.6	<0.0135	28.3	5.1	18
01/12539	VC3	1	10-30	11.9	0.3	25.0	0.043	19.5	24.3	19
02/12539	VC3	2	30-50	9.7	0.4	26.9	0.117	19.8	32.9	20
03/12539	VC3	3	100-120	10.2	0.2	60.7	<0.0134	55.3	13.0	21
04/12539	VC3	4	180-200	18.6	0.2	49.0	<0.0135	40.7	11.7	22
05/12539	VC3	5	200-220	9.8	0.3	26.7	0.121	22.5	30.9	23
06/12539	VC3	6	220-240	8.3	0.1	37.1	<0.0138	27.9	4.8	24
07/12539	VC3	7	240-260	8.5	0.1	36.2	<0.0134	28.7	4.6	25
08/12539	VC3	8	260-280	10.8	0.1	40.6	<0.0135	28.4	9.1	26
09/12539	VC3	9	280-300	7.9	0.1	28.9	<0.0136	19.9	5.3	27
19/12537	VC4	1	10-30	8.3	0.2	23.7	0.065	15.9	21.9	28
20/12537	VC4	2	30-50	11.8	0.3	56.8	0.457	49.6	56.6	29
21/12537	VC4	3	100-120	12.4	0.2	41.5	0.432	34.9	45.6	30
22/12537	VC4	4	180-200	11.5	0.1	36.0	0.020	34.1	13.7	31
23/12537	VC4	5	200-220	7.5	0.0	17.8	<0.0138	15.7	5.2	32
24/12537	VC4	6	220-240	9.0	0.1	31.8	<0.0142	24.5	5.9	33
25/12537	VC4	7	240-260	8.2	0.1	33.0	<0.0136	24.3	5.6	34
26/12537	VC4	8	260-280	9.5	0.1	38.5	<0.0143	30.4	6.9	35
27/12537	VC4	9	280-300	8.2	0.1	29.7	0.032	23.0	9.5	36
01/12538	VC5	1	10-30	9.8	0.4	25.8	0.103	19.5	26.1	37
02/12538	VC5	2	30-50	15.3	0.4	40.9	0.201	36.1	33.1	38
03/12538	VC5	3	100-120	15.0	0.2	44.3	0.126	38.4	15.9	39
04/12538	VC5	4	180-200	12.7	0.1	45.9	<0.0143	37.0	10.8	40
05/12538	VC5	5	200-220	7.4	0.1	21.9	<0.0143	16.2	3.8	41
06/12538	VC5	6	220-240	9.0	0.1	36.1	<0.0135	26.4	4.8	42
07/12538	VC5	7	240-260	8.6	0.1	31.0	<0.0146	25.0	4.3	43
08/12538	VC5	8	260-280	9.5	0.1	35.8	<0.0145	30.7	4.8	44
09/12538	VC5	9	280-300	8.4	0.1	31.0	<0.0146	27.6	4.9	45
01/12537	VC6	1	10-30	15.1	0.7	37.3	0.355	32.9	65.7	46
02/12537	VC6	2	30-50	11.9	0.2	61.6	0.083	56.3	17.4	47
03/12537	VC6	3	100-120	8.0	0.1	26.5	<0.0139	17.8	5.5	48
04/12537	VC6	4	180-200	10.4	0.1	31.7	<0.014	26.6	6.5	49
05/12537	VC6	5	200-220	9.4	0.1	28.5	<0.014	24.9	6.5	50
06/12537	VC6	6	220-240	9.3	0.1	29.7	<0.0142	25.9	6.3	51
07/12537	VC6	7	240-260	8.8	0.1	27.6	<0.014	24.9	5.7	52
08/12537	VC6	8	260-280	9.1	0.1	34.1	<0.0144	27.9	6.1	53
09/12537	VC6	9	280-300	8.1	0.1	35.5	<0.014	26.8	6.3	54
10/12537	VC7	1	10-30	11.1	0.3	25.4	0.196	19.9	44.1	55
11/12537	VC7	2	30-50	9.6	0.1	66.6	<0.0136	65.4	11.5	56
12/12537	VC7	3	100-120	9.3	0.1	30.6	<0.0141	22.1	7.1	57
13/12537	VC7	4	180-200	9.4	0.1	29.2	<0.0144	24.5	6.7	58
14/12537	VC7	5	200-220	9.6	0.1	31.8	<0.0144	26.7	6.8	59
15/12537	VC7	6	220-240	9.3	0.1	28.0	<0.0142	26.1	5.9	60
16/12537	VC7	7	240-260	8.7	0.1	32.8	<0.014	26.5	5.9	61
17/12537	VC7	8	260-280	8.8	0.1	32.4	<0.0136	26.7	6.1	62
18/12537	VC7	9	280-300	10.1	0.0	38.6	<0.0143	31.2	6.8	63
19/12535	VC8	1	10-30	11.0	0.4	29.8	0.187	22.5	45.7	64
20/12535	VC8	2	30-50	14.5	0.5	60.8	0.355	57.3	50.1	65
21/12535	VC8	3	100-120	15.0	0.1	57.9	0.026	42.8	16.9	66
22/12535	VC8	4	180-200	7.7	0.2	28.6	0.024	17.9	4.9	67
23/12535	VC8	5	200-220	9.2	0.2	31.8	0.033	21.6	5.7	68
24/12535	VC8	6	220-240	9.7	0.2	40.9	0.026	28.3	5.2	69
25/12535	VC8	7	240-260	10.1	0.2	36.8	0.021	28.4	5.4	70
26/12535	VC8	8	260-280	10.0	0.2	42.7	0.027	32.4	5.6	71
27/12535	VC8	9	280-300	9.9	0.2	42.5	0.032	33.1	5.4	72
10/12535	VC9	1	10-30	10.2	0.2	26.5	0.116	18.1	29.7	73
11/12535	VC9	2	30-50	21.8	0.2	53.2	0.328	43.1	29.7	74
12/12535	VC9	3	100-120	10.8	0.1	30.0	0.017	26.5	10.9	75
13/12535	VC9	4	180-200	8.4	0.2	23.4	0.042	16.5	4.7	76
14/12535	VC9	5	200-220	9.2	0.2	37.1	0.027	24.9	4.9	77
15/12535	VC9	6	220-240	10.7	0.2	33.3	0.252	27.7	6.2	78
16/12535	VC9	7	240-260	10.4	0.2	46.1	0.028	30.2	5.1	79
17/12535	VC9	8	260-280	10.3	0.2	37.1	0.031	29.1	5.0	80
18/12535	VC9	9	280-300	10.3	0.2	43.5	0.037	31.5	5.3	81
01/12535	VC10	1	10-30	7.2	0.2	43.1	0.129	38.6	9.4	82
02/12535	VC10	2	30-50	10.6	0.2	54.3	0.087	52.6	11.8	83
03/12535	VC10	3	100-120	9.9	0.1	26.1	<0.0146	21.8	6.2	84
04/12535	VC10	4	180-200	10.3	0.1	36.9	<0.0139	28.3	6.8	85
05/12535	VC10	5	200-220	10.7	0.2	35.1	0.044	28.0	4.7	86
06/12535	VC10	6	220-240	10.0	0.1	35.1	1.630	29.6	6.9	87
07/12535	VC10	7	240-260	8.7	0.1	29.7	<0.0138	26.0	6.0	88
08/12535	VC10	8	260-280	7.4	0.1	23.2	0.041	19.7	3.3	89
09/12535	VC10	9	280-300	8.5	0.2	34.8	0.040	24.9	4.7	90
10/12536	VC11	1	10-30	13.9	0.3	67.7	0.155	59.5	20.7	91
11/12536	VC11	2	30-50	12.2	0.2	46.5	0.262	36.5	19.8	92
12/12536	VC11	3	100-120	16.8	0.2	60.3	0.026	45.4	17.7	93
13/12536	VC11	4	180-200	6.1	0.2	18.1	0.059	13.7	3.9	94
14/12536	VC11	5	200-220	8.7	0.1	26.3	0.016	23.8	4.5	95
15/12536	VC11	6	220-240	10.0	0.2	35.3	<0.0143	27.6	5.2	96
16/12536	VC11	7	240-260	8.7	0.1	24.0	0.030	17.5	4.9	97
17/12536	VC11	8	260-280	7.8	0.2	27.1	0.021	23.1	4.5	98
18/12536	VC11	9	280-300	8.1	0.1	28.8	0.023	25.2	4.4	99
01/12536	VC12	1	10-30	19.1	0.4	50.9	0.243	52.5	30.5	100
02/12536	VC12	2	30-50	13.1	0.4	63.1	0.587	45.0	45.4	101
03/12536	VC12	3	100-120	15.0	0.2	49.8	0.051	39.1	11.7	102
04/12536	VC12	4	180-200	8.3	0.1	25.2	0.033	18.4	4.6	103
05/12536	VC12	5	200-220	8.9	0.2	36.0	0.024	24.1	4.7	104
06/12536	VC12	6	220-240	8.9	0.2	30.5	0.028	25.7	4.3	105
07/12536	VC12	7	240-260	7.6	0.1	26.8	0.033	17.3	4.3	106
08/12536	VC12	8	260-280	9.7	0.2	33.6	0.029	25.6	5.3	107
09/12536	VC12	9	280-300	9.1	0.1	31.7	0.033	25.8	4.8	108
19/12536	VC13	1	10-30	10.6	0.3	23.7	0.113	19.3	21.4	109
20/12536	VC13	2	30-50	9.1	0.2	29.9	0.018	26.0	4.6	110
21/12536	VC13	3	100-120	8.0	0.2	25.9	0.017	23.3	4.0	111
22/12536										