

REVISIONI						
	00	02/02/2021	Prima emissione	Hydrogeo S.r.l.	Hydrogeo S.r.l.	Hydrogeo S.r.l.
	N.	DATA	DESCRIZIONE	ELABORATO	VERIFICATO	APPROVATO

AREA
ENGINEERING S.R.L.

Lungarno Guido Reni, 55
San Giovanni Valdarno (AR) 52027
tel. e fax 055.9544856
e-mail: info@areaengineeringsrl.eu

G H E A
ENGINEERING & CONSULTING S.R.L.

Γ E A

Lungarno Guido Reni, 55
San Giovanni Valdarno (AR) 52027
tel. e fax 055.9155832
e-mail: info@ghea.it

HYDROGEO
INGEGNERIA

Via Aretina 167/b - Firenze (FI) 50136
tel. 055.6587050
fax. 390.550676043
e-mail: info@studiohydrogeo.it



REVISIONI					
	00	29/03/2021	Accettazione elaborati con mail del 29/03/2021		
	N.	DATA	DESCRIZIONE	ESAMINATO	ACCETTATO

NUMERO E DATA ORDINE: Lettera attivazione n°

MOTIVO DELL'INVIO: PER ACCETTAZIONE PER INFORMAZIONE

CODIFICA ELABORATO				
DGDR10012B2011629				
TITOLO ELABORATO		TIPOLOGIA ELABORATO		
Studio idrologico idraulico di supporto alla progettazione degli interventi sulla Stazione di Suvereto Stato Attuale Libretto delle Sezioni con Livelli Idrometrici TR30 - TR200 - TR500 anni - Reticolo Principale		Disegno		
		PROGETTO		
		SACOI 3		
NOME DEL FILE	SCALA CAD	FORMATO	SCALA	FOGLIO
DGDR10012B2011629	1 unità = 1	A4	varie	/

Questo documento contiene informazioni di proprietà Terna Rete Italia S.p.A. e deve essere utilizzato esclusivamente dal destinatario in relazione alle finalità per le quali è stato ricevuto. E' vietata qualsiasi forma di riproduzione o di divulgazione senza l'esplicito consenso di Terna Rete Italia S.p.A.

This document contains information proprietary to Terna Rete Italia S.p.A. and it will have to be used exclusively for the purposes for which it has been furnished. Whichever shape of spreading or reproduction without the written permission of Terna Rete Italia S.p.A. is prohibit.


Fiume Cornia

Fiume Comia
SEZIONE N° 02256_04

LEGENDA:

- TR30 H=36.413 m. s.l.m. ————
- TR200 H=37.176 m. s.l.m. ————
- TR500 H=37.394 m. s.l.m. ————

SCALA DISTANZE 1:5000
SCALA QUOTE 1:500




PUNTI	1	2	3	7	8	9	10	11	12	13	14	15	16	17	22	23	25	26	27	28	30	33	39	42	43	44	45	46	47	48	51	52	53	54	55	56	57	58	59	65	66	
QUOTE [m s.l.m.]	39.41	38.90	38.07	37.95	37.26	36.73	36.77	36.90	36.52	36.38	36.23	35.82	35.52	35.44	34.94	34.20	33.27	32.84	32.77	32.71	31.76	33.26	33.91	37.40	37.38	37.40	37.36	37.30	37.22	36.02	37.57	37.38	37.30	37.57	37.63	37.69	37.58	37.44	37.71	36.18	36.05	36.37
DISTANZE PROGRESSIVE [m]	0.00	8.73	22.56	39.04	59.20	94.09	113.88	131.77	152.80	167.36	194.23	213.35	229.15	240.24	248.53	272.59	286.85	293.98	303.99	308.76	311.76	324.24	332.59	357.21	369.26	377.75	390.60	402.12	406.87	452.55	480.31	510.54	543.49	559.03	579.34	618.86	656.16	702.02	761.46	766.13	776.18	793.99
DISTANZE PARZIALI [m]					34.89						26.87				24.06															42.68		30.23	32.95			39.52	37.30	45.86	59.44			

Fiume Cornia
SEZIONE N° 02207__04

LEGENDA:

- TR30 H =35,115 m. s.l.m. ---
- TR200 H =35,844 m. s.l.m. ---
- TR500 H =36,068 m. s.l.m. ---

SCALA DISTANZE 1:5000
SCALA QUOTE 1:500



PUNTI	1	5	9	12	17	18	19	20	21	22	23	24	25	26	27	29	34	40	44	47	49	52	53	54	55	56	57	58	59	60	61	62	63	64	65	70	72	73	74	75	76	77	78	87	92	
QUOTE [m s.l.m.]	34.41	35.90	35.92	36.23	34.13	34.11	33.63	34.55	35.21	35.46	35.54	35.36	35.79	35.96	36.13	36.34	33.78	33.99	31.97	32.99	33.99	34.57	34.84	35.39	35.39	35.24	35.11	35.20	35.20	35.28	35.24	35.32	35.76	35.53	35.30	35.84	35.21	35.96	35.87	36.24	36.34	36.21	35.93	36.60	36.77	37.14
DISTANZE PROGRESSIVE [m]	0.00	5.90	11.82	24.43	31.13	36.06	60.36	80.31	96.12	127.23	157.63	181.56	204.76	226.52	243.79	256.41	288.92	293.00	286.63	311.97	307.21	340.14	357.48	382.16	413.01	435.52	462.08	483.53	502.64	524.86	552.14	579.54	611.58	657.96	692.53	727.71	734.48	769.44	797.58	831.61	869.51	899.77	920.42	935.40	941.77	954.99
DISTANZE PARZIALI [m]					29.11	30.40															31.11	24.68	30.85				26.56					27.28	27.40	32.04	46.38	34.57	35.18	29.96	28.14	34.03	37.90	30.26				

Fiume Cornia
SEZIONE N° 02011__04


LEGENDA:

TR30 H=29,917 m. s.l.m.

TR200 H=30,534 m. s.l.m.

TR500 H=30,766 m. s.l.m.

SCALA DISTANZE 1:3500
SCALA QUOTE 1:500



PUNTI	13	6	7	9	13	17	19	22	23	24	25	26	28	30	31	33	34	36	38	41	43	44	45	46	47	48	49	51	52	54	55	56	57	58	59	60	61	62	63	65
QUOTE [m s.l.m.]	31.83	29.30	28.99	29.43	26.34	25.62	25.69	26.17	26.57	27.80	26.39	26.10	28.45	28.35	28.54	28.54	29.80	29.65	29.21	28.76	30.06	30.13	28.95	29.08	28.92	28.37	28.09	25.05	29.04	29.40	29.36	29.52	29.90	29.78	29.70	30.08	29.91	29.67	30.34	
DISTANZE PROGRESSIVE [m]	0.00	4.21	16.93	29.71	36.79	46.17	53.96	64.61	72.68	77.51	83.22	87.82	94.66	104.26	108.02	113.46	122.12	132.77	140.71	145.60	158.74	167.72	173.70	193.49	215.44	252.27	256.38	266.51	294.19	312.10	320.24	342.90	388.32	442.89	492.82	550.06	590.91	609.24	613.55	
DISTANZE PARZIALI [m]																						19.79	21.95	36.83			21.62	17.91	22.66	46.42	53.57	49.93	57.24	40.85	18.33					

Fiume Cornia
SEZIONE N° 01996__04


LEGENDA:

TR30 H=29.406 m. s.l.m.

TR200 H=30.078 m. s.l.m.

TR500 H=30.338 m. s.l.m.

SCALA DISTANZE 1:3500
SCALA QUOTE 1:500




PUNTI	1	3	5	7	9	10	12	14	17	19	20	22	23	26	27	28	30	31	32	33	34	35	36	37	38	41	42	44	45	46	47	48	49	50	51	52	53	54	55					
QUOTE [m s.l.m.]		31.17	26.50	26.50	26.55	26.55	26.79	26.03	28.64	28.03	24.92	24.97	28.28	28.14	28.80	28.80	29.00	29.00	28.99	28.88	28.75	28.03	26.92	26.95	29.08	26.92	26.97	26.97	26.97	26.97	26.97	29.04	29.40	29.36	26.52	26.90	26.90	29.78	26.70	30.08	29.91	29.91	29.67	30.34
DISTANZE PROGRESSIVE [m]	0.00	4.48	21.91	29.82	35.16	40.26	46.51	54.05	61.73	67.16	73.54	80.45	82.13	86.01	86.01	86.01	103.39	109.99	116.04	124.78	132.50	151.42	170.89	193.49	215.44	252.27	252.27	252.27	252.27	252.27	294.19	312.10	320.24	342.90	386.32	442.89	492.82	550.06	590.91	609.24	613.55	613.55		
DISTANZE PARZIALI [m]																					18.92	19.47	22.60	21.95	36.83			21.62	17.91	22.66	46.42	53.57	49.93	57.24	40.85	18.33								

Fiume Cornia
SEZIONE N° 01941__04


LEGENDA:

- TR30 H=28,532 m. s.l.m.
- TR200 H=29,250 m. s.l.m.
- TR500 H=29,544 m. s.l.m.

SCALA DISTANZE 1:3500
SCALA QUOTE 1:500



PUNTI	1	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	23	25	27	28	29	30	33	35	37	39	45	50	56	59	60	65	66	72		
QUOTE [m s.l.m.]		30,41	27,81	27,99	28,37	28,82	29,09	29,06	28,80	28,56	27,93	27,85	28,29	28,56	28,73	28,68	28,47	28,26	27,64	26,54	26,82	28,41	28,14	27,63	28,37	25,62	28,95	28,10	28,29	23,29	23,61	27,65	27,25	28,23	27,85	27,92	28,10	30,40
DISTANZE PROGRESSIVE [m]	0,00	6,39	26,10	53,88	85,01	122,91	158,41	186,58	218,37	242,86	265,95	280,15	298,42	320,39	338,97	357,12	367,00	385,36	393,06	398,61	408,69	421,61	442,19	456,86	467,97	478,81	489,25	496,84	505,73	510,46	515,92	531,81	547,95	571,68	597,86	604,58		
DISTANZE PARZIALI [m]		18,84	27,78	31,13	37,90	35,50	28,17	31,79	24,49	23,09	18,27	21,97	18,58	18,15	18,36									20,58											19,83	26,18		



Fiume Cornia
 SEZIONE N° 01857__04


LEGENDA:

TR30 H =26,687 m. s.l.m. — — —

TR200 H =27,627 m. s.l.m. — — —

TR500 H =27,983 m. s.l.m. — — —

SCALA DISTANZE 1:3500
 SCALA QUOTE 1:500




PUNTI	1	4	5	10	13	15	18	20	24	25	26	27	28	29	30	35	36	37	38	42	43	45	46	49	51	52	66
QUOTE [m s.l.m.]	28,92	27,11	26,79	27,00	27,26	22,25	22,10	22,48	26,12	26,18	26,46	26,47	26,54	26,52	26,32	26,28	26,77	26,44	26,67	26,31	26,16	26,61	26,69	26,13	28,14	28,36	28,17
DISTANZE PROGRESSIVE [m]	0,00	7,40	17,91	31,72	37,26	38,18	44,12	49,42	57,71	65,19	78,39	96,59	124,76	158,41	174,55	185,11	215,60	250,21	274,34	300,58	336,91	368,81	375,07	381,17	392,98	407,45	411,85
DISTANZE PARZIALI [m]											18,20	28,17	33,65		30,49	34,61	24,13	24,91	38,33	26,57							

Fiume Comia
SEZIONE N° 01757__04

LEGENDA:

- TR30 H =24.542 m. s.l.m.
- TR200 H =26.046 m. s.l.m.
- TR500 H =26.629 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500




PUNTI	1	3	6	7	8	10	11	12	13	15	17	19	20	21	23	24	25	27	28	30	33	34	35	36	37	38	39	40	43
QUOTE [m s.l.m.]	26.99	25.37	25.07	25.17	24.81	21.80	20.84	21.79	21.70	20.01	19.10	20.92	21.77	21.95	22.58	22.43	22.84	24.41	23.73	24.08	24.48	25.15	25.22	25.26	25.23	25.87	25.87	25.87	
DISTANZE PROGRESSIVE [m]	0.00	2.75	17.32	25.45	30.21	34.34	41.88	44.85	47.81	54.15	58.45	60.51	69.14	74.09	78.85	82.96	86.70	90.57	107.80	133.43	162.99	190.77	200.06	236.48	260.90	268.71	268.71	268.71	
DISTANZE PARZIALI [m]		12.87																	13.43	25.63	29.56	27.78		36.42	24.42				

Fiume Cornia
SEZIONE N° 01737__04

LEGENDA:

- TR30 H=24,424 m. s.l.m.
- TR200 H=25,927 m. s.l.m.
- TR500 H=26,504 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500



PUNTI	1	4	8	9	14	15	16	17	19	20	21	23	24	25	27	30	32	34	36	38	41	43	45	46	47	49	51	55	58	59	60	62	64
QUOTE [m s.l.m.]	26,72	25,26	25,09	25,10	24,28	24,28	22,58	22,46	22,18	21,95	22,24	21,00	20,33	20,10	19,82	19,88	19,51	19,75	19,78	20,19	20,79	20,11	20,12	20,46	22,02	21,93	22,60	23,94	23,44	23,55	24,13	24,97	26,67
DISTANZE PROGRESSIVE [m]	0,00	3,69	15,98	30,02	34,61	38,65	44,46	52,41	55,20	57,89	66,28	69,08	73,96	77,43	81,14	89,38	92,43	95,19	96,79	104,49	106,22	111,98	117,33	121,04	146,33	152,59	155,17	168,48	180,19	198,49	203,96	208,46	
DISTANZE PARZIALI [m]		10,00	14,04																							26,23	12,26	11,71	18,30				


Fiume Cornia
 SEZIONE N° 01692__04

LEGENDA:

- TR30 H=23.834 m. s.l.m.
- TR200 H=25.309 m. s.l.m.
- TR500 H=25.833 m. s.l.m.

SCALA DISTANZE 1:2000
 SCALA QUOTE 1:500

12.00




PUNTI	1	4	5	7	9	10	21	4	18	720	2325	27	28	29	30	313	466		
QUOTE [m s.l.m.]	25.97	23.69	23.65	23.45	17.33	17.30	17.35	17.35	17.45	19.83	19.79	21.55	22.78	22.78	23.15	23.71	24.17	24.59	26.10
DISTANZE PROGRESSIVE [m]	0.00	4.57	7.35	27.05	40.84	45.57	51.32	55.38	60.30	67.12	70.66	83.48	90.86	111.43	138.30	153.13	156.43	159.30	
DISTANZE PARZIALI [m]		18.07	11.61							10.61		20.57		26.87	14.83				

Fiume Cornia
 SEZIONE N° 01671__04

LEGENDA:

TR30 H =22.976 m. s.l.m. — — — — —
 TR200 H =24.662 m. s.l.m. — — — — —
 TR500 H =25.218 m. s.l.m. — — — — —



SCALA DISTANZE 1:2000
 SCALA QUOTE 1:500

PUNTI	1	3	5	6	8	10	11	14	16	18	19	23	25	26	27	28	29	30	34	
QUOTE [m s.l.m.]	25.76	23.10	22.99	22.98	23.94	20.85	19.87	16.70	16.70	16.70	16.72	23.82	23.32	23.47	23.74	23.77	23.48	23.35	23.60	25.48
DISTANZE PROGRESSIVE [m]	0.00	6.83	16.66	22.98	26.44	30.39	37.42	42.11	48.90	50.33	59.41	82.02	73.38	88.45	96.82	119.92	143.45	162.97	166.56	168.79
DISTANZE PARZIALI [m]												11.00	15.07		23.10	23.53	19.52			

Fiume Cornia
SEZIONE N° 01629_04

LEGENDA:


TR30 H = 22.318 m. s.l.m.

TR200 H = 23.997 m. s.l.m.

TR500 H = 24.536 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

10.00




PUNTI	1	3	5	6	7	8	11	13	15	16	17	18	20	21	23	26	27	28	29	30	33	34	
QUOTE [m s.l.m.]	24.87	23.93	23.01	22.80	22.74	17.48	18.46	18.33	17.05	18.07	18.93	19.71	20.13	20.59	20.71	21.93	22.40	22.81	22.51	21.99	22.22	23.35	24.95
DISTANZE PROGRESSIVE [m]	0.00	3.92	8.42	14.07	19.57	26.40	29.50	34.08	38.32	46.22	49.13	53.09	56.88	59.58	68.70	71.58	74.42	93.63	115.48	137.94	144.95	148.27	151.27
DISTANZE PARZIALI [m]																		19.21	21.85	22.46			

Fiume Comia
SEZIONE N° 01610__04

LEGENDA:

- TR30 H=22.094 m. s.l.m.
- TR200 H=23.740 m. s.l.m.
- TR500 H=24.230 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500




PUNTI	1	3	4	6	9	11	12	14	17	18	22	23	24	29	33	35	38	39	40	41	43	44	45	46	49	50
QUOTE [m s.l.m.]	24,83	22,28	22,26	19,91	19,87	19,54	18,71	19,54	19,27	18,15	16,55	16,55	18,52	20,37	20,63	20,36	20,34	19,50	20,38	20,38	20,84	21,26	21,76	21,99	22,71	24,61
DISTANZE PROGRESSIVE [m]	0,00	4,15	7,06	12,69	16,75	23,62	27,07	31,47	36,55	44,32	50,07	53,27	58,74	60,37	63,90	67,10	70,12	73,29	76,28	80,38	87,26	103,79	109,17	123,21	128,49	129,98
DISTANZE PARZIALI [m]																						16,53		14,04		

Fiume Cornia
SEZIONE N° 01587_04

LEGENDA:
 TR30 H=21.971 m. s.l.m.
 TR200 H=23.700 m. s.l.m.
 TR500 H=24.198 m. s.l.m.

SCALA DISTANZE 1:2000
 SCALA QUOTE 1:500



PUNTI	1	3	5	6	7	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
QUOTE [m s.l.m.]	24.45	22.40	22.08	21.56	21.00	19.06	18.95	19.53	18.80	18.94	19.20	18.76	18.76	18.35	16.12	16.19	16.43	17.55	18.34	18.51	19.07	19.39	19.53	19.47	21.11	20.72	21.20	21.44	21.63	21.83	23.96																	
DISTANZE PROGRESSIVE [m]	0.00	3.45	14.90	25.93	34.35	36.52	42.77	70.36	78.10	81.45	86.20	89.00	89.00	84.99	88.51	101.32	108.23	112.56	116.97	118.34	123.08	131.23	137.02	140.88	143.51	150.73	162.92	168.05	173.40	177.72																		
DISTANZE PARZIALI [m]		3.60	11.03				27.59																			12.19																						

Fiume Cornia
SEZIONE N° 01571__04

LEGENDA:


TR30 H=21,810 m. s.l.m.

TR200 H=23,544 m. s.l.m.

TR500 H=24,007 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

9.00



PUNTI	1	3	6	7	8	9	11	13	14	15	16	17	19	21	22	24	26	27	29	30	31	33	34
QUOTE [m s.l.m.]	24,09	21,62	21,40	20,86	20,65	19,99	19,91	19,41	19,62	19,79	19,44	18,91	15,91	15,23	14,98	14,82	19,15	19,24	21,19	21,32	21,43	21,83	23,68
DISTANZE PROGRESSIVE [m]	0,00	3,95	6,70	17,19	27,28	36,19	38,01	38,73	42,79	50,20	56,35	61,42	67,57	72,07	75,91	79,23	86,25	123,68	127,06	134,40	142,06	145,26	148,28
DISTANZE PARZIALI [m]		10,49	10,09															37,43					


Fiume Cornia
 SEZIONE N° 01550_04

LEGENDA:

TR30 H =21,350 m. s.l.m.
 TR200 H =23,177 m. s.l.m.
 TR500 H =23,562 m. s.l.m.

SCALA DISTANZE 1:2000
 SCALA QUOTE 1:500

8,00



PUNTI	1	3	5	6	7	8	13	16	17	18	20	22	25	27	29	33	36	37	38	39	42	43
QUOTE [m s.l.m.]	23,52	21,58	21,43	20,92	20,60	20,14	20,00	18,52	15,95	15,99	16,82	15,18	13,29	13,04	13,98	21,55	20,88	20,47	20,13	20,04	20,94	23,30
DISTANZE PROGRESSIVE [m]	0,00	3,56	8,16	15,76	28,80	40,58	43,82	47,43	52,13	59,13	62,68	66,88	69,87	73,85	76,68	79,16	89,12	101,47	114,26	120,51	120,81	125,06
DISTANZE PARZIALI [m]				13,04	11,78												12,35	12,79				

Fiume Comia
SEZIONE N° 01525__04

LEGENDA:


TR30 H =20.944 m. s.l.m.

TR200 H =22.883 m. s.l.m.


TR500 H =23.195 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

8,00



PUNTI	1	4	6	9	10	11	12	15	19	21	22	24	25	27	28	29	31	33	34	35	38	39	40	43	44
QUOTE [m s.l.m.]	23,21	22,34	22,34	20,47	20,57	20,41	20,43	21,06	17,13	14,39	13,84	13,92	14,46	19,24	20,27	20,43	20,95	19,75	19,32	19,41	20,86	22,80			
DISTANZE PROGRESSIVE [m]	0,00	4,89	13,24	12,30	28,62	36,89	40,10	45,80	52,16	58,75	61,30	66,99	72,38	79,09	82,17	87,64	90,52	103,02	114,29	120,93	124,72	127,83			
DISTANZE PARZIALI [m]					16,32													10,54	11,27						



Fiume Cornia
SEZIONE N° 01473__04

LEGENDA:


TR30 H=19,918 m. s.l.m. ---

TR200 H=22,418 m. s.l.m. ———


TR500 H=22,591 m. s.l.m. _____

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

8,00



PUNTI	1	3	5	6	8	11	14	15	16	17	19	20	24	26	28	31	33	34	35	36	38	39		
QUOTE [m s.l.m.]	22,37	20,07	19,55	19,32	19,93	20,13	19,13	17,47	17,05	17,05	13,11	13,19	13,19	15,02	17,71	19,78	20,16	20,07	19,78	19,15	19,56	19,90	22,32	
DISTANZE PROGRESSIVE [m]	0,00	4,64	10,98	14,22	26,55	28,39	33,09	38,98	43,16	49,77	53,47	58,65	84,65	87,10	96,16	112,73	128,33	132,23	136,18	140,17				
DISTANZE PARZIALI [m]													26,00			16,57	15,60							



Fiume Cornia
SEZIONE N° 01434PB04

LEGENDA:

TR30 H=19,641 m. s.l.m.

TR200 H=21,963 m. s.l.m.

TR500 H=22,141 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

8,00



PUNTI	1	2	4	5	7	9	10	13	15	19	23	24	27	32	34	37	38	39	40	41	42
QUOTE [m s.l.m.]	23,56	23,35	23,27	22,87	22,36	18,77	16,72	14,81	14,24	14,13	13,75	13,71	14,31	14,45	15,34	16,12	21,64	23,34	23,46	23,40	23,48
DISTANZE PROGRESSIVE [m]	0,00	15,07	29,53	36,68	39,60	45,68	49,32	53,20	61,46	65,66	69,83	73,37	77,49	86,26	91,75	94,83	108,28	108,29	119,37	124,50	146,70
DISTANZE PARZIALI [m]		15,07	13,82														11,45	10,08	22,20		

Fiume Cornia
SEZIONE N° 01434PC04

LEGENDA:


TR30 H=19,239 m. s.l.m.

TR200 H=19,828 m. s.l.m.

TR500 H=19,879 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

8,00



PUNTI	1	2	4	6	9	11	12	16	18	24	28	32	38	39	44	45	47	48	49	50		
QUOTE [m s.l.m.]	23,56	23,35	23,27	23,26	22,36	18,77	16,22	14,44	14,08	14,44	13,72	13,70	14,24	14,35	15,49	16,12	22,10	23,29	23,46	23,40	23,48	
DISTANZE PROGRESSIVE [m]	0,00	15,15	29,61	34,80	40,67	45,80	50,71	55,72	62,75	65,63	71,16	74,69	77,46	83,26	87,66	91,72	94,96	106,25	111,92	119,40	124,62	146,74
DISTANZE PARZIALI [m]		15,15	13,91														11,29				22,12	

Fiume Cornia
SEZIONE N° 01415__17

LEGENDA:
 TR30 H=19.151 m. s.l.m.
 TR200 H=20.020 m. s.l.m.
 TR500 H=20.094 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

6.00

PUNTI	1	4	5	6	7	8	10	12	14	18	22	26	27	29	32	33	35	38	39	43	47	48	50	51		
QUOTE [m s.l.m.]	20.65	18.60	18.39	18.60	18.66	18.95	18.81	18.88	18.19	17.58	13.29	11.94	11.91	12.15	16.88	17.15	17.45	18.15	18.25	18.53	18.99	18.36	18.39	18.11	21.56	
DISTANZE PROGRESSIVE [m]	0.00	5.35	18.69	29.76	40.25	52.38	63.49	73.78	80.15	87.83	91.65	94.98	100.26	108.59	108.59	113.76	122.33	125.17	133.85	138.69	145.60	153.62	189.74	185.59	189.38	189.38
DISTANZE PARZIALI [m]		13.34	11.09	10.47	12.13																	29.12				


Fiume Cornia
SEZIONE N° 01387__04

LEGENDA:

TR30 H =18.719 m. s.l.m.
 TR200 H =19.566 m. s.l.m.
 TR500 H =19.653 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

6.00



PUNTI	1	4	7	8	9	10	12	13	14	15	16	17	18	19	20	22	25	26	27	29	30
QUOTE [m s.l.m.]	20.29	19.26	17.60	17.68	18.05	18.26	18.90	12.06	11.80	12.03	17.05	17.00	16.82	16.01	16.38	17.67	18.22	17.92	17.41	18.47	20.89
DISTANZE PROGRESSIVE [m]	0.00	4.10	7.62	30.25	61.35	64.39	69.34	74.04	80.45	85.38	88.91	92.74	98.23	101.29	106.72	115.68	131.42	155.35	189.32	192.67	196.80
DISTANZE PARZIALI [m]				22.63	31.10											13.68	23.93	33.97			

Fiume Cornia
SEZIONE N° 01371__04

LEGENDA:


TR30 H=18,121 m. s.l.m.

TR200 H=18,993 m. s.l.m.

TR500 H=19,103 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

6,00




PUNTI	1	3	5	7	8	9	10	12	13	14	15	16	17	18	19	20	22	25	26	28	29	
QUOTE [m s.l.m.]	20,22	18,16	17,61	17,83	17,96	18,14	18,75	11,96	11,61	11,97	16,84	16,79	16,54	15,89	16,19	17,47	18,25	16,98	18,35	20,35	20,35	
DISTANZE PROGRESSIVE [m]	0,00	2,48	6,68	30,90	55,78	65,04	70,93	75,88	80,59	87,01	91,94	95,48	99,31	104,80	107,87	113,31	122,28	126,06	156,51	163,58	163,58	163,58
DISTANZE PARZIALI [m]			22,99	24,88													30,45					

Fiume Cornia
 SEZIONE N° 01363_04

LEGENDA:

TR30 H=18,105 m. s.l.m. — — — — —
 TR200 H=18,951 m. s.l.m. — — — — —
 TR500 H=19,075 m. s.l.m. — — — — —

SCALA DISTANZE 1:2000
 SCALA QUOTE 1:500



PUNTI	1	3	5	6	7	8	9	11	12	14	15	17	19	20	22	24	26	28	29	30	31	33	34
QUOTE [m s.l.m.]	19.57	18.36	17.23	17.11	17.38	17.75	18.02	18.35	18.45	17.22	16.57	12.01	11.33	11.71	13.38	13.42	17.01	16.72	16.89	17.27	17.07	18.37	20.24
DISTANZE PROGRESSIVE [m]	0.00	4.60	9.46	23.25	52.20	78.23	94.79	97.61	103.12	108.01	112.09	115.52	119.05	122.42	128.87	132.16	137.17	146.89	197.85	202.08	204.88		
DISTANZE PARZIALI [m]		13.79	28.95	26.03	16.56													11.72	48.96				

Fiume Cornia
SEZIONE N° 01348__04

LEGENDA:


TR30 H = 17.695 m. s.l.m.

TR200 H = 18.628 m. s.l.m.

TR500 H = 18.792 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

6.00



PUNTI	1	3	4	5	6	7	8	10	11	12	13	14	16	17	18	20	22	23	28	29	32	33	36	37	39	41		
QUOTE [m s.l.m.]	19.32	18.13	18.39	16.82	16.91	17.14	17.40	16.61	16.82	16.72	15.81	14.94	11.88	11.88	11.60	11.59	11.37	11.38	15.83	17.90	17.80	17.50	17.34	16.23	16.01	16.38	17.49	19.65
DISTANZE PROGRESSIVE [m]	0.00	4.28	8.66	8.66	20.83	35.54	60.31	69.51	79.22	86.53	97.84	100.27	108.36	108.40	109.40	113.74	117.38	117.38	122.54	125.41	131.05	157.31	183.00	190.67	194.78	199.16	199.16	202.44
DISTANZE PARZIALI [m]		4.28	4.38	0.10	12.17	14.71	24.77	8.20	9.71	11.31	11.31	2.43	8.07	0.04	0.00	4.37	3.64	3.64	5.16	2.87	6.49	23.96	25.69	7.63	4.11	4.63	4.27	3.28

Fiume Cornia
SEZIONE N° 01336_04

LEGENDA:


TR30 H=17,609 m. s.l.m.

TR200 H=18,560 m. s.l.m.

TR500 H=18,744 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

5.00




PUNTI	1	3	4	6	7	8	9	12	14	15	16	17	18	23	25	26	27	28	29	30	31	32		
QUOTE [m s.l.m.]	19.10	17.00	16.70	16.80	17.06	17.00	17.00	14.07	11.57	11.57	11.15	11.15	11.13	11.07	12.69	16.25	17.54	17.15	14.15	17.30	16.02	16.67	17.20	19.38
DISTANZE PROGRESSIVE [m]	0.00	6.25	6.25	30.89	55.52	59.69	65.14	85.14	89.81	94.61	99.41	104.21	109.01	113.81	118.61	123.41	95.38	102.01	139.94	170.46	214.48	223.35	226.98	230.87
DISTANZE PARZIALI [m]				22.36	24.63												37.93	30.52	44.02					

Fiume Cornia
 SEZIONE N° 01308__04

LEGENDA:

TR30 H = 17,296 m. s.l.m. — — — — —
 TR200 H = 18,239 m. s.l.m. — — — — —
 TR500 H = 18,438 m. s.l.m. — — — — —



SCALA DISTANZE 1:2000
 SCALA QUOTE 1:500

PUNTI	1	4	6	8	9	11	12	14	16	17	18	20	21	22	24	26	28	29	30	31	32	34	
QUOTE [m s.l.m.]	16,38	17,26	16,69	16,76	16,52	14,69	13,69	11,65	10,95	19,83	12,62	14,93	14,53	16,41	16,56	14,96	16,38	17,00	18,40				
DISTANZE PROGRESSIVE [m]	0,00	3,24	7,23	31,06	35,24	38,81	41,97	45,35	51,29	57,13	60,35	64,69	91,48	100,19	193,28	196,27	200,26	204,50					
DISTANZE PARZIALI [m]				19,92									25,04		93,09								


Fiume Cornia
SEZIONE N° 01297_04

LEGENDA:

- TR30 H=17,083 m. s.l.m. — — — —
- TR200 H=17,996 m. s.l.m. — — — —
- TR500 H=18,184 m. s.l.m. — — — —

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

4.00




PUNTI	1	4	6	8	10	12	13	15	17	18	23	25	27	29	30	31	32	33	35	37
QUOTE [m s.l.m.]	15,38	17,26	16,69	16,59	14,75	13,64	11,65	11,25	9,50	11,81	13,95	14,69	16,41	16,56	16,06	15,39	14,96	17,04	18,16	
DISTANZE PROGRESSIVE [m]	0,00	7,56	29,33	31,81	36,14	39,76	43,05	46,25	51,68	54,92	59,94	64,29	92,77	101,22	140,43	162,17	180,37	185,10	188,60	
DISTANZE PARZIALI [m]			20,33										26,77		39,21	21,74	18,20			

Fiume Cornia
SEZIONE N° 01289__04

LEGENDA:

TR30 H=16,666 m. s.l.m. — — —
 TR200 H=17,643 m. s.l.m. — — —
 TR500 H=17,834 m. s.l.m. — — —

SCALA DISTANZE 1:2000
 SCALA QUOTE 1:500



PUNTI	1	3	4	6	7	8	9	11	12	13	14	16	17	18	19	20	21	23	25	26
QUOTE [m s.l.m.]	18.12	18.51	18.51	16.13	16.39	16.33	16.49	16.46	15.79	16.19	15.90	16.34	15.79	15.08	11.92	10.73	10.21	14.15	16.22	15.98
DISTANZE PROGRESSIVE [m]	0.00	7.84	7.84	16.74	33.37	35.83	58.12	76.06	81.33	84.26	87.76	93.20	96.08	99.90	104.13	112.45	115.56	123.05	129.83	174.32
DISTANZE PARZIALI [m]				16.63		22.19	17.30												44.49	

Fiume Corria
 SEZIONE N° 01261__04

LEGENDA:


TR30 H=15.908 m. s.l.m.

TR200 H=16.878 m. s.l.m.

TR500 H=17.137 m. s.l.m.

SCALA DISTANZE 1:2000
 SCALA QUOTE 1:500

4.00



PUNTI	1	3	4	6	8	9	10	11	13	16	17	19	21	23	24	25	26	27	29	30	31	32	34	35	36	38	39	
QUOTE [m s.l.m.]	16,01	17,16	16,61	15,31	15,86	16,05	16,09	16,09	16,25	10,08	9,80	11,12	15,21	16,57	16,50	16,50	13,44	11,15	10,73	15,63	15,68	14,40	14,34	13,34	15,19	17,71		
DISTANZE PROGRESSIVE [m]	0,00	5,90	8,72	13,08	44,08	71,23	86,19	104,79	111,98	116,97	120,52	128,76	146,24	149,02	155,65	158,70	162,45	170,25	173,39	179,15	189,36	198,18	202,09	206,74				
DISTANZE PARZIALI [m]					30,21	27,15	22,93					17,48										10,21						

Fiume Cornia
SEZIONE N° 01188__10


LEGENDA:

TR30 H=14,725 m. s.l.m.

TR200 H=16,399 m. s.l.m.

TR500 H=16,679 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500



PUNTI	1	2	3	5	8	10	12	13	15	17	20	22	24	25	27	29	30	31	32	33	34	35	36	37	38	40	41	43	44	45	47
QUOTE [m s.l.m.]			12,09	12,11	14,88	17,01	14,11	13,60	13,57	14,44	13,80	11,35	9,85	10,05	13,21	14,58	14,63	14,42	14,47	14,37	14,05	12,88	12,82	12,24	12,23	13,63	15,30	17,19	11,85	11,68	
DISTANZE PROGRESSIVE [m]	0,00	3,04	7,96	11,90	15,82	18,42	27,01	37,90	42,59	45,66	53,30	60,70	63,19	72,29	75,84	81,35	107,50	137,53	174,56	222,57	260,42	294,87	305,63	316,71	326,69	330,95	333,65	338,99	347,99	355,27	
DISTANZE PARZIALI [m]							10,89										26,15	30,03	37,03	48,01	37,85	34,45	10,76	11,08	9,98						

Fiume Cornia
SEZIONE N° 01167__10


LEGENDA:

TR30 H = 14,457 m. s.l.m.

TR200 H = 16,314 m. s.l.m.

TR500 H = 16,589 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500



PUNTI	1	2	3	5	6	8	9	11	12	13	14	15	16	18	20	22	23	24	25	27	28	30	31	32	33	34	35	36	38	40	42	44	45	46	
QUOTE [m s.l.m.]	11,37	11,42	11,67	14,49	16,73	14,77	13,61	13,41	13,74	14,25	14,10	13,97	14,19	10,79	9,41	9,10	9,18	9,46	9,75	10,63	14,61	14,92	13,80	13,62	13,62	13,16	12,19	12,06	11,91	12,70	13,85	16,62	17,08	11,70	11,63
DISTANZE PROGRESSIVE [m]	0,00	5,61	9,10	13,61	17,72	22,78	25,64	40,93	80,42	122,85	156,93	161,88	166,37	169,46	173,33	176,72	180,07	185,07	192,27	195,45	199,76	202,66	217,15	242,66	260,45	272,43	286,64	297,53	308,66	314,09	317,74	322,39	326,15	334,23	346,98
DISTANZE PARZIALI [m]								14,43	39,49	42,43	34,08											12,13	25,51	17,79	11,98	14,21	10,89	11,13						12,75	

Fiume Cornia
SEZIONE N° 01152__10

LEGENDA:


TR30 H = 14.353 m. s.l.m.

TR200 H = 16.282 m. s.l.m.

TR500 H = 16.556 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

2.00



PUNTI	1	2	5	6	9	11	13	14	15	16	17	20	22	24	26	28	30	33	34	36	37	40	42	43	44	46	47	
QUOTE [m s.l.m.]	11.30	11.43	14.48	16.82	15.48	13.32	12.82	12.90	13.54	13.60	14.28	12.53	12.53	10.97	8.52	8.30	8.62	11.63	13.56	13.75	13.86	11.59	12.14	12.29	13.34	16.49	17.00	11.28
DISTANZE PROGRESSIVE [m]	0.00	3.56	8.23	13.42	18.81	21.63	24.27	40.54	70.64	94.36	113.48	117.54	124.16	127.70	131.53	135.93	141.28	149.53	169.34	174.18	307.75	310.72	315.36	318.65	324.28	328.19	336.78	
DISTANZE PARZIALI [m]							16.27	30.10	23.72	19.12								19.81			133.57							

Fiume Cornia
SEZIONE N° 01143__10

LEGENDA:


TR30 H = 14,307 m. s.l.m.

TR200 H = 16,268 m. s.l.m.

TR500 H = 16,540 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

2,00



PUNTI	1	2	3	5	6	9	10	12	13	14	15	16	17	18	19	20	21	22	26	27	28	29	30	31	32	33	35	36	37	
QUOTE [m s.l.m.]	11,34	11,52	11,52	14,34	16,64	13,54	12,82		12,93	13,74	13,68	13,87	12,63	9,46	8,49	7,95	9,13	11,35	13,60	13,22	13,03		12,78	11,73	11,96	12,25	16,39	16,90	10,82	11,88
DISTANZE PROGRESSIVE [m]	0,00	2,83	6,83	11,86	15,94	20,78	26,69		46,05	63,73	107,49	150,97	157,39	162,37	165,28	176,51	185,38	192,50	195,98		208,42		259,71	307,22	318,70	325,51	333,43	336,41	345,53	356,97
DISTANZE PARZIALI [m]								19,36	17,68	43,76	43,48				11,23					12,44	51,29		47,51	11,48					11,44	

Fiume Cornia
SEZIONE N° 01118__10


LEGENDA:

TR30 H=14,228 m. s.l.m.

TR200 H=16,245 m. s.l.m.

TR500 H=16,516 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500




PUNTI	1	2	3	5	6	9	10	12	13	15	18	19	20	21	23	24	25	26	28	30	31	32	33	34	35	36	37	38	41	42	43	44	45	46	47	48
QUOTE [m s.l.m.]	11,13	11,23	11,23	13,87	16,54	14,74	13,35	11,97	11,57	10,64	7,88	8,06	8,38	8,56	10,99	11,10	11,88	12,21	12,92	13,80	13,67	13,66	13,44	13,09	12,68	12,97	11,52	11,46	12,38	12,46	14,49	16,44	16,44	10,56	10,56	10,49
DISTANZE PROGRESSIVE [m]	0,00	2,33	9,80	14,41	19,42	22,36	36,91	39,84	43,45	48,04	50,85	54,89	56,53	65,21	70,26	76,31	89,99	94,65	99,93	109,79	114,73	123,83	209,32	222,77	235,33	368,63	379,63	383,02	386,66	390,29	393,30	398,30	405,12	409,57	421,23	
DISTANZE PARZIALI [m]						13,97										13,68		9,86					85,49		13,45	12,56		133,30		11,00					11,66	

Fiume Cornia
SEZIONE N° 01099__10

LEGENDA:

- TR30 H = 14.156 m. s.l.m.
- TR200 H = 16.226 m. s.l.m.
- TR500 H = 16.496 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500



PUNTI	1	2	4	6	8	9	10	11	12	13	14	15	16	18	20	22	24	26	28	30	31	32	33	34	35	36	38	39	40	42	43	45
QUOTE [m s.l.m.]	10,76	10,90	16,40	16,52	12,81	12,68	13,52	12,66	12,66	12,58	10,90	8,71	6,48	8,33	10,75	11,94	13,04	12,61	13,72	13,60	13,12	12,81	11,52	11,36	12,07	12,18	15,75	16,48	16,54	16,54	16,54	
DISTANZE PROGRESSIVE [m]	0,00	2,94	14,01	16,66	25,28	44,96	65,13	68,90	71,63	74,67	79,30	81,34	89,49	93,22	97,44	100,66	104,24	111,17	115,64	123,82	211,57	324,96	422,17	433,17	436,14	440,37	447,06	451,42	460,32	463,17	463,17	
DISTANZE PARZIALI [m]		10,62			19,68	20,17															87,75		113,39		97,21		11,00					


Fiume Cornia
SEZIONE N° 01059__10

LEGENDA:


TR30 H = 13,558 m. s.l.m.
 TR200 H = 15,562 m. s.l.m.
 TR500 H = 15,805 m. s.l.m.

SCALA DISTANZE 1:2000
 SCALA QUOTE 1:500

1,00




PUNTI	1	2	4	7	8	9	12	16	18	19	20	22	23	24	25	26	29	30
QUOTE [m s.l.m.]	10,67	10,81	15,45	15,45	11,76	11,90	9,80	7,01	6,27	7,65	9,85	11,45	11,61	11,48	15,20	16,04	10,00	
DISTANZE PROGRESSIVE [m]	0,00	3,38	14,72	22,30	27,34	30,07	32,91	37,15	40,39	44,39	49,40	52,68	57,86	69,48	78,85	84,01	93,07	
DISTANZE PARZIALI [m]														11,62				



Fiume Cornia
SEZIONE N° 01031__10


LEGENDA:

TR30 H =13,030 m. s.l.m. — — — —
 TR200 H =15,030 m. s.l.m. — — — —
 TR500 H =15,278 m. s.l.m. — — — —



SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

PUNTI	1	2	4	6	7	8	9	10	11	12	14	16	17	19	20	24	25
QUOTE [m s.l.m.]	11,04	11,31	15,65	11,49	11,34	9,59	7,34	7,02	7,42	11,10	14,35	15,72	15,77	10,69	10,09	10,09	
DISTANZE PROGRESSIVE [m]	0,00	5,85	12,07	20,37	27,29	31,51	36,33	47,33	57,85	60,35	63,41	71,29	74,36	77,43	85,06	90,12	94,11
DISTANZE PARZIALI [m]								11,00	10,52								



Fiume Cornia
SEZIONE N° 00997__13

LEGENDA:


TR30 H =12,584 m. s.l.m.

TR200 H =14,191 m. s.l.m.

TR500 H =14,323 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

1.00



PUNTI	1	2	4	5	7	8	9	10	14	16	17	18	20	22	23	25	27	28	29	30	31	34	
QUOTE [m s.l.m.]	9.97	10.05	14.95	14.95	10.98	11.00	10.94	7.02	7.13	6.80	6.75	6.69	9.10	9.10	11.43	14.51	14.95	10.89	10.77	10.67	10.44	9.61	
DISTANZE PROGRESSIVE [m]	0.00	9.85	17.23	20.23	26.67	29.80	33.27	37.93	44.62	47.40	52.46	56.29	61.64	83.85	86.33	94.70	101.48	105.16	111.25	119.25	128.99	147.90	152.89
DISTANZE PARZIALI [m]	9.85													22.21						9.74	18.91		

Fiume Cornia
 SEZIONE N° 00987__13


LEGENDA:

TR30 H=12,425 m. s.l.m.

TR200 H=14,037 m. s.l.m.

TR500 H=14,164 m. s.l.m.

SCALA DISTANZE 1:2000
 SCALA QUOTE 1:500




PUNTI	1	3	4	6	8	11	12	14	15	16	17	18	19	20	21	24	25	27	29
QUOTE [m s.l.m.]	10,14	14,53	14,53	11,38	10,51	9,78	9,07	6,83	6,71	9,00	9,00	11,11	11,36	13,36	14,56	11,24	11,12	10,57	
DISTANZE PROGRESSIVE [m]	0,00	8,04	11,04	16,50	19,77	38,01	39,86	41,39	48,55	52,82	77,99	81,15	88,69	94,30	99,37	104,36	107,95	115,76	
DISTANZE PARZIALI [m]											25,17								

Fiume Cornia
SEZIONE N° 00975__10

LEGENDA:

- TR30 H =12.075 m. s.l.m. — — — —
- TR200 H =13.665 m. s.l.m. — — — —
- TR500 H =13.776 m. s.l.m. — — — —



SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

PUNTI	1	2	3	4	6	8	11	12	13	14	15	16	17	18	19	20	23	26	27	28	
QUOTE [m s.l.m.]	9.63	9.84	14.42	14.42	11.16	10.76	10.76	8.99	8.58	6.76	6.38	6.53	9.25	9.25	11.05	11.25	11.31	13.03	14.42	10.66	10.44
DISTANZE PROGRESSIVE [m]	0.00	3.94	10.81	13.81	19.54	22.35	30.86	35.44	39.63	43.21	49.05	55.80	60.68	73.65	76.36	83.46	86.36	88.97	94.32	99.96	103.05
DISTANZE PARZIALI [m]														12.97							

Fiume Comia
 SEZIONE N° 00930__10


LEGENDA:

TR30 H=11.795 m. s.l.m.

TR200 H=13.486 m. s.l.m.

TR500 H=13.585 m. s.l.m.




SCALA DISTANZE 1:2000
 SCALA QUOTE 1:500




PUNTI	1	2	3	4	6	7	8	10	11	12	13	14	15	17	18	19	20	22	23
QUOTE [m s.l.m.]	8,17	8,29	13,83	13,83	10,53	10,07	10,06	8,68	6,70	5,49	6,81	8,68	8,68	9,73	9,72	13,49	13,49	13,83	8,45
DISTANZE PROGRESSIVE [m]	0,00	8,99	17,90	20,30	26,45	29,64	36,45	63,05	67,53	79,35	86,49	89,63	114,89	123,66	127,11	133,49	137,45	137,45	145,53
DISTANZE PARZIALI [m]								24,53	11,82			25,26							

Fiume Comia
SEZIONE N° 00918__10

LEGENDA:

TR30 H=11.771 m. s.l.m. 
 TR200 H=13.467 m. s.l.m. 
 TR500 H=13.565 m. s.l.m. 

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500



PUNTI	1	2	4	5	7	9	10	12	13	15	16	20	22	27	30	31	33	34	35	36	38	39	40
QUOTE [m s.l.m.]	8,04	8,23	13,69	13,69	10,04	9,45	9,40	8,40	8,40	8,27	5,77	4,82	4,42	7,23	8,40	8,10	9,54	9,88	10,11	13,51	13,69	8,69	8,69
DISTANZE PROGRESSIVE [m]	0,00	5,68	15,54	18,54	23,97	30,24	32,65	35,35	46,12	50,48	53,91	56,76	68,96	73,21	77,45	116,53	120,76	125,60	128,69	134,78	138,10	145,61	148,61
DISTANZE PARZIALI [m]									10,77				11,57		39,08								

Fiume Cornia
SEZIONE N° 00867__10


LEGENDA:

TR30 H=11,410 m. s.l.m.

TR200 H=13,167 m. s.l.m.

TR500 H=13,243 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500



PUNTI	1	3	4	6	7	9	10	11	12	13	14	16	17	19	21	24
QUOTE [m s.l.m.]	7.50	13.10	13.10	9.76	9.74	7.95	7.95	4.93	5.03	8.40	8.40	9.48	13.03	13.21	8.40	8.00
DISTANZE PROGRESSIVE [m]	0.00	10.09	13.09	19.04	27.07	31.80	87.51	91.65	108.70	113.77	129.04	140.28	145.93	149.19	156.00	162.04
DISTANZE PARZIALI [m]						55.71			17.05	15.27	10.00					

Fiume Cornia
SEZIONE N° 00857__10

LEGENDA:


TR30 H=11.415 m. s.l.m. — — —

TR200 H=13.192 m. s.l.m. — — —

TR500 H=13.270 m. s.l.m. — — —

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

0,00



PUNTI	1	2	3	4	6	7	9	10	11	13	14	16	17	18	19	20	21	23	24	26	28	30	35	
QUOTE [m s.l.m.]	7.46	7.57	12.91	12.91	10.48	10.02	7.85	7.85	7.85	6.75	6.39	5.29	5.16	5.47	5.64	8.30	8.30	9.70	12.31	12.91	8.00	8.00	7.87	7.46
DISTANZE PROGRESSIVE [m]	0.00	4.27	12.28	15.28	21.28	26.29	34.28	34.33	96.57	105.20	106.36	114.53	130.64	133.69	136.72	144.10	165.76	177.65	181.97	186.58	193.99	193.99	212.76	217.56
DISTANZE PARZIALI [m]									64.24				16.11			21.66	10.00				18.13			

Fiume Cornia
SEZIONE N° 00852PB04


LEGENDA:

TR30 H=11.342 m. s.l.m.

TR200 H=13.081 m. s.l.m.

TR500 H=13.153 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500



PUNTI	1	2	8	16	18	20	25	26	27	33	34	39	44	46	50	56	59	60	65	67	69	73	
QUOTE [m s.l.m.]	12.25	12.57	9.01	9.07	9.09	7.92	6.84	6.69	6.19	5.90	5.11	5.52	5.52	5.20	5.71	6.55	7.06	7.09	7.33	7.62	8.87	13.02	
DISTANZE PROGRESSIVE [m]	0.00	13.67	24.43	35.15	39.39	45.48	49.95	54.48	59.50	62.34	65.31	70.54	73.58	78.32	81.41	87.64	92.68	96.58	99.18	102.41	108.66	119.86	130.93
DISTANZE PARZIALI [m]	13.67	9.87	9.78																	10.00	10.45		

Fiume Cornia
SEZIONE N° 00852PC04


LEGENDA:

TR30 H=11,282 m. s.l.m. — — —

TR200 H=12,884 m. s.l.m. — — —

TR500 H=12,940 m. s.l.m. — — —

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500



PUNTI	1	2	8	16	18	20	25	26	27	33	34	39	44	46	50	56	59	60	65	67	69	73	
QUOTE [m s.l.m.]	12,25	12,57	9,01	9,07	9,09	7,92	6,84	6,69	6,10	5,90	5,11	5,52	5,52	5,20	5,71	6,56	7,06	7,09	7,33	7,62	8,87	8,87	13,02
DISTANZE PROGRESSIVE [m]	0,00	13,67	24,43	35,15	39,39	45,48	49,95	54,48	59,50	62,34	65,31	70,54	73,58	78,32	81,41	87,64	92,68	96,58	99,18	102,41	108,66	119,86	130,93
DISTANZE PARZIALI [m]	13,67	9,87	9,78																	10,00	10,45		

Fiume Comia
SEZIONE N° 00843__09


LEGENDA:

TR30 H=10,911 m. s.l.m.

TR200 H=12,518 m. s.l.m.

TR500 H=12,562 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500



PUNTI	1	2	3	4	5	6	8	13	14	17	18	20	21	22	23	24	28	29	30	31	33	34	36	39	40	41
QUOTE [m s.l.m.]	6,80	6,90	10,18	10,43	12,61	12,61	9,88	9,64	9,48	9,48	8,77	5,58	4,81	5,65	9,17	9,48	9,20	9,51	9,13	8,92	10,12	12,42	12,61	11,44	7,55	7,51
DISTANZE PROGRESSIVE [m]	0,00	15,80	20,60	24,71	27,99	30,99	36,11	43,83	47,85	50,25	53,99	59,48	64,96	71,26	76,34	80,28	86,83	93,89	104,16	109,63	114,76	118,27	121,56	128,78	134,62	148,87
DISTANZE PARZIALI [m]		15,80																10,27							14,25	

Fiume Cornia
SEZIONE N° 00828__09


LEGENDA:

TR30 H=10,828 m. s.l.m.

TR200 H=12,494 m. s.l.m.

TR500 H=12,536 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500




PUNTI	1	2	3	4	5	6	7	9	10	11	13	15	18	22	23	25	26	29	30	32	33
QUOTE [m s.l.m.]		7,24	7,34	8,07	8,86	9,16	12,43	12,43	8,62	8,62	4,27	4,27	3,08	5,10	8,67	8,75	8,97	9,19	12,27	12,43	9,32
DISTANZE PROGRESSIVE [m]	0,00	4,06	8,07	13,70	17,56	22,47	25,47	31,75	34,72	62,53	68,52	68,52	79,12	84,69	90,81	99,54	116,78	121,02	126,07	129,33	133,99
DISTANZE PARZIALI [m]										27,81							17,24				

Fiume Cornia
SEZIONE N° 00803__09

LEGENDA:

- TR30 H=10,580 m. s.l.m.
- TR200 H=12,298 m. s.l.m.
- TR500 H=12,336 m. s.l.m.



SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

PUNTI	1	2	3	4	5	7	8	9	10	11	12	13	14	16	17	18	19	20	22	24	25	27	
QUOTE [m s.l.m.]	6.64	7.11	7.11	12.24	12.24	8.99	8.59	8.80	8.71	5.72	3.72	3.69	7.41	8.94	9.14	8.66	9.07	12.12	12.13	12.24	7.14	7.45	
DISTANZE PROGRESSIVE [m]	0.00	11.17	24.35	32.05	35.05	40.57	54.86	71.59	83.19	87.10	90.17	106.38	108.84	111.43	118.76	129.58	133.26	138.54	142.11	149.76	157.84		
DISTANZE PARZIALI [m]		11.17	13.18				14.29	16.73	11.60			15.21				10.82							

Fiume Cornia
SEZIONE N° 00795__09

LEGENDA:


TR30 H = 10,413 m. s.l.m.

TR200 H = 12,200 m. s.l.m.

TR500 H = 12,238 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

0.00



PUNTI	1	2	3	4	6	7	8	9	10	12	13	15	18	20	21	22	23	24	26	27	29	30
QUOTE [m s.l.m.]	7.56	8.06	12.21	12.21	12.21	12.21	12.21	8.51	8.16	8.74	6.98	5.21	7.88	8.69	8.93	8.61	7.92	8.82	12.05	12.21	7.21	
DISTANZE PROGRESSIVE [m]	0.00	8.04	14.27	17.27	20.25	23.25	25.95	34.87	47.69	51.32	55.08	65.69	78.67	83.09	93.10	104.48	114.33	118.38	124.12	127.35	134.86	
DISTANZE PARZIALI [m]								12.82				9.93		10.01	11.38	9.85						

Fiume Corria
SEZIONE N° 00458__12

LEGENDA:


TR30 H=8,408 m. s.l.m. — — — —

TR200 H=8,186 m. s.l.m. — — — —

TR500 H=8,223 m. s.l.m. — — — —

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

-5.00




PUNTI	1	3	6	8	10	11	12	13	16	20	22	23	33	35	36	37	38	40	41	43	45	47	48
QUOTE [m s.l.m.]	2.88	3.74	4.80	7.83	9.11	3.68	3.68	0.89	0.16	-0.31	-0.31	-0.31	-0.20	3.52	3.52	9.11	9.11	6.63	6.41	3.93	3.40	3.87	3.87
DISTANZE PROGRESSIVE [m]	0.00	2.89	6.67	12.96	20.04	31.34	38.72	42.80	46.02	50.00	52.50	57.88	61.73	66.98	74.76	81.58	92.16	95.95	98.57	103.11	106.23	113.95	119.55
DISTANZE PARZIALI [m]						11.30										10.58							

Fiume Cornia
SEZIONE N° 00452_04

LEGENDA:

- TR30 H=6,357 m. s.l.m.
- TR200 H=8,114 m. s.l.m.
- TR500 H=8,151 m. s.l.m.



SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

PUNTI	1	2	3	4	7	8	10	11	13	16	20	22	24	27	29	31	32	33	36	39	40	42	44	45	46
QUOTE [m s.l.m.]		3,27	3,28	3,40	8,89	8,90	4,20	3,84	0,56	-0,28	-0,48	-0,46	-0,50	3,27	3,60	5,27	8,17	8,18	5,79	5,63	4,50	3,76	3,61	3,61	3,61
DISTANZE PROGRESSIVE [m]	0,00	4,04	7,06	15,13	18,46	25,30	31,92	36,64	38,71	44,39	51,15	56,06	62,89	66,43	71,02	76,17	79,16	82,59	87,24	89,81	94,18	98,31	102,48	105,48	108,48
DISTANZE PARZIALI [m]		4,04	3,02	8,09	3,35	6,84	6,62	5,67	2,14	6,68	6,86	5,87	4,54	5,41	4,89	5,12	3,01	3,62	4,63	2,57	4,37	4,17	4,17	3,11	3,11

Fiume Comia
SEZIONE N° 00425__04


LEGENDA:

TR30 H=6,208 m. s.l.m.


TR200 H=7,985 m. s.l.m.

TR500 H=8,022 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500



PUNTI	1	2	3	4	6	8	10	11	13	14	17	18	19	20	23	24	27	33	34	35	36	38	39	41	43	48	74	84	9	
QUOTE [m s.l.m.]		2.27	2.48	3.02	2.71	2.59	9.23	9.43	9.03	4.79	4.40	0.26	-0.04	-0.31	-0.28	-0.30	-0.50	-0.40	3.30	3.21	3.26	6.17	6.59	8.88	8.86	2.99	2.39	3.37	3.28	
DISTANZE PROGRESSIVE [m]	0.00	6.38	13.69	17.11	20.39	31.58	35.25	38.37	46.72	53.19	57.65	61.72	66.16	70.71	75.96	83.16	89.54	95.51	100.54	105.55	109.67	113.24	115.97	125.97	137.41	143.50	147.09			
DISTANZE PARZIALI [m]																										9.69				



Fiume Cornia
SEZIONE N° 00228__04

LEGENDA:


TR30 H=4,056 m, s.l.m.

TR200 H=5,197 m, s.l.m.

TR500 H=5,221 m, s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500

-6.00



PUNTI	1	2	5	8	9	12	13	16	17	18	19	22	23	25	28	31	33	35	37	39	41	44	47	49	50	53	56	
QUOTE [m s.l.m.]	1.34	1.45	0.33	1.75	1.78	-0.60	5.94	6.09	3.85	2.62	2.50	0.17	-0.70	-1.56	-1.54	-1.55	-1.66	-1.66	-1.65	-1.55	-0.32	2.82	2.51	6.44	6.33	1.48	0.38	1.62
DISTANZE PROGRESSIVE [m]	0.00	5.33	9.41	14.62	20.15	27.49	31.58	35.87	38.54	43.18	49.01	51.76	54.39	57.72	60.72	63.73	67.44	70.33	73.83	77.84	81.07	88.16	93.23	99.38	103.03	109.62	112.81	117.56
DISTANZE PARZIALI [m]		5.33	4.08	5.21	5.46	7.34	4.09	4.29	2.67	5.83	2.75	2.73	2.63	3.33	3.00	3.01	2.89	2.96	3.52	3.79	7.11	5.07	5.15	6.35	3.67	3.19	4.75	4.75

Fiume Cornia
SEZIONE N° 00186PB04


LEGENDA:

TR30 H=3,831 m. s.l.m.

TR200 H=4,914 m. s.l.m.

TR500 H=4,936 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500




PUNTI	1	2	3	5	11	12	13	18	22	23	24	26	28	29	30	37	41	44	49	51	53	55	57	59	65	71	72	74	75	78	80	81	82	87	92	93	98	
QUOTE [m s.l.m.]		9,59	9,82	9,85	9,59	2,78	2,47	2,04	1,96	2,26	5,23	5,39	2,45	2,31	2,31	2,27	2,23	-1,07	-1,17	-1,25	-1,28	-1,30	-1,28	-1,37	-1,37	-1,40	-1,39	-1,40	2,37	2,44	5,22	5,10	3,45	3,70	3,67	3,85	3,91	10,04
DISTANZE PROGRESSIVE [m]	0,00	9,37	13,17	22,61	26,30	33,62	41,50	44,44	54,91	60,00	67,46	70,06	77,76	81,19	89,32	92,21	94,36	113,36	116,69	122,33	127,14	131,27	134,88	138,19	144,45	148,10	151,59	161,20	169,56	177,05	180,25	185,01	191,69	194,45	207,18	212,79	226,61	
DISTANZE PARZIALI [m]							9,87										16,62																		12,13		11,52	

Fiume Cornia
SEZIONE N° 00186PC04

LEGENDA:

- TR30 H=3,824 m. s.l.m.
- TR200 H=4,906 m. s.l.m.
- TR500 H=4,928 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500



PUNTI	1	2	5	11	121	130	22	23	27	28	29	30	33	35	39	44	45	46	49	53	55	57	59	63	65	67	68	74	78	79	80	84	85	86	87	89	94	96	97	104	105
QUOTE [m s.l.m.]	9.61	9.99	8.83	2.60	2.29	2.20	2.25	2.34	5.10	2.48	2.29	2.28	2.20	-0.89	-1.05	-1.30	-1.34	-1.35	-1.45	-1.07	-1.02	-1.07	-0.99	-0.68	1.54	2.31	2.35	2.34	2.42	5.31	5.34	3.33	3.27	3.62	3.74	3.88	3.95	10.23	10.05		
DISTANZE PROGRESSIVE [m]	0.00	12.93	23.26	29.39	38.48	42.05	45.04	49.85	56.54	65.16	72.36	79.35	83.83	86.89	92.91	95.28	96.02	105.18	106.36	110.07	115.08	118.24	122.05	126.51	130.31	140.60	144.45	147.97	153.14	156.50	165.80	168.58	175.85	181.29	192.16	195.05	204.86	213.42	219.15	226.16	
DISTANZE PARZIALI [m]		12.93																							10.29										10.87	9.81					

Fiume Comia
SEZIONE N° 00179_04


LEGENDA:

TR30 H = 3,612 m. s.l.m.

TR200 H = 4,566 m. s.l.m.

TR500 H = 4,585 m. s.l.m.

SCALA DISTANZE 1:2000
SCALA QUOTE 1:500




PUNTI	1	2	4	6	8	9	12	16	18	21	22	25	27	29	33	35	37	39	41	43	45	46	49	51	52	54	56	60	63	66	67	68	70		
QUOTE [m s.l.m.]	2.64	2.09	1.84	1.84	2.30	2.90	4.82	2.94	2.25	1.53	1.54	-0.62	-1.23	-1.28	-1.28	-1.16	-0.93	-0.95	-0.76	0.06	0.25	-0.23	1.08	2.10	5.26	3.12	3.07	2.72	3.53	3.80	4.42	4.46			
DISTANZE PROGRESSIVE [m]	0.00	8.42	10.77	14.33	20.94	26.55	30.76	37.43	40.62	44.30	47.58	54.40	57.86	62.12	66.14	69.62	73.44	76.25	83.80	89.89	92.70	98.88	105.05	108.58	112.45	119.58	122.33	125.30	126.56						
DISTANZE PARZIALI [m]		8.42	2.35	3.46	6.60	6.61	3.21	6.67	3.25	3.28	3.28	6.82	3.46	4.26	4.02	3.48	3.78	2.81	6.55	6.89	3.11	3.19	6.17	3.43	3.67	2.77	2.77	2.97	3.47	3.00	3.16	3.16			

Fiume Comia
SEZIONE N° 00003_04

LEGENDA:

TR30 H=0,500 m. s.l.m. ---
 TR200 H=0,500 m. s.l.m. ———
 TR500 H=0,500 m. s.l.m. _____


SCALA DISTANZE 1:2000
 SCALA QUOTE 1:500



PUNTI	1	2	3	4	5	6	9	11	12	13	15	16	17	18	19	20	23	25	27	29	31	33	35	37	39	41	43	45	47	49	51	53	54	55	56	57	58	59	60		
QUOTE [m s.l.m.]	1,23	0,90	0,77	0,73	1,63	1,27	-0,55	0,87	1,07	1,11	-0,12	-0,08	-0,38	-0,43	-0,50	-0,45	-0,51	-0,53	-0,98	-1,02	-1,02	-1,01	-1,01	-1,01	-1,03	-0,97	-1,16	-0,50	-0,53	-0,66	-0,45	-0,38	-0,29	0,43	0,67	0,72	0,80	0,61	0,77		
DISTANZE PROGRESSIVE [m]	0,00	18,52	38,43	50,69	55,26	59,63	69,88	72,39	79,73	85,99	89,24	106,60	113,91	116,99	123,45	129,52	134,18	138,12	142,07	146,62	152,68	157,00	161,61	166,15	170,25	174,75	178,50	182,50	186,64	188,81	193,73	196,33	200,36	204,36	216,60	222,64	225,93	237,63	264,05	292,46	
DISTANZE PARZIALI [m]		18,52	19,91	12,26								17,36																						8,74		11,70		26,42		28,41	

Fiume Cornia
da Sezione 02382_04
a 02225_04


SCALA DISTANZE 1:5000
SCALA QUOTE 1:200



SEZIONI	02382_04	02352_04	02320_04	02290_04	02256_04	02225_04
LIVELLI IDROMETRICI TR500 [m s.l.m.]	41.64	40.56	39.21	38.32	37.39	36.63
LIVELLI IDROMETRICI TR200 [m s.l.m.]	41.34	40.10	38.84	37.92	37.16	36.39
LIVELLI IDROMETRICI TR030 [m s.l.m.]	39.91	38.78	37.67	36.91	36.41	35.60
QUOTE FONDO ALVEO [m s.l.m.]	35.34	34.90	34.04	32.47	31.19	30.17
QUOTE ARGINE SX [m s.l.m.]	43.60	45.43	41.44	39.19	39.41	39.36
QUOTE ARGINE DX [m s.l.m.]	41.51	45.70	40.45	39.62	38.37	38.98
DISTANZE PROGRESSIVE [m]	23823.03	23625.58	23200.47	22830.96	22563.32	22263.99
DISTANZE PARZIALI [m]		297.45	325.11	269.51	367.64	299.33

Fiume Cornia
da Sezione 02225_04
a 02138_04


SCALA DISTANZE 1:5000
SCALA QUOTE 1:200



SEZIONI	02225_04	02207_04	02187_04	02167_04	02138_04
LIVELLI IDROMETRICI TR500 [m s.l.m.]	36.63	36.07	35.63	35.03	33.94
LIVELLI IDROMETRICI TR200 [m s.l.m.]	36.39	35.84	35.41	34.74	33.65
LIVELLI IDROMETRICI TR030 [m s.l.m.]	35.60	35.12	34.58	33.83	33.01
QUOTE FONDO ALVEO [m s.l.m.]	30.17	29.64	29.96	29.41	29.19
QUOTE ARGINE SX [m s.l.m.]	39.36	37.27	37.76	37.07	32.74
QUOTE ARGINE DX [m s.l.m.]	38.98	38.79	38.59	38.29	35.68
DISTANZE PROGRESSIVE [m]	22203.99	22075.62	21867.26	21671.66	21380.85
DISTANZE PARZIALI [m]		188.17	208.56	195.60	290.81

Fiume Cornia
da Sezione 02138_04
a 02011_04


SCALA DISTANZE 1:5000
SCALA QUOTE 1:200



SEZIONI	02138_04	02121_04	02100_04	02086_04	02079_04	02051_04	02036_04	02026_04	02011_04	01996_04
LIVELLI IDROMETRICI TR500 [m s.l.m.]	33.94	33.54	32.85	32.23	31.93	31.25	31.13	31.02	30.77	30.34
LIVELLI IDROMETRICI TR200 [m s.l.m.]	33.65	33.33	32.64	32.00	31.68	30.99	30.88	30.77	30.53	30.08
LIVELLI IDROMETRICI TR030 [m s.l.m.]	33.01	32.72	32.01	31.34	30.97	30.35	30.25	30.15	29.92	29.41
QUOTE FONDO ALVEO [m s.l.m.]	29.19	27.85	27.81	28.29	27.69	27.28	26.68	26.80	25.68	24.96
QUOTE ARGINE SX [m s.l.m.]	32.74	37.79	34.20	34.48	33.21	32.61	32.46	32.18	31.87	31.17
QUOTE ARGINE DX [m s.l.m.]	35.68	34.75	34.52	34.09	33.37	32.38	31.80	31.51	31.87	31.56
DISTANZE PROGRESSIVE [m]	21380.85	21188.83	21010.28	20864.44	20779.92	20465.67	20263.69	20192.73	20114.93	19956.90
DISTANZE PARZIALI [m]		192.02	178.55	145.84	84.52	314.25	201.98	70.96	77.80	156.03

SCALA DISTANZE 1:15000
SCALA QUOTE 1:200

4.00




SEZIONI

	02011__04	01996__04	01976__04	01941__04	01885__04	01857__04	01815__04	01790__04	01757__04	01737__04	01712__04	01692__04	01671__04	01648__04	01629__04	01610__04	01597__04	01571__04	01550__04	01525__04
LIVELLI IDROMETRICI Tr500 [m s.l.m.]	30.77	30.34	30.03	29.55	28.57	27.99	27.50	27.12	26.64	26.51	26.07	25.84	25.23	24.94	24.54	24.24	24.20	24.01	23.57	23.20
LIVELLI IDROMETRICI Tr200 [m s.l.m.]	30.54	30.08	29.75	29.25	28.25	27.63	27.08	26.62	26.05	25.93	25.52	25.32	24.67	24.38	24.00	23.75	23.71	23.55	23.18	22.89
LIVELLI IDROMETRICI Tr30 [m s.l.m.]	29.93	29.41	29.07	28.54	27.55	26.71	26.85	25.27	24.56	24.45	24.06	23.86	23.00	22.79	22.34	22.12	21.99	21.83	21.38	20.97
QUOTE FONDO ALVEO [m s.l.m.]	25.68	24.96	23.68	23.05	21.34	21.20	17.18	20.84	19.10	19.50	17.06	17.28	16.09	15.91	15.43	15.91	16.11	14.82	13.29	13.64
QUOTE ARGINE SX [m s.l.m.]	31.78	31.17	30.86	30.41	29.67	28.92	28.28	27.89	26.99	26.72	26.55	25.96	25.73	25.25	24.87	24.70	24.45	24.09	23.52	23.21
QUOTE ARGINE DX [m s.l.m.]	29.35	31.56	30.82	30.50	29.55	29.16	28.43	27.66	26.96	26.89	26.27	26.10	25.57	25.16	25.09	24.69	24.16	24.14	23.40	23.13
DISTANZE PROGRESSIVE [m]	20114.93	19958.90	19760.70	19408.08	18845.76	18565.73	18145.02	17895.60	17573.28	17365.98	17118.55	16919.34	16707.72	16475.33	16293.61	16095.46	15874.39	15705.24	15501.13	15245.69
DISTANZE PARZIALI [m]		156.03	198.20	352.62	562.32	280.03	420.71	249.42	322.32	204.30	250.43	199.21	211.62	232.39	181.72	198.15	221.07	165.15	208.11	255.44

Fiume Cornia
da Sezione 01525__04 a 01031__10


SCALA DISTANZE 1:15000
SCALA QUOTE 1:200



SEZIONI	
LIVELLI IDROMETRICI Tr500 [m s.l.m.]	23.20 23.00 22.80 22.59 22.73 22.62 22.14 20.15 20.10 19.90 19.66 19.11 18.09 18.81 18.77 18.57 18.46 18.21 17.86 17.28 17.02
LIVELLI IDROMETRICI Tr200 [m s.l.m.]	22.89 22.74 22.58 22.42 22.53 22.43 21.97 20.08 20.02 19.82 19.57 19.00 18.96 18.65 18.58 18.37 18.27 18.02 17.67 17.06 16.78
LIVELLI IDROMETRICI Tr30 [m s.l.m.]	20.97 20.73 20.50 19.96 20.09 19.95 19.68 19.28 19.17 18.96 18.74 18.14 18.12 17.71 17.63 17.41 17.31 17.10 16.69 15.94 15.61
QUOTE FONDO ALVEO [m s.l.m.]	13.64 13.96 13.62 13.09 12.85 12.79 13.71 13.07 11.91 11.62 11.80 11.61 11.32 11.16 10.99 11.19 10.83 9.50 10.21 10.09 10.66
QUOTE ARGINE SX [m s.l.m.]	23.21 22.80 22.77 22.37 22.14 23.15 23.46 21.41 20.63 20.55 20.26 20.36 19.55 19.32 19.10 18.76 18.38 18.38 18.05 18.01 17.32
QUOTE ARGINE DX [m s.l.m.]	23.13 22.80 22.73 22.47 22.39 21.96 23.46 21.50 21.59 21.13 20.89 20.35 20.24 19.65 19.38 18.30 18.40 18.08 16.80 16.01 17.47
DISTANZE PROGRESSIVE [m]	15245.69 15106.26 14931.51 14728.24 14508.59 14383.45 14344.95 14281.26 14149.66 14015.33 13872.67 13706.73 13627.87 13483.52 13355.53 13167.05 13075.48 12967.76 12885.49 12740.56 12613.82 12565.73 12326.30
DISTANZE PARZIALI [m]	139.43 174.75 203.27 219.65 125.14 131.60 134.33 142.66 165.94 78.86 144.35 127.99 188.48 91.57 107.72 82.27 144.93 126.74 239.43 444.37 212.21 149.27 91.77 249.39 99.52 86.27 400.19 180.66 98.65

Fiume Cornia
da Sezione 00540_09
a 00003_04

SCALA DISTANZE 1:15000
SCALA QUOTE 1:200



SEZIONI	00540_09	00502_09	00458_12	00452_04	00438_04	00425_04	00413_04	00322_04	00228_04	00166PB04	00179_04	00129_04	00033_04	00015PB04	00003_04
LIVELLI IDROMETRICI Tr500 [m s.l.m.]	9.23	8.73	8.23	8.15	7.99	8.02	7.74	6.70	5.22	4.94	4.59	3.54	2.42	1.98	0.50
LIVELLI IDROMETRICI Tr200 [m s.l.m.]	9.20	8.70	8.20	8.13	7.96	8.00	7.72	6.68	5.21	4.92	4.57	3.53	2.41	1.98	0.50
LIVELLI IDROMETRICI Tr30 [m s.l.m.]	7.49	6.99	6.52	6.47	6.33	6.32	6.10	5.22	4.13	3.90	3.67	3.09	2.00	1.55	0.50
QUOTE FONDO ALVEO [m s.l.m.]	0.76	-0.21	-0.71	-0.58	-0.78	-0.72	-0.74	-1.72	-1.66	-1.42	-1.34	-1.48	-1.60	-2.49	-1.05
QUOTE ARGINE SX [m s.l.m.]	9.64	9.34	9.11	8.90	8.82	9.44	9.54	7.84	6.17	5.40	4.94	3.62	1.86	1.63	1.63
QUOTE ARGINE DX [m s.l.m.]	9.64	9.34	9.11	8.27	8.78	8.88	8.89	7.92	6.44	5.23	5.36	4.02	1.61	1.63	1.11
DISTANZE PROGRESSIVE [m]	5400.12	5017.70	4584.38	4521.83	4376.04	4254.84	4125.64	3220.48	2282.06	1873.34	1792.86	1285.16	329.97	154.35	30.59
DISTANZE PARZIALI [m]		382.42	433.32	145.79	121.20	129.20	905.16	938.42	408.72			507.50	955.19	175.62	121.70

Fosso Riomerdancio


Fosso Riomerdancio
 SEZIONE N° 00329_04

LEGENDA:

- Tr30 H=26.07 m. s.l.m.
- Tr200 H=26.40 m. s.l.m.
- Tr500 H=26.55 m. s.l.m.

SCALA DISTANZE 1:200
 SCALA QUOTE 1:200

20.00



PUNTI	1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19
QUOTE [m s.l.m.]	24.94	25.31	25.16	24.89	24.70	23.79	22.78	22.45	22.41	22.57	23.25	24.05	24.55	24.88	25.58	25.84	25.86	25.80
DISTANZE PROGRESSIVE [m]	0.00	1.01	2.02	3.02	4.03	5.04	6.05	7.06	8.06	9.07	10.08	11.09	11.91	13.10	14.11	15.12	16.13	16.36
DISTANZE PARZIALI [m]		1.01	1.01	1.00	1.01	1.01	1.01	1.00	1.01	1.01	1.01		1.01	1.01	1.01	1.00		


Fosso Riomerdancio
SEZIONE N° 00322_04

LEGENDA:

- Tr30 H =25.31 m. s.l.m. — — — —
- Tr200 H =25.45 m. s.l.m. — — — —
- Tr500 H =25.50 m. s.l.m. — — — —

SCALA DISTANZE 1:200
SCALA QUOTE 1:200

20,00




PUNTI	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
QUOTE [m s.l.m.]	24,87	24,95	24,95	24,86	24,33	23,44	22,69	22,55	22,21	22,07	22,37	22,62	23,51	24,44	25,07	25,36	25,34	25,16
DISTANZE PROGRESSIVE [m]	0,00	1,01	2,02	3,03	4,02	5,04	6,05	7,06	8,07	9,08	10,27	11,09	12,10	13,11	14,12	15,13	16,13	17,14
DISTANZE PARZIALI [m]		1,01	1,01	1,01	0,99	1,02	1,01	1,01	1,01	1,01	1,19	1,01	1,01	1,01	1,01	1,00	1,01	

Fosso Riomerdancio
SEZIONE N° 00291__04

LEGENDA:

Tr30 H=23.14 m. s.l.m. — — — — —
 Tr200 H=23.18 m. s.l.m. — — — — —
 Tr500 H=23.19 m. s.l.m. — — — — —

SCALA DISTANZE 1:200
SCALA QUOTE 1:200



PUNTI	1	2	3	4	5	6	7	9	10	11	12	13	14	15
QUOTE [m s.l.m.]	23.23	23.34	23.36	23.31	22.26	20.32	20.14	20.29	21.81	22.04	23.12	23.30	23.26	23.13
DISTANZE PROGRESSIVE [m]	0.00	0.36	1.84	2.88	4.18	7.07	8.20	10.04	11.91	12.62	14.20	15.64	16.69	17.38
DISTANZE PARZIALI [m]		1.48	1.04	1.30		2.89	1.13	1.61	1.87		1.58	1.44	1.05	

Fosso Riomerdancio
SEZIONE N° 00265_04

LEGENDA:


Tr30 H=21.71 m. s.l.m.

Tr200 H=21.74 m. s.l.m.

Tr500 H=21.75 m. s.l.m.

SCALA DISTANZE 1:200
SCALA QUOTE 1:200

16,00




PUNTI	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
QUOTE [m s.l.m.]		21,60	21,75	21,75	19,11	19,19	19,13	18,80	18,85	21,03	21,19	21,31	21,36	22,16	22,19	19,07
DISTANZE PROGRESSIVE [m]	0,00	0,82	2,68	2,68	7,27	8,10	9,06	9,96	11,28	13,84	14,12	15,61	17,00	18,26	18,74	22,97
DISTANZE PARZIALI [m]		1,63		4,58		0,96	1,32	2,56		1,49	1,39	1,26		4,23		

Fosso Riomerdancio
SEZIONE N° 00248__04

LEGENDA:

Tr30 H =21.18 m. s.l.m. ---
 Tr200 H =21.22 m. s.l.m. ---
 Tr500 H =21.23 m. s.l.m. ---




SCALA DISTANZE 1:200
SCALA QUOTE 1:200



PUNTI	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
QUOTE [m s.l.m.]	22,25	22,26	22,14	19,77	17,77	17,89	18,03	18,27	18,30	18,23	18,48	20,79	20,89	22,69	19,44
DISTANZE PROGRESSIVE [m]	0,00	1,92	2,92	6,86	9,17	9,77	10,07	11,53	13,73	14,69	15,75	18,17	19,12	23,10	27,80
DISTANZE PARZIALI [m]		1,92	1,00	3,94	2,31		1,46	2,20		1,06	2,42		3,98	4,70	


Fosso Riomerdancio
 SEZIONE N° 00233_04

LEGENDA:

Tr30 H=20.76 m. s.l.m. 
 Tr200 H=20.79 m. s.l.m. 
 Tr500 H=20.80 m. s.l.m. 

SCALA DISTANZE 1:200
 SCALA QUOTE 1:200

15.00




PUNTI	1	2	3	4	5	6	7	8	9	10	11	12.3
QUOTE [m s.l.m.]	20.98	20.84	20.72	17.76	17.56	17.28	17.52	20.03	20.31	20.38	21.05	21.18 20.93
DISTANZE PROGRESSIVE [m]	0.00	0.86	1.71	6.38	7.91	8.86	9.75	13.35	14.96	16.45	17.31	18.41 18.66
DISTANZE PARZIALI [m]				4.67	1.53			3.60	1.61	1.49		1.10

Fosso Riomerdancio
 SEZIONE N° 00218_04

LEGENDA:

Tr30 H=20.33 m. s.l.m. — — — —
 Tr200 H=20.35 m. s.l.m. — — — —
 Tr500 H=20.36 m. s.l.m. — — — —

SCALA DISTANZE 1:200
 SCALA QUOTE 1:200



PUNTI	1	2	3	4	5	6	7	8	9	10	11	12	13	14
QUOTE [m s.l.m.]	20.28	20.43	20.31	20.30	16.91	16.95	16.97	17.04	18.75	19.96	20.14	20.73	20.78	17.96
DISTANZE PROGRESSIVE [m]	0.00	1.17	2.52	3.48	7.49	8.42	10.07	11.79	15.05	17.12	18.87	19.67	20.43	23.91
DISTANZE PARZIALI [m]	1.17	1.35		4.01		1.65	1.72	3.26	2.07	1.75			3.48	

Fosso Riomerdancio
SEZIONE N° 00198_04

LEGENDA:


Tr30 H = 19.78 m. s.l.m. — — — —

Tr200 H = 19.79 m. s.l.m. — — — —

Tr500 H = 19.79 m. s.l.m. — — — —

SCALA DISTANZE 1:200
SCALA QUOTE 1:200

14,00



PUNTI	1	2	3	4	5	6	7	8	9	10	11	12	13	14
QUOTE [m s.l.m.]	19,46	19,66	19,66	18,62	16,36	16,28	16,29	16,38	19,26	19,25	19,35	20,10	20,11	20,07
DISTANZE PROGRESSIVE [m]	0,00	1,35	3,49	4,81	7,69	9,09	10,03	11,19	14,73	16,25	17,82	19,28	20,28	20,90
DISTANZE PARZIALI [m]		1,35	2,14	1,32	2,88	1,40	1,16	3,54	1,52	1,57	1,46	1,00		

Fosso Riomerdancio
SEZIONE N° 00177__04

LEGENDA:


Tr30 H=19.33 m. s.l.m. ---

Tr200 H=19.34 m. s.l.m. ———

Tr500 H=19.35 m. s.l.m. _____

SCALA DISTANZE 1:200
SCALA QUOTE 1:200

13.00



PUNTI	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
QUOTE [m s.l.m.]	19.40	19.48	19.38	19.07	17.52	16.00	16.05	15.88	16.02	18.47	18.66	18.77	19.49	19.61	19.80	19.68
DISTANZE PROGRESSIVE [m]	0.00	2.34	3.24	3.96	6.46	8.08	9.92	11.59	12.12	14.90	17.03	17.70	18.93	19.28	20.10	20.87
DISTANZE PARZIALI [m]		2.34			2.52	1.60	1.84	1.67		2.78	2.13		1.23			

Fosso Riomerancio
SEZIONE N° 00163__13

LEGENDA:


Tr30 H=19,14 m. s.l.m. — — —

Tr200 H=19,16 m. s.l.m. — — —

Tr500 H=19,16 m. s.l.m. — — —

SCALA DISTANZE 1:200
SCALA QUOTE 1:200




13,00




PUNTI	1	2	3	4	5	6	7	8	9	10	11	12
QUOTE [m s.l.m.]	19,74	19,74	19,74	15,97	15,30	15,30	16,77	18,15	18,66	19,47	19,74	19,74
DISTANZE PROGRESSIVE [m]	0,00	1,22	3,63	8,81	9,76	13,54	15,05	16,47	17,43	18,54	19,88	21,91
DISTANZE PARZIALI [m]	1,22	2,41	5,18		3,78	1,51	1,42	1,11	1,34	2,03		

Fosso Riomerdancio
SEZIONE N° 00159__13

LEGENDA:

Tr30 H =19.07 m. s.l.m. 
 Tr200 H =19.08 m. s.l.m. 
 Tr500 H =19.08 m. s.l.m. 

SCALA DISTANZE 1:200
SCALA QUOTE 1:200




PUNTI	1	2	3	4	5	6	7	8	9	10	11
QUOTE [m s.l.m.]	19.06	19.06	15.79	15.07	15.07	15.82	19.06	19.06	19.81	19.81	17.61
DISTANZE PROGRESSIVE [m]	0.00	3.14	7.43	8.39	10.83	11.74	15.71	17.57	19.32	24.76	27.35
DISTANZE PARZIALI [m]		3.14	4.29		2.44		3.97	1.86	1.75	5.44	2.59

Fosso Riomerdancio
 SEZIONE N° 00158PB13

LEGENDA:

Tr30 H=19.15 m. s.l.m. — — — —
 Tr200 H=19.16 m. s.l.m. — — — —
 Tr500 H=19.16 m. s.l.m. — — — —

SCALA DISTANZE 1:200
 SCALA QUOTE 1:200




PUNTI	1	2	3	5	6	7	8	9	12	13	14	15	16	17	18	22	23	24	25	27	28
QUOTE [m s.l.m.]	18.90	18.90	18.38	17.79	16.38	16.16	15.65	15.03	15.03	15.03	15.03	15.03	15.03	15.03	15.03	16.26	16.79	18.36	18.69	18.90	18.90
DISTANZE PROGRESSIVE [m]	0.00	4.41	5.25	6.20	6.55	7.54	8.09	9.00	10.07	11.03	12.32	13.41	14.11	14.92	15.51	16.01	16.96	18.55	20.10	21.05	25.60
DISTANZE PARZIALI [m]		4.41			0.99				0.96	1.29	1.09						1.59	1.55			4.55

Fosso Riomerdancio
 SEZIONE N° 00158PC13

LEGENDA:

Tr30 H=18.69 m. s.l.m. — — — —
 Tr200 H=18.71 m. s.l.m. — — — —
 Tr500 H=18.72 m. s.l.m. — — — —

SCALA DISTANZE 1:200
 SCALA QUOTE 1:200




PUNTI	1	2	3	5	6	7	8	9	12	13	14	15	16	17	18	22	23	24	25	27	28
QUOTE [m s.l.m.]	18.90	18.90	18.38	17.79	16.38	16.16	15.65	15.03	15.03	15.03	15.03	15.03	15.03	15.03	15.03	16.26	16.79	18.36	18.69	18.90	18.90
DISTANZE PROGRESSIVE [m]	0.00	4.41	5.25	6.20	6.55	7.54	8.09	9.00	10.07	11.03	12.32	13.41	14.11	14.92	15.51	16.01	16.96	18.55	20.10	21.05	25.60
DISTANZE PARZIALI [m]		4.41			0.99					1.29	1.09						1.59	1.55			4.55

Fosso Riomerdancio
SEZIONE N° 00156__13

LEGENDA:

- Tr30 H=18,61 m. s.l.m.
- Tr200 H=18,63 m. s.l.m.
- Tr500 H=18,64 m. s.l.m.

SCALA DISTANZE 1:200
SCALA QUOTE 1:200




PUNTI	1	2	3	4	5	6	7	8	9	10	11	12
QUOTE [m s.l.m.]		20.12 19.91		17.85	17.53	17.29	15.02	15.02	17.80	17.90 17.87	18.11	19.99
DISTANZE PROGRESSIVE [m]		0.00 0.50		3.36	5.79	7.30	9.56	12.64	15.40	16.27 16.64	18.49	21.41
DISTANZE PARZIALI [m]				2.86	2.43	1.51	2.26	3.08	2.76		1.85	2.92

Fosso Rimerdancio
SEZIONE N° 00151__13

LEGENDA:

- Tr30 H=18,46 m. s.l.m. ---
- Tr200 H=18,49 m. s.l.m. ---
- Tr500 H=18,53 m. s.l.m. ---

SCALA DISTANZE 1:200
SCALA QUOTE 1:200




PUNTI	1	2	3	4	5	6	7	8	9	10	11	12
QUOTE [m s.l.m.]	19,96	19,96	17,37	17,27	17,20	14,96	14,96	17,07	17,06	17,06	19,96	19,96
DISTANZE PROGRESSIVE [m]	0,00	2,95	7,28	8,36	10,02	12,26	15,01	17,13	18,84	20,39	24,07	27,69
DISTANZE PARZIALI [m]		2,95	4,33	1,08	1,66	2,24	2,75	2,12	1,71	1,55	3,68	3,62

Fosso Rimerdancia
SEZIONE N° 00146__13

LEGENDA:

Tr30 H=18.37 m. s.l.m. ---
 Tr200 H=18.40 m. s.l.m. ———
 Tr500 H=18.47 m. s.l.m. _____

SCALA DISTANZE 1:200
SCALA QUOTE 1:200




PUNTI	1	2	3	4	5	6	7	8	9	10	11	12
QUOTE [m s.l.m.]	19,92	19,13	17,17	17,15	16,70	14,88	14,88	16,73	16,94	16,72	19,76	19,92
DISTANZE PROGRESSIVE [m]	0,00	2,93	6,80	7,60	10,20	12,02	15,23	17,10	17,89	20,16	24,66	27,52
DISTANZE PARZIALI [m]		2,93	3,87		2,60	1,82	3,21	1,87		2,27	4,50	2,86

Fosso Riomerdancio
 SEZIONE N° 00143__13

LEGENDA:

- Tr30 H=18.33 m. s.l.m.
- Tr200 H=18.36 m. s.l.m.
- Tr500 H=18.44 m. s.l.m.

SCALA DISTANZE 1:200
 SCALA QUOTE 1:200



PUNTI	1	2	3	4	5	6	7	8	9	10	11	12
QUOTE [m s.l.m.]	19.91	19.91	18.56	16.94	16.88	14.84	14.84	16.78	16.88	18.08	19.44	19.91
DISTANZE PROGRESSIVE [m]	0.00	2.92	4.60	6.97	10.24	12.29	15.70	17.63	21.00	22.53	24.74	28.14
DISTANZE PARZIALI [m]		2.92	1.68	2.37	3.27	2.05	3.41	1.93	3.37	1.53	2.21	3.40

Fosso Riomerdancio
 SEZIONE N° 00140__13


LEGENDA:

Tr30 H=18,25 m. s.l.m. ---

Tr200 H=18,29 m. s.l.m. ———

Tr500 H=18,40 m. s.l.m. _____

SCALA DISTANZE 1:200
 SCALA QUOTE 1:200




PUNTI	1	2	3	4	5	6	7	8	9	10	11	12
QUOTE [m s.l.m.]	19,89	19,40	17,11	17,11	17,06	14,79	14,79	16,75	16,77	16,81	19,89	19,89
DISTANZE PROGRESSIVE [m]	0,00	2,87	6,74	8,82	9,80	12,05	15,56	17,51	19,16	20,74	25,44	26,90
DISTANZE PARZIALI [m]		2,87	3,87	2,08	0,98	2,25	3,51	1,95	1,65	1,58	4,70	1,46

Fosso Riomerdancio
SEZIONE N° 00116__13

LEGENDA:

- Tr30 H =17.71 m. s.l.m.
- Tr200 H =17.76 m. s.l.m.
- Tr500 H =18.16 m. s.l.m.

SCALA DISTANZE 1:200
SCALA QUOTE 1:200



PUNTI	1	2	3	4	5	6	7	8	9	10
QUOTE [m s.l.m.]	19,54	19,54	16,84	16,63	14,41	14,41	16,52	16,58	19,54	19,54
DISTANZE PROGRESSIVE [m]	0,00	3,32	6,36	9,51	11,73	16,29	18,39	22,15	25,79	29,31
DISTANZE PARZIALI [m]		3,32	3,04	3,15	2,22	4,56	2,10	3,76	3,64	3,52

Fosso Piomerandino
 SEZIONE N° 00094__13


LEGENDA:

Tr30 H = 17.05 m. s.l.m.

Tr200 H = 17.41 m. s.l.m.

Tr500 H = 18.02 m. s.l.m.


SCALA DISTANZE 1:200
 SCALA QUOTE 1:200





PUNTI	1	2	3	4	5	6	7	8	9	10
QUOTE [m s.l.m.]	19,23	19,23	16,43	16,43	14,08	14,08	16,64	16,66	19,23	19,23
DISTANZE PROGRESSIVE [m]	0,00	5,86	9,32	12,22	14,57	20,21	22,83	26,20	30,16	37,02
DISTANZE PARZIALI [m]		5,86	3,46	2,90	2,35	5,64	2,62	3,37	3,96	6,86

Fosso Riomerdancio
 SEZIONE N° 00092__13

LEGENDA:


Tr30 H=17,05 m. s.l.m. 

Tr200 H=17,41 m. s.l.m. 

Tr500 H=18,03 m. s.l.m. 

SCALA DISTANZE 1:200
 SCALA QUOTE 1:200


11.00





PUNTI	1	2	3	4	5	6	7	8	9	10	11
QUOTE [m s.l.m.]	19.12	19.12	16.15	16.09	13.75	13.75	15.60	15.78	18.21	19.12	19.12
DISTANZE PROGRESSIVE [m]	0.00	5.13	9.36	13.05	15.37	20.29	22.19	26.02	29.16	29.61	33.38
DISTANZE PARZIALI [m]		5.13	4.23	3.69	2.32	4.92	1.90	3.83	3.14		3.77

Fosso Riomerdancio
 SEZIONE N° 00079__13


LEGENDA:

Tr30 H=16.76 m. s.l.m. 

Tr200 H=17.32 m. s.l.m. 

Tr500 H=17.95 m. s.l.m. 

SCALA DISTANZE 1:200
 SCALA QUOTE 1:200



PUNTI	10	1	2	3	4	5	6	7	8	9	10	11	12
QUOTE [m s.l.m.]		18.71	18.71	17.30	16.05	15.89	13.13	13.13	15.66	15.66	17.03	18.71	18.71
DISTANZE PROGRESSIVE [m]		0.00	3.10	5.85	8.26	11.77	14.54	18.73	21.26	25.20	27.05	28.99	32.32
DISTANZE PARZIALI [m]	5.01		3.10	2.75	2.41	3.51	2.77	4.19	2.53	3.94	1.85	1.94	3.33

Fosso Riomerdancio
SEZIONE N° 00048__13


LEGENDA:

Tr30 H=16.16 m. s.l.m.

Tr200 H=17.18 m. s.l.m.

Tr500 H=17.70 m. s.l.m.

SCALA DISTANZE 1:500
SCALA QUOTE 1:200



PUNTI	1	2	3	4	5	6	7	8	9	10	11	12	13
QUOTE [m s.l.m.]	18,36	17,53	15,80	15,27	15,21	15,20	11,71	11,71	14,50	15,29	15,34	15,34	18,07
DISTANZE PROGRESSIVE [m]	0,00	2,25	5,73	32,65	36,34	40,49	44,01	45,41	48,89	50,79	52,51	54,05	59,06
DISTANZE PARZIALI [m]		3,48	26,92	3,69	4,15	3,52	3,48					5,01	

Fosso Riomerdancio
SEZIONE N° 00026_04


LEGENDA:

Tr30 H = 15.96 m. s.l.m.

Tr200 H = 17.06 m. s.l.m.

Tr500 H = 17.47 m. s.l.m.

SCALA DISTANZE 1:500
SCALA QUOTE 1:200




PUNTI	1	2	3	4	5	6	7	8	9	10	11
QUOTE [m s.l.m.]	16.32	16.00	16.10	16.19	11.42	11.28	11.56	14.74	14.88	14.98	17.91
DISTANZE PROGRESSIVE [m]	0.00	36.96	39.97	43.55	50.44	51.89	53.73	56.99	58.41	60.15	63.42
DISTANZE PARZIALI [m]		36.96	3.01	3.58	6.89			3.26			3.27

Fosso Riomerdancio
 SEZIONE N° 00010_04

LEGENDA:

- Tr30 H=15,91 m. s.l.m.
- Tr200 H=16,94 m. s.l.m.
- Tr500 H=17,18 m. s.l.m.


SCALA DISTANZE 1:200
 SCALA QUOTE 1:200



PUNTI	1	2	3	4	5	6	7	8	9	10	11	12
QUOTE [m s.l.m.]	16,03	16,20	14,20	13,65	10,91	10,82	10,72	13,93	15,09	15,16	15,18	17,74
DISTANZE PROGRESSIVE [m]	0,00	3,11	5,87	9,20	12,31	13,64	14,86	18,29	20,87	22,89	24,44	29,08
DISTANZE PARZIALI [m]		3,11	2,76	3,33	3,11	1,33	1,24	3,41	2,58	2,02	1,55	4,64

Fosso Riomerdancio

SCALA DISTANZE 1:10000
SCALA QUOTE 1:200



SEZIONI	00329_04	00322_04	00311_04	00301_08	00291_04	00265_04	00248_04	00233_04	00218_04	00198_04	00177_04	00163_13	00159_13	00156_13	00151_13	00146_13	00143_13	00140_13	00116_13	00094_13	00092_13	00079_13	00048_13	00026_04	00010_04
LIVELLI IDROMETRICI Tr500 [m s.l.m.]	26.55	25.50	24.72	23.92	23.19	21.75	21.23	20.80	20.36	19.79	19.35	19.16	19.08	18.64	18.53	18.47	18.44	18.40	18.16	18.02	18.03	17.95	17.70	17.47	17.18
LIVELLI IDROMETRICI Tr200 [m s.l.m.]	26.40	25.45	24.70	23.91	23.18	21.74	21.22	20.79	20.35	19.79	19.34	19.16	19.09	18.63	18.49	18.40	18.36	18.29	17.76	17.41	17.41	17.32	17.18	17.06	16.94
LIVELLI IDROMETRICI Tr30 [m s.l.m.]	26.07	25.31	24.64	23.86	23.14	21.71	21.18	20.76	20.33	19.78	19.33	19.14	19.07	18.61	18.46	18.37	18.33	18.25	17.71	17.05	17.05	16.76	16.16	15.96	15.91
QUOTE FONDO ALVEO [m s.l.m.]	22.41	22.07	21.63	21.08	20.14	18.80	17.77	17.28	16.91	16.28	15.88	15.30	15.07	15.02	14.96	14.88	14.84	14.79	14.41	14.08	13.75	13.13	11.71	11.28	10.72
QUOTE ARGINE SX [m s.l.m.]	25.31	24.95	24.56	23.85	23.36	21.75	22.26	20.98	20.43	19.66	19.48	19.74	19.06	20.12	19.96	19.92	19.91	19.89	19.54	19.23	19.12	18.71	18.36	16.19	16.20
QUOTE ARGINE DX [m s.l.m.]	25.84	25.36	24.69	24.03	23.30	22.16	22.69	21.18	20.73	20.10	19.80	19.74	19.81	19.99	19.96	19.92	19.91	19.89	19.54	19.23	19.12	18.71	18.36	17.91	17.74
DISTANZE PROGRESSIVE [m]	3294.70	3215.76	3114.79	3014.75	2914.46	2845.26	2482.14	2331.48	2183.43	1977.26	1770.02	1633.69	1591.29	1564.37	1507.48	1457.48	1432.89	1400.86	1158.50	943.99	824.21	787.22	476.90	262.88	103.15
DISTANZE PARZIALI [m]	78.94	100.97	100.04	100.29	269.20	163.12	150.66	148.05	206.17	207.24	136.33	56.99	5	242.36	214.51	136.99	310.32	214.02	159.73						