



Scarico A

Prescrizione n. [70] del PIC-AIA

Anno 2019

			gen-19					
	Laboratorio		LabAnalysis	LabAnalysis	pH	pH	pH	
Parametro	VLE AIA	U.M.	02/01/19	08/01/19	15/01/19	22/01/19	29/01/19	
Selenio	0,03	mg/l	0,0013	0,0034	0,0020	0,0020	0,0020	
	feb-19							
			LabAnalysis	LabAnalysis	pH	pH		
			05/02/19	12/02/19	19/02/19	26/02/19		
			0,000283	0,000335	0,00083	0,00083		
	mar-19							
			pH					
			05/03/19	12/03/19	19/03/19	26/03/19		
			0,0020	0,00083	0,00168	0,00146		
	apr-19							
			pH					
			02/04/19	09/04/19	16/04/19	23/04/19		30/04/19
			0,0012	0,00122	0,00151	0,00095		0,00083
	mag-19							
			pH					
			07/05/19	14/05/19	21/05/19	28/05/19		
			0,0012	0,00083	0,00083	0,00083		
	giu-19							
			LabAnalysis					
			04/06/19	11/06/19	18/06/19	25/06/19		
			0,00198	0,00207	0,00107	0,00121		
	lug-19							
			LabAnalysis	LabAnalysis	pH	pH	pH	
			02/07/19	09/07/19	16/07/19	23/07/19	30/07/19	
			0,0016	0,00129	0,00083	0,00083	0,00083	
	ago-19							
			LabAnalysis	LabAnalysis	pH	pH		
			06/08/19	13/08/19	20/08/19	27/08/19		
			0,0019	0,00043	0,00130	0,00074		
	set-19							
			LabAnalysis	LabAnalysis	pH	pH		
			03/09/19	10/09/19	17/09/19	24/09/19		
			0,0015	0,00091	0,00083	0,00083		
	ott-19							
			LabAnalysis	LabAnalysis	pH	pH	pH	
			01/10/19	08/10/19	15/10/19	22/10/19	29/10/19	
			0,000485	0,000714	0,00083	0,00083	0,00083	
	nov-19							
			LabAnalysis	pH	pH	pH		
			05/11/19	12/11/19	19/11/19	26/11/19		
			0,00107	0,00083	0,00083	0,00083		
	dic-19							
			LabAnalysis	LabAnalysis	pH	pH	pH	
			03/12/19	10/12/19	17/12/19	24/12/19	30/12/19	
			0,000884	0,000728	0,00083	0,00083	0,000834	

Nota:

Valore in verde: concentrazione < limite di quantificazione analitica



Scarico A

Prescrizione n. [70] del PIC-AIA

Anno 2020

			gen-20				
Parametro	Laboratorio		LabAnalysis	LabAnalysis	pH	pH	
	VLE AIA	U.M.	07/01/20	14/01/20	21/01/20	28/01/20	
	Selenio	0,03	mg/l	0,000476	0,00116	0,00083	
feb-20							
			LabAnalysis	LabAnalysis	pH	pH	
			04/02/20	11/02/20	18/02/20	25/02/20	
			0,00043	0,00043	0,00083	0,00083	
mar-20							
			LabAnalysis	LabAnalysis	pH	pH	pH
			03/03/20	10/03/20	17/03/20	24/03/20	31/03/20
			0,000915	0,00043	0,00083	0,00083	0,00083
apr-20							
			LabAnalysis	LabAnalysis	pH	pH	
			07/04/20	14/04/20	21/04/20	28/04/20	
			0,0014	0,00043	0,00083	0,00083	
mag-20							
			LabAnalysis	LabAnalysis	pH	pH	
			05/05/20	12/05/20	19/05/20	26/05/20	
			0,00124	0,00043	0,00061	0,00061	
giu-20							
			LabAnalysis	LabAnalysis	pH	pH	pH
			01/06/20	09/06/20	16/06/20	23/06/20	30/06/20
			0,000834	0,00118	0,00061	0,00061	0,00061
lug-20							
			LabAnalysis	LabAnalysis	pH	pH	
			07/07/20	14/07/20	21/07/20	28/07/20	
			0,000792	0,00043	0,00061	0,00063	
ago-20							
			LabAnalysis	LabAnalysis	pH	pH	
			04/08/20	11/08/20	18/08/20	25/08/20	
			0,000795	0,000728	0,00183	0,00061	
set-20							
			LabAnalysis	LabAnalysis	LabAnalysis	pH	pH
			01/09/20	08/09/20	15/09/20	22/09/20	29/09/20
			0,00043	0,00099	0,00043	0,00061	0,00061
ott-20							
			LabAnalysis	LabAnalysis	pH	pH	
			06/10/20	13/10/20	20/10/20	27/10/20	
			0,00095	0,00043	0,00061	0,00061	
nov-20							
			LabAnalysis	LabAnalysis	pH	pH	
			03/11/20	10/11/20	17/11/20	24/11/20	
			0,000453	0,00043	0,00111	0,00061	
dic-20							
			LabAnalysis	pH	LabAnalysis	pH	LabAnalysis
			01/12/20	09/12/20	15/12/20	22/12/20	29/12/20
			0.00362	0.00100	0.000698	0,00061	0.000756

Nota:

Valore in verde: concentrazione < limite di quantificazione analitica



Scarico A

Prescrizione n. [70] del PIC-AIA

GEN - GIU 2021

			gen-21				
Parametro	Laboratorio		LabAnalysis	LabAnalysis	pH	pH	
	VLE AIA	U.M.	05/01/21	12/01/21	19/01/21	26/01/21	
	Selenio	0,03	mg/l	0,000899	0,00201	0,00070	
feb-21							
			LabAnalysis	LabAnalysis	pH	pH	
			02/02/21	09/02/21	16/02/21	23/02/21	
			0,00127	0,00043	0,00061	0,0014	
mar-21							
			LabAnalysis	LabAnalysis	pH	pH	pH
			02/03/21	09/03/21	16/03/21	23/03/21	30/03/21
			0,000492	0,000693	0,00145	0,00154	0,00125
apr-21							
			LabAnalysis	LabAnalysis	pH	pH	
			06/04/21	13/04/21	20/04/21	27/04/21	
			0,0003	0,000407	0,00087	0,00061	
mag-21							
			LabAnalysis	LabAnalysis	pH	pH	
			04/05/21	11/05/21	18/05/21	25/05/21	
			0,000375	0,000709	0,00012	0,0025	
giu-21							
			pH	pH	pH	pH	pH
			01/06/21	08/06/21	15/06/21	22/06/21	29/06/21
			0,00061	0,00012	0,00061	0,00061	0,00061

Nota:

Valore in verde: concentrazione < limite di quantificazione analitica



Scarico UB

Prescrizione n. [70] del PIC-AIA

Anno 2019

			gen-19				
	Laboratorio		LabAnalysis	LabAnalysis	pH	pH	pH
Parametro	VLE AIA	U.M.	02/01/19	08/01/19	15/01/19	22/01/19	29/01/19
Fosforo Totale	1	mg/l	0,0256	0,0169	0,0372	0,86	0,524
feb-19							
			LabAnalysis	LabAnalysis	pH	pH	
			05/02/19	12/02/19	19/02/19	26/02/19	
			0,0138	0,0375	0,080	0,080	
mar-19							
			pH				
			05/03/19	12/03/19	19/03/19	26/03/19	
			0,192	0,080	0,080	0,080	
apr-19							
			pH				
			02/04/19	09/04/19	16/04/19	23/04/19	30/04/19
			0,080	0,080	0,080	0,080	0,080
mag-19							
			pH				
			07/05/19	14/05/19	21/05/19	28/05/19	
			0,080	0,080	0,080	0,080	
giu-19							
			LabAnalysis				
			04/06/19	11/06/19	18/06/19	25/06/19	
			0,00611	0,0127	0,105	0,00496	
lug-19							
			LabAnalysis	LabAnalysis	pH	pH	pH
			02/07/19	09/07/19	16/07/19	23/07/19	30/07/19
			0,0205	0,018	0,133	0,080	0,080
ago-19							
			LabAnalysis	LabAnalysis	pH	pH	
			06/08/19	13/08/19	20/08/19	27/08/19	
			0,0457	0,101	0,080	0,080	
set-19							
			LabAnalysis	LabAnalysis	pH	pH	
			03/09/19	10/09/19	17/09/19	24/09/19	
			0,014	0,055	0,080	0,080	
ott-19							
			LabAnalysis	LabAnalysis	pH	pH	pH
			01/10/19	08/10/19	15/10/19	22/10/19	29/10/19
			0,0292	0,0441	0,080	0,080	0,080
nov-19							
			LabAnalysis	pH	pH	pH	
			05/11/19	12/11/19	19/11/19	26/11/19	
			0,0198	0,080	0,080	0,146	
dic-19							
			LabAnalysis	LabAnalysis	pH	pH	pH
			03/12/19	10/12/19	17/12/19	24/12/19	30/12/19
			0,088	0,059	0,080	0,080	0,080

Nota:

Valore in verde: concentrazione < limite di quantificazione analitica



Scarico UB

Prescrizione n. [70] del PIC-AIA

Anno 2020

			gen-20				
Parametro	Laboratorio		LabAnalysis	LabAnalysis	pH	pH	
	VLE AIA	U.M.	07/01/20	14/01/20	21/01/20	28/01/20	
	Fosforo Totale	1	mg/l	0,0142	0,0387	0,080	
feb-20							
	LabAnalysis	LabAnalysis	pH	pH			
	04/02/20	11/02/20	18/02/20	25/02/20			
	0,0484	0,0202	0,080	0,080			
mar-20							
	LabAnalysis	LabAnalysis	pH	pH	pH		
	03/03/20	10/03/20	17/03/20	24/03/20	31/03/20		
	0,0143	0,029	0,080	0,080	0,080		
apr-20							
	LabAnalysis	LabAnalysis	pH	pH			
	07/04/20	14/04/20	21/04/20	28/04/20			
	0,00498	0,033	0,080	0,080			
mag-20							
	LabAnalysis	LabAnalysis	pH	pH			
	05/05/20	12/05/20	19/05/20	26/05/20			
	0,0205	0,087	0,080	0,080			
giu-20							
	LabAnalysis	LabAnalysis	pH	pH	pH		
	01/06/20	09/06/20	16/06/20	23/06/20	30/06/20		
	0,147	0,05	0,080	0,080	0,080		
lug-20							
	LabAnalysis	LabAnalysis	pH	pH			
	07/07/20	14/07/20	21/07/20	28/07/20			
	0,0228	0,00983	0,12	0,12			
ago-20							
	LabAnalysis	LabAnalysis	pH	pH			
	04/08/20	11/08/20	18/08/20	25/08/20			
	0,016	0,0204	0,12	0,12			
set-20							
	LabAnalysis	LabAnalysis	Labanalysis	pH	pH		
	01/09/20	08/09/20	15/09/20	22/09/20	29/09/20		
	0,040	0,0299	0,0345	0,12	0,12		
ott-20							
	LabAnalysis	LabAnalysis	pH	pH			
	06/10/20	13/10/20	20/10/20	27/10/20			
	0,0177	0,0369	0,12	0,119			
nov-20							
	LabAnalysis	LabAnalysis	pH	pH			
	03/11/20	10/11/20	17/11/20	24/11/20			
	0,0193	0,0046	0,12	0,12			
dic-20							
	LabAnalysis	pH	LabAnalysis	pH	LabAnalysis		
	01/12/20	09/12/20	15/12/20	22/12/20	29/12/20		
	0,0405	0,12	0,160	0,12	0,0287		

Nota:

Valore in verde: concentrazione < limite di quantificazione analitica



Scarico UB

Prescrizione n. [70] del PIC-AIA

Anno 2021

			gen-21				
Laboratorio			LabAnalysis	LabAnalysis	pH	pH	
Parametro	VLE AIA	U.M.	05/01/21	12/01/21	19/01/21	26/01/21	
Fosforo Totale	1	mg/l	0,0214	0,0236	0,12	0,12	
feb-21							
			LabAnalysis	LabAnalysis	pH	pH	
			02/02/21	09/02/21	16/02/21	23/02/21	
			0,00759	0,060	0,12	0,12	
mar-21							
			LabAnalysis	LabAnalysis	pH	pH	pH
			02/03/21	09/03/21	16/03/21	23/03/21	30/03/21
			0,0261	0,074	0,12	0,12	0,12
apr-21							
			LabAnalysis	LabAnalysis	pH	pH	
			06/04/21	13/04/21	20/04/21	27/04/21	
			0,070	0,078	0,029	0,029	
mag-21							
			LabAnalysis	LabAnalysis	pH	pH	
			04/05/21	11/05/21	18/05/21	25/05/21	
			0,100	0,106	0,029	0,029	
giu-21							
			pH	pH	pH	pH	pH
			01/06/21	08/06/21	15/06/21	22/06/21	29/06/21
			0,029	0,029	0,029	0,029	0,029

Nota:

Valore in verde: concentrazione < limite di quantificazione analitica