



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT4050024
SITENAME Biotopi e Ripristini ambientali di Bentivoglio, S. Pietro in Casale, Malalbergo e Baricella

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type C	1.2 Site code IT4050024	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Biotopi e Ripristini ambientali di Bentivoglio, S. Pietro in Casale, Malalbergo e Baricella

1.4 First Compilation date 2002-07	1.5 Update date 2019-12
--	-----------------------------------

1.6 Respondent:

Name /Organisation:	Regione Emilia-Romagna - Direzione Generale Cura del territorio e dell'ambiente - Servizio Aree protette, foreste e sviluppo della montagna
Address:	Viale della Fiera, 8 - 40127 Bologna
Email:	segrprn@regione.emilia-romagna.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2004-02
National legal reference of SPA designation	Deliberazione della Giunta Regionale dell'Emilia-Romagna n. 1816 del 22 settembre 2003
Date site proposed as SCI:	2006-07
Date site confirmed as SCI:	No data
Date site designated as SAC:	2019-03
National legal reference of SAC designation:	DM 13/03/2019 - G.U. 79 del 03-04-2019

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 11.5994 **Latitude** 44.6869

2.2 Area [ha]: 3206.0 **2.3 Marine area [%]:** 0.0

2.4 Sitelength [km]:
0.0

2.5 Administrative region code and name

NUTS level 2 code **Region Name**

2.6 Biogeographical Region(s)

Continental (100.0%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3130			25.37		G	B	C	B	B
3150			153.74		G	A	C	A	A
3270			30.12		G	B	C	B	B
6430			9.25		G	B	C	B	B
91F0			3.06		G	B	C	B	B
92A0			81.2		G	A	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A086	Accipiter nisus			p				P	DD	C	A	C	B
B	A086	Accipiter nisus			w				C	DD	C	A	C	B
B	A086	Accipiter nisus			c				P	DD	C	A	C	B
B	A086	Accipiter nisus			r	2	2	p		G	C	A	C	B
B	A298	Acrocephalus arundinaceus			c				P	DD	C	B	C	B
B	A298	Acrocephalus arundinaceus			r				C	DD	C	B	C	B
B	A293	Acrocephalus melanopogon			c				P	DD	C	B	C	C
B	A296	Acrocephalus palustris			c				P	DD	C	B	C	C
B	A296	Acrocephalus palustris			r				C	DD	C	B	C	C
B	A297	Acrocephalus scirpaceus			r				R	DD	C	B	C	C
B	A297	Acrocephalus scirpaceus			c				P	DD	C	B	C	C
B	A168	Actitis hypoleucos			w				C	DD	C	B	C	C
B	A168	Actitis hypoleucos			c				C	DD	C	B	C	C
B	A168	Actitis hypoleucos			r				R	DD	C	B	C	C
B	A247	Alauda arvensis			w				C	DD	C	B	C	B
B	A247	Alauda arvensis			r				C	DD	C	B	C	B
B	A247	Alauda arvensis			c				P	DD	C	B	C	B
B	A247	Alauda arvensis			p				P	DD	C	B	C	B
B	A229	Alcedo atthis			w				P	DD	C	B	C	B
B	A229	Alcedo atthis			r	6	10	p		G	C	B	C	B
B	A229	Alcedo atthis			c				P	DD	C	B	C	B
B	A054	Anas acuta			c				P	DD	C	B	C	C
B	A056	Anas clypeata			c				C	DD	B	A	C	A
B	A056	Anas clypeata			w	80	90	i		G	B	A	C	A
B	A056	Anas clypeata			p				P	DD	B	A	C	A
B	A056	Anas clypeata			r	7	10	p		G	B	A	C	A
B	A052	Anas crecca			r				R	DD	B	B	B	A
B	A052	Anas crecca			c				C	DD	B	B	B	A

B	A052	Anas crecca			w	735	1000	i		G	B	B	B	A
B	A050	Anas penelope			w	55	55	i		G	C	B	C	C
B	A050	Anas penelope			c				P	DD	C	B	C	C
B	A053	Anas platyrhynchos			p				P	DD	C	B	C	A
B	A053	Anas platyrhynchos			r	120	150	p		G	C	B	C	A
B	A053	Anas platyrhynchos			c				C	DD	C	B	C	A
B	A053	Anas platyrhynchos			w	2500	2500	i		G	C	B	C	A
B	A055	Anas querquedula			c				C	DD	B	A	C	A
B	A055	Anas querquedula			r	15	20	p		G	B	A	C	A
B	A055	Anas querquedula			w				P	DD	B	A	C	A
B	A051	Anas strepera			p				P	DD	A	B	C	A
B	A051	Anas strepera			r	12	15	p		G	A	B	C	A
B	A051	Anas strepera			c				P	DD	A	B	C	A
B	A051	Anas strepera			w	3	6	i		G	A	B	C	A
B	A041	Anser albifrons			c				P	DD	C	B	C	C
B	A041	Anser albifrons			w				V	DD	C	B	C	C
B	A043	Anser anser			r				P	DD	C	B	C	B
B	A043	Anser anser			c				P	DD	C	B	C	B
B	A043	Anser anser			w				P	DD	C	B	C	B
B	A043	Anser anser			p				P	DD	C	B	C	B
B	A039	Anser fabalis			c				V	DD	D			
B	A257	Anthus pratensis			c				P	DD	C	B	C	C
B	A257	Anthus pratensis			w				P	DD	C	B	C	C
B	A259	Anthus spinoletta			c				R	DD	C	B	C	C
B	A226	Apus apus			r				P	DD	C	B	C	C
B	A226	Apus apus			c				P	DD	C	B	C	C
B	A090	Aquila clanga			c				V	DD	D			
B	A028	Ardea cinerea			r	257	257	p		G	B	B	C	A
B	A028	Ardea cinerea			c				C	DD	B	B	C	A
B	A028	Ardea cinerea			p				P	DD	B	B	C	A
B	A028	Ardea cinerea			w				P	DD	B	B	C	A
B	A029	Ardea purpurea			r	55	60	p		G	B	B	C	A
B	A029	Ardea purpurea			c				C	DD	B	B	C	A
B	A024	Ardeola ralloides			r	2	2	p		G	C	A	C	A
B	A024	Ardeola ralloides			c				P	DD	C	A	C	A
B	A222	Asio flammeus			w				R	DD	C	B	C	C
B	A222	Asio flammeus			c				P	DD	C	B	C	C
B	A221	Asio otus			w				C	DD	C	B	C	C
B	A221	Asio otus			r				C	DD	C	B	C	C
B	A221	Asio otus			p				P	DD	C	B	C	C
B	A221	Asio otus			c				P	DD	C	B	C	C
B	A218	Athene noctua			r				C	DD	C	B	C	C
B	A218	Athene noctua			p				P	DD	C	B	C	C
B	A218	Athene noctua			c				P	DD	C	B	C	C
B	A218	Athene noctua			w				C	DD	C	B	C	C
B	A059	Aythya ferina			r	1	2	p		G	C	B	C	B
B	A059	Aythya ferina			w				P	DD	C	B	C	B
B	A059	Aythya ferina			c				P	DD	C	B	C	B
B	A061	Aythya fuligula			c				P	DD	C	B	C	C
B	A060	Aythya nyroca			c				R	DD	B	B	C	A
B	A060	Aythya nyroca			r	1	1	p		G	B	B	C	A
B	A021	Botaurus stellaris			w	10	11	i		G	C	B	C	C
B	A021	Botaurus stellaris			c				P	DD	C	B	C	C
B	A025	Bubulcus ibis			w				R	DD	C	B	B	B
B	A025	Bubulcus ibis			r	1	1	p		G	C	B	B	B
B	A025	Bubulcus ibis			c				P	DD	C	B	B	B
B	A067	Bucephala clangula			c				V	DD	D			
B	A087	Buteo buteo			c				C	DD	C	A	C	B
B	A087	Buteo buteo			w				C	DD	C	A	C	B
B	A087	Buteo buteo			r	1	2	p		G	C	A	C	B

B	A087	Buteo buteo				p				C	DD	C	A	C	B
B	A088	Buteo lagopus				c				P	DD	D			
B	A149	Calidris alpina				c				C	DD	C	B	C	C
B	A149	Calidris alpina				w				R	DD	C	B	C	C
B	A147	Calidris ferruginea				c				V	DD	D			
B	A145	Calidris minuta				c				P	DD	C	B	C	C
B	A146	Calidris temminckii				c				P	DD	C	B	C	C
B	A364	Carduelis carduelis				c				P	DD	C	B	C	C
B	A364	Carduelis carduelis				p				P	DD	C	B	C	C
B	A364	Carduelis carduelis				w				P	DD	C	B	C	C
B	A364	Carduelis carduelis				r				P	DD	C	B	C	C
B	A363	Carduelis chloris				p				P	DD	C	B	C	C
B	A363	Carduelis chloris				c				P	DD	C	B	C	C
B	A363	Carduelis chloris				r				P	DD	C	B	C	C
B	A363	Carduelis chloris				w				P	DD	C	B	C	C
B	A288	Cettia cetti				w				C	DD	C	B	C	B
B	A288	Cettia cetti				p				P	DD	C	B	C	B
B	A288	Cettia cetti				r				C	DD	C	B	C	B
B	A288	Cettia cetti				c				P	DD	C	B	C	B
B	A138	Charadrius alexandrinus				c				P	DD	C	B	C	C
B	A138	Charadrius alexandrinus				r				P	DD	C	B	C	C
B	A136	Charadrius dubius				c				C	DD	C	B	C	B
B	A136	Charadrius dubius				r	6	10	p		G	C	B	C	B
B	A137	Charadrius hiaticula				c				P	DD	C	B	C	C
B	A196	Chlidonias hybridus				c				C	DD	C	B	B	A
B	A196	Chlidonias hybridus				r	90	250	p		G	C	B	B	A
B	A198	Chlidonias leucopterus				c				V	DD	D			
B	A197	Chlidonias niger				c				C	DD	C	B	C	B
B	A031	Ciconia ciconia				c				P	DD	C	B	C	B
B	A030	Ciconia nigra				w				V	DD	C	B	C	B
B	A030	Ciconia nigra				c				V	DD	C	B	C	B
B	A081	Circus aeruginosus				c				C	DD	B	B	C	A
B	A081	Circus aeruginosus				w	2	2	i		G	B	B	C	A
B	A081	Circus aeruginosus				p				P	DD	B	B	C	A
B	A081	Circus aeruginosus				r	5	5	p		G	B	B	C	A
B	A082	Circus cyaneus				w	2	2	i		G	C	B	C	C
B	A082	Circus cyaneus				c				R	DD	C	B	C	C
B	A083	Circus macrourus				c				V	DD	D			
B	A084	Circus pygargus				r	1	2	p		G	C	B	C	C
B	A084	Circus pygargus				c				P	DD	C	B	C	C
B	A289	Cisticola juncidis				c				P	DD	C	B	C	C
B	A289	Cisticola juncidis				w				C	DD	C	B	C	C
B	A289	Cisticola juncidis				r				C	DD	C	B	C	C
B	A289	Cisticola juncidis				p				P	DD	C	B	C	C
F	5304	Cobitis bilineata				r				P	DD	C	C	B	C
B	A207	Columba oenas				c				R	DD	C	B	C	C
B	A208	Columba palumbus				c				P	DD	C	B	C	C
B	A208	Columba palumbus				r				P	DD	C	B	C	C
B	A208	Columba palumbus				w				P	DD	C	B	C	C
B	A231	Coracias garrulus				r				P	DD	B	C	C	B
B	A113	Coturnix coturnix				c				P	DD	C	B	C	C
B	A113	Coturnix coturnix				r				P	DD	C	B	C	C
B	A212	Cuculus canorus				c				P	DD	C	B	C	B
B	A212	Cuculus canorus				r				C	DD	C	B	C	B
B	A036	Cygnus olor				c				R	DD	D			
B	A036	Cygnus olor				w				V	DD	D			
B	A253	Delichon urbica				c				P	DD	C	B	C	C
B	A253	Delichon urbica				r				P	DD	C	B	C	C
B	A237	Dendrocopos major				w				C	DD	C	B	C	C
B	A237	Dendrocopos major				c				P	DD	C	B	C	C

B	A237	Dendrocopos major			r				C	DD	C	B	C	C
B	A027	Egretta alba			c				C	DD	C	A	B	A
B	A027	Egretta alba			r	1	2	p		G	C	A	B	A
B	A027	Egretta alba			p				P	DD	C	A	B	A
B	A027	Egretta alba			w	79	280	i		G	C	A	B	A
B	A026	Egretta garzetta			c				C	DD	C	B	C	B
B	A026	Egretta garzetta			r	28	28	p		G	C	B	C	B
B	A026	Egretta garzetta			w	11	33	i		G	C	B	C	B
B	A379	Emberiza hortulana			c				R	DD	C	B	C	C
B	A379	Emberiza hortulana			r	1	3	p		G	C	B	C	C
B	A381	Emberiza schoeniclus			p				P	DD	C	B	C	C
B	A381	Emberiza schoeniclus			r				P	DD	C	B	C	C
B	A381	Emberiza schoeniclus			w				P	DD	C	B	C	C
B	A381	Emberiza schoeniclus			c				P	DD	C	B	C	C
R	1220	Emys orbicularis			p				P	DD	C	B	C	B
B	A269	Erithacus rubecula			c				P	DD	C	B	C	C
B	A269	Erithacus rubecula			w				P	DD	C	B	C	C
B	A101	Falco biarmicus			c				P	DD	C	B	C	C
B	A511	Falco cherrug			c				V	DD	D			
B	A098	Falco columbarius			w				R	DD	C	B	C	C
B	A098	Falco columbarius			c				R	DD	C	B	C	C
B	A103	Falco peregrinus			c				P	DD	C	B	C	C
B	A103	Falco peregrinus			w				P	DD	C	B	C	C
B	A099	Falco subbuteo			r	3	4	p		G	C	A	C	B
B	A099	Falco subbuteo			c				C	DD	C	A	C	B
B	A096	Falco tinnunculus			r	4	4	p		G	C	A	C	C
B	A096	Falco tinnunculus			w				C	DD	C	A	C	C
B	A096	Falco tinnunculus			p				C	DD	C	A	C	C
B	A096	Falco tinnunculus			c				C	DD	C	A	C	C
B	A097	Falco vespertinus			c				R	DD	C	B	B	C
B	A359	Fringilla coelebs			c				P	DD	C	B	C	C
B	A359	Fringilla coelebs			w				P	DD	C	B	C	C
B	A125	Fulica atra			w	780	900	i		G	C	B	C	C
B	A125	Fulica atra			p				P	DD	C	B	C	C
B	A125	Fulica atra			c				P	DD	C	B	C	C
B	A125	Fulica atra			r	150	150	p		G	C	B	C	C
B	A153	Gallinago gallinago			c				C	DD	C	B	C	C
B	A153	Gallinago gallinago			w				C	DD	C	B	C	C
B	A154	Gallinago media			c				P	DD	C	B	C	C
B	A123	Gallinula chloropus			p				P	DD	C	A	C	C
B	A123	Gallinula chloropus			w				P	DD	C	A	C	C
B	A123	Gallinula chloropus			r				P	DD	C	A	C	C
B	A123	Gallinula chloropus			c				P	DD	C	A	C	C
B	A342	Garrulus glandarius			w				P	DD	C	B	C	C
B	A342	Garrulus glandarius			r				P	DD	C	B	C	C
B	A342	Garrulus glandarius			c				P	DD	C	B	C	C
B	A342	Garrulus glandarius			p				P	DD	C	B	C	C
B	A189	Gelochelidon nilotica			c				V	DD	D			
B	A135	Glareola pratincola			c				V	DD	D			
B	A127	Grus grus			c				P	DD	C	B	C	B
B	A075	Haliaeetus albicilla			c				V	DD	D			
B	A131	Himantopus himantopus			c				P	DD	B	B	C	A
B	A131	Himantopus himantopus			r	80	230	p		G	B	B	C	A
B	A300	Hippolais polyglotta			r				C	DD	C	B	C	C
B	A300	Hippolais polyglotta			c				P	DD	C	B	C	C
B	A251	Hirundo rustica			r				P	DD	C	B	C	C
B	A251	Hirundo rustica			c				P	DD	C	B	C	C
B	A022	Ixobrychus minutus			r	8	12	p		G	C	B	C	B
B	A022	Ixobrychus minutus			c				P	DD	C	B	C	B
B	A233	Jynx torquilla			r				R	DD	C	B	C	C

B	A233	Jynx torquilla			c				P	DD	C	B	C	C
B	A338	Lanius collurio			r	2	3	p		G	C	B	C	C
B	A338	Lanius collurio			c				C	DD	C	B	C	C
B	A340	Lanius excubitor			c				P	DD	C	B	C	C
B	A339	Lanius minor			c				P	DD	D			
B	A182	Larus canus			c				P	DD	C	B	C	C
B	A183	Larus fuscus			c				P	DD	C	B	C	C
B	A176	Larus melanocephalus			c				V	DD	D			
B	A604	Larus michahellis			w				P	DD	C	B	C	C
B	A604	Larus michahellis			p				P	DD	C	B	C	C
B	A604	Larus michahellis			c				C	DD	C	B	C	C
B	A177	Larus minutus			c				P	DD	C	B	C	C
B	A179	Larus ridibundus			w	116	116	i		G	C	B	C	C
B	A179	Larus ridibundus			p				P	DD	C	B	C	C
B	A179	Larus ridibundus			c				C	DD	C	B	C	C
B	A156	Limosa limosa			c				C	DD	C	B	C	C
B	A271	Luscinia megarhynchos			c				C	DD	C	A	C	B
B	A271	Luscinia megarhynchos			r				P	DD	C	A	C	B
B	A272	Luscinia svecica			c				V	DD	D			
I	1060	Lycaena dispar			r				P	DD	C	B	B	C
B	A152	Lymnocyptes minimus			c				R	DD	C	B	C	C
B	A152	Lymnocyptes minimus			w				R	DD	C	B	C	C
P	1428	Marsilea quadrifolia			p				P	DD	C	B	B	B
B	A230	Merops apiaster			c				P	DD	C	B	C	C
B	A383	Miliaria calandra			w				P	DD	C	B	C	C
B	A383	Miliaria calandra			c				P	DD	C	B	C	C
B	A383	Miliaria calandra			p				P	DD	C	B	C	C
B	A383	Miliaria calandra			r				P	DD	C	B	C	C
B	A073	Milvus migrans			w				V	DD	C	B	C	B
B	A073	Milvus migrans			c				R	DD	C	B	C	B
B	A074	Milvus milvus			c				V	DD	D			
B	A262	Motacilla alba			c				P	DD	C	B	C	C
B	A262	Motacilla alba			w				P	DD	C	B	C	C
B	A261	Motacilla cinerea			w				P	DD	C	B	C	C
B	A261	Motacilla cinerea			c				P	DD	C	B	C	C
B	A260	Motacilla flava			c				P	DD	C	B	C	B
B	A260	Motacilla flava			r				C	DD	C	B	C	B
B	A319	Muscicapa striata			r				C	DD	C	B	C	C
B	A319	Muscicapa striata			c				P	DD	C	B	C	C
B	A058	Netta rufina			r	1	1	p		G	A	A	C	A
B	A058	Netta rufina			c				P	DD	A	A	C	A
B	A160	Numenius arquata			c				R	DD	C	B	C	C
B	A158	Numenius phaeopus			c				V	DD	D			
B	A023	Nycticorax nycticorax			r	116	116	p		G	C	B	C	B
B	A023	Nycticorax nycticorax			w	19	19	i		G	C	B	C	B
B	A023	Nycticorax nycticorax			p				P	DD	C	B	C	B
B	A023	Nycticorax nycticorax			c				C	DD	C	B	C	B
B	A277	Oenanthe oenanthe			c				P	DD	C	B	C	C
B	A337	Oriolus oriolus			c				P	DD	C	B	C	C
B	A337	Oriolus oriolus			r				P	DD	C	B	C	C
B	A094	Pandion haliaetus			c				P	DD	C	B	C	C
B	A329	Parus caeruleus			p				P	DD	C	B	C	C
B	A329	Parus caeruleus			c				P	DD	C	B	C	C
B	A329	Parus caeruleus			r				P	DD	C	B	C	C
B	A329	Parus caeruleus			w				P	DD	C	B	C	C
B	A330	Parus major			w				P	DD	C	B	C	C
B	A330	Parus major			r				P	DD	C	B	C	C
B	A330	Parus major			c				P	DD	C	B	C	C
B	A330	Parus major			p				P	DD	C	B	C	C
B	A325	Parus palustris			r				P	DD	C	B	C	C

B	A325	Parus palustris			c				P	DD	C	B	C	C
B	A325	Parus palustris			w				P	DD	C	B	C	C
B	A356	Passer montanus			w				P	DD	C	B	C	C
B	A356	Passer montanus			p				P	DD	C	B	C	C
B	A356	Passer montanus			r				P	DD	C	B	C	C
B	A356	Passer montanus			c				P	DD	C	B	C	C
B	A072	Pernis apivorus			c				P	DD	C	B	C	C
B	A017	Phalacrocorax carbo			r	6	6	p		G	C	B	C	A
B	A017	Phalacrocorax carbo			c				C	DD	C	B	C	A
B	A017	Phalacrocorax carbo			w	220	330	i		G	C	B	C	A
B	A393	Phalacrocorax pygmeus			c				P	DD	C	B	B	B
B	A151	Philomachus pugnax			c				C	DD	C	A	C	A
B	A273	Phoenicurus ochruros			w				P	DD	C	C	C	C
B	A273	Phoenicurus ochruros			c				P	DD	C	C	C	C
B	A274	Phoenicurus phoenicurus			c				P	DD	C	B	C	C
B	A316	Phylloscopus trochilus			c				P	DD	C	B	C	C
B	A235	Picus viridis			c				P	DD	C	B	C	C
B	A235	Picus viridis			r				C	DD	C	B	C	C
B	A235	Picus viridis			w				C	DD	C	B	C	C
B	A034	Platalea leucorodia			r	2	7	p		G	A	A	C	A
B	A034	Platalea leucorodia			c				P	DD	A	A	C	A
B	A034	Platalea leucorodia			w	3	3	i		G	A	A	C	A
B	A034	Platalea leucorodia			p				P	DD	A	A	C	A
B	A032	Plegadis falcinellus			c				R	DD	D			
B	A140	Pluvialis apricaria			c				C	DD	C	B	C	C
B	A140	Pluvialis apricaria			w				C	DD	C	B	C	C
B	A141	Pluvialis squatarola			c				P	DD	D			
B	A005	Podiceps cristatus			p				P	DD	C	B	C	B
B	A005	Podiceps cristatus			r	16	20	p		G	C	B	C	B
B	A005	Podiceps cristatus			c				P	DD	C	B	C	B
B	A005	Podiceps cristatus			w	5	10	i		G	C	B	C	B
B	A008	Podiceps nigricollis			w				R	DD	D			
B	A008	Podiceps nigricollis			c				P	DD	D			
B	A120	Porzana parva			c				P	DD	D			
B	A119	Porzana porzana			c				P	DD	D			
B	A266	Prunella modularis			c				P	DD	C	B	C	C
B	A266	Prunella modularis			w				P	DD	C	B	C	C
B	A250	Ptyonoprogne rupestris			c				P	DD	C	B	C	C
B	A118	Rallus aquaticus			w	13	20	i		G	C	B	C	C
B	A118	Rallus aquaticus			p				P	DD	C	B	C	C
B	A118	Rallus aquaticus			r	5	10	p		G	C	B	C	C
B	A118	Rallus aquaticus			c				P	DD	C	B	C	C
A	1215	Rana latastei			p				P	DD	C	B	B	B
B	A132	Recurvirostra avosetta			c				V	DD	D			
B	A336	Remiz pendulinus			p				P	DD	C	B	C	C
B	A336	Remiz pendulinus			w				P	DD	C	B	C	C
B	A336	Remiz pendulinus			r				P	DD	C	B	C	C
B	A336	Remiz pendulinus			c				P	DD	C	B	C	C
M	1304	Rhinolophus ferrumequinum			p				P	DD	C	B	C	B
B	A249	Riparia riparia			c				P	DD	C	B	C	C
B	A275	Saxicola rubetra			c				P	DD	D			
B	A276	Saxicola torquata			r				C	DD	C	B	C	B
B	A276	Saxicola torquata			w				C	DD	C	B	C	B
B	A276	Saxicola torquata			c				P	DD	C	B	C	B
B	A276	Saxicola torquata			p				P	DD	C	B	C	B
B	A155	Scolopax rusticola			c				C	DD	C	B	C	C
B	A155	Scolopax rusticola			w				R	DD	C	B	C	C
B	A361	Serinus serinus			r				P	DD	C	B	C	C
B	A361	Serinus serinus			c				P	DD	C	B	C	C
B	A195	Sterna albifrons			c				V	DD	D			

B	A190	Sterna caspia			c				V	DD	D			
B	A193	Sterna hirundo			r	1	3	p		G	C	B	C	B
B	A193	Sterna hirundo			c				P	DD	C	B	C	B
B	A191	Sterna sandvicensis			c				R	DD	C	C	B	C
B	A210	Streptopelia turtur			r				C	DD	C	A	C	B
B	A210	Streptopelia turtur			c				P	DD	C	A	C	B
B	A351	Sturnus vulgaris			w				P	DD	C	B	C	C
B	A351	Sturnus vulgaris			c				P	DD	C	B	C	C
B	A351	Sturnus vulgaris			r				P	DD	C	B	C	C
B	A351	Sturnus vulgaris			p				P	DD	C	B	C	C
B	A311	Sylvia atricapilla			r				C	DD	C	A	C	C
B	A311	Sylvia atricapilla			c				P	DD	C	A	C	C
B	A310	Sylvia borin			c				P	DD	C	B	C	C
B	A309	Sylvia communis			c				P	DD	C	B	C	C
B	A309	Sylvia communis			r				C	DD	C	B	C	C
B	A004	Tachybaptus ruficollis			r	60	90	p		G	B	B	C	A
B	A004	Tachybaptus ruficollis			p				P	DD	B	B	C	A
B	A004	Tachybaptus ruficollis			w	6	17	i		G	B	B	C	A
B	A004	Tachybaptus ruficollis			c				C	DD	B	B	C	A
B	A048	Tadorna tadorna			c				V	DD	D			
B	A161	Tringa erythropus			c				C	DD	C	B	C	C
B	A161	Tringa erythropus			w				R	DD	C	B	C	C
B	A166	Tringa glareola			c				C	DD	C	A	C	A
B	A164	Tringa nebularia			c				C	DD	C	B	C	C
B	A164	Tringa nebularia			w				R	DD	C	B	C	C
B	A165	Tringa ochropus			w				R	DD	C	B	C	C
B	A165	Tringa ochropus			c				C	DD	C	B	C	C
B	A163	Tringa stagnatilis			c				V	DD	D			
B	A162	Tringa totanus			c				R	DD	C	B	C	C
B	A162	Tringa totanus			w				R	DD	C	B	C	C
A	1167	Triturus carnifex			p				P	DD	C	B	C	C
B	A265	Trogodytes troglodytes			w				P	DD	C	B	C	C
B	A265	Trogodytes troglodytes			c				P	DD	C	B	C	C
B	A286	Turdus iliacus			w				C	DD	C	B	C	C
B	A286	Turdus iliacus			c				P	DD	C	B	C	C
B	A283	Turdus merula			p				P	DD	C	A	C	B
B	A283	Turdus merula			c				P	DD	C	A	C	B
B	A283	Turdus merula			w				C	DD	C	A	C	B
B	A283	Turdus merula			r				C	DD	C	A	C	B
B	A285	Turdus philomelos			w				C	DD	C	B	C	C
B	A285	Turdus philomelos			c				P	DD	C	B	C	C
B	A284	Turdus pilaris			w				C	DD	C	B	C	C
B	A284	Turdus pilaris			c				P	DD	C	B	C	C
B	A287	Turdus viscivorus			w				C	DD	C	B	C	C
B	A287	Turdus viscivorus			c				P	DD	C	B	C	C
B	A213	Tyto alba			c				R	DD	C	B	C	C
B	A213	Tyto alba			p				P	DD	C	B	C	C
B	A213	Tyto alba			r				R	DD	C	B	C	C
B	A213	Tyto alba			w				R	DD	C	B	C	C
B	A232	Upupa epops			r				R	DD	C	B	C	C
B	A232	Upupa epops			c				P	DD	C	B	C	C
B	A142	Vanellus vanellus			r	60	60	p		G	B	B	C	A
B	A142	Vanellus vanellus			w	740	740	i		G	B	B	C	A
B	A142	Vanellus vanellus			c				P	DD	B	B	C	A

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		Alisma lanceolatum						P						X
A	6962	Bufo viridis Complex						P	X					
R	1281	Elaphe longissima						P	X					
M	1327	Eptesicus serotinus						p	X					
F	5642	Esox lucius						P			X			
R	5670	Hierophis viridiflavus						P	X					
A	5358	Hyla intermedia						P	X					
M	5365	Hypsugo savii						P	X					
M	1344	Hystrix cristata						P	X					
R	5179	Lacerta bilineata						P	X					
P		Leucojum aestivum						P						X
A		Lissotriton vulgaris						P			X			
P		Ludwigia palustris						P			X			
M	1314	Myotis daubentonii						P	X					
M	1312	Nyctalus noctula						P	X					
P		Oenanthe aquatica						P						X
A	6976	Pelophylax esculentus						P		X				
M	2016	Pipistrellus kuhlii						P	X					
M	1317	Pipistrellus nathusii						P	X					
R	1256	Podarcis muralis						P	X					
R	1250	Podarcis sicula						P	X					
I	1076	Proserpinus proserpina						P	X					
A	1209	Rana dalmatina						P	X					
P		Riccia fluitans						P						X
F	5821	Rutilus aula						P				X		
P		Sagittaria sagittifolia						P			X			
P		Salvinia natans						P			X			
P		Senecio paludosus						P			X			
F	5885	Tinca tinca						P						X
I	1033	Unio elongatulus						P		X				
P		Utricularia vulgaris						P						X
P		Veronica scutellata						P						X
I	1053	Zerynthia polyxena						P	X					

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N20	3.0
N06	35.0
N14	3.0
N12	32.0
N16	2.0
N15	1.0
N07	20.0

N08	1.0
N21	3.0
Total Habitat Cover	100

Other Site Characteristics

Il sito è caratterizzato principalmente da bitopi relitti scampati alla bonifica e da vaste zone umide, praterie arbustate e siepi ripristinate negli anni'90 da aziende agricole su terreni ritirati dalla produzione attraverso l'applicazione di misure agroambientali comunitarie.

4.2 Quality and importance

Specie vegetali RARE: *Leucjum aestivum*. Specie vegetali RARISSIME e MINACCIATE: *Alisma lanceolatum*, *Oenanthe aquatica*, *Riccia fluitans*, *Veronica scutellata*. Altre specie di interesse: *Ludwigia palustris*, *Sagittaria sagittifolia*, *Salvinia natans*, *Senecio paludosus*, *Utricularia vulgaris*. Il sito ospita una delle tre aree in cui è presente *Rana latastei* in Emilia Romagna. Importanti popolazioni riproduttive a livello nazionale di *Platalea leucorodia*, *Chlidonias hybridus*, *Anas strepera*, *Himantopus himantopus*. Presso Valle La Comune è presente una delle più antiche garzaie note per l'Italia. Altre specie di fauna di interesse conservazionistico: *Esox lucius*, *Scardinius erythrophthalmus*, *Tinca tinca*, *Hyla intermedia*. La presenza di *Marsilea quadrifolia* è considerata potenziale: negli ultimi anni la specie non è stata più osservata.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	D05		o
L	F02		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT30	1.0	IT00	99.0		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT30	Area di riequilibrio ecologico Ex risaia di Bentivoglio	+	1.0

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	ENTI GESTORI: Comune di Bentivoglio - Regione Emilia-Romagna
Address:	recapiti ed email consultabili sul web: http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/consultazione/enti-di-gestione/enti-gestione-parchi
Email:	-

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Piani di Gestione del sito IT4050024 - Biotopi e Ripristini ambientali di Bentivoglio, S. Pietro in Casale, Malalbergo e Baricella Link: http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/strumenti-di-gestione/misure-specifiche-di-conservazione-piani-di-gestione/elenco-documenti-approvati-per-sito-piani-di-gestione
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

Le Misure Specifiche di Conservazione sono consultabili alla pagina web del sito: <http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/siti/it4050024>

7. MAP OF THE SITES

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

203SO 203SE 203NO 203NE 1:25.000 UTM



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT4060009
SITENAME Bosco di Sant'Agostino o Panfilia

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT4060009	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Bosco di Sant'Agostino o Panfilia

1.4 First Compilation date 1995-05	1.5 Update date 2019-12
--	-----------------------------------

1.6 Respondent:

Name /Organisation:	Regione Emilia-Romagna - Direzione Generale Cura del territorio e dell'ambiente - Servizio Aree protette, foreste e sviluppo della montagna
Address:	Viale della Fiera, 8 - 40127 Bologna
Email:	segrprn@regione.emilia-romagna.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2019-03
National legal reference of SAC designation:	DM 13/03/2019 - G.U. 79 del 03-04-2019

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 11.381389 **Latitude** 44.782222

2.2 Area [ha]: 188.0 **2.3 Marine area [%]** 0.0

2.4 Sitelength [km]:
0.0

2.5 Administrative region code and name

NUTS level 2 code **Region Name**

2.6 Biogeographical Region(s)

Continental (100.0%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3130			0.69		G	B	C	B	B
3150			2.44		G	B	C	B	B
3270			0.94		G	B	C	B	B
6210	X		25.09		G	B	C	B	B
6430			2.71		G	B	C	A	B
91F0			59.76		G	A	C	A	A
92A0			37.76		G	A	C	A	A

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A298	Acrocephalus arundinaceus			r				P	DD	C	B	C	C
B	A229	Alcedo atthis			w				C	DD	C	B	C	B
B	A042	Anser erythropus			c				V	DD	C	B	A	C
B	A029	Ardea purpurea			r				P	DD	C	C	C	C
F	1137	Barbus plebejus			p				R	DD	C	C	B	C
I	1088	Cerambyx cerdo			p				P	DD	C	B	C	C
F	5304	Cobitis bilineata			p				V	DD	C	C	C	C
B	A212	Cuculus canorus			r				P	DD	C	B	C	C
B	A027	Egretta alba			p				P	DD	C	C	C	C
B	A026	Egretta garzetta			p				P	DD	C	C	C	C
R	1220	Emys orbicularis			p				P	DD	C	B	C	C
B	A322	Ficedula hypoleuca			c				P	DD	D			
B	A233	Jynx torquilla			r				P	DD	C	B	C	C
B	A338	Lanius collurio			r				P	DD	C	B	C	C
I	1060	Lycaena dispar			p				P	DD	C	B	B	C
B	A073	Milvus migrans			c				P	DD	D			
M	1310	Miniopterus schreibersii			p				P	DD	C	B	C	B
B	A319	Muscicapa striata			r				P	DD	C	B	C	C
M	1323	Myotis bechsteinii			p				P	DD	C	B	C	B
B	A023	Nycticorax nycticorax			c				P	DD	D			
B	A337	Oriolus oriolus			r				P	DD	C	B	C	C
F	5962	Protochondrostoma genei			p				R	DD	C	C	B	C
B	A210	Streptopelia turtur			r				P	DD	C	B	C	C
A	1167	Triturus carnifex			p				P	DD	C	B	C	B
B	A232	Upupa epops			r				P	DD	C	B	C	C

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max		C R V P	IV	V	A	B	C	D	
P		Anacamptis pyramidalis						P						X	
A	6962	Bufotes viridis Complex						P	X						
P		Ceratophyllum demersum						P							X
R	1281	Elaphe longissima						P	X						
M	1327	Eptesicus serotinus						p	X						
A	5358	Hyla intermedia						P	X						
M	5365	Hypsugo savii						P	X						
M	1344	Hystrix cristata						P	X						
P		Juncus subnodulosus						P							X
R	5179	Lacerta bilineata						P	X						
P		Leucojum aestivum aestivum						P							X
A		Lissotriton vulgaris						P			X				
M	1358	Mustela putorius						P		X					
M	1314	Myotis daubentonii						P	X						
P		Myriophyllum verticillatum						P							X
M	1331	Nyctalus leisleri						P	X						
P		Orchis morio						P						X	
P		Orchis tridentata						P						X	
A	6976	Pelophylax esculentus						P		X					
M	2016	Pipistrellus kuhlii						P	X						
M	5009	Pipistrellus pygmaeus						P	X						
M	1329	Plecotus austriacus						P	X						
R	1256	Podarcis muralis						P	X						
P		Potamogeton natans						P							X
P		Potamogeton pusillus						P							X
A	1209	Rana dalmatina						P	X						
P	1849	Ruscus aculeatus						P		X					
P		Spirodela polyrhiza						P							X
I		Sympetrum depressiusculum						P							X
I	1033	Unio elongatulus						P		X					

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N20	19.0
N23	1.0
N06	13.0
N15	10.0
N10	3.0

N16	54.0
Total Habitat Cover	100

Other Site Characteristics

Bosco planiziale situato nella pianura ferrarese a ridosso del fiume Reno, comprendente il tratto antistante del fiume e il bosco ripariale sulla riva opposta. L'habitat 6210 è da considerarsi prioritario.

4.2 Quality and importance

Uno dei pochi boschi umidi planiziarli relitti rimasti nella pianura emiliano-romagnola, anche se in parte alterato e trasformato in pioppeto.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	G14		i
M	B29		i
M	E01		i
M	E01		i
L	D05		o

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	66.0	IT30	34.0		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT30	Area di riequilibrio ecologico Bisana	+	34.0

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	ENTI GESTORI: Comune di Pieve di Cento - Comune di Galliera - Regione Emilia-Romagna
Address:	recapiti ed email consultabili sul web: http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/consultazione/enti-di-gestione/enti-gestione-parchi
Email:	-

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: Piani di Gestione del sito IT4060009 - Bosco di Sant'Agostino o Panfilia Link: http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/reti-natura-2000/strumenti-di-gestione/misure-specifiche-di-conservazione-piani-di-gestione/elenco-documenti-approvati-per-sito-piani-di-gestione
<input type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

6.3 Conservation measures (optional)

Le Misure Specifiche di Conservazione sono consultabili alla pagina web del sito: <http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/reti-natura-2000/siti/it4060009>

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

203NO 1:25.000 UTM



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT4060016
SITENAME Fiume Po da Stellata a Mesola e Cavo Napoleonico

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type C	1.2 Site code IT4060016	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Fiume Po da Stellata a Mesola e Cavo Napoleonico

1.4 First Compilation date 2003-09	1.5 Update date 2019-12
--	-----------------------------------

1.6 Respondent:

Name /Organisation:	Regione Emilia-Romagna - Direzione Generale Cura del territorio e dell'ambiente - Servizio Aree protette, foreste e sviluppo della montagna
Address:	Viale della Fiera, 8 - 40127 Bologna
Email:	segrprn@regione.emilia-romagna.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2004-02
National legal reference of SPA designation	Deliberazione della Giunta Regionale dell'Emilia-Romagna n. 1816 del 22 settembre 2003
Date site proposed as SCI:	2006-02
Date site confirmed as SCI:	No data
Date site designated as SAC:	2019-03
National legal reference of SAC designation:	DM 13/03/2019 - G.U. 79 del 03-04-2019

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 11.580833 **Latitude** 44.911944

2.2 Area [ha]: 3140.0 **2.3 Marine area [%]** 0.0

2.4 Sitelength [km]:
0.0

2.5 Administrative region code and name

NUTS level 2 code **Region Name**

2.6 Biogeographical Region(s)

Continental (100.0%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3130			12.71		G	A	C	B	B
3150			12.81		G	B	C	B	B
3270			101.0		G	A	C	B	B
6430			48.47		G	B	C	B	B
91F0			22.64		G	B	C	B	B
92A0			213.33		G	B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Glo.
F	1100	Acipenser naccarii			c				R	DD	B	C	C	A
B	A298	Acrocephalus arundinaceus			r				P	DD	C	B	C	C
B	A298	Acrocephalus arundinaceus			c				P	DD	C	B	C	C
B	A297	Acrocephalus scirpaceus			r				P	DD	C	B	C	C
B	A297	Acrocephalus scirpaceus			c				P	DD	C	B	C	C
B	A229	Alcedo atthis			p				P	DD	C	B	C	B
B	A229	Alcedo atthis			w				P	DD	C	B	C	B
B	A229	Alcedo atthis			r				P	DD	C	B	C	B
B	A229	Alcedo atthis			c				P	DD	C	B	C	B
F	1103	Alosa fallax			c				P	DD	C	B	C	A
B	A052	Anas crecca			w	13	43	i		G	C	B	C	C
B	A052	Anas crecca			c				C	DD	C	B	C	C
B	A055	Anas querquedula			c				P	DD	D			
B	A226	Apus apus			c				P	DD	D			
B	A028	Ardea cinerea			r	20	30	p		G	C	A	C	A
B	A028	Ardea cinerea			w	5	5	i		G	C	A	C	A
B	A028	Ardea cinerea			c				C	DD	C	A	C	A
B	A029	Ardea purpurea			c				P	DD	D			
B	A024	Ardeola ralloides			r	2	3	p		G	C	A	C	A
B	A024	Ardeola ralloides			c				P	DD	C	A	C	A
B	A222	Asio flammeus			w				R	DD	C	C	A	C
F	1137	Barbus plebejus			p				V	DD	C	C	B	C
B	A147	Calidris ferruginea			c				P	DD	D			
B	A145	Calidris minuta			c				P	DD	D			
B	A136	Charadrius dubius			c				P	DD	D			
B	A137	Charadrius hiaticula			c				P	DD	D			
B	A196	Chlidonias hybridus			c				R	DD	B	C	A	C
B	A197	Chlidonias niger			c				P	DD	C	B	C	C

F	1140	Chondrostoma soetta								R	DD	C	C	B	C
B	A081	Circus aeruginosus								P	DD	C	C	C	C
B	A082	Circus cyaneus								P	DD	C	B	C	C
B	A082	Circus cyaneus								P	DD	C	B	C	C
B	A084	Circus pygargus								P	DD	D			
F	5304	Cobitis bilineata								V	DD	C	C	B	C
B	A212	Cuculus canorus								P	DD	C	B	C	C
B	A212	Cuculus canorus								P	DD	C	B	C	C
B	A253	Delichon urbica								P	DD	D			
B	A027	Egretta alba			w	2	2	i			G	C	B	B	C
B	A027	Egretta alba								C	DD	C	B	B	C
B	A026	Egretta garzetta			r	20	30	p			G	C	A	C	A
B	A026	Egretta garzetta								P	DD	C	A	C	A
B	A026	Egretta garzetta			w	6	6	i			G	C	A	C	A
R	1220	Emys orbicularis								P	DD	C	B	C	C
B	A153	Gallinago gallinago								C	DD	C	B	C	C
B	A153	Gallinago gallinago			w	31	31	i			G	C	B	C	C
B	A131	Himantopus himantopus								P	DD	D			
B	A251	Hirundo rustica								P	DD	D			
B	A022	Ixobrychus minutus			r					P	DD	C	B	C	C
B	A022	Ixobrychus minutus								P	DD	C	B	C	C
B	A233	Jynx torquilla			r					P	DD	C	B	C	C
B	A233	Jynx torquilla								P	DD	C	B	C	C
B	A271	Luscinia megarhynchos								P	DD	C	B	C	B
B	A271	Luscinia megarhynchos			r					P	DD	C	B	C	B
I	1060	Lycaena dispar								P	DD	C	C	B	C
B	A230	Merops apiaster								P	DD	D			
B	A260	Motacilla flava			r					P	DD	C	B	C	C
B	A260	Motacilla flava								P	DD	C	B	C	C
B	A023	Nycticorax nycticorax			r	150	160	p			G	C	A	C	A
B	A023	Nycticorax nycticorax								P	DD	C	A	C	A
B	A337	Oriolus oriolus								P	DD	C	B	C	B
B	A337	Oriolus oriolus			r					P	DD	C	B	C	B
B	A214	Otus scops								P	DD	D			
F	1095	Petromyzon marinus								R	DD	C	C	C	A
B	A017	Phalacrocorax carbo			w	85	85	i			G	C	B	C	A
B	A017	Phalacrocorax carbo								C	DD	C	B	C	A
B	A151	Philomachus pugnax								P	DD	C	B	C	C
B	A140	Pluvialis apricaria			w					P	DD	C	C	C	C
B	A119	Porzana porzana								P	DD	C	B	C	C
F	5962	Protochondrostoma genei								V	DD	C	C	B	C
B	A132	Recurvirostra avosetta								P	DD	C	C	C	C
B	A249	Riparia riparia								P	DD	D			
F	1114	Rutilus pigus								V	DD	C	C	B	C
B	A155	Scolopax rusticola								P	DD	D			
B	A195	Sterna albifrons								P	DD	D			
B	A193	Sterna hirundo								P	DD	D			
B	A210	Streptopelia turtur								P	DD	C	B	C	C
B	A210	Streptopelia turtur			r					P	DD	C	B	C	C
B	A004	Tachybaptus ruficollis								R	DD	C	C	C	C
B	A004	Tachybaptus ruficollis			w					R	DD	C	C	C	C
B	A166	Tringa glareola								P	DD	C	B	C	C
B	A164	Tringa nebularia								P	DD	D			
B	A165	Tringa ochropus								C	DD	C	B	C	C
B	A165	Tringa ochropus			w	3	3	i			G	C	B	C	C
A	1167	Triturus carnifex								P	DD	C	B	C	C
B	A232	Upupa epops			r					P	DD	C	B	C	C
B	A232	Upupa epops								P	DD	C	B	C	C

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
F	5539	Alburnus alburnus alborella						P						X
I		Andreiniimon nuptialis						P						X
F	3019	Anguilla anguilla						P						X
A	6962	Bufotes viridis Complex						P	X					
R	1281	Elaphe longissima						P	X					
M	1327	Eptesicus serotinus						p	X					
F	5642	Esox lucius						P			X			
P		Euphorbia palustris						P						X
I	6167	Gomphus flavipes						P	X					
P		Gratiola officinalis						P						X
A	5358	Hyla intermedia						P	X					
M	5365	Hypsugo savii						P	X					
P		Leucojum aestivum						P						X
P		Nymphoides peltata						P						X
P		Oenanthe aquatica						P						X
A	6976	Pelophylax esculentus						P		X				
F	5783	Perca fluviatilis						P						X
M	2016	Pipistrellus kuhlii						P	X					
P	1849	Ruscus aculeatus						P		X				
F	5821	Rutilus aula						P				X		
P		Salvinia natans						P						X
I		Sympetrum depressiusculum						P						X
F	5885	Tinca tinca						P						X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N20	9.0
N06	30.0
N08	1.0
N15	6.0
N10	15.0
N16	15.0
N07	15.0
N14	9.0
Total Habitat Cover	100

Other Site Characteristics

Il sito comprende tutto il tratto del fiume Po a monte di Mesola ricadente nel territorio provinciale di Ferrara, tutto il Cavo Napoleonico fino al Bosco di Sant'Agostino e l'ultimo tratto del Fiume Panaro prima della confluenza con il Po.

4.2 Quality and importance

Specie vegetali RARE e MINACCIATE: Leucojum aestivum. Specie animali: Stylurus flavipes, specie indicatrice di rive fluviali naturali, presente nel tratto pianiziale dei fiumi. Garzaia di Egretta garzetta, Nycticorax nycticorax, Ardeola ralloides e Ardea cinerea sull'isola Bianca dove è segnalata anche Stipa veneta.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
H	J01		b
M	G14		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT30	1.0	IT35	7.0	IT00	92.0

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT30	Area di riequilibrio ecologico Stellata	+	0.5
IT30	Area di riequilibrio ecologico Porporana	+	0.5

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	ENTI GESTORI: Comune di Ferrara - Comune di Bondeno - Regione Emilia-Romagna
Address:	recapiti ed email consultabili sul web: http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/consultazione/enti-di-gestione/enti-gestione-parchi
Email:	-

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

6.3 Conservation measures (optional)

Le Misure Specifiche di Conservazione sono consultabili alla pagina web del sito: <http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/siti/it4060016>

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT4060017
SITENAME Po di Primaro e Bacini di Traghetti

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type A	1.2 Site code IT4060017	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Po di Primaro e Bacini di Traghetti

1.4 First Compilation date 2006-08	1.5 Update date 2019-12
--	-----------------------------------

1.6 Respondent:

Name /Organisation:	Regione Emilia-Romagna - Direzione Generale Cura del territorio e dell'ambiente - Servizio Aree protette, foreste e sviluppo della montagna
Address:	Viale della Fiera, 8 - 40127 Bologna
Email:	segrprn@regione.emilia-romagna.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2006-10
National legal reference of SPA designation	Deliberazione della Giunta Regionale dell'Emilia-Romagna n. 167 del 13 febbraio 2006

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 11.712804 **Latitude** 44.642277

2.2 Area [ha]: 1434.0 **2.3 Marine area [%]** 0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code ITD5	Region Name Emilia-Romagna
----------------------------------	--------------------------------------

2.6 Biogeographical Region(s)

Continental (100.0 %)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3150			41.32		G	B	C	B	C
3270			6.11		G	B	C	B	B
6210	X		6.49		G	B	C	B	C
6430			9.5		G	B	C	B	B
92A0			23.55		G	B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A298	Acrocephalus arundinaceus			c				P	DD	C	B	C	B
B	A298	Acrocephalus arundinaceus			r				P	DD	C	B	C	B
B	A296	Acrocephalus palustris			r				P	DD	C	B	C	B
B	A296	Acrocephalus palustris			c				P	DD	C	B	C	B
B	A297	Acrocephalus scirpaceus			c				P	DD	C	B	C	B
B	A297	Acrocephalus scirpaceus			r				P	DD	C	B	C	B
B	A168	Actitis hypoleucos			c				P	DD	C	B	C	B
B	A168	Actitis hypoleucos			w				P	DD	C	B	C	B
B	A229	Alcedo atthis			c				P	DD	C	B	C	B
B	A229	Alcedo atthis			r				P	DD	C	B	C	B
B	A229	Alcedo atthis			p				P	DD	C	B	C	B
B	A229	Alcedo atthis			w				P	DD	C	B	C	B
B	A056	Anas clypeata			c				P	DD	C	B	C	B
B	A056	Anas clypeata			w	24	24	i		G	C	B	C	B
B	A056	Anas clypeata			r	2	2	p		G	C	B	C	B
B	A052	Anas crecca			c				P	DD	C	B	C	B
B	A052	Anas crecca			w	100	100	i		G	C	B	C	B
B	A050	Anas penelope			w				P	DD	C	B	C	B
B	A050	Anas penelope			c				P	DD	C	B	C	B
B	A053	Anas platyrhynchos			p				P	DD	C	B	C	B
B	A053	Anas platyrhynchos			c				P	DD	C	B	C	B
B	A053	Anas platyrhynchos			w	120	120	i		G	C	B	C	B
B	A053	Anas platyrhynchos			r				P	DD	C	B	C	B
B	A055	Anas querquedula			c				P	DD	C	B	C	B
B	A055	Anas querquedula			r	3	3	p		G	C	B	C	B
B	A043	Anser anser			w				P	DD	C	B	C	B
B	A043	Anser anser			c				P	DD	C	B	C	B
B	A226	Apus apus			c				P	DD	C	B	C	B
B	A226	Apus apus			r				P	DD	C	B	C	B
B	A028	Ardea cinerea			w				P	DD	C	B	C	B
B	A028	Ardea cinerea			p				P	DD	C	B	C	B
B	A028	Ardea cinerea			c				P	DD	C	B	C	B
B	A059	Aythya ferina			w				P	DD	C	B	C	B
B	A059	Aythya ferina			c				P	DD	C	B	C	B
B	A060	Aythya nyroca			c				R	DD	B	C	A	C
B	A021	Botaurus stellaris			c				P	DD	C	B	C	B

B	A025	Bubulcus ibis			c				P	DD	C	B	C	B
B	A025	Bubulcus ibis			w				P	DD	C	B	C	B
B	A145	Calidris minuta			c				P	DD	C	B	C	B
B	A145	Calidris minuta			w				P	DD	C	B	C	B
B	A146	Calidris temminckii			w				P	DD	C	B	C	B
B	A146	Calidris temminckii			c				P	DD	C	B	C	B
B	A136	Charadrius dubius			c				P	DD	C	B	C	B
B	A136	Charadrius dubius			r				P	DD	C	B	C	B
B	A137	Charadrius hiaticula			c				P	DD	C	B	C	B
B	A137	Charadrius hiaticula			w				P	DD	C	B	C	B
B	A196	Chlidonias hybridus			c				P	DD	C	B	C	B
B	A196	Chlidonias hybridus			w				P	DD	C	B	C	B
B	A197	Chlidonias niger			c				P	DD	C	B	C	B
B	A031	Ciconia ciconia			c				P	DD	C	B	C	B
B	A081	Circus aeruginosus			w				P	DD	C	B	C	B
B	A081	Circus aeruginosus			c				P	DD	C	B	C	B
B	A082	Circus cyaneus			c				P	DD	C	B	C	B
B	A082	Circus cyaneus			w				P	DD	C	B	C	B
B	A027	Egretta alba			w				P	DD	C	B	C	B
B	A027	Egretta alba			c				P	DD	C	B	C	B
B	A026	Egretta garzetta			w				P	DD	C	B	C	B
B	A026	Egretta garzetta			c				P	DD	C	B	C	B
R	1220	Emys orbicularis			p				P	DD	C	C	C	C
B	A098	Falco columbarius			w				P	DD	C	B	C	B
B	A098	Falco columbarius			c				P	DD	C	B	C	B
B	A103	Falco peregrinus			c				P	DD	C	B	C	B
B	A103	Falco peregrinus			w				P	DD	C	B	C	B
B	A099	Falco subbuteo			r				P	DD	C	B	C	B
B	A099	Falco subbuteo			c				P	DD	C	B	C	B
B	A097	Falco vespertinus			c				P	DD	C	B	C	B
B	A154	Gallinago media			c				P	DD	C	B	C	B
B	A131	Himantopus himantopus			r				P	DD	C	B	C	B
B	A131	Himantopus himantopus			c				P	DD	C	B	C	B
B	A022	Ixobrychus minutus			c				P	DD	C	B	C	B
B	A022	Ixobrychus minutus			r				P	DD	C	B	C	B
B	A233	Jynx torquilla			r				P	DD	C	B	C	B
B	A233	Jynx torquilla			c				P	DD	C	B	C	B
B	A338	Lanius collurio			r				P	DD	C	B	C	B
B	A338	Lanius collurio			c				P	DD	C	B	C	B
B	A339	Lanius minor			r				P	DD	C	B	C	B
B	A339	Lanius minor			c				P	DD	C	B	C	B
B	A156	Limosa limosa			c				P	DD	C	B	C	B
B	A271	Luscinia megarhynchos			r				P	DD	C	B	C	B
B	A271	Luscinia megarhynchos			c				P	DD	C	B	C	B
I	1060	Lycaena dispar			p				P	DD	C	B	C	B
B	A230	Merops apiaster			c				P	DD	C	B	C	B
B	A230	Merops apiaster			r				P	DD	C	B	C	B
B	A073	Milvus migrans			c				P	DD	C	B	C	B
B	A319	Muscicapa striata			r				P	DD	C	B	C	B
B	A319	Muscicapa striata			c				P	DD	C	B	C	B
B	A023	Nycticorax nycticorax			w				P	DD	C	B	C	B
B	A023	Nycticorax nycticorax			c				P	DD	C	B	C	B
B	A151	Philomachus pugnax			c				P	DD	C	B	C	B
B	A034	Platalea leucorodia			c				P	DD	C	B	C	B
B	A140	Pluvialis apricaria			c				P	DD	C	B	C	B
B	A140	Pluvialis apricaria			w				P	DD	C	B	C	B
B	A118	Rallus aquaticus			c				P	DD	C	B	C	B
B	A118	Rallus aquaticus			r				P	DD	C	B	C	B
B	A118	Rallus aquaticus			p				P	DD	C	B	C	B
B	A118	Rallus aquaticus			w				P	DD	C	B	C	B

B	A336	Remiz pendulinus			w				P	DD	C	B	C	B
B	A336	Remiz pendulinus			r				P	DD	C	B	C	B
B	A336	Remiz pendulinus			c				P	DD	C	B	C	B
B	A336	Remiz pendulinus			p				P	DD	C	B	C	B
B	A275	Saxicola rubetra			c				P	DD	C	B	C	B
B	A155	Scolopax rusticola			w				P	DD	C	B	C	B
B	A155	Scolopax rusticola			c				P	DD	C	B	C	B
B	A193	Sterna hirundo			c				P	DD	C	B	C	B
B	A210	Streptopelia turtur			c				P	DD	C	B	C	B
B	A210	Streptopelia turtur			r				P	DD	C	B	C	B
B	A309	Sylvia communis			r				P	DD	C	B	C	B
B	A309	Sylvia communis			c				P	DD	C	B	C	B
B	A166	Tringa glareola			c				P	DD	C	B	C	B
B	A165	Tringa ochropus			w				P	DD	C	B	C	B
B	A165	Tringa ochropus			c				P	DD	C	B	C	B
B	A232	Upupa epops			c				P	DD	C	B	C	B
B	A232	Upupa epops			r				P	DD	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
A	2361	Bufo bufo						P					X	
A	1201	Bufo viridis						P	X					
P		Cynoglossum creticum						P						X
M	1327	Eptesicus serotinus						p	X					
P		Gratiola officinalis						P						X
R	5670	Hierophis viridiflavus						P	X					
P		Hydrocharis morsus-ranae						P						X
A	5358	Hyla intermedia						P	X					
M	5365	Hypsugo savii						P	X					
R	5179	Lacerta bilineata						P	X					
P		Leucojum aestivum						P						X
M	5718	Micromys minutus						P						X
M	1314	Myotis daubentonii						P	X					
P		Ophrys sphegodes						P						X
P		Orchis tridentata						P					X	
I		Palaemonetes antennarius						P						X
A	6976	Pelophylax esculentus						P		X				
I		Phytoecia vulneris vulneris						P						X
M	2016	Pipistrellus kuhlii						P	X					
R	1256	Podarcis muralis						P	X					
R	1250	Podarcis sicula						P	X					
P		Potamogeton natans						P						X
P		Salvinia natans						P						X
P		Sparganium erectum erectum						P						X
P		Spirodela polyrhiza						P						X
P		Thymus pulegioides						P						X

P		Trapa natans						P							X
P		Vicia hybrida						P							X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N10	5.0
N23	3.0
N06	10.0
N20	10.0
N16	10.0
N08	5.0
N15	57.0
Total Habitat Cover	100

Other Site Characteristics

Tratti del Fiume Reno e del Po di Primaro circondati da aree agricole, in continuità sia con le Valli di Campotto (a sud-est) sia con le zone umide del bolognese (ad ovest). Ricadono nel sito gli ex bacini dello zuccherificio di Molinella oggetto di interventi di bonifica e riqualificazione ambientale (1998), ampi maceri ed ex cave allagate.

4.2 Quality and importance

Fiumi con vegetazione erbacea annuale dell'alveo fluviale (*Chenopodium rubri* e *Bidens p.p.*), praterie mesofile secondarie (mesobrometi) e boschi igrofilo a salici e pioppi delle sponde del Reno e del Po di Primaro. La rete di fossati e canali è ricca di idrofite e vegetazione spontanea.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	G14		i
L	F02		i
H	J01		b
L	D05		o
M	D06		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	100.0				

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	ENTE GESTORE: Regione Emilia-Romagna
Address:	recapiti ed email consultabili sul web: http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/consultazione/enti-di-gestione/enti-gestione-parchi
Email:	-

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Piani di Gestione del sito IT4060017 - Po di Primaro e Bacini di Traghetti Link: http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/strumenti-di-gestione/misure-specifiche-di-conservazione-piani-di-gestione/elenco-documenti-approvati-per-sito-piani-di-gestione
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

Le Misure Specifiche di Conservazione sono consultabili alla pagina web del sito: <http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/siti/it4060017>

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

204SO 204NO 203SE 185SE 1:25.000 UTM