






Scheda n. 1 - R1




R1 11-22 28/03					
54 dB(A)0.0%	55 dB(A)0.3%	56 dB(A)1.4%	57 dB(A)3.9%	58 dB(A)7.2%	59 dB(A)10.1%
60 dB(A)2.2%	61 dB(A)4.4%	62 dB(A)4.2%	63 dB(A)2.7%	64 dB(A)9.9%	65 dB(A)6.8%
66 dB(A)3.8%	67 dB(A)1.7%	68 dB(A)0.8%	69 dB(A)0.3%	70 dB(A)0.1%	71 dB(A)0.0%
72 dB(A)0.0%	73 dB(A)0.0%	74 dB(A)0.0%	75 dB(A)0.0%	76 dB(A)0.0%	77 dB(A)0.0%


L1: 68.3 dB(A)	L90: 58.6 dB(A)
L5: 66.4 dB(A)	L95: 57.8 dB(A)
L50: 62.0 dB(A)	L99: 56.6 dB(A)



R1 11-22 28/03 Leq - Lineare					
6.3 Hz	76.0 dB	8 Hz	73.7 dB	10 Hz	71.6 dB
12.5 Hz	69.5 dB	16 Hz	68.5 dB	20 Hz	66.4 dB
25 Hz	65.6 dB	31.5 Hz	63.3 dB	40 Hz	62.2 dB
50 Hz	63.3 dB	63 Hz	64.1 dB	80 Hz	62.8 dB
100 Hz	58.9 dB	125 Hz	55.5 dB	160 Hz	54.9 dB
200 Hz	55.1 dB	250 Hz	56.6 dB	315 Hz	55.0 dB
400 Hz	54.9 dB	500 Hz	53.7 dB	630 Hz	54.7 dB
800 Hz	55.5 dB	1000 Hz	55.8 dB	1250 Hz	54.1 dB
1600 Hz	51.5 dB	2000 Hz	48.8 dB	2500 Hz	45.3 dB
3150 Hz	42.3 dB	4000 Hz	39.4 dB	5000 Hz	37.3 dB
6300 Hz	37.1 dB	8000 Hz	37.9 dB	10000 Hz	39.0 dB
12500 Hz	40.1 dB	16000 Hz	41.0 dB	20000 Hz	42.8 dB



R1 11-22 28/03 Min - Lineare					
6.3 Hz	32.3 dB	8 Hz	41.7 dB	10 Hz	40.8 dB
12.5 Hz	43.5 dB	16 Hz	45.9 dB	20 Hz	46.9 dB
25 Hz	47.1 dB	31.5 Hz	48.0 dB	40 Hz	48.0 dB
50 Hz	48.1 dB	63 Hz	45.6 dB	80 Hz	46.0 dB
100 Hz	42.6 dB	125 Hz	40.4 dB	160 Hz	42.8 dB
200 Hz	44.7 dB	250 Hz	45.1 dB	315 Hz	46.0 dB
400 Hz	46.3 dB	500 Hz	45.4 dB	630 Hz	44.9 dB
800 Hz	45.0 dB	1000 Hz	43.2 dB	1250 Hz	41.3 dB
1600 Hz	39.1 dB	2000 Hz	36.4 dB	2500 Hz	34.7 dB
3150 Hz	33.3 dB	4000 Hz	33.5 dB	5000 Hz	34.4 dB
6300 Hz	35.6 dB	8000 Hz	36.9 dB	10000 Hz	38.1 dB
12500 Hz	39.4 dB	16000 Hz	40.4 dB	20000 Hz	42.1 dB



R1 11-22 28/03 Max - Lineare					
6.3 Hz	99.8 dB	8 Hz	95.7 dB	10 Hz	96.3 dB
12.5 Hz	98.3 dB	16 Hz	91.1 dB	20 Hz	88.9 dB
25 Hz	86.4 dB	31.5 Hz	82.0 dB	40 Hz	85.2 dB
50 Hz	86.3 dB	63 Hz	86.7 dB	80 Hz	88.5 dB
100 Hz	84.3 dB	125 Hz	77.1 dB	160 Hz	77.6 dB
200 Hz	71.2 dB	250 Hz	76.7 dB	315 Hz	73.6 dB
400 Hz	72.7 dB	500 Hz	74.1 dB	630 Hz	70.8 dB
800 Hz	71.8 dB	1000 Hz	70.8 dB	1250 Hz	70.8 dB
1600 Hz	66.5 dB	2000 Hz	69.8 dB	2500 Hz	64.7 dB
3150 Hz	65.7 dB	4000 Hz	63.0 dB	5000 Hz	59.6 dB
6300 Hz	57.4 dB	8000 Hz	57.0 dB	10000 Hz	51.5 dB
12500 Hz	45.5 dB	16000 Hz	41.9 dB	20000 Hz	43.3 dB



Nome misura: R1 11-22 28/03
 Località: Chiesa
 Strumentazione: 831 0001291
 Data, ora misura: 28/03/2012 dalle ore 11.00 alle ore 22.00
 Tempo di misura [s]: 39600.5
 Punto di misura: R1 40°29'23.6" Nord - 17°11'27.3" Est

Componenti tonali
 NO SI Basse frequenze
 Alte frequenze

Componenti impulsive
 NO SI




Scheda n. 2 - R1




R1 22-06 28/03		
48 dB(A)0.0%	49 dB(A)0.2%	50 dB(A)1.2%
51 dB(A)2.5%	52 dB(A)6.3%	53 dB(A)10.7%
54 dB(A)3.1%	55 dB(A)12.9%	56 dB(A)10.4%
57 dB(A)9.2%	58 dB(A)8.1%	59 dB(A)6.7%
60 dB(A)5.6%	61 dB(A)4.4%	62 dB(A)3.3%
63 dB(A)2.2%	64 dB(A)1.5%	65 dB(A)0.8%
66 dB(A)0.4%	67 dB(A)0.2%	68 dB(A)0.1%
69 dB(A)0.0%	70 dB(A)0.0%	71 dB(A)0.0%
72 dB(A)0.0%	73 dB(A)0.0%	


L1: 65.6 dB(A)	L90: 52.9 dB(A)
L5: 63.1 dB(A)	L95: 52.2 dB(A)
L50: 56.2 dB(A)	L99: 50.7 dB(A)



R1 22-06 28/03 Leq - Lineare			
6.3 Hz	59.3 dB	8 Hz	62.0 dB
10 Hz	61.9 dB	12.5 Hz	60.9 dB
16 Hz	68.3 dB	20 Hz	62.7 dB
25 Hz	61.8 dB	31.5 Hz	59.6 dB
40 Hz	58.9 dB	50 Hz	59.7 dB
63 Hz	60.8 dB	80 Hz	60.0 dB
100 Hz	54.9 dB	125 Hz	51.1 dB
160 Hz	53.0 dB	200 Hz	52.9 dB
250 Hz	53.1 dB	315 Hz	51.7 dB
400 Hz	51.7 dB	500 Hz	50.4 dB
630 Hz	50.5 dB	800 Hz	50.7 dB
1000 Hz	50.2 dB	1250 Hz	48.6 dB
1600 Hz	46.8 dB	2000 Hz	44.4 dB
2500 Hz	41.5 dB	3150 Hz	39.2 dB
4000 Hz	37.2 dB	5000 Hz	36.2 dB
6300 Hz	36.7 dB	8000 Hz	37.6 dB
10000 Hz	38.7 dB	12500 Hz	40.2 dB
16000 Hz	40.8 dB	20000 Hz	42.5 dB



R1 22-06 28/03 Min - Lineare			
6.3 Hz	35.1 dB	8 Hz	41.2 dB
10 Hz	43.0 dB	12.5 Hz	42.5 dB
16 Hz	45.4 dB	20 Hz	46.0 dB
25 Hz	45.9 dB	31.5 Hz	44.7 dB
40 Hz	44.5 dB	50 Hz	47.0 dB
63 Hz	44.5 dB	80 Hz	42.8 dB
100 Hz	40.4 dB	125 Hz	35.5 dB
160 Hz	39.8 dB	200 Hz	41.9 dB
315 Hz	41.5 dB	400 Hz	42.3 dB
500 Hz	41.5 dB	630 Hz	40.5 dB
800 Hz	40.3 dB	1000 Hz	38.3 dB
1250 Hz	36.2 dB	1600 Hz	34.9 dB
2000 Hz	33.2 dB	2500 Hz	32.9 dB
3150 Hz	32.8 dB	4000 Hz	33.6 dB
5000 Hz	34.0 dB	6300 Hz	35.5 dB
8000 Hz	36.6 dB	10000 Hz	38.0 dB
12500 Hz	39.6 dB	16000 Hz	40.2 dB
20000 Hz	42.0 dB		



R1 22-06 28/03 Max - Lineare			
6.3 Hz	81.1 dB	8 Hz	78.6 dB
10 Hz	76.5 dB	12.5 Hz	77.7 dB
16 Hz	82.5 dB	20 Hz	75.3 dB
25 Hz	74.8 dB	31.5 Hz	74.1 dB
40 Hz	77.4 dB	50 Hz	82.1 dB
63 Hz	87.2 dB	80 Hz	88.5 dB
100 Hz	80.4 dB	125 Hz	72.7 dB
160 Hz	70.8 dB	200 Hz	67.3 dB
315 Hz	69.1 dB	400 Hz	70.0 dB
500 Hz	69.1 dB	630 Hz	68.1 dB
800 Hz	67.7 dB	1000 Hz	68.2 dB
1250 Hz	64.0 dB	1600 Hz	63.4 dB
2000 Hz	62.7 dB	2500 Hz	58.0 dB
3150 Hz	64.4 dB	4000 Hz	57.5 dB
5000 Hz	59.0 dB	6300 Hz	55.3 dB
8000 Hz	50.0 dB	10000 Hz	51.5 dB
12500 Hz	41.0 dB	16000 Hz	41.4 dB
20000 Hz	43.0 dB		



Nome misura: R1 22-06 28/03
 Località: Chiesa
 Strumentazione: 831 0001291
 Data, ora misura: 28/03/2012 dalle ore 22.00 alle ore 06.00
 Tempo di misura [s]: 28800.5
 Punto di misura: R1 40°29'23.6" Nord - 17°11'27.3" Est

Componenti tonali
 NO SI Basse frequenze
 Alte frequenze

Componenti impulsive
 NO SI




Scheda n. 3 - R1




R1 06-22 29/03		
47 dB(A)0.0%	48 dB(A)0.1%	49 dB(A)0.2%
50 dB(A)0.5%	51 dB(A)0.9%	52 dB(A)1.5%
53 dB(A)2.5%	54 dB(A)4.0%	55 dB(A)6.2%
56 dB(A)8.0%	57 dB(A)10.1%	58 dB(A)11.0%
59 dB(A)11.2%	60 dB(A)10.8%	61 dB(A)9.6%
62 dB(A)8.2%	63 dB(A)6.2%	64 dB(A)4.2%
65 dB(A)2.4%	66 dB(A)1.2%	67 dB(A)0.5%
68 dB(A)0.2%	69 dB(A)0.1%	70 dB(A)0.0%
71 dB(A)0.0%	72 dB(A)0.0%	73 dB(A)0.0%
74 dB(A)0.0%	75 dB(A)0.0%	76 dB(A)0.0%
77 dB(A)0.0%	78 dB(A)0.0%	79 dB(A)0.0%


L1: 66.8 dB(A)	L90: 55.0 dB(A)
L5: 64.8 dB(A)	L95: 53.7 dB(A)
L50: 59.4 dB(A)	L99: 51.2 dB(A)



R1 06-22 29/03 Leq - Lineare			
6.3 Hz	60.9 dB	8 Hz	61.8 dB
10 Hz	62.0 dB	12.5 Hz	61.5 dB
16 Hz	64.0 dB	20 Hz	61.4 dB
25 Hz	61.7 dB	31.5 Hz	69.9 dB
40 Hz	59.5 dB	50 Hz	62.4 dB
63 Hz	64.4 dB	80 Hz	62.2 dB
100 Hz	57.4 dB	125 Hz	54.1 dB
160 Hz	52.5 dB	200 Hz	51.6 dB
250 Hz	52.0 dB	315 Hz	51.5 dB
400 Hz	50.5 dB	500 Hz	50.4 dB
630 Hz	51.7 dB	800 Hz	53.0 dB
1000 Hz	53.7 dB	1250 Hz	52.0 dB
1600 Hz	50.2 dB	2000 Hz	48.2 dB
2500 Hz	45.2 dB	3150 Hz	42.6 dB
4000 Hz	40.2 dB	5000 Hz	38.1 dB
6300 Hz	37.5 dB	8000 Hz	37.9 dB
10000 Hz	39.1 dB	12500 Hz	40.1 dB
16000 Hz	40.9 dB	20000 Hz	42.7 dB



R1 06-22 29/03 Min - Lineare			
6.3 Hz	34.7 dB	8 Hz	37.2 dB
10 Hz	40.2 dB	12.5 Hz	41.0 dB
16 Hz	42.9 dB	20 Hz	44.4 dB
25 Hz	47.6 dB	31.5 Hz	44.9 dB
40 Hz	42.4 dB	50 Hz	45.9 dB
63 Hz	43.9 dB	80 Hz	43.0 dB
100 Hz	39.7 dB	125 Hz	35.2 dB
160 Hz	38.1 dB	200 Hz	37.5 dB
250 Hz	38.5 dB	315 Hz	38.7 dB
400 Hz	38.7 dB	500 Hz	37.3 dB
630 Hz	38.0 dB	800 Hz	39.0 dB
1000 Hz	38.2 dB	1250 Hz	36.9 dB
1600 Hz	36.0 dB	2000 Hz	34.4 dB
2500 Hz	33.3 dB	3150 Hz	33.4 dB
4000 Hz	34.0 dB	5000 Hz	34.6 dB
6300 Hz	35.5 dB	8000 Hz	36.8 dB
10000 Hz	38.1 dB	12500 Hz	39.4 dB
16000 Hz	40.3 dB	20000 Hz	42.0 dB



R1 06-22 29/03 Max - Lineare			
6.3 Hz	84.0 dB	8 Hz	85.9 dB
10 Hz	80.7 dB	12.5 Hz	83.2 dB
16 Hz	84.9 dB	20 Hz	79.6 dB
25 Hz	80.8 dB	31.5 Hz	83.1 dB
40 Hz	82.8 dB	50 Hz	89.0 dB
63 Hz	85.1 dB	80 Hz	84.6 dB
100 Hz	80.0 dB	125 Hz	76.4 dB
160 Hz	76.5 dB	200 Hz	72.6 dB
250 Hz	71.5 dB	315 Hz	73.2 dB
400 Hz	70.2 dB	500 Hz	80.4 dB
630 Hz	70.0 dB	800 Hz	71.1 dB
1000 Hz	68.6 dB	1250 Hz	77.9 dB
1600 Hz	70.8 dB	2000 Hz	68.8 dB
2500 Hz	68.2 dB	3150 Hz	69.6 dB
4000 Hz	62.0 dB	5000 Hz	60.9 dB
6300 Hz	58.7 dB	8000 Hz	58.2 dB
10000 Hz	51.9 dB	12500 Hz	46.3 dB
16000 Hz	43.5 dB	20000 Hz	46.1 dB



Nome misura: R1 06-22 29/03
 Località: Chiesa
 Strumentazione: 831 0001291
 Data, ora misura: 29/03/2012 dalle ore 06.00 alle ore 22.00
 Tempo di misura [s]: 57600.5
 Punto di misura: R1 40°29'23.6" Nord - 17°11'27.3" Est

Componenti tonali
 NO SI Basse frequenze
 Alte frequenze

Componenti impulsive
 NO SI




Scheda n. 4 - R1




R1 22-06 29/03		
50 dB(A)0.0%	51 dB(A)0.7%	52 dB(A)2.0%
53 dB(A)5.6%	54 dB(A)7.7%	55 dB(A)11.2%
56 dB(A)5.7%	57 dB(A)4.4%	58 dB(A)9.9%
59 dB(A)7.7%	60 dB(A)6.4%	61 dB(A)5.4%
62 dB(A)4.3%	63 dB(A)3.2%	64 dB(A)2.2%
65 dB(A)1.4%	66 dB(A)0.8%	67 dB(A)0.4%
68 dB(A)0.2%	69 dB(A)0.2%	70 dB(A)0.1%
71 dB(A)0.1%	72 dB(A)0.0%	73 dB(A)0.0%
74 dB(A)0.0%		


L1: 67.0 dB(A)	L90: 54.2 dB(A)
L5: 64.1 dB(A)	L95: 53.5 dB(A)
L50: 57.4 dB(A)	L99: 52.1 dB(A)



R1 22-06 29/03 Leq - Lineare			
6.3 Hz	57.6 dB	8 Hz	61.3 dB
10 Hz	61.4 dB	12.5 Hz	60.0 dB
16 Hz	60.5 dB	20 Hz	60.6 dB
25 Hz	61.3 dB	31.5 Hz	58.1 dB
40 Hz	57.5 dB	50 Hz	58.8 dB
63 Hz	60.5 dB	80 Hz	59.0 dB
100 Hz	53.6 dB	125 Hz	49.1 dB
160 Hz	49.3 dB	200 Hz	50.6 dB
250 Hz	52.1 dB	315 Hz	51.7 dB
400 Hz	52.4 dB	500 Hz	50.4 dB
630 Hz	50.9 dB	800 Hz	51.6 dB
1000 Hz	51.6 dB	1250 Hz	50.1 dB
1600 Hz	49.3 dB	2000 Hz	47.3 dB
2500 Hz	45.1 dB	3150 Hz	42.3 dB
4000 Hz	39.5 dB	5000 Hz	37.2 dB
6300 Hz	36.9 dB	8000 Hz	37.7 dB
10000 Hz	38.7 dB	12500 Hz	40.2 dB
16000 Hz	40.8 dB	20000 Hz	42.5 dB



R1 22-06 29/03 Min - Lineare			
6.3 Hz	33.5 dB	8 Hz	38.0 dB
10 Hz	41.5 dB	12.5 Hz	40.1 dB
16 Hz	41.0 dB	20 Hz	45.6 dB
25 Hz	45.3 dB	31.5 Hz	44.5 dB
40 Hz	45.2 dB	50 Hz	46.1 dB
63 Hz	44.7 dB	80 Hz	42.0 dB
100 Hz	37.8 dB	125 Hz	33.4 dB
160 Hz	36.9 dB	200 Hz	39.6 dB
250 Hz	42.7 dB	315 Hz	42.9 dB
400 Hz	43.7 dB	500 Hz	41.3 dB
630 Hz	40.7 dB	800 Hz	41.3 dB
1000 Hz	40.8 dB	1250 Hz	38.7 dB
1600 Hz	38.0 dB	2000 Hz	37.2 dB
2500 Hz	36.9 dB	3150 Hz	34.7 dB
4000 Hz	34.4 dB	5000 Hz	34.5 dB
6300 Hz	35.5 dB	8000 Hz	36.8 dB
10000 Hz	38.0 dB	12500 Hz	39.6 dB
16000 Hz	40.2 dB	20000 Hz	42.0 dB



R1 22-06 29/03 Max - Lineare			
6.3 Hz	68.7 dB	8 Hz	71.2 dB
10 Hz	71.4 dB	12.5 Hz	78.7 dB
16 Hz	82.6 dB	20 Hz	77.6 dB
25 Hz	81.7 dB	31.5 Hz	77.8 dB
40 Hz	78.7 dB	50 Hz	83.2 dB
63 Hz	87.5 dB	80 Hz	84.6 dB
100 Hz	78.6 dB	125 Hz	72.5 dB
160 Hz	71.0 dB	200 Hz	67.9 dB
250 Hz	68.9 dB	315 Hz	67.5 dB
400 Hz	68.2 dB	500 Hz	68.8 dB
630 Hz	68.3 dB	800 Hz	68.1 dB
1000 Hz	67.0 dB	1250 Hz	64.5 dB
1600 Hz	71.1 dB	2000 Hz	65.9 dB
2500 Hz	63.5 dB	3150 Hz	62.3 dB
4000 Hz	59.0 dB	5000 Hz	55.7 dB
6300 Hz	52.3 dB	8000 Hz	50.9 dB
10000 Hz	47.1 dB	12500 Hz	42.9 dB
16000 Hz	41.4 dB	20000 Hz	42.9 dB



Nome misura: R1 22-06 29/03
 Località: Chiesa
 Strumentazione: 831 0001291
 Data, ora misura: 29/03/2012 dalle ore 22.00 alle ore 06.00
 Tempo di misura [s]: 28800.5
 Punto di misura: R1 40°29'23.6" Nord - 17°11'27.3" Est

Componenti tonali
 NO SI Basse frequenze
 Alte frequenze

Componenti impulsive
 NO SI




Scheda n. 5 - R1




R1 06-22 30/03		
47 dB(A)0.0%	48 dB(A)0.1%	49 dB(A)0.2%
50 dB(A)0.6%	51 dB(A)0.9%	52 dB(A)1.4%
53 dB(A)2.3%	54 dB(A)3.5%	55 dB(A)5.0%
56 dB(A)7.0%	57 dB(A)9.6%	58 dB(A)11.1%
59 dB(A)11.6%	60 dB(A)13.3%	61 dB(A)9.7%
62 dB(A)8.2%	63 dB(A)6.5%	64 dB(A)4.8%
65 dB(A)3.1%	66 dB(A)1.7%	67 dB(A)0.8%
68 dB(A)0.3%	69 dB(A)0.1%	70 dB(A)0.0%
71 dB(A)0.0%	72 dB(A)0.0%	73 dB(A)0.0%
74 dB(A)0.0%	75 dB(A)0.0%	76 dB(A)0.0%
77 dB(A)0.0%		


L1: 67.2 dB(A)	L90: 55.2 dB(A)
L5: 65.3 dB(A)	L95: 53.7 dB(A)
L50: 59.7 dB(A)	L99: 51.1 dB(A)



R1 06-22 30/03 Leq - Lineare			
6.3 Hz	62.4 dB	8 Hz	62.2 dB
10 Hz	62.1 dB	12.5 Hz	61.7 dB
16 Hz	62.0 dB	20 Hz	61.5 dB
25 Hz	61.7 dB	31.5 Hz	66.9 dB
40 Hz	59.2 dB	50 Hz	61.9 dB
63 Hz	63.7 dB	80 Hz	61.7 dB
100 Hz	56.7 dB	125 Hz	53.6 dB
160 Hz	52.3 dB	200 Hz	51.8 dB
250 Hz	52.5 dB	315 Hz	51.4 dB
400 Hz	51.1 dB	500 Hz	50.5 dB
630 Hz	51.8 dB	800 Hz	53.3 dB
1000 Hz	54.1 dB	1250 Hz	52.3 dB
1600 Hz	50.7 dB	2000 Hz	48.8 dB
2500 Hz	45.8 dB	3150 Hz	43.1 dB
4000 Hz	40.6 dB	5000 Hz	38.3 dB
6300 Hz	37.6 dB	8000 Hz	37.9 dB
10000 Hz	39.1 dB	12500 Hz	40.1 dB
16000 Hz	40.9 dB	20000 Hz	42.8 dB



R1 06-22 30/03 Min - Lineare			
6.3 Hz	33.6 dB	8 Hz	37.9 dB
10 Hz	39.6 dB	12.5 Hz	41.8 dB
16 Hz	42.3 dB	20 Hz	44.4 dB
25 Hz	44.2 dB	31.5 Hz	45.6 dB
40 Hz	44.2 dB	50 Hz	46.2 dB
63 Hz	44.1 dB	80 Hz	43.1 dB
100 Hz	39.4 dB	125 Hz	36.4 dB
160 Hz	38.0 dB	200 Hz	39.1 dB
250 Hz	40.0 dB	315 Hz	39.4 dB
400 Hz	39.4 dB	500 Hz	37.9 dB
630 Hz	37.8 dB	800 Hz	39.2 dB
1000 Hz	38.4 dB	1250 Hz	36.8 dB
1600 Hz	36.0 dB	2000 Hz	34.6 dB
2500 Hz	33.7 dB	3150 Hz	33.4 dB
4000 Hz	33.8 dB	5000 Hz	34.5 dB
6300 Hz	35.7 dB	8000 Hz	36.9 dB
10000 Hz	38.1 dB	12500 Hz	39.3 dB
16000 Hz	40.4 dB	20000 Hz	42.1 dB



R1 06-22 30/03 Max - Lineare			
6.3 Hz	89.5 dB	8 Hz	82.6 dB
10 Hz	80.9 dB	12.5 Hz	86.2 dB
16 Hz	84.9 dB	20 Hz	78.9 dB
25 Hz	80.6 dB	31.5 Hz	83.5 dB
40 Hz	85.1 dB	50 Hz	88.9 dB
63 Hz	87.8 dB	80 Hz	88.1 dB
100 Hz	78.8 dB	125 Hz	76.0 dB
160 Hz	73.5 dB	200 Hz	73.2 dB
250 Hz	71.7 dB	315 Hz	75.3 dB
400 Hz	76.4 dB	500 Hz	71.0 dB
630 Hz	71.5 dB	800 Hz	71.5 dB
1000 Hz	68.6 dB	1250 Hz	71.3 dB
1600 Hz	69.8 dB	2000 Hz	70.2 dB
2500 Hz	67.8 dB	3150 Hz	70.6 dB
4000 Hz	68.2 dB	5000 Hz	64.7 dB
6300 Hz	60.0 dB	8000 Hz	54.2 dB
10000 Hz	50.0 dB	12500 Hz	44.8 dB
16000 Hz	42.0 dB	20000 Hz	43.5 dB



Nome misura: R1 06-22 30/03
 Località: Chiesa
 Strumentazione: 831 0001291
 Data, ora misura: 30/03/2012 dalle ore 06.00 alle ore 22.00
 Tempo di misura [s]: 57600.5
 Punto di misura: R1 40°29'23.6" Nord - 17°11'27.3" Est

Componenti tonali
 NO SI Basse frequenze
 Alte frequenze

Componenti impulsive
 NO SI




Scheda n. 6 - R1




R1 22-06 30/03		
50 dB(A)0.0%	51 dB(A)0.3%	52 dB(A)1.5%
53 dB(A)3.0%	54 dB(A)7.4%	55 dB(A)13.3%
56 dB(A)14.5%	57 dB(A)13.9%	58 dB(A)12.3%
59 dB(A)9.8%	60 dB(A)7.6%	61 dB(A)5.9%
62 dB(A)4.1%	63 dB(A)2.8%	64 dB(A)1.8%
65 dB(A)1.0%	66 dB(A)0.5%	67 dB(A)0.2%
68 dB(A)0.1%	69 dB(A)0.0%	70 dB(A)0.0%
71 dB(A)0.0%		


L1: 65.7 dB(A)	L90: 54.7 dB(A)
L5: 63.4 dB(A)	L95: 54.0 dB(A)
L50: 57.6 dB(A)	L99: 52.6 dB(A)



R1 22-06 30/03 Leq - Lineare			
6.3 Hz	58.4 dB	8 Hz	60.9 dB
10 Hz	61.3 dB	12.5 Hz	60.1 dB
16 Hz	60.2 dB	20 Hz	60.5 dB
25 Hz	61.3 dB	31.5 Hz	58.0 dB
40 Hz	57.6 dB	50 Hz	59.1 dB
63 Hz	60.3 dB	80 Hz	58.0 dB
100 Hz	52.8 dB	125 Hz	48.4 dB
160 Hz	49.4 dB	200 Hz	51.0 dB
250 Hz	52.7 dB	315 Hz	52.0 dB
400 Hz	53.0 dB	500 Hz	50.7 dB
630 Hz	50.7 dB	800 Hz	51.1 dB
1000 Hz	51.0 dB	1250 Hz	50.5 dB
1600 Hz	48.0 dB	2000 Hz	45.9 dB
2500 Hz	43.3 dB	3150 Hz	41.1 dB
4000 Hz	38.7 dB	5000 Hz	36.7 dB
6300 Hz	36.8 dB	8000 Hz	37.7 dB
10000 Hz	38.7 dB	12500 Hz	40.2 dB
16000 Hz	40.8 dB	20000 Hz	42.5 dB



R1 22-06 30/03 Min - Lineare			
6.3 Hz	35.7 dB	8 Hz	38.3 dB
10 Hz	41.4 dB	12.5 Hz	38.3 dB
16 Hz	41.2 dB	20 Hz	44.9 dB
25 Hz	46.9 dB	31.5 Hz	44.8 dB
40 Hz	45.7 dB	50 Hz	45.7 dB
63 Hz	44.7 dB	80 Hz	42.1 dB
100 Hz	38.8 dB	125 Hz	34.9 dB
160 Hz	39.3 dB	200 Hz	42.3 dB
250 Hz	44.5 dB	315 Hz	43.8 dB
400 Hz	44.7 dB	500 Hz	42.9 dB
630 Hz	41.6 dB	800 Hz	41.7 dB
1000 Hz	40.0 dB	1250 Hz	39.1 dB
1600 Hz	36.8 dB	2000 Hz	35.4 dB
2500 Hz	34.1 dB	3150 Hz	33.4 dB
4000 Hz	33.4 dB	5000 Hz	34.4 dB
6300 Hz	35.6 dB	8000 Hz	36.8 dB
10000 Hz	38.1 dB	12500 Hz	39.5 dB
16000 Hz	40.2 dB	20000 Hz	42.0 dB



R1 22-06 30/03 Max - Lineare			
6.3 Hz	74.1 dB	8 Hz	73.1 dB
10 Hz	72.2 dB	12.5 Hz	75.2 dB
16 Hz	77.7 dB	20 Hz	79.8 dB
25 Hz	78.5 dB	31.5 Hz	75.7 dB
40 Hz	75.0 dB	50 Hz	84.6 dB
63 Hz	87.4 dB	80 Hz	84.8 dB
100 Hz	76.0 dB	125 Hz	73.4 dB
160 Hz	72.0 dB	200 Hz	67.3 dB
250 Hz	66.7 dB	315 Hz	66.9 dB
400 Hz	66.5 dB	500 Hz	70.5 dB
630 Hz	67.0 dB	800 Hz	69.6 dB
1000 Hz	69.5 dB	1250 Hz	63.8 dB
1600 Hz	63.6 dB	2000 Hz	60.5 dB
2500 Hz	57.3 dB	3150 Hz	63.4 dB
4000 Hz	64.5 dB	5000 Hz	61.6 dB
6300 Hz	57.7 dB	8000 Hz	57.5 dB
10000 Hz	50.9 dB	12500 Hz	45.3 dB
16000 Hz	41.8 dB	20000 Hz	43.0 dB



Nome misura: R1 22-06 30/03
 Località: Chiesa
 Strumentazione: 831 0001291
 Data, ora misura: 30/03/2012 dalle ore 22.00 alle ore 06.00
 Tempo di misura [s]: 28800.5
 Punto di misura: R1 40°29'23.6" Nord - 17°11'27.3" Est

Componenti tonali
 NO SI Basse frequenze
 Alte frequenze

Componenti impulsive
 NO SI




Scheda n. 7 - R1




R1 06-22 31/03		
46 dB(A)0.0%	47 dB(A)0.1%	48 dB(A)0.6%
49 dB(A)1.5%	50 dB(A)2.1%	51 dB(A)2.7%
52 dB(A)4.0%	53 dB(A)5.4%	54 dB(A)7.1%
55 dB(A)8.6%	56 dB(A)10.0%	57 dB(A)10.7%
58 dB(A)10.2%	59 dB(A)9.5%	60 dB(A)8.3%
61 dB(A)6.7%	62 dB(A)5.0%	63 dB(A)3.2%
64 dB(A)2.0%	65 dB(A)1.1%	66 dB(A)0.6%
67 dB(A)0.2%	68 dB(A)0.1%	69 dB(A)0.0%
70 dB(A)0.0%	71 dB(A)0.0%	72 dB(A)0.0%
73 dB(A)0.0%	74 dB(A)0.0%	75 dB(A)0.0%
76 dB(A)0.0%	77 dB(A)0.0%	78 dB(A)0.0%
79 dB(A)0.0%	80 dB(A)0.0%	81 dB(A)0.0%


L1: 65.9 dB(A)	L90: 52.7 dB(A)
L5: 63.6 dB(A)	L95: 51.2 dB(A)
L50: 57.7 dB(A)	L99: 49.2 dB(A)



R1 06-22 31/03 Leq - Lineare			
6.3 Hz	60.8 dB	8 Hz	61.6 dB
10 Hz	61.5 dB	12.5 Hz	60.5 dB
16 Hz	61.3 dB	20 Hz	60.3 dB
25 Hz	60.7 dB	31.5 Hz	57.9 dB
40 Hz	57.8 dB	50 Hz	59.4 dB
63 Hz	60.9 dB	80 Hz	59.7 dB
100 Hz	55.0 dB	125 Hz	51.6 dB
160 Hz	50.7 dB	200 Hz	49.9 dB
250 Hz	50.4 dB	315 Hz	49.3 dB
400 Hz	49.1 dB	500 Hz	48.4 dB
630 Hz	49.5 dB	800 Hz	51.4 dB
1000 Hz	52.5 dB	1250 Hz	50.5 dB
1600 Hz	49.1 dB	2000 Hz	47.4 dB
2500 Hz	44.6 dB	3150 Hz	41.8 dB
4000 Hz	39.5 dB	5000 Hz	37.7 dB
6300 Hz	37.4 dB	8000 Hz	37.9 dB
10000 Hz	39.1 dB	12500 Hz	40.1 dB
16000 Hz	40.9 dB	20000 Hz	42.8 dB



R1 06-22 31/03 Min - Lineare			
6.3 Hz	33.1 dB	8 Hz	37.7 dB
10 Hz	40.7 dB	12.5 Hz	41.1 dB
16 Hz	41.8 dB	20 Hz	43.2 dB
25 Hz	47.0 dB	31.5 Hz	44.4 dB
40 Hz	43.2 dB	50 Hz	44.5 dB
63 Hz	41.1 dB	80 Hz	40.9 dB
100 Hz	38.2 dB	125 Hz	33.9 dB
160 Hz	35.8 dB	200 Hz	35.6 dB
315 Hz	37.3 dB	400 Hz	37.5 dB
500 Hz	36.4 dB	630 Hz	36.1 dB
800 Hz	37.0 dB	1000 Hz	37.0 dB
1250 Hz	36.8 dB	1600 Hz	35.7 dB
2000 Hz	34.6 dB	2500 Hz	33.8 dB
3150 Hz	33.6 dB	4000 Hz	34.6 dB
5000 Hz	34.6 dB	6300 Hz	35.7 dB
8000 Hz	36.9 dB	10000 Hz	37.9 dB
12500 Hz	39.4 dB	16000 Hz	40.3 dB
20000 Hz	42.1 dB		



R1 06-22 31/03 Max - Lineare			
6.3 Hz	84.0 dB	8 Hz	83.4 dB
10 Hz	82.2 dB	12.5 Hz	81.5 dB
16 Hz	86.9 dB	20 Hz	78.5 dB
25 Hz	76.3 dB	31.5 Hz	80.0 dB
40 Hz	83.8 dB	50 Hz	89.6 dB
63 Hz	85.0 dB	80 Hz	89.2 dB
100 Hz	80.5 dB	125 Hz	76.5 dB
160 Hz	76.4 dB	200 Hz	76.1 dB
315 Hz	72.7 dB	400 Hz	69.3 dB
500 Hz	70.9 dB	630 Hz	72.2 dB
800 Hz	71.5 dB	1000 Hz	68.5 dB
1250 Hz	77.9 dB	1600 Hz	76.2 dB
2000 Hz	67.1 dB	2500 Hz	61.0 dB
3150 Hz	62.1 dB	4000 Hz	59.6 dB
5000 Hz	58.7 dB	6300 Hz	56.1 dB
8000 Hz	56.7 dB	10000 Hz	48.5 dB
12500 Hz	44.5 dB	16000 Hz	47.8 dB
20000 Hz	45.1 dB		



Nome misura: R1 06-22 31/03
 Località: Chiesa
 Strumentazione: 831 0001291
 Data, ora misura: 31/03/2012 dalle ore 06.00 alle ore 22.00
 Tempo di misura [s]: 57600.5
 Punto di misura: R1 40°29'23.6" Nord - 17°11'27.3" Est

Componenti tonali
 NO SI Basse frequenze
 Alte frequenze

Componenti impulsive
 NO SI




Scheda n. 8 - R1




R1 22-06 31/03		
49 dB(A)0.1%	50 dB(A)3.5%	51 dB(A)5.0%
52 dB(A)6.0%	53 dB(A)8.7%	54 dB(A)7.8%
55 dB(A)0.9%	56 dB(A)5.8%	57 dB(A)3.0%
58 dB(A)8.8%	59 dB(A)6.6%	60 dB(A)4.7%
61 dB(A)3.4%	62 dB(A)2.3%	63 dB(A)1.4%
64 dB(A)0.9%	65 dB(A)0.5%	66 dB(A)0.3%
67 dB(A)0.1%	68 dB(A)0.0%	69 dB(A)0.0%
70 dB(A)0.0%	71 dB(A)0.0%	72 dB(A)0.0%
73 dB(A)0.0%	74 dB(A)0.0%	75 dB(A)0.0%
76 dB(A)0.0%	77 dB(A)0.0%	78 dB(A)0.0%
79 dB(A)0.0%		


L1: 64.9 dB(A)	L90: 52.2 dB(A)
L5: 62.1 dB(A)	L95: 51.2 dB(A)
L50: 56.5 dB(A)	L99: 50.4 dB(A)



R1 22-06 31/03 Leq - Lineare					
6.3 Hz	58.1 dB	8 Hz	61.2 dB	10 Hz	61.1 dB
12.5 Hz	59.6 dB	16 Hz	59.7 dB	20 Hz	60.1 dB
25 Hz	61.1 dB	31.5 Hz	57.3 dB	40 Hz	57.2 dB
50 Hz	57.9 dB	63 Hz	58.3 dB	80 Hz	57.0 dB
100 Hz	50.8 dB	125 Hz	47.3 dB	160 Hz	48.2 dB
200 Hz	49.5 dB	250 Hz	51.3 dB	315 Hz	50.6 dB
400 Hz	50.9 dB	500 Hz	48.5 dB	630 Hz	48.8 dB
800 Hz	49.7 dB	1000 Hz	49.9 dB	1250 Hz	48.4 dB
1600 Hz	47.3 dB	2000 Hz	45.7 dB	2500 Hz	43.3 dB
3150 Hz	41.4 dB	4000 Hz	39.2 dB	5000 Hz	37.3 dB
6300 Hz	37.0 dB	8000 Hz	37.7 dB	10000 Hz	38.7 dB
12500 Hz	40.3 dB	16000 Hz	40.8 dB	20000 Hz	42.5 dB



R1 22-06 31/03 Min - Lineare					
6.3 Hz	33.4 dB	8 Hz	38.6 dB	10 Hz	39.0 dB
12.5 Hz	40.5 dB	16 Hz	42.2 dB	20 Hz	44.5 dB
25 Hz	47.5 dB	31.5 Hz	45.0 dB	40 Hz	44.4 dB
50 Hz	44.7 dB	63 Hz	42.5 dB	80 Hz	40.8 dB
100 Hz	37.6 dB	125 Hz	33.2 dB	160 Hz	36.9 dB
200 Hz	39.3 dB	250 Hz	42.1 dB	315 Hz	42.1 dB
400 Hz	42.6 dB	500 Hz	40.6 dB	630 Hz	39.6 dB
800 Hz	39.6 dB	1000 Hz	38.6 dB	1250 Hz	37.8 dB
1600 Hz	36.7 dB	2000 Hz	35.7 dB	2500 Hz	34.8 dB
3150 Hz	34.7 dB	4000 Hz	34.5 dB	5000 Hz	34.5 dB
6300 Hz	35.6 dB	8000 Hz	36.7 dB	10000 Hz	38.0 dB
12500 Hz	39.6 dB	16000 Hz	40.2 dB	20000 Hz	42.0 dB



R1 22-06 31/03 Max - Lineare					
6.3 Hz	72.8 dB	8 Hz	72.8 dB	10 Hz	72.1 dB
12.5 Hz	76.5 dB	16 Hz	76.0 dB	20 Hz	74.2 dB
25 Hz	70.8 dB	31.5 Hz	72.8 dB	40 Hz	76.0 dB
50 Hz	81.1 dB	63 Hz	84.8 dB	80 Hz	83.1 dB
100 Hz	73.4 dB	125 Hz	73.9 dB	160 Hz	73.6 dB
200 Hz	67.8 dB	250 Hz	66.7 dB	315 Hz	65.8 dB
400 Hz	66.0 dB	500 Hz	64.2 dB	630 Hz	66.0 dB
800 Hz	69.5 dB	1000 Hz	68.2 dB	1250 Hz	65.4 dB
1600 Hz	66.8 dB	2000 Hz	68.6 dB	2500 Hz	74.7 dB
3150 Hz	69.6 dB	4000 Hz	65.8 dB	5000 Hz	62.4 dB
6300 Hz	64.7 dB	8000 Hz	57.5 dB	10000 Hz	50.9 dB
12500 Hz	42.3 dB	16000 Hz	41.4 dB	20000 Hz	43.1 dB



Nome misura: R1 22-06 31/03
 Località: Chiesa
 Strumentazione: 831 0001291
 Data, ora misura: 31/03/2012 dalle ore 22.00 alle ore 06.00
 Tempo di misura [s]: 28800.5
 Punto di misura: R1 40°29'23.6" Nord - 17°11'27.3" Est

Componenti tonali
 NO SI Basse frequenze
 Alte frequenze

Componenti impulsive
 NO SI




Scheda n. 9 - R1




R1 06-11 01-04					
46 dB(A)0.0%	47 dB(A)0.5%	48 dB(A)2.1%	49 dB(A)2.6%	50 dB(A)2.4%	51 dB(A)3.4%
52 dB(A)5.0%	53 dB(A)6.1%	54 dB(A)6.6%	55 dB(A)7.5%	56 dB(A)8.1%	57 dB(A)5.3%
58 dB(A)4.2%	59 dB(A)9.5%	60 dB(A)6.3%	61 dB(A)4.5%	62 dB(A)2.6%	63 dB(A)1.5%
64 dB(A)0.8%	65 dB(A)0.5%	66 dB(A)0.2%	67 dB(A)0.1%	68 dB(A)0.0%	69 dB(A)0.0%
70 dB(A)0.0%	71 dB(A)0.0%				


L1: 64.8 dB(A)	L90: 51.7 dB(A)
L5: 62.2 dB(A)	L95: 49.9 dB(A)
L50: 57.4 dB(A)	L99: 48.3 dB(A)



R1 06-11 01-04 Leq - Lineare					
6.3 Hz	58.4 dB	8 Hz	61.0 dB	10 Hz	60.9 dB
12.5 Hz	59.8 dB	16 Hz	60.1 dB	20 Hz	59.8 dB
25 Hz	61.1 dB	31.5 Hz	57.3 dB	40 Hz	56.8 dB
50 Hz	57.1 dB	63 Hz	57.4 dB	80 Hz	56.0 dB
100 Hz	51.9 dB	125 Hz	50.0 dB	160 Hz	49.4 dB
200 Hz	50.1 dB	250 Hz	51.2 dB	315 Hz	50.6 dB
400 Hz	51.1 dB	500 Hz	48.6 dB	630 Hz	49.1 dB
800 Hz	50.1 dB	1000 Hz	50.4 dB	1250 Hz	49.0 dB
1600 Hz	47.6 dB	2000 Hz	46.0 dB	2500 Hz	43.4 dB
3150 Hz	41.3 dB	4000 Hz	39.3 dB	5000 Hz	37.3 dB
6300 Hz	37.1 dB	8000 Hz	37.8 dB	10000 Hz	39.0 dB
12500 Hz	40.1 dB	16000 Hz	40.9 dB	20000 Hz	42.7 dB



R1 06-11 01-04 Min - Lineare					
6.3 Hz	33.6 dB	8 Hz	41.5 dB	10 Hz	42.1 dB
12.5 Hz	43.8 dB	16 Hz	44.4 dB	20 Hz	45.3 dB
25 Hz	45.7 dB	31.5 Hz	41.4 dB	40 Hz	44.5 dB
50 Hz	44.1 dB	63 Hz	43.9 dB	80 Hz	42.0 dB
100 Hz	38.9 dB	125 Hz	35.0 dB	160 Hz	36.4 dB
200 Hz	36.4 dB	250 Hz	38.9 dB	315 Hz	38.2 dB
400 Hz	37.8 dB	500 Hz	37.7 dB	630 Hz	37.4 dB
800 Hz	38.1 dB	1000 Hz	36.5 dB	1250 Hz	36.8 dB
1600 Hz	34.7 dB	2000 Hz	33.9 dB	2500 Hz	33.6 dB
3150 Hz	33.5 dB	4000 Hz	34.0 dB	5000 Hz	34.6 dB
6300 Hz	35.8 dB	8000 Hz	36.8 dB	10000 Hz	38.1 dB
12500 Hz	39.4 dB	16000 Hz	40.3 dB	20000 Hz	42.1 dB



R1 06-11 01-04 Max - Lineare					
6.3 Hz	70.1 dB	8 Hz	76.0 dB	10 Hz	71.1 dB
12.5 Hz	76.2 dB	16 Hz	80.8 dB	20 Hz	75.4 dB
25 Hz	76.9 dB	31.5 Hz	70.3 dB	40 Hz	75.0 dB
50 Hz	76.8 dB	63 Hz	82.1 dB	80 Hz	78.0 dB
100 Hz	77.5 dB	125 Hz	80.7 dB	160 Hz	74.0 dB
200 Hz	67.5 dB	250 Hz	66.3 dB	315 Hz	69.0 dB
400 Hz	64.7 dB	500 Hz	67.9 dB	630 Hz	64.9 dB
800 Hz	67.6 dB	1000 Hz	67.9 dB	1250 Hz	63.2 dB
1600 Hz	60.4 dB	2000 Hz	59.4 dB	2500 Hz	58.6 dB
3150 Hz	55.5 dB	4000 Hz	56.9 dB	5000 Hz	52.1 dB
6300 Hz	49.4 dB	8000 Hz	47.3 dB	10000 Hz	41.8 dB
12500 Hz	43.9 dB	16000 Hz	41.5 dB	20000 Hz	43.4 dB

Nome misura: R1 06-11 01-04
 Località: Chiesa
 Strumentazione: 831 0001291
 Data, ora misura: 01/04/2012 dalle ore 06.00 alle ore 11.00
 Tempo di misura [s]: 18000.5
 Punto di misura: R1 40°29'23.6" Nord - 17°11'27.3" Est

Componenti tonali
 NO SI Basse frequenze
 Alte frequenze

Componenti impulsive
 NO SI