



GeniE V7.9-04

Report:
015800BZCZ00001_PRDE

Report:
Annex B: Genie Jomal File – Bridge

Date:
12/08/2019

//Exported using: GeniE V7.9-04 started 12-Aug-2019 18:16:36

//Units

```
GenieRules.Units.setOutputUnits("m", "kN", "delC");
GenieRules.Units.setInputUnit(Angle, "deg");
GenieRules.Units.setInputUnit(Force, "kN");
GenieRules.Units.setInputUnit(Length, "m");
GenieRules.Units.setInputUnit(TempDiff, "delC");
```

//***** PROPERTIES *****/

//Sections

```
AutoCone = ConeSection(1, true);
Cono = ConeSection(0.5, true);
H400x20 = ISection(0.4 m, 0.2 m, 0.01 m, 0.02 m);
H490x250 = ISection(0.49 m, 0.25 m, 0.01 m, 0.02 m);
// NVS lib : HE 1000 A NS-EN 10034
HE1000A = ISection(0.99 m, 0.3 m, 0.0165 m, 0.031 m);
HE1000A.description = "NVS lib : HE 1000 A NS-EN 10034";
// NVS lib : HE 1000 B NS-EN 10034
HE1000B = ISection(1 m, 0.3 m, 0.019 m, 0.036 m);
HE1000B.description = "NVS lib : HE 1000 B NS-EN 10034";
// NVS lib : HE 1000 M NS-EN 10034/DIN 1025-4
HE1000M = ISection(1.008 m, 0.302 m, 0.021 m, 0.04 m);
HE1000M.description = "NVS lib : HE 1000 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 100 A NS-EN 10034
HE100A = ISection(0.096 m, 0.1 m, 0.005 m, 0.008 m);
HE100A.description = "NVS lib : HE 100 A NS-EN 10034";
// NVS lib : HE 100 B NS-EN 10034
HE100B = ISection(0.1 m, 0.1 m, 0.006 m, 0.01 m);
HE100B.description = "NVS lib : HE 100 B NS-EN 10034";
// NVS lib : HE 100 M NS-EN 10034/DIN 1025-4
HE100M = ISection(0.12 m, 0.106 m, 0.012 m, 0.02 m);
HE100M.description = "NVS lib : HE 100 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 120 A NS-EN 10034
HE120A = ISection(0.114 m, 0.12 m, 0.005 m, 0.008 m);
HE120A.description = "NVS lib : HE 120 A NS-EN 10034";
// NVS lib : HE 120 B NS-EN 10034
HE120B = ISection(0.12 m, 0.12 m, 0.0065 m, 0.011 m);
HE120B.description = "NVS lib : HE 120 B NS-EN 10034";
// NVS lib : HE 120 M NS-EN 10034/DIN 1025-4
HE120M = ISection(0.14 m, 0.126 m, 0.0125 m, 0.021 m);
HE120M.description = "NVS lib : HE 120 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 140 A NS-EN 10034
HE140A = ISection(0.133 m, 0.14 m, 0.0055 m, 0.0085 m);
HE140A.description = "NVS lib : HE 140 A NS-EN 10034";
// NVS lib : HE 140 B NS-EN 10034
HE140B = ISection(0.14 m, 0.14 m, 0.007 m, 0.012 m);
HE140B.description = "NVS lib : HE 140 B NS-EN 10034";
// NVS lib : HE 140 M NS-EN 10034/DIN 1025-4
HE140M = ISection(0.16 m, 0.146 m, 0.013 m, 0.022 m);
HE140M.description = "NVS lib : HE 140 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 160 A NS-EN 10034
HE160A = ISection(0.152 m, 0.16 m, 0.006 m, 0.009 m);
HE160A.description = "NVS lib : HE 160 A NS-EN 10034";
// NVS lib : HE 160 B NS-EN 10034
HE160B = ISection(0.16 m, 0.16 m, 0.008 m, 0.013 m);
HE160B.description = "NVS lib : HE 160 B NS-EN 10034";
// NVS lib : HE 160 M NS-EN 10034/DIN 1025-4
HE160M = ISection(0.18 m, 0.166 m, 0.014 m, 0.023 m);
HE160M.description = "NVS lib : HE 160 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 180 A NS-EN 10034
HE180A = ISection(0.171 m, 0.18 m, 0.006 m, 0.0095 m);
HE180A.description = "NVS lib : HE 180 A NS-EN 10034";
// NVS lib : HE 180 B NS-EN 10034
HE180B = ISection(0.18 m, 0.18 m, 0.0085 m, 0.014 m);
HE180B.description = "NVS lib : HE 180 B NS-EN 10034";
// NVS lib : HE 180 M NS-EN 10034/DIN 1025-4
HE180M = ISection(0.2 m, 0.186 m, 0.0145 m, 0.024 m);
HE180M.description = "NVS lib : HE 180 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 200 A NS-EN 10034
HE200A = ISection(0.19 m, 0.2 m, 0.0065 m, 0.01 m);
HE200A.description = "NVS lib : HE 200 A NS-EN 10034";
// NVS lib : HE 200 B NS-EN 10034
HE200B = ISection(0.2 m, 0.2 m, 0.009 m, 0.015 m);
HE200B.description = "NVS lib : HE 200 B NS-EN 10034";
// NVS lib : HE 200 M NS-EN 10034/DIN 1025-4
```

12-Aug-2019 18:05:40

DNV GL - Digital Solutions

Page 1 of 17



GeniE V7.9-04

Report:
015800BZCZ00001_PRDE

Report:
Annex B: Genie Jomal File – Bridge

Date:
12/08/2019

HE200M = ISection(0.22 m, 0.206 m, 0.015 m, 0.025 m);
HE200M.description = "NVS lib : HE 200 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 220 A NS-EN 10034
HE220A = ISection(0.21 m, 0.22 m, 0.007 m, 0.011 m);
HE220A.description = "NVS lib : HE 220 A NS-EN 10034";
// NVS lib : HE 220 B NS-EN 10034
HE220B = ISection(0.22 m, 0.22 m, 0.0095 m, 0.016 m);
HE220B.description = "NVS lib : HE 220 B NS-EN 10034";
// NVS lib : HE 220 M NS-EN 10034/DIN 1025-4
HE220M = ISection(0.24 m, 0.226 m, 0.0155 m, 0.026 m);
HE220M.description = "NVS lib : HE 220 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 240 A NS-EN 10034
HE240A = ISection(0.23 m, 0.24 m, 0.0075 m, 0.012 m);
HE240A.description = "NVS lib : HE 240 A NS-EN 10034";
// NVS lib : HE 240 B NS-EN 10034
HE240B = ISection(0.24 m, 0.24 m, 0.01 m, 0.017 m);
HE240B.description = "NVS lib : HE 240 B NS-EN 10034";
// NVS lib : HE 240 M NS-EN 10034/DIN 1025-4
HE240M = ISection(0.27 m, 0.248 m, 0.018 m, 0.032 m);
HE240M.description = "NVS lib : HE 240 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 260 A NS-EN 10034
HE260A = ISection(0.25 m, 0.26 m, 0.0075 m, 0.0125 m);
HE260A.description = "NVS lib : HE 260 A NS-EN 10034";
// NVS lib : HE 260 B NS-EN 10034
HE260B = ISection(0.26 m, 0.26 m, 0.01 m, 0.0175 m);
HE260B.description = "NVS lib : HE 260 B NS-EN 10034";
// NVS lib : HE 260 M NS-EN 10034/DIN 1025-4
HE260M = ISection(0.29 m, 0.268 m, 0.018 m, 0.0325 m);
HE260M.description = "NVS lib : HE 260 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 280 A NS-EN 10034
HE280A = ISection(0.27 m, 0.28 m, 0.008 m, 0.013 m);
HE280A.description = "NVS lib : HE 280 A NS-EN 10034";
// NVS lib : HE 280 B NS-EN 10034
HE280B = ISection(0.28 m, 0.28 m, 0.0105 m, 0.018 m);
HE280B.description = "NVS lib : HE 280 B NS-EN 10034";
// NVS lib : HE 280 M NS-EN 10034/DIN 1025-4
HE280M = ISection(0.31 m, 0.288 m, 0.0185 m, 0.033 m);
HE280M.description = "NVS lib : HE 280 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 300 A NS-EN 10034
HE300A = ISection(0.29 m, 0.3 m, 0.0085 m, 0.014 m);
HE300A.description = "NVS lib : HE 300 A NS-EN 10034";
// NVS lib : HE 300 B NS-EN 10034
HE300B = ISection(0.3 m, 0.3 m, 0.011 m, 0.019 m);
HE300B.description = "NVS lib : HE 300 B NS-EN 10034";
// NVS lib : HE 300 C NS-EN 10034/DIN 1025-4
HE300C = ISection(0.32 m, 0.305 m, 0.016 m, 0.029 m);
HE300C.description = "NVS lib : HE 300 C NS-EN 10034/DIN 1025-4";
// NVS lib : HE 300 M NS-EN 10034/DIN 1025-4
HE300M = ISection(0.34 m, 0.31 m, 0.021 m, 0.039 m);
HE300M.description = "NVS lib : HE 300 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 320 A NS-EN 10034
HE320A = ISection(0.31 m, 0.3 m, 0.009 m, 0.0155 m);
HE320A.description = "NVS lib : HE 320 A NS-EN 10034";
// NVS lib : HE 320 B NS-EN 10034
HE320B = ISection(0.32 m, 0.3 m, 0.0115 m, 0.0205 m);
HE320B.description = "NVS lib : HE 320 B NS-EN 10034";
// NVS lib : HE 320 M NS-EN 10034/DIN 1025-4
HE320M = ISection(0.359 m, 0.309 m, 0.021 m, 0.04 m);
HE320M.description = "NVS lib : HE 320 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 340 A NS-EN 10034
HE340A = ISection(0.33 m, 0.3 m, 0.0095 m, 0.0165 m);
HE340A.description = "NVS lib : HE 340 A NS-EN 10034";
// NVS lib : HE 340 B NS-EN 10034
HE340B = ISection(0.34 m, 0.3 m, 0.012 m, 0.0215 m);
HE340B.description = "NVS lib : HE 340 B NS-EN 10034";
// NVS lib : HE 340 M NS-EN 10034/DIN 1025-4
HE340M = ISection(0.377 m, 0.309 m, 0.021 m, 0.04 m);
HE340M.description = "NVS lib : HE 340 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 360 A NS-EN 10034
HE360A = ISection(0.35 m, 0.3 m, 0.01 m, 0.0175 m);
HE360A.description = "NVS lib : HE 360 A NS-EN 10034";
// NVS lib : HE 360 B NS-EN 10034
HE360B = ISection(0.36 m, 0.3 m, 0.0125 m, 0.0225 m);
HE360B.description = "NVS lib : HE 360 B NS-EN 10034";
// NVS lib : HE 360 M NS-EN 10034/DIN 1025-4



GeniE V7.9-04

Report:
015800BZCZ00001_PRDE

Report:
Annex B: Genie Jomal File – Bridge

Date:
12/08/2019

HE360M = ISection(0.395 m, 0.308 m, 0.021 m, 0.04 m);
HE360M.description = "NVS lib : HE 360 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 400 A NS-EN 10034
HE400A = ISection(0.39 m, 0.3 m, 0.011 m, 0.019 m);
HE400A.description = "NVS lib : HE 400 A NS-EN 10034";
// NVS lib : HE 400 B NS-EN 10034
HE400B = ISection(0.4 m, 0.3 m, 0.0135 m, 0.024 m);
HE400B.description = "NVS lib : HE 400 B NS-EN 10034";
// NVS lib : HE 400 M NS-EN 10034/DIN 1025-4
HE400M = ISection(0.432 m, 0.307 m, 0.021 m, 0.04 m);
HE400M.description = "NVS lib : HE 400 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 450 A NS-EN 10034
HE450A = ISection(0.44 m, 0.3 m, 0.0115 m, 0.021 m);
HE450A.description = "NVS lib : HE 450 A NS-EN 10034";
// NVS lib : HE 450 B NS-EN 10034
HE450B = ISection(0.45 m, 0.3 m, 0.014 m, 0.026 m);
HE450B.description = "NVS lib : HE 450 B NS-EN 10034";
// NVS lib : HE 450 M NS-EN 10034/DIN 1025-4
HE450M = ISection(0.478 m, 0.307 m, 0.021 m, 0.04 m);
HE450M.description = "NVS lib : HE 450 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 500 A NS-EN 10034
HE500A = ISection(0.49 m, 0.3 m, 0.012 m, 0.023 m);
HE500A.description = "NVS lib : HE 500 A NS-EN 10034";
// NVS lib : HE 500 B NS-EN 10034
HE500B = ISection(0.5 m, 0.3 m, 0.0145 m, 0.028 m);
HE500B.description = "NVS lib : HE 500 B NS-EN 10034";
// NVS lib : HE 500 M NS-EN 10034/DIN 1025-4
HE500M = ISection(0.524 m, 0.306 m, 0.021 m, 0.04 m);
HE500M.description = "NVS lib : HE 500 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 550 A NS-EN 10034
HE550A = ISection(0.54 m, 0.3 m, 0.0125 m, 0.024 m);
HE550A.description = "NVS lib : HE 550 A NS-EN 10034";
// NVS lib : HE 550 B NS-EN 10034
HE550B = ISection(0.55 m, 0.3 m, 0.015 m, 0.029 m);
HE550B.description = "NVS lib : HE 550 B NS-EN 10034";
// NVS lib : HE 550 M NS-EN 10034/DIN 1025-4
HE550M = ISection(0.572 m, 0.306 m, 0.021 m, 0.04 m);
HE550M.description = "NVS lib : HE 550 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 600 A NS-EN 10034
HE600A = ISection(0.59 m, 0.3 m, 0.013 m, 0.025 m);
HE600A.description = "NVS lib : HE 600 A NS-EN 10034";
// NVS lib : HE 600 B NS-EN 10034
HE600B = ISection(0.6 m, 0.3 m, 0.0155 m, 0.03 m);
HE600B.description = "NVS lib : HE 600 B NS-EN 10034";
// NVS lib : HE 600 M NS-EN 10034/DIN 1025-4
HE600M = ISection(0.62 m, 0.305 m, 0.021 m, 0.04 m);
HE600M.description = "NVS lib : HE 600 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 650 A NS-EN 10034
HE650A = ISection(0.64 m, 0.3 m, 0.0135 m, 0.026 m);
HE650A.description = "NVS lib : HE 650 A NS-EN 10034";
// NVS lib : HE 650 B NS-EN 10034
HE650B = ISection(0.65 m, 0.3 m, 0.016 m, 0.031 m);
HE650B.description = "NVS lib : HE 650 B NS-EN 10034";
// NVS lib : HE 650 M NS-EN 10034/DIN 1025-4
HE650M = ISection(0.668 m, 0.305 m, 0.021 m, 0.04 m);
HE650M.description = "NVS lib : HE 650 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 700 A NS-EN 10034
HE700A = ISection(0.69 m, 0.3 m, 0.0145 m, 0.027 m);
HE700A.description = "NVS lib : HE 700 A NS-EN 10034";
// NVS lib : HE 700 B NS-EN 10034
HE700B = ISection(0.7 m, 0.3 m, 0.017 m, 0.032 m);
HE700B.description = "NVS lib : HE 700 B NS-EN 10034";
// NVS lib : HE 700 M NS-EN 10034/DIN 1025-4
HE700M = ISection(0.716 m, 0.304 m, 0.021 m, 0.04 m);
HE700M.description = "NVS lib : HE 700 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 800 A NS-EN 10034
HE800A = ISection(0.79 m, 0.3 m, 0.015 m, 0.028 m);
HE800A.description = "NVS lib : HE 800 A NS-EN 10034";
// NVS lib : HE 800 B NS-EN 10034
HE800B = ISection(0.8 m, 0.3 m, 0.0175 m, 0.033 m);
HE800B.description = "NVS lib : HE 800 B NS-EN 10034";
// NVS lib : HE 800 M NS-EN 10034/DIN 1025-4
HE800M = ISection(0.814 m, 0.303 m, 0.021 m, 0.04 m);
HE800M.description = "NVS lib : HE 800 M NS-EN 10034/DIN 1025-4";
// NVS lib : HE 900 A NS-EN 10034



GeniE V7.9-04

Report:
015800BZCZ00001_PRDE

Report:
Annex B: Genie Jomal File – Bridge

Date:
12/08/2019

HE900A = ISection(0.89 m, 0.3 m, 0.016 m, 0.03 m);
HE900A.description = "NVS lib : HE 900 A NS-EN 10034";
// NVS lib : HE 900 B NS-EN 10034
HE900B = ISection(0.9 m, 0.3 m, 0.0185 m, 0.035 m);
HE900B.description = "NVS lib : HE 900 B NS-EN 10034";
// NVS lib : HE 900 M NS-EN 10034/DIN 1025-4
HE900M = ISection(0.91 m, 0.302 m, 0.021 m, 0.04 m);
HE900M.description = "NVS lib : HE 900 M NS-EN 10034/DIN 1025-4";
// NVS lib : INP 100 NS-EN 10024/DIN 1025-1
INP100 = ISection(0.1 m, 0.05 m, 0.0045 m, 0.0068 m);
INP100.description = "NVS lib : INP 100 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 120 NS-EN 10024/DIN 1025-1
INP120 = ISection(0.12 m, 0.058 m, 0.0051 m, 0.0077 m);
INP120.description = "NVS lib : INP 120 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 140 NS-EN 10024/DIN 1025-1
INP140 = ISection(0.14 m, 0.066 m, 0.0057 m, 0.0086 m);
INP140.description = "NVS lib : INP 140 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 160 NS-EN 10024/DIN 1025-1
INP160 = ISection(0.16 m, 0.074 m, 0.0063 m, 0.0095 m);
INP160.description = "NVS lib : INP 160 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 180 NS-EN 10024/DIN 1025-1
INP180 = ISection(0.18 m, 0.082 m, 0.0069 m, 0.0104 m);
INP180.description = "NVS lib : INP 180 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 200 NS-EN 10024/DIN 1025-1
INP200 = ISection(0.2 m, 0.09 m, 0.0075 m, 0.0113 m);
INP200.description = "NVS lib : INP 200 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 220 NS-EN 10024/DIN 1025-1
INP220 = ISection(0.22 m, 0.098 m, 0.0081 m, 0.0122 m);
INP220.description = "NVS lib : INP 220 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 240 NS-EN 10024/DIN 1025-1
INP240 = ISection(0.24 m, 0.106 m, 0.0087 m, 0.0131 m);
INP240.description = "NVS lib : INP 240 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 260 NS-EN 10024/DIN 1025-1
INP260 = ISection(0.26 m, 0.113 m, 0.0094 m, 0.0141 m);
INP260.description = "NVS lib : INP 260 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 280 NS-EN 10024/DIN 1025-1
INP280 = ISection(0.28 m, 0.119 m, 0.0101 m, 0.0152 m);
INP280.description = "NVS lib : INP 280 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 300 NS-EN 10024/DIN 1025-1
INP300 = ISection(0.3 m, 0.125 m, 0.0108 m, 0.0162 m);
INP300.description = "NVS lib : INP 300 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 320 NS-EN 10024/DIN 1025-1
INP320 = ISection(0.32 m, 0.131 m, 0.0115 m, 0.0173 m);
INP320.description = "NVS lib : INP 320 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 340 NS-EN 10024/DIN 1025-1
INP340 = ISection(0.34 m, 0.137 m, 0.0122 m, 0.0183 m);
INP340.description = "NVS lib : INP 340 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 360 NS-EN 10024/DIN 1025-1
INP360 = ISection(0.36 m, 0.143 m, 0.013 m, 0.0195 m);
INP360.description = "NVS lib : INP 360 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 380 NS-EN 10024/DIN 1025-1
INP380 = ISection(0.38 m, 0.149 m, 0.0137 m, 0.0205 m);
INP380.description = "NVS lib : INP 380 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 400 NS-EN 10024/DIN 1025-1
INP400 = ISection(0.4 m, 0.155 m, 0.0144 m, 0.0216 m);
INP400.description = "NVS lib : INP 400 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 450 NS-EN 10024/DIN 1025-1
INP450 = ISection(0.45 m, 0.17 m, 0.0162 m, 0.0243 m);
INP450.description = "NVS lib : INP 450 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 500 NS-EN 10024/DIN 1025-1
INP500 = ISection(0.5 m, 0.185 m, 0.018 m, 0.027 m);
INP500.description = "NVS lib : INP 500 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 550 NS-EN 10024/DIN 1025-1
INP550 = ISection(0.55 m, 0.2 m, 0.019 m, 0.03 m);
INP550.description = "NVS lib : INP 550 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 600 NS-EN 10024/DIN 1025-1
INP600 = ISection(0.6 m, 0.215 m, 0.0216 m, 0.0324 m);
INP600.description = "NVS lib : INP 600 NS-EN 10024/DIN 1025-1";
// NVS lib : INP 80 NS-EN 10024/DIN 1025-1
INP80 = ISection(0.08 m, 0.042 m, 0.0039 m, 0.0059 m);
INP80.description = "NVS lib : INP 80 NS-EN 10024/DIN 1025-1";
// NVS lib : IPE 100 NS-EN 10034
IPE100 = ISection(0.1 m, 0.055 m, 0.0041 m, 0.0057 m);
IPE100.description = "NVS lib : IPE 100 NS-EN 10034";
// NVS lib : IPE 120 NS-EN 10034




GeniE V7.9-04

Report:
015800BZCZ00001_PRDE

Report:
Annex B: Genie Jorjal File – Bridge

Date:
12/08/2019

IPE120 = ISection(0.12 m, 0.064 m, 0.0044 m, 0.0063 m);
IPE120.description = "NVS lib : IPE 120 NS-EN 10034";
// NVS lib : IPE 140 NS-EN 10034
IPE140 = ISection(0.14 m, 0.073 m, 0.0047 m, 0.0069 m);
IPE140.description = "NVS lib : IPE 140 NS-EN 10034";
// NVS lib : IPE 160 NS-EN 10034
IPE160 = ISection(0.16 m, 0.082 m, 0.005 m, 0.0074 m);
IPE160.description = "NVS lib : IPE 160 NS-EN 10034";
// NVS lib : IPE 180 NS-EN 10034
IPE180 = ISection(0.18 m, 0.091 m, 0.0053 m, 0.008 m);
IPE180.description = "NVS lib : IPE 180 NS-EN 10034";
// NVS lib : IPE 200 NS-EN 10034
IPE200 = ISection(0.2 m, 0.1 m, 0.0056 m, 0.0085 m);
IPE200.description = "NVS lib : IPE 200 NS-EN 10034";
// NVS lib : IPE 220 NS-EN 10034
IPE220 = ISection(0.22 m, 0.11 m, 0.0059 m, 0.0092 m);
IPE220.description = "NVS lib : IPE 220 NS-EN 10034";
// NVS lib : IPE 240 NS-EN 10034
IPE240 = ISection(0.24 m, 0.12 m, 0.0062 m, 0.0098 m);
IPE240.description = "NVS lib : IPE 240 NS-EN 10034";
// NVS lib : IPE 270 NS-EN 10034
IPE270 = ISection(0.27 m, 0.135 m, 0.0066 m, 0.0102 m);
IPE270.description = "NVS lib : IPE 270 NS-EN 10034";
// NVS lib : IPE 300 NS-EN 10034
IPE300 = ISection(0.3 m, 0.15 m, 0.0071 m, 0.0107 m);
IPE300.description = "NVS lib : IPE 300 NS-EN 10034";
// NVS lib : IPE 330 NS-EN 10034
IPE330 = ISection(0.33 m, 0.16 m, 0.0075 m, 0.0115 m);
IPE330.description = "NVS lib : IPE 330 NS-EN 10034";
// NVS lib : IPE 360 NS-EN 10034
IPE360 = ISection(0.36 m, 0.17 m, 0.008 m, 0.0127 m);
IPE360.description = "NVS lib : IPE 360 NS-EN 10034";
// NVS lib : IPE 400 NS-EN 10034
IPE400 = ISection(0.4 m, 0.18 m, 0.0086 m, 0.0135 m);
IPE400.description = "NVS lib : IPE 400 NS-EN 10034";
// NVS lib : IPE 450 NS-EN 10034
IPE450 = ISection(0.45 m, 0.19 m, 0.0094 m, 0.0146 m);
IPE450.description = "NVS lib : IPE 450 NS-EN 10034";
// NVS lib : IPE 500 NS-EN 10034
IPE500 = ISection(0.5 m, 0.2 m, 0.0102 m, 0.016 m);
IPE500.description = "NVS lib : IPE 500 NS-EN 10034";
// NVS lib : IPE 550 NS-EN 10034
IPE550 = ISection(0.55 m, 0.21 m, 0.0111 m, 0.0172 m);
IPE550.description = "NVS lib : IPE 550 NS-EN 10034";
// NVS lib : IPE 600 NS-EN 10034
IPE600 = ISection(0.6 m, 0.22 m, 0.012 m, 0.019 m);
IPE600.description = "NVS lib : IPE 600 NS-EN 10034";
OD101_6x5_2 = PipeSection(0.1016 m, 0.0052 m);
OD101_6x6_4 = PipeSection(0.1016 m, 0.0064 m);
OD114_3_2x7_9 = PipeSection(0.1143 m, 0.0079 m);
OD133x8 = PipeSection(0.133 m, 0.008 m);
OD1500x20 = PipeSection(1.5 m, 0.02 m);
OD1500x30 = PipeSection(1.5 m, 0.03 m);
OD1500x40 = PipeSection(1.5 m, 0.04 m);
OD1650x40 = PipeSection(1.65 m, 0.04 m);
OD1800x20 = PipeSection(1.8 m, 0.02 m);
OD1800x30 = PipeSection(1.8 m, 0.03 m);
OD1800x40 = PipeSection(1.8 m, 0.04 m);
OD193_7x8 = PipeSection(0.1937 m, 0.008 m);
OD2000x40 = PipeSection(2 m, 0.04 m);
OD2500x30 = PipeSection(2.5 m, 0.03 m);
OD762x25_4 = PipeSection(0.762 m, 0.0254 m);
OD76_2x5_5 = PipeSection(0.0762 m, 0.0055 m);
ODslings50 = PipeSection(0.05 m, 0.024 m);
// NVS lib : UNP 100 NS 1911
UNP100 = ChannelSection(0.1 m, 0.05 m, 0.006 m, 0.0085 m);
UNP100.description = "NVS lib : UNP 100 NS 1911";
// NVS lib : UNP 120 NS 1911
UNP120 = ChannelSection(0.12 m, 0.055 m, 0.007 m, 0.009 m);
UNP120.description = "NVS lib : UNP 120 NS 1911";
// NVS lib : UNP 140 NS 1911
UNP140 = ChannelSection(0.14 m, 0.06 m, 0.007 m, 0.01 m);
UNP140.description = "NVS lib : UNP 140 NS 1911";
// NVS lib : UNP 160 NS 1911
UNP160 = ChannelSection(0.16 m, 0.065 m, 0.0075 m, 0.0105 m);

 <p>GeniE V7.9-04</p>	Report: 015800BZCZ00001_PRDE	Report: Annex B: Genie Jomal File – Bridge	Date: 12/08/2019
--	---------------------------------	---	---------------------

```

UNP160.description = "NVS lib : UNP 160 NS 1911";
// NVS lib : UNP 180 NS 1911
UNP180 = ChannelSection(0.18 m, 0.07 m, 0.008 m, 0.011 m);
UNP180.description = "NVS lib : UNP 180 NS 1911";
// NVS lib : UNP 200 NS 1911
UNP200 = ChannelSection(0.2 m, 0.075 m, 0.0085 m, 0.0115 m);
UNP200.description = "NVS lib : UNP 200 NS 1911";
// NVS lib : UNP 220 NS 1911
UNP220 = ChannelSection(0.22 m, 0.08 m, 0.009 m, 0.0125 m);
UNP220.description = "NVS lib : UNP 220 NS 1911";
// NVS lib : UNP 240 NS 1911
UNP240 = ChannelSection(0.24 m, 0.085 m, 0.0095 m, 0.013 m);
UNP240.description = "NVS lib : UNP 240 NS 1911";
// NVS lib : UNP 260 NS 1911
UNP260 = ChannelSection(0.26 m, 0.09 m, 0.01 m, 0.014 m);
UNP260.description = "NVS lib : UNP 260 NS 1911";
// NVS lib : UNP 280 NS 1911
UNP280 = ChannelSection(0.28 m, 0.095 m, 0.01 m, 0.015 m);
UNP280.description = "NVS lib : UNP 280 NS 1911";
// NVS lib : UNP 300 NS 1911
UNP300 = ChannelSection(0.3 m, 0.1 m, 0.01 m, 0.016 m);
UNP300.description = "NVS lib : UNP 300 NS 1911";
// NVS lib : UNP 320 NS 1911
UNP320 = ChannelSection(0.32 m, 0.1 m, 0.014 m, 0.0175 m);
UNP320.description = "NVS lib : UNP 320 NS 1911";
// NVS lib : UNP 350 NS 1911
UNP350 = ChannelSection(0.35 m, 0.1 m, 0.014 m, 0.016 m);
UNP350.description = "NVS lib : UNP 350 NS 1911";
// NVS lib : UNP 380 NS 1911
UNP380 = ChannelSection(0.38 m, 0.102 m, 0.0135 m, 0.016 m);
UNP380.description = "NVS lib : UNP 380 NS 1911";
// NVS lib : UNP 400 NS 1911
UNP400 = ChannelSection(0.4 m, 0.11 m, 0.014 m, 0.018 m);
UNP400.description = "NVS lib : UNP 400 NS 1911";
// NVS lib : UNP 80 NS 1911
UNP80 = ChannelSection(0.08 m, 0.045 m, 0.006 m, 0.008 m);
UNP80.description = "NVS lib : UNP 80 NS 1911";

```

```

//Materials
steel_deck = MaterialLinear(275000 kPa, 32.303 tonne/m^3, 210000000 kPa, 0.3, 1.2e-05 delC^-1, 3e-05 kN*s/m, 410000 kPa);
steel_Rinforzi = MaterialLinear(275000 kPa, 7.85 tonne/m^3, 210000000 kPa, 0.3, 1.2e-05 delC^-1, 3e-05 kN*s/m, 410000 kPa);
steel_slings = MaterialLinear(345000 kPa, 1e-08 tonne/m^3, 80000000 kPa, 0.3, 1.2e-05 delC^-1, 3e-05 kN*s/m, 470000 kPa);

```

```

//Reinforcements (can/stub - properties)
AutoCan = Reinforcement(0.25, 0.3 m, true);
AutoFixedLength = Reinforcement(0, 0 m, false);
AutoStub = Reinforcement(1, 0.6 m, true);
JointCan = Reinforcement(0.25, 0.3 m, false);

```

```

//Hinges
Hinge1 = Hinge(1, 1, 1, 1, 0, 0);

```

```


//Hydro Properties
BuoyancyArea1 = HydroBuoyancyArea(0.232792 m^2, 0.232792 m^2);
BuoyancyArea10 = HydroBuoyancyArea(1.6286 m^2, 1.23134 m^2);
BuoyancyArea11 = HydroBuoyancyArea(0.183469 m^2, 0.183469 m^2);
BuoyancyArea12 = HydroBuoyancyArea(1.58368 m^2, 1.18642 m^2);
BuoyancyArea13 = HydroBuoyancyArea(0.202319 m^2, 0.202319 m^2);
BuoyancyArea14 = HydroBuoyancyArea(1.93593 m^2, 1.53867 m^2);
BuoyancyArea15 = HydroBuoyancyArea(0.246301 m^2, 0.246301 m^2);
BuoyancyArea16 = HydroBuoyancyArea(2.89529 m^2, 2.49803 m^2);
BuoyancyArea2 = HydroBuoyancyArea(4.67595 m^2, 4.27869 m^2);
BuoyancyArea3 = HydroBuoyancyArea(0.111841 m^2, 0.111841 m^2);
BuoyancyArea4 = HydroBuoyancyArea(2.43285 m^2, 2.03559 m^2);
BuoyancyArea5 = HydroBuoyancyArea(0.166819 m^2, 0.166819 m^2);
BuoyancyArea6 = HydroBuoyancyArea(2.37787 m^2, 1.98061 m^2);
BuoyancyArea7 = HydroBuoyancyArea(0.221168 m^2, 0.221168 m^2);
BuoyancyArea8 = HydroBuoyancyArea(2.32352 m^2, 1.92626 m^2);
BuoyancyArea9 = HydroBuoyancyArea(0.138544 m^2, 0.138544 m^2);
FloodedGrouted = Flooding(1);
HydrodynamicDiameterGroutedInner = HydroDynamicDiameter(1e-05 m);
MarineGrowthGroutedInner = MarineGrowthConstant(0 m, 0 m, 1);
MarineGrowthGroutedInner.useInForceCalculations = false;

```

```

MorisonConstantGroutedInner = MorisonCoefficients(0, 0, 0, 0, 0);

```


 <p>GeniE V7.9-04</p>	Report: 015800BZCZ00001_PRDE	Report: Annex B: Genie Jomal File – Bridge	Date: 12/08/2019
--	---------------------------------	---	---------------------

NonFloodedGrouted = Flooding(0);

/***** RULES *****/

//Compatibility Rules

```
GenieRules.Compatibility.version = "V7.9-4";
GenieRules.Compatibility.enable(SetDefaultNames, true);
GenieRules.Compatibility.enable(CaseInsensitiveFunctions, true);
GenieRules.Compatibility.enable(JournalledDefaultPrefix, true);
GenieRules.Compatibility.enable(SimplifyTopologyEnhancedVertexRemoval, true);
GenieRules.Compatibility.enable(PlateSnapping, true);
GenieRules.Compatibility.enable(PlateSortingCOGFirst, true);
GenieRules.Compatibility.enable(CurveSnapping, true);
GenieRules.Compatibility.enable(DefaultLongFemNames, true);
GenieRules.Compatibility.enable(DefaultEccentricHinghes, true);
GenieRules.Compatibility.enable(AutomaticallySaveModelAfterAnalysis, false);
GenieRules.Compatibility.enable(ValidateTransforms, true);
GenieRules.Compatibility.enable(CheckPlatesForErrorsDuringCreation, true);
GenieRules.Compatibility.enable(UseTopologySimplificationVersion7, true);
GenieRules.Compatibility.enable(UseSpliceVersionV, true);
GenieRules.Compatibility.enable(PreferLinearDependencies, true);
GenieRules.Compatibility.enable(PostponeFEMFileWrite, true);
GenieRules.Compatibility.enable(PostponeLoadApplication, true);
GenieRules.Compatibility.enable(UseSestra10, true);
GenieRules.Compatibility.enable(BucklingCapacityForSegmentedMembers, false);
GenieRules.Compatibility.enable(AlternativeJointBraceClassification, false);
GenieRules.Compatibility.enable(UseAutoSegmentation, false);
```

//Connected Move Rules

```
GenieRules.ConnectedMove.useStructuralPoints = false;
GenieRules.ConnectedMove.defaultConnected = false;
GenieRules.ConnectedMove.rearrangeXJoints = false;
```

//Geometry Rules

```
GenieRules.Geometry.beamTopologySnapping = true;
GenieRules.Geometry.guideCurveTopologySnapping = true;
GenieRules.Geometry.creationGrouping = cgGroupingOff;
```

//Joint Creation Rules

```
GenieRules.JointCreation.autoGenerate = false;
GenieRules.JointCreation.selectionAware = false;
GenieRules.JointCreation.exclude(geFreeThroughBeams, true);
GenieRules.JointCreation.exclude(geThroughBeamPure, true);
GenieRules.JointCreation.exclude(geThroughBeams, false);
GenieRules.JointCreation.exclude(geFreeBeamEnds, true);
GenieRules.JointCreation.exclude(ge2BeamAligned, true);
GenieRules.JointCreation.exclude(geBeamEnds, false);
```

//JointDesign Rules

```
GenieRules.JointDesign.setDefaultCanRule(0.25, 0.3 m);
GenieRules.JointDesign.setDefaultStubRule(1, 0.6 m);
GenieRules.JointDesign.canReinforcement = AutoCan;
GenieRules.JointDesign.stubReinforcement = AutoStub;
GenieRules.JointDesign.fixedLengthReinforcement = AutoFixedLength;
GenieRules.JointDesign.coneSection = AutoCone;
GenieRules.JointDesign.coneAngle = 9.462322207 deg;
GenieRules.JointDesign.minimumGap = 0.0508 m;
GenieRules.JointDesign.gapTolerance = 0.001 m;
GenieRules.JointDesign.planeTolerance = 1 deg;
GenieRules.JointDesign.braceAngleMoveLimit = 10 deg;
GenieRules.JointDesign.chordAlignmentTolerance = 5 deg;
GenieRules.JointDesign.flushBraces = false;
GenieRules.JointDesign.flushBraces = false;
GenieRules.JointDesign.iterations = 2;
GenieRules.JointDesign.AutoAdjustSegmentLength = true;
```

//Local Joint Flexibility (LJF) Rules

```
GenieRules.LJF.method = ljfBuitrago1993;
GenieRules.LJF.setLimit(ljfAxial, 0.1, 5);
GenieRules.LJF.setLimit(ljfPB, 0.1, 5);
GenieRules.LJF.setLimit(ljfOPB, 0.1, 5);
```

//Meshing rules

```
GenieRules.Meshing.elementType = mp1stOrder;
GenieRules.Meshing.superElementType = 1;
GenieRules.Meshing.autoSimplifyTopology = true;
```



GeniE V7.9-04

Report:
015800BZCZ00001_PRDE

Report:
Annex B: Genie Jomal File – Bridge

Date:
12/08/2019

```
GenieRules.Meshing.autoSplitPeriodicGeometry = false;
GenieRules.Meshing.repairSplitTopology = false;
GenieRules.Meshing.preference(mpPreferRectangularMesh, false);
GenieRules.Meshing.preference(mpAllowTriangularElements, true);
GenieRules.Meshing.preference(mpPreferPointMassAsNodeMass, true);
GenieRules.Meshing.preference(mpUseDrillingElements, false);
GenieRules.Meshing.preference(mpUseEccentricHinges, true);
GenieRules.Meshing.eliminateInternalEdges = true;
GenieRules.Meshing.eliminateInternalVertices = true;
GenieRules.Meshing.preference(mpIncludeUnusedProperties, false);
GenieRules.Meshing.preference(mpEliminateInternalEccentricities, false);
GenieRules.Meshing.preference(mpIgnoreFilletRadius, false);
GenieRules.Meshing.preference(mpPreferLinearDependencies, true);
GenieRules.Meshing.preference(mpUseLongLoadcaseNames, true);
GenieRules.Meshing.preference(mpUseLongSetName, true);
GenieRules.Meshing.preference(mpUseLongPropertyName, true);
GenieRules.Meshing.preference(mpMeshDensityRounded, false);
GenieRules.Meshing.scantlings = msGross;
GenieRules.Meshing.ignoreEccentricities = false;
GenieRules.Meshing.useConcentricBeams = false;
GenieRules.Meshing.faceMeshStrategy = SesamQuadMesher;
GenieRules.Meshing.edgeMeshStrategy = UniformDistributionEdge;
GenieRules.Meshing.activate(mpMaxAngle, mpFail, true);
GenieRules.Meshing.setLimit(mpMaxAngle, mpFail, 179 deg);
GenieRules.Meshing.activate(mpMaxAngle, mpSplit, false);
GenieRules.Meshing.setLimit(mpMaxAngle, mpSplit, 165 deg);
GenieRules.Meshing.activate(mpMinAngle, mpFail, false);
GenieRules.Meshing.setLimit(mpMinAngle, mpFail, 1 deg);
GenieRules.Meshing.activate(mpMinAngle, mpSplit, false);
GenieRules.Meshing.setLimit(mpMinAngle, mpSplit, 15 deg);
GenieRules.Meshing.activate(mpMaxRelativeJacobi, mpFail, false);
GenieRules.Meshing.setLimit(mpMaxRelativeJacobi, mpFail, 10);
GenieRules.Meshing.activate(mpMaxRelativeJacobi, mpSplit, false);
GenieRules.Meshing.setLimit(mpMaxRelativeJacobi, mpSplit, 5);
GenieRules.Meshing.activate(mpMinNormalizedJacobi, mpFail, false);
GenieRules.Meshing.setLimit(mpMinNormalizedJacobi, mpFail, 0);
GenieRules.Meshing.activate(mpMinNormalizedJacobi, mpSplit, false);
GenieRules.Meshing.setLimit(mpMinNormalizedJacobi, mpSplit, 0.2);
GenieRules.Meshing.activate(mpMinEdge, false);
GenieRules.Meshing.setLimit(mpMinEdge, 0.1);
GenieRules.Meshing.activate(mpMinEdgeByLength, false);
GenieRules.Meshing.setLimit(mpMinEdgeByLength, 0 m);
GenieRules.Meshing.activate(mpMinNonConceptualEdge, false);
GenieRules.Meshing.setLimit(mpMinNonConceptualEdge, 1);
GenieRules.Meshing.activate(mpMaxChord, false);
GenieRules.Meshing.setLimit(mpMaxChord, 0.2);
GenieRules.Meshing.activate(mpMaxTwistAngle, mpFail, false);
GenieRules.Meshing.setLimit(mpMaxTwistAngle, mpFail, 30 deg);
GenieRules.Meshing.activate(mpMaxTwistAngle, mpSplit, false);
GenieRules.Meshing.setLimit(mpMaxTwistAngle, mpSplit, 10 deg);
GenieRules.Meshing.activate(mpMinMaxDensityRatio, false);
GenieRules.Meshing.setLimit(mpMinMaxDensityRatio, 0.1);
GenieRules.Meshing.basicLCfactor = 1;
GenieRules.Meshing.analysisFolders = true;
GenieRules.Meshing.preference(mpAdjustNumberOfElements, true);
GenieRules.Meshing.useUniformizedFaceParameterization = false;
GenieRules.Meshing.longitudinalMassOnNonStructuralElements = true;
```

//Tolerances Rules

```
GenieRules.Tolerances.angleTolerance = 2 deg;
GenieRules.Tolerances.pointTolerance = 0.01 m;
GenieRules.Tolerances.useTolerantModelling = true;
```

//Set Rules

```
GenieRules.Sets.scriptCompact = true;
```

//Beam Creation Rules

//Beam Creation Rules


```
GenieRules.Transformation.CopyTransformerMethod = tmUseModelTransformer;
```

//***** STRUCTURE *****/

```
GenieRules.JointDesign.AutoAdjustSegmentLength = false;
```

//Beams

```
steel_deck.setDefault();
```


 <p>GeniE V7.9-04</p>	<p>Report: 015800BZCZ00001_PRDE</p>	<p>Report: Annex B: Genie Jorjal File – Bridge</p>	<p>Date: 12/08/2019</p>
--	---	--	-----------------------------

```

HE120A.setDefault();
Bm129 = Beam(Point(22.28 m,6 m,12.1 m), Point(22.28 m,6 m,16.1 m));
Bm129.localSystem = LocalSystem(Vector3d(0 m,0 m,1 m), Vector3d(-1 m,0 m,0 m));

Bm130 = Beam(Point(22.28 m,2 m,12.1 m), Point(22.28 m,2 m,16.1 m));
Bm130.localSystem = LocalSystem(Vector3d(0 m,0 m,1 m), Vector3d(-1 m,0 m,0 m));

Bm131 = Beam(Point(18.28 m,6 m,12.1 m), Point(18.28 m,6 m,16.1 m));
Bm131.divideSegmentAt(1, 0.5);
Bm131.localSystem = LocalSystem(Vector3d(0 m,0 m,1 m), Vector3d(-1 m,0 m,0 m));
Bm131.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 1, 0.5, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm132 = Beam(Point(18.28 m,2 m,12.1 m), Point(18.28 m,2 m,16.1 m));
Bm132.divideSegmentAt(1, 0.5);
Bm132.localSystem = LocalSystem(Vector3d(0 m,0 m,1 m), Vector3d(-1 m,0 m,0 m));
Bm132.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 1, 0.5, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm205 = Beam(Point(9.07 m,2 m,16.1 m), Point(9.07 m,2 m,12.1 m));
Bm206 = Beam(Point(15.21 m,2 m,16.1 m), Point(15.21 m,2 m,12.1 m));
Bm207 = Beam(Point(12.14 m,2 m,16.1 m), Point(12.14 m,2 m,12.1 m));
Bm212 = Beam(Point(9.07 m,6 m,16.1 m), Point(9.07 m,6 m,12.1 m));
Bm213 = Beam(Point(15.21 m,6 m,16.1 m), Point(15.21 m,6 m,12.1 m));
Bm214 = Beam(Point(12.14 m,6 m,16.1 m), Point(12.14 m,6 m,12.1 m));
Bm69 = Beam(Point(6 m,6 m,12.1 m), Point(6 m,6 m,16.1 m));
Bm69.divideSegmentAt(1, 0.5);
Bm69.localSystem = LocalSystem(Vector3d(0 m,0 m,1 m), Vector3d(-1 m,0 m,0 m));
Bm69.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 1, 0.5, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm70 = Beam(Point(6 m,2 m,12.1 m), Point(6 m,2 m,16.1 m));
Bm70.divideSegmentAt(1, 0.5);
Bm70.localSystem = LocalSystem(Vector3d(0 m,0 m,1 m), Vector3d(-1 m,0 m,0 m));
Bm70.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 1, 0.5, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm71 = Beam(Point(2 m,6 m,12.1 m), Point(2 m,6 m,16.1 m));
Bm71.localSystem = LocalSystem(Vector3d(0 m,0 m,1 m), Vector3d(-1 m,0 m,0 m));

Bm72 = Beam(Point(2 m,2 m,12.1 m), Point(2 m,2 m,16.1 m));
Bm72.localSystem = LocalSystem(Vector3d(0 m,0 m,1 m), Vector3d(-1 m,0 m,0 m));

HE120B.setDefault();
Bm167 = Beam(Point(18.28 m,6 m,14.1 m), Point(18.28 m,4.1 m,16.1 m));
Bm168 = Beam(Point(18.28 m,2 m,14.1 m), Point(18.28 m,3.9 m,16.1 m));
Bm89 = Beam(Point(6 m,2 m,14.1 m), Point(6 m,3.9 m,16.1 m));
Bm90 = Beam(Point(6 m,6 m,14.1 m), Point(6 m,4.1 m,16.1 m));

HE140A.setDefault();
Bm1 = Beam(Point(9.07 m,4 m,16.1 m), Point(15.21 m,4 m,16.1 m));
Bm1.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm1.buckling = BucklingFactor(1.535 m, 1.535 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);


Bm125 = Beam(Point(18.28 m,6 m,12.1 m), Point(18.28 m,2 m,12.1 m));
Bm125.divideSegmentAt(1, 0.5);
Bm125.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm127 = Beam(Point(22.28 m,2 m,12.1 m), Point(22.28 m,6 m,12.1 m));
Bm127.divideSegmentAt(1, 0.5);
Bm127.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm133 = Beam(Point(22.28 m,6 m,16.1 m), Point(22.28 m,2 m,16.1 m));
Bm133.divideSegmentAt(1, 0.5);
Bm133.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm133.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm151 = Beam(Point(18.28 m,2 m,16.1 m), Point(18.28 m,6 m,16.1 m));
Bm151.divideSegmentAt(1, 0.5);
Bm151.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);

```

 <p>GeniE V7.9-04</p>	<p>Report: 015800BZCZ00001_PRDE</p>	<p>Report: Annex B: Genie Jorral File – Bridge</p>	<p>Date: 12/08/2019</p>
--	---	--	-----------------------------

Bm151.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm195 = Beam(Point(9.07 m,6 m,12.1 m), Point(9.07 m,2 m,12.1 m));
 Bm196 = Beam(Point(15.21 m,6 m,12.1 m), Point(15.21 m,2 m,12.1 m));
 Bm197 = Beam(Point(12.14 m,2 m,12.1 m), Point(12.14 m,6 m,12.1 m));
 Bm198 = Beam(Point(9.07 m,6 m,16.1 m), Point(9.07 m,2 m,16.1 m));
 Bm198.divideSegmentAt(1, 0.5);
 Bm198.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);

Bm199 = Beam(Point(12.14 m,2 m,16.1 m), Point(12.14 m,6 m,16.1 m));
 Bm199.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
 Bm199.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 1, 0.5, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm200 = Beam(Point(15.21 m,6 m,16.1 m), Point(15.21 m,2 m,16.1 m));
 Bm200.divideSegmentAt(1, 0.5);
 Bm200.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);

Bm63 = Beam(Point(2 m,6 m,12.1 m), Point(2 m,2 m,12.1 m));
 Bm63.divideSegmentAt(1, 0.5);
 Bm63.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm67 = Beam(Point(6 m,2 m,12.1 m), Point(6 m,6 m,12.1 m));
 Bm67.divideSegmentAt(1, 0.5);
 Bm67.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm73 = Beam(Point(6 m,6 m,16.1 m), Point(6 m,2 m,16.1 m));
 Bm73.divideSegmentAt(1, 0.5);
 Bm73.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
 Bm73.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm76 = Beam(Point(2 m,2 m,16.1 m), Point(2 m,6 m,16.1 m));
 Bm76.divideSegmentAt(1, 0.5);
 Bm76.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
 Bm76.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

HE140B.setDefault();
 Bm10 = Beam(Point(9.07 m,6 m,12.1 m), Point(12.14 m,6 m,12.1 m));
 Bm10.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm11 = Beam(Point(9.07 m,2 m,12.1 m), Point(12.14 m,2 m,12.1 m));
 Bm11.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm12 = Beam(Point(9.07 m,2 m,16.1 m), Point(12.14 m,2 m,16.1 m));
 Bm12.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
 Bm12.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);


Bm126 = Beam(Point(18.28 m,2 m,12.1 m), Point(22.28 m,2 m,12.1 m));
 Bm126.divideSegmentAt(1, 0.5);
 Bm126.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm128 = Beam(Point(22.28 m,6 m,12.1 m), Point(18.28 m,6 m,12.1 m));
 Bm128.divideSegmentAt(1, 0.5);
 Bm128.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 0.5, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm13 = Beam(Point(12.14 m,2 m,12.1 m), Point(15.21 m,2 m,12.1 m));
 Bm13.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm134 = Beam(Point(22.28 m,2 m,16.1 m), Point(18.28 m,2 m,16.1 m));
 Bm134.divideSegmentAt(1, 0.5);
 Bm134.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
 Bm134.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm14 = Beam(Point(12.14 m,2 m,16.1 m), Point(15.21 m,2 m,16.1 m));
 Bm14.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
 Bm14.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

 <p>GeniE V7.9-04</p>	<p>Report: 015800BZCZ00001_PRDE</p>	<p>Report: Annex B: Genie Jorjal File – Bridge</p>	<p>Date: 12/08/2019</p>
--	---	--	-----------------------------

```

Bm15 = Beam(Point(15.21 m,2 m,12.1 m), Point(18.28 m,2 m,12.1 m));
Bm15.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm152 = Beam(Point(18.28 m,6 m,16.1 m), Point(22.28 m,6 m,16.1 m));
Bm152.divideSegmentAt(1, 0.5);
Bm152.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm152.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 0.5, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm16 = Beam(Point(15.21 m,2 m,16.1 m), Point(18.28 m,2 m,16.1 m));
Bm16.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm16.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm5 = Beam(Point(9.07 m,6 m,16.1 m), Point(12.14 m,6 m,16.1 m));
Bm5.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm5.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm6 = Beam(Point(12.14 m,6 m,12.1 m), Point(15.21 m,6 m,12.1 m));
Bm6.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm64 = Beam(Point(2 m,2 m,12.1 m), Point(6 m,2 m,12.1 m));
Bm64.divideSegmentAt(1, 0.5);
Bm64.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm68 = Beam(Point(6 m,6 m,12.1 m), Point(2 m,6 m,12.1 m));
Bm68.divideSegmentAt(1, 0.5);
Bm68.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 0.5, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm7 = Beam(Point(12.14 m,6 m,16.1 m), Point(15.21 m,6 m,16.1 m));
Bm7.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm7.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm74 = Beam(Point(6 m,2 m,16.1 m), Point(2 m,2 m,16.1 m));
Bm74.divideSegmentAt(1, 0.5);
Bm74.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm74.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm78 = Beam(Point(2 m,6 m,16.1 m), Point(6 m,6 m,16.1 m));
Bm78.divideSegmentAt(1, 0.5);
Bm78.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm78.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 0.5, 0.5, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm8 = Beam(Point(15.21 m,6 m,16.1 m), Point(18.28 m,6 m,16.1 m));
Bm8.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm8.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm9 = Beam(Point(15.21 m,6 m,12.1 m), Point(18.28 m,6 m,12.1 m));
Bm9.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm95 = Beam(Point(6 m,2 m,12.1 m), Point(9.07 m,2 m,12.1 m));
Bm95.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm96 = Beam(Point(6 m,6 m,12.1 m), Point(9.07 m,6 m,12.1 m));
Bm96.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);


Bm97 = Beam(Point(6 m,2 m,16.1 m), Point(9.07 m,2 m,16.1 m));
Bm97.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm97.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm98 = Beam(Point(6 m,6 m,16.1 m), Point(9.07 m,6 m,16.1 m));
Bm98.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm98.buckling = BucklingFactor(3.07 m, 3.07 m, 1, 1, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

HE160B.setDefault();
Bm107 = Beam(Point(2 m,2 m,12.1 m), Point(4 m,6 m,12.1 m));
Bm107.setEndHinge(1, Hinge1);
Bm107.setEndHinge(2, Hinge1);

Bm108 = Beam(Point(6 m,2 m,12.1 m), Point(4 m,6 m,12.1 m));

```

 <p>GeniE V7.9-04</p>	<p>Report: 015800BZCZ00001_PRDE</p>	<p>Report: Annex B: Genie Jorjal File – Bridge</p>	<p>Date: 12/08/2019</p>
--	---	--	-----------------------------

Bm108.setEndHinge(1, Hinge1);
Bm108.setEndHinge(2, Hinge1);

Bm109 = Beam(Point(6 m,2 m,12.1 m), Point(9.07 m,6 m,12.1 m));
Bm110 = Beam(Point(9.07 m,6 m,12.1 m), Point(12.14 m,2 m,12.1 m));
Bm111 = Beam(Point(12.14 m,2 m,12.1 m), Point(15.21 m,6 m,12.1 m));
Bm112 = Beam(Point(15.21 m,6 m,12.1 m), Point(18.28 m,2 m,12.1 m));
Bm113 = Beam(Point(6 m,2 m,16.1 m), Point(8.97 m,6 m,16.1 m));
Bm113.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm114 = Beam(Point(9.17 m,6 m,16.1 m), Point(12.04 m,2 m,16.1 m));
Bm114.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm114.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 1, 0.5, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm115 = Beam(Point(12.24 m,2 m,16.1 m), Point(15.11 m,6 m,16.1 m));
Bm115.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm115.buckling = BucklingFactor(bucklingLengthOptionBeamLength, bucklingLengthOptionBeamLength, 1, 0.5, 1, 1, stiffenerSpacingOptionNone, stiffenerSpacingOptionNone, 1, unbracedLengthOptionNone, unbracedLengthOptionNone);

Bm116 = Beam(Point(15.31 m,6 m,16.1 m), Point(18.28 m,2 m,16.1 m));
Bm116.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm161 = Beam(Point(18.28 m,2 m,12.1 m), Point(20.18 m,2 m,16.1 m));
Bm162 = Beam(Point(22.28 m,2 m,12.1 m), Point(20.38 m,2 m,16.1 m));
Bm163 = Beam(Point(22.28 m,2 m,12.1 m), Point(22.28 m,3.9 m,16.1 m));
Bm164 = Beam(Point(22.28 m,6 m,12.1 m), Point(22.28 m,4.1 m,16.1 m));
Bm165 = Beam(Point(22.28 m,6 m,12.1 m), Point(20.38 m,6 m,16.1 m));
Bm166 = Beam(Point(18.28 m,6 m,12.1 m), Point(20.18 m,6 m,16.1 m));
Bm177 = Beam(Point(18.28 m,2 m,12.1 m), Point(20.28 m,6 m,12.1 m));
Bm177.setEndHinge(1, Hinge1);
Bm177.setEndHinge(2, Hinge1);

Bm178 = Beam(Point(22.28 m,2 m,12.1 m), Point(20.28 m,6 m,12.1 m));
Bm178.setEndHinge(1, Hinge1);
Bm178.setEndHinge(2, Hinge1);

Bm201 = Beam(Point(6 m,2 m,12.1 m), Point(8.97 m,2 m,16.1 m));
Bm202 = Beam(Point(9.17 m,2 m,16.1 m), Point(12.14 m,2 m,12.1 m));
Bm203 = Beam(Point(12.14 m,2 m,12.1 m), Point(15.11 m,2 m,16.1 m));
Bm204 = Beam(Point(15.31 m,2 m,16.1 m), Point(18.28 m,2 m,12.1 m));
Bm208 = Beam(Point(6 m,6 m,12.1 m), Point(8.97 m,6 m,16.1 m));
Bm209 = Beam(Point(9.17 m,6 m,16.1 m), Point(12.14 m,6 m,12.1 m));
Bm210 = Beam(Point(12.14 m,6 m,12.1 m), Point(15.11 m,6 m,16.1 m));
Bm211 = Beam(Point(15.31 m,6 m,16.1 m), Point(18.28 m,6 m,12.1 m));
Bm223 = Beam(Point(22.28 m,2 m,16.1 m), Point(20.28 m,6 m,16.1 m));
Bm223.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm223.setEndHinge(1, Hinge1);
Bm223.setEndHinge(2, Hinge1);

Bm224 = Beam(Point(18.28 m,2 m,16.1 m), Point(20.28 m,6 m,16.1 m));
Bm224.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm224.setEndHinge(1, Hinge1);
Bm224.setEndHinge(2, Hinge1);

Bm225 = Beam(Point(6 m,2 m,16.1 m), Point(4 m,6 m,16.1 m));
Bm225.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm225.setEndHinge(1, Hinge1);
Bm225.setEndHinge(2, Hinge1);

Bm226 = Beam(Point(2 m,2 m,16.1 m), Point(4 m,6 m,16.1 m));
Bm226.CurveOffset = AlignedCurveOffset(frFlushTop, 0 m);
Bm226.setEndHinge(1, Hinge1);
Bm226.setEndHinge(2, Hinge1);

Bm87 = Beam(Point(2 m,2 m,12.1 m), Point(3.9 m,2 m,16.1 m));
Bm88 = Beam(Point(6 m,2 m,12.1 m), Point(4.1 m,2 m,16.1 m));
Bm91 = Beam(Point(6 m,6 m,12.1 m), Point(4.1 m,6 m,16.1 m));
Bm92 = Beam(Point(2 m,6 m,12.1 m), Point(3.9 m,6 m,16.1 m));
Bm93 = Beam(Point(2 m,6 m,12.1 m), Point(2 m,4.1 m,16.1 m));
Bm94 = Beam(Point(2 m,2 m,12.1 m), Point(2 m,3.9 m,16.1 m));

steel_slings.setDefault();
ODslings50.setDefault();
Bm65 = Beam(Point(6 m,2 m,16.1 m), Point(12.14 m,4 m,27 m));
Bm65.localSystem = LocalSystem(Vector3d(0.4846384477 m,0.1578626864 m,0.8603516416 m), Vector3d(-0.6375919928 m,-0.6096096018 m,0.4710122971 m));



GeniE V7.9-04

Report:
015800BZCZ00001_PRDE

Report:
Annex B: Genie Jomal File – Bridge

Date:
12/08/2019

```
Bm65.CurveOffset = LinearVaryingCurveOffset(ConstantCurveOffsetAtPoint(Vector3d(0.1910876609 m, 0.0631915665 m, 0.1076676915 m)), ConstantCurveOffsetAtPoint(Vector3d(0 m, 0 m, 0 m)), false);  
Bm65.setEndHinge(1, Hinge1);
```

```
Bm66 = Beam(Point(18.28 m,2 m, 16.1 m), Point(12.14 m,4 m,26.9 m));  
Bm66.localSystem = LocalSystem(Vector3d(-0.4879480642 m,0.1589407375 m,0.8582799826 m), Vector3d(0.637837926 m,-0.606323516 m,0.4749048053 m));  
Bm66.CurveOffset = LinearVaryingCurveOffset(ConstantCurveOffsetAtPoint(Vector3d(-0.1891925161 m, 0.0607756551 m, 0.1123054389 m)), ConstantCurveOffsetAtPoint(Vector3d(0 m, 0 m, 0 m)), false);  
Bm66.setEndHinge(1, Hinge1);
```

```
Bm75 = Beam(Point(12.14 m,4 m,26.9 m), Point(6 m,6 m,16.1 m));  
Bm75.localSystem = LocalSystem(Vector3d(-0.4879480642 m,0.1589407375 m,-0.8582799826 m), Vector3d(-0.6369765012 m,0.6074484175 m,0.4746233845 m));  
Bm75.CurveOffset = LinearVaryingCurveOffset(ConstantCurveOffsetAtPoint(Vector3d(0 m, 0 m, 0 m)), ConstantCurveOffsetAtPoint(Vector3d(0.1910955563 m, -0.06318565172 m, 0.1076571491 m)), false);  
Bm75.setEndHinge(2, Hinge1);
```

```
Bm77 = Beam(Point(12.14 m,4 m,27 m), Point(18.28 m,6 m,16.1 m));  
Bm77.localSystem = LocalSystem(Vector3d(0.4846384477 m,0.1578626865 m,-0.8603516416 m), Vector3d(0.6384377551 m,0.6085110203 m,0.4712871429 m));  
Bm77.CurveOffset = LinearVaryingCurveOffset(ConstantCurveOffsetAtPoint(Vector3d(0 m, 0 m, 0 m)), ConstantCurveOffsetAtPoint(Vector3d(-0.1892002007 m, -0.0607699312 m, 0.1122955902 m)), false);  
Bm77.setEndHinge(2, Hinge1);
```

```
//Supports  
Sp1 = SupportPoint(Point(12.14 m,4 m,27 m));  
Sp1.boundary = BoundaryCondition(Fixed, Fixed, Fixed, Free, Free, Fixed);
```

```
Sp2 = SupportPoint(Point(2 m,2 m,12.1 m));  
Sp2.boundary = BoundaryCondition(Fixed, Free, Free, Free, Free, Fixed);
```

```
Sp3 = SupportPoint(Point(12.14 m,4 m,26.9 m));  
Sp3.boundary = BoundaryCondition(Fixed, Fixed, Free, Free, Free, Fixed);
```

```
Sp4 = SupportPoint(Point(22.28 m,2 m,12.1 m));  
Sp4.boundary = BoundaryCondition(Free, Fixed, Free, Free, Free, Fixed);
```

```
GenieRules.JointDesign.AutoAdjustSegmentLength = true;
```

```
/****** GUIDING GEOMETRY *****/  
/****** ENVIRONMENT *****/  
/****** EQUIPMENTS *****/  
/****** SETS ( Create ) *****/
```

```
//Sets  
Azalea1 = Set();  
Azalea2 = Set();  
deck = Set();  
livello_intermedio = Set();  
livello_sup = Set();  
travi_High = Set();
```

```
/****** LOAD MODELLING AND ANALYSIS *****/
```

```
gravity = LoadCase();  
gravity.setFemLoadcase(1);  
gravity.designCondition(lcOperating);  
Forza_skew = LoadCase();  
Forza_skew.setFemLoadcase(2);  
Forza_skew.designCondition(lcOperating);  
gravity.includeSelfWeight();  
gravity.excludeStructureMassWithRotationField();  
gravity.meshLoadsAsMass(false);
```

```
Forza_skew.excludeSelfWeight();  
Forza_skew.includeStructureMassWithRotationField();  
Forza_skew.meshLoadsAsMass(false);
```

```
// Loads  
PLoad2 = PointLoad(Forza_skew, Point(12.14 m,4 m,26.9 m), 0 kN, 0 kN, 250.717 kN, 0 kN*m, 0 kN*m, 0 kN*m);
```

```
//Analyses  
Analysis1 = Analysis(true);  
Analysis1.add(MeshActivity());
```



GeniE V7.9-04

Report:
015800BZCZ00001_PRDE

Report:
Annex B: Genie Jomal File – Bridge

Date:
12/08/2019

```
Analysis1.step(1).beamsAsMembers = true;
Analysis1.step(1).smartLoadCombinations = true;
Analysis1.step(1).writeLoadCombinationsOnFirstLevelAsBSELL = false;
Analysis1.step(1).includeLoadsOnMesh = false;
Analysis1.step(1).needsRemeshLoads = false;
Analysis1.step(1).multithreadedLoadApplier = true;
Analysis1.step(1).multithreadedMesher = false;
Analysis1.step(1).writeFEMFile = false;
Analysis1.step(1).usePartialMesher = true;
Analysis1.step(1).lockMeshedConcepts = true;
Analysis1.step(1).pileBoundaryCondition = pmFixed;
Analysis1.step(1).nodeNumberFromJointName = false;
Analysis1.step(1).elementNumberFromBeamName = false;
Analysis1.step(1).regenerateMeshOption = anAlwaysRegenerateMesh;
Analysis1.add(LinearAnalysis());
Analysis1.step(2).warpCorrection = true;
Analysis1.step(2).continueOnError = false;
Analysis1.step(2).resultFileFormat = SIN_Norsam;
Analysis1.step(2).setStaticAnalysis();
Analysis1.step(2).useSestra10 = false;
Analysis1.step(2).stressStiffening = false;
Analysis1.add(LoadResultsActivity());
LC1_HC_125 = LoadCombination(Analysis1);
LC1_HC_125.designCondition(lcOperating);
LC1_HC_125.convertLoadToMass = false;
LC1_HC_125.globalScaleFactor = 1;
LC2_MC_125 = LoadCombination(Analysis1);
LC2_MC_125.designCondition(lcOperating);
LC2_MC_125.convertLoadToMass = false;
LC2_MC_125.globalScaleFactor = 1;
LC3_LC_125 = LoadCombination(Analysis1);
LC3_LC_125.designCondition(lcOperating);
LC3_LC_125.convertLoadToMass = false;
LC3_LC_125.globalScaleFactor = 1;
LC4_HC_075 = LoadCombination(Analysis1);
LC4_HC_075.designCondition(lcOperating);
LC4_HC_075.convertLoadToMass = false;
LC4_HC_075.globalScaleFactor = 1;
LC5_MC_075 = LoadCombination(Analysis1);
LC5_MC_075.designCondition(lcOperating);
LC5_MC_075.convertLoadToMass = false;
LC5_MC_075.globalScaleFactor = 1;
LC6_LC_075 = LoadCombination(Analysis1);
LC6_LC_075.designCondition(lcOperating);
LC6_LC_075.convertLoadToMass = false;
LC6_LC_075.globalScaleFactor = 1;
LC1_HC_125.addCase(gravity, 2.83);
LC1_HC_125.addCase(Forza_skew, 3.54);
LC1_HC_125.EquipmentRep = EquipmentAsLineLoads;

LC2_MC_125.addCase(gravity, 2.508);
LC2_MC_125.addCase(Forza_skew, 3.13);
LC2_MC_125.EquipmentRep = EquipmentAsLineLoads;

LC3_LC_125.addCase(gravity, 2.18);
LC3_LC_125.addCase(Forza_skew, 2.726);
LC3_LC_125.EquipmentRep = EquipmentAsLineLoads;

LC4_HC_075.addCase(gravity, 2.83);
LC4_HC_075.addCase(Forza_skew, 2.126);
LC4_HC_075.EquipmentRep = EquipmentAsLineLoads;

LC5_MC_075.addCase(gravity, 2.508);
LC5_MC_075.addCase(Forza_skew, 1.88);
LC5_MC_075.EquipmentRep = EquipmentAsLineLoads;

LC6_LC_075.addCase(gravity, 2.18);
LC6_LC_075.addCase(Forza_skew, 1.635);
LC6_LC_075.EquipmentRep = EquipmentAsEccentricMass;
```




GeniE V7.9-04

Report:
015800BZCZ00001_PRDE

Report:
Annex B: Genie Jomal File – Bridge

Date:
12/08/2019

//***** LOAD INTERFACES *****/

//***** MODEL VIEWS *****/

//***** SETS (Fill) *****/

//Sets

Azalea1.add(Bm125);
Azalea1.add(Bm126);
Azalea1.add(Bm127);
Azalea1.add(Bm128);
Azalea1.add(Bm129);
Azalea1.add(Bm130);
Azalea1.add(Bm131);
Azalea1.add(Bm132);
Azalea1.add(Bm133);
Azalea1.add(Bm134);
Azalea1.add(Bm151);
Azalea1.add(Bm152);
Azalea1.add(Bm161);
Azalea1.add(Bm162);
Azalea1.add(Bm163);
Azalea1.add(Bm164);
Azalea1.add(Bm165);
Azalea1.add(Bm166);
Azalea1.add(Bm167);
Azalea1.add(Bm168);
Azalea1.add(Bm177);
Azalea1.add(Bm178);

Azalea2.add(Bm107);
Azalea2.add(Bm108);
Azalea2.add(Bm63);
Azalea2.add(Bm64);
Azalea2.add(Bm67);
Azalea2.add(Bm68);
Azalea2.add(Bm69);
Azalea2.add(Bm70);
Azalea2.add(Bm71);
Azalea2.add(Bm72);
Azalea2.add(Bm73);
Azalea2.add(Bm74);
Azalea2.add(Bm76);
Azalea2.add(Bm78);
Azalea2.add(Bm87);
Azalea2.add(Bm88);
Azalea2.add(Bm89);
Azalea2.add(Bm90);
Azalea2.add(Bm91);
Azalea2.add(Bm92);
Azalea2.add(Bm93);
Azalea2.add(Bm94);

deck.add(Bm1);
deck.add(Bm10);
deck.add(Bm107);
deck.add(Bm108);
deck.add(Bm109);
deck.add(Bm11);
deck.add(Bm110);
deck.add(Bm111);
deck.add(Bm112);
deck.add(Bm113);
deck.add(Bm114);
deck.add(Bm115);
deck.add(Bm116);
deck.add(Bm12);
deck.add(Bm125);
deck.add(Bm126);
deck.add(Bm127);
deck.add(Bm128);
deck.add(Bm129);
deck.add(Bm13);
deck.add(Bm130);
deck.add(Bm131);



GeniE V7.9-04

Report:
015800BZCZ00001_PRDE

Report:
Annex B: Genie Jomal File – Bridge

Date:
12/08/2019

deck.add(Bm132);
deck.add(Bm133);
deck.add(Bm134);
deck.add(Bm14);
deck.add(Bm15);
deck.add(Bm151);
deck.add(Bm152);
deck.add(Bm16);
deck.add(Bm161);
deck.add(Bm162);
deck.add(Bm163);
deck.add(Bm164);
deck.add(Bm165);
deck.add(Bm166);
deck.add(Bm167);
deck.add(Bm168);
deck.add(Bm177);
deck.add(Bm178);
deck.add(Bm195);
deck.add(Bm196);
deck.add(Bm197);
deck.add(Bm198);
deck.add(Bm199);
deck.add(Bm200);
deck.add(Bm201);
deck.add(Bm202);
deck.add(Bm203);
deck.add(Bm204);
deck.add(Bm205);
deck.add(Bm206);
deck.add(Bm207);
deck.add(Bm208);
deck.add(Bm209);
deck.add(Bm210);
deck.add(Bm211);
deck.add(Bm212);
deck.add(Bm213);
deck.add(Bm214);
deck.add(Bm223);
deck.add(Bm224);
deck.add(Bm225);
deck.add(Bm226);
deck.add(Bm5);
deck.add(Bm6);
deck.add(Bm63);
deck.add(Bm64);
deck.add(Bm67);
deck.add(Bm68);
deck.add(Bm69);
deck.add(Bm7);
deck.add(Bm70);
deck.add(Bm71);
deck.add(Bm72);
deck.add(Bm73);
deck.add(Bm74);
deck.add(Bm76);
deck.add(Bm78);
deck.add(Bm8);
deck.add(Bm87);
deck.add(Bm88);
deck.add(Bm89);
deck.add(Bm9);
deck.add(Bm90);
deck.add(Bm91);
deck.add(Bm92);
deck.add(Bm93);
deck.add(Bm94);
deck.add(Bm95);
deck.add(Bm96);
deck.add(Bm97);
deck.add(Bm98);

livello_intermedio.add(Bm10);
livello_intermedio.add(Bm107);
livello_intermedio.add(Bm108);



GeniE V7.9-04

Report:
015800BZCZ00001_PRDE

Report:
Annex B: Genie Jomal File – Bridge

Date:
12/08/2019

livello_intermedio.add(Bm109);
livello_intermedio.add(Bm11);
livello_intermedio.add(Bm110);
livello_intermedio.add(Bm111);
livello_intermedio.add(Bm112);
livello_intermedio.add(Bm125);
livello_intermedio.add(Bm126);
livello_intermedio.add(Bm127);
livello_intermedio.add(Bm128);
livello_intermedio.add(Bm13);
livello_intermedio.add(Bm15);
livello_intermedio.add(Bm177);
livello_intermedio.add(Bm178);
livello_intermedio.add(Bm195);
livello_intermedio.add(Bm196);
livello_intermedio.add(Bm197);
livello_intermedio.add(Bm6);
livello_intermedio.add(Bm63);
livello_intermedio.add(Bm64);
livello_intermedio.add(Bm67);
livello_intermedio.add(Bm68);
livello_intermedio.add(Bm9);
livello_intermedio.add(Bm95);
livello_intermedio.add(Bm96);

livello_sup.add(Bm113);
livello_sup.add(Bm114);
livello_sup.add(Bm115);
livello_sup.add(Bm116);
livello_sup.add(Bm12);
livello_sup.add(Bm133);
livello_sup.add(Bm134);
livello_sup.add(Bm14);
livello_sup.add(Bm151);
livello_sup.add(Bm152);
livello_sup.add(Bm16);
livello_sup.add(Bm198);
livello_sup.add(Bm199);
livello_sup.add(Bm200);
livello_sup.add(Bm223);
livello_sup.add(Bm224);
livello_sup.add(Bm225);
livello_sup.add(Bm226);
livello_sup.add(Bm5);
livello_sup.add(Bm7);
livello_sup.add(Bm73);
livello_sup.add(Bm74);
livello_sup.add(Bm76);
livello_sup.add(Bm78);
livello_sup.add(Bm8);
livello_sup.add(Bm97);
livello_sup.add(Bm98);

travi_High.add(Bm113);
travi_High.add(Bm116);
travi_High.add(Bm12);
travi_High.add(Bm131);
travi_High.add(Bm132);
travi_High.add(Bm134);
travi_High.add(Bm14);
travi_High.add(Bm151);
travi_High.add(Bm152);
travi_High.add(Bm16);
travi_High.add(Bm224);
travi_High.add(Bm225);
travi_High.add(Bm5);
travi_High.add(Bm69);
travi_High.add(Bm7);
travi_High.add(Bm70);
travi_High.add(Bm73);
travi_High.add(Bm74);
travi_High.add(Bm78);
travi_High.add(Bm8);
travi_High.add(Bm97);
travi_High.add(Bm98);