

**Tabella 5.4**  
**Campagna di Prelievo Giugno 2003**  
**Campioni di Acque Marine**

Campionamento	Profondità del Campionamento (m)	Temperatura (°C)	pH	Cloro Libero (µg/l)	Rame (µg/l)	Cadmio (µg/l)	Mercurio (µg/l)	Cromo (µg/l)	Nickel (µg/l)	Piombo (µg/l)	Zinco (µg/l)	Ferro (µg/l)
1A	1	27.3	8.09	<0.01	50.1	96.4	0.70	<0.1	1.2	3.2	19.0	66.4
1B	2.5	27.6	7.94	<0.01	29.9	84.5	0.19	0.2	1.3	2.8	17.3	49.1
1C	4	27.3	8.22	<0.01	22.2	81.8	0.14	<0.1	2.9	2.1	16.0	31.8
2A	1	27.3	8.21	<0.01	50.8	30.0	0.26	2.4	<0.1	0.9	20.3	70.0
2B	3.75	26.2	8.23	<0.01	27.8	57.3	0.18	3.8	0.9	<0.1	21.0	90.9
2C	6.5	27.3	8.22	<0.01	19.6	60.9	0.28	2.2	3.2	0.3	12.3	82.7
3A	1	27.6	8.23	<0.01	49.7	87.3	0.42	0.5	<0.1	1.1	15.0	48.2
3B	4.5	27.3	8.22	<0.01	25.3	67.3	0.73	<0.1	2.4	1.9	14.7	80.0
3C	8	26.2	8.13	<0.01	9.6	52.7	0.19	0.2	1.8	<0.1	17.3	77.3
4A	1	27.4	8.18	<0.01	30.6	79.1	<0.01	0.9	3.3	2.2	13.0	81.8
4B	2.5	27.5	8.19	<0.01	12.7	66.4	0.07	<0.1	<0.1	3.0	31.0	60.0
4C	4.2	27.3	8.16	<0.01	8.4	81.8	0.03	0.3	4.2	2.9	20.3	65.5