

Database release: End2021 --- 07/02/2022 ▼

SDF



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE **ITB010003**
SITENAME **Stagno e ginepreto di Platamona**

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

Print Standard Data Form

1. SITE IDENTIFICATION

1.1 Type

[Back to top](#)

B

1.2 Site code

ITB010003

1.3 Site name

Stagno e ginepreto di Platamona

1.4 First Compilation date

1995-06

1.5 Update date

2019-12

1.6 Respondent:

Name/Organisation:	Regione Autonoma della Sardegna Assessorato Difesa Ambiente Servizio Tutela della Natura e Politiche forestali
Address:	
Email:	difesa.ambiente@regione.sardegna.it

1.7 Site indication and designation / classification dates

Date site proposed 1995-09

as SCI:	
Date site confirmed as SCI:	No information provided
Date site designated as SAC:	2017-04
National legal reference of SAC designation:	DM 07/04/2017 - G.U. 98 del 28-4-2017

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude:	8.521667
Latitude:	40.822222

2.2 Area [ha]

1613.0000

2.3 Marine area [%]

48.0000

2.4 Sitelength [km] (optional):

No information provided

2.5 Administrative region code and name

NUTS level 2 code	Region Name
ITG2	Sardegna

2.6 Biogeographical Region(s)

Mediterranean	(100.00 %)
---------------	------------

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
<u>1110</u> B			574.24	0.00	P	D			
<u>1120</u> B			131.51	0.00	P	D			
<u>1150</u> B			89.8	0.00	G	A	C	B	B

Annex I Habitat types						Site assessment				
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D		A B C		
						Representativity	Relative Surface	Conservation	Global	
<u>1210</u> B			0.64	0.00	G	C	C	C	C	
<u>1240</u> B			0.97	0.00	G	B	C	B	B	
<u>2110</u> B			6.61	0.00	G	B	C	B	B	
<u>2120</u> B			2.26	0.00	G	B	C	B	B	
<u>2210</u> B			7.58	0.00	G	B	C	A	B	
<u>2230</u> B			1.77	0.00	G	B	C	B	B	
<u>2250</u> B			64.52	0.00	G	B	C	B	B	
<u>2270</u> B			451.64	0.00	G	B	B	B	B	
<u>8330</u> B			0	6.00	P	D				
<u>92D0</u> B			0.9	0.00	G	C	C	B	B	

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Glo.
B	<u>A293</u>	<u>Acrocephalus melanopogon</u>			c				P	DD	D			
B	<u>A229</u>	<u>Alcedo atthis</u>			c				P	DD	D			
B	<u>A229</u>	<u>Alcedo atthis</u>			w	1	2	i		M	D			
B	<u>A229</u>	<u>Alcedo atthis</u>			p				P	DD	D			
B	<u>A111</u>	<u>Alectoris barbara</u>			p				P	DD	D			
B	<u>A255</u>	<u>Anthus campestris</u>			r				P	DD	D			
B	<u>A255</u>	<u>Anthus campestris</u>			c				P	DD	D			
B	<u>A029</u>	<u>Ardea purpurea</u>			r				P	DD	B	C	C	C
B	<u>A029</u>	<u>Ardea purpurea</u>			c				P	DD	B	C	C	C
B	<u>A024</u>	<u>Ardeola ralloides</u>			c				P	DD	D			
B	<u>A060</u>	<u>Aythya nyroca</u>			c				P	DD	D			

Species			Population in the site							Site assessment						
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D			A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.		
B	<u>A060</u>	<u>Aythya nyroca</u>			w	3	29	i		M	D					
B	<u>A060</u>	<u>Aythya nyroca</u>			r				P	DD	D					
B	<u>A021</u>	<u>Botaurus stellaris</u>			w	1	1	i		M	D					
B	<u>A021</u>	<u>Botaurus stellaris</u>			c				P	DD	D					
B	<u>A133</u>	<u>Burhinus oedicnemus</u>			c				P	DD	D					
B	<u>A133</u>	<u>Burhinus oedicnemus</u>			w				P	DD	D					
B	<u>A133</u>	<u>Burhinus oedicnemus</u>			r				P	DD	D					
B	<u>A243</u>	<u>Calandrella brachydactyla</u>			r				P	DD	D					
B	<u>A243</u>	<u>Calandrella brachydactyla</u>			c				P	DD	D					
B	<u>A224</u>	<u>Caprimulgus europaeus</u>			r				P	DD	D					
B	<u>A224</u>	<u>Caprimulgus europaeus</u>			c				P	DD	D					
R	<u>1224</u>	<u>Caretta caretta</u>			r				P	DD	D					
B	<u>A196</u>	<u>Chlidonias hybridus</u>			c				P	DD	D					
B	<u>A197</u>	<u>Chlidonias niger</u>			c				P	DD	D					
B	<u>A081</u>	<u>Circus aeruginosus</u>			r				P	DD	D					
B	<u>A081</u>	<u>Circus aeruginosus</u>			p				P	DD	D					
B	<u>A081</u>	<u>Circus aeruginosus</u>			w	6	17	i		DD	D					
B	<u>A081</u>	<u>Circus aeruginosus</u>			c				P	DD	D					
A	<u>1190</u>	<u>Discoglossus sardus</u>			p				R	DD	C	C	A	C		
B	<u>A027</u>	<u>Egretta alba</u>			c				P	DD	D					
B	<u>A027</u>	<u>Egretta alba</u>			w	1	2	i		M	D					
B	<u>A026</u>	<u>Egretta garzetta</u>			c				P	DD	D					
B	<u>A026</u>	<u>Egretta garzetta</u>			w	1	3	i		M	D					
R	<u>6137</u>	<u>Euleptes europaea</u>			p				P	DD	C	C	B	C		
B	<u>A103</u>	<u>Falco peregrinus</u>			c				P	DD	D					
B	<u>A131</u>	<u>Himantopus himantopus</u>			c				P	DD	D					
B	<u>A022</u>	<u>Ixobrychus minutus</u>			r				P	DD	D					
B	<u>A022</u>	<u>Ixobrychus minutus</u>			c				P	DD	D					
B	<u>A181</u>	<u>Larus audouinii</u>			w	1	3	i		M	D					
B	<u>A181</u>	<u>Larus audouinii</u>			c				P	DD	D					
I	<u>1043</u>	<u>Lindenia tetraphylla</u>			p				P	DD	B	C	B	A		
B	<u>A246</u>	<u>Lullula arborea</u>			p				P	DD	D					
B	<u>A272</u>	<u>Luscinia svecica</u>			c				P	DD	D					
B	<u>A023</u>	<u>Nycticorax nycticorax</u>			c				P	DD	D					

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A094	Pandion haliaetus			w				P	DD	D			
B	A094	Pandion haliaetus			c				P	DD	D			
B	A151	Philomachus pugnax			c				P	DD	D			
B	A035	Phoenicopterus ruber			c				P	DD	D			
B	A034	Platalea leucorodia			c				P	DD	D			
B	A032	Plegadis falcinellus			c				P	DD	D			
B	A124	Porphyrio porphyrio			w	10	15	i		G	C	B	B	B
B	A124	Porphyrio porphyrio			p	10	15	P		M	C	B	B	C
B	A195	Sterna albifrons			c				P	DD	D			
B	A193	Sterna hirundo			c				P	DD	D			
R	1217	Testudo hermanni			p				P	DD	D			
B	A166	Tringa glareola			c				P	DD	D			

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species			Population in the site							Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max			C R V P	IV	V	A	B	C	D
B	A086	Accipiter nisus						P						X	
B	A298	Acrocephalus arundinaceus						P						X	
B	A297	Acrocephalus scirpaceus						P						X	
B	A168	Actitis hypoleucos						P			X			X	
B	A247	Alauda arvensis						P						X	
B	A054	Anas acuta						P			X			X	
B	A056	Anas clypeata						P			X			X	
B	A052	Anas crecca						P			X			X	
B	A050	Anas penelope						P			X			X	
B	A053	Anas platyrhynchos						P						X	

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max			C	R V P	IV	V	A	B	C
B	<u>A055</u>	<u>Anas querquedula</u>						P			X		X		
B	<u>A051</u>	<u>Anas strepera</u>						P			X		X		
B	<u>A257</u>	<u>Anthus pratensis</u>						P			X		X		
B	<u>A259</u>	<u>Anthus spinoletta</u>						P					X		
B	<u>A226</u>	<u>Apus apus</u>						P					X		
B	<u>A228</u>	<u>Apus melba</u>						P			X		X		
B	<u>A227</u>	<u>Apus pallidus</u>						P			X		X		
B	<u>A028</u>	<u>Ardea cinerea</u>						P			X		X		
P		<u>Armeria pungens</u>						P			X				
P		<u>Arum pictum</u>						P				X			
P		<u>Astragalus terraccianoii</u>						P				X			
B	<u>A059</u>	<u>Aythya ferina</u>						P			X		X		
B	<u>A061</u>	<u>Aythya fuligula</u>						P			X		X		
B	<u>A025</u>	<u>Bubulcus ibis</u>						P			X		X		
A	<u>1201</u>	<u>Bufo viridis</u>						R	X				X		
B	<u>A087</u>	<u>Buteo buteo</u>						P					X		
B	<u>A366</u>	<u>Carduelis cannabina</u>						P					X		
B	<u>A364</u>	<u>Carduelis carduelis</u>						P					X		
B	<u>A288</u>	<u>Cettia cetti</u>						P					X		
B	<u>A136</u>	<u>Charadrius dubius</u>						P			X		X		
B	<u>A363</u>	<u>Chloris chloris</u>						P					X		
B	<u>A289</u>	<u>Cisticola juncidis</u>						P					X		
B	<u>A206</u>	<u>Columba livia</u>						P			X		X		
B	<u>A350</u>	<u>Corvus corax</u>						P			X		X		
B	<u>A113</u>	<u>Coturnix coturnix</u>						P					X		
B	<u>A212</u>	<u>Cuculus canorus</u>						P					X		
B	<u>A253</u>	<u>Delichon urbica</u>						P					X		
B	<u>A237</u>	<u>Dendrocopos major</u>						P					X		
P		<u>Elymus elongatus (Host) Runemark</u>						P						X	
B	<u>A383</u>	<u>Emberiza calandra</u>						P					X		
B	<u>A377</u>	<u>Emberiza cirius</u>						P					X		
B	<u>A381</u>	<u>Emberiza schoeniclus</u>						P					X		
P		<u>Ephedra distachya</u>						P						X	
P		<u>Eryanthus ravennae</u>						P						X	
P		<u>Euphorbia pithyusa ssp. cupanii</u>						P				X			

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max			C	R V P	IV	V	A	B	C
B	<u>A096</u>	<u>Falco tinnunculus</u>						P						X	
B	<u>A322</u>	<u>Ficedula hypoleuca</u>						P						X	
B	<u>A359</u>	<u>Fringilla coelebs</u>						P						X	
B	<u>A125</u>	<u>Fulica atra</u>						P						X	
B	<u>A153</u>	<u>Gallinago gallinago</u>						P			X			X	
B	<u>A123</u>	<u>Gallinula chloropus</u>						P						X	
P		<u>Genista corsica</u>						P				X			
P		<u>Helichrysum microphyllum</u> ssp. <u>tyrrhenicum</u>						P				X			
B	<u>A251</u>	<u>Hirundo rustica</u>						P						X	
A	<u>1204</u>	<u>Hyla sarda</u>						P	X		X			X	
B	<u>A233</u>	<u>Jynx torquilla</u>						P						X	
B	<u>A341</u>	<u>Lanius senator</u>						P			X			X	
B	<u>A459</u>	<u>Larus cachinnans</u>						P						X	
B	<u>A183</u>	<u>Larus fuscus</u>						P						X	
B	<u>A179</u>	<u>Larus ridibundus</u>						P			X			X	
B	<u>A156</u>	<u>Limosa limosa</u>						P			X			X	
B	<u>A271</u>	<u>Luscinia megarhynchos</u>						P						X	
B	<u>A230</u>	<u>Merops apiaster</u>						P						X	
B	<u>A262</u>	<u>Motacilla alba</u>						P						X	
B	<u>A261</u>	<u>Motacilla cinerea</u>						P						X	
B	<u>A260</u>	<u>Motacilla flava</u>						P						X	
B	<u>A319</u>	<u>Muscicapa striata</u>						P						X	
B	<u>A058</u>	<u>Netta rufina</u>						P			X			X	
B	<u>A160</u>	<u>Numenius arquata</u>						P			X			X	
B	<u>A277</u>	<u>Oenanthe oenanthe</u>						P						X	
P		<u>Orchis laxiflora</u>						P						X	
B	<u>A337</u>	<u>Oriolus oriolus</u>						P						X	
P		<u>Ornithogalum corsicum</u>						P				X			
P		<u>Orobanche crinita</u>						P							X
B	<u>A214</u>	<u>Otus scops</u>						P			X			X	
B	<u>A329</u>	<u>Parus caeruleus</u>						P						X	
B	<u>A330</u>	<u>Parus major</u>						P						X	
B	<u>A355</u>	<u>Passer hispaniolensis</u>						P						X	
B	<u>A356</u>	<u>Passer montanus</u>						P			X			X	
B	<u>A391</u>	<u>Phalacrocorax carbo sinensis</u>						P			X			X	

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max			C	R V P	IV	V	A	B	C
B	<u>A273</u>	<u>Phoenicurus ochruros</u>						P						X	
B	<u>A315</u>	<u>Phylloscopus collybita</u>						P						X	
B	<u>A314</u>	<u>Phylloscopus sibilatrix</u>						P						X	
B	<u>A316</u>	<u>Phylloscopus trochilus</u>						P						X	
B	<u>A005</u>	<u>Podiceps cristatus</u>						P						X	
B	<u>A008</u>	<u>Podiceps nigricollis</u>						P			X			X	
B	<u>A266</u>	<u>Prunella modularis</u>						P						X	
B	<u>A250</u>	<u>Ptyonoprogne rupestris</u>						P						X	
B	<u>A118</u>	<u>Rallus aquaticus</u>						P			X			X	
B	<u>A318</u>	<u>Regulus ignicapillus</u>						P						X	
B	<u>A317</u>	<u>Regulus regulus</u>						P						X	
B	<u>A336</u>	<u>Remiz pendulinus</u>						P						X	
B	<u>A249</u>	<u>Riparia riparia</u>						P						X	
P		<u>Romulea reguiei</u>						P				X			
P		<u>Romulea rollii</u>						P							X
B	<u>A275</u>	<u>Saxicola rubetra</u>						P						X	
B	<u>A276</u>	<u>Saxicola torquata</u>						P						X	
P		<u>Scrophularia ramosissima</u>						P							X
B	<u>A361</u>	<u>Serinus serinus</u>						P						X	
P		<u>Silene succulenta ssp. corsica</u>						P				X			
B	<u>A209</u>	<u>Streptopelia decaocto</u>						P						X	
B	<u>A210</u>	<u>Streptopelia turtur</u>						P						X	
B	<u>A352</u>	<u>Sturnus unicolor</u>						P						X	
B	<u>A311</u>	<u>Sylvia atricapilla</u>						P						X	
B	<u>A310</u>	<u>Sylvia borin</u>						P						X	
B	<u>A004</u>	<u>Tachybaptus ruficollis</u>						P						X	
B	<u>A164</u>	<u>Tringa nebularia</u>						P						X	
B	<u>A162</u>	<u>Tringa totanus</u>						P			X			X	
B	<u>A265</u>	<u>Troglodytes troglodytes</u>						P						X	
B	<u>A283</u>	<u>Turdus merula</u>						P						X	
B	<u>A285</u>	<u>Turdus philomelos</u>						P						X	
B	<u>A213</u>	<u>Tyto alba</u>						P			X			X	
B	<u>A232</u>	<u>Upupa epops</u>						P						X	
P		<u>Urtica atrovirens</u>						P				X			

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		<u>Utricularia vulgaris</u>						P			X			
B	<u>A142</u>	<u>Vanellus vanellus</u>						P					X	

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N01	45.00
N02	12.00
N04	30.00
N05	1.00
N06	10.00
N08	1.00
N23	1.00
Total Habitat Cover	100

Other Site Characteristics

Il Sito è situato nella regione nota come "Anglona", e si sviluppa parallelamente alla fascia costiera del Golfo dell'Asinara. Si estende per 1.618 ettari sia a terra, occupata da stagni, dune e da pinete, sia a mare, prospiciente il litorale sabbioso. Il sito è situato all'interno di una depressione di retrospiaggia parallela alla costa, si estende per circa 14 km lungo il litorale di Sorso, includendo al suo interno le località di Grotta dell'Inferno, Torre di Abbacutente, Platamona e Marina di Sorso, fino ad arrivare alla sinistra idrografica del Fiume Silis. L'area risulta delimitata a Nord dal Golfo dell'Asinara e ad Est da una serie di altopiani di modesta quota separati da un reticolo di piccole valli. A Sud si estende la Piana di Sorso, caratterizzata da un mosaico di coltivazioni orticole e foraggere, mentre a Sud-Ovest si ha il sistema di piccoli altipiani del monte Rasu. Ad Ovest l'area è caratterizzata dalla presenza dell'abitato di Porto Torres ed è chiusa da una serie di piccoli colli tra i quali spiccano Punta di Lu Cappottu, Monte Ferrainaggiu e, più a Sud, Monte Ferrizza. Nei 1.618 ha di superficie del sito sono presenti, oltre al sistema di dune ricoperte da vegetazione spontanea, un ginepreto misto ad un rimboschimento di origine antropica, un sistema di scogliere, lo stagno e la spiaggia di Platamona.

4.2 Quality and importance

La particolare conformazione del territorio ha favorito lo sviluppo di un cordone sabbioso, portando quindi ad una parziale separazione tra l'ambiente umido ed il mare. Tale divisione, nonché l'apporto di

acqua dolce dal rio Buddi Buddi, garantiscono il mantenimento di una lieve salinità della zona umida, che con la presenza lungo il perimetro dello stagno di vegetazione igrofila a canneto, fragmiteto e giuncheto, rende tale ambiente ideale per la nidificazione di numerose specie ornitiche. Lo stagno rappresenta quindi una zona di notevole importanza per l'avifauna sedentaria e migratrice, nonché uno dei pochi lembi integri di duna colonizzata da vegetazione psammofila.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	A01		i
M	B03		i
M	D01.01		i
L	D01.02		i
L	D03.02		i
L	E01.02		i
L	E04.01		i
L	F03.02.03		i
M	G01		i
L	G01.01		i
M	G01.02		i
L	G01.03		i
M	G02		i
L	G02.07		i
L	G05.01		i
H	H01		i
L	H06.01		i
H	I01		i
M	J02.10		i
M	K01.01		i
M	K03.05		i
M	L05		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
	X		

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	48
	State/Province	0
	Local/Municipal	0
	Any Public	0
Joint or Co-Ownership	0	
Private	0	

Unknown	52
sum	100

4.5 Documentation (optional)

Bibliografia: R.A.S. - Assessorato Difesa Ambiente - S.A.V.I., 2008-2009. Realizzazione del sistema di monitoraggio dello stato di conservazione degli habitat e delle specie di interesse comunitario della Regione Autonoma della Sardegna; R.A.S. - Assessorato Difesa Ambiente - Servizio Tutela Natura, 2011. Avvio del monitoraggio dello stato di conservazione degli habitat di importanza comunitaria nel territorio della Sardegna; Chiappini M. 1963. Ricerche sulla vegetazione litorale della Sardegna. II: Vegetazione dello Stagno di Platamona. (Sardegna settentrionale). Webbia, 17. pp 269-298; Giau M. 1986. Indagine floristica e vegetazionali sullo stagno di Platamona (Sardegna Nord-Occidentale), Boll. Soc. Sarda Sci. Nat. 25: 97-123; Satta V. 2002. Dinamica delle formazioni a Phragmites australis (Cav.) Trin in alcuni stagni costieri del Nord Sardegna. Congresso della Società Italiana di Fitosociologia, 128-130; Columbano G.A., Stochino P. e Fiori S. M. Tutela e valorizzazione dello stagno di Platamona. Studio di pre-fattibilità. Rapporto per il Comune di Sorso; Cossu A. (1985) Lo stato trofico dello stagno di Platamona (Sardegna Settentrionale). Boll. Soc. Sarda Sci. Nat., 24: 75-86; Fozzi A. e Sanna M. (1993). Check list degli uccelli marini lungo le coste della Sardegna Nord Occidentale. In: Cossu et al. (a cura di). Studio, gestione e conservazione della fauna selvatica in Sardegna. Ed. del Sole, 463 pp; Fozzi A. Pisu D., Puddinu L., Aplington G.J. (1998): Sternidae population of - North Western Sardinia (Italy), status, threat and conservation measures. In: Giau M. (1986). Indagine floristica e vegetazionale sullo stagno di Platamona (Sardegna Nord-occidentale). Boll. Soc. Sarda Sci. Nat., 25: 97-123; Censimento I.W.C., 2003-2007; Pisu D., dati inediti (progetto R.A.S. - Assessorato Difesa Ambiente - S.A.V.I., 2008-2009. Realizzazione del sistema di monitoraggio dello stato di conservazione degli habitat e delle specie di interesse comunitario della Regione Autonoma della Sardegna); Yesou, P. and J. Sultana. Eds, Monitoring and conservation of birds, mammals and sea turtles of the Mediterranean and Black Seas. Malta 1998 pp245-249; Sotgiu G., dati inediti (progetto R.A.S. - Assessorato Difesa Ambiente - Servizio Tutela Natura, 2012. Monitoraggio dello stato di conservazione degli habitat e delle specie di importanza comunitaria presenti nei siti della rete Natura 2000 in Sardegna)

5. SITE PROTECTION STATUS

5.1 Designation types at national and regional level (optional):

[Back to top](#)

Code	Cover [%]
IT07	8.00
IT11	52.00
IT37	48.00

5.2 Relation of the described site with other sites (optional):

No information provided

5.3 Site designation (optional)

No information provided

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regione Autonoma della Sardegna
Address:	
Email:	difesa.ambiente@regione.sardegna.it

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: Piano di Gestione del SIC ITB010003 "Stagno e Ginepreto di Platamona", approvato con Decreto Regionale n. 70 del 30/07/2008. Decreto pubblicato su BURAS n. 30 del 25/09/2008. Link: http://buras.regione.sardegna.it/custom/frontend/viewPart.xhtml?partId=f1566057-71c1-4f28-a170-4abe3c32e673
-------------------------------------	-----	---

<input type="checkbox"/>	No, but in preparation
<input type="checkbox"/>	No

6.3 Conservation measures (optional)


Piano di Gestione del SIC ITB010003 "Stagno e Ginepreto di Platamona", approvato con Decreto Regionale n. 70 del 30/07/2008. Decreto pubblicato su BURAS n. 30 del 25/09/2008.

7. MAP OF THE SITE

No information provided

[Back to top](#)

SITE DISPLAY



Database release: End2021 --- 07/02/2022 ▼

SDF



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE **ITB010002**
SITENAME **Stagno di Pilo e di Casaraccio**

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

Print Standard Data Form

1. SITE IDENTIFICATION

1.1 Type

[Back to top](#)

B

1.2 Site code

ITB010002

1.3 Site name

Stagno di Pilo e di Casaraccio

1.4 First Compilation date

1995-06

1.5 Update date

2020-12

1.6 Respondent:

Name/Organisation:	Regione Autonoma della Sardegna Assessorato Difesa Ambiente Servizio Tutela della Natura e Politiche forestali
Address:	
Email:	difesa.ambiente@regione.sardegna.it

1.7 Site indication and designation / classification dates

Date site proposed 1995-09

as SCI:	
Date site confirmed as SCI:	No information provided
Date site designated as SAC:	2017-04
National legal reference of SAC designation:	DM 07/04/2017 - G.U. 98 del 28-4-2017

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude:	8.248611
Latitude:	40.883056

2.2 Area [ha]

1882.0000

2.3 Marine area [%]

37.0000

2.4 Sitelength [km] (optional):

No information provided

2.5 Administrative region code and name

NUTS level 2 code	Region Name
ITG2	Sardegna

2.6 Biogeographical Region(s)

Mediterranean	(100.00 %)
---------------	------------

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
<u>1110</u> B			299.09	0.00	P	D			
<u>1120</u> B			380.73	0.00	M	B	C	B	B
<u>1150</u> B			230.54	0.00	P	B	C	B	B

Annex I Habitat types						Site assessment				
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D		A B C		
						Representativity	Relative Surface	Conservation	Global	
<u>1160</u> B			4.38	0.00	P	D				
<u>1210</u> B			9.36	0.00	M	B		C	B	B
<u>1310</u> B			1.95	0.00	M	A		C	A	A
<u>1410</u> B			9.12	0.00	M	A		C	A	A
<u>1420</u> B			19.2	0.00	M	A		C	A	A
<u>1510</u> B			7.37	0.00	M	A		C	A	A
<u>2110</u> B			7.02	0.00	M	B		C	B	B
<u>2120</u> B			7.02	0.00	M	C		C	C	C
<u>2210</u> B			7.26	0.00	M	B		C	B	B
<u>2230</u> B			2.42	0.00	M	A		C	B	A
<u>2250</u> B			0.0733	0.00	P	D				

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Glo.
B	<u>A229</u>	<u>Alcedo atthis</u>			c				P	DD	D			
B	<u>A229</u>	<u>Alcedo atthis</u>			w				P	DD	D			
B	<u>A229</u>	<u>Alcedo atthis</u>			r				P	DD	D			
B	<u>A111</u>	<u>Alectoris barbara</u>			p				P	DD	D			
P	<u>1674</u>	<u>Anchusa crispera</u>			p	1000	10000	i	P	M	A	B	A	A
B	<u>A255</u>	<u>Anthus campestris</u>			r				P	DD	D			
B	<u>A255</u>	<u>Anthus campestris</u>			c				P	DD	D			
F	<u>1152</u>	<u>Aphanius fasciatus</u>			p				P	DD	D			
B	<u>A029</u>	<u>Ardea purpurea</u>			r	2	6	P		M	C	C	B	C
B	<u>A029</u>	<u>Ardea purpurea</u>			c				P	DD	C	C	B	C

Species				Population in the site							Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Glo.
B	<u>A024</u>	<u>Ardeola ralloides</u>			c				P	DD	D			
B	<u>A060</u>	<u>Aythya nyroca</u>			w				P	DD	D			
B	<u>A060</u>	<u>Aythya nyroca</u>			c				P	DD	D			
B	<u>A021</u>	<u>Botaurus stellaris</u>			c				P	DD	D			
B	<u>A133</u>	<u>Burhinus oedicnemus</u>			w				P	DD	D			
B	<u>A133</u>	<u>Burhinus oedicnemus</u>			c				P	DD	D			
B	<u>A133</u>	<u>Burhinus oedicnemus</u>			r				P	DD	D			
B	<u>A243</u>	<u>Calandrella brachydactyla</u>			r				P	DD	D			
B	<u>A243</u>	<u>Calandrella brachydactyla</u>			c				P	DD	D			
B	<u>A010</u>	<u>Calonectris diomedea</u>			c				P	DD	D			
B	<u>A224</u>	<u>Caprimulgus europaeus</u>			c				P	DD	D			
B	<u>A224</u>	<u>Caprimulgus europaeus</u>			r				P	DD	D			
B	<u>A138</u>	<u>Charadrius alexandrinus</u>			w	6	7	i		M	D			
B	<u>A138</u>	<u>Charadrius alexandrinus</u>			r				P	DD	D			
B	<u>A138</u>	<u>Charadrius alexandrinus</u>			c				P	DD	D			
B	<u>A081</u>	<u>Circus aeruginosus</u>			c				P	DD	D			
B	<u>A081</u>	<u>Circus aeruginosus</u>			w	1	6	i		M	D			
B	<u>A082</u>	<u>Circus cyaneus</u>			w	1	2	i		M	D			
B	<u>A082</u>	<u>Circus cyaneus</u>			c				P	DD	D			
B	<u>A084</u>	<u>Circus pygargus</u>			c				P	DD	D			
B	<u>A084</u>	<u>Circus pygargus</u>			w				P	DD	D			
B	<u>A027</u>	<u>Egretta alba</u>			w	1	6	i		M	D			
B	<u>A027</u>	<u>Egretta alba</u>			c				P	DD	D			
B	<u>A026</u>	<u>Egretta garzetta</u>			w	6	14	i		M	D			
B	<u>A026</u>	<u>Egretta garzetta</u>			c				P	DD	D			
R	<u>6137</u>	<u>Euleptes europaea</u>			p				P	DD	C	C	B	C
B	<u>A103</u>	<u>Falco peregrinus</u>			c				P	DD	D			
B	<u>A103</u>	<u>Falco peregrinus</u>			r				P	DD	D			
B	<u>A131</u>	<u>Himantopus himantopus</u>			w	1	2	i		M	D			
B	<u>A131</u>	<u>Himantopus himantopus</u>			c				P	DD	D			
B	<u>A131</u>	<u>Himantopus himantopus</u>			r	10	20	p		M	D			
B	<u>A022</u>	<u>Ixobrychus minutus</u>			r				P	DD	D			
B	<u>A022</u>	<u>Ixobrychus minutus</u>			c				P	DD	D			
B	<u>A338</u>	<u>Lanius collurio</u>			c				P	DD	D			

Species				Population in the site							Site assessment					
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D			A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.		
B	A181	Larus audouinii			c				P	DD	D					
B	A180	Larus genei			c				P	DD	D					
B	A180	Larus genei			w	1	13	i		M	D					
B	A246	Lullula arborea			p				P	DD	D					
B	A242	Melanocorypha calandra			c				P	DD	D					
B	A242	Melanocorypha calandra			r				P	DD	D					
B	A073	Milvus migrans			c				P	DD	D					
B	A023	Nycticorax nycticorax			c				P	DD	D					
B	A094	Pandion haliaetus			c				P	DD	D					
B	A094	Pandion haliaetus			w				P	DD	D					
B	A072	Pernis apivorus			c				P	DD	D					
B	A392	Phalacrocorax aristotelis desmarestii			w	7	27	i		M	D					
B	A392	Phalacrocorax aristotelis desmarestii			c				P	DD	D					
B	A151	Philomachus pugnax			c				P	DD	D					
B	A035	Phoenicopterus ruber			c				P	DD	D					
B	A035	Phoenicopterus ruber			w	19	104	i		M	D					
B	A034	Platalea leucorodia			c				P	DD	D					
B	A124	Porphyrio porphyrio			p	2	6	p		M	C	B	B	C		
B	A464	Puffinus yelkouan			c				P	DD	D					
B	A132	Recurvirostra avosetta			w				P	DD	D					
B	A132	Recurvirostra avosetta			c				P	DD	D					
B	A195	Sterna albifrons			r				P	DD	D					
B	A195	Sterna albifrons			c				P	DD	D					
B	A193	Sterna hirundo			c				P	DD	D					
B	A191	Sterna sandvicensis			w	1	4	i		DD	D					
B	A191	Sterna sandvicensis			c				P	DD	D					
B	A301	Sylvia sarda			w				P	DD	D					
B	A301	Sylvia sarda			r				P	DD	D					
B	A301	Sylvia sarda			c				P	DD	D					
B	A302	Sylvia undata			c				P	DD	D					
B	A302	Sylvia undata			r				P	DD	D					
B	A302	Sylvia undata			w				P	DD	D					
R	1219	Testudo graeca			p				P	DD	D					
R	1217	Testudo hermanni			p				P	DD	D					
B	A128	Tetrax tetrax			p				P	DD	D					
B	A166	Tringa glareola			c				P	DD	D					

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species				Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
B	A168	Actitis hypoleucos						P			X		X	
B	A247	Alauda arvensis						P			X		X	
B	A054	Anas acuta			1	2	i				X		X	
B	A056	Anas clypeata						P			X		X	
B	A052	Anas crecca			4	134	i				X		X	
B	A050	Anas penelope						P			X		X	
B	A053	Anas platyrhynchos			6	80	i				X		X	
B	A055	Anas querquedula						P			X		X	
B	A051	Anas strepera						P			X		X	
B	A043	Anser anser						P			X		X	
B	A257	Anthus pratensis						P			X		X	
B	A259	Anthus spinoletta						P			X		X	
B	A256	Anthus trivialis						P			X		X	
B	A226	Apus apus						P			X		X	
B	A227	Apus pallidus						P			X		X	
B	A028	Ardea cinerea			5	11	i				X		X	
P		Armeria pungens						P			X			
P		Arum pictum						P				X		
B	A218	Athene noctua						P			X		X	
B	A059	Aythya ferina						P			X		X	
B	A061	Aythya fuligula						P			X		X	
B	A025	Bubulcus ibis						P			X		X	
A	1201	Bufo viridis						P	X				X	
B	A087	Buteo buteo						P			X		X	
B	A149	Calidris alpina						P					X	
B	A145	Calidris minuta						P					X	
B	A366	Carduelis cannabina						P			X		X	
B	A364	Carduelis carduelis						P			X		X	
B	A288	Cettia cetti						P			X		X	
B	A136	Charadrius dubius						P			X		X	

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max			C	R	V	P	IV	V	A
B	<u>A137</u>	<u>Charadrius hiaticula</u>						P			X		X		
B	<u>A363</u>	<u>Chloris chloris</u>						P			X		X		
B	<u>A289</u>	<u>Cisticola juncidis</u>						P			X		X		
B	<u>A206</u>	<u>Columba livia</u>						P			X		X		
B	<u>A208</u>	<u>Columba palumbus</u>						P			X				
B	<u>A350</u>	<u>Corvus corax</u>						P			X		X		
B	<u>A349</u>	<u>Corvus corone</u>						P			X				
B	<u>A113</u>	<u>Coturnix coturnix</u>						P			X		X		
B	<u>A212</u>	<u>Cuculus canorus</u>						P			X		X		
B	<u>A253</u>	<u>Delichon urbica</u>						P			X		X		
B	<u>A383</u>	<u>Emberiza calandra</u>						P			X		X		
B	<u>A377</u>	<u>Emberiza cirius</u>						P			X		X		
B	<u>A381</u>	<u>Emberiza schoeniclus</u>						P			X		X		
B	<u>A269</u>	<u>Erithacus rubecula</u>						P			X		X		
P		<u>Erodium corsicum</u>						P				X			
P		<u>Euphorbia pithyusa ssp. cupanii</u>						P				X			
B	<u>A096</u>	<u>Falco tinnunculus</u>						P			X		X		
B	<u>A322</u>	<u>Ficedula hypoleuca</u>						P					X		
P		<u>Filago tyrrhenica</u>						P			X	X			
B	<u>A359</u>	<u>Fringilla coelebs</u>						P			X		X		
B	<u>A125</u>	<u>Fulica atra</u>			524	5670	i				X		X		
B	<u>A153</u>	<u>Gallinago gallinago</u>						P			X		X		
B	<u>A123</u>	<u>Gallinula chloropus</u>						P			X		X		
P		<u>Genista corsica</u>						P				X			
P		<u>Helichrysum microphyllum ssp. tyrrhenicum</u>						P				X			
B	<u>A252</u>	<u>Hirundo daurica</u>						P			X		X		
B	<u>A251</u>	<u>Hirundo rustica</u>						P			X		X		
A	<u>1204</u>	<u>Hyla sarda</u>						P	X		X		X		
B	<u>A233</u>	<u>Jynx torquilla</u>						P			X		X		
B	<u>A341</u>	<u>Lanius senator</u>						P			X		X		
B	<u>A459</u>	<u>Larus cachinnans</u>			24	676	i						X		
B	<u>A179</u>	<u>Larus ridibundus</u>						P			X		X		
P		<u>Limonium acutifolium</u>						P				X			
B	<u>A156</u>	<u>Limosa limosa</u>						P			X		X		

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max			C	R	V	P	IV	V	A
B	<u>A271</u>	<u>Luscinia megarhynchos</u>						P			X		X		
B	<u>A069</u>	<u>Mergus serrator</u>						P					X		
B	<u>A230</u>	<u>Merops apiaster</u>						P			X		X		
B	<u>A281</u>	<u>Monticola solitarius</u>						P			X		X		
B	<u>A262</u>	<u>Motacilla alba</u>						P			X		X		
B	<u>A260</u>	<u>Motacilla flava</u>						P			X		X		
B	<u>A319</u>	<u>Muscicapa striata</u>						P			X		X		
B	<u>A160</u>	<u>Numenius arquata</u>						P			X		X		
B	<u>A277</u>	<u>Oenanthe oenanthe</u>						P			X		X		
B	<u>A337</u>	<u>Oriolus oriolus</u>						P			X		X		
P		<u>Ornithogalum corsicum</u>						P				X			
B	<u>A214</u>	<u>Otus scops</u>						P			X		X		
P		<u>Pancratium maritimum</u>						P			X				
B	<u>A329</u>	<u>Parus caeruleus</u>						P					X		
B	<u>A330</u>	<u>Parus major</u>						P			X		X		
B	<u>A355</u>	<u>Passer hispaniolensis</u>						P			X		X		
B	<u>A356</u>	<u>Passer montanus</u>						P			X		X		
B	<u>A391</u>	<u>Phalacrocorax carbo sinensis</u>			9	17	i				X		X		
B	<u>A273</u>	<u>Phoenicurus ochruros</u>						P			X		X		
B	<u>A274</u>	<u>Phoenicurus phoenicurus</u>						P			X		X		
B	<u>A315</u>	<u>Phylloscopus collybita</u>						P			X		X		
B	<u>A314</u>	<u>Phylloscopus sibilatrix</u>						P			X		X		
B	<u>A343</u>	<u>Pica pica</u>						P			X				
B	<u>A141</u>	<u>Pluvialis squatarola</u>						P					X		
B	<u>A005</u>	<u>Podiceps cristatus</u>			5	50	i				X		X		
B	<u>A008</u>	<u>Podiceps nigricollis</u>			5	47	i				X		X		
B	<u>A266</u>	<u>Prunella modularis</u>						P			X		X		
B	<u>A118</u>	<u>Rallus aquaticus</u>						P			X		X		
B	<u>A249</u>	<u>Riparia riparia</u>						P			X		X		
P		<u>Romulea requienii</u>						P				X			
B	<u>A275</u>	<u>Saxicola rubetra</u>						P			X		X		
B	<u>A276</u>	<u>Saxicola torquatus</u>						P			X		X		
B	<u>A361</u>	<u>Serinus serinus</u>						P			X		X		
P		<u>Silene succulenta ssp. corsica</u>						P				X			

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max			C	R V P	IV	V	A	B	C
B	A209	Streptopelia decaocto						P			X		X		
B	A210	Streptopelia turtur						P			X		X		
B	A352	Sturnus unicolor						P			X		X		
B	A351	Sturnus vulgaris						P			X				
B	A311	Sylvia atricapilla						P			X		X		
B	A310	Sylvia borin						P			X		X		
B	A304	Sylvia cantillans						P			X		X		
B	A309	Sylvia communis						P			X		X		
B	A305	Sylvia melanocephala						P			X		X		
B	A004	Tachybaptus ruficollis						P			X		X		
B	A228	Tachymarptis melba						P			X		X		
B	A048	Tadorna tadorna						P			X		X		
B	A161	Tringa erythropus						P					X		
B	A164	Tringa nebularia						P					X		
B	A163	Tringa stagnatilis						P					X		
B	A162	Tringa totanus						P			X		X		
B	A265	Trogodytes troglodytes						P			X		X		
B	A286	Turdus iliacus						P			X		X		
B	A283	Turdus merula						P			X		X		
B	A285	Turdus philomelos						P			X		X		
B	A284	Turdus pilaris						P			X		X		
B	A213	Tyto alba						P			X		X		
B	A232	Upupa epops						P			X		X		
B	A142	Vanellus vanellus						P			X		X		

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover

N01	35.00
N02	2.00
N03	4.00
N04	12.00
N05	6.00
N06	2.00
N07	4.00
N08	9.00
N09	6.00
N12	6.00
N14	6.00
N15	2.00
N21	4.00
N23	2.00
Total Habitat Cover	100

Other Site Characteristics

Lo Stagno di Casaraccio (o delle Saline), poco profondo, occupa una superficie di circa 7,5 ha. E' separato dal mare da una sottile striscia sabbiosa ed ha uno sviluppo in lunghezza in senso perpendicolare alla linea costiera di circa 800 m contro una larghezza di soli 100 m. Lo Stagno di Pilo ha invece un'estensione di circa 1.2 Km2. E' separato dal mare da una sottile duna sabbiosa. A differenza dello stagno delle saline quello di Pilo è alimentato da piccoli ruscelli che ne addolciscono le acque in maniera irregolare in più punti. I due stagni sono posti alle estremità Nord e Sud del SIC; la parte di costa è bassa e sabbiosa e si estende, con andamento lineare, da Torre delle Saline, vicina allo stagno di Casaraccio, a Cabu Aspru, vicino allo stagno di Pilo. I fondali marini del SIC sono poco profondi, all'incirca tra i 5 e i 10 m, e caratterizzati dalla presenza di praterie di posidonia. I terreni affioranti nel sito sono prevalentemente ghiaie, sabbie, limi e argille sabbiose dei depositi alluvionali, colluviali, eolici e litorali travertini del periodo dell'olocene. Inoltre, ed in particolare nella parte inferiore del SIC alle spalle dello stagno di Pilo sono presenti conglomerati a matrice argillosa e arenarie di sistema alluvionale.

4.2 Quality and importance

Le due aree stagnali sono raccordate dalla fascia litoranea della spiaggia delle antiche saline e delle basse dune che le caratterizzano con i diversi habitat della serie completa della vegetazione alofila e psammofila. Le acque salmastre accolgono significative estensioni della vegetazione vascolare delle acque salse (Ruppiaetea) che sfumano negli habitat delle alofite con dominanza di chenopodiacee succulente e nella vegetazione di paludi sub-salse (Juncetalia maritimi). Le dune accolgono una facies di vegetazione ad *Armeria pungens* che rappresenta il limite occidentale della distribuzione nel Nord Sardegna. *Fragmiteti*, *canneti*, *tamariceti* e *alimieti* ad *Atriplex halimus* si sviluppano in modo frammentario, sia nella fascia peristagnale, sia nelle retrodune. Per l'avifauna il Sito è tra le più importanti aree umide del Nord Sardegna.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and	Pollution (optional) [code]	inside/outside [i o b]

	pressures [code]		
L	A01		i
L	A04		i
M	C01.01		i
M	D02.09		i
M	E01.01		i
L	F02.03		i
M	J01		i
L	K01.01		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
L	A01		i
L	B		i
L	F02.03		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,
T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	37
	State/Province	0
	Local/Municipal	0
	Any Public	0
Joint or Co-Ownership	0	
Private	0	
Unknown	63	
sum	100	

4.5 Documentation (optional)

Aphanius fasciatus (1152): la presenza della specie nel Sito è dubbia e necessita di ulteriori verifiche mirate, condotte mediante indagini sul campo [progetto "Monitoraggio dello stato di conservazione degli habitat e delle specie di importanza comunitaria presenti nei siti della rete Natura 2000 in Sardegna", RAS - Assessorato Difesa Ambiente - Servizio Tutela Natura, 2012]. Bibliografia: Bagella S., Farris E., Filigheddu R., Pisanu S., Secchi Z., 2004. Temporary ponds vegetation in North-Western Sardinia (Italy). Atti XI OPTIMA Meeting: 93. Beograd (Serbia), 5-11 settembre 2004; Biondi E., Filigheddu R., Farris E., 2001a. Il paesaggio vegetale della Nurra (Sardegna nord-occidentale). Fitosociologia 38(2) Suppl. 2: 3-105; Desole L., 1959a. Presenza di Scilla obtusifolia Poir. Nella Sardegna nord-occidentale. Nuovo Giorn. Bot. Ital., n.s., 56: ; Fozzi A. e Pisu D. (1997) Sternidae nidificanti nella penisola di Stintino (Sardegna Nord-Occidentale) 1994-95 Avocetta 21: 31 (1997); Maltagliati F. 2002. Genetic monitoring of brackish-water populations: the Mediterranean toothcarp *Aphanius fasciatus* (Cyprinodontidae) as a model. Marine ecology Progress Series 235: 257-262; Maltagliati F., Domenici P., Fosch C. F., Cossu P., Casu M., Castelli A. 2003. Small-scale morphological and genetic differentiation in the Mediterranean killifish *Aphanius fasciatus* (Cyprinodontidae) from a coastal brackish-water pond and adjacent pool in northern Sardinia. Oceanologica Acta, 26: 111-119; Censimento I.W.C., 2003-2007; R.A.S. - Assessorato Difesa Ambiente - S.A.V.I., 2008-2009. Realizzazione del sistema di monitoraggio dello stato di conservazione degli habitat e delle specie di interesse comunitario della Regione Autonoma della Sardegna; Piano di Gestione del SIC ITB010002 "Stagno di Pilo e Casaraccio"; D. Pisu, dati inediti; Sabatini A., Sotgiu G., dati inediti (progetto R.A.S. - Assessorato Difesa Ambiente - Servizio Tutela Natura, 2012. Monitoraggio dello stato di conservazione degli habitat e delle specie di importanza comunitaria presenti nei siti della rete Natura 2000 in Sardegna)

5. SITE PROTECTION STATUS

5.1 Designation types at national and regional level (optional):

[Back to top](#)

Code	Cover [%]
IT07	15.00
IT11	63.00
IT37	37.00
IT42	68.39

5.2 Relation of the described site with other sites (optional):

Designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT42	Stagno di Pilo, Casaraccio e Saline di Stintino	+	68.39
IT41	Coste e Isolette a Nord Ovest della Sardegna	/	0.00

5.3 Site designation (optional)

No information provided

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regione Autonoma della Sardegna
Address:	
Email:	difesa.ambiente@regione.sardegna.it

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: Piano di Gestione del SIC ITB010002 "Stagni di Pilo e Casaraccio", approvato con Decreto Regionale n. 5 del 28/02/2008. Decreto pubblicato su BURAS n. 21 del 28/06/2008. Link: http://buras.regione.sardegna.it/custom/frontend/viewPart.xhtml?partId=4ee5f3e3-8c20-45e9-9c8e-19b6571c32d8
<input type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

6.3 Conservation measures (optional)


Piano di Gestione del SIC ITB010002 "Stagni di Pilo e Casaraccio", approvato con Decreto Regionale n. 5 del 28/02/2008. Decreto pubblicato su BURAS n. 21 del 28/06/2008.

7. MAP OF THE SITE

No information provided

[Back to top](#)

SITE DISPLAY





NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE **ITB013012**
SITENAME **Stagno di Pilo, Casaraccio e Saline di Stintino**

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

Print Standard Data Form

1. SITE IDENTIFICATION

1.1 Type

[Back to top](#)

A

1.2 Site code

ITB013012

1.3 Site name

Stagno di Pilo, Casaraccio e Saline di Stintino

1.4 First Compilation date

2007-03

1.5 Update date

2020-12

1.6 Respondent:

Name/Organisation:	Regione Autonoma della Sardegna Assessorato Difesa Ambiente Servizio Tutela della Natura e Politiche forestali
Address:	
Email:	difesa.ambiente@regione.sardegna.it

1.7 Site indication and designation / classification dates

Date site classified	2009-07
-----------------------------	---------

as SPA:	
National legal reference of SPA designation	Deliberazione della Giunta Regionale della Sardegna n. 9/17 del 07/03/2007; Determinazione del Direttore del Servizio Tutela della Natura della Regione Sardegna n. 1699 del 19/11/2007

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude:	8.248520
Latitude:	40.888772

2.2 Area [ha]

1287.0000

2.3 Marine area [%]

27.0000

2.4 Sitelength [km] (optional):

No information provided

2.5 Administrative region code and name

NUTS level 2 code	Region Name
ITG2	Sardegna

2.6 Biogeographical Region(s)

Mediterranean	(100.00 %)
---------------	------------

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
<u>1110</u> B			211.74	0.00	P	D			
<u>1120</u> B			128.7	0.00	M	D			
<u>1150</u> B			230.54	0.00	P	D			
<u>1210</u> B			5.19	0.00	P	B	C	B	B
<u>1310</u> B			1.29	0.00	P	B	C	A	B
<u>1410</u> B			2.5	0.00	P	D			

Annex I Habitat types						Site assessment				
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D		A B C		
						Representativity	Relative Surface	Conservation	Global	
<u>1420</u> B			5.96	0.00	P	D				
<u>1510</u> B			1.74	0.00	P	D				
<u>2110</u> B			7.79	0.00	P	D				
<u>2120</u> B			7.79	0.00	P	A	C	B	B	
<u>2210</u> B			0.92	0.00	P	D				
<u>2230</u> B			0.5	0.00	P	D				
<u>2250</u> B			0.0733	0.00	P	D				

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site								Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Glo.
B	<u>A229</u>	<u>Alcedo atthis</u>			c				P	DD	D			
B	<u>A229</u>	<u>Alcedo atthis</u>			w				P	DD	D			
B	<u>A229</u>	<u>Alcedo atthis</u>			r				P	DD	D			
B	<u>A111</u>	<u>Alectoris barbara</u>			p				P	DD	D			
B	<u>A255</u>	<u>Anthus campestris</u>			r				P	DD	D			
B	<u>A255</u>	<u>Anthus campestris</u>			c				P	DD	D			
B	<u>A029</u>	<u>Ardea purpurea</u>			r	2	6	i		M	C	C	B	C
B	<u>A029</u>	<u>Ardea purpurea</u>			c				P	DD	C	C	B	C
B	<u>A024</u>	<u>Ardeola ralloides</u>			c				P	DD	D			
B	<u>A060</u>	<u>Aythya nyroca</u>			c				P	DD	D			
B	<u>A060</u>	<u>Aythya nyroca</u>			w				P	DD	D			
B	<u>A021</u>	<u>Botaurus stellaris</u>			c				P	DD	D			
B	<u>A133</u>	<u>Burhinus oedicnemus</u>			w				P	DD	D			
B	<u>A133</u>	<u>Burhinus oedicnemus</u>			r				P	DD	D			
B	<u>A133</u>	<u>Burhinus oedicnemus</u>			c				P	DD	D			

Species			Population in the site							Site assessment						
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D			A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.		
B	A243	Calandrella brachydactyla			c				P	DD	D					
B	A243	Calandrella brachydactyla			r				P	DD	D					
B	A010	Calonectris diomedea			c				P	DD	D					
B	A224	Caprimulgus europaeus			r				P	DD	D					
B	A224	Caprimulgus europaeus			c				P	DD	D					
B	A138	Charadrius alexandrinus			c				P	DD	D					
B	A138	Charadrius alexandrinus			w	2	7	i		M	D					
B	A138	Charadrius alexandrinus			r				P	DD	D					
B	A081	Circus aeruginosus			w	1	8	i		M	D					
B	A081	Circus aeruginosus			c				P	DD	D					
B	A082	Circus cyaneus			w	1	2	i		M	D					
B	A082	Circus cyaneus			c				P	DD	D					
B	A084	Circus pygargus			w				P	DD	D					
B	A084	Circus pygargus			c				P	DD	D					
B	A027	Egretta alba			c				P	DD	D					
B	A027	Egretta alba			w	1	6	i		M	D					
B	A026	Egretta garzetta			c				P	DD	D					
B	A026	Egretta garzetta			w	6	14	i		M	D					
R	1220	Emys orbicularis			p				P	DD	D					
R	6137	Euleptes europaea			p				P	DD	C	C	B	C		
B	A103	Falco peregrinus			c				P	DD	D					
B	A103	Falco peregrinus			r				P	DD	D					
B	A131	Himantopus himantopus			r	10	20	i		M	D					
B	A131	Himantopus himantopus			w	1	2	i		DD	D					
B	A131	Himantopus himantopus			c				P	DD	D					
B	A022	Ixobrychus minutus			c				P	DD	D					
B	A022	Ixobrychus minutus			r				P	DD	D					
B	A338	Lanius collurio			c				P	DD	D					
B	A181	Larus audouinii			c				P	DD	D					
B	A180	Larus genei			w	1	13	i		DD	D					
B	A180	Larus genei			c				P	DD	D					
B	A246	Lullula arborea			p				P	DD	D					
B	A242	Melanocorypha calandra			c				P	DD	D					
B	A242	Melanocorypha calandra			r				P	DD	D					
B	A073	Milvus migrans			c				P	DD	D					

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D			
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A023	Nycticorax nycticorax			c				P	DD	D			
B	A094	Pandion haliaetus			c				P	DD	D			
B	A094	Pandion haliaetus			w				P	DD	D			
B	A072	Pernis apivorus			c				P	DD	D			
B	A392	Phalacrocorax aristotelis desmarestii			w	1	27	i		DD	D			
B	A392	Phalacrocorax aristotelis desmarestii			c				P	DD	D			
B	A151	Philomachus pugnax			c				P	DD	D			
B	A035	Phoenicopterus ruber			w	19	104	i		M	D			
B	A035	Phoenicopterus ruber			c				P	DD	D			
B	A034	Platalea leucorodia			c				P	DD	D			
B	A124	Porphyrio porphyrio			p	2	6	p		M	C	B	B	C
B	A464	Puffinus yelkouan			c				P	DD	D			
B	A132	Recurvirostra avosetta			w				P	DD	D			
B	A132	Recurvirostra avosetta			c				P	DD	D			
B	A195	Sterna albifrons			r				P	DD	D			
B	A195	Sterna albifrons			c				P	DD	D			
B	A193	Sterna hirundo			c				P	DD	D			
B	A191	Sterna sandvicensis			w	1	5	i		M	D			
B	A191	Sterna sandvicensis			c				P	DD	D			
B	A301	Sylvia sarda			w				P	DD	D			
B	A301	Sylvia sarda			r				P	DD	D			
B	A301	Sylvia sarda			c				P	DD	D			
B	A302	Sylvia undata			r				P	DD	D			
B	A302	Sylvia undata			w				P	DD	D			
B	A302	Sylvia undata			c				P	DD	D			
R	1219	Testudo graeca			p				P	DD	D			
R	1217	Testudo hermanni			p				P	DD	D			
B	A128	Tetrax tetrax			p				P	DD	D			
B	A166	Tringa glareola			c				P	DD	D			

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site			Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
B	<u>A168</u>	<u>Actitis hypoleucos</u>			1	5	i	P			X		X	
B	<u>A247</u>	<u>Alauda arvensis</u>						P			X		X	
B	<u>A054</u>	<u>Anas acuta</u>			1	2	i	P			X		X	
B	<u>A056</u>	<u>Anas clypeata</u>			41	194	i	P			X		X	
B	<u>A052</u>	<u>Anas crecca</u>			4	134	i	P			X		X	
B	<u>A050</u>	<u>Anas penelope</u>			169	415	i	P			X		X	
B	<u>A053</u>	<u>Anas platyrhynchos</u>			6	80	i	P			X		X	
B	<u>A055</u>	<u>Anas querquedula</u>						P			X		X	
B	<u>A051</u>	<u>Anas strepera</u>			23	36	i	P			X		X	
B	<u>A043</u>	<u>Anser anser</u>			1	1	i	P			X		X	
B	<u>A257</u>	<u>Anthus pratensis</u>						P			X		X	
B	<u>A259</u>	<u>Anthus spinoletta</u>						P			X		X	
B	<u>A256</u>	<u>Anthus trivialis</u>						P			X		X	
B	<u>A226</u>	<u>Apus apus</u>						P			X		X	
B	<u>A227</u>	<u>Apus pallidus</u>						P			X		X	
B	<u>A028</u>	<u>Ardea cinerea</u>			5	11	i	P			X		X	
P		<u>Armeria pungens</u>						P			X			
P		<u>Arum pictum</u>						P				X		
P		<u>Astragalus terraccianoii</u>						P				X		
B	<u>A218</u>	<u>Athene noctua</u>						P			X		X	
B	<u>A059</u>	<u>Aythya ferina</u>			12	431	i	P			X		X	
B	<u>A061</u>	<u>Aythya fuligula</u>						P			X		X	
B	<u>A025</u>	<u>Bubulcus ibis</u>			1	4	i	P			X		X	
A	<u>1201</u>	<u>Bufo viridis</u>						P	X				X	
B	<u>A087</u>	<u>Buteo buteo</u>						P			X		X	
B	<u>A149</u>	<u>Calidris alpina</u>			10	50	i	P					X	
B	<u>A145</u>	<u>Calidris minuta</u>			3	26	i	P					X	
B	<u>A366</u>	<u>Carduelis cannabina</u>						P			X		X	
B	<u>A364</u>	<u>Carduelis carduelis</u>						P			X		X	
B	<u>A288</u>	<u>Cettia cetti</u>						P			X		X	
B	<u>A136</u>	<u>Charadrius dubius</u>						P			X		X	
B	<u>A137</u>	<u>Charadrius hiaticula</u>			1	3	i	P			X		X	
B	<u>A363</u>	<u>Chloris chloris</u>						P			X		X	
B	<u>A289</u>	<u>Cisticola juncidis</u>						P			X		X	
B	<u>A206</u>	<u>Columba livia</u>						P			X		X	
B	<u>A350</u>	<u>Corvus corax</u>						P			X		X	

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max			C	R	V	P	IV	V	A
B	<u>A113</u>	<u>Coturnix coturnix</u>						P			X		X		
B	<u>A212</u>	<u>Cuculus canorus</u>						P			X		X		
B	<u>A253</u>	<u>Delichon urbica</u>						P			X		X		
B	<u>A383</u>	<u>Emberiza calandra</u>						P			X		X		
B	<u>A377</u>	<u>Emberiza cirius</u>						P			X		X		
B	<u>A381</u>	<u>Emberiza schoeniclus</u>						P			X		X		
P		<u>Ephedra distachya ssp. distachya</u>						P						X	
B	<u>A269</u>	<u>Erithacus rubecula</u>						P			X		X		
P		<u>Erodium corsicum</u>						P				X			
P		<u>Euphorbia pithyusa ssp. cupanii</u>						P				X			
B	<u>A096</u>	<u>Falco tinnunculus</u>						P			X		X		
B	<u>A322</u>	<u>Ficedula hypoleuca</u>						P					X		
B	<u>A359</u>	<u>Fringilla coelebs</u>						P			X		X		
B	<u>A125</u>	<u>Fulica atra</u>			524	5670	i	P			X		X		
B	<u>A153</u>	<u>Gallinago gallinago</u>						P			X		X		
B	<u>A123</u>	<u>Gallinula chloropus</u>			3	40	i	P			X		X		
P		<u>Genista corsica</u>						P				X			
P		<u>Helichrysum microphyllum ssp. tyrrhenicum</u>						P				X			
B	<u>A252</u>	<u>Hirundo daurica</u>						P			X		X		
B	<u>A251</u>	<u>Hirundo rustica</u>						P			X		X		
A	<u>1204</u>	<u>Hyla sarda</u>						P	X		X		X		
B	<u>A233</u>	<u>Jynx torquilla</u>						P			X		X		
B	<u>A341</u>	<u>Lanius senator</u>						P			X		X		
B	<u>A459</u>	<u>Larus cachinnans</u>			24	676	i	P					X		
B	<u>A179</u>	<u>Larus ridibundus</u>			37	501	i	P			X		X		
P		<u>Limonium acutifolium</u>						P				X			
B	<u>A156</u>	<u>Limosa limosa</u>						P			X		X		
B	<u>A271</u>	<u>Luscinia megarhynchos</u>						P			X		X		
B	<u>A069</u>	<u>Mergus serrator</u>			1	1	i	P					X		
B	<u>A230</u>	<u>Merops apiaster</u>						P			X		X		
B	<u>A281</u>	<u>Monticola solitarius</u>						P			X		X		
B	<u>A262</u>	<u>Motacilla alba</u>						P			X		X		
B	<u>A260</u>	<u>Motacilla flava</u>						P			X		X		

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max			C	R	V	P	IV	V
B	<u>A319</u>	<u>Muscicapa striata</u>						P			X		X	
B	<u>A160</u>	<u>Numenius arquata</u>			1	1	i	P			X		X	
B	<u>A277</u>	<u>Oenanthe oenanthe</u>						P			X		X	
B	<u>A337</u>	<u>Oriolus oriolus</u>						P			X		X	
B	<u>A214</u>	<u>Otus scops</u>						P			X		X	
B	<u>A329</u>	<u>Parus caeruleus</u>						P					X	
B	<u>A330</u>	<u>Parus major</u>						P			X		X	
B	<u>A355</u>	<u>Passer hispaniolensis</u>						P			X		X	
B	<u>A356</u>	<u>Passer montanus</u>						P			X		X	
B	<u>A391</u>	<u>Phalacrocorax carbo sinensis</u>			9	17	i	P			X		X	
B	<u>A273</u>	<u>Phoenicurus ochruros</u>						P			X		X	
B	<u>A274</u>	<u>Phoenicurus phoenicurus</u>						P			X		X	
B	<u>A315</u>	<u>Phylloscopus collybita</u>						P			X		X	
B	<u>A314</u>	<u>Phylloscopus sibilatrix</u>						P			X		X	
B	<u>A343</u>	<u>Pica pica</u>						P			X			
B	<u>A141</u>	<u>Pluvialis squatarola</u>						P					X	
B	<u>A005</u>	<u>Podiceps cristatus</u>			5	50	i	P			X		X	
B	<u>A008</u>	<u>Podiceps nigricollis</u>			5	47	i	P			X		X	
B	<u>A266</u>	<u>Prunella modularis</u>						P			X		X	
P		<u>Puccinellia distans</u>						P						X
B	<u>A118</u>	<u>Rallus aquaticus</u>						P			X		X	
B	<u>A249</u>	<u>Riparia riparia</u>						P			X		X	
B	<u>A275</u>	<u>Saxicola rubetra</u>						P			X		X	
B	<u>A276</u>	<u>Saxicola torquatus</u>						P			X		X	
P		<u>Scrophularia ramosissima</u>						P						X
B	<u>A361</u>	<u>Serinus serinus</u>						P			X		X	
B	<u>A209</u>	<u>Streptopelia decaocto</u>						P			X		X	
B	<u>A210</u>	<u>Streptopelia turtur</u>						P			X		X	
B	<u>A352</u>	<u>Sturnus unicolor</u>						P			X		X	
B	<u>A311</u>	<u>Sylvia atricapilla</u>						P			X		X	
B	<u>A310</u>	<u>Sylvia borin</u>						P			X		X	
B	<u>A304</u>	<u>Sylvia cantillans</u>						P			X		X	
B	<u>A309</u>	<u>Sylvia communis</u>						P			X		X	
B	<u>A305</u>	<u>Sylvia melanocephala</u>						P			X		X	

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max			C	R V P	IV	V	A	B	C
B	A004	<u>Tachybaptus ruficollis</u>			6	120	i	P			X		X		
B	A228	<u>Tachymarptis melba</u>						P			X		X		
B	A048	<u>Tadorna tadorna</u>			3	10	i	P			X		X		
B	A161	<u>Tringa erythropus</u>						P					X		
B	A164	<u>Tringa nebularia</u>			1	1	i	P					X		
B	A163	<u>Tringa stagnatilis</u>						P					X		
B	A162	<u>Tringa totanus</u>						P			X		X		
B	A265	<u>Troglodytes troglodytes</u>						P			X		X		
B	A286	<u>Turdus iliacus</u>						P			X		X		
B	A283	<u>Turdus merula</u>						P			X		X		
B	A285	<u>Turdus philomelos</u>						P			X		X		
B	A284	<u>Turdus pilaris</u>						P			X		X		
B	A213	<u>Tyto alba</u>						P			X		X		
B	A232	<u>Upupa epops</u>						P			X		X		
B	A142	<u>Vanellus vanellus</u>						P			X		X		

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N23	100.00
Total Habitat Cover	100

Other Site Characteristics

Trattasi di un'ampia area stagnale di retrospiaggia compresa tra il cordone di spiaggia attuale che si sviluppa con andamento rettilineo in direzione sud-est nord-ovest e le propaggini settentrionali dei rilievi miocenici del Turritano occidentale. La spiaggia è caratterizzata da un corpo sabbioso interno che si eleva per 3-4 m. s.l.m. e da una successione di due o talora tre cordoni di spiaggia paralleli tra i quali si formano ristagni d'acqua temporanei.

4.2 Quality and importance

Il sito è caratterizzato dalla presenza di aree umide importanti per l'avifauna: tali aree infatti ospitano diverse specie nidificanti, tra le quali l'Airone rosso ed il Tarabusino, inoltre risultano importanti per lo

svernamento del Fenicottero rosa e di diversi anatidi migratori. Le due aree stagnali sono raccordate dalla fascia litoranea della spiaggia delle antiche saline e delle basse dune che le caratterizzano con i diversi habitat della serie completa della vegetazione alofila e psamofila. Le acque salmastre accolgono significative estensioni della vegetazione vascolare delle acque salse (Ruppiaetea) che sfumano negli habitat delle alofite con dominanza di Chenopodiacee succulente e nella vegetazione di paludi sub-salse (Juncetalia maritimi). Le dune accolgono una facies di vegetazione ad Armeria pungens che rappresenta il limite occidentale della distribuzione nel Nord Sardegna. Fragmiteti, canneti, tamariceti e alimieti ad Atriplex halimus si sviluppano in modo frammentario sia nella fascia peristagnale, sia nelle retrodune. Per l'avifauna il Sito è tra le più importanti aree umide del Nord Sardegna.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
	A01		i
	A04		i
	C01.01		i
	D02.09		i
	E01.01		i
	F02.03		i
	J01		i
	K01.01		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
	B		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	27
	State/Province	0
	Local/Municipal	0
	Any Public	0
Joint or Co-Ownership	0	
Private	0	
Unknown	73	
sum	100	

4.5 Documentation (optional)

Bibliografia: Fozzi A. e Pisu D. (1997) Sternidae nidificanti nella penisola di Stintino (Sardegna Nord-Occidentale) 1994-95 Avocetta 21: 31 (1997); Censimento I.W.C., 2003-2007; BACCHETTA G., COPPI A., PONTECORVO C., SELVI F., 2008 - Systematics, phylogenetic relationships and conservation of the taxa of Anchusa (Boraginaceae) endemic to Sardinia (Italy). Systematics e Biodiversity 6(2): 161-174.; Maltagliati F. 2002. Genetic monitoring of brackish-water populations: the Mediterranean toothcarp Aphanius fasciatus (Cyprinodontidae) as a model. Marine ecology Progress Series 235: 257-262; Maltagliati F., Domenici P., Fosch C. F., Cossu P., Casu M., Castelli A. 2003. Small-scale morphological and genetic differentiation in the Mediterranean killifish Aphanius fasciatus (Cyprinodontidae) from a coastal brackish-water pond and adjacent pool in northern Sardinia. Oceanologica Acta, 26: 111-119; R.A.S. - Assessorato Difesa Ambiente - S.A.V.I., 2008-2009. Realizzazione del sistema di monitoraggio dello stato di conservazione degli habitat e delle specie di interesse comunitario della Regione Autonoma della Sardegna; D. Pisu, dati inediti (progetto R.A.S. - Assessorato Difesa Ambiente - S.A.V.I., 2008-2009.

Realizzazione del sistema di monitoraggio dello stato di conservazione degli habitat e delle specie di interesse comunitario della Regione Autonoma della Sardegna); Sabatini A., Sotgiu G., dati inediti (progetto R.A.S. - Assessorato Difesa Ambiente - Servizio Tutela Natura, 2012. Monitoraggio dello stato di conservazione degli habitat e delle specie di importanza comunitaria presenti nei siti della rete Natura 2000 in Sardegna); censimenti IWC dell'avifauna nelle zone umide realizzati negli anni dal 2010 al 2013

5. SITE PROTECTION STATUS

[Back to top](#)

5.1 Designation types at national and regional level (optional):

Code	Cover [%]
IT07	18.00
IT11	73.00
IT37	27.00
IT41	100.00

5.2 Relation of the described site with other sites (optional):

Designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT41	Stagno di Pilo e di Casaraccio	-	100.00

5.3 Site designation (optional)

No information provided

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regione Autonoma della Sardegna
Address:	
Email:	difesa.ambiente@regione.sardegna.it

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input checked="" type="checkbox"/>	No

6.3 Conservation measures (optional)

No information provided

7. MAP OF THE SITE

No information provided

[Back to top](#)

SITE DISPLAY

