


MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

*** PROJECT INFORMATION

Project Name :
Date : 2013/3/28

*** CONTROL DATA

Panel Zone Effect : Do not Calculate
Unit System : KN, M
Definition of Frame
- X Direction of Frame : Unbraced I Sway
- Y Direction of Frame : Unbraced I Sway
- Design Type : 3-D
Design Code
- Steel : Eurocode3:05
- Concrete : Eurocode2:04
- SRC : SSRC79

*** LOAD CASE DATA

NO	NAME	TYPE	SELF WEIGHT FACTOR			DESCRIPTION
			X	Y	Z	


2	G1	USER	0.000	0.000	-1.000	
3	G2	USER	0.000	0.000	0.000	
4	pp imp adiac	USER	0.000	0.000	0.000	
5	perm imp adiac	USER	0.000	0.000	0.000	
6	pp2	USER	0.000	0.000	0.000	
9	perm2	USER	0.000	0.000	0.000	
7	q3	USER	0.000	0.000	0.000	frenamento
8	q4-1	USER	0.000	0.000	0.000	azione centrifuga
11	q4-2	USER	0.000	0.000	0.000	azione centrifuga
12	q4-3	USER	0.000	0.000	0.000	azione centrifuga
13	q4-4	USER	0.000	0.000	0.000	azione centrifuga
1	q5x pc	USER	0.000	0.000	0.000	vento x
10	q5y pc	USER	0.000	0.000	0.000	vento y
20	q5x_ps	W	0.000	0.000	0.000	vento ponte scarico
x						
19	q5y_ps	W	0.000	0.000	0.000	vento ponte scarico
y						
16	q7	USER	0.000	0.000	0.000	resistenze passive de
i vincoli						
14	T	USER	0.000	0.000	0.000	variazione termica u
niforme						
15	R	USER	0.000	0.000	0.000	ritiro
17	SLVx-Ecc.	USER	0.000	0.000	0.000	eccentricità acciden
tale 3% sisma ~						
18	SLVy-Ecc.	USER	0.000	0.000	0.000	eccentricità acciden
tale 3% sisma ~						

*** MATERIAL PROPERTY DATA

NO	NAME	TYPE	MODULUS OF		SHEAR	THERMAL	PO
			ELASTICITY	MODULUS			
ISSON	WEIGHT				MODULUS	COEFF.	
RATIO	DENSITY						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT


0.3	1	0	S355	USER	2.1e+008	8.077e+007	1.2e-005
0.3	3	0	rigid	USER	2.1e+010	8.077e+009	6.667e-006
0.2	4	25	C32/40 E/3	CONC	1.13e+007	4.708e+006	5.556e-006
0.2	7	25	C32/40	CONC	3.364e+007	1.402e+007	5.556e-006

NO	NAME	TYPE	STRENGTH OF DESIGN MATERIAL			
			STEEL	CONCRETE	MAIN REBAR	SU
B REBAR						
4e+005	4	C32/40 E/3	CONC	-	0	4e+005
4e+005	7	C32/40	CONC	-	0	4e+005

*** NODE DATA


NO	X	Y	Z	TEMPERATURE
134	51.78	9.857e-009	-3.291	0
137	52.78	0	-3.291	0
290	52.78	0	-41.29	0
294	52.78	0	-42.29	0
375	52.78	0	-4.291	0
376	52.78	0	-5.291	0
377	52.78	0	-6.291	0
378	52.78	0	-7.291	0
379	52.78	0	-8.291	0
380	52.78	0	-9.291	0
381	52.78	0	-10.29	0
382	52.78	0	-11.29	0
383	52.78	0	-12.29	0
384	52.78	0	-13.29	0
385	52.78	0	-14.29	0
386	52.78	0	-15.29	0
387	52.78	0	-16.29	0
388	52.78	0	-17.29	0
389	52.78	0	-18.29	0
390	52.78	0	-19.29	0
391	52.78	0	-20.29	0
392	52.78	0	-21.29	0
393	52.78	0	-22.29	0
394	52.78	0	-23.29	0
395	52.78	0	-24.29	0
396	52.78	0	-25.29	0
397	52.78	0	-26.29	0
398	52.78	0	-27.29	0
399	52.78	0	-28.29	0
400	52.78	0	-29.29	0
401	52.78	0	-30.29	0
402	52.78	0	-31.29	0
403	52.78	0	-32.29	0
404	52.78	0	-33.29	0
405	52.78	0	-34.29	0
406	52.78	0	-35.29	0
407	52.78	0	-36.29	0
408	52.78	0	-37.29	0
409	52.78	0	-38.29	0
410	52.78	0	-39.29	0

PROJECT TITLE :

	Company			Client	
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT


411	52.78	0	-40.29	0
488	94.64	7.59	-4.048	0
491	94.64	7.59	-5.048	0
492	94.64	7.59	-6.048	0
493	94.64	7.59	-7.048	0
494	94.64	7.59	-8.048	0
495	94.64	7.59	-9.048	0
496	94.64	7.59	-10.05	0
497	94.64	7.59	-11.05	0
498	94.64	7.59	-12.05	0
499	94.64	7.59	-13.05	0
500	94.64	7.59	-14.05	0
501	94.64	7.59	-15.05	0
502	94.64	7.59	-16.05	0
503	94.64	7.59	-17.05	0
504	94.64	7.59	-18.05	0
505	94.64	7.59	-19.05	0
506	94.64	7.59	-20.05	0
507	94.64	7.59	-21.05	0
508	94.64	7.59	-22.05	0
509	94.64	7.59	-23.05	0
510	94.64	7.59	-24.05	0
511	94.64	7.59	-25.05	0
512	94.64	7.59	-26.05	0
513	94.64	7.59	-27.05	0
514	94.64	7.59	-28.05	0
515	94.64	7.59	-29.05	0
516	94.64	7.59	-30.05	0
517	94.64	7.59	-31.05	0
518	94.64	7.59	-32.05	0
519	94.64	7.59	-34.75	0
533	115.5	50.56	-4.916	0
536	115.5	50.56	-5.916	0
537	115.5	50.56	-6.916	0
538	115.5	50.56	-7.916	0
539	115.5	50.56	-8.916	0
540	115.5	50.56	-9.916	0
541	115.5	50.56	-10.92	0
542	115.5	50.56	-11.92	0
543	115.5	50.56	-12.92	0
544	115.5	50.56	-13.92	0
545	115.5	50.56	-14.92	0
546	115.5	50.56	-15.92	0
547	115.5	50.56	-16.92	0
548	115.5	50.56	-17.92	0
549	115.5	50.56	-18.92	0
550	115.5	50.56	-19.92	0
551	115.5	50.56	-20.92	0
552	115.5	50.56	-21.92	0
553	115.5	50.56	-22.92	0
554	115.5	50.56	-23.92	0
555	115.5	50.56	-24.92	0
556	115.5	50.56	-25.92	0
557	115.5	50.56	-26.92	0
558	115.5	50.56	-27.92	0
559	115.5	50.56	-28.92	0
560	115.5	50.56	-29.92	0
561	115.5	50.56	-30.92	0
562	115.5	50.56	-31.92	0
578	97.23	91.51	-5.433	0
581	97.23	91.51	-6.433	0
582	97.23	91.51	-7.433	0
583	97.23	91.51	-8.433	0
584	97.23	91.51	-9.433	0
585	97.23	91.51	-10.43	0
586	97.23	91.51	-11.43	0

PROJECT TITLE :

	Company			Client	
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT


587	97.23	91.51	-12.43	0
588	97.23	91.51	-13.43	0
589	97.23	91.51	-14.43	0
590	97.23	91.51	-15.43	0
591	97.23	91.51	-16.43	0
592	97.23	91.51	-17.43	0
593	97.23	91.51	-18.43	0
594	97.23	91.51	-19.43	0
595	97.23	91.51	-20.43	0
596	97.23	91.51	-21.43	0
618	53.57	0.104	-3.291	0
619	93.82	85.16	-5.433	0
621	53.57	0.104	-2.741	0
622	95.3	87.05	-4.883	0
624	53.57	0.104	-0.6928	0
625	95.3	87.05	-2.827	0
627	101.1	97.62	-5.433	0
628	94.64	7.59	-3.498	0
629	115.5	50.56	-4.366	0
630	101.1	97.62	-2.833	0
631	94.64	7.59	-1.448	0
632	115.5	50.56	-2.316	0
636	54.42	-0.07761	-0.7082	0
637	55.37	-0.2631	-0.7244	0
638	56.32	-0.4315	-0.7408	0
639	57.28	-0.5828	-0.7573	0
640	58.24	-0.7169	-0.7739	0
641	59.2	-0.8337	-0.7906	0
642	60.17	-0.9333	-0.8073	0
643	61.13	-1.016	-0.8242	0
644	62.1	-1.081	-0.8411	0
645	63.06	-1.128	-0.8582	0
646	64.03	-1.159	-0.8753	0
647	65	-1.172	-0.8924	0
648	65.97	-1.167	-0.9096	0
649	66.94	-1.145	-0.9269	0
650	67.91	-1.106	-0.9442	0
651	68.87	-1.05	-0.9616	0
652	69.84	-0.976	-0.979	0
653	70.8	-0.8849	-0.9964	0
654	71.77	-0.7765	-1.014	0
655	72.73	-0.6509	-1.031	0
656	73.68	-0.5081	-1.049	0
657	74.64	-0.3481	-1.066	0
658	75.59	-0.171	-1.084	0
659	76.54	0.02313	-1.101	0
660	77.49	0.2342	-1.119	0
661	78.43	0.4623	-1.136	0
662	79.37	0.7071	-1.154	0
663	80.3	0.9688	-1.171	0
664	81.23	1.247	-1.189	0
665	82.15	1.542	-1.206	0
666	83.07	1.853	-1.223	0
667	83.98	2.181	-1.241	0
668	84.88	2.525	-1.258	0
669	85.78	2.885	-1.275	0
670	86.67	3.262	-1.292	0
671	87.56	3.654	-1.309	0
672	88.44	4.062	-1.326	0
673	89.31	4.486	-1.343	0
674	90.17	4.925	-1.36	0
675	91.03	5.38	-1.376	0
676	91.88	5.85	-1.393	0
677	92.71	6.335	-1.41	0
678	93.54	6.835	-1.426	0
682	95.47	8.16	-1.464	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

683	96.28	8.747	-1.48	0
684	97.07	9.35	-1.496	0
685	97.86	9.971	-1.512	0
686	98.63	10.61	-1.529	0
687	99.39	11.26	-1.546	0
688	100.1	11.93	-1.562	0
689	100.9	12.61	-1.579	0
690	101.6	13.31	-1.597	0
691	102.3	14.02	-1.614	0
692	103	14.75	-1.631	0
693	103.6	15.5	-1.649	0
694	104.3	16.25	-1.666	0
695	104.9	17.02	-1.684	0
696	105.5	17.8	-1.702	0
697	106.1	18.6	-1.719	0
698	106.7	19.41	-1.737	0
699	107.3	20.23	-1.755	0
700	107.9	21.06	-1.773	0
701	108.4	21.91	-1.791	0
702	108.9	22.76	-1.809	0
703	109.4	23.63	-1.827	0
704	109.9	24.5	-1.846	0
705	110.4	25.39	-1.864	0
706	110.8	26.28	-1.882	0
707	111.2	27.19	-1.9	0
708	111.6	28.1	-1.918	0
709	112	29.02	-1.936	0
710	112.4	29.95	-1.955	0
711	112.8	30.89	-1.973	0
712	113.1	31.83	-1.991	0
713	113.4	32.78	-2.009	0
714	113.7	33.74	-2.027	0
715	114	34.7	-2.045	0
716	114.2	35.67	-2.062	0
717	114.4	36.64	-2.08	0
718	114.6	37.62	-2.098	0
719	114.8	38.6	-2.115	0
720	115	39.59	-2.133	0
721	115.1	40.58	-2.15	0
722	115.3	41.57	-2.167	0
723	115.4	42.56	-2.185	0
724	115.5	43.56	-2.201	0
725	115.5	44.56	-2.218	0
726	115.6	45.56	-2.235	0
727	115.6	46.56	-2.252	0
728	115.6	47.56	-2.268	0
729	115.6	48.56	-2.284	0
730	115.5	49.56	-2.3	0
733	115.4	51.55	-2.329	0
734	115.3	52.53	-2.343	0
735	115.1	53.51	-2.356	0
736	115	54.49	-2.369	0
737	114.8	55.46	-2.382	0
738	114.6	56.44	-2.396	0
739	114.4	57.4	-2.409	0
740	114.2	58.37	-2.422	0
741	113.9	59.33	-2.435	0
742	113.7	60.28	-2.448	0
743	113.4	61.23	-2.461	0
744	113.1	62.17	-2.474	0
745	112.7	63.11	-2.487	0
746	112.4	64.04	-2.5	0
747	112.1	64.97	-2.512	0
748	111.7	65.89	-2.525	0
749	111.3	66.8	-2.538	0
750	110.9	67.7	-2.55	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

751	110.5	68.59	-2.563	0
752	110	69.48	-2.575	0
753	109.6	70.36	-2.587	0
754	109.1	71.22	-2.6	0
755	108.6	72.08	-2.612	0
756	108.1	72.93	-2.624	0
757	107.6	73.77	-2.635	0
758	107	74.6	-2.647	0
759	106.5	75.42	-2.659	0
760	105.9	76.23	-2.67	0
761	105.3	77.02	-2.681	0
762	104.7	77.81	-2.693	0
763	104.1	78.58	-2.704	0
764	103.4	79.35	-2.715	0
765	102.8	80.09	-2.725	0
766	102.1	80.83	-2.736	0
767	101.4	81.55	-2.746	0
768	100.8	82.26	-2.757	0
769	100.1	82.96	-2.767	0
770	99.34	83.65	-2.777	0
771	98.61	84.31	-2.787	0
772	97.87	84.97	-2.796	0
773	97.11	85.61	-2.806	0
774	96.34	86.24	-2.815	0
775	95.56	86.85	-2.824	0
777	93.82	85.16	-4.883	0
779	113.1	50.42	-4.366	0
780	117.9	50.7	-4.366	0
781	117.9	50.7	-4.916	0
782	113.1	50.42	-4.916	0
783	93.31	9.584	-3.498	0
784	95.98	5.596	-3.498	0
785	95.98	5.596	-4.048	0
786	93.31	9.584	-4.048	0
787	53.83	2.49	-3.291	0
788	53.83	2.49	-2.741	0
789	53.17	-3.574	-3.291	0
790	53.17	-3.574	-2.741	0
791	97.82	90.28	-4.883	0
792	97.82	90.28	-5.433	0
796	99.37	93.16	-5.433	0
797	99.37	93.16	-2.833	0
798	97.23	91.51	-22.03	0
799	115.5	50.56	-32.47	0
800	94.64	7.59	-33.05	0
801	94.64	7.59	-34.05	0
802	96.2	92.12	-5.433	0
804	52.84	0.2607	-0.6795	0
805	94.7	87.5	-2.834	0
806	94.42	89.1	-5.433	0
807	94.42	89.1	-2.833	0
808	97.97	95.13	-5.433	0
809	97.97	95.13	-2.833	0
810	51.98	9.857e-009	-2.741	0
811	101.1	97.62	-4.133	0
812	99.37	93.16	-4.133	0
813	94.42	89.1	-4.133	0
814	97.97	95.13	-4.133	0
815	51.98	9.857e-009	-3.016	0


*** SUPPORT / SPECIFIED DISPLACEMENT / POINT SPRING SUPPORT

** SUPPORT / SPECIFIED DISPLACEMENT

NODE SUPPORT

SPECIFIED DISPLACEMENT

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

	DDRRR	Dx	Dy	Dz	Rx	Ry	Rz
294	111111	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
519	111111	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
630	100000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
798	111111	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
799	111111	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
807	010000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

** POINT SPRING SUPPORT


NODE	TRANSLATIONAL DIRECTION			ROTATIONAL DIRECTION		
	SDx	SDy	SDz	SRx	SRy	SRz
630	0.0000	20800.0000	0.0000	0.0000	0.0000	0.0000
807	40600.0000	0.0000	0.0000	0.0000	0.0000	0.0000
810	0.0000	3048.0000	0.0000	0.0000	0.0000	0.0000

*** SECTION PROPERTY DATA

NO	NAME	SHAPE	H	B	tw	tf1	r1
4	el rigido	SR	3	0	0	0	0
37	pila 540a	B	2.7	5.4	0.9	0.4	0
38	pila 540b	B	2.7	5.4	0.7	0.4	0
39	pila 620	B	3.5	6.2	0.56	0.4	0
41	pila 560	B	2.9	5.6	0.66	0.4	0
42	pila 580	B	3.1	5.8	0.62	0.4	0
43	pila 600	B	3.3	6	0.58	0.4	0
44	pila 640	B	3.7	6.4	0.55	0.4	0
49	pila 590x~	B	2.7	5.9	1.15	0.4	0
53	pulvino 6~	SB	2.7	6.4	0	0	0
55	pulvino 7~	SB	3.5	7.6	0	0	0
56	pulvino 6~	B	3.1	6.55	1.48	0.6	0
59	BP3-pulvi~	SB	4.1	15.9	0	0	0
60	BP3-pila ~	GEN	0	0	0	0	0
61	BP3-pulvi~	GEN	0	0	0	0	0
64	Impalcato~	GEN	0	0	0	0	0

NO	NAME	STIFFNESS SCALE FACTOR							Boundary Group
		A	Asy	Asz	Ix	Iy	Iz	W	
4	el rigido								
37	pila 540a	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I ridotto
38	pila 540b	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I ridotto
39	pila 620	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I ridotto
41	pila 560	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I ridotto
42	pila 580	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I ridotto
43	pila 600	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I ridotto
44	pila 640	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I ridotto
49	pila 590x~	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I ridotto
53	pulvino 6~	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I ridotto
55	pulvino 7~	1.00	1.00	1.00	1.00	0.33	0.33	1.00	I ridotto

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

```


56 pulvino 6~ 1.00 1.00 1.00 1.00 0.33 0.33 1.00 I_ridotto
59 BP3-pulvi~
60 BP3-pila ~
61 BP3-pulvi~
64 Impalcato~
    
```

CTOR	NO	NAME	AREA [SRC:EQIV.]	MOMENT OF INERTIA			SHAPE FA k-Y
				Ix	Iy	Iz	
	4	el rigido	7.069	7.952	3.976	3.976	0.9
	37	pila 540a	7.74	15.52	2.244	9.254	0.5581
	38	pila 540b	6.98	15.54	2.168	8.348	0.6189
	39	pila 620	7.984	31.14	4.56	13.21	0.6212
	41	pila 560	7.252	18.9	2.666	9.478	0.6178
	42	pila 580	7.492	22.61	3.226	10.64	0.6193
	43	pila 600	7.7	26.64	3.85	11.81	0.6234
	44	pila 640	8.31	36.14	5.36	14.8	0.6161
	49	pila 590x~	9.09	17.2	2.515	12.81	0.5193
	53	pulvino 6~	17.28	30.86	3.464	19.46	0.8333
	55	pulvino 7~	26.6	77.22	8.961	42.25	0.8333
	56	pulvino 6~	13.47	31.71	4.687	21.52	0.5837
	59	BP3-pulvi~	65.19	306	91.32	1373	0.8333
	60	BP3-pila ~	10.91	33.19	194.9	11.59	0.2831
	61	BP3-pulvi~	24.54	112.9	524	37.47	0.2726
	64	Impalcato~	0.5078	0.644	0.4918	3.14	0.5582

NO	NAME	SECTION MODULUS Sy		SECTION MODULUS Sz	
		I or CONC.	J or STEEL	I or CONC.	J or STEEL
4	el rigido	2.651	2.651	2.651	2.651
37	pila 540a	5.037	5.037	10.39	10.39
38	pila 540b	4.867	4.867	9.369	9.369
39	pila 620	7.897	7.897	12.91	12.91
41	pila 560	5.571	5.571	10.26	10.26
42	pila 580	6.307	6.307	11.11	11.11
43	pila 600	7.071	7.071	11.93	11.93
44	pila 640	8.78	8.78	14.02	14.02
49	pila 590x~	5.644	5.644	13.16	13.16
53	pulvino 6~	7.776	7.776	18.43	18.43
55	pulvino 7~	15.52	15.52	33.69	33.69
56	pulvino 6~	9.163	9.163	19.91	19.91
59	BP3-pulvi~	44.55	44.55	172.8	172.8


*** BEAM MEMBER DATA

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

ENGLTH	NO NODAL CONNECTIVITY		BEAM END RELEASE		MATERIAL	SECTION	L	
	I	J	I	J				
.8004	136	134	137	-	-	rigid	el rigido	0
1	293	290	294	-	-	C32/40	pila 640	
1	375	137	375	-	-	C32/40	pulvino 760x350	
1	376	375	376	-	-	C32/40	pulvino 655x310	
1	377	376	377	-	-	C32/40	pila 540a	
1	378	377	378	-	-	C32/40	pila 540a	
1	379	378	379	-	-	C32/40	pila 540a	
1	380	379	380	-	-	C32/40	pila 540a	
1	381	380	381	-	-	C32/40	pila 540a	
1	382	381	382	-	-	C32/40	pila 540b	
1	383	382	383	-	-	C32/40	pila 540b	
1	384	383	384	-	-	C32/40	pila 540b	
1	385	384	385	-	-	C32/40	pila 540b	
1	386	385	386	-	-	C32/40	pila 540b	
1	387	386	387	-	-	C32/40	pila 540b	
1	388	387	388	-	-	C32/40	pila 540b	
1	389	388	389	-	-	C32/40	pila 540b	
1	390	389	390	-	-	C32/40	pila 540b	
1	391	390	391	-	-	C32/40	pila 540b	
1	392	391	392	-	-	C32/40	pila 560	
1	393	392	393	-	-	C32/40	pila 560	
1	394	393	394	-	-	C32/40	pila 560	
1	395	394	395	-	-	C32/40	pila 560	
1	396	395	396	-	-	C32/40	pila 560	
1	397	396	397	-	-	C32/40	pila 560	
1	398	397	398	-	-	C32/40	pila 560	
1	399	398	399	-	-	C32/40	pila 580	
1	400	399	400	-	-	C32/40	pila 580	
1	401	400	401	-	-	C32/40	pila 580	

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT
1	402	401	402	-	-	C32/40	pila 580
1	403	402	403	-	-	C32/40	pila 600
1	404	403	404	-	-	C32/40	pila 600
1	405	404	405	-	-	C32/40	pila 600
1	406	405	406	-	-	C32/40	pila 600
1	407	406	407	-	-	C32/40	pila 620
1	408	407	408	-	-	C32/40	pila 620
1	409	408	409	-	-	C32/40	pila 620
1	410	409	410	-	-	C32/40	pila 620
1	411	410	411	-	-	C32/40	pila 640
1	412	411	290	-	-	C32/40	pila 640
1	504	488	491	-	-	C32/40	pulvino 640x270
1	505	491	492	-	-	C32/40	pila 590x270
1	506	492	493	-	-	C32/40	pila 540a
1	507	493	494	-	-	C32/40	pila 540a
1	508	494	495	-	-	C32/40	pila 540a
1	509	495	496	-	-	C32/40	pila 540a
1	510	496	497	-	-	C32/40	pila 540a
1	511	497	498	-	-	C32/40	pila 540b
1	512	498	499	-	-	C32/40	pila 540b
1	513	499	500	-	-	C32/40	pila 540b
1	514	500	501	-	-	C32/40	pila 540b
1	515	501	502	-	-	C32/40	pila 540b
1	516	502	503	-	-	C32/40	pila 540b
1	517	503	504	-	-	C32/40	pila 540b
1	518	504	505	-	-	C32/40	pila 540b
1	519	505	506	-	-	C32/40	pila 540b
1	520	506	507	-	-	C32/40	pila 540b
1	521	507	508	-	-	C32/40	pila 560
1	522	508	509	-	-	C32/40	pila 560
1	523	509	510	-	-	C32/40	pila 560
1	524	510	511	-	-	C32/40	pila 560
1	525	511	512	-	-	C32/40	pila 560

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT
1	526	512	513	-	-	C32/40	pila 560
1	527	513	514	-	-	C32/40	pila 560
1	528	514	515	-	-	C32/40	pila 580
1	529	515	516	-	-	C32/40	pila 580
1	530	516	517	-	-	C32/40	pila 580
1	531	517	518	-	-	C32/40	pila 580
1	532	518	800	-	-	C32/40	pila 600
1	548	533	536	-	-	C32/40	pulvino 640x270
1	549	536	537	-	-	C32/40	pila 590x270
1	550	537	538	-	-	C32/40	pila 540a
1	551	538	539	-	-	C32/40	pila 540a
1	552	539	540	-	-	C32/40	pila 540a
1	553	540	541	-	-	C32/40	pila 540a
1	554	541	542	-	-	C32/40	pila 540a
1	555	542	543	-	-	C32/40	pila 540b
1	556	543	544	-	-	C32/40	pila 540b
1	557	544	545	-	-	C32/40	pila 540b
1	558	545	546	-	-	C32/40	pila 540b
1	559	546	547	-	-	C32/40	pila 540b
1	560	547	548	-	-	C32/40	pila 540b
1	561	548	549	-	-	C32/40	pila 540b
1	562	549	550	-	-	C32/40	pila 540b
1	563	550	551	-	-	C32/40	pila 540b
1	564	551	552	-	-	C32/40	pila 540b
1	565	552	553	-	-	C32/40	pila 560
1	566	553	554	-	-	C32/40	pila 560
1	567	554	555	-	-	C32/40	pila 560
1	568	555	556	-	-	C32/40	pila 560
1	569	556	557	-	-	C32/40	pila 560
1	570	557	558	-	-	C32/40	pila 560
1	571	558	559	-	-	C32/40	pila 560
1	572	559	560	-	-	C32/40	pila 580
1	573	560	561	-	-	C32/40	pila 580

PROJECT TITLE :


MIDAS	Company					Client			
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
1	574	561	562	-	-	C32/40	pila	580	
0.55	575	562	799	-	-	C32/40	pila	580	
1	592	578	581	-	-	C32/40	BP3-pulvino	35~	
1	593	581	582	-	-	C32/40	BP3-pulvino	34~	
1	594	582	583	-	-	C32/40	BP3-pulvino	34~	
1	595	583	584	-	-	C32/40	BP3-pila	270x1~	
1	596	584	585	-	-	C32/40	BP3-pila	270x1~	
1	597	585	586	-	-	C32/40	BP3-pila	270x1~	
1	598	586	587	-	-	C32/40	BP3-pila	270x1~	
1	599	587	588	-	-	C32/40	BP3-pila	270x1~	
1	600	588	589	-	-	C32/40	BP3-pila	270x1~	
1	601	589	590	-	-	C32/40	BP3-pila	270x1~	
1	602	590	591	-	-	C32/40	BP3-pila	270x1~	
1	603	591	592	-	-	C32/40	BP3-pila	270x1~	
1	604	592	593	-	-	C32/40	BP3-pila	270x1~	
1	605	593	594	-	-	C32/40	BP3-pila	270x1~	
1	606	594	595	-	-	C32/40	BP3-pila	270x1~	
1	607	595	596	-	-	C32/40	BP3-pila	270x1~	
0.6	608	596	798	-	-	C32/40	BP3-pila	270x1~	
.7934	630	137	618	-	-	rigid	el rigido		0
1.3	646	627	811	000000	001000	rigid	el rigido		
.8688	648	624	636	-	-	S355	Impalcato_A		0
.9688	649	636	637	-	-	S355	Impalcato_A		0
.9688	650	637	638	-	-	S355	Impalcato_A		0
.9688	651	638	639	-	-	S355	Impalcato_A		0
.9688	652	639	640	-	-	S355	Impalcato_A		0
.9688	653	640	641	-	-	S355	Impalcato_A		0
.9688	654	641	642	-	-	S355	Impalcato_A		0
.9688	655	642	643	-	-	S355	Impalcato_A		0
.9688	656	643	644	-	-	S355	Impalcato_A		0
.9688	657	644	645	-	-	S355	Impalcato_A		0
.9688	658	645	646	-	-	S355	Impalcato_A		0
.9688	659	646	647	-	-	S355	Impalcato_A		0

MIDAS

PROJECT TITLE :


	Company					Client		
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT	
.9688	660	647	648	-	-	S355	Impalcato_A	0
.9688	661	648	649	-	-	S355	Impalcato_A	0
.9688	662	649	650	-	-	S355	Impalcato_A	0
.9688	663	650	651	-	-	S355	Impalcato_A	0
.9688	664	651	652	-	-	S355	Impalcato_A	0
.9688	665	652	653	-	-	S355	Impalcato_A	0
.9688	666	653	654	-	-	S355	Impalcato_A	0
.9688	667	654	655	-	-	S355	Impalcato_A	0
.9688	668	655	656	-	-	S355	Impalcato_A	0
.9688	669	656	657	-	-	S355	Impalcato_A	0
.9688	670	657	658	-	-	S355	Impalcato_A	0
.9688	671	658	659	-	-	S355	Impalcato_A	0
.9688	672	659	660	-	-	S355	Impalcato_A	0
.9688	673	660	661	-	-	S355	Impalcato_A	0
.9688	674	661	662	-	-	S355	Impalcato_A	0
.9688	675	662	663	-	-	S355	Impalcato_A	0
.9688	676	663	664	-	-	S355	Impalcato_A	0
.9688	677	664	665	-	-	S355	Impalcato_A	0
.9688	678	665	666	-	-	S355	Impalcato_A	0
.9688	679	666	667	-	-	S355	Impalcato_A	0
.9688	680	667	668	-	-	S355	Impalcato_A	0
.9688	681	668	669	-	-	S355	Impalcato_A	0
.9688	682	669	670	-	-	S355	Impalcato_A	0
.9688	683	670	671	-	-	S355	Impalcato_A	0
.9688	684	671	672	-	-	S355	Impalcato_A	0
.9688	685	672	673	-	-	S355	Impalcato_A	0
.9688	686	673	674	-	-	S355	Impalcato_A	0
.9688	687	674	675	-	-	S355	Impalcato_A	0
.9688	688	675	676	-	-	S355	Impalcato_A	0
.9688	689	676	677	-	-	S355	Impalcato_A	0
.9688	690	677	678	-	-	S355	Impalcato_A	0
1.335	691	678	631	-	-	S355	Impalcato_A	
1	694	631	682	-	-	S355	Impalcato_A	

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT
1	695	682	683	-	-	S355	Impalcato_A
1	696	683	684	-	-	S355	Impalcato_A
1	697	684	685	-	-	S355	Impalcato_A
1	698	685	686	-	-	S355	Impalcato_A
1	699	686	687	-	-	S355	Impalcato_A
1	700	687	688	-	-	S355	Impalcato_A
1	701	688	689	-	-	S355	Impalcato_A
1	702	689	690	-	-	S355	Impalcato_A
1	703	690	691	-	-	S355	Impalcato_A
1	704	691	692	-	-	S355	Impalcato_A
1	705	692	693	-	-	S355	Impalcato_A
1	706	693	694	-	-	S355	Impalcato_A
1	707	694	695	-	-	S355	Impalcato_A
1	708	695	696	-	-	S355	Impalcato_A
1	709	696	697	-	-	S355	Impalcato_A
1	710	697	698	-	-	S355	Impalcato_A
1	711	698	699	-	-	S355	Impalcato_A
1	712	699	700	-	-	S355	Impalcato_A
1	713	700	701	-	-	S355	Impalcato_A
1	714	701	702	-	-	S355	Impalcato_A
1	715	702	703	-	-	S355	Impalcato_A
1	716	703	704	-	-	S355	Impalcato_A
1	717	704	705	-	-	S355	Impalcato_A
1	718	705	706	-	-	S355	Impalcato_A
1	719	706	707	-	-	S355	Impalcato_A
1	720	707	708	-	-	S355	Impalcato_A
1	721	708	709	-	-	S355	Impalcato_A
1	722	709	710	-	-	S355	Impalcato_A
1	723	710	711	-	-	S355	Impalcato_A
1	724	711	712	-	-	S355	Impalcato_A
1	725	712	713	-	-	S355	Impalcato_A
1	726	713	714	-	-	S355	Impalcato_A
1	727	714	715	-	-	S355	Impalcato_A


MIDAS

PROJECT TITLE :


	Company					Client		
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT	
1	728	715	716	-	-	S355	Impalcato_A	
1	729	716	717	-	-	S355	Impalcato_A	
1	730	717	718	-	-	S355	Impalcato_A	
1	731	718	719	-	-	S355	Impalcato_A	
1	732	719	720	-	-	S355	Impalcato_A	
1	733	720	721	-	-	S355	Impalcato_A	
1	734	721	722	-	-	S355	Impalcato_A	
1	735	722	723	-	-	S355	Impalcato_A	
1	736	723	724	-	-	S355	Impalcato_A	
1	737	724	725	-	-	S355	Impalcato_A	
1	738	725	726	-	-	S355	Impalcato_A	
1	739	726	727	-	-	S355	Impalcato_A	
1	740	727	728	-	-	S355	Impalcato_A	
1	741	728	729	-	-	S355	Impalcato_A	
1	742	729	730	-	-	S355	Impalcato_A	
1.006	743	730	632	-	-	S355	Impalcato_A	
.9905	746	632	733	-	-	S355	Impalcato_A	0
.9905	747	733	734	-	-	S355	Impalcato_A	0
.9905	748	734	735	-	-	S355	Impalcato_A	0
.9905	749	735	736	-	-	S355	Impalcato_A	0
.9905	750	736	737	-	-	S355	Impalcato_A	0
.9905	751	737	738	-	-	S355	Impalcato_A	0
.9905	752	738	739	-	-	S355	Impalcato_A	0
.9905	753	739	740	-	-	S355	Impalcato_A	0
.9905	754	740	741	-	-	S355	Impalcato_A	0
.9905	755	741	742	-	-	S355	Impalcato_A	0
.9905	756	742	743	-	-	S355	Impalcato_A	0
.9905	757	743	744	-	-	S355	Impalcato_A	0
.9905	758	744	745	-	-	S355	Impalcato_A	0
.9905	759	745	746	-	-	S355	Impalcato_A	0
.9905	760	746	747	-	-	S355	Impalcato_A	0
.9905	761	747	748	-	-	S355	Impalcato_A	0
.9905	762	748	749	-	-	S355	Impalcato_A	0

MIDAS

PROJECT TITLE :


	Company					Client		
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT	
.9905	763	749	750	-	-	S355	Impalcato_A	0
.9905	764	750	751	-	-	S355	Impalcato_A	0
.9905	765	751	752	-	-	S355	Impalcato_A	0
.9905	766	752	753	-	-	S355	Impalcato_A	0
.9905	767	753	754	-	-	S355	Impalcato_A	0
.9905	768	754	755	-	-	S355	Impalcato_A	0
.9905	769	755	756	-	-	S355	Impalcato_A	0
.9905	770	756	757	-	-	S355	Impalcato_A	0
.9905	771	757	758	-	-	S355	Impalcato_A	0
.9905	772	758	759	-	-	S355	Impalcato_A	0
.9905	773	759	760	-	-	S355	Impalcato_A	0
.9905	774	760	761	-	-	S355	Impalcato_A	0
.9905	775	761	762	-	-	S355	Impalcato_A	0
.9905	776	762	763	-	-	S355	Impalcato_A	0
.9905	777	763	764	-	-	S355	Impalcato_A	0
.9905	778	764	765	-	-	S355	Impalcato_A	0
.9905	779	765	766	-	-	S355	Impalcato_A	0
.9905	780	766	767	-	-	S355	Impalcato_A	0
.9905	781	767	768	-	-	S355	Impalcato_A	0
.9905	782	768	769	-	-	S355	Impalcato_A	0
.9905	783	769	770	-	-	S355	Impalcato_A	0
.9905	784	770	771	-	-	S355	Impalcato_A	0
.9905	785	771	772	-	-	S355	Impalcato_A	0
.9905	786	772	773	-	-	S355	Impalcato_A	0
.9905	787	773	774	-	-	S355	Impalcato_A	0
.9905	788	774	775	-	-	S355	Impalcato_A	0
.3369	789	775	625	-	-	S355	Impalcato_A	0
2.048	790	624	621	-	-	rigid	el rigido	
2.05	791	628	631	-	-	rigid	el rigido	
2.05	792	629	632	-	-	rigid	el rigido	
2.056	793	622	625	-	-	rigid	el rigido	
4.1	795	622	791	-	-	rigid	el rigido	
2.4	796	622	777	-	-	rigid	el rigido	

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT
	797	533	782	-	-	rigid	el rigido
2.4	798	533	781	-	-	rigid	el rigido
2.4	799	629	780	-	-	rigid	el rigido
2.4	800	629	779	-	-	rigid	el rigido
2.4	801	784	628	-	-	rigid	el rigido
2.4	802	628	783	-	-	rigid	el rigido
2.4	803	488	786	-	-	rigid	el rigido
2.4	804	488	785	-	-	rigid	el rigido
2.4	805	621	788	-	-	rigid	el rigido
2.4	806	621	790	-	-	rigid	el rigido
3.7	807	618	789	-	-	rigid	el rigido
3.7	808	618	787	-	-	rigid	el rigido
2.4	810	792	619	-	-	rigid	el rigido
6.5	814	796	812	-	-	rigid	el rigido
1.3	815	796	627	-	-	rigid	el rigido
4.8	816	800	801	-	-	C32/40	pila 600
1	817	801	519	-	-	C32/40	pila 600
0.7	818	578	802	-	-	rigid	el rigido
1.2	820	792	578	-	-	rigid	el rigido
1.365	821	578	619	-	-	rigid	el rigido
7.209	822	796	578	-	-	rigid	el rigido
2.702	823	627	578	-	-	rigid	el rigido
7.256	824	804	624	-	-	S355	Impalcato_A
0.75	825	625	805	-	-	S355	Impalcato_A
0.75	826	806	813	000000	010000	rigid	el rigido
1.3	827	808	814	-	-	rigid	el rigido
1.3	828	802	806	-	-	rigid	el rigido
3.5	829	802	808	-	-	rigid	el rigido
3.5	830	619	777	000000	011111	rigid	el rigido
0.55	831	792	791	000000	001111	rigid	el rigido
0.55	832	782	779	000000	010111	rigid	el rigido
0.55	833	781	780	000000	000111	rigid	el rigido
0.55	834	786	783	000000	010111	rigid	el rigido
0.55							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

0.55	835	785	784	000000	000111	rigid	el rigido
0.55	836	787	788	000000	011111	rigid	el rigido
0.55	837	789	790	000000	001111	rigid	el rigido
0.275	838	134	815	-	-	rigid	el rigido
1.3	839	811	630	-	-	rigid	el rigido
1.3	840	812	797	-	-	rigid	el rigido
1.3	841	813	807	-	-	rigid	el rigido
1.3	842	814	809	-	-	rigid	el rigido
0.275	843	815	810	-	-	rigid	el rigido

*** TOTAL WEIGHT / VOLUME / SURFACE AREA SUMMARY


SECTION TRUSS NUMBER	SECTION NO	SECCION NAME	SURFACE AREA	VOLUMN	WEIGHT	FRAME NUMBER
0	4	el rigido	952.7	714.5	0	47
0	37	pila 540a	408	116.1	2903	15
0	38	pila 540b	840	209.4	5235	30
0	39	pila 620	139.8	31.94	798.4	4
0	41	pila 560	625	152.3	3807	21
0	42	pila 580	364.1	86.53	2163	12
0	43	pila 600	223	51.59	1290	7
0	44	pila 640	109.8	24.93	623.3	3
0	49	pila 590x270	56.4	18.18	454.5	2
0	53	pulvino 640x270	36.41	34.57	864.3	2
0	55	pulvino 760x350	22.21	26.61	665.2	1
0	56	pulvino 655x310	30.3	13.47	336.6	1
0	59	BP3-pulvino 35~	40.01	65.21	1630	1
0	60	BP3-pila 270x1~	908.5	148.4	3709	14
0	61	BP3-pulvino 34~	142.8	49.08	1227	2
0	64	Impalcato_A	3784	69.74	0	140

*** LOAD DATA

; Self Weight, Nodal Load, Specified Displacement, Beam Load, Floor Load, Finishing

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

Material Load,
 System Temperature, Nodal Temperature, Element Temperature, Beam Section Temperature,
 Wind Load, Static Seismic Load, Time History Analysis Data

[LOAD CASE : G1]


** SELF WEIGHT DATA

; X=0, Y=0, Z=-1


** BEAM LOAD DATA

MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	648	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	649	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	650	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	651	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	652	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	653	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	654	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	655	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	656	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	657	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	658	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	659	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	660	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	661	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	662	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	663	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	664	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	665	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	666	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	667	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	668	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	669	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	670	0	Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
0	671	0	Uniform Load	GZ	NO	0	-104	1	-104	0

PROJECT TITLE :


		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	0	0									
	672	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	673	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	674	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	675	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	676	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	677	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	678	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	679	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	680	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	681	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	682	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	683	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	684	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	685	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	686	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	687	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	688	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	689	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	690	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	691	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	694	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	695	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	696	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	697	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	698	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	699	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	700	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	701	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	702	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	703	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	704	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	705	0	Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	706	0	Uniform Load	GZ	NO	0	-104	1	-104	0	

PROJECT TITLE :


	Company					Client				
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			

0	0	0								
	707		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	708		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	709		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	710		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	711		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	712		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	713		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	714		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	715		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	716		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	717		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	718		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	719		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	720		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	721		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	722		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	723		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	724		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	725		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	726		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	727		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	728		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	729		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	730		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	731		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	732		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	733		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	734		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	735		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	736		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	737		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	738		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	739		Uniform Load	GZ	NO	0	-104	1	-104	0

PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	0	0									
	740		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	741		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	742		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	743		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	746		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	747		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	748		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	749		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	750		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	751		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	752		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	753		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	754		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	755		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	756		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	757		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	758		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	759		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	760		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	761		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	762		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	763		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	764		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	765		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	766		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	767		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	768		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	769		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	770		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	771		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	772		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	773		Uniform Load	GZ	NO	0	-104	1	-104	0	
0	0	0									
	774		Uniform Load	GZ	NO	0	-104	1	-104	0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT


0	0	0								
	775		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	776		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	777		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	778		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	779		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	780		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	781		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	782		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	783		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	784		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	785		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	786		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	787		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	788		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	789		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	824		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								
	825		Uniform Load	GZ	NO	0	-104	1	-104	0
0	0	0								

[LOAD CASE : G2]


** BEAM LOAD DATA

MEMBER	MEMBER		TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
	P3	D4								
0	648		Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
	0	0								
	649		Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
	650		Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
	651		Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
	652		Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
	653		Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
	654		Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
	655		Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
	656		Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
	657		Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
0	658	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	659	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	660	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	661	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	662	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	663	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	664	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	665	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	666	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	667	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	668	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	669	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	670	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	671	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	672	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	673	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	674	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	675	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	676	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	677	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	678	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	679	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	680	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	681	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	682	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	683	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	684	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	685	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	686	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	687	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	688	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	689	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	690	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
0	691	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	694	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	695	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	696	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	697	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	698	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	699	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	700	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	701	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	702	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	703	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	704	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	705	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	706	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	707	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	708	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	709	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	710	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	711	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	712	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	713	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	714	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	715	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	716	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	717	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	718	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	719	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	720	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	721	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	722	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	723	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	724	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	725	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
0	726	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	727	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	728	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	729	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	730	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	731	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	732	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	733	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	734	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	735	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	736	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	737	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	738	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	739	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	740	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	741	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	742	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	743	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	746	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	747	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	748	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	749	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	750	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	751	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	752	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	753	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	754	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	755	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	756	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	757	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	758	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	759	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	760	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								

PROJECT TITLE :


	Company					Client				
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			

0	761	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	762	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	763	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	764	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	765	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	766	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	767	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	768	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	769	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	770	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	771	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	772	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	773	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	774	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	775	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	776	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	777	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	778	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	779	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	780	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	781	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	782	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	783	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	784	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	785	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	786	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	787	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	788	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	789	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	824	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								
0	825	0	Uniform Load	GZ	NO	0	-37.7	1	-37.7	0
0	0	0								

[LOAD CASE : pp imp adiac]

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

** NODAL LOAD DATA

NODE	FX	FY	FZ	MX	MY	MZ
810	0	0	-1680	0	0	0

[LOAD CASE : perm imp adiac]

** NODAL LOAD DATA

NODE	FX	FY	FZ	MX	MY	MZ
810	0	0	-541	0	0	0

[LOAD CASE : pp2]

** NODAL LOAD DATA

NODE	FX	FY	FZ	MX	MY	MZ
630	0	0	-923.2	0	0	0
797	0	0	-551.6	0	0	0
807	0	0	-1455	0	0	0
809	0	0	-1356	0	0	0

[LOAD CASE : perm2]

** NODAL LOAD DATA


NODE	FX	FY	FZ	MX	MY	MZ
630	0	0	-348.2	0	0	0
797	0	0	-213.1	0	0	0
807	0	0	-465	0	0	0
809	0	0	-440.9	0	0	0

[LOAD CASE : q3]

** BEAM LOAD DATA


MEMBER	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3 D4 P4								
0 648 0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0 648 0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0 649 0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0 649 0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0 650 0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0 650 0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0 651 0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0 651 0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0 652 0	Uniform M/T	LX	NO	0	12.8	1	12.8	0

PROJECT TITLE :


	Company					Client				
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			

0	0	0								
	652	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	653	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	653	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	654	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	654	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	655	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	655	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	656	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	656	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	657	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	657	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	658	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	658	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	659	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	659	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	660	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	660	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	661	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	661	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	662	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	662	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	663	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	663	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	664	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	664	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	665	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	665	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	666	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	666	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	667	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	667	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	668	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	668	0	Uniform Load	LX	NO	0	5.33	1	5.33	0

PROJECT TITLE :


		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	0	0									
	669		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	669		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	670		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	670		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	671		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	671		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	672		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	672		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	673		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	673		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	674		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	674		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	675		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	675		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	676		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	676		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	677		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	677		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	678		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	678		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	679		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	679		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	680		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	680		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	681		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	681		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	682		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	682		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	683		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	683		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	684		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	684		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	685		Uniform M/T	LX	NO	0	12.8	1	12.8	0	

PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			


0	0	0								
0	685	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	686	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	686	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	687	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	687	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	688	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	688	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	689	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	689	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	690	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	690	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	691	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	691	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	694	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	694	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	695	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	695	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	696	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	696	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	697	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	697	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	698	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	698	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	699	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	699	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	700	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	700	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	701	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	701	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	702	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	702	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	703	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	703	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0

PROJECT TITLE :


	Company					Client				
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			

0	0	0								
0	704	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	704	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	705	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	705	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	706	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	706	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	707	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	707	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	708	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	708	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	709	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	709	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	710	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	710	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	711	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	711	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	712	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	712	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	713	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	713	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	714	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	714	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	715	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	715	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	716	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	716	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	717	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	717	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	718	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	718	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	719	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
0	719	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
0	720	0	Uniform Load	LX	NO	0	5.33	1	5.33	0


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	0	0									
	720		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	721		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	721		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	722		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	722		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	723		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	723		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	724		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	724		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	725		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	725		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	726		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	726		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	727		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	727		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	728		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	728		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	729		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	729		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	730		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	730		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	731		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	731		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	732		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	732		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	733		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	733		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	734		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	734		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	735		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	735		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	736		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	736		Uniform Load	LX	NO	0	5.33	1	5.33	0	


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
0	0	0								
	737	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	737	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	738	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	738	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	739	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	739	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	740	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	740	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	741	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	741	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	742	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	742	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	743	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	743	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	746	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	746	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	747	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	747	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	748	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	748	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	749	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	749	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	750	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	750	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	751	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	751	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	752	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	752	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	753	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	753	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	754	0	Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	754	0	Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	755	0	Uniform Load	LX	NO	0	5.33	1	5.33	0

PROJECT TITLE :


		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	0	0									
	755		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	756		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	756		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	757		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	757		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	758		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	758		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	759		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	759		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	760		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	760		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	761		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	761		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	762		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	762		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	763		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	763		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	764		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	764		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	765		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	765		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	766		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	766		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	767		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	767		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	768		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	768		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	769		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	769		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	770		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	770		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	771		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	771		Uniform Load	LX	NO	0	5.33	1	5.33	0	

PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	0	0									
	772		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	772		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	773		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	773		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	774		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	774		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	775		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	775		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	776		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	776		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	777		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	777		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	778		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	778		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	779		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	779		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	780		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	780		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	781		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	781		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	782		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	782		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	783		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	783		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	784		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	784		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	785		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	785		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	786		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	786		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	787		Uniform M/T	LX	NO	0	12.8	1	12.8	0	
0	0	0									
	787		Uniform Load	LX	NO	0	5.33	1	5.33	0	
0	0	0									
	788		Uniform Load	LX	NO	0	5.33	1	5.33	0	

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

0	0	0								
	788		Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	789		Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	789		Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	824		Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	824		Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								
	825		Uniform M/T	LX	NO	0	12.8	1	12.8	0
0	0	0								
	825		Uniform Load	LX	NO	0	5.33	1	5.33	0
0	0	0								

[LOAD CASE : q4-1]

** BEAM LOAD DATA

MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								

0	789		Concentrated Force	LY	NO	1	-200	0	0	0
0	0	0								

[LOAD CASE : q4-2]

** BEAM LOAD DATA

MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								

0	743		Concentrated Force	LY	NO	1	-200	0	0	0
0	0	0								

[LOAD CASE : q4-3]

** BEAM LOAD DATA

MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								

0	691		Concentrated Force	LY	NO	1	-200	0	0	0
0	0	0								


[LOAD CASE : q4-4]

** BEAM LOAD DATA

MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								

	648		Concentrated Force	LY	NO	0	-200	0	0	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT


0 0 0

[LOAD CASE : q5x_pc]


** BEAM LOAD DATA

MEMBER		TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4								
0	293	Uniform Load	LZ	NO	0	6.82	1	6.82	0
0	0								
0	375	Uniform Load	LZ	NO	0	12.6	1	12.6	0
0	0								
0	376	Uniform Load	LZ	NO	0	12.6	1	12.6	0
0	0								
0	377	Uniform Load	LZ	NO	0	12.6	1	12.6	0
0	0								
0	378	Uniform Load	LZ	NO	0	12.6	1	12.6	0
0	0								
0	379	Uniform Load	LZ	NO	0	12.6	1	12.6	0
0	0								
0	380	Uniform Load	LZ	NO	0	9.99	1	9.99	0
0	0								
0	381	Uniform Load	LZ	NO	0	9.99	1	9.99	0
0	0								
0	382	Uniform Load	LZ	NO	0	9.99	1	9.99	0
0	0								
0	383	Uniform Load	LZ	NO	0	9.99	1	9.99	0
0	0								
0	384	Uniform Load	LZ	NO	0	9.99	1	9.99	0
0	0								
0	385	Uniform Load	LZ	NO	0	9.6	1	9.6	0
0	0								
0	386	Uniform Load	LZ	NO	0	9.6	1	9.6	0
0	0								
0	387	Uniform Load	LZ	NO	0	9.6	1	9.6	0
0	0								
0	388	Uniform Load	LZ	NO	0	9.6	1	9.6	0
0	0								
0	389	Uniform Load	LZ	NO	0	9.6	1	9.6	0
0	0								
0	390	Uniform Load	LZ	NO	0	9.3	1	9.3	0
0	0								
0	391	Uniform Load	LZ	NO	0	9.3	1	9.3	0
0	0								
0	392	Uniform Load	LZ	NO	0	9.3	1	9.3	0
0	0								
0	393	Uniform Load	LZ	NO	0	9.3	1	9.3	0
0	0								
0	394	Uniform Load	LZ	NO	0	9.3	1	9.3	0
0	0								
0	395	Uniform Load	LZ	NO	0	8.87	1	8.87	0
0	0								
0	396	Uniform Load	LZ	NO	0	8.87	1	8.87	0
0	0								
0	397	Uniform Load	LZ	NO	0	8.87	1	8.87	0
0	0								
0	398	Uniform Load	LZ	NO	0	8.87	1	8.87	0
0	0								
0	399	Uniform Load	LZ	NO	0	8.87	1	8.87	0
0	0								
0	400	Uniform Load	LZ	NO	0	8.37	1	8.37	0
0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
0	401	0	Uniform Load	LZ	NO	0	8.37	1	8.37	0
0	0	0								
0	402	0	Uniform Load	LZ	NO	0	8.37	1	8.37	0
0	0	0								
0	403	0	Uniform Load	LZ	NO	0	8.37	1	8.37	0
0	0	0								
0	404	0	Uniform Load	LZ	NO	0	8.37	1	8.37	0
0	0	0								
0	405	0	Uniform Load	LZ	NO	0	7.43	1	7.43	0
0	0	0								
0	406	0	Uniform Load	LZ	NO	0	7.43	1	7.43	0
0	0	0								
0	407	0	Uniform Load	LZ	NO	0	7.43	1	7.43	0
0	0	0								
0	408	0	Uniform Load	LZ	NO	0	7.43	1	7.43	0
0	0	0								
0	409	0	Uniform Load	LZ	NO	0	7.43	1	7.43	0
0	0	0								
0	410	0	Uniform Load	LZ	NO	0	6.82	1	6.82	0
0	0	0								
0	411	0	Uniform Load	LZ	NO	0	6.82	1	6.82	0
0	0	0								
0	412	0	Uniform Load	LZ	NO	0	6.82	1	6.82	0
0	0	0								
0	548	0	Uniform Load	LY	NO	0	-4.78	1	-4.78	0
0	0	0								
0	549	0	Uniform Load	LY	NO	0	-4.78	1	-4.78	0
0	0	0								
0	550	0	Uniform Load	LY	NO	0	-4.78	1	-4.78	0
0	0	0								
0	551	0	Uniform Load	LY	NO	0	-4.56	1	-4.56	0
0	0	0								
0	552	0	Uniform Load	LY	NO	0	-4.56	1	-4.56	0
0	0	0								
0	553	0	Uniform Load	LY	NO	0	-4.56	1	-4.56	0
0	0	0								
0	554	0	Uniform Load	LY	NO	0	-4.56	1	-4.56	0
0	0	0								
0	555	0	Uniform Load	LY	NO	0	-4.56	1	-4.56	0
0	0	0								
0	556	0	Uniform Load	LY	NO	0	-4.26	1	-4.26	0
0	0	0								
0	557	0	Uniform Load	LY	NO	0	-4.26	1	-4.26	0
0	0	0								
0	558	0	Uniform Load	LY	NO	0	-4.26	1	-4.26	0
0	0	0								
0	559	0	Uniform Load	LY	NO	0	-4.26	1	-4.26	0
0	0	0								
0	560	0	Uniform Load	LY	NO	0	-4.26	1	-4.26	0
0	0	0								
0	561	0	Uniform Load	LY	NO	0	-3.98	1	-3.98	0
0	0	0								
0	562	0	Uniform Load	LY	NO	0	-3.98	1	-3.98	0
0	0	0								
0	563	0	Uniform Load	LY	NO	0	-3.98	1	-3.98	0
0	0	0								
0	564	0	Uniform Load	LY	NO	0	-3.98	1	-3.98	0
0	0	0								
0	565	0	Uniform Load	LY	NO	0	-3.98	1	-3.98	0
0	0	0								
0	566	0	Uniform Load	LY	NO	0	-3.56	1	-3.56	0
0	0	0								
0	567	0	Uniform Load	LY	NO	0	-3.56	1	-3.56	0
0	0	0								
0	568	0	Uniform Load	LY	NO	0	-3.56	1	-3.56	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
0	569	0	Uniform Load	LY	NO	0	-3.56	1	-3.56	0
0	0	0								
0	570	0	Uniform Load	LY	NO	0	-3.56	1	-3.56	0
0	0	0								
0	571	0	Uniform Load	LY	NO	0	-3.31	1	-3.31	0
0	0	0								
0	572	0	Uniform Load	LY	NO	0	-3.31	1	-3.31	0
0	0	0								
0	573	0	Uniform Load	LY	NO	0	-3.31	1	-3.31	0
0	0	0								
0	574	0	Uniform Load	LY	NO	0	-3.31	1	-3.31	0
0	0	0								
0	575	0	Uniform Load	LY	NO	0	-3.31	1	-3.31	0
0	0	0								
0	660	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	661	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	662	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	663	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	664	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	665	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	666	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	667	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	668	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	669	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	670	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	671	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	672	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	673	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	674	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	675	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	676	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	677	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	678	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	679	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	680	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	681	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	682	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	683	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	684	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	685	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
0	686	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	687	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	688	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	689	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	690	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	691	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	694	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	695	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	696	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	697	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	698	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	699	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	700	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	701	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	702	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	703	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	704	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	705	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	706	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	707	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	708	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	709	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	710	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	711	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	712	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	713	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	714	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	715	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	716	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	717	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	718	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	719	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	720	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
0	721	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	722	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	723	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	724	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	725	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	726	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	727	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	728	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	729	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	730	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	731	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	732	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	733	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	734	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	735	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	736	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	737	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	738	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	739	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	740	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	741	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	742	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	743	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	746	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	747	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	748	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	749	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	750	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	751	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	752	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	753	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	754	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	755	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
0	756	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	757	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	758	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	759	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	760	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	761	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	762	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	763	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	764	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	765	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	766	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	767	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	768	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	769	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	770	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	771	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	772	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	773	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	774	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	775	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	776	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	777	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	778	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	779	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	780	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	781	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	782	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	783	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	784	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	785	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	786	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	787	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	788	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT


0	789	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								
0	825	0	Uniform Load	GX	NO	0	19.3	1	19.3	0
0	0	0								

[LOAD CASE : q5y_pc]

** BEAM LOAD DATA


P3	MEMBER D4	P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
0	293	0	Uniform Load	LY	NO	0	3.93	1	3.93	0
0	0	0								
0	375	0	Uniform Load	LY	NO	0	5.96	1	5.96	0
0	0	0								
0	376	0	Uniform Load	LY	NO	0	5.96	1	5.96	0
0	0	0								
0	377	0	Uniform Load	LY	NO	0	5.96	1	5.96	0
0	0	0								
0	378	0	Uniform Load	LY	NO	0	5.96	1	5.96	0
0	0	0								
0	379	0	Uniform Load	LY	NO	0	5.96	1	5.96	0
0	0	0								
0	380	0	Uniform Load	LY	NO	0	5	1	5	0
0	0	0								
0	381	0	Uniform Load	LY	NO	0	5	1	5	0
0	0	0								
0	382	0	Uniform Load	LY	NO	0	5	1	5	0
0	0	0								
0	383	0	Uniform Load	LY	NO	0	5	1	5	0
0	0	0								
0	384	0	Uniform Load	LY	NO	0	5	1	5	0
0	0	0								
0	385	0	Uniform Load	LY	NO	0	4.82	1	4.82	0
0	0	0								
0	386	0	Uniform Load	LY	NO	0	4.82	1	4.82	0
0	0	0								
0	387	0	Uniform Load	LY	NO	0	4.82	1	4.82	0
0	0	0								
0	388	0	Uniform Load	LY	NO	0	4.82	1	4.82	0
0	0	0								
0	389	0	Uniform Load	LY	NO	0	4.74	1	4.74	0
0	0	0								
0	390	0	Uniform Load	LY	NO	0	4.74	1	4.74	0
0	0	0								
0	391	0	Uniform Load	LY	NO	0	4.74	1	4.74	0
0	0	0								
0	392	0	Uniform Load	LY	NO	0	4.74	1	4.74	0
0	0	0								
0	393	0	Uniform Load	LY	NO	0	4.74	1	4.74	0
0	0	0								
0	394	0	Uniform Load	LY	NO	0	4.63	1	4.63	0
0	0	0								
0	395	0	Uniform Load	LY	NO	0	4.63	1	4.63	0
0	0	0								
0	396	0	Uniform Load	LY	NO	0	4.63	1	4.63	0
0	0	0								
0	397	0	Uniform Load	LY	NO	0	4.63	1	4.63	0
0	0	0								
0	398	0	Uniform Load	LY	NO	0	4.63	1	4.63	0
0	0	0								
0	399	0	Uniform Load	LY	NO	0	4.5	1	4.5	0

PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			


0	0	0								
	400		Uniform Load	LY	NO	0	4.5	1	4.5	0
0	0	0								
	401		Uniform Load	LY	NO	0	4.5	1	4.5	0
0	0	0								
	402		Uniform Load	LY	NO	0	4.5	1	4.5	0
0	0	0								
	403		Uniform Load	LY	NO	0	4.5	1	4.5	0
0	0	0								
	404		Uniform Load	LY	NO	0	4.14	1	4.14	0
0	0	0								
	405		Uniform Load	LY	NO	0	4.14	1	4.14	0
0	0	0								
	406		Uniform Load	LY	NO	0	4.14	1	4.14	0
0	0	0								
	407		Uniform Load	LY	NO	0	4.14	1	4.14	0
0	0	0								
	408		Uniform Load	LY	NO	0	4.14	1	4.14	0
0	0	0								
	409		Uniform Load	LY	NO	0	3.93	1	3.93	0
0	0	0								
	410		Uniform Load	LY	NO	0	3.93	1	3.93	0
0	0	0								
	411		Uniform Load	LY	NO	0	3.93	1	3.93	0
0	0	0								
	412		Uniform Load	LY	NO	0	3.93	1	3.93	0
0	0	0								
	548		Uniform Load	LZ	NO	0	11.2	1	11.2	0
0	0	0								
	549		Uniform Load	LZ	NO	0	11.2	1	11.2	0
0	0	0								
	550		Uniform Load	LZ	NO	0	11.2	1	11.2	0
0	0	0								
	551		Uniform Load	LZ	NO	0	9.1	1	9.1	0
0	0	0								
	552		Uniform Load	LZ	NO	0	9.1	1	9.1	0
0	0	0								
	553		Uniform Load	LZ	NO	0	9.1	1	9.1	0
0	0	0								
	554		Uniform Load	LZ	NO	0	9.1	1	9.1	0
0	0	0								
	555		Uniform Load	LZ	NO	0	9.1	1	9.1	0
0	0	0								
	556		Uniform Load	LZ	NO	0	8.5	1	8.5	0
0	0	0								
	557		Uniform Load	LZ	NO	0	8.5	1	8.5	0
0	0	0								
	558		Uniform Load	LZ	NO	0	8.5	1	8.5	0
0	0	0								
	559		Uniform Load	LZ	NO	0	8.5	1	8.5	0
0	0	0								
	560		Uniform Load	LZ	NO	0	8.5	1	8.5	0
0	0	0								
	561		Uniform Load	LZ	NO	0	7.84	1	7.84	0
0	0	0								
	562		Uniform Load	LZ	NO	0	7.84	1	7.84	0
0	0	0								
	563		Uniform Load	LZ	NO	0	7.84	1	7.84	0
0	0	0								
	564		Uniform Load	LZ	NO	0	7.84	1	7.84	0
0	0	0								
	565		Uniform Load	LZ	NO	0	7.84	1	7.84	0
0	0	0								
	566		Uniform Load	LZ	NO	0	6.85	1	6.85	0
0	0	0								
	567		Uniform Load	LZ	NO	0	6.85	1	6.85	0

PROJECT TITLE :


	Company					Client				
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			

0	0	0								
	568		Uniform Load	LZ	NO	0	6.85	1	6.85	0
0	0	0								
	569		Uniform Load	LZ	NO	0	6.85	1	6.85	0
0	0	0								
	570		Uniform Load	LZ	NO	0	6.85	1	6.85	0
0	0	0								
	571		Uniform Load	LZ	NO	0	6.2	1	6.2	0
0	0	0								
	572		Uniform Load	LZ	NO	0	6.2	1	6.2	0
0	0	0								
	573		Uniform Load	LZ	NO	0	6.2	1	6.2	0
0	0	0								
	574		Uniform Load	LZ	NO	0	6.2	1	6.2	0
0	0	0								
	575		Uniform Load	LZ	NO	0	6.2	1	6.2	0
0	0	0								
	648		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	649		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	650		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	651		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	652		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	653		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	654		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	655		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	656		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	657		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	658		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	659		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	660		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	661		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	662		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	663		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	664		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	665		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	666		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	667		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	668		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	669		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	670		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	671		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	672		Uniform Load	GY	NO	0	19.3	1	19.3	0

PROJECT TITLE :


		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	0	0									
	673	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	674	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	675	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	676	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	677	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	678	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	679	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	680	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	681	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	682	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	683	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	684	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	685	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	686	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	687	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	688	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	689	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	690	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	691	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	694	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	695	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	696	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	697	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	698	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	699	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	700	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	701	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	702	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	703	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	704	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	705	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	706	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	
0	0	0									
	707	0	Uniform Load	GY	NO	0	19.3	1	19.3	0	

PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			

0	0	0								
	708		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	709		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	710		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	711		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	712		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	713		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	714		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	715		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	716		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	717		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	718		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	719		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	720		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	721		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	722		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	723		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	724		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	725		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	726		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	727		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	728		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	729		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	730		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	731		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	732		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	733		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	734		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	735		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	736		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	737		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	738		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	739		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	740		Uniform Load	GY	NO	0	19.3	1	19.3	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT


0	0	0								
	741		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	742		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								
	824		Uniform Load	GY	NO	0	19.3	1	19.3	0
0	0	0								

[LOAD CASE : q5x_ps]


** BEAM LOAD DATA

MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	648		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	649		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	650		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	651		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	652		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	653		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	654		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	655		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	656		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	657		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	658		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	659		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	660		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	661		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	662		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	663		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	664		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	665		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	666		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	667		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	668		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	669		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	670		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	671		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
0	672	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	673	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	674	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	675	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	676	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	677	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	678	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	679	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	680	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	681	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	682	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	683	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	684	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	685	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	686	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	687	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	688	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	689	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	690	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	691	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	694	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	695	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	696	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	697	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	698	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	699	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	700	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	701	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	702	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	703	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	704	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	705	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	706	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
0	707		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	708		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	709		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	710		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	711		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	712		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	713		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	714		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	715		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	716		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	717		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	718		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	719		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	720		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	721		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	722		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	723		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	724		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	725		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	726		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	727		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	728		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	729		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	730		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	731		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	732		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	733		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	734		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	735		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	736		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	737		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	738		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	739		Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
0	740	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	741	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	742	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	743	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	746	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	747	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	748	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	749	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	750	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	751	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	752	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	753	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	754	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	755	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	756	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	757	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	758	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	759	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	760	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	761	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	762	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	763	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	764	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	765	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	766	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	767	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	768	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	769	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	770	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	771	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	772	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	773	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	774	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT


0	775	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	776	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	777	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	778	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	779	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	780	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	781	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	782	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	783	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	784	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	785	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	786	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	787	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	788	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	789	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	824	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								
0	825	0	Uniform Load	GX	NO	0	18.2	1	18.2	0
0	0	0								

[LOAD CASE : q5y_ps]


** BEAM LOAD DATA

MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	648	0	Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
0	649	0	Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
0	650	0	Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
0	651	0	Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
0	652	0	Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
0	653	0	Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
0	654	0	Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
0	655	0	Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
0	656	0	Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
0	657	0	Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
0	658	0	Uniform Load	GY	NO	0	18.2	1	18.2	0


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	0	0									
	659	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	660	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	661	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	662	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	663	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	664	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	665	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	666	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	667	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	668	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	669	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	670	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	671	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	672	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	673	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	674	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	675	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	676	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	677	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	678	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	679	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	680	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	681	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	682	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	683	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	684	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	685	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	686	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	687	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	688	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	689	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	690	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	691	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	

PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	0	0									
	694	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	695	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	696	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	697	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	698	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	699	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	700	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	701	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	702	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	703	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	704	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	705	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	706	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	707	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	708	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	709	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	710	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	711	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	712	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	713	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	714	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	715	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	716	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	717	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	718	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	719	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	720	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	721	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	722	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	723	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	724	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	725	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	
0	0	0									
	726	0	Uniform Load	GY	NO	0	18.2	1	18.2	0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

0	0	0								
	727		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	728		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	729		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	730		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	731		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	732		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	733		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	734		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	735		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	736		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	737		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	738		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	739		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	740		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	741		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	742		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	743		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								
	824		Uniform Load	GY	NO	0	18.2	1	18.2	0
0	0	0								

[LOAD CASE : q7]

** BEAM LOAD DATA


MEMBER			TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
	790		Concentrated Force	LZ	NO	0	72	0	0	0
0	0	0								
	793		Concentrated Force	LZ	NO	1	72	0	0	0
0	0	0								

[LOAD CASE : T]

** MEMBER TEMPERATURE LOAD DATA


MEMBER	TEMPERATURE
655	30
654	30
653	30
652	30
651	30
650	30

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

649	30
648	30
671	30
670	30
669	30
668	30
667	30
666	30
665	30
664	30
663	30
662	30
661	30
660	30
659	30
658	30
657	30
656	30
687	30
686	30
685	30
684	30
683	30
682	30
681	30
680	30
679	30
678	30
677	30
676	30
675	30
674	30
673	30
672	30
703	30
702	30
701	30
700	30
699	30
698	30
697	30
696	30
695	30
694	30
691	30
690	30
689	30
688	30
719	30
718	30
717	30
716	30
715	30
714	30
713	30
712	30
711	30
710	30
709	30
708	30
707	30
706	30
705	30
704	30
735	30
734	30


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

733	30
732	30
731	30
730	30
729	30
728	30
727	30
726	30
725	30
724	30
723	30
722	30
721	30
720	30
751	30
750	30
749	30
748	30
747	30
746	30
743	30
742	30
741	30
740	30
739	30
738	30
737	30
736	30
767	30
766	30
765	30
764	30
763	30
762	30
761	30
760	30
759	30
758	30
757	30
756	30
755	30
754	30
753	30
752	30
783	30
782	30
781	30
780	30
779	30
778	30
777	30
776	30
775	30
774	30
773	30
772	30
771	30
770	30
769	30
768	30
789	30
788	30
787	30
786	30
785	30
784	30

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

825 30
824 30

[LOAD CASE : R]

** BEAM LOAD DATA


MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	830	0	Concentrated Force	LX	NO	0	-57	0	0	0
0	830	0	Concentrated Force	LZ	NO	0	-28	0	0	0
0	831	0	Concentrated Force	LY	NO	0	8	0	0	0
0	831	0	Concentrated Force	LX	NO	0	136	0	0	0
0	831	0	Concentrated Force	LZ	NO	0	56	0	0	0
0	832	0	Concentrated Force	LZ	NO	0	248	0	0	0
0	832	0	Concentrated Force	LX	NO	0	-658	0	0	0
0	833	0	Concentrated Force	LY	NO	0	-459	0	0	0
0	833	0	Concentrated Force	LX	NO	0	585	0	0	0
0	833	0	Concentrated Force	LZ	NO	0	-1.07e+003	0	0	0
0	834	0	Concentrated Force	LX	NO	0	-709	0	0	0
0	834	0	Concentrated Force	LZ	NO	0	-212	0	0	0
0	835	0	Concentrated Force	LX	NO	0	616	0	0	0
0	835	0	Concentrated Force	LY	NO	0	-479	0	0	0
0	835	0	Concentrated Force	LZ	NO	0	1.03e+003	0	0	0
0	836	0	Concentrated Force	LZ	NO	0	27	0	0	0
0	836	0	Concentrated Force	LX	NO	0	-30	0	0	0
0	837	0	Concentrated Force	LZ	NO	0	58	0	0	0
0	837	0	Concentrated Force	LX	NO	0	118	0	0	0
0	837	0	Concentrated Force	LY	NO	0	-3	0	0	0

[LOAD CASE : SLVx-Ecc.]


** BEAM LOAD DATA

MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	648	0	Uniform M/T	GZ	NO	0	36	1	36	0


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	649	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	650	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	651	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	652	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	653	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	654	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	655	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	656	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	657	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	658	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	659	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	660	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	661	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	662	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	663	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	664	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	665	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	666	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	667	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	668	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	669	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	670	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	671	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	672	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	673	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	674	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	675	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	676	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	677	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	678	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	679	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	680	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	681	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	682	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	683	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	684	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	685	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	686	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	687	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	688	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	689	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	690	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	691	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	694	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	695	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	696	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	697	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	698	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	699	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	700	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	701	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	702	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	703	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	704	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	705	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	706	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	707	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	708	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	709	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	710	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	711	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	712	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	713	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	714	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	715	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	716	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT		
0	717	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	718	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	719	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	720	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	721	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	722	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	723	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	724	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	725	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	726	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	727	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	728	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	729	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	730	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	731	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	732	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	733	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	734	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	735	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	736	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	737	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	738	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	739	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	740	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	741	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	742	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	743	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	746	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	747	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	748	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	749	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	750	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	751	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								

PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	752	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	753	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	754	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	755	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	756	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	757	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	758	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	759	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	760	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	761	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	762	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	763	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	764	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	765	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	766	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	767	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	768	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	769	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	770	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	771	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	772	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	773	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	774	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	775	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	776	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	777	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	778	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	779	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	780	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	781	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	782	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	783	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									
0	784	0	Uniform M/T	GZ	NO	0	36	1	36	0	
0	0	0									

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT


0	785	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	786	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	787	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	788	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	789	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	824	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								
0	825	0	Uniform M/T	GZ	NO	0	36	1	36	0
0	0	0								

[LOAD CASE : SLVy-Ecc.]


** BEAM LOAD DATA

MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	648	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	649	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	650	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	651	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	652	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	653	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	654	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	655	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	656	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	657	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	658	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	659	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	660	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	661	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	662	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	663	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	664	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	665	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	666	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	667	0	Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
0	668	0	Uniform M/T	GZ	NO	0	84	1	84	0


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	0	0									
	669		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	670		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	671		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	672		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	673		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	674		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	675		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	676		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	677		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	678		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	679		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	680		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	681		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	682		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	683		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	684		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	685		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	686		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	687		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	688		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	689		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	690		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	691		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	694		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	695		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	696		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	697		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	698		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	699		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	700		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	701		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	702		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	703		Uniform M/T	GZ	NO	0	84	1	84	0	


PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	0	0									
	704		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	705		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	706		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	707		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	708		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	709		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	710		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	711		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	712		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	713		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	714		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	715		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	716		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	717		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	718		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	719		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	720		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	721		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	722		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	723		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	724		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	725		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	726		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	727		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	728		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	729		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	730		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	731		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	732		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	733		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	734		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	735		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	736		Uniform M/T	GZ	NO	0	84	1	84	0	

PROJECT TITLE :

		Company					Client				
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT			
0	0	0									
	737		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	738		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	739		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	740		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	741		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	742		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	743		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	746		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	747		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	748		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	749		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	750		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	751		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	752		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	753		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	754		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	755		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	756		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	757		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	758		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	759		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	760		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	761		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	762		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	763		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	764		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	765		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	766		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	767		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	768		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	769		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	770		Uniform M/T	GZ	NO	0	84	1	84	0	
0	0	0									
	771		Uniform M/T	GZ	NO	0	84	1	84	0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT


0	0	0								
	772		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	773		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	774		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	775		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	776		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	777		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	778		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	779		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	780		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	781		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	782		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	783		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	784		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	785		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	786		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	787		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	788		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	789		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	824		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								
	825		Uniform M/T	GZ	NO	0	84	1	84	0
0	0	0								

*** RESPONSE SPECTRUM FUNCTION DATA

NAME	FUNCTION	SCALE	GRAVITY	DATA
TYPE				
-----	-----	-----	-----	-----
SLV-xy (q~	Normalized Acc.	1	9.806	0:0.31 0.15:0.783 0.449:0.783 0.543:0.64
9 0.636:0.553				
SLV-z (q~	Normalized Acc.	1	9.806	0:0.135 0.05:0.341 0.15:0.341 0.235:0.21
8 0.32:0.16				
SLV-xy (q~	Normalized Acc.	1	9.806	0:0.31 0.15:0.522 0.449:0.522 0.543:0.43
2 0.636:0.369				
SLD-xy	Normalized Acc.	1	9.806	0:0.16 0.14:0.391 0.419:0.391 0.494:0.33
1 0.568:0.288				
SLD-z	Normalized Acc.	1	9.806	0:0.045 0.05:0.109 0.15:0.109 0.235:0.07
0.32:0.051				

*** RESPONSE SPECTRUM LOAD CASE DATA

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT


NAME FUNCTION NAME DIR. ANGLE SCALE PERIOD FACTOR ACCIDENTAL ECCENTRICITY

*** LOAD COMBINATION DATA

** GENERAL

NO	NAME	TYPE	ACTIVE	DESCRIPTION
1	G1	Add	ACTIVE	
2	G2	Add	ACTIVE	
3	G1+G2	Add	ACTIVE	
4	q4	Envelope	ACTIVE	
5	Q1k	Envelope	ACTIVE	valori caratteristici dei carichi viaggi anti
6	Q1f	Envelope	ACTIVE	valori rari carichi viaggianti
7	Q2a	Add	ACTIVE	
8	Q2b	Add	ACTIVE	
9	SLU-1	Add	ACTIVE	Q1k; +Vx; +T
10	SLU-2	Add	ACTIVE	Q1k; +Vx; -T
11	SLU-3	Add	ACTIVE	Q1k; -Vx; -T
12	SLU-4	Add	ACTIVE	Q1k; -Vx; +T
13	SLU-5	Add	ACTIVE	Q1k; +Vy; +T
14	SLU-6	Add	ACTIVE	Q1k; +Vy; -T
15	SLU-7	Add	ACTIVE	Q1k; -Vy; -T
16	SLU-8	Add	ACTIVE	Q1k; -Vy; +T
17	SLU21	Add	INACTIVE	Q1 per appoggi
18	SLU-9	Add	ACTIVE	Q2a;Vx
19	SLU-10	Add	ACTIVE	Q2a;Vx
20	SLU-11	Add	ACTIVE	Q2a;Vx
21	SLU-12	Add	ACTIVE	Q2a;Vx
22	SLU-13	Add	ACTIVE	Q2a;Vy
23	SLU-14	Add	ACTIVE	Q2a;Vy
24	SLU-15	Add	ACTIVE	Q2a;Vy
25	SLU-16	Add	ACTIVE	Q2a;Vy
26	SLU30	Add	INACTIVE	Q2a per appoggi
27	SLU-17	Add	ACTIVE	Q2b;Vx
28	SLU-18	Add	ACTIVE	Q2b;Vx
29	SLU-19	Add	ACTIVE	Q2b;Vx
30	SLU-20	Add	ACTIVE	Q2b;Vx
31	SLU-21	Add	ACTIVE	Q2b;Vy
32	SLU-22	Add	ACTIVE	Q2b;Vy
33	SLU-23	Add	ACTIVE	Q2b;Vy
34	SLU-24	Add	ACTIVE	Q2b;Vy
35	SLU35	Add	INACTIVE	Q2b per appoggi
36	SLU-25	Add	ACTIVE	Vx
37	SLU-26	Add	ACTIVE	Vx
38	SLU-27	Add	ACTIVE	Vx
39	SLU-28	Add	ACTIVE	Vx
40	SLU-29	Add	ACTIVE	Vy
41	SLU-30	Add	ACTIVE	Vy
42	SLU-31	Add	ACTIVE	Vy
43	SLU-32	Add	ACTIVE	Vy
44	SLU22	Add	INACTIVE	Vy per appoggi
45	SLU36	Add	INACTIVE	Vy per appoggi
46	SLU37	Add	INACTIVE	Vy per appoggi
47	SLU38	Add	INACTIVE	Vy per appoggi
48	SLU-33	Add	ACTIVE	T; Vx
49	SLU-34	Add	ACTIVE	T; Vx
50	SLU-35	Add	ACTIVE	T; Vx
51	SLU-36	Add	ACTIVE	T; Vx
52	SLU-37	Add	ACTIVE	T; Vy
53	SLU-38	Add	ACTIVE	T; Vy

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT


54	SLU-39	Add	ACTIVE	T; Vy
55	SLU-40	Add	ACTIVE	T; Vy
56	SLU24	Add	INACTIVE	T; Vy per appoggi
57	SLU39	Add	INACTIVE	T; Vy per appoggi
58	SLU40	Add	INACTIVE	T; Vy per appoggi
59	SLU41	Add	INACTIVE	T; Vy per appoggi
60	SLV1x	Add	ACTIVE	
61	SLV2x	Add	ACTIVE	
62	SLV3x	Add	ACTIVE	
63	SLV4x	Add	ACTIVE	
64	SLV5x	Add	ACTIVE	
65	SLV6x	Add	ACTIVE	
66	SLV7x	Add	ACTIVE	
67	SLV8x	Add	ACTIVE	
68	SLV1y	Add	ACTIVE	
69	SLV2y	Add	ACTIVE	
70	SLV3y	Add	ACTIVE	
71	SLV4y	Add	ACTIVE	
72	SLV5y	Add	ACTIVE	
73	SLV6y	Add	ACTIVE	
74	SLV7y	Add	ACTIVE	
75	SLV8y	Add	ACTIVE	
76	SLV1z	Add	ACTIVE	
77	SLV2z	Add	ACTIVE	
78	SLV3z	Add	ACTIVE	
79	SLV4z	Add	ACTIVE	
80	SLV5z	Add	ACTIVE	
81	SLV6z	Add	ACTIVE	
82	SLV7z	Add	ACTIVE	
83	SLV8z	Add	ACTIVE	
84	A-SLV1x	Add	ACTIVE	
85	A-SLV2x	Add	ACTIVE	
86	A-SLV3x	Add	ACTIVE	
87	A-SLV4x	Add	ACTIVE	
88	A-SLV5x	Add	ACTIVE	
89	A-SLV6x	Add	ACTIVE	
90	A-SLV7x	Add	ACTIVE	
91	A-SLV8x	Add	ACTIVE	
92	A-SLV1y	Add	ACTIVE	
93	A-SLV2y	Add	ACTIVE	
94	A-SLV3y	Add	ACTIVE	
95	A-SLV4y	Add	ACTIVE	
96	A-SLV5y	Add	ACTIVE	
97	A-SLV6y	Add	ACTIVE	
98	A-SLV7y	Add	ACTIVE	
99	A-SLV8y	Add	ACTIVE	
100	A-SLV1z	Add	ACTIVE	
101	A-SLV2z	Add	ACTIVE	
102	A-SLV3z	Add	ACTIVE	
103	A-SLV4z	Add	ACTIVE	
104	A-SLV5z	Add	ACTIVE	
105	A-SLV6z	Add	ACTIVE	
106	A-SLV7z	Add	ACTIVE	
107	A-SLV8z	Add	ACTIVE	
108	A-INVSLV	Envelope	ACTIVE	
109	SLRara-1	Add	ACTIVE	Q1k; Vx
110	SLRara-2	Add	ACTIVE	Q1k; Vx
111	SLRara-3	Add	ACTIVE	Q1k; Vx
112	SLRara-4	Add	ACTIVE	Q1k; Vx
113	SLRara-5	Add	ACTIVE	Q1k; Vy
114	SLRara-6	Add	ACTIVE	Q1k; Vy
115	SLRara-7	Add	ACTIVE	Q1k; Vy
116	SLRara-8	Add	ACTIVE	Q1k; Vy
117	SLRara-9	Add	ACTIVE	Q2a; Vx
118	SLRara-10	Add	ACTIVE	Q2a; Vx
119	SLRara-11	Add	ACTIVE	Q2a; Vx

PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_INPUT

120	SLRara-12	Add	ACTIVE	Q2a; Vx
121	SLRara-13	Add	ACTIVE	Q2a; Vy
122	SLRara-14	Add	ACTIVE	Q2a; Vy
123	SLRara-15	Add	ACTIVE	Q2a; Vy
124	SLRara-16	Add	ACTIVE	Q2a; Vy
125	SLRara-17	Add	ACTIVE	Q2b; Vx
126	SLRara-18	Add	ACTIVE	Q2b; Vx
127	SLRara-19	Add	ACTIVE	Q2b; Vx
128	SLRara-20	Add	ACTIVE	Q2b; Vx
129	SLRara-21	Add	ACTIVE	Q2b; Vy
130	SLRara-22	Add	ACTIVE	Q2b; Vy
131	SLRara-23	Add	ACTIVE	Q2b; Vy
132	SLRara-24	Add	ACTIVE	Q2b; Vy
133	SLRara-25	Add	ACTIVE	Vx; Q1f
134	SLRara-26	Add	ACTIVE	Vx; Q1f
135	SLRara-27	Add	ACTIVE	Vx; Q1f
136	SLRara-28	Add	ACTIVE	Vx; Q1f
137	SLRara-29	Add	ACTIVE	Vy; Q1f
138	SLRara-30	Add	ACTIVE	Vy; Q1f
139	SLRara-31	Add	ACTIVE	Vy; Q1f
140	SLRara-32	Add	ACTIVE	Vy; Q1f
141	SLRara-33	Add	ACTIVE	T; Q1f; Vx
142	SLRara-34	Add	ACTIVE	T; Q1f; Vx
143	SLRara-35	Add	ACTIVE	T; Q1f; Vx
144	SLRara-36	Add	ACTIVE	T; Q1f; Vx
145	SLRara-37	Add	ACTIVE	T; Q1f; Vy
146	SLRara-38	Add	ACTIVE	T; Q1f; Vy
147	SLRara-39	Add	ACTIVE	T; Q1f; Vy
148	SLRara-40	Add	ACTIVE	T; Q1f; Vy
149	SLQP-1	Add	ACTIVE	
150	SLQP-2	Add	ACTIVE	
151	SLF-1	Add	ACTIVE	Q1f; T
152	SLF-2	Add	ACTIVE	Q1f; T
153	SLF-3	Add	ACTIVE	Vx; T
154	SLF-4	Add	ACTIVE	Vx; T
155	SLF-5	Add	ACTIVE	Vx; T
156	SLF-6	Add	ACTIVE	Vx; T
157	SLF-7	Add	ACTIVE	Vy; T
158	SLF-8	Add	ACTIVE	Vy; T
159	SLF-9	Add	ACTIVE	Vy; T
160	SLF-10	Add	ACTIVE	Vy; T
161	INVSLU	Envelope	ACTIVE	
162	INVSLV	Envelope	ACTIVE	
163	INVSLE	Envelope	ACTIVE	
164	G1+G2+Q1k	Add	ACTIVE	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

 ** Gen 2011 Modeling, Integrated Design & Analysis Software
 **
 ** GENERAL STRUCTURE DESIGN SYSTEM
 **


```

      XXX  XXX  XX  XXXXXXXX  XXXXXXXX  XXXXXXXX
XXXX XXXX  XX  XX  XX  XX  XX  XX  XX
XX XXX XX  XX  XX  XX  XX  XX  XX
XX X XX  XX  XX  XX  XXXXXXXX  XXXXXXXX
XXX  XX  XXX  XXX  XX  XX  XX  XXX
XXX  XX  XXX  XXX  XX  XXX  XX  XX  XXX
XXX  XX  XXX  XXX  XX  XXX  XX  XX  XXX
XXX  XX  XXX  XXXXXXXX  XXX  XX  XXXXXXXX /Gen

```

Gen 2011

COPYRIGHT (C) SINCE 1989. MIDAS Information Technology Co.,Ltd.


ALL RIGHTS RESERVED.

MIDAS TEAM

ANALYSIS RESULT OUTPUT

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

LOAD SET FOR DISPLACMENT OUTPUT - Load Set 1

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
pp imp~1	pp imp adiac	Static	
perm i~1	perm imp adiac	Static	
SLVx-E~1	SLVx-Ecc.	Static	eccentricità accidentale 3
SLVx-E~1	SLVx-Ecc.	Static	eccentricità accidentale 3
% sisma in X isma in X			
SLVy-E~1	SLVy-Ecc.	Static	eccentricità accidentale 3
SLVy-E~1	SLVy-Ecc.	Static	eccentricità accidentale 3
% sisma in Y isma in Y			

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>

[[Selected Load Cases]]

LOAD CASE ASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
Q1-1 2	Moving	lato cordolo 75	
Q1-3 4	Moving	lato cordolo 150	
Q2a-1 2	Moving	lato cordolo 75	
Q2a-3 4	Moving	lato cordolo 150	
Q1-1	Moving		
Q1-3	Moving		
SLVx	Res.Spec		
SLVy	Res.Spec		
SLVz	Res.Spec		
G1	Static		User Defined Lo
ad (USER) G2	Static		User Defined Lo
ad (USER) pp imp~1	Static		User Defined Lo
ad (USER) perm i~1	Static		User Defined Lo
ad (USER) pp2	Static		User Defined Lo

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

ad perm2	Static		User Defined Lo
(USER) q3	Static	frenamento	User Defined Lo
ad (USER) q4-1	Static	azione centrifuga	User Defined Lo
ad (USER) q4-2	Static	azione centrifuga	User Defined Lo
ad (USER) q4-3	Static	azione centrifuga	User Defined Lo
ad (USER) q4-4	Static	azione centrifuga	User Defined Lo
ad q5x pc	Static	vento x	User Defined Lo
(USER) q5y pc	Static	vento y	User Defined Lo
ad (USER) q5x ps	Static	vento ponte scarico x	Wind Load on St
ructure (W) q5y ps	Static	vento ponte scarico y	Wind Load on St
ructure (W) q7	Static	resistenze passive dei vincoli	User Defined Lo
ad (USER) T	Static	variazione termica uniforme	User Defined Lo
ad (USER) SLVx-E~1	Static	eccentricità accidentale 3	SLVx-E~1 Static ec
centricità accidentale 3% sisma in X	User Defined Load (USER)		
isma in X	User Defined Load (USER)		
SLVy-E~1	Static	eccentricità accidentale 3	SLVy-E~1 Static ec
centricità accidentale 3% sisma in Y	User Defined Load (USER)		
isma in Y	User Defined Load (USER)		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

LOAD SET FOR REACTION OUTPUT - Load Set 1

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
pp imp~1	pp imp adiac	Static	
perm i~1	perm imp adiac	Static	
SLVx-E~1	SLVx-Ecc.	Static	eccentricità accidentale 3
SLVx-E~1	SLVx-Ecc.	Static	eccentricità accidentale 3
% sisma in X isma in X			
SLVy-E~1	SLVy-Ecc.	Static	eccentricità accidentale 3
SLVy-E~1	SLVy-Ecc.	Static	eccentricità accidentale 3
% sisma in Y isma in Y			


<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>

[[Selected Load Cases]]

LOAD CASE ASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
Q1-1 2	Moving	lato cordolo 75	
Q1-3 4	Moving	lato cordolo 150	
Q2a-1 2	Moving	lato cordolo 75	
Q2a-3 4	Moving	lato cordolo 150	
Q1-1	Moving		
Q1-3	Moving		
SLVx	Res.Spec		
SLVy	Res.Spec		
SLVz	Res.Spec		
G1	Static		User Defined Lo
ad (USER) G2	Static		User Defined Lo
ad (USER) pp imp~1	Static		User Defined Lo
ad (USER) perm i~1	Static		User Defined Lo
ad (USER) pp2	Static		User Defined Lo

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

ad perm2	Static		User Defined Lo
(USER) q3	Static	frenamento	User Defined Lo
ad (USER) q4-1	Static	azione centrifuga	User Defined Lo
ad (USER) q4-2	Static	azione centrifuga	User Defined Lo
ad (USER) q4-3	Static	azione centrifuga	User Defined Lo
ad (USER) q4-4	Static	azione centrifuga	User Defined Lo
ad q5x pc	Static	vento x	User Defined Lo
(USER) q5y pc	Static	vento y	User Defined Lo
ad (USER) q5x ps	Static	vento ponte scarico x	Wind Load on St
ructure (W) q5y ps	Static	vento ponte scarico y	Wind Load on St
ructure (W) q7	Static	resistenze passive dei vincoli	User Defined Lo
ad (USER) T	Static	variazione termica uniforme	User Defined Lo
ad (USER) SLVx-E~1	Static	eccentricità accidentale 3	SLVx-E~1 Static ec
centricità accidentale 3% sisma in X	User Defined Load (USER)		
isma in X	User Defined Load (USER)		
ad (USER) SLVy-E~1	Static	eccentricità accidentale 3	SLVy-E~1 Static ec
centricità accidentale 3% sisma in Y	User Defined Load (USER)		
isma in Y	User Defined Load (USER)		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

LOAD SET FOR ELEMENT OUTPUT - Load Set 1

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>


ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
pp imp~1	pp imp adiac	Static	
perm i~1	perm imp adiac	Static	
SLVx-E~1	SLVx-Ecc.	Static	eccentricità accidentale 3
SLVx-E~1	SLVx-Ecc.	Static	eccentricità accidentale 3
% sisma in X isma in X			
SLVy-E~1	SLVy-Ecc.	Static	eccentricità accidentale 3
SLVy-E~1	SLVy-Ecc.	Static	eccentricità accidentale 3
% sisma in Y isma in Y			

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>

[[Selected Load Cases]]


LOAD CASE ASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
Q1-1 2	Moving	lato cordolo 75	
Q1-3 4	Moving	lato cordolo 150	
Q2a-1 2	Moving	lato cordolo 75	
Q2a-3 4	Moving	lato cordolo 150	
Q1-1	Moving		
Q1-3	Moving		
SLVx	Res.Spec		
SLVy	Res.Spec		
SLVz	Res.Spec		
G1	Static		User Defined Lo
ad (USER) G2	Static		User Defined Lo
ad (USER) pp imp~1	Static		User Defined Lo
ad (USER) perm i~1	Static		User Defined Lo
ad (USER) pp2	Static		User Defined Lo
ad (USER)			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

ad perm2	Static			User Defined Lo
(USER)				
ad q3	Static	frenamento		User Defined Lo
(USER)				
ad q4-1	Static	azione centrifuga		User Defined Lo
(USER)				
ad q4-2	Static	azione centrifuga		User Defined Lo
(USER)				
ad q4-3	Static	azione centrifuga		User Defined Lo
(USER)				
ad q4-4	Static	azione centrifuga		User Defined Lo
(USER)				
ad q5x pc	Static	vento x		User Defined Lo
(USER)				
ad q5y pc	Static	vento y		User Defined Lo
(USER)				
ad q5x ps	Static	vento ponte scarico x		Wind Load on St
ructure (W)				
ad q5y ps	Static	vento ponte scarico y		Wind Load on St
ructure (W)				
ad q7	Static	resistenze passive dei vincoli		User Defined Lo
(USER)				
ad T	Static	variazione termica uniforme		User Defined Lo
(USER)				
ad SLVx-E~1	Static	eccentricità accidentale 3	SLVx-E~1	Static ec
centricità accidentale 3% sisma in X		User Defined Load (USER)		
isma in X	User Defined Load (USER)			
ad SLVy-E~1	Static	eccentricità accidentale 3	SLVy-E~1	Static ec
centricità accidentale 3% sisma in Y		User Defined Load (USER)		
isma in Y	User Defined Load (USER)			

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

NODE DISPLACEMENT AND ROTATIONS DEFAULT PRINTOUT
kN , m


Unit System :

NODE RZ	LC		UX	UY	UZ	RX	RY
134	Q1-1_2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.134	0.054	-0.004	-0.0	-0.0
-0.0	SLVy (RS)		0.037	0.053	0.001	-0.0	0.0
-0.0	SLVz (RS)		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	G1		0.002	-0.002	-0.001	0.0	0.0
-0.0	G2		0.001	-0.001	-0.000	0.0	0.0
-0.0	pp imp~1		-0.003	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-4		0.002	-0.003	0.000	0.0	0.0
-0.0	q5x_pc		0.008	-0.002	0.000	0.0	0.0
-0.0	q5y_pc		-0.004	0.007	-0.000	-0.0	-0.0
0.0	q5x_ps		0.001	-0.002	0.000	0.0	0.0
-0.0	q5y_ps		-0.004	0.006	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.001	0.000	0.0	0.0
0.0	SLVx-E~1		0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1		0.003	-0.003	0.000	0.0	0.0
137	Q1-1_2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.003	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.134	0.054	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.037	0.052	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	0.000	-0.0	-0.0
-0.0	G1		0.002	-0.002	-0.001	0.0	0.0
-0.0	G2		0.001	-0.001	-0.000	0.0	0.0
0.0	pp imp~1		-0.003	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q3	0.001	-0.001	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	0.002	-0.003	-0.000	0.0	0.0
0.0	q5x_pc	0.008	-0.002	0.000	0.0	0.0
-0.0	q5y_pc	-0.004	0.007	-0.000	-0.0	-0.0
-0.0	q5x_ps	0.001	-0.002	0.000	0.0	0.0
0.0	q5y_ps	-0.004	0.006	-0.000	-0.0	-0.0
-0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.001	-0.000	0.0	0.0
0.0	SLVx-E~1	0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1	0.003	-0.003	0.000	0.0	0.0
0.0						
290	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.000	0.000	0.000	-0.0
-0.0	SLVy (RS)		0.000	0.000	-0.000	-0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0
0.0	G1		0.000	-0.000	-0.000	0.0
-0.0						

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.000	-0.000	0.000	0.0	0.0
-0.0	q5y_pc		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.000	-0.000	0.000	0.0	0.0
0.0							
294	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	


0.0	SLVx (RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLVy (RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLVz (RS)	0.000	0.000	0.000	0.0	0.0
0.0	G1	0.000	0.000	0.000	0.0	0.0
0.0	G2	0.000	0.000	0.000	0.0	0.0
0.0	pp imp~1	0.000	0.000	0.000	0.0	0.0
0.0	perm i~1	0.000	0.000	0.000	0.0	0.0
0.0	pp2	0.000	0.000	0.000	0.0	0.0
0.0	perm2	0.000	0.000	0.000	0.0	0.0
0.0	q3	0.000	0.000	0.000	0.0	0.0
0.0	q4-1	0.000	0.000	0.000	0.0	0.0
0.0	q4-2	0.000	0.000	0.000	0.0	0.0
0.0	q4-3	0.000	0.000	0.000	0.0	0.0
0.0	q4-4	0.000	0.000	0.000	0.0	0.0
0.0	q5x_pc	0.000	0.000	0.000	0.0	0.0
0.0	q5y_pc	0.000	0.000	0.000	0.0	0.0
0.0	q5x_ps	0.000	0.000	0.000	0.0	0.0
0.0	q5y_ps	0.000	0.000	0.000	0.0	0.0
0.0	q7	0.000	0.000	0.000	0.0	0.0
0.0	T	0.000	0.000	0.000	0.0	0.0
0.0	SLVx-E~1	0.000	0.000	0.000	0.0	0.0
0.0	SLVy-E~1	0.000	0.000	0.000	0.0	0.0
0.0						
375	Q1-1_2	Max	0.003	0.001	0.000	0.0
0.0		Min	-0.000	-0.003	-0.000	-0.0
-0.0						
	Q1-3_4	Max	0.003	0.001	0.000	0.0
0.0		Min	-0.000	-0.003	-0.000	-0.0
-0.0						
	Q2a-1_2	Max	0.002	0.001	0.000	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0
-0.0						
	Q2a-3_4	Max	0.002	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.128	0.052	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.036	0.050	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.000	-0.000	0.000	-0.0	-0.0
-0.0	G1		0.002	-0.002	-0.001	0.0	0.0
-0.0	G2		0.001	-0.001	-0.000	0.0	0.0
0.0	pp imp~1		-0.003	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.002	-0.003	-0.000	0.0	0.0
-0.0	q5x_pc		0.008	-0.002	0.000	0.0	0.0
-0.0	q5y_pc		-0.004	0.007	-0.000	-0.0	-0.0
0.0	q5x_ps		0.001	-0.002	0.000	0.0	0.0
-0.0	q5y_ps		-0.004	0.006	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.001	-0.000	0.0	0.0
0.0	SLVx-E~1		0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1		0.002	-0.003	0.000	0.0	0.0
376	Q1-1_2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.003	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q2a-1_2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.123	0.049	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.034	0.048	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	0.000	-0.0	-0.0
-0.0	G1		0.002	-0.001	-0.001	0.0	0.0
-0.0	G2		0.001	-0.001	-0.000	0.0	0.0
0.0	pp imp~1		-0.003	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.002	-0.003	-0.000	0.0	0.0
-0.0	q5x_pc		0.008	-0.002	0.000	0.0	0.0
-0.0	q5y_pc		-0.004	0.007	-0.000	-0.0	-0.0
0.0	q5x_ps		0.001	-0.002	0.000	0.0	0.0
-0.0	q5y_ps		-0.004	0.005	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.001	-0.000	0.0	0.0
0.0	SLVx-E~1		0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1		0.002	-0.003	0.000	0.0	0.0
377	Q1-1_2	Max	0.002	0.001	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.118	0.047	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.033	0.046	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	0.000	-0.0	-0.0
-0.0	G1		0.002	-0.001	-0.001	0.0	0.0
-0.0	G2		0.001	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		-0.002	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.002	-0.002	-0.000	0.0	0.0
-0.0	q5x_pc		0.007	-0.002	0.000	0.0	0.0
-0.0	q5y_pc		-0.004	0.007	-0.000	-0.0	-0.0
0.0	q5x_ps		0.001	-0.002	0.000	0.0	0.0
-0.0	q5y_ps		-0.004	0.005	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1		0.002	-0.003	0.000	0.0	0.0
0.0							
378	Q1-1_2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.112	0.045	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.032	0.044	-0.000	-0.0	0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	-0.0	-0.0
0.0	G1		0.002	-0.001	-0.001	0.0	0.0
-0.0	G2		0.001	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1		-0.002	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.002	-0.002	-0.000	0.0	0.0
0.0	q5x_pc		0.007	-0.002	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	q5y_pc	-0.003	0.006	-0.000	-0.0	-0.0
-0.0	q5x_ps	0.001	-0.002	0.000	0.0	0.0
0.0	q5y_ps	-0.003	0.005	-0.000	-0.0	-0.0
-0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1	0.002	-0.002	0.000	0.0	0.0
0.0						
379	Q1-1_2	Max	0.002	0.001	0.000	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0
-0.0						
	Q1-3_4	Max	0.002	0.001	0.000	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.000	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
	Q2a-3_4	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
	Q1-1	Max	0.001	0.000	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
	Q1-3	Max	0.001	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.107	0.043	0.000	-0.0
-0.0	SLVy (RS)		0.030	0.042	-0.000	-0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	-0.0
0.0	G1		0.002	-0.001	-0.001	0.0
-0.0	G2		0.001	-0.000	-0.000	0.0
-0.0	pp imp~1		-0.002	0.000	-0.000	-0.0
0.0	perm i~1		-0.001	0.000	-0.000	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0
0.0	perm2		0.000	-0.000	0.000	0.0
0.0	q3		0.000	-0.001	0.000	0.0
0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	0.002	-0.002	-0.000	0.0	0.0
-0.0	q5x_pc	0.007	-0.001	0.000	0.0	0.0
-0.0	q5y_pc	-0.003	0.006	-0.000	-0.0	-0.0
0.0	q5x_ps	0.001	-0.002	0.000	0.0	0.0
-0.0	q5y_ps	-0.003	0.005	-0.000	-0.0	-0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1	0.002	-0.002	0.000	0.0	0.0
380	Q1-1_2	Max	0.002	0.001	0.000	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.002	0.001	0.000	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0
0.0	Q2a-1_2	Max	0.001	0.000	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
0.0	Q1-1	Max	0.001	0.000	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
0.0	Q1-3	Max	0.001	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0	SLVx (RS)		-0.102	0.041	0.000	-0.0
-0.0	SLVy (RS)		0.029	0.040	-0.000	0.0
0.0	SLVz (RS)		0.000	-0.001	0.000	-0.0
-0.0	G1		0.002	-0.001	-0.001	0.0
-0.0	G2		0.001	-0.000	-0.000	0.0
-0.0	pp imp~1		-0.002	0.000	-0.000	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	perm i~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.001	-0.002	-0.000	0.0	0.0
0.0	q5x_pc		0.006	-0.001	0.000	0.0	0.0
-0.0	q5y_pc		-0.003	0.006	-0.000	-0.0	-0.0
-0.0	q5x_ps		0.001	-0.002	0.000	0.0	0.0
0.0	q5y_ps		-0.003	0.005	-0.000	-0.0	-0.0
-0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1		0.002	-0.002	0.000	0.0	0.0
0.0							
381	Q1-1_2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.097	0.039	0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	SLVy (RS)	0.027	0.038	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.000	-0.001	0.000	-0.0	-0.0
-0.0	G1	0.001	-0.001	-0.001	0.0	0.0
-0.0	G2	0.001	-0.000	-0.000	0.0	0.0
0.0	pp imp~1	-0.002	0.000	-0.000	-0.0	-0.0
0.0	perm i~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2	0.000	-0.000	0.000	0.0	0.0
0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	-0.001	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	0.001	-0.002	-0.000	0.0	0.0
-0.0	q5x_pc	0.006	-0.001	0.000	0.0	0.0
-0.0	q5y_pc	-0.003	0.005	-0.000	-0.0	-0.0
0.0	q5x_ps	0.001	-0.002	0.000	0.0	0.0
-0.0	q5y_ps	-0.003	0.004	-0.000	-0.0	-0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1	0.002	-0.002	0.000	0.0	0.0
382	Q1-1_2	Max	0.002	0.001	0.000	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.002	0.001	0.000	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0
0.0						
-0.0	Q2a-1_2	Max	0.001	0.000	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.000	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0		SLVx (RS)	-0.091	0.037	0.000	-0.0	-0.0
-0.0		SLVy (RS)	0.026	0.036	-0.000	-0.0	0.0
0.0		SLVz (RS)	0.000	-0.001	0.000	-0.0	-0.0
-0.0		G1	0.001	-0.001	-0.001	0.0	0.0
-0.0		G2	0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		-0.002	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.001	-0.002	-0.000	0.0	0.0
-0.0	q5x_pc		0.006	-0.001	0.000	0.0	0.0
-0.0	q5y_pc		-0.003	0.005	-0.000	-0.0	-0.0
0.0	q5x_ps		0.001	-0.001	0.000	0.0	0.0
-0.0	q5y_ps		-0.003	0.004	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1		0.002	-0.002	0.000	0.0	0.0
383	Q1-1_2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			


-0.0								
0.0	Q2a-3_4	Max	0.001	0.000	0.000	0.0	0.0	
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0	
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0	
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0	
0.0	Q1-3	Max	0.001	0.000	0.000	0.0	0.0	
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0	
-0.0	SLVx	(RS)	-0.086	0.035	0.000	-0.0	-0.0	
-0.0	SLVy	(RS)	0.025	0.035	-0.000	-0.0	0.0	
0.0	SLVz	(RS)	0.000	-0.001	0.000	-0.0	-0.0	
-0.0	G1		0.001	-0.001	-0.001	0.0	0.0	
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0	
0.0	pp imp~1		-0.002	0.000	-0.000	-0.0	-0.0	
0.0	perm i~1		-0.001	0.000	-0.000	-0.0	-0.0	
0.0	pp2		0.000	-0.000	0.000	0.0	0.0	
0.0	perm2		0.000	-0.000	0.000	0.0	0.0	
0.0	q3		0.000	-0.001	0.000	0.0	0.0	
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0	
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0	
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0	
0.0	q4-4		0.001	-0.002	-0.000	0.0	0.0	
-0.0	q5x_pc		0.005	-0.001	0.000	0.0	0.0	
-0.0	q5y_pc		-0.003	0.005	-0.000	-0.0	-0.0	
0.0	q5x_ps		0.001	-0.001	0.000	0.0	0.0	
-0.0	q5y_ps		-0.003	0.004	-0.000	-0.0	-0.0	
0.0	q7		0.000	-0.000	0.000	0.0	0.0	
0.0	T		0.000	-0.000	-0.000	0.0	0.0	
0.0	SLVx-E~1		0.001	-0.001	0.000	0.0	0.0	
0.0	SLVy-E~1		0.002	-0.002	0.000	0.0	0.0	
384	Q1-1_2	Max	0.001	0.001	0.000	0.0	0.0	
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0	
-0.0								

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.081	0.033	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.023	0.033	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.001	0.000	-0.0	-0.0
-0.0	G1		0.001	-0.001	-0.001	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.001	-0.002	-0.000	0.0	0.0
-0.0	q5x_pc		0.005	-0.001	0.000	0.0	0.0
-0.0	q5y_pc		-0.002	0.004	-0.000	-0.0	-0.0
0.0	q5x_ps		0.001	-0.001	0.000	0.0	0.0
-0.0	q5y_ps		-0.002	0.004	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.001	-0.001	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	SLVy-E~1	0.001	-0.002	0.000	0.0	0.0
0.0						
385	Q1-1_2	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.000	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.000	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.001	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)	-0.076	0.031	0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.022	0.031	-0.000	-0.0	0.0
-0.0	SLVz (RS)	0.000	-0.001	0.000	0.0	-0.0
0.0	G1	0.001	-0.001	-0.001	0.0	0.0
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	perm i~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2	0.000	-0.000	0.000	0.0	0.0
0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	-0.001	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	0.001	-0.002	-0.000	0.0	0.0
0.0	q5x_pc	0.005	-0.001	0.000	0.0	0.0
-0.0	q5y_pc	-0.002	0.004	-0.000	-0.0	-0.0
-0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q5x_ps		0.001	-0.001	0.000	0.0	0.0
-0.0	q5y_ps		-0.002	0.003	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1		0.001	-0.002	0.000	0.0	0.0
386	Q1-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.071	0.029	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.021	0.029	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	-0.0
-0.0	G1		0.001	-0.001	-0.001	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	0.001	-0.001	-0.000	0.0	0.0
0.0	q5x_pc	0.005	-0.001	0.000	0.0	0.0
-0.0	q5y_pc	-0.002	0.004	-0.000	-0.0	-0.0
-0.0	q5x_ps	0.001	-0.001	0.000	0.0	0.0
0.0	q5y_ps	-0.002	0.003	-0.000	-0.0	-0.0
-0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1	0.001	-0.002	0.000	0.0	0.0
0.0						
387	Q1-1_2	Max	0.001	0.000	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
	Q1-3_4	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.000	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
	Q2a-3_4	Max	0.001	0.000	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
	Q1-3	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)	-0.067	0.027	0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.019	0.027	-0.000	-0.0	0.0
-0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	-0.0
0.0	G1	0.001	-0.001	-0.001	0.0	0.0
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	perm i~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	pp2	0.000	-0.000	0.000	0.0	0.0	
0.0	perm2	0.000	-0.000	0.000	0.0	0.0	
0.0	q3	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-4	0.001	-0.001	-0.000	0.0	0.0	
0.0	q5x_pc	0.004	-0.001	0.000	0.0	0.0	
-0.0	q5y_pc	-0.002	0.004	-0.000	-0.0	-0.0	
-0.0	q5x_ps	0.001	-0.001	0.000	0.0	0.0	
0.0	q5y_ps	-0.002	0.003	-0.000	-0.0	-0.0	
-0.0	q7	0.000	-0.000	0.000	0.0	0.0	
0.0	T	0.000	-0.000	-0.000	0.0	0.0	
0.0	SLVx-E~1	0.001	-0.001	0.000	0.0	0.0	
0.0	SLVy-E~1	0.001	-0.001	0.000	0.0	0.0	
0.0							
388	Q1-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.062	0.025	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.018	0.025	-0.000	-0.0	0.0
-0.0	SLVz (RS)		0.001	-0.000	0.000	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	G1		0.001	-0.001	-0.001	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.001	-0.001	-0.000	0.0	0.0
0.0	q5x_pc		0.004	-0.001	0.000	0.0	0.0
-0.0	q5y_pc		-0.002	0.003	-0.000	-0.0	-0.0
-0.0	q5x_ps		0.001	-0.001	0.000	0.0	0.0
0.0	q5y_ps		-0.002	0.003	-0.000	-0.0	-0.0
-0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1		0.001	-0.001	0.000	0.0	0.0
0.0							
389	Q1-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.057	0.023	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.017	0.023	-0.000	-0.0	0.0
0.0	SLVz	(RS)	0.001	-0.000	0.000	0.0	-0.0
-0.0	G1		0.001	-0.000	-0.001	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.001	-0.001	-0.000	0.0	0.0
-0.0	q5x_pc		0.004	-0.001	0.000	0.0	0.0
-0.0	q5y_pc		-0.002	0.003	-0.000	-0.0	-0.0
0.0	q5x_ps		0.001	-0.001	0.000	0.0	0.0
-0.0	q5y_ps		-0.002	0.003	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1		0.001	-0.001	0.000	0.0	0.0
390	Q1-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	Q1-3_4	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	Q2a-3_4	Max	0.001	0.000	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.053	0.021	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.015	0.022	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	0.001	-0.000	0.000	0.0	0.0
0.0	G1		0.001	-0.000	-0.001	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.001	-0.001	-0.000	0.0	0.0
0.0	q5x_pc		0.003	-0.001	0.000	0.0	0.0
-0.0	q5y_pc		-0.001	0.003	-0.000	-0.0	-0.0
-0.0	q5x_ps		0.001	-0.001	0.000	0.0	0.0
0.0	q5y_ps		-0.002	0.002	-0.000	-0.0	-0.0
-0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.001	-0.001	0.000	0.0	0.0
0.0							
391	Q1-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.000	0.000	0.0	0.0

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1_2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.049	0.020	0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.014	0.020	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.001	-0.000	0.000	0.0	0.0
-0.0	G1	0.001	-0.000	-0.001	0.0	0.0
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	perm i~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2	0.000	-0.000	0.000	0.0	0.0
0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	0.001	-0.001	-0.000	0.0	0.0
-0.0	q5x_pc	0.003	-0.001	0.000	0.0	0.0
-0.0	q5y_pc	-0.001	0.003	-0.000	-0.0	-0.0
0.0	q5x_ps	0.000	-0.001	0.000	0.0	0.0
-0.0	q5y_ps	-0.001	0.002	-0.000	-0.0	-0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1	0.001	-0.001	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


392	Q1-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.044	0.018	0.000	-0.0	-0.0
-0.0							
	SLVy (RS)		0.013	0.018	-0.000	-0.0	0.0
-0.0							
	SLVz (RS)		0.001	-0.000	0.000	0.0	0.0
0.0							
-0.0	G1		0.001	-0.000	-0.001	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0							
	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
	pp2		0.000	-0.000	0.000	0.0	0.0
0.0							
	perm2		0.000	-0.000	0.000	0.0	0.0
0.0							
	q3		0.000	-0.000	0.000	0.0	0.0
0.0							
	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0							
	q4-2		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0							
	q4-4		0.001	-0.001	-0.000	0.0	0.0
0.0							
	q5x_pc		0.003	-0.001	0.000	0.0	0.0
-0.0							
	q5y_pc		-0.001	0.002	-0.000	-0.0	-0.0
-0.0							
	q5x_ps		0.000	-0.001	0.000	0.0	0.0
0.0							
	q5y_ps		-0.001	0.002	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1	0.001	-0.001	0.000	0.0	0.0
0.0						
393	Q1-1_2	Max	0.001	0.000	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.000	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.040	0.016	0.000	-0.0
-0.0	SLVy (RS)		0.012	0.017	-0.000	-0.0
-0.0	SLVz (RS)		0.001	-0.000	0.000	0.0
0.0	G1		0.000	-0.000	-0.001	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0
-0.0	pp imp~1		-0.001	0.000	-0.000	-0.0
0.0	perm i~1		-0.000	0.000	-0.000	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0
0.0	perm2		0.000	-0.000	0.000	0.0
0.0	q3		0.000	-0.000	0.000	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0
0.0						

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-4		0.001	-0.001	-0.000	0.0	0.0
-0.0	q5x_pc		0.003	-0.001	0.000	0.0	0.0
-0.0	q5y_pc		-0.001	0.002	-0.000	-0.0	-0.0
0.0	q5x_ps		0.000	-0.001	0.000	0.0	0.0
-0.0	q5y_ps		-0.001	0.002	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.001	-0.001	0.000	0.0	0.0
394	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.037	0.015	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.011	0.015	-0.000	-0.0	0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		0.000	-0.000	-0.001	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0							
0.0	pp imp~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0							
	q3		0.000	-0.000	0.000	0.0	0.0
0.0							
	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0							
	q4-2		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0							
	q4-4		0.000	-0.001	-0.000	0.0	0.0
0.0							
	q5x_pc		0.002	-0.001	0.000	0.0	0.0
-0.0							
	q5y_pc		-0.001	0.002	-0.000	-0.0	-0.0
-0.0							
	q5x_ps		0.000	-0.001	0.000	0.0	0.0
0.0							
	q5y_ps		-0.001	0.002	-0.000	-0.0	-0.0
-0.0							
	q7		0.000	-0.000	0.000	0.0	0.0
0.0							
	T		0.000	-0.000	-0.000	0.0	0.0
0.0							
	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0
0.0							
	SLVy-E~1		0.001	-0.001	0.000	0.0	0.0
0.0							
395	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.033	0.013	0.000	-0.0	-0.0
-0.0							
	SLVy (RS)		0.010	0.014	-0.000	-0.0	0.0
-0.0							
	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0							
	G1		0.000	-0.000	-0.001	0.0	0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.000	-0.001	-0.000	0.0	0.0
0.0	q5x_pc		0.002	-0.000	0.000	0.0	0.0
-0.0	q5y_pc		-0.001	0.002	-0.000	-0.0	-0.0
-0.0	q5x_ps		0.000	-0.001	0.000	0.0	0.0
0.0	q5y_ps		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.001	-0.001	0.000	0.0	0.0
0.0							
396	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	SLVx (RS)	-0.029	0.012	0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.009	0.012	-0.000	-0.0	0.0
-0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1	0.000	-0.000	-0.001	0.0	0.0
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm i~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2	0.000	-0.000	0.000	0.0	0.0
0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	0.000	-0.001	-0.000	0.0	0.0
0.0	q5x_pc	0.002	-0.000	0.000	0.0	0.0
-0.0	q5y_pc	-0.001	0.002	-0.000	-0.0	-0.0
-0.0	q5x_ps	0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1	0.000	-0.001	0.000	0.0	0.0
0.0						
397	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0						
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.026	0.011	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.008	0.011	-0.000	-0.0	0.0
0.0	SLVz	(RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.000	-0.001	-0.000	0.0	0.0
-0.0	q5x_pc		0.002	-0.000	0.000	0.0	0.0
-0.0	q5y_pc		-0.001	0.001	-0.000	-0.0	-0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
-0.0	q5y_ps		-0.001	0.001	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.000	-0.001	0.000	0.0	0.0
398	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.023	0.009	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.007	0.010	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q5x_pc		0.002	-0.000	0.000	0.0	0.0
-0.0	q5y_pc		-0.001	0.001	-0.000	-0.0	-0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
-0.0	q5y_ps		-0.001	0.001	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.000	-0.000	0.000	0.0	0.0
399	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.020	0.008	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.006	0.009	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q5x_pc		0.001	-0.000	0.000	0.0	0.0
-0.0	q5y_pc		-0.001	0.001	-0.000	-0.0	-0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
-0.0	q5y_ps		-0.001	0.001	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0


PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.000	-0.000	0.000	0.0	0.0
0.0							
400	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.017	0.007	0.000	-0.0	-0.0
-0.0							
	SLVy (RS)		0.005	0.007	-0.000	-0.0	0.0
-0.0							
	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0							
	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0							
	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0							
	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
	pp2		0.000	-0.000	0.000	0.0	0.0
0.0							
	perm2		0.000	-0.000	0.000	0.0	0.0
0.0							
	q3		0.000	-0.000	0.000	0.0	0.0
0.0							
	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0							
	q4-2		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0							
	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0							
	q5x_pc		0.001	-0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0						
-0.0	q5y_pc		-0.000	0.001	-0.000	-0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0
-0.0	q5y_ps		-0.000	0.001	-0.000	-0.0
0.0	q7		0.000	-0.000	0.000	0.0
0.0	T		0.000	-0.000	-0.000	0.0
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0
0.0	SLVy-E~1		0.000	-0.000	0.000	0.0
0.0						
401	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0						
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0						
-0.0	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.015	0.006	0.000	-0.0
-0.0	SLVy (RS)		0.004	0.006	-0.000	0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0
0.0						
-0.0	G1		0.000	-0.000	-0.000	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0
-0.0						
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0
0.0	perm i~1		-0.000	0.000	-0.000	-0.0
0.0						
0.0	pp2		0.000	-0.000	0.000	0.0
0.0	perm2		0.000	-0.000	0.000	0.0
0.0						
0.0	q3		0.000	-0.000	0.000	0.0
0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5x_pc	0.001	-0.000	0.000	0.0	0.0
-0.0	q5y_pc	-0.000	0.001	-0.000	-0.0	-0.0
0.0	q5x_ps	0.000	-0.000	0.000	0.0	0.0
-0.0	q5y_ps	-0.000	0.001	-0.000	-0.0	-0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1	0.000	-0.000	0.000	0.0	0.0
402	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0	SLVx (RS)	-0.012	0.005	0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.004	0.005	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1	-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.001	-0.000	0.000	0.0	0.0
-0.0	q5y_pc		-0.000	0.001	-0.000	-0.0	-0.0
-0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps		-0.000	0.001	-0.000	-0.0	-0.0
-0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.000	-0.000	0.000	0.0	0.0
0.0							
403	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.010	0.004	0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	SLVy (RS)		0.003	0.004	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q5x_pc		0.001	-0.000	0.000	0.0	0.0
-0.0	q5y_pc		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
-0.0	q5y_ps		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.000	-0.000	0.000	0.0	0.0
404	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.008	0.003	0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.003	0.004	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm i~1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2	0.000	-0.000	0.000	0.0	0.0
0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5x_pc	0.001	-0.000	0.000	0.0	0.0
-0.0	q5y_pc	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5x_ps	0.000	-0.000	0.000	0.0	0.0
-0.0	q5y_ps	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1	0.000	-0.000	0.000	0.0	0.0
405	Q1-1_2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	Q1-3_4 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	Q2a-1_2 Max	0.000	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


-0.0								
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0	
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0	
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0	
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0	
-0.0	SLVx	(RS)	-0.007	0.003	0.000	-0.0	-0.0	
-0.0	SLVy	(RS)	0.002	0.003	-0.000	-0.0	0.0	
0.0	SLVz	(RS)	0.000	-0.000	0.000	0.0	0.0	
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0	
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0	
0.0	pp imp~1		-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	perm i~1		-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	pp2		0.000	-0.000	0.000	0.0	0.0	
0.0	perm2		0.000	-0.000	0.000	0.0	0.0	
0.0	q3		0.000	-0.000	0.000	0.0	0.0	
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0	
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0	
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0	
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0	
-0.0	q5x_pc		0.000	-0.000	0.000	0.0	0.0	
-0.0	q5y_pc		-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0	
-0.0	q5y_ps		-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q7		0.000	-0.000	0.000	0.0	0.0	
0.0	T		0.000	-0.000	-0.000	0.0	0.0	
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0	
0.0	SLVy-E~1		0.000	-0.000	0.000	0.0	0.0	
406	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0	
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0	
-0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.005	0.002	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.002	0.002	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q5x_pc		0.000	-0.000	0.000	0.0	0.0
-0.0	q5y_pc		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
-0.0	q5y_ps		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	SLVy-E~1	0.000	-0.000	0.000	0.0	0.0	
0.0							
407	Q1-1_2	Max	0.000	0.000	0.000	0.0	
0.0		Min	-0.000	-0.000	-0.000	-0.0	
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	
0.0		Min	-0.000	-0.000	-0.000	-0.0	
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	
0.0		Min	-0.000	-0.000	-0.000	-0.0	
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	
0.0		Min	-0.000	-0.000	-0.000	-0.0	
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	
0.0		Min	-0.000	-0.000	-0.000	-0.0	
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	
0.0		Min	-0.000	-0.000	-0.000	-0.0	
-0.0							
-0.0	SLVx (RS)	-0.004	0.002	0.000	-0.0	-0.0	
-0.0	SLVy (RS)	0.001	0.002	-0.000	-0.0	0.0	
-0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0	
0.0	G1	0.000	-0.000	-0.000	0.0	0.0	
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0	
-0.0	pp imp~1	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	perm i~1	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	pp2	0.000	-0.000	0.000	0.0	0.0	
0.0	perm2	0.000	-0.000	0.000	0.0	0.0	
0.0	q3	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0	
0.0	q5x_pc	0.000	-0.000	0.000	0.0	0.0	
-0.0	q5y_pc	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0							


PROJECT TITLE :

MIDAS		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
-0.0	q5y_ps		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.000	-0.000	0.000	0.0	0.0
408	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.003	0.001	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.001	0.001	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc	0.000	-0.000	0.000	0.0	0.0
-0.0	q5y_pc	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5x_ps	0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1	0.000	-0.000	0.000	0.0	0.0
0.0						
409	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q1-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q2a-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q1-3	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.002	0.001	0.000	-0.0
-0.0	SLVy (RS)		0.001	0.001	-0.000	-0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0
0.0						
-0.0	G1		0.000	-0.000	-0.000	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0
-0.0						
0.0	pp imp~1		-0.000	-0.000	-0.000	-0.0
0.0	perm i~1		-0.000	-0.000	-0.000	-0.0
0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	pp2	0.000	-0.000	0.000	0.0	0.0
0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc	0.000	-0.000	0.000	0.0	0.0
-0.0	q5y_pc	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5x_ps	0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1	0.000	-0.000	0.000	0.0	0.0
0.0						
410	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.001	0.000	0.000	-0.0
-0.0	SLVy (RS)		0.000	0.000	-0.000	-0.0
-0.0	SLVz (RS)		0.000	-0.000	0.000	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0							
	G1	0.000	-0.000	-0.000	0.0	0.0	
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0	
-0.0	pp imp~1	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	perm i~1	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	pp2	0.000	-0.000	0.000	0.0	0.0	
0.0	perm2	0.000	-0.000	0.000	0.0	0.0	
0.0	q3	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0	
0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0	
-0.0	q4-3	0.000	-0.000	0.000	0.0	0.0	
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0	
0.0	q5x_pc	0.000	-0.000	0.000	0.0	0.0	
-0.0	q5y_pc	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q5x_ps	0.000	-0.000	0.000	0.0	0.0	
0.0	q5y_ps	-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q7	0.000	-0.000	0.000	0.0	0.0	
0.0	T	0.000	-0.000	-0.000	0.0	0.0	
0.0	SLVx-E~1	0.000	-0.000	0.000	0.0	0.0	
0.0	SLVy-E~1	0.000	-0.000	0.000	0.0	0.0	
0.0							
411	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.000	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.000	-0.000	0.000	0.0	0.0
-0.0	q5y_pc		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		0.000	-0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.000	-0.000	0.000	0.0	0.0
0.0							
488	Q1-1_2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.003	-0.003	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.003	-0.003	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	-0.058	0.035	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.074	0.065	0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		0.000	0.000	-0.000	-0.0	-0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.008	0.006	0.000	-0.0	0.0
0.0	q4-1		0.001	0.001	0.000	-0.0	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.019	0.003	-0.000	-0.0	0.0
0.0	q5y_pc		0.008	0.015	0.000	-0.0	0.0
0.0	q5x_ps		0.021	0.004	-0.000	-0.0	0.0
0.0	q5y_ps		0.007	0.013	0.000	-0.0	0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.007	-0.006	0.000	0.0	-0.0
-0.0	SLVx-E~1		0.002	0.001	0.000	-0.0	0.0
0.0	SLVy-E~1		0.005	0.003	0.000	-0.0	0.0
0.0							
491	Q1-1_2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.003	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.003	0.002	0.000	0.0	0.0

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	Min	-0.003	-0.002	-0.000	-0.0	-0.0
0.0	Q2a-1_2 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-3_4 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.001	0.000	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.055	0.033	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.071	0.062	0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	0.000	0.000	-0.001	-0.0	-0.0
0.0	G2	0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2	0.000	-0.000	0.000	0.0	0.0
-0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.007	0.005	0.000	-0.0	0.0
0.0	q4-1	0.001	0.001	0.000	-0.0	0.0
-0.0	q4-2	0.001	0.000	0.000	-0.0	0.0
0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4	-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc	0.018	0.003	0.000	-0.0	0.0
0.0	q5y_pc	0.007	0.014	0.000	-0.0	0.0
0.0	q5x_ps	0.020	0.004	-0.000	-0.0	0.0
0.0	q5y_ps	0.007	0.012	0.000	-0.0	0.0
-0.0	q7	0.001	-0.000	-0.000	0.0	0.0
-0.0	T	-0.006	-0.006	0.000	0.0	-0.0
0.0	SLVx-E~1	0.002	0.001	0.000	-0.0	0.0
0.0	SLVy-E~1	0.004	0.003	0.000	-0.0	0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

492	Q1-1_2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.002	-0.002	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.002	0.002	0.000	0.0	0.0
0.0		Min	-0.003	-0.002	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.052	0.032	0.000	-0.0	-0.0
-0.0							
	SLVy (RS)		0.067	0.059	0.000	-0.0	0.0
0.0							
	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
	G1		0.000	0.000	-0.001	-0.0	-0.0
0.0							
	G2		0.000	0.000	-0.000	-0.0	-0.0
0.0							
	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0							
	perm2		0.000	-0.000	0.000	0.0	0.0
-0.0							
	q3		0.007	0.005	0.000	-0.0	0.0
0.0							
	q4-1		0.000	0.001	0.000	-0.0	0.0
0.0							
	q4-2		0.001	0.000	0.000	-0.0	0.0
-0.0							
	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0							
	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0							
	q5x_pc		0.017	0.003	0.000	-0.0	0.0
0.0							
	q5y_pc		0.007	0.013	0.000	-0.0	0.0
0.0							
	q5x_ps		0.019	0.004	-0.000	-0.0	0.0
0.0							
	q5y_ps		0.006	0.012	0.000	-0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q7	0.001	-0.000	-0.000	0.0	0.0
-0.0	T	-0.006	-0.006	0.000	0.0	-0.0
-0.0	SLVx-E~1	0.002	0.001	0.000	-0.0	0.0
0.0	SLVy-E~1	0.004	0.003	0.000	-0.0	0.0
0.0						
493	Q1-1_2	Max	0.003	0.002	0.000	0.0
0.0		Min	-0.002	-0.002	-0.000	-0.0
-0.0						
	Q1-3_4	Max	0.002	0.002	0.000	0.0
0.0		Min	-0.003	-0.002	-0.000	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
	Q2a-3_4	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
	Q1-1	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
	Q1-3	Max	0.000	0.001	0.000	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
	SLVx (RS)		-0.049	0.030	0.000	-0.0
-0.0	SLVy (RS)		0.063	0.055	0.000	0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0
-0.0						
	G1		0.000	0.000	-0.001	-0.0
0.0	G2		0.000	0.000	-0.000	-0.0
0.0						
	pp imp~1		-0.000	0.000	-0.000	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0
-0.0						
	pp2		0.000	-0.000	0.000	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0
-0.0						
	q3		0.007	0.005	0.000	-0.0
0.0	q4-1		0.000	0.001	0.000	-0.0
0.0	q4-2		0.001	0.000	0.000	-0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0
0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.016	0.003	0.000	-0.0	0.0
0.0	q5y_pc		0.006	0.012	0.000	-0.0	0.0
0.0	q5x_ps		0.018	0.003	-0.000	-0.0	0.0
0.0	q5y_ps		0.006	0.011	0.000	-0.0	0.0
-0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.006	-0.005	0.000	0.0	-0.0
0.0	SLVx-E~1		0.002	0.001	0.000	-0.0	0.0
0.0	SLVy-E~1		0.004	0.003	0.000	-0.0	0.0
494	Q1-1_2	Max	0.002	0.002	0.000	0.0	0.0
0.0		Min	-0.002	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.002	0.002	0.000	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.046	0.028	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.059	0.052	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	q3	0.006	0.004	0.000	-0.0	0.0	
0.0	q4-1	0.000	0.001	0.000	-0.0	0.0	
0.0	q4-2	0.001	0.000	0.000	-0.0	0.0	
-0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0	
0.0	q4-4	-0.001	-0.001	-0.000	0.0	-0.0	
0.0	q5x_pc	0.015	0.003	0.000	-0.0	0.0	
0.0	q5y_pc	0.006	0.012	0.000	-0.0	0.0	
0.0	q5x_ps	0.017	0.003	-0.000	-0.0	0.0	
0.0	q5y_ps	0.005	0.010	0.000	-0.0	0.0	
0.0	q7	0.001	-0.000	-0.000	0.0	0.0	
-0.0	T	-0.005	-0.005	0.000	0.0	-0.0	
-0.0	SLVx-E~1	0.002	0.001	0.000	-0.0	0.0	
0.0	SLVy-E~1	0.004	0.002	0.000	-0.0	0.0	
0.0							
495	Q1-1_2	Max	0.002	0.002	0.000	0.0	0.0
0.0		Min	-0.002	-0.002	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.002	0.002	0.000	0.0	0.0
0.0		Min	-0.002	-0.002	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.043	0.027	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.055	0.049	0.000	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.001	-0.0	-0.0
0.0							


PROJECT TITLE :

MIDAS		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	G2	0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2	0.000	-0.000	0.000	0.0	0.0
-0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.006	0.004	0.000	-0.0	0.0
0.0	q4-1	0.000	0.001	0.000	-0.0	0.0
-0.0	q4-2	0.001	0.000	0.000	-0.0	0.0
0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4	-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc	0.014	0.002	0.000	-0.0	0.0
0.0	q5y_pc	0.006	0.011	0.000	-0.0	0.0
0.0	q5x_ps	0.016	0.003	-0.000	-0.0	0.0
0.0	q5y_ps	0.005	0.010	0.000	-0.0	0.0
-0.0	q7	0.001	-0.000	-0.000	0.0	0.0
-0.0	T	-0.005	-0.005	0.000	0.0	-0.0
0.0	SLVx-E~1	0.002	0.001	0.000	-0.0	0.0
0.0	SLVy-E~1	0.004	0.002	0.000	-0.0	0.0
496	Q1-1_2	Max	0.002	0.002	0.000	0.0
0.0		Min	-0.002	-0.002	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.002	0.002	0.000	0.0
-0.0		Min	-0.002	-0.002	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.000	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.000	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	SLVx (RS)	-0.041	0.025	0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.052	0.046	0.000	-0.0	0.0
0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1	0.000	0.000	-0.001	-0.0	-0.0
0.0	G2	0.000	0.000	-0.000	-0.0	-0.0
0.0	pp imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2	0.000	-0.000	0.000	0.0	0.0
-0.0	perm2	0.000	-0.000	0.000	0.0	0.0
-0.0	q3	0.005	0.004	0.000	-0.0	0.0
0.0	q4-1	0.000	0.001	0.000	-0.0	0.0
0.0	q4-2	0.001	0.000	0.000	-0.0	0.0
-0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4	-0.001	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc	0.013	0.002	0.000	-0.0	0.0
0.0	q5y_pc	0.005	0.010	0.000	-0.0	0.0
0.0	q5x_ps	0.015	0.003	-0.000	-0.0	0.0
0.0	q5y_ps	0.005	0.009	0.000	-0.0	0.0
0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	-0.005	-0.004	0.000	0.0	-0.0
-0.0	SLVx-E~1	0.001	0.001	0.000	-0.0	0.0
0.0	SLVy-E~1	0.003	0.002	0.000	-0.0	0.0
0.0						
497	Q1-1_2	Max	0.002	0.001	0.000	0.0
0.0		Min	-0.002	-0.002	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.002	0.002	0.000	0.0
-0.0		Min	-0.002	-0.002	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.038	0.023	0.000	-0.0	-0.0
0.0	SLVy	(RS)	0.048	0.042	0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.005	0.004	0.000	-0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	0.0
-0.0	q4-2		0.001	0.000	0.000	-0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.012	0.002	0.000	-0.0	0.0
0.0	q5y_pc		0.005	0.010	0.000	-0.0	0.0
0.0	q5x_ps		0.014	0.003	-0.000	-0.0	0.0
0.0	q5y_ps		0.004	0.009	0.000	-0.0	0.0
-0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.004	-0.004	0.000	0.0	-0.0
0.0	SLVx-E~1		0.001	0.001	0.000	-0.0	0.0
0.0	SLVy-E~1		0.003	0.002	0.000	-0.0	0.0
498	Q1-1_2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.002	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.000	-0.0	-0.0

PROJECT TITLE :


	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q2a-1_2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.035	0.022	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.044	0.039	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.005	0.003	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-2		0.001	0.000	0.000	-0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.011	0.002	0.000	-0.0	0.0
0.0	q5y_pc		0.005	0.009	0.000	-0.0	0.0
0.0	q5x_ps		0.013	0.002	-0.000	-0.0	0.0
0.0	q5y_ps		0.004	0.008	0.000	-0.0	0.0
-0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.004	-0.004	0.000	0.0	-0.0
0.0	SLVx-E~1		0.001	0.001	0.000	-0.0	0.0
0.0	SLVy-E~1		0.003	0.002	0.000	-0.0	0.0
499	Q1-1_2	Max	0.002	0.001	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.033	0.020	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.041	0.036	0.000	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		0.000	0.000	-0.000	-0.0	-0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.004	0.003	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-2		0.000	0.000	0.000	-0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.011	0.002	0.000	-0.0	0.0
0.0	q5y_pc		0.004	0.008	0.000	-0.0	0.0
0.0	q5x_ps		0.012	0.002	-0.000	-0.0	0.0
0.0	q5y_ps		0.004	0.007	0.000	-0.0	0.0
-0.0	q7		0.000	-0.000	-0.000	0.0	0.0


PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	T		-0.004	-0.003	0.000	0.0	-0.0
0.0	SLVx-E~1		0.001	0.001	0.000	-0.0	0.0
0.0	SLVy-E~1		0.003	0.002	0.000	-0.0	0.0
500	Q1-1_2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
-0.0	Q2a-1_2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.030	0.018	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.038	0.033	0.000	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
-0.0	q3		0.004	0.003	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
0.0	q4-2		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.010	0.002	0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0						
0.0	q5y_pc		0.004	0.007	0.000	-0.0 0.0
0.0	q5x_ps		0.011	0.002	-0.000	-0.0 0.0
0.0	q5y_ps		0.003	0.007	0.000	-0.0 0.0
0.0	q7		0.000	-0.000	-0.000	0.0 0.0
-0.0	T		-0.003	-0.003	0.000	0.0 -0.0
-0.0	SLVx-E~1		0.001	0.001	0.000	-0.0 0.0
0.0	SLVy-E~1		0.002	0.002	0.000	-0.0 0.0
0.0						
501	Q1-1_2	Max	0.001	0.001	0.000	0.0 0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0 -0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0 0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0 -0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.000	0.0 0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0 -0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0 0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0 -0.0
-0.0						
0.0	Q1-1	Max	0.001	0.000	0.000	0.0 0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0 -0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0 0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0 -0.0
-0.0						
-0.0	SLVx (RS)		-0.027	0.017	0.000	-0.0 -0.0
-0.0	SLVy (RS)		0.034	0.030	0.000	-0.0 0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0 -0.0
-0.0						
0.0	G1		0.000	0.000	-0.001	-0.0 0.0
0.0	G2		0.000	0.000	-0.000	-0.0 0.0
0.0						
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0 -0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0 -0.0
-0.0						
-0.0	pp2		0.000	-0.000	0.000	0.0 0.0
-0.0	perm2		0.000	-0.000	0.000	0.0 0.0
-0.0						
-0.0	q3		0.004	0.003	0.000	-0.0 0.0
0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q4-1	0.000	0.000	0.000	-0.0	0.0
-0.0	q4-2	0.000	0.000	0.000	-0.0	0.0
0.0	q4-3	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-4	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc	0.009	0.001	0.000	-0.0	0.0
0.0	q5y_pc	0.003	0.007	0.000	-0.0	0.0
0.0	q5x_ps	0.010	0.002	-0.000	-0.0	0.0
0.0	q5y_ps	0.003	0.006	0.000	-0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	-0.003	-0.003	0.000	0.0	-0.0
0.0	SLVx-E~1	0.001	0.001	0.000	-0.0	0.0
0.0	SLVy-E~1	0.002	0.001	0.000	-0.0	0.0
502	Q1-1_2	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0
0.0	Q2a-1_2	Max	0.001	0.000	0.000	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0
0.0	Q2a-3_4	Max	0.001	0.000	0.000	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0
0.0	Q1-1	Max	0.001	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0	SLVx (RS)		-0.025	0.015	0.000	-0.0
0.0	SLVy (RS)		0.031	0.028	0.000	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0
0.0	G1		0.000	0.000	-0.001	0.0
0.0	G2		0.000	0.000	-0.000	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
-0.0	q3		0.003	0.002	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
0.0	q4-2		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.008	0.001	0.000	-0.0	0.0
0.0	q5y_pc		0.003	0.006	0.000	-0.0	0.0
0.0	q5x_ps		0.009	0.002	-0.000	-0.0	0.0
0.0	q5y_ps		0.003	0.006	0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.003	-0.003	0.000	0.0	-0.0
-0.0	SLVx-E~1		0.001	0.001	0.000	-0.0	0.0
0.0	SLVy-E~1		0.002	0.001	0.000	-0.0	0.0
0.0							
503	Q1-1_2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.023	0.014	0.000	-0.0	-0.0

PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	SLVy (RS)		0.028	0.025	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.003	0.002	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-2		0.000	0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.007	0.001	0.000	-0.0	0.0
0.0	q5y_pc		0.003	0.006	0.000	-0.0	0.0
0.0	q5x_ps		0.008	0.001	-0.000	-0.0	0.0
0.0	q5y_ps		0.003	0.005	0.000	-0.0	0.0
-0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.003	-0.002	0.000	0.0	-0.0
0.0	SLVx-E~1		0.001	0.001	0.000	-0.0	0.0
0.0	SLVy-E~1		0.002	0.001	0.000	-0.0	0.0
504	Q1-1_2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0		SLVx (RS)	-0.020	0.013	0.000	-0.0	-0.0
0.0		SLVy (RS)	0.025	0.022	0.000	-0.0	0.0
-0.0		SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0		G1	0.000	0.000	-0.001	-0.0	0.0
0.0		G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.003	0.002	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-2		0.000	0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.006	0.001	0.000	-0.0	0.0
0.0	q5y_pc		0.002	0.005	0.000	-0.0	0.0
0.0	q5x_ps		0.007	0.001	-0.000	-0.0	0.0
0.0	q5y_ps		0.002	0.004	0.000	-0.0	0.0
-0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.002	-0.002	0.000	0.0	-0.0
0.0	SLVx-E~1		0.001	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1		0.002	0.001	0.000	-0.0	0.0
505	Q1-1_2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.018	0.011	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.022	0.020	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.002	0.002	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-2		0.000	0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.006	0.001	0.000	-0.0	0.0
0.0	q5y_pc		0.002	0.004	0.000	-0.0	0.0
0.0	q5x_ps		0.006	0.001	-0.000	-0.0	0.0
0.0	q5y_ps		0.002	0.004	0.000	-0.0	0.0
-0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.002	-0.002	0.000	0.0	-0.0
0.0	SLVx-E~1		0.001	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1		0.001	0.001	0.000	-0.0	0.0
506	Q1-1_2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.016	0.010	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.020	0.018	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.002	0.001	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-2		0.000	0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.005	0.001	0.000	-0.0	0.0
0.0	q5y_pc		0.002	0.004	0.000	-0.0	0.0
0.0	q5x_ps		0.006	0.001	-0.000	-0.0	0.0
0.0	q5y_ps		0.002	0.004	0.000	-0.0	0.0
-0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.002	-0.002	0.000	0.0	-0.0
-0.0	SLVx-E~1		0.001	0.000	0.000	-0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	SLVy-E~1	0.001	0.001	0.000	-0.0	0.0
0.0						
507	Q1-1_2	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.014	0.009	0.000	-0.0
-0.0	SLVy (RS)		0.017	0.015	0.000	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0
-0.0	G1		0.000	0.000	-0.001	-0.0
0.0	G2		0.000	0.000	-0.000	-0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0
-0.0	q3		0.002	0.001	0.000	-0.0
0.0	q4-1		0.000	0.000	0.000	-0.0
0.0	q4-2		0.000	0.000	0.000	-0.0
-0.0	q4-3		0.000	-0.000	-0.000	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0
0.0	q5x_pc		0.004	0.001	0.000	-0.0
0.0	q5y_pc		0.002	0.003	0.000	-0.0
0.0						


PROJECT TITLE :

MIDAS		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q5x_ps		0.005	0.001	-0.000	-0.0	0.0
0.0	q5y_ps		0.002	0.003	0.000	-0.0	0.0
-0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.002	-0.001	0.000	0.0	-0.0
0.0	SLVx-E~1		0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1		0.001	0.001	0.000	-0.0	0.0
508	Q1-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.012	0.008	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.015	0.013	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	-0.001	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.002	0.001	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
0.0	q4-2		0.000	0.000	0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc	0.004	0.001	0.000	-0.0	0.0
0.0	q5y_pc	0.001	0.003	0.000	-0.0	0.0
0.0	q5x_ps	0.004	0.001	-0.000	-0.0	0.0
0.0	q5y_ps	0.001	0.003	0.000	-0.0	0.0
0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	-0.001	-0.001	0.000	0.0	-0.0
-0.0	SLVx-E~1	0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1	0.001	0.001	0.000	-0.0	0.0
0.0						
509	Q1-1_2	Max	0.001	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q1-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q2a-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q1-3	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.010	0.007	0.000	-0.0
-0.0	SLVy (RS)		0.013	0.011	0.000	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0
0.0	G2		0.000	0.000	-0.000	-0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0
-0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	pp2	0.000	-0.000	0.000	0.0	0.0
-0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.001	0.001	0.000	-0.0	0.0
0.0	q4-1	0.000	0.000	0.000	-0.0	0.0
-0.0	q4-2	0.000	0.000	0.000	-0.0	0.0
0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc	0.003	0.000	0.000	-0.0	0.0
0.0	q5y_pc	0.001	0.003	0.000	-0.0	0.0
0.0	q5x_ps	0.004	0.001	-0.000	-0.0	0.0
0.0	q5y_ps	0.001	0.002	0.000	-0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	-0.001	-0.001	0.000	0.0	-0.0
0.0	SLVx-E~1	0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1	0.001	0.001	0.000	-0.0	0.0
510	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0						
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0						
-0.0	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.009	0.006	0.000	-0.0
0.0	SLVy (RS)		0.011	0.009	0.000	0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

-0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
-0.0	q3		0.001	0.001	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
0.0	q4-2		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.003	0.000	0.000	-0.0	0.0
0.0	q5y_pc		0.001	0.002	0.000	-0.0	0.0
0.0	q5x_ps		0.003	0.000	-0.000	-0.0	0.0
0.0	q5y_ps		0.001	0.002	0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.001	-0.001	0.000	0.0	-0.0
-0.0	SLVx-E~1		0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1		0.001	0.000	0.000	-0.0	0.0
0.0							
511	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.007	0.005	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.009	0.008	0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	pp	imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm	i~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
-0.0	q3		0.001	0.001	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
0.0	q4-2		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x	pc	0.002	0.000	0.000	-0.0	0.0
0.0	q5y	pc	0.001	0.002	0.000	-0.0	0.0
0.0	q5x	ps	0.002	0.000	-0.000	-0.0	0.0
0.0	q5y	ps	0.001	0.002	0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.001	-0.001	0.000	0.0	-0.0
-0.0	SLVx-E	~1	0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E	~1	0.001	0.000	0.000	-0.0	0.0
0.0							
512	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.006	0.004	0.000	-0.0	-0.0
0.0	SLVy	(RS)	0.007	0.006	0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.001	0.001	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
0.0	q4-2		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.002	0.000	0.000	-0.0	0.0
0.0	q5y_pc		0.001	0.001	0.000	-0.0	0.0
0.0	q5x_ps		0.002	0.000	-0.000	-0.0	0.0
0.0	q5y_ps		0.001	0.001	0.000	-0.0	0.0
-0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.001	-0.001	0.000	0.0	-0.0
0.0	SLVx-E~1		0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.000	0.000	-0.0	0.0
513	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0							

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1_2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.005	0.003	0.000	-0.0	-0.0
0.0	SLVy (RS)	0.005	0.005	0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
0.0	G1	0.000	0.000	-0.000	-0.0	0.0
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	pp imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2	0.000	-0.000	0.000	0.0	0.0
-0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.001	0.000	0.000	-0.0	0.0
0.0	q4-1	0.000	0.000	0.000	-0.0	0.0
-0.0	q4-2	0.000	0.000	0.000	-0.0	0.0
0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc	0.001	0.000	0.000	-0.0	0.0
0.0	q5y_pc	0.001	0.001	0.000	-0.0	0.0
0.0	q5x_ps	0.002	0.000	-0.000	-0.0	0.0
0.0	q5y_ps	0.000	0.001	0.000	-0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	-0.000	-0.000	0.000	0.0	-0.0
0.0	SLVx-E~1	0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1	0.000	0.000	0.000	-0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

514	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.004	0.002	0.000	-0.0	-0.0
-0.0							
	SLVy (RS)		0.004	0.004	0.000	-0.0	0.0
0.0							
	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
	G1		0.000	0.000	-0.000	-0.0	0.0
0.0							
	G2		0.000	0.000	-0.000	-0.0	0.0
0.0							
	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0							
	perm2		0.000	-0.000	0.000	0.0	0.0
-0.0							
	q3		0.000	0.000	0.000	-0.0	0.0
0.0							
	q4-1		0.000	0.000	0.000	-0.0	0.0
0.0							
	q4-2		0.000	0.000	0.000	-0.0	0.0
-0.0							
	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0							
	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0							
	q5x_pc		0.001	0.000	0.000	-0.0	0.0
0.0							
	q5y_pc		0.000	0.001	0.000	-0.0	0.0
0.0							
	q5x_ps		0.001	0.000	-0.000	-0.0	0.0
0.0							
	q5y_ps		0.000	0.001	0.000	-0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	-0.000	-0.000	0.000	0.0	-0.0
-0.0	SLVx-E~1	0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1	0.000	0.000	0.000	-0.0	0.0
0.0						
515	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q1-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q2a-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q1-3	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	SLVx (RS)		-0.003	0.002	0.000	-0.0
-0.0	SLVy (RS)		0.003	0.003	0.000	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0
-0.0						
	G1		0.000	0.000	-0.000	-0.0
0.0	G2		0.000	0.000	-0.000	-0.0
0.0						
	pp imp~1		-0.000	0.000	-0.000	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0
-0.0						
	pp2		0.000	-0.000	0.000	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0
-0.0						
	q3		0.000	0.000	0.000	-0.0
0.0	q4-1		0.000	0.000	0.000	-0.0
0.0	q4-2		0.000	0.000	0.000	-0.0
-0.0	q4-3		0.000	-0.000	-0.000	0.0
0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.001	0.000	0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.001	0.000	-0.0	0.0
0.0	q5x_ps		0.001	0.000	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.001	0.000	-0.0	0.0
-0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.000	-0.000	0.000	0.0	-0.0
0.0	SLVx-E~1		0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.000	0.000	-0.0	0.0
516	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.002	0.001	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.002	0.002	0.000	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	q3	0.000	0.000	0.000	-0.0	0.0
0.0	q4-1	0.000	0.000	0.000	-0.0	0.0
0.0	q4-2	0.000	0.000	0.000	-0.0	0.0
-0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc	0.001	0.000	0.000	-0.0	0.0
0.0	q5y_pc	0.000	0.000	0.000	-0.0	0.0
0.0	q5x_ps	0.001	0.000	-0.000	-0.0	0.0
0.0	q5y_ps	0.000	0.000	0.000	-0.0	0.0
0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	-0.000	-0.000	0.000	0.0	-0.0
-0.0	SLVx-E~1	0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1	0.000	0.000	0.000	-0.0	0.0
0.0						
517	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q1-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q2a-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q1-3	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	SLVx (RS)		-0.001	0.001	0.000	-0.0
-0.0	SLVy (RS)		0.001	0.001	0.000	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0
0.0						


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	G2	0.000	0.000	-0.000	-0.0	0.0
-0.0	pp imp~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2	0.000	-0.000	0.000	0.0	0.0
-0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.000	0.000	0.000	-0.0	0.0
0.0	q4-1	0.000	0.000	0.000	-0.0	0.0
-0.0	q4-2	0.000	0.000	0.000	-0.0	0.0
0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4	-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc	0.000	0.000	0.000	-0.0	0.0
0.0	q5y_pc	0.000	0.000	0.000	-0.0	0.0
0.0	q5x_ps	0.000	0.000	-0.000	-0.0	0.0
0.0	q5y_ps	0.000	0.000	0.000	-0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	0.0	0.0
-0.0	T	-0.000	-0.000	0.000	0.0	-0.0
0.0	SLVx-E~1	0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1	0.000	0.000	0.000	-0.0	0.0
518	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
		Min	-0.000	-0.000	-0.000	-0.0

PROJECT TITLE :


			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	SLVx (RS)		-0.001	0.000	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.001	0.001	0.000	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
-0.0	q3		0.000	0.000	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
0.0	q4-2		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.000	0.000	0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.000	0.000	-0.0	0.0
0.0	q5x_ps		0.000	0.000	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.000	0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.000	-0.000	0.000	0.0	-0.0
-0.0	SLVx-E~1		0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.000	0.000	-0.0	0.0
0.0							
519	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0	SLVx	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLVy	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLVz	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	G1		0.000	0.000	0.000	0.0	0.0
0.0	G2		0.000	0.000	0.000	0.0	0.0
0.0	pp imp~1		0.000	0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	0.000	0.000	0.0	0.0
0.0	pp2		0.000	0.000	0.000	0.0	0.0
0.0	perm2		0.000	0.000	0.000	0.0	0.0
0.0	q3		0.000	0.000	0.000	0.0	0.0
0.0	q4-1		0.000	0.000	0.000	0.0	0.0
0.0	q4-2		0.000	0.000	0.000	0.0	0.0
0.0	q4-3		0.000	0.000	0.000	0.0	0.0
0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q5x_pc		0.000	0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	0.000	0.000	0.0	0.0
0.0	q5x_ps		0.000	0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.000	0.000	0.0	0.0
0.0	T		0.000	0.000	0.000	0.0	0.0
0.0	SLVx-E~1		0.000	0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.000	0.000	0.000	0.0	0.0
533	Q1-1_2	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.003	-0.000	-0.0	-0.0
-0.0							


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q2a-1_2	Max	0.001	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.002	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.036	0.032	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.023	0.096	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	-0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.001	0.000	0.0	-0.0
0.0	q5x_pc		0.011	0.005	-0.000	-0.0	0.0
0.0	q5y_pc		-0.000	0.018	-0.000	-0.0	-0.0
0.0	q5x_ps		0.010	0.007	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.016	-0.000	-0.0	0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.007	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.005	-0.000	-0.0	0.0
536	Q1-1_2	Max	0.001	0.003	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0		Min	-0.001	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.034	0.030	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.022	0.090	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	-0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.001	0.000	0.0	-0.0
-0.0	q5x_pc		0.010	0.005	-0.000	-0.0	0.0
0.0	q5y_pc		-0.000	0.017	-0.000	-0.0	-0.0
0.0	q5x_ps		0.010	0.007	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.015	-0.000	-0.0	0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0							


PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
	T		0.001	0.007	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.005	-0.000	-0.0	0.0
0.0							
537	Q1-1_2	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.003	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.003	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.032	0.028	-0.000	-0.0	-0.0
-0.0							
	SLVy (RS)		0.021	0.085	-0.000	-0.0	0.0
0.0							
	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0							
	G1		-0.000	-0.000	-0.001	0.0	-0.0
-0.0							
	G2		-0.000	-0.000	-0.000	0.0	-0.0
-0.0							
	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0							
	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0							
	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
	q3		0.000	0.008	-0.000	-0.0	0.0
0.0							
	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0							
	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0							
	q4-3		0.000	-0.001	0.000	0.0	0.0
0.0							
	q4-4		-0.000	-0.001	0.000	0.0	-0.0
0.0							
-0.0	q5x_pc		0.009	0.005	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0						
0.0	q5y_pc		-0.000	0.016	-0.000	-0.0
0.0	q5x_ps		0.009	0.006	-0.000	0.0
0.0	q5y_ps		0.000	0.015	-0.000	0.0
0.0	q7		0.000	-0.000	-0.000	0.0
0.0	T		0.001	0.007	-0.000	0.0
0.0	SLVx-E~1		0.000	0.002	-0.000	0.0
0.0	SLVy-E~1		0.000	0.005	-0.000	0.0
0.0						
538	Q1-1_2	Max	0.001	0.003	0.000	0.0
0.0		Min	-0.001	-0.003	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.003	0.000	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
0.0	Q2a-3_4	Max	0.000	0.001	0.000	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0
0.0	Q1-1	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0	SLVx (RS)		-0.030	0.026	-0.000	-0.0
-0.0	SLVy (RS)		0.020	0.080	-0.000	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0
0.0	G1		-0.000	-0.000	-0.001	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0
0.0	q3		0.000	0.008	-0.000	0.0
0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.001	0.000	0.0	-0.0
-0.0	q5x_pc		0.009	0.004	-0.000	-0.0	0.0
0.0	q5y_pc		-0.000	0.015	-0.000	-0.0	-0.0
0.0	q5x_ps		0.009	0.006	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.014	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.006	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.004	-0.000	-0.0	0.0
0.0							
539	Q1-1_2	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.028	0.025	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.018	0.074	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	-0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.007	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.001	0.000	0.0	-0.0
-0.0	q5x_pc		0.008	0.004	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.014	-0.000	-0.0	-0.0
0.0	q5x_ps		0.008	0.005	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.013	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.006	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.004	-0.000	-0.0	0.0
0.0							
540	Q1-1_2	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.000	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.026	0.023	-0.000	-0.0	-0.0

PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	SLVy (RS)		0.017	0.069	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	-0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.007	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
-0.0	q5x_pc		0.008	0.004	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.013	-0.000	-0.0	-0.0
0.0	q5x_ps		0.008	0.005	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.012	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.005	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.004	-0.000	-0.0	0.0
0.0							
541	Q1-1_2	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.001	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0		SLVx (RS)	-0.024	0.021	-0.000	-0.0	-0.0
0.0		SLVy (RS)	0.016	0.064	-0.000	-0.0	0.0
0.0		SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
-0.0		G1	-0.000	-0.000	-0.001	0.0	-0.0
-0.0		G2	-0.000	-0.000	-0.000	0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.006	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
0.0	q5x_pc		0.007	0.003	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.012	-0.000	-0.0	-0.0
0.0	q5x_ps		0.007	0.005	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.011	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.005	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.004	-0.000	-0.0	0.0
542	Q1-1_2	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.002	0.000	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-0.0							
0.0	Q2a-3_4	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.022	0.020	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.015	0.059	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	-0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.006	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
0.0	q5x_pc		0.007	0.003	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.011	-0.000	-0.0	-0.0
0.0	q5x_ps		0.006	0.004	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.010	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.005	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.001	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.003	-0.000	-0.0	0.0
543	Q1-1_2	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-3_4	Max	0.000	0.002	0.000	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.021	0.018	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.014	0.054	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	-0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.005	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
0.0	q5x_pc		0.006	0.003	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.010	-0.000	-0.0	-0.0
0.0	q5x_ps		0.006	0.004	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.009	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.004	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.001	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	SLVy-E~1	0.000	0.003	-0.000	-0.0	0.0
0.0						
544	Q1-1_2	Max	0.001	0.002	0.000	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.002	0.000	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.000	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.019	0.016	-0.000	-0.0
-0.0	SLVy (RS)		0.012	0.049	-0.000	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0
0.0	G1		-0.000	-0.000	-0.001	0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0
0.0	q3		0.000	0.005	-0.000	-0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0
0.0	q4-4		-0.000	-0.000	0.000	0.0
-0.0	q5x_pc		0.005	0.003	-0.000	-0.0
0.0	q5y_pc		0.000	0.010	-0.000	-0.0
0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q5x_ps		0.005	0.004	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.008	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.004	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.001	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.003	-0.000	-0.0	0.0
545	Q1-1_2	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.017	0.015	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.011	0.044	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	-0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.004	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

MIDAS		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	-0.000	-0.000	0.000	0.0	-0.0
-0.0	q5x_pc	0.005	0.002	-0.000	-0.0	0.0
0.0	q5y_pc	0.000	0.009	-0.000	-0.0	-0.0
0.0	q5x_ps	0.005	0.003	-0.000	-0.0	0.0
0.0	q5y_ps	0.000	0.008	-0.000	-0.0	0.0
0.0	q7	0.000	-0.000	-0.000	0.0	0.0
0.0	T	0.000	0.003	-0.000	-0.0	0.0
0.0	SLVx-E~1	0.000	0.001	-0.000	-0.0	0.0
0.0	SLVy-E~1	0.000	0.002	-0.000	-0.0	0.0
0.0						
546	Q1-1_2	Max	0.000	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
	Q1-3_4	Max	0.000	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
	Q2a-1_2	Max	0.000	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
	Q2a-3_4	Max	0.000	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
	Q1-3	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.015	0.013	-0.000	-0.0
-0.0	SLVy (RS)		0.010	0.040	-0.000	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0
0.0	G1		-0.000	-0.000	-0.001	0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0
-0.0						
0.0	pp imp~1		0.000	-0.000	-0.000	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0
0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	pp2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	0.004	-0.000	-0.0	0.0
0.0	q4-1	-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	-0.000	-0.000	0.000	0.0	-0.0
-0.0	q5x_pc	0.004	0.002	-0.000	-0.0	0.0
0.0	q5y_pc	0.000	0.008	-0.000	-0.0	-0.0
0.0	q5x_ps	0.004	0.003	-0.000	-0.0	0.0
0.0	q5y_ps	0.000	0.007	-0.000	-0.0	0.0
0.0	q7	0.000	-0.000	-0.000	0.0	0.0
0.0	T	0.000	0.003	-0.000	-0.0	0.0
0.0	SLVx-E~1	0.000	0.001	-0.000	-0.0	0.0
0.0	SLVy-E~1	0.000	0.002	-0.000	-0.0	0.0
0.0						
547	Q1-1_2	Max	0.000	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.001	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.000	0.001	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.001	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.014	0.012	-0.000	-0.0
-0.0	SLVy (RS)		0.009	0.035	-0.000	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	G1		-0.000	-0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.003	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
-0.0	q5x_pc		0.004	0.002	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.007	-0.000	-0.0	-0.0
0.0	q5x_ps		0.004	0.003	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.006	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.003	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.001	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0							
548	Q1-1_2	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.012	0.011	-0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.008	0.031	-0.000	-0.0	0.0
0.0	SLVz	(RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	-0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.003	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
-0.0	q5x_pc		0.004	0.002	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.006	-0.000	-0.0	-0.0
0.0	q5x_ps		0.004	0.002	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.005	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.001	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0							
549	Q1-1_2	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.011	0.009	-0.000	-0.0	-0.0
0.0	SLVy	(RS)	0.007	0.027	-0.000	-0.0	0.0
0.0	SLVz	(RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	-0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.003	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
0.0	q5x_pc		0.003	0.001	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.005	-0.000	-0.0	-0.0
0.0	q5x_ps		0.003	0.002	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.005	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.001	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0							
550	Q1-1_2	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.001	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company	Client				
	Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1_2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.009	0.008	-0.000	-0.0	-0.0
0.0	SLVy (RS)	0.006	0.024	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1	-0.000	-0.000	-0.000	0.0	-0.0
-0.0	G2	-0.000	-0.000	-0.000	0.0	-0.0
0.0	pp imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1	0.000	-0.000	-0.000	0.0	0.0
0.0	pp2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	0.002	-0.000	-0.0	0.0
0.0	q4-1	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4	-0.000	-0.000	0.000	0.0	-0.0
0.0	q5x_pc	0.003	0.001	-0.000	-0.0	0.0
0.0	q5y_pc	0.000	0.005	-0.000	-0.0	-0.0
0.0	q5x_ps	0.003	0.002	-0.000	-0.0	0.0
0.0	q5y_ps	0.000	0.004	-0.000	-0.0	0.0
0.0	q7	0.000	-0.000	-0.000	0.0	0.0
0.0	T	0.000	0.002	-0.000	-0.0	0.0
0.0	SLVx-E~1	0.000	0.001	-0.000	-0.0	0.0
0.0	SLVy-E~1	0.000	0.001	-0.000	-0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

551	Q1-1_2	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.008	0.007	-0.000	-0.0	-0.0
-0.0							
	SLVy (RS)		0.005	0.020	-0.000	-0.0	0.0
0.0							
	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0							
-0.0	G1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0							
	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0							
	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
	q3		0.000	0.002	-0.000	-0.0	0.0
0.0							
	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0							
	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0							
	q4-4		-0.000	-0.000	0.000	0.0	-0.0
-0.0							
	q5x_pc		0.002	0.001	-0.000	-0.0	0.0
0.0							
	q5y_pc		0.000	0.004	-0.000	-0.0	-0.0
0.0							
	q5x_ps		0.002	0.001	-0.000	-0.0	0.0
0.0							
	q5y_ps		0.000	0.003	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q7	0.000	-0.000	-0.000	0.0	0.0	
0.0	T	0.000	0.002	-0.000	-0.0	0.0	
0.0	SLVx-E~1	0.000	0.000	-0.000	-0.0	0.0	
0.0	SLVy-E~1	0.000	0.001	-0.000	-0.0	0.0	
0.0							
552	Q1-1_2	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.007	0.006	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.005	0.017	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.002	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
0.0	q5x_pc		0.002	0.001	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.003	-0.000	-0.0	-0.0
0.0	q5x_ps		0.002	0.001	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.001	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.001	-0.000	-0.0	0.0
553	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.006	0.005	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.004	0.014	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0							
0.0	q3		0.000	0.001	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
-0.0	q5x_pc		0.002	0.001	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.003	-0.000	-0.0	-0.0
0.0	q5x_ps		0.002	0.001	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.002	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.001	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.001	-0.000	-0.0	0.0
0.0							
554	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.005	0.004	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.003	0.011	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0							


PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.001	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
-0.0	q5x_pc		0.001	0.001	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.002	-0.000	-0.0	-0.0
0.0	q5x_ps		0.001	0.001	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.002	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.001	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.001	-0.000	-0.0	0.0
555	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	SLVx (RS)		-0.004	0.003	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.002	0.009	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.001	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
-0.0	q5x_pc		0.001	0.000	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.002	-0.000	-0.0	-0.0
0.0	q5x_ps		0.001	0.001	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.002	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.001	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.000	-0.000	-0.0	0.0
0.0							
556	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.003	0.002	-0.000	-0.0	-0.0
0.0	SLVy	(RS)	0.002	0.007	-0.000	-0.0	0.0
0.0	SLVz	(RS)	0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.001	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
0.0	q5x_pc		0.001	0.000	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.001	-0.000	-0.0	-0.0
0.0	q5x_ps		0.001	0.000	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.001	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.001	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.000	-0.000	-0.0	0.0
557	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.002	0.002	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.001	0.005	-0.000	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
0.0	q5x_pc		0.001	0.000	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.001	-0.000	-0.0	-0.0
0.0	q5x_ps		0.001	0.000	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.001	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.000	-0.000	-0.0	0.0
558	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.001	0.003	-0.000	-0.0	0.0
0.0	SLVz	(RS)	0.000	-0.000	0.000	0.0	0.0
0.0							
-0.0	G1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
-0.0	q5x_pc		0.000	0.000	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.001	-0.000	-0.0	-0.0
0.0	q5x_ps		0.000	0.000	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.001	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0							

PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
	T		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.000	-0.000	-0.0	0.0
0.0							
559	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.001	0.001	-0.000	-0.0	-0.0
-0.0							
	SLVy (RS)		0.001	0.002	-0.000	-0.0	0.0
0.0							
	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0							
	G1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0							
	G2		-0.000	-0.000	-0.000	0.0	-0.0
-0.0							
	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0							
	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0							
	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
	q3		0.000	0.000	-0.000	-0.0	0.0
0.0							
	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0							
	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0							
	q4-4		-0.000	-0.000	0.000	0.0	-0.0
0.0							
-0.0	q5x_pc		0.000	0.000	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0						
0.0	q5y_pc	0.000	0.000	-0.000	-0.0	0.0
0.0	q5x_ps	0.000	0.000	-0.000	-0.0	0.0
0.0	q5y_ps	0.000	0.000	-0.000	-0.0	0.0
0.0	q7	0.000	-0.000	-0.000	0.0	0.0
0.0	T	0.000	0.000	-0.000	-0.0	0.0
0.0	SLVx-E~1	0.000	0.000	-0.000	-0.0	0.0
0.0	SLVy-E~1	0.000	0.000	-0.000	-0.0	0.0
0.0						
560	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.000	0.001	-0.000	-0.0	0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	0.0	0.0
0.0	G1	-0.000	-0.000	-0.000	0.0	-0.0
-0.0	G2	-0.000	-0.000	-0.000	0.0	-0.0
-0.0						
0.0	pp imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1	0.000	-0.000	0.000	0.0	0.0
0.0	pp2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	0.000	-0.000	-0.0	0.0
0.0						

PROJECT TITLE :


MIDAS		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
0.0	q5x_pc		0.000	0.000	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.000	-0.000	-0.0	0.0
0.0	q5x_ps		0.000	0.000	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.000	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.000	-0.000	-0.0	0.0
561	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
0.0	pp2		-0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
-0.0	q5x_pc		0.000	0.000	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.000	-0.000	-0.0	0.0
0.0	q5x_ps		0.000	0.000	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.000	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.000	-0.000	-0.0	0.0
0.0							
562	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	SLVy (RS)		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
0.0	pp2		-0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.000	0.000	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.000	0.000	0.0	-0.0
0.0	q5x_pc		0.000	0.000	-0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.000	-0.000	-0.0	0.0
0.0	q5x_ps		0.000	0.000	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.000	-0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
0.0	T		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.000	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.000	-0.000	-0.0	0.0
578	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0		SLVx (RS)	-0.007	0.004	-0.000	-0.0	-0.0
-0.0		SLVy (RS)	0.004	-0.002	-0.000	0.0	0.0
-0.0		SLVz (RS)	-0.001	0.001	0.000	-0.0	-0.0
-0.0		G1	0.000	-0.000	-0.000	0.0	0.0
-0.0		G2	0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
-0.0		pp2	-0.001	0.001	-0.000	-0.0	-0.0
-0.0		perm2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0		q3	-0.000	0.000	-0.000	-0.0	-0.0
0.0		q4-1	0.000	-0.000	0.000	0.0	0.0
0.0		q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0		q4-3	-0.000	0.000	0.000	-0.0	-0.0
0.0		q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0		q5x_pc	0.001	-0.000	0.000	0.0	0.0
0.0		q5y_pc	0.000	-0.000	-0.000	0.0	0.0
0.0		q5x_ps	0.001	-0.000	0.000	0.0	0.0
0.0		q5y_ps	0.000	-0.000	-0.000	0.0	0.0
-0.0		q7	-0.000	0.000	0.000	-0.0	-0.0
0.0		T	0.000	-0.000	-0.000	0.0	0.0
-0.0		SLVx-E~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0		SLVy-E~1	-0.000	0.000	-0.000	-0.0	-0.0
581	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


-0.0								
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0	
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0	
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0	
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0	
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0	
-0.0	SLVx	(RS)	-0.006	0.003	-0.000	-0.0	-0.0	
-0.0	SLVy	(RS)	0.004	-0.002	-0.000	0.0	0.0	
-0.0	SLVz	(RS)	-0.001	0.001	0.000	-0.0	-0.0	
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0	
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0	
0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0	
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0	
-0.0	pp2		-0.001	0.000	-0.000	-0.0	-0.0	
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0	
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0	
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0	
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0	
0.0	q5x_pc		0.001	-0.000	0.000	0.0	0.0	
0.0	q5y_pc		0.000	-0.000	-0.000	0.0	0.0	
0.0	q5x_ps		0.001	-0.000	0.000	0.0	0.0	
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0	
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0	
0.0	T		0.000	-0.000	-0.000	0.0	0.0	
-0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0	
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0	
582	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0	
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0	
-0.0								

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.006	0.003	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.003	-0.002	-0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	0.001	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
-0.0	pp2		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.001	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps		0.001	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	SLVy-E~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0						
583	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0						
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0						
-0.0	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)	-0.005	0.003	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.003	-0.002	-0.000	0.0	0.0
-0.0	SLVz (RS)	-0.001	0.000	0.000	-0.0	-0.0
-0.0	G1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1	0.000	-0.000	0.000	0.0	0.0
0.0	pp2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc	0.001	-0.000	0.000	0.0	0.0
0.0	q5y_pc	0.000	-0.000	-0.000	0.0	0.0
0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q5x_ps		0.001	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
584	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.005	0.002	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.003	-0.002	-0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
-0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
	q4-2		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc	0.001	-0.000	0.000	0.0	0.0
0.0	q5y_pc	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps	0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps	0.000	-0.000	-0.000	0.0	0.0
0.0	q7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0						
585	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.004	0.002	-0.000	-0.0
-0.0	SLVy (RS)		0.002	-0.001	-0.000	0.0
-0.0	SLVz (RS)		-0.001	0.000	0.000	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0
0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
586	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.003	0.002	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.002	-0.001	-0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	0.000	0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
587	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.003	0.002	-0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.002	-0.001	-0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
-0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
588	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.002	0.001	-0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.001	-0.001	-0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
-0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
589	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


	Company	Client				
	Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1_2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.002	0.001	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.001	-0.001	-0.000	0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1	0.000	-0.000	0.000	0.0	0.0
-0.0	pp2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc	0.000	-0.000	0.000	0.0	0.0
0.0	q5y_pc	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps	0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps	0.000	-0.000	-0.000	0.0	0.0
-0.0	q7	-0.000	0.000	0.000	-0.0	-0.0
0.0	T	0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVx-E~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1	-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


590	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.002	0.001	-0.000	-0.0	-0.0
-0.0							
	SLVy (RS)		0.001	-0.001	-0.000	0.0	0.0
-0.0							
	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0							
	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0							
	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0							
	perm i~1		0.000	-0.000	0.000	0.0	0.0
0.0							
	pp2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
	q3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0							
	q4-2		0.000	-0.000	0.000	0.0	0.0
0.0							
	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0							
	q5x_pc		0.000	-0.000	0.000	0.0	0.0
0.0							
	q5y_pc		0.000	-0.000	-0.000	0.0	0.0
0.0							
	q5x_ps		0.000	-0.000	0.000	0.0	0.0
0.0							
	q5y_ps		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :


	Company		Client			
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0							
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
591	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.001	-0.000	-0.000	0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
-0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
592	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.001	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.001	-0.000	-0.000	0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
-0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc	0.000	-0.000	0.000	0.0	0.0
0.0	q5y_pc	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps	0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps	0.000	-0.000	-0.000	0.0	0.0
0.0	q7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0						
593	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)	-0.001	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)	0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVz (RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0						
-0.0	G1	0.000	-0.000	-0.000	0.0	0.0
-0.0						

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
-0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
594	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	SLVx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
-0.0	T		0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
595	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
-0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
596	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.000	0.000	-0.000	0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
-0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
618	Q1-1_2	Max	0.003	0.001	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.003	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.134	0.054	0.004	-0.0	-0.0
-0.0	SLVy (RS)		0.037	0.052	-0.001	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	0.000	-0.0	-0.0
-0.0	G1		0.002	-0.002	-0.001	0.0	0.0
-0.0	G2		0.001	-0.001	-0.000	0.0	0.0
0.0	pp imp~1		-0.003	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		0.002	-0.003	-0.000	0.0	0.0
-0.0	q5x_pc		0.008	-0.002	-0.000	0.0	0.0
-0.0	q5y_pc		-0.004	0.007	0.000	-0.0	-0.0
0.0	q5x_ps		0.001	-0.002	-0.000	0.0	0.0
-0.0	q5y_ps		-0.004	0.006	0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0


PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	T		0.000	-0.001	-0.000	0.0	0.0
0.0	SLVx-E~1		0.001	-0.001	-0.000	0.0	0.0
0.0	SLVy-E~1		0.003	-0.003	-0.000	0.0	0.0
619	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.007	0.003	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.004	-0.003	0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	0.001	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
0.0	pp2		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.001	-0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0						
0.0	q5y_pc	0.000	-0.000	0.000	0.0	0.0
0.0	q5x_ps	0.001	-0.000	0.000	0.0	0.0
0.0	q5y_ps	0.000	-0.000	0.000	0.0	0.0
0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	0.000	0.0	0.0
0.0	SLVx-E~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0						
621	Q1-1_2	Max	0.003	0.002	0.000	0.0
0.0		Min	-0.005	-0.004	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.003	0.002	0.000	0.0
-0.0		Min	-0.006	-0.004	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0
-0.0		Min	-0.003	-0.002	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.003	-0.002	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.002	-0.002	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.000	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.067	0.064	0.004	-0.0
-0.0	SLVy (RS)		0.085	0.049	-0.001	-0.0
0.0	SLVz (RS)		0.001	-0.000	0.000	-0.0
0.0	G1		-0.004	-0.003	-0.001	0.0
0.0	G2		-0.001	-0.001	-0.000	0.0
0.0	pp imp~1		-0.000	0.001	-0.000	0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0
-0.0	pp2		0.000	0.000	-0.000	0.0
-0.0	perm2		0.000	0.000	-0.000	0.0
-0.0	q3		0.009	0.001	-0.000	0.0
0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-1		0.001	0.000	-0.000	0.0	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.001	-0.000	-0.000	0.0	-0.0
-0.0	q4-4		-0.001	-0.003	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.000	-0.000	0.0	-0.0
0.0	q5y_pc		0.008	0.010	0.000	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	-0.000	0.0	-0.0
0.0	q5y_ps		0.008	0.008	0.000	-0.0	-0.0
0.0	q7		0.001	0.000	-0.000	0.0	-0.0
-0.0	T		-0.023	-0.005	-0.000	0.0	0.0
-0.0	SLVx-E~1		0.002	-0.001	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	-0.002	-0.000	0.0	0.0
0.0							
622	Q1-1_2	Max	0.002	0.006	0.000	0.0	0.0
0.0		Min	-0.003	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.006	0.000	0.0	0.0
0.0		Min	-0.003	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.021	0.043	0.000	0.0	-0.0
-0.0	SLVy (RS)		-0.033	0.078	0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.001	0.000	-0.0	-0.0
0.0							
-0.0	G1		-0.002	0.004	-0.000	0.0	0.0
-0.0	G2		-0.001	0.002	-0.000	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.003	0.008	0.000	0.0	0.0
0.0	q4-1		-0.000	0.002	-0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q5x_pc		0.002	-0.001	0.000	0.0	0.0
0.0	q5y_pc		-0.007	0.016	0.000	0.0	0.0
0.0	q5x_ps		0.001	0.001	0.000	0.0	0.0
0.0	q5y_ps		-0.006	0.014	0.000	0.0	0.0
0.0	q7		0.000	-0.001	0.000	-0.0	-0.0
0.0	T		-0.009	0.020	0.000	0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	-0.0	-0.0
0.0	SLVy-E~1		-0.002	0.004	0.000	-0.0	-0.0
0.0							
624	Q1-1_2	Max	0.002	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.005	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.000	0.0	0.0
-0.0		Min	-0.002	-0.005	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.066	0.067	0.004	-0.0	0.0

PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	SLVy (RS)		0.085	0.054	-0.001	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	-0.003	-0.001	0.0	0.0
0.0	G2		-0.000	-0.001	-0.000	0.0	0.0
-0.0	pp imp~1		-0.000	0.001	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.001	-0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	0.0	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.001	-0.000	-0.000	0.0	-0.0
-0.0	q4-4		-0.001	-0.003	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.000	-0.000	0.0	-0.0
0.0	q5y_pc		0.008	0.011	0.000	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	-0.000	0.0	-0.0
0.0	q5y_ps		0.008	0.009	0.000	-0.0	-0.0
0.0	q7		0.001	0.000	-0.000	0.0	-0.0
-0.0	T		-0.023	-0.005	-0.000	0.0	0.0
0.0	SLVx-E~1		0.002	-0.001	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	-0.002	-0.000	0.0	0.0
625	Q1-1_2	Max	0.002	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.002	0.003	0.000	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0		SLVx (RS)	-0.021	0.043	0.000	0.0	-0.0
0.0		SLVy (RS)	-0.033	0.078	0.000	0.0	0.0
0.0		SLVz (RS)	-0.001	-0.001	0.000	-0.0	-0.0
-0.0		G1	0.001	0.002	-0.000	0.0	0.0
-0.0		G2	0.001	0.001	-0.000	0.0	0.0
0.0	pp	imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	perm	i~1	0.000	-0.000	0.000	0.0	0.0
0.0		pp2	-0.000	-0.000	-0.000	-0.0	0.0
0.0		perm2	-0.000	-0.000	-0.000	-0.0	0.0
0.0		q3	-0.003	0.008	0.000	0.0	0.0
-0.0		q4-1	-0.000	0.002	-0.000	0.0	0.0
0.0		q4-2	0.000	-0.001	0.000	-0.0	0.0
-0.0		q4-3	0.000	-0.001	0.000	-0.0	-0.0
-0.0		q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0		q5x_pc	0.002	-0.001	0.000	0.0	0.0
0.0		q5y_pc	-0.006	0.016	0.000	0.0	0.0
0.0		q5x_ps	0.001	0.001	0.000	0.0	0.0
0.0		q5y_ps	-0.006	0.014	0.000	0.0	0.0
0.0		q7	0.000	-0.001	0.000	-0.0	-0.0
0.0		T	-0.009	0.020	0.000	0.0	0.0
0.0		SLVx-E~1	-0.001	0.002	0.000	-0.0	-0.0
0.0		SLVy-E~1	-0.002	0.004	0.000	-0.0	-0.0
627	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0		Q1-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0		Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.007	0.004	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.004	-0.002	-0.001	0.0	0.0
-0.0	SLVz (RS)		-0.001	0.001	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	pp2		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.001	-0.000	-0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps		0.001	-0.000	-0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVx-E~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	0.000	-0.0	-0.0
628	Q1-1_2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.003	-0.003	-0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-3_4	Max	0.003	0.003	0.000	0.0	0.0
-0.0		Min	-0.003	-0.003	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.059	0.036	0.000	-0.0	-0.0
0.0	SLVy (RS)		0.077	0.067	0.000	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	0.0	-0.0
0.0	G1		0.000	0.000	-0.001	0.0	-0.0
0.0	G2		0.000	0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.008	0.006	0.000	-0.0	0.0
0.0	q4-1		0.001	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.020	0.003	-0.000	0.0	0.0
0.0	q5y_pc		0.008	0.015	0.000	-0.0	-0.0
0.0	q5x_ps		0.022	0.004	-0.000	0.0	0.0
0.0	q5y_ps		0.007	0.014	0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.007	-0.006	0.000	0.0	-0.0
-0.0	SLVx-E~1		0.002	0.001	0.000	0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	SLVy-E~1	0.005	0.003	0.000	0.0	-0.0
0.0						
629	Q1-1_2	Max	0.001	0.003	0.000	0.0
0.0		Min	-0.001	-0.003	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.003	0.000	0.0
0.0		Min	-0.001	-0.003	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.002	0.000	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.002	0.000	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.000	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.037	0.033	-0.000	0.0
-0.0	SLVy (RS)		0.024	0.099	-0.000	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0
0.0	G1		-0.000	-0.000	-0.001	-0.0
-0.0	G2		-0.000	-0.000	-0.000	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0
0.0	q3		0.000	0.009	-0.000	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0
0.0	q4-4		-0.000	-0.001	0.000	-0.0
-0.0	q5x_pc		0.011	0.005	-0.000	0.0
0.0	q5y_pc		-0.000	0.019	-0.000	0.0
0.0						


PROJECT TITLE :

MIDAS		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q5x_ps		0.011	0.007	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.017	-0.000	-0.0	0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.008	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.006	-0.000	-0.0	0.0
630	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.005	-0.002	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.003	0.002	-0.001	0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	0.0	0.0
-0.0	G2		0.000	0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	0.000	-0.000	0.0	0.0
-0.0	pp2		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	-0.000	0.000	-0.0	-0.0
0.0	q4-1		0.000	0.000	-0.000	0.0	0.0
0.0	q4-2		0.000	0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q4-3	-0.000	-0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	0.000	-0.000	0.0	0.0
0.0	q5x_pc	0.001	0.000	-0.000	0.0	0.0
0.0	q5y_pc	0.000	0.000	-0.000	0.0	0.0
0.0	q5x_ps	0.001	0.000	-0.000	0.0	0.0
0.0	q5y_ps	0.000	0.000	-0.000	0.0	0.0
0.0	q7	-0.000	-0.000	0.000	-0.0	-0.0
-0.0	T	0.000	0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	-0.000	-0.000	0.000	-0.0	-0.0
-0.0	SLVy-E~1	-0.000	-0.000	0.000	-0.0	-0.0
-0.0						
631	Q1-1_2	Max	0.002	0.001	0.000	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.000	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.000	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.062	0.041	0.000	-0.0
-0.0	SLVy (RS)		0.076	0.068	0.000	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	0.0
-0.0						
0.0	G1		-0.001	0.000	-0.001	0.0
0.0	G2		-0.000	0.000	-0.000	0.0
0.0						
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0
-0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	pp2	0.000	-0.000	0.000	0.0	0.0
-0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.008	0.006	0.000	-0.0	0.0
0.0	q4-1	0.001	0.001	0.000	-0.0	-0.0
-0.0	q4-2	0.001	0.000	0.000	0.0	0.0
0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4	-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc	0.020	0.003	-0.000	0.0	0.0
0.0	q5y_pc	0.008	0.016	0.000	-0.0	-0.0
0.0	q5x_ps	0.022	0.004	-0.000	0.0	0.0
0.0	q5y_ps	0.007	0.014	0.000	-0.0	-0.0
-0.0	q7	0.001	-0.000	-0.000	0.0	0.0
-0.0	T	-0.007	-0.007	0.000	0.0	-0.0
0.0	SLVx-E~1	0.002	0.001	0.000	0.0	-0.0
0.0	SLVy-E~1	0.005	0.003	0.000	0.0	-0.0
632	Q1-1_2	Max	0.002	0.002	0.000	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.002	0.000	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0
0.0						
-0.0	Q2a-1_2	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.001	0.000	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0
0.0						
-0.0	Q1-1	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.000	0.0
-0.0		Min	-0.001	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)		-0.041	0.032	-0.000	0.0
-0.0	SLVy (RS)		0.027	0.099	-0.000	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0						
	G1	-0.001	0.001	-0.001	-0.0	-0.0
-0.0	G2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3	0.000	0.009	-0.000	-0.0	0.0
0.0	q4-1	-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2	0.001	-0.000	-0.000	-0.0	0.0
0.0	q4-3	0.000	-0.001	0.000	0.0	0.0
0.0	q4-4	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q5x_pc	0.012	0.005	-0.000	-0.0	0.0
0.0	q5y_pc	0.000	0.019	-0.000	-0.0	0.0
0.0	q5x_ps	0.012	0.007	-0.000	-0.0	0.0
0.0	q5y_ps	0.000	0.017	-0.000	-0.0	0.0
0.0	q7	0.001	-0.000	-0.000	0.0	0.0
0.0	T	0.001	0.008	-0.000	-0.0	0.0
0.0	SLVx-E~1	0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1	0.000	0.006	-0.000	-0.0	0.0
0.0						
636	Q1-1_2	Max	0.002	0.002	0.001	0.0
0.0		Min	-0.001	-0.005	-0.002	-0.0
-0.0						
	Q1-3_4	Max	0.001	0.002	0.001	0.0
0.0		Min	-0.002	-0.004	-0.002	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.001	0.001	0.0
0.0		Min	-0.001	-0.003	-0.001	-0.0
-0.0						
	Q2a-3_4	Max	0.001	0.001	0.001	0.0
0.0		Min	-0.001	-0.002	-0.001	-0.0
-0.0						
	Q1-1	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.000	-0.002	-0.001	-0.0
-0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
		Min	-0.001	-0.001	-0.001	-0.0	-0.0
-0.0	SLVx	(RS)	-0.067	0.067	0.004	-0.0	0.0
-0.0	SLVy	(RS)	0.086	0.053	-0.001	-0.0	-0.0
0.0	SLVz	(RS)	-0.000	0.000	0.001	-0.0	-0.0
0.0	G1		-0.000	-0.003	-0.003	0.0	0.0
0.0	G2		-0.000	-0.001	-0.001	0.0	0.0
0.0	pp	imp~1	-0.000	0.001	-0.000	0.0	-0.0
-0.0	perm	i~1	-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	0.000	-0.000	0.0	0.0
-0.0	q3		0.009	0.001	-0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	0.0	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.001	-0.000	-0.000	0.0	-0.0
-0.0	q4-4		-0.001	-0.003	-0.000	0.0	0.0
0.0	q5x	pc	0.021	0.000	-0.000	0.0	-0.0
0.0	q5y	pc	0.008	0.011	0.000	-0.0	-0.0
0.0	q5x	ps	0.023	0.002	0.000	0.0	-0.0
0.0	q5y	ps	0.008	0.009	0.000	-0.0	-0.0
0.0	q7		0.001	0.000	0.000	0.0	-0.0
-0.0	T		-0.022	-0.005	-0.000	0.0	0.0
-0.0	SLVx	E~1	0.003	-0.001	-0.000	0.0	0.0
0.0	SLVy	E~1	0.006	-0.002	-0.000	0.0	0.0
0.0							
637	Q1-1_2	Max	0.002	0.002	0.002	0.0	0.0
0.0		Min	-0.001	-0.005	-0.005	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.002	0.0	0.0
0.0		Min	-0.002	-0.004	-0.005	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.001	-0.003	-0.003	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.001	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.001	-0.002	-0.003	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.002	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.001	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.002	-0.0	-0.0
0.0	SLVx	(RS)	-0.067	0.066	0.004	-0.0	0.0
-0.0	SLVy	(RS)	0.086	0.052	-0.001	-0.0	-0.0
0.0	SLVz	(RS)	-0.000	0.000	0.001	-0.0	-0.0
0.0	G1		-0.000	-0.003	-0.005	0.0	0.0
0.0	G2		-0.000	-0.001	-0.001	0.0	0.0
0.0	pp imp~1		-0.000	0.001	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.001	-0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	0.0	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.001	-0.000	-0.000	0.0	-0.0
-0.0	q4-4		-0.000	-0.003	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.000	-0.000	0.0	-0.0
0.0	q5y_pc		0.008	0.011	0.000	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.000	0.0	-0.0
0.0	q5y_ps		0.008	0.009	0.000	-0.0	-0.0
0.0	q7		0.001	0.000	0.000	0.0	-0.0
-0.0	T		-0.022	-0.005	-0.000	0.0	0.0
-0.0	SLVx-E~1		0.003	-0.001	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	-0.002	-0.000	0.0	0.0
0.0							
638	Q1-1_2	Max	0.002	0.002	0.003	0.0	0.0
0.0		Min	-0.001	-0.005	-0.007	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.003	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	Min	-0.002	-0.004	-0.007	-0.0	-0.0
0.0	Q2a-1_2 Max	0.001	0.001	0.002	0.0	0.0
-0.0	Min	-0.001	-0.003	-0.004	-0.0	-0.0
0.0	Q2a-3_4 Max	0.001	0.001	0.002	0.0	0.0
-0.0	Min	-0.001	-0.002	-0.004	-0.0	-0.0
0.0	Q1-1 Max	0.001	0.001	0.001	0.0	0.0
-0.0	Min	-0.000	-0.002	-0.003	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.001	0.001	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.002	-0.0	-0.0
-0.0	SLVx (RS)	-0.067	0.065	0.004	-0.0	0.0
0.0	SLVy (RS)	0.086	0.052	0.001	-0.0	-0.0
0.0	SLVz (RS)	-0.000	0.000	0.001	-0.0	-0.0
0.0	G1	-0.000	-0.003	-0.006	0.0	0.0
0.0	G2	-0.000	-0.001	-0.002	0.0	0.0
-0.0	pp imp~1	-0.000	0.001	-0.000	0.0	-0.0
-0.0	perm i~1	-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2	0.000	0.000	-0.000	0.0	0.0
-0.0	perm2	0.000	0.000	-0.000	0.0	0.0
0.0	q3	0.009	0.001	-0.000	0.0	-0.0
0.0	q4-1	0.001	0.000	-0.000	0.0	0.0
0.0	q4-2	0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-3	0.001	-0.000	-0.000	0.0	-0.0
0.0	q4-4	-0.000	-0.003	-0.000	0.0	0.0
0.0	q5x_pc	0.021	0.000	-0.000	0.0	-0.0
0.0	q5y_pc	0.008	0.011	0.000	-0.0	-0.0
0.0	q5x_ps	0.023	0.002	0.000	0.0	-0.0
0.0	q5y_ps	0.008	0.009	0.000	-0.0	-0.0
-0.0	q7	0.001	0.000	0.000	0.0	-0.0
-0.0	T	-0.022	-0.005	-0.000	0.0	0.0
0.0	SLVx-E~1	0.003	-0.001	-0.000	0.0	0.0
0.0	SLVy-E~1	0.006	-0.002	-0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

639	Q1-1_2	Max	0.002	0.002	0.004	0.0	0.0
0.0		Min	-0.001	-0.005	-0.010	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.004	0.0	0.0
0.0		Min	-0.002	-0.004	-0.010	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.002	0.0	0.0
0.0		Min	-0.001	-0.003	-0.005	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.002	0.0	0.0
0.0		Min	-0.001	-0.002	-0.005	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.002	-0.004	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.001	0.0	0.0
0.0		Min	-0.001	-0.001	-0.003	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.067	0.064	0.004	-0.0	0.0
-0.0							
	SLVy (RS)		0.086	0.051	0.001	-0.0	-0.0
0.0							
	SLVz (RS)		-0.000	0.000	0.002	-0.0	-0.0
0.0							
	G1		-0.000	-0.003	-0.008	0.0	0.0
0.0							
	G2		-0.000	-0.001	-0.003	0.0	0.0
0.0							
	pp imp~1		-0.000	0.001	-0.000	0.0	-0.0
-0.0							
	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0							
	pp2		0.000	0.000	-0.000	0.0	0.0
-0.0							
	perm2		0.000	0.000	-0.000	0.0	0.0
-0.0							
	q3		0.009	0.001	-0.000	0.0	-0.0
0.0							
	q4-1		0.001	0.000	-0.000	0.0	0.0
0.0							
	q4-2		0.001	0.000	0.000	-0.0	-0.0
0.0							
	q4-3		0.001	-0.001	-0.000	0.0	-0.0
-0.0							
	q4-4		-0.000	-0.003	-0.000	0.0	0.0
0.0							
	q5x_pc		0.021	0.001	-0.000	0.0	-0.0
0.0							
	q5y_pc		0.008	0.011	0.000	-0.0	-0.0
0.0							
	q5x_ps		0.023	0.002	0.000	0.0	-0.0
0.0							
	q5y_ps		0.008	0.010	0.000	-0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q7	0.001	-0.000	0.000	0.0	-0.0
-0.0	T	-0.021	-0.006	-0.000	0.0	0.0
-0.0	SLVx-E~1	0.003	-0.001	-0.000	0.0	0.0
0.0	SLVy-E~1	0.006	-0.002	-0.000	0.0	0.0
0.0						
640	Q1-1_2	Max	0.002	0.002	0.005	0.0
0.0		Min	-0.001	-0.005	-0.012	-0.0
-0.0						
	Q1-3_4	Max	0.001	0.002	0.005	0.0
0.0		Min	-0.002	-0.004	-0.012	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.001	0.003	0.0
0.0		Min	-0.001	-0.003	-0.007	-0.0
-0.0						
	Q2a-3_4	Max	0.001	0.001	0.003	0.0
0.0		Min	-0.001	-0.002	-0.007	-0.0
-0.0						
	Q1-1	Max	0.001	0.001	0.002	0.0
0.0		Min	-0.000	-0.002	-0.004	-0.0
-0.0						
	Q1-3	Max	0.000	0.001	0.002	0.0
0.0		Min	-0.001	-0.001	-0.004	-0.0
-0.0						
	SLVx (RS)		-0.067	0.064	0.005	-0.0
-0.0	SLVy (RS)		0.086	0.050	0.002	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.002	-0.0
0.0	G1		-0.000	-0.003	-0.010	0.0
0.0	G2		-0.000	-0.001	-0.003	0.0
0.0	pp imp~1		-0.000	0.001	-0.000	0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0
-0.0	perm2		0.000	0.000	-0.000	0.0
-0.0	q3		0.009	0.001	-0.000	0.0
0.0	q4-1		0.001	0.000	-0.000	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0
-0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-4		-0.000	-0.003	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.001	0.000	0.0	-0.0
0.0	q5y_pc		0.008	0.011	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.000	0.0	-0.0
0.0	q5y_ps		0.008	0.010	0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	-0.0
-0.0	T		-0.021	-0.006	-0.000	0.0	0.0
0.0	SLVx-E~1		0.003	-0.001	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	-0.002	-0.000	0.0	0.0
641	Q1-1_2	Max	0.002	0.002	0.006	0.0	0.0
0.0		Min	-0.001	-0.005	-0.014	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.006	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.014	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.003	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.008	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.003	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.008	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.001	0.002	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.005	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.002	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.005	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.067	0.063	0.005	-0.0	0.0
0.0	SLVy (RS)		0.087	0.050	0.002	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.002	-0.0	-0.0
0.0	G1		-0.000	-0.003	-0.012	0.0	0.0
0.0	G2		-0.000	-0.001	-0.004	0.0	0.0
-0.0	pp imp~1		-0.000	0.001	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	0.000	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0						
0.0	q3	0.009	0.001	-0.000	0.0	-0.0
0.0	q4-1	0.001	0.000	-0.000	0.0	0.0
0.0	q4-2	0.001	0.000	0.000	-0.0	-0.0
0.0	q4-3	0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-4	-0.000	-0.003	-0.000	0.0	0.0
0.0	q5x_pc	0.021	0.001	0.000	0.0	-0.0
0.0	q5y_pc	0.008	0.012	0.001	-0.0	-0.0
0.0	q5x_ps	0.023	0.002	0.000	0.0	-0.0
0.0	q5y_ps	0.008	0.010	0.001	-0.0	-0.0
0.0	q7	0.001	-0.000	0.000	0.0	-0.0
-0.0	T	-0.021	-0.006	-0.000	0.0	0.0
-0.0	SLVx-E~1	0.003	-0.001	-0.000	0.0	0.0
0.0	SLVy-E~1	0.006	-0.002	-0.000	0.0	0.0
0.0						
642	Q1-1_2	Max	0.002	0.001	0.007	0.0
0.0		Min	-0.001	-0.004	-0.016	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.002	0.007	0.0
-0.0		Min	-0.002	-0.004	-0.016	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.004	0.0
-0.0		Min	-0.001	-0.002	-0.009	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.004	0.0
-0.0		Min	-0.001	-0.002	-0.009	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.000	0.002	0.0
-0.0		Min	-0.000	-0.002	-0.006	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.002	0.0
-0.0		Min	-0.001	-0.001	-0.005	-0.0
-0.0						
-0.0	SLVx (RS)		-0.067	0.062	0.005	-0.0
-0.0	SLVy (RS)		0.087	0.049	0.003	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.003	-0.0
0.0	G1		-0.000	-0.003	-0.013	0.0
0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	G2		-0.000	-0.001	-0.005	0.0	0.0
-0.0	pp imp~1		-0.000	0.001	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.001	-0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	-0.0
0.0	q4-4		-0.000	-0.003	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.001	0.000	0.0	-0.0
0.0	q5y_pc		0.008	0.012	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.000	0.0	-0.0
0.0	q5y_ps		0.008	0.010	0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	-0.0
-0.0	T		-0.020	-0.006	-0.000	0.0	0.0
0.0	SLVx-E~1		0.003	-0.001	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	-0.002	-0.000	0.0	0.0
643	Q1-1_2	Max	0.002	0.001	0.008	0.0	0.0
0.0		Min	-0.001	-0.004	-0.019	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.008	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.018	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.004	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.010	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.004	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.010	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.003	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.007	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.002	0.0	0.0
		Min	-0.001	-0.001	-0.006	-0.0	-0.0

PROJECT TITLE :


			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	SLVx (RS)		-0.067	0.062	0.005	-0.0	0.0
-0.0	SLVy (RS)		0.087	0.049	0.003	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.003	-0.0	-0.0
0.0	G1		-0.000	-0.003	-0.015	0.0	0.0
0.0	G2		-0.000	-0.001	-0.005	0.0	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q3		0.009	0.001	-0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	-0.0
-0.0	q4-4		-0.000	-0.003	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.001	0.000	0.0	-0.0
0.0	q5y_pc		0.009	0.012	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.000	0.0	-0.0
0.0	q5y_ps		0.008	0.010	0.001	-0.0	-0.0
0.0	q7		0.001	-0.000	0.000	0.0	-0.0
-0.0	T		-0.020	-0.006	-0.000	0.0	0.0
-0.0	SLVx-E~1		0.003	-0.001	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	-0.001	-0.000	0.0	0.0
0.0							
644	Q1-1_2	Max	0.002	0.001	0.009	0.0	0.0
0.0		Min	-0.001	-0.004	-0.021	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.002	-0.004	-0.020	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.001	0.001	0.005	0.0	0.0
0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	Q1-1	Max	0.001	0.000	0.003	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.008	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.003	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.006	-0.0	-0.0
-0.0	SLVx	(RS)	-0.067	0.061	0.005	-0.0	0.0
0.0	SLVy	(RS)	0.087	0.049	0.003	-0.0	-0.0
0.0	SLVz	(RS)	-0.000	0.000	0.003	-0.0	-0.0
0.0	G1		-0.000	-0.003	-0.016	0.0	0.0
0.0	G2		-0.000	-0.001	-0.006	0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.001	-0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	-0.0
0.0	q4-4		-0.000	-0.003	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.001	0.000	0.0	-0.0
0.0	q5y_pc		0.009	0.012	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.000	0.0	-0.0
0.0	q5y_ps		0.008	0.010	0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	-0.0
-0.0	T		-0.020	-0.006	-0.000	0.0	0.0
0.0	SLVx-E~1		0.003	-0.001	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	-0.001	-0.000	0.0	0.0
645	Q1-1_2	Max	0.002	0.001	0.010	0.0	0.0
0.0		Min	-0.001	-0.004	-0.023	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.022	-0.0	-0.0

PROJECT TITLE :


	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q2a-1_2	Max	0.001	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.013	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.012	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.003	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.008	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.003	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.007	-0.0	-0.0
-0.0	SLVx (RS)		-0.067	0.060	0.005	-0.0	0.0
0.0	SLVy (RS)		0.087	0.048	0.004	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.004	-0.0	-0.0
0.0	G1		-0.000	-0.002	-0.018	0.0	0.0
0.0	G2		-0.000	-0.001	-0.006	0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.002	-0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	-0.0
0.0	q4-4		-0.000	-0.003	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.001	0.000	0.0	-0.0
0.0	q5y_pc		0.009	0.012	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.000	0.0	-0.0
0.0	q5y_ps		0.008	0.011	0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	-0.0
-0.0	T		-0.019	-0.006	-0.000	0.0	0.0
0.0	SLVx-E~1		0.003	-0.000	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	-0.001	-0.000	0.0	0.0
646	Q1-1_2	Max	0.002	0.001	0.010	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0		Min	-0.001	-0.004	-0.024	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.010	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.024	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.014	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.013	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.004	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.009	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.003	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.008	-0.0	-0.0
0.0	SLVx (RS)		-0.067	0.060	0.005	-0.0	-0.0
-0.0	SLVy (RS)		0.087	0.048	0.004	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.004	-0.0	-0.0
0.0	G1		-0.000	-0.002	-0.019	0.0	0.0
0.0	G2		-0.000	-0.001	-0.007	0.0	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.002	-0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0	-0.0
0.0	q4-3		0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-4		-0.000	-0.003	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.001	0.000	0.0	-0.0
0.0	q5y_pc		0.009	0.012	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.000	0.0	-0.0
0.0	q5y_ps		0.008	0.011	0.001	-0.0	-0.0
0.0	q7		0.001	-0.000	0.000	0.0	-0.0
-0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	T		-0.019	-0.007	-0.000	0.0	0.0
0.0	SLVx-E~1		0.003	-0.000	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	-0.001	-0.000	0.0	0.0
647	Q1-1_2	Max	0.002	0.001	0.011	0.0	0.0
0.0		Min	-0.001	-0.004	-0.026	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.011	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.026	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.014	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.014	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.004	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.009	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.003	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.008	-0.0	-0.0
-0.0	SLVx (RS)		-0.067	0.059	0.005	-0.0	-0.0
0.0	SLVy (RS)		0.087	0.048	0.004	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.004	-0.0	-0.0
0.0	G1		-0.000	-0.002	-0.020	0.0	0.0
0.0	G2		-0.000	-0.001	-0.007	0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.002	-0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	-0.0
0.0	q4-4		-0.000	-0.003	-0.000	0.0	0.0
	q5x_pc		0.021	0.001	0.000	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0						
0.0	q5y_pc		0.009	0.013	0.001	-0.0
0.0	q5x_ps		0.023	0.002	0.000	0.0
0.0	q5y_ps		0.008	0.011	0.001	-0.0
0.0	q7		0.001	-0.000	0.000	0.0
-0.0	T		-0.019	-0.007	-0.000	0.0
-0.0	SLVx-E~1		0.003	-0.000	-0.000	0.0
0.0	SLVy-E~1		0.006	-0.001	-0.000	0.0
0.0						
648	Q1-1_2	Max	0.002	0.001	0.012	0.0
0.0		Min	-0.001	-0.004	-0.027	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.001	0.012	0.0
-0.0		Min	-0.002	-0.003	-0.027	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.007	0.0
-0.0		Min	-0.001	-0.002	-0.015	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.006	0.0
-0.0		Min	-0.001	-0.002	-0.015	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.000	0.004	0.0
-0.0		Min	-0.000	-0.002	-0.010	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.004	0.0
-0.0		Min	-0.001	-0.001	-0.009	-0.0
-0.0						
-0.0	SLVx (RS)		-0.067	0.058	0.005	-0.0
-0.0	SLVy (RS)		0.087	0.048	0.005	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.004	-0.0
0.0	G1		-0.000	-0.002	-0.021	0.0
0.0	G2		-0.000	-0.001	-0.007	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0
-0.0	q3		0.009	0.002	-0.000	0.0
0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-1	0.001	0.000	-0.000	-0.0	0.0	
0.0	q4-2	0.001	0.000	0.000	-0.0	-0.0	
0.0	q4-3	0.001	-0.001	0.000	0.0	-0.0	
-0.0	q4-4	-0.000	-0.002	-0.000	0.0	0.0	
0.0	q5x_pc	0.021	0.001	0.000	0.0	-0.0	
0.0	q5y_pc	0.009	0.013	0.001	-0.0	-0.0	
0.0	q5x_ps	0.023	0.002	0.000	0.0	-0.0	
0.0	q5y_ps	0.008	0.011	0.001	-0.0	-0.0	
0.0	q7	0.001	-0.000	0.000	0.0	-0.0	
-0.0	T	-0.018	-0.007	-0.000	0.0	0.0	
-0.0	SLVx-E~1	0.003	-0.000	-0.000	0.0	0.0	
0.0	SLVy-E~1	0.006	-0.001	-0.000	0.0	0.0	
0.0							
649	Q1-1_2	Max	0.002	0.001	0.013	0.0	0.0
0.0		Min	-0.001	-0.004	-0.029	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.012	0.0	0.0
0.0		Min	-0.002	-0.003	-0.028	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.007	0.0	0.0
0.0		Min	-0.001	-0.002	-0.016	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.007	0.0	0.0
0.0		Min	-0.001	-0.002	-0.016	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.000	0.005	0.0	0.0
0.0		Min	-0.000	-0.002	-0.010	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.004	0.0	0.0
0.0		Min	-0.001	-0.001	-0.009	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.067	0.058	0.005	-0.0	-0.0
-0.0	SLVy (RS)		0.087	0.048	0.005	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.004	-0.0	-0.0
0.0	G1		-0.000	-0.002	-0.022	0.0	0.0
0.0	G2		-0.000	-0.001	-0.008	0.0	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	


-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q3		0.009	0.002	0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	-0.0
-0.0	q4-4		-0.000	-0.002	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.001	0.001	0.0	-0.0
0.0	q5y_pc		0.009	0.013	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.000	0.0	-0.0
0.0	q5y_ps		0.008	0.011	0.001	-0.0	-0.0
0.0	q7		0.001	-0.000	0.000	0.0	-0.0
-0.0	T		-0.018	-0.007	-0.000	0.0	0.0
-0.0	SLVx-E~1		0.003	-0.000	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	-0.001	-0.000	0.0	0.0
0.0							
650	Q1-1_2	Max	0.002	0.001	0.013	0.0	0.0
0.0		Min	-0.001	-0.004	-0.030	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.001	0.013	0.0	0.0
0.0		Min	-0.002	-0.003	-0.030	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.007	0.0	0.0
0.0		Min	-0.001	-0.002	-0.017	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.007	0.0	0.0
0.0		Min	-0.001	-0.002	-0.016	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.005	0.0	0.0
0.0		Min	-0.000	-0.002	-0.011	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.004	0.0	0.0
0.0		Min	-0.001	-0.000	-0.009	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.067	0.057	0.005	-0.0	-0.0
-0.0							

PROJECT TITLE :

			Company		Client	
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT
0.0	SLVy (RS)		0.087	0.048	0.005	-0.0 -0.0
0.0	SLVz (RS)		-0.000	0.000	0.004	-0.0 -0.0
0.0	G1		-0.000	-0.002	-0.022	0.0 0.0
0.0	G2		-0.000	-0.001	-0.008	0.0 0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0 -0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0 -0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0 0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0 0.0
0.0	q3		0.009	0.002	0.000	0.0 -0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0 0.0
-0.0	q4-2		0.001	0.000	0.000	-0.0 -0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0 -0.0
0.0	q4-4		-0.000	-0.002	-0.000	0.0 0.0
0.0	q5x_pc		0.021	0.001	0.001	0.0 -0.0
0.0	q5y_pc		0.009	0.013	0.001	-0.0 -0.0
0.0	q5x_ps		0.023	0.002	0.001	0.0 -0.0
0.0	q5y_ps		0.008	0.011	0.001	-0.0 -0.0
-0.0	q7		0.001	-0.000	0.000	0.0 -0.0
-0.0	T		-0.018	-0.007	-0.000	0.0 0.0
0.0	SLVx-E~1		0.003	-0.000	-0.000	0.0 0.0
0.0	SLVy-E~1		0.006	-0.000	-0.000	0.0 0.0
651	Q1-1_2	Max	0.002	0.001	0.014	0.0 0.0
0.0		Min	-0.001	-0.003	-0.031	-0.0 -0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.001	0.014	0.0 0.0
-0.0		Min	-0.002	-0.003	-0.031	-0.0 -0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.008	0.0 0.0
-0.0		Min	-0.001	-0.002	-0.017	-0.0 -0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.007	0.0 0.0
-0.0		Min	-0.001	-0.002	-0.017	-0.0 -0.0
0.0	Q1-1	Max	0.001	0.000	0.005	0.0 0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0		Min	-0.000	-0.001	-0.011	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.004	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.010	-0.0	-0.0
-0.0		SLVx (RS)	-0.067	0.056	0.005	-0.0	-0.0
0.0		SLVy (RS)	0.087	0.048	0.005	-0.0	-0.0
0.0		SLVz (RS)	-0.000	0.000	0.005	-0.0	-0.0
0.0		G1	-0.000	-0.002	-0.023	0.0	0.0
0.0		G2	-0.000	-0.001	-0.008	0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.002	0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.002	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.001	0.001	0.0	-0.0
0.0	q5y_pc		0.009	0.013	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.001	0.0	-0.0
0.0	q5y_ps		0.008	0.011	0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	-0.0
-0.0	T		-0.017	-0.007	-0.000	0.0	0.0
0.0	SLVx-E~1		0.003	-0.000	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	-0.000	-0.000	0.0	0.0
652	Q1-1_2	Max	0.002	0.001	0.015	0.0	0.0
0.0		Min	-0.001	-0.003	-0.032	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.014	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.031	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.008	0.0	0.0
		Min	-0.001	-0.002	-0.018	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.017	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.005	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.004	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.010	-0.0	-0.0
-0.0	SLVx	(RS)	-0.067	0.056	0.005	-0.0	-0.0
0.0	SLVy	(RS)	0.087	0.048	0.005	-0.0	-0.0
0.0	SLVz	(RS)	-0.000	0.000	0.005	-0.0	-0.0
0.0	G1		-0.000	-0.002	-0.023	0.0	0.0
0.0	G2		-0.000	-0.001	-0.008	0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.002	0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	-0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.002	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.001	0.001	0.0	-0.0
0.0	q5y_pc		0.009	0.013	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.001	0.0	-0.0
0.0	q5y_ps		0.008	0.012	0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	-0.0
-0.0	T		-0.017	-0.007	-0.001	0.0	0.0
0.0	SLVx-E~1		0.003	-0.000	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	-0.000	-0.000	0.0	0.0
653	Q1-1_2	Max	0.002	0.001	0.015	0.0	0.0
0.0		Min	-0.001	-0.003	-0.033	-0.0	-0.0
-0.0							

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-3_4	Max	0.001	0.001	0.015	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.032	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.018	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.005	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.010	-0.0	-0.0
-0.0	SLVx (RS)		-0.067	0.055	0.005	-0.0	-0.0
0.0	SLVy (RS)		0.087	0.048	0.005	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.005	-0.0	-0.0
0.0	G1		-0.000	-0.002	-0.024	0.0	0.0
0.0	G2		-0.000	-0.001	-0.008	0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.002	0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	-0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.002	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.001	0.001	0.0	-0.0
0.0	q5y_pc		0.008	0.013	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.001	0.0	-0.0
0.0	q5y_ps		0.008	0.012	0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.016	-0.007	-0.001	0.0	0.0
	SLVx-E~1		0.003	0.000	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	SLVy-E~1	0.006	0.000	-0.000	0.0	0.0
0.0						
654	Q1-1_2	Max	0.002	0.001	0.015	0.0
0.0		Min	-0.001	-0.003	-0.033	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.001	0.015	0.0
0.0		Min	-0.002	-0.003	-0.033	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.009	0.0
0.0		Min	-0.001	-0.002	-0.018	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.008	0.0
0.0		Min	-0.001	-0.001	-0.018	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.000	0.006	0.0
0.0		Min	-0.000	-0.001	-0.012	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.005	0.0
0.0		Min	-0.001	-0.000	-0.010	-0.0
-0.0						
-0.0	SLVx (RS)		-0.067	0.055	0.005	-0.0
-0.0	SLVy (RS)		0.086	0.049	0.005	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.005	-0.0
0.0	G1		-0.000	-0.002	-0.024	0.0
0.0	G2		-0.000	-0.001	-0.008	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0
-0.0	q3		0.009	0.003	0.000	0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0
0.0	q4-2		0.001	0.000	0.000	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0
-0.0	q4-4		-0.000	-0.002	-0.000	0.0
0.0	q5x_pc		0.021	0.001	0.001	0.0
0.0	q5y_pc		0.008	0.014	0.001	-0.0
0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q5x_ps		0.023	0.002	0.001	0.0	-0.0
0.0	q5y_ps		0.008	0.012	0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.016	-0.007	-0.001	0.0	0.0
0.0	SLVx-E~1		0.003	0.000	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	0.000	-0.000	0.0	0.0
655	Q1-1_2	Max	0.002	0.001	0.016	0.0	0.0
0.0		Min	-0.001	-0.003	-0.034	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.016	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.033	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.019	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.011	-0.0	-0.0
-0.0	SLVx (RS)		-0.067	0.054	0.005	-0.0	-0.0
0.0	SLVy (RS)		0.086	0.049	0.005	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.005	-0.0	0.0
0.0	G1		-0.000	-0.002	-0.024	0.0	0.0
0.0	G2		-0.000	-0.001	-0.008	0.0	0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.003	0.000	0.0	0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	0.000	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	q4-3	0.001	-0.001	0.000	0.0	0.0	
-0.0	q4-4	-0.000	-0.002	-0.000	0.0	0.0	
0.0	q5x_pc	0.021	0.001	0.001	0.0	-0.0	
0.0	q5y_pc	0.008	0.014	0.001	-0.0	-0.0	
0.0	q5x_ps	0.023	0.002	0.001	0.0	0.0	
0.0	q5y_ps	0.008	0.012	0.001	-0.0	-0.0	
0.0	q7	0.001	-0.000	0.000	0.0	0.0	
-0.0	T	-0.016	-0.007	-0.001	0.0	0.0	
-0.0	SLVx-E~1	0.003	0.000	-0.000	0.0	0.0	
0.0	SLVy-E~1	0.006	0.000	-0.000	0.0	0.0	
0.0							
656	Q1-1_2	Max	0.002	0.001	0.016	0.0	0.0
0.0		Min	-0.001	-0.003	-0.034	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.016	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.033	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.001	0.001	0.009	0.0	0.0
0.0		Min	-0.001	-0.002	-0.019	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
0.0							
-0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.011	-0.0	-0.0
-0.0	SLVx (RS)		-0.067	0.053	0.004	-0.0	-0.0
-0.0	SLVy (RS)		0.086	0.049	0.005	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.005	-0.0	0.0
0.0	G1		-0.000	-0.001	-0.023	0.0	-0.0
0.0	G2		-0.000	-0.001	-0.008	0.0	-0.0
0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0							

PROJECT TITLE :


			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.003	0.000	0.0	0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.002	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.001	0.001	0.0	0.0
0.0	q5y_pc		0.008	0.014	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.001	0.0	0.0
0.0	q5y_ps		0.008	0.012	0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.015	-0.007	-0.001	0.0	0.0
0.0	SLVx-E~1		0.003	0.000	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	0.000	-0.000	0.0	0.0
657	Q1-1_2	Max	0.002	0.001	0.016	0.0	0.0
0.0		Min	-0.001	-0.003	-0.034	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.016	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.033	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.001	0.000	0.009	0.0	0.0
0.0		Min	-0.001	-0.002	-0.019	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
0.0							
-0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.011	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.067	0.053	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.086	0.050	0.005	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.004	-0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	G1		-0.000	-0.001	-0.023	0.0	-0.0
0.0	G2		-0.000	-0.001	-0.008	0.0	-0.0
0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q3		0.009	0.003	0.000	0.0	0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.002	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.001	0.001	0.0	0.0
0.0	q5y_pc		0.008	0.014	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.001	0.0	0.0
0.0	q5y_ps		0.008	0.012	0.001	-0.0	-0.0
0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.015	-0.008	-0.001	0.0	0.0
-0.0	SLVx-E~1		0.003	0.000	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	0.001	-0.000	0.0	0.0
0.0							
658	Q1-1_2	Max	0.002	0.001	0.017	0.0	0.0
0.0		Min	-0.001	-0.003	-0.033	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.016	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.033	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.000	0.009	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.019	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q1-3	Max	0.000	0.000	0.005	0.0	0.0
		Min	-0.001	-0.000	-0.010	-0.0	-0.0
-0.0	SLVx	(RS)	-0.066	0.052	0.004	-0.0	-0.0
-0.0	SLVy	(RS)	0.086	0.050	0.005	-0.0	-0.0
0.0	SLVz	(RS)	-0.000	0.000	0.004	-0.0	0.0
0.0	G1		-0.000	-0.001	-0.023	0.0	-0.0
0.0	G2		-0.000	-0.000	-0.008	0.0	-0.0
0.0	pp	imp~1	-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm	i~1	-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q3		0.009	0.003	0.000	0.0	0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.002	-0.000	0.0	0.0
0.0	q5x	pc	0.021	0.001	0.001	0.0	0.0
0.0	q5y	pc	0.008	0.014	0.001	-0.0	-0.0
0.0	q5x	ps	0.023	0.002	0.001	0.0	0.0
0.0	q5y	ps	0.008	0.012	0.001	-0.0	-0.0
0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.015	-0.008	-0.001	0.0	0.0
-0.0	SLVx-E	~1	0.003	0.000	-0.000	0.0	0.0
0.0	SLVy-E	~1	0.006	0.001	-0.000	0.0	0.0
0.0							
659	Q1-1_2	Max	0.002	0.001	0.017	0.0	0.0
0.0		Min	-0.001	-0.003	-0.033	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.016	0.0	0.0
0.0		Min	-0.002	-0.002	-0.033	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.000	0.009	0.0	0.0
0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.010	-0.0	-0.0
0.0	SLVx	(RS)	-0.066	0.051	0.004	-0.0	-0.0
-0.0	SLVy	(RS)	0.085	0.051	0.005	-0.0	-0.0
0.0	SLVz	(RS)	-0.000	0.000	0.004	-0.0	0.0
0.0	G1		-0.000	-0.001	-0.022	0.0	-0.0
0.0	G2		-0.000	-0.000	-0.008	0.0	-0.0
0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.003	0.000	0.0	0.0
0.0	q4-1		0.001	0.000	-0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.002	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.002	0.001	0.0	0.0
0.0	q5y_pc		0.008	0.014	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.001	0.0	0.0
0.0	q5y_ps		0.008	0.012	0.001	-0.0	-0.0
0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.014	-0.008	-0.001	0.0	0.0
-0.0	SLVx-E~1		0.003	0.000	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	0.001	-0.000	0.0	0.0
0.0							
660	Q1-1_2	Max	0.002	0.001	0.017	0.0	0.0
0.0		Min	-0.001	-0.003	-0.033	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.017	0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	Min	-0.002	-0.002	-0.032	-0.0	-0.0
0.0	Q2a-1_2 Max	0.001	0.000	0.009	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.018	-0.0	-0.0
0.0	Q2a-3_4 Max	0.001	0.001	0.009	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.018	-0.0	-0.0
0.0	Q1-1 Max	0.001	0.000	0.006	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.012	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.000	0.005	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.010	-0.0	-0.0
-0.0	SLVx (RS)	-0.066	0.051	0.004	-0.0	-0.0
0.0	SLVy (RS)	0.085	0.051	0.005	-0.0	-0.0
0.0	SLVz (RS)	-0.000	0.000	0.004	-0.0	0.0
0.0	G1	-0.000	-0.001	-0.021	0.0	-0.0
0.0	G2	-0.000	-0.000	-0.008	0.0	-0.0
-0.0	pp imp~1	-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1	-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2	0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.009	0.003	0.000	0.0	0.0
0.0	q4-1	0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-2	0.001	0.000	0.000	0.0	0.0
-0.0	q4-3	0.001	-0.001	0.000	0.0	0.0
0.0	q4-4	-0.001	-0.002	-0.000	0.0	0.0
0.0	q5x_pc	0.021	0.002	0.001	0.0	0.0
0.0	q5y_pc	0.008	0.014	0.001	-0.0	-0.0
0.0	q5x_ps	0.023	0.002	0.001	0.0	0.0
0.0	q5y_ps	0.008	0.013	0.001	-0.0	-0.0
-0.0	q7	0.001	-0.000	0.000	0.0	0.0
-0.0	T	-0.014	-0.008	-0.001	0.0	0.0
0.0	SLVx-E~1	0.002	0.000	-0.000	0.0	0.0
0.0	SLVy-E~1	0.006	0.001	-0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

661	Q1-1_2	Max	0.002	0.001	0.017	0.0	0.0
0.0		Min	-0.001	-0.002	-0.032	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.001	0.016	0.0	0.0
0.0		Min	-0.002	-0.002	-0.031	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.000	0.009	0.0	0.0
0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
0.0		Min	-0.001	-0.001	-0.017	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.005	0.0	0.0
0.0		Min	-0.001	-0.000	-0.010	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.066	0.050	0.004	-0.0	-0.0
-0.0							
	SLVy (RS)		0.085	0.052	0.005	-0.0	-0.0
0.0							
	SLVz (RS)		-0.000	0.001	0.004	-0.0	0.0
0.0							
	G1		-0.000	-0.001	-0.021	0.0	-0.0
0.0							
	G2		-0.000	-0.000	-0.007	0.0	-0.0
0.0							
	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0							
	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0							
	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0							
	perm2		0.000	-0.000	-0.000	0.0	0.0
-0.0							
	q3		0.009	0.003	0.000	0.0	0.0
0.0							
	q4-1		0.001	0.001	-0.000	-0.0	-0.0
0.0							
	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0							
	q4-3		0.001	-0.001	0.000	0.0	0.0
-0.0							
	q4-4		-0.001	-0.002	-0.000	0.0	0.0
0.0							
	q5x_pc		0.021	0.002	0.001	0.0	0.0
0.0							
	q5y_pc		0.008	0.014	0.001	-0.0	-0.0
0.0							
	q5x_ps		0.023	0.002	0.001	0.0	0.0
0.0							
	q5y_ps		0.008	0.013	0.001	-0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q7	0.001	-0.000	0.000	0.0	0.0	
-0.0	T	-0.014	-0.008	-0.001	0.0	0.0	
-0.0	SLVx-E~1	0.002	0.000	-0.000	0.0	0.0	
0.0	SLVy-E~1	0.006	0.001	-0.000	0.0	0.0	
0.0							
662	Q1-1_2	Max	0.002	0.001	0.017	0.0	0.0
0.0		Min	-0.001	-0.002	-0.031	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.001	0.016	0.0	0.0
0.0		Min	-0.002	-0.002	-0.031	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.000	0.009	0.0	0.0
0.0		Min	-0.001	-0.001	-0.017	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
0.0		Min	-0.001	-0.001	-0.017	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
0.0		Min	-0.000	-0.001	-0.011	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.005	0.0	0.0
0.0		Min	-0.001	-0.000	-0.010	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.066	0.050	0.004	-0.0	-0.0
-0.0	SLVy (RS)		0.085	0.053	0.005	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.001	0.004	-0.0	0.0
0.0	G1		-0.000	-0.001	-0.020	0.0	-0.0
0.0	G2		-0.000	-0.000	-0.007	0.0	-0.0
0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q3		0.009	0.004	0.000	0.0	0.0
0.0	q4-1		0.001	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-4		-0.001	-0.001	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.002	0.001	0.0	0.0
0.0	q5y_pc		0.008	0.014	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.001	0.0	0.0
0.0	q5y_ps		0.008	0.013	0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.013	-0.008	-0.001	0.0	0.0
0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	0.001	-0.000	0.0	0.0
663	Q1-1_2	Max	0.002	0.001	0.016	0.0	0.0
0.0		Min	-0.001	-0.002	-0.030	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.016	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.030	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.000	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.017	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.016	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.011	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.000	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.009	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.066	0.049	0.003	-0.0	-0.0
0.0	SLVy (RS)		0.084	0.053	0.005	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.001	0.003	-0.0	0.0
0.0	G1		-0.000	-0.001	-0.019	0.0	-0.0
0.0	G2		-0.000	-0.000	-0.007	0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	q3	0.009	0.004	0.000	0.0	0.0	
0.0	q4-1	0.001	0.001	-0.000	-0.0	-0.0	
0.0	q4-2	0.001	0.000	0.000	0.0	0.0	
-0.0	q4-3	0.001	-0.001	0.000	0.0	0.0	
-0.0	q4-4	-0.001	-0.001	-0.000	0.0	0.0	
0.0	q5x_pc	0.021	0.002	0.001	0.0	0.0	
0.0	q5y_pc	0.008	0.014	0.001	-0.0	-0.0	
0.0	q5x_ps	0.023	0.002	0.001	0.0	0.0	
0.0	q5y_ps	0.008	0.013	0.001	-0.0	-0.0	
0.0	q7	0.001	-0.000	0.000	0.0	0.0	
-0.0	T	-0.013	-0.008	-0.001	0.0	0.0	
-0.0	SLVx-E~1	0.002	0.001	-0.000	0.0	-0.0	
0.0	SLVy-E~1	0.006	0.001	-0.000	0.0	-0.0	
0.0							
664	Q1-1_2	Max	0.002	0.001	0.016	0.0	0.0
0.0		Min	-0.001	-0.002	-0.029	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.001	0.016	0.0	0.0
0.0		Min	-0.002	-0.002	-0.028	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.000	0.009	0.0	0.0
0.0		Min	-0.001	-0.001	-0.016	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
0.0		Min	-0.001	-0.001	-0.015	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
0.0		Min	-0.000	-0.001	-0.010	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.005	0.0	0.0
0.0		Min	-0.001	-0.000	-0.009	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.066	0.048	0.003	-0.0	-0.0
-0.0	SLVy (RS)		0.084	0.054	0.004	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.001	0.003	-0.0	0.0
0.0	G1		-0.000	-0.001	-0.018	0.0	-0.0
0.0							


PROJECT TITLE :

MIDAS		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	G2		-0.000	-0.000	-0.006	0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.004	0.000	0.0	0.0
0.0	q4-1		0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.002	0.001	0.0	0.0
0.0	q5y_pc		0.008	0.015	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.003	0.001	0.0	0.0
0.0	q5y_ps		0.007	0.013	0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.012	-0.008	-0.001	0.0	0.0
0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1		0.006	0.002	-0.000	0.0	-0.0
665	Q1-1_2	Max	0.002	0.001	0.016	0.0	0.0
0.0		Min	-0.001	-0.002	-0.027	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.016	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.027	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.000	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.015	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.015	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.010	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.005	0.0	0.0
		Min	-0.001	-0.000	-0.009	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	SLVx (RS)	-0.065	0.048	0.003	-0.0	-0.0
-0.0	SLVy (RS)	0.084	0.055	0.004	-0.0	-0.0
0.0	SLVz (RS)	-0.000	0.001	0.003	-0.0	0.0
0.0	G1	-0.000	-0.001	-0.016	0.0	-0.0
0.0	G2	-0.000	-0.000	-0.006	0.0	-0.0
0.0	pp imp~1	-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1	-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2	0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2	0.000	-0.000	-0.000	0.0	0.0
-0.0	q3	0.009	0.004	0.000	0.0	0.0
0.0	q4-1	0.001	0.001	-0.000	-0.0	-0.0
0.0	q4-2	0.001	0.000	0.000	0.0	0.0
-0.0	q4-3	0.001	-0.001	0.000	0.0	0.0
-0.0	q4-4	-0.001	-0.001	-0.000	0.0	0.0
0.0	q5x_pc	0.021	0.002	0.001	0.0	0.0
0.0	q5y_pc	0.008	0.015	0.001	-0.0	-0.0
0.0	q5x_ps	0.023	0.003	0.001	0.0	0.0
0.0	q5y_ps	0.007	0.013	0.001	-0.0	-0.0
0.0	q7	0.001	-0.000	0.000	0.0	0.0
-0.0	T	-0.012	-0.008	-0.001	0.0	0.0
-0.0	SLVx-E~1	0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1	0.006	0.002	-0.000	0.0	-0.0
0.0						
666	Q1-1_2	Max	0.002	0.001	0.015	0.0
0.0		Min	-0.001	-0.002	-0.026	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.001	0.015	0.0
-0.0		Min	-0.002	-0.002	-0.026	-0.0
0.0	Q2a-1_2	Max	0.001	0.000	0.009	0.0
-0.0		Min	-0.001	-0.001	-0.014	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.008	0.0
-0.0		Min	-0.001	-0.001	-0.014	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.009	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.008	-0.0	-0.0
-0.0	SLVx	(RS)	-0.065	0.047	0.003	-0.0	-0.0
0.0	SLVy	(RS)	0.083	0.056	0.004	-0.0	-0.0
-0.0	SLVz	(RS)	-0.000	0.001	0.003	-0.0	0.0
0.0	G1		-0.000	-0.001	-0.015	0.0	-0.0
0.0	G2		-0.000	-0.000	-0.005	0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.004	0.000	0.0	0.0
0.0	q4-1		0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.021	0.002	0.001	0.0	0.0
0.0	q5y_pc		0.008	0.015	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.003	0.001	0.0	0.0
0.0	q5y_ps		0.007	0.013	0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.012	-0.008	-0.001	0.0	0.0
0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1		0.006	0.002	-0.000	0.0	-0.0
667	Q1-1_2	Max	0.002	0.001	0.015	0.0	0.0
0.0		Min	-0.001	-0.002	-0.024	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.015	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.024	-0.0	-0.0


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q2a-1_2	Max	0.001	0.000	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.013	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.013	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.005	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.009	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.008	-0.0	-0.0
-0.0	SLVx (RS)		-0.065	0.047	0.003	-0.0	-0.0
0.0	SLVy (RS)		0.083	0.056	0.004	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	0.000	0.002	-0.0	0.0
0.0	G1		-0.000	-0.001	-0.014	0.0	-0.0
0.0	G2		-0.000	-0.000	-0.005	0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.004	0.000	0.0	0.0
0.0	q4-1		0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.021	0.002	0.001	0.0	0.0
0.0	q5y_pc		0.008	0.015	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.003	0.001	0.0	0.0
0.0	q5y_ps		0.007	0.013	0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.011	-0.008	-0.001	0.0	0.0
0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1		0.006	0.002	-0.000	0.0	-0.0
668	Q1-1_2	Max	0.002	0.001	0.014	0.0	0.0


PROJECT TITLE :

MIDAS	Company						Client
	Author						File Name
0.0							
-0.0	Min	-0.001	-0.002	-0.023	-0.0	-0.0	
0.0	Q1-3_4 Max	0.001	0.001	0.014	0.0	0.0	
-0.0	Min	-0.002	-0.002	-0.022	-0.0	-0.0	
0.0	Q2a-1_2 Max	0.001	0.000	0.008	0.0	0.0	
-0.0	Min	-0.001	-0.001	-0.013	-0.0	-0.0	
0.0	Q2a-3_4 Max	0.001	0.001	0.008	0.0	0.0	
-0.0	Min	-0.001	-0.001	-0.012	-0.0	-0.0	
0.0	Q1-1 Max	0.001	0.000	0.005	0.0	0.0	
-0.0	Min	-0.000	-0.001	-0.008	-0.0	-0.0	
0.0	Q1-3 Max	0.000	0.000	0.004	0.0	0.0	
-0.0	Min	-0.001	-0.000	-0.007	-0.0	-0.0	
-0.0	SLVx (RS)	-0.065	0.046	0.002	-0.0	-0.0	
0.0	SLVy (RS)	0.082	0.057	0.003	-0.0	-0.0	
-0.0	SLVz (RS)	-0.000	0.000	0.002	-0.0	0.0	
0.0	G1	-0.000	-0.001	-0.013	0.0	-0.0	
0.0	G2	-0.000	-0.000	-0.004	0.0	-0.0	
-0.0	pp imp~1	-0.000	0.000	-0.000	0.0	-0.0	
-0.0	perm i~1	-0.000	0.000	-0.000	0.0	-0.0	
-0.0	pp2	0.000	-0.000	-0.000	0.0	0.0	
-0.0	perm2	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.009	0.004	0.000	0.0	0.0	
0.0	q4-1	0.001	0.001	-0.000	-0.0	-0.0	
-0.0	q4-2	0.001	0.000	0.000	0.0	0.0	
-0.0	q4-3	0.001	-0.001	0.000	0.0	0.0	
0.0	q4-4	-0.001	-0.001	-0.000	0.0	-0.0	
0.0	q5x_pc	0.021	0.002	0.001	0.0	0.0	
0.0	q5y_pc	0.008	0.015	0.001	-0.0	-0.0	
0.0	q5x_ps	0.023	0.003	0.001	0.0	0.0	
0.0	q5y_ps	0.007	0.013	0.001	-0.0	-0.0	
-0.0	q7	0.001	-0.000	0.000	0.0	0.0	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	T		-0.011	-0.008	-0.000	0.0	-0.0
0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1		0.005	0.002	-0.000	0.0	-0.0
669	Q1-1_2	Max	0.002	0.001	0.013	0.0	0.0
0.0		Min	-0.001	-0.002	-0.021	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.013	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.021	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.000	0.007	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.012	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.007	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.011	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.005	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.008	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.004	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.007	-0.0	-0.0
-0.0	SLVx (RS)		-0.065	0.046	0.002	-0.0	-0.0
0.0	SLVy (RS)		0.082	0.058	0.003	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	0.000	0.002	-0.0	0.0
0.0	G1		-0.000	-0.000	-0.011	0.0	-0.0
0.0	G2		-0.000	-0.000	-0.004	0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.004	0.000	0.0	0.0
0.0	q4-1		0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
	q5x_pc		0.021	0.002	0.001	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0							
0.0	q5y_pc		0.008	0.015	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.003	0.001	0.0	0.0
0.0	q5y_ps		0.007	0.013	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.011	-0.008	-0.000	0.0	-0.0
-0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1		0.005	0.002	-0.000	0.0	-0.0
0.0							
670	Q1-1_2	Max	0.002	0.001	0.013	0.0	0.0
0.0		Min	-0.001	-0.002	-0.019	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.012	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.019	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.007	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.010	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.007	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.010	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.000	0.005	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.007	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.000	0.004	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.006	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.064	0.045	0.002	-0.0	-0.0
-0.0	SLVy (RS)		0.081	0.059	0.003	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.002	-0.0	0.0
-0.0							
0.0	G1		-0.000	-0.000	-0.010	0.0	-0.0
0.0	G2		-0.000	-0.000	-0.003	0.0	-0.0
0.0							
-0.0	pp imp~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0							
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
-0.0							
0.0	q3		0.009	0.005	0.000	0.0	0.0

PROJECT TITLE :


MIDAS		Company					Client
		Author					File Name
						PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	q4-1		0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.021	0.002	0.001	0.0	0.0
0.0	q5y_pc		0.008	0.015	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.003	0.001	0.0	0.0
0.0	q5y_ps		0.007	0.013	0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.010	-0.007	-0.000	0.0	-0.0
0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1		0.005	0.002	-0.000	0.0	-0.0
671 0.0	Q1-1_2	Max	0.002	0.001	0.012	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.017	-0.0	-0.0
0.0	Q1-3_4	Max	0.001	0.001	0.011	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.017	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.009	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.009	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.004	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.006	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.004	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.005	-0.0	-0.0
-0.0	SLVx (RS)		-0.064	0.045	0.002	-0.0	-0.0
0.0	SLVy (RS)		0.081	0.060	0.003	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	0.000	0.001	-0.0	0.0
0.0	G1		-0.000	-0.000	-0.009	0.0	-0.0
0.0	G2		-0.000	-0.000	-0.003	0.0	-0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q3		0.009	0.005	0.000	0.0	0.0
0.0	q4-1		0.001	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
-0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.021	0.002	0.001	0.0	0.0
0.0	q5y_pc		0.008	0.015	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.003	0.000	0.0	0.0
0.0	q5y_ps		0.007	0.013	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.010	-0.007	-0.000	0.0	-0.0
-0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1		0.005	0.002	-0.000	0.0	-0.0
0.0							
672	Q1-1_2	Max	0.002	0.001	0.011	0.0	0.0
0.0		Min	-0.001	-0.002	-0.015	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.001	0.010	0.0	0.0
0.0		Min	-0.002	-0.001	-0.015	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.006	0.0	0.0
0.0		Min	-0.001	-0.001	-0.008	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.006	0.0	0.0
0.0		Min	-0.001	-0.001	-0.008	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.004	0.0	0.0
0.0		Min	-0.000	-0.001	-0.005	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.003	0.0	0.0
0.0		Min	-0.001	-0.000	-0.005	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.064	0.044	0.002	-0.0	-0.0
-0.0							

PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	SLVy (RS)		0.080	0.061	0.002	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	0.000	0.001	-0.0	0.0
0.0	G1		-0.000	-0.000	-0.007	0.0	-0.0
0.0	G2		-0.000	-0.000	-0.003	0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.005	0.000	0.0	0.0
0.0	q4-1		0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.021	0.002	0.000	0.0	0.0
0.0	q5y_pc		0.008	0.015	0.000	-0.0	-0.0
0.0	q5x_ps		0.023	0.003	0.000	0.0	0.0
0.0	q5y_ps		0.007	0.014	0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.010	-0.007	-0.000	0.0	-0.0
0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1		0.005	0.002	-0.000	0.0	-0.0
673	Q1-1_2	Max	0.002	0.001	0.009	0.0	0.0
0.0		Min	-0.001	-0.002	-0.013	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.013	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.007	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.007	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.003	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0		Min	-0.000	-0.001	-0.005	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.003	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.004	-0.0	-0.0
-0.0		SLVx (RS)	-0.064	0.044	0.001	-0.0	-0.0
0.0		SLVy (RS)	0.080	0.062	0.002	-0.0	-0.0
-0.0		SLVz (RS)	-0.000	0.000	0.001	-0.0	0.0
0.0		G1	-0.000	-0.000	-0.006	0.0	-0.0
0.0		G2	-0.000	-0.000	-0.002	0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.005	0.000	0.0	0.0
0.0	q4-1		0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.020	0.002	0.000	0.0	0.0
0.0	q5y_pc		0.008	0.015	0.000	-0.0	-0.0
0.0	q5x_ps		0.023	0.003	0.000	0.0	0.0
0.0	q5y_ps		0.007	0.014	0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.009	-0.007	-0.000	0.0	-0.0
0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1		0.005	0.003	-0.000	0.0	-0.0
674	Q1-1_2	Max	0.002	0.001	0.008	0.0	0.0
0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.005	0.0	0.0
0.0		Min	-0.001	-0.001	-0.006	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.004	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.006	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.003	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.004	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.003	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.003	-0.0	-0.0
-0.0	SLVx (RS)		-0.064	0.043	0.001	-0.0	-0.0
0.0	SLVy (RS)		0.079	0.063	0.002	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	0.000	0.001	-0.0	0.0
0.0	G1		-0.000	-0.000	-0.005	0.0	-0.0
0.0	G2		-0.000	-0.000	-0.002	0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.009	0.005	0.000	0.0	0.0
0.0	q4-1		0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.020	0.002	0.000	0.0	0.0
0.0	q5y_pc		0.008	0.015	0.000	-0.0	-0.0
0.0	q5x_ps		0.023	0.003	0.000	0.0	0.0
0.0	q5y_ps		0.007	0.014	0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.009	-0.007	-0.000	0.0	-0.0
0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1		0.005	0.003	-0.000	0.0	-0.0
675	Q1-1_2	Max	0.002	0.001	0.007	0.0	0.0
0.0		Min	-0.001	-0.002	-0.009	-0.0	-0.0
-0.0							

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-3_4	Max	0.001	0.001	0.007	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.009	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.004	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.005	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.004	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.005	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.003	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.003	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.002	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.003	-0.0	-0.0
-0.0	SLVx (RS)		-0.063	0.043	0.001	-0.0	-0.0
0.0	SLVy (RS)		0.079	0.064	0.001	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	0.000	0.001	-0.0	0.0
0.0	G1		-0.000	-0.000	-0.004	0.0	-0.0
0.0	G2		-0.000	-0.000	-0.001	0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.008	0.005	0.000	0.0	0.0
0.0	q4-1		0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.020	0.003	0.000	0.0	0.0
0.0	q5y_pc		0.008	0.015	0.000	-0.0	-0.0
0.0	q5x_ps		0.023	0.003	0.000	0.0	0.0
0.0	q5y_ps		0.007	0.014	0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.009	-0.007	-0.000	0.0	-0.0
-0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	SLVy-E~1	0.005	0.003	-0.000	0.0	-0.0
0.0						
676	Q1-1_2	Max	0.002	0.001	0.005	0.0
0.0		Min	-0.001	-0.002	-0.007	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.001	0.005	0.0
0.0		Min	-0.002	-0.001	-0.007	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.003	0.0
0.0		Min	-0.001	-0.001	-0.004	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.003	0.0
0.0		Min	-0.001	-0.001	-0.004	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.000	0.002	0.0
0.0		Min	-0.000	-0.001	-0.003	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.002	0.0
0.0		Min	-0.001	-0.000	-0.002	-0.0
-0.0						
-0.0	SLVx (RS)		-0.063	0.042	0.001	-0.0
-0.0	SLVy (RS)		0.078	0.065	0.001	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	0.0
-0.0	G1		-0.000	-0.000	-0.003	0.0
0.0	G2		-0.000	-0.000	-0.001	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0
-0.0	q3		0.008	0.005	0.000	-0.0
0.0	q4-1		0.001	0.001	-0.000	-0.0
0.0	q4-2		0.001	0.000	0.000	0.0
-0.0	q4-3		0.001	-0.001	0.000	0.0
-0.0	q4-4		-0.001	-0.001	-0.000	0.0
0.0	q5x_pc		0.020	0.003	0.000	0.0
0.0	q5y_pc		0.008	0.016	0.000	-0.0
0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q5x_ps		0.022	0.003	0.000	0.0	0.0
0.0	q5y_ps		0.007	0.014	0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.008	-0.007	-0.000	0.0	-0.0
0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1		0.005	0.003	-0.000	0.0	-0.0
677	Q1-1_2	Max	0.002	0.001	0.004	0.0	0.0
0.0		Min	-0.001	-0.002	-0.005	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.004	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.005	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.002	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.003	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.002	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.003	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.000	0.001	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.000	0.001	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.002	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.063	0.042	0.001	-0.0	-0.0
0.0	SLVy (RS)		0.078	0.066	0.001	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	0.0
0.0	G1		-0.000	-0.000	-0.002	0.0	-0.0
0.0	G2		-0.000	-0.000	-0.001	0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.008	0.005	0.000	-0.0	0.0
0.0	q4-1		0.001	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	0.000	0.0	0.0

PROJECT TITLE :

MIDAS		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	q4-3	0.001	-0.001	0.000	0.0	0.0
-0.0	q4-4	-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc	0.020	0.003	0.000	0.0	0.0
0.0	q5y_pc	0.008	0.016	0.000	-0.0	-0.0
0.0	q5x_ps	0.022	0.004	0.000	0.0	0.0
0.0	q5y_ps	0.007	0.014	0.000	-0.0	-0.0
0.0	q7	0.001	-0.000	0.000	0.0	0.0
-0.0	T	-0.008	-0.007	-0.000	0.0	-0.0
-0.0	SLVx-E~1	0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1	0.005	0.003	-0.000	0.0	-0.0
0.0						
678	Q1-1_2	Max	0.002	0.001	0.002	0.0
0.0		Min	-0.001	-0.002	-0.003	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.001	0.002	0.0
-0.0		Min	-0.002	-0.001	-0.003	-0.0
0.0						
-0.0	Q2a-1_2	Max	0.001	0.001	0.001	0.0
0.0		Min	-0.001	-0.001	-0.002	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.001	0.0
-0.0		Min	-0.001	-0.001	-0.002	-0.0
0.0						
-0.0	Q1-1	Max	0.001	0.000	0.001	0.0
0.0		Min	-0.000	-0.001	-0.001	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.001	0.0
-0.0		Min	-0.001	-0.000	-0.001	-0.0
0.0						
-0.0	SLVx (RS)		-0.063	0.041	0.000	-0.0
-0.0	SLVy (RS)		0.077	0.067	0.000	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	0.0
-0.0	G1		-0.000	0.000	-0.002	0.0
0.0	G2		-0.000	0.000	-0.000	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0
-0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	pp2	0.000	-0.000	-0.000	0.0	0.0	
-0.0	perm2	0.000	-0.000	-0.000	0.0	0.0	
0.0	q3	0.008	0.006	0.000	-0.0	0.0	
0.0	q4-1	0.001	0.001	-0.000	-0.0	-0.0	
-0.0	q4-2	0.001	0.000	0.000	0.0	0.0	
0.0	q4-3	0.001	-0.001	0.000	0.0	0.0	
0.0	q4-4	-0.001	-0.001	-0.000	0.0	-0.0	
0.0	q5x_pc	0.020	0.003	0.000	0.0	0.0	
0.0	q5y_pc	0.008	0.016	0.000	-0.0	-0.0	
0.0	q5x_ps	0.022	0.004	0.000	0.0	0.0	
0.0	q5y_ps	0.007	0.014	0.000	-0.0	-0.0	
-0.0	q7	0.001	-0.000	0.000	0.0	0.0	
-0.0	T	-0.007	-0.007	-0.000	0.0	-0.0	
0.0	SLVx-E~1	0.002	0.001	-0.000	0.0	-0.0	
0.0	SLVy-E~1	0.005	0.003	-0.000	0.0	-0.0	
682	Q1-1_2	Max	0.002	0.001	0.002	0.0	0.0
0.0		Min	-0.001	-0.002	-0.002	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.002	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.002	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.001	-0.001	-0.001	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.001	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.001	-0.0	-0.0
0.0							
-0.0	Q1-1	Max	0.001	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.001	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.001	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx (RS)		-0.062	0.041	-0.000	-0.0	-0.0
0.0	SLVy (RS)		0.075	0.069	0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

-0.0						
0.0	G1		-0.001	0.000	-0.001	0.0
0.0	G2		-0.000	0.000	-0.000	0.0
0.0	pp imp~1		-0.000	0.000	0.000	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0
-0.0	q3		0.008	0.006	-0.000	-0.0
0.0	q4-1		0.001	0.001	0.000	-0.0
0.0	q4-2		0.001	0.000	-0.000	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0
0.0	q4-4		-0.001	-0.001	0.000	0.0
0.0	q5x_pc		0.020	0.003	-0.000	0.0
0.0	q5y_pc		0.008	0.016	-0.000	-0.0
0.0	q5x_ps		0.022	0.004	-0.000	0.0
0.0	q5y_ps		0.007	0.014	-0.000	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0
-0.0	T		-0.007	-0.007	0.000	0.0
-0.0	SLVx-E~1		0.002	0.001	0.000	0.0
0.0	SLVy-E~1		0.005	0.003	0.000	0.0
0.0						
683	Q1-1_2	Max	0.002	0.001	0.004	0.0
0.0		Min	-0.001	-0.002	-0.004	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.001	0.004	0.0
-0.0		Min	-0.002	-0.001	-0.004	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.002	0.0
-0.0		Min	-0.001	-0.001	-0.002	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.002	0.0
-0.0		Min	-0.001	-0.001	-0.002	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.000	0.001	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0
-0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q1-3	Max	0.000	0.001	0.001	0.0	0.0
		Min	-0.001	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx	(RS)	-0.062	0.040	-0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.075	0.070	0.001	-0.0	-0.0
0.0	SLVz	(RS)	-0.000	0.000	0.000	0.0	-0.0
-0.0	G1		-0.001	0.000	-0.001	-0.0	0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	0.0
0.0	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
-0.0	q3		0.008	0.006	-0.000	-0.0	0.0
0.0	q4-1		0.001	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	0.0	-0.0
0.0	q5x_pc		0.020	0.003	-0.000	0.0	0.0
0.0	q5y_pc		0.007	0.016	-0.000	-0.0	-0.0
0.0	q5x_ps		0.022	0.004	-0.000	0.0	0.0
0.0	q5y_ps		0.007	0.014	-0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.006	-0.006	0.000	0.0	-0.0
-0.0	SLVx-E~1		0.002	0.001	0.000	0.0	-0.0
0.0	SLVy-E~1		0.005	0.003	0.000	0.0	-0.0
0.0							
684	Q1-1_2	Max	0.002	0.001	0.005	0.0	0.0
0.0		Min	-0.001	-0.002	-0.006	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.001	0.005	0.0	0.0
0.0		Min	-0.002	-0.001	-0.006	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.003	0.0	0.0
0.0		Min	-0.001	-0.001	-0.004	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.003	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.001	-0.001	-0.003	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.000	0.002	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.002	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.002	-0.0	-0.0
-0.0	SLVx	(RS)	-0.061	0.040	-0.001	-0.0	-0.0
0.0	SLVy	(RS)	0.074	0.071	0.001	-0.0	-0.0
-0.0	SLVz	(RS)	-0.000	0.000	0.000	0.0	-0.0
0.0	G1		-0.001	0.000	-0.001	-0.0	0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	0.0
0.0	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.008	0.006	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	0.0	-0.0
0.0	q5x_pc		0.020	0.003	-0.000	0.0	0.0
0.0	q5y_pc		0.007	0.016	-0.000	-0.0	-0.0
0.0	q5x_ps		0.022	0.004	-0.000	0.0	0.0
0.0	q5y_ps		0.007	0.014	-0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.006	-0.006	0.000	0.0	-0.0
-0.0	SLVx-E~1		0.002	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		0.005	0.004	0.000	0.0	-0.0
0.0							
685	Q1-1_2	Max	0.002	0.001	0.007	0.0	0.0
0.0		Min	-0.001	-0.002	-0.009	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.007	0.0	0.0

PROJECT TITLE :


MIDAS	Company	Client				
	Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	Min	-0.002	-0.001	-0.008	-0.0	-0.0
0.0	Q2a-1_2 Max	0.001	0.001	0.004	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.005	-0.0	-0.0
0.0	Q2a-3_4 Max	0.001	0.001	0.004	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.005	-0.0	-0.0
0.0	Q1-1 Max	0.001	0.000	0.003	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.003	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.001	0.002	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.003	-0.0	-0.0
-0.0	SLVx (RS)	-0.061	0.040	-0.001	-0.0	-0.0
0.0	SLVy (RS)	0.073	0.072	0.001	-0.0	-0.0
-0.0	SLVz (RS)	-0.000	0.000	0.001	0.0	-0.0
0.0	G1	-0.001	0.000	-0.001	-0.0	0.0
0.0	G2	-0.000	0.000	-0.000	-0.0	0.0
-0.0	pp imp~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	perm i~1	-0.000	0.000	0.000	-0.0	-0.0
0.0	pp2	0.000	-0.000	0.000	0.0	0.0
0.0	perm2	0.000	-0.000	0.000	0.0	-0.0
0.0	q3	0.008	0.006	-0.000	0.0	0.0
0.0	q4-1	0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2	0.001	0.000	-0.000	0.0	0.0
0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4	-0.001	-0.001	0.000	0.0	-0.0
0.0	q5x_pc	0.020	0.003	-0.000	0.0	0.0
0.0	q5y_pc	0.007	0.016	-0.000	-0.0	-0.0
0.0	q5x_ps	0.022	0.004	-0.000	0.0	0.0
0.0	q5y_ps	0.007	0.015	-0.000	-0.0	-0.0
-0.0	q7	0.001	-0.000	-0.000	0.0	0.0
-0.0	T	-0.006	-0.006	0.000	0.0	-0.0
0.0	SLVx-E~1	0.002	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1	0.005	0.004	0.000	0.0	-0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

686	Q1-1_2	Max	0.002	0.001	0.009	0.0	0.0
0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.009	0.0	0.0
0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.005	0.0	0.0
0.0		Min	-0.001	-0.001	-0.006	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.005	0.0	0.0
0.0		Min	-0.001	-0.001	-0.006	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.003	0.0	0.0
0.0		Min	-0.000	-0.001	-0.004	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.003	0.0	0.0
0.0		Min	-0.001	-0.000	-0.003	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.061	0.039	-0.001	-0.0	-0.0
-0.0							
	SLVy (RS)		0.072	0.074	0.002	-0.0	-0.0
0.0							
	SLVz (RS)		-0.000	0.000	0.001	0.0	-0.0
-0.0							
	G1		-0.001	0.000	-0.002	-0.0	0.0
0.0							
	G2		-0.000	0.000	-0.001	-0.0	0.0
0.0							
	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
	pp2		0.000	-0.000	0.000	0.0	0.0
0.0							
	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0							
	q3		0.008	0.006	-0.000	0.0	0.0
0.0							
	q4-1		0.000	0.001	0.000	-0.0	-0.0
0.0							
	q4-2		0.001	0.000	-0.000	0.0	0.0
-0.0							
	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0							
	q4-4		-0.001	-0.001	0.000	0.0	-0.0
0.0							
	q5x_pc		0.020	0.003	-0.000	0.0	0.0
0.0							
	q5y_pc		0.007	0.016	-0.000	-0.0	-0.0
0.0							
	q5x_ps		0.022	0.004	-0.000	0.0	0.0
0.0							
	q5y_ps		0.006	0.015	-0.000	-0.0	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q7	0.001	-0.000	-0.000	0.0	0.0	
-0.0	T	-0.005	-0.006	0.000	0.0	-0.0	
-0.0	SLVx-E~1	0.002	0.002	0.000	0.0	-0.0	
0.0	SLVy-E~1	0.005	0.004	0.000	0.0	-0.0	
0.0							
687	Q1-1_2	Max	0.002	0.001	0.010	0.0	0.0
0.0		Min	-0.001	-0.002	-0.013	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.010	0.0	0.0
0.0		Min	-0.002	-0.001	-0.013	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.005	0.0	0.0
0.0		Min	-0.001	-0.001	-0.007	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.005	0.0	0.0
0.0		Min	-0.001	-0.001	-0.007	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.004	0.0	0.0
0.0		Min	-0.000	-0.001	-0.005	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.003	0.0	0.0
0.0		Min	-0.001	-0.000	-0.004	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.061	0.039	-0.001	-0.0	-0.0
-0.0	SLVy (RS)		0.071	0.075	0.002	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.000	0.001	0.0	-0.0
-0.0							
0.0	G1		-0.001	0.000	-0.003	-0.0	0.0
0.0	G2		-0.000	0.000	-0.001	-0.0	0.0
0.0							
-0.0	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0							
0.0	q3		0.008	0.006	-0.000	0.0	0.0
0.0							
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
0.0							
-0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
-0.0							
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-4		-0.001	-0.001	0.000	0.0	-0.0
0.0	q5x_pc		0.020	0.003	-0.000	0.0	0.0
0.0	q5y_pc		0.007	0.016	-0.000	-0.0	-0.0
0.0	q5x_ps		0.022	0.004	-0.000	0.0	0.0
0.0	q5y_ps		0.006	0.015	-0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.005	-0.006	0.000	0.0	-0.0
0.0	SLVx-E~1		0.002	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		0.004	0.004	0.000	0.0	-0.0
688	Q1-1_2	Max	0.002	0.001	0.012	0.0	0.0
0.0		Min	-0.001	-0.002	-0.015	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.012	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.015	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.009	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.008	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.000	0.004	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.006	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.004	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.005	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.060	0.039	-0.001	-0.0	-0.0
0.0	SLVy (RS)		0.071	0.076	0.002	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.001	0.0	-0.0
0.0	G1		-0.001	0.000	-0.003	-0.0	0.0
0.0	G2		-0.000	0.000	-0.001	-0.0	0.0
-0.0	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	-0.0
	perm2		0.000	-0.000	0.000	0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q3	0.007	0.007	-0.000	0.0	0.0
0.0	q4-1	0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2	0.001	0.000	-0.000	0.0	0.0
-0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4	-0.001	-0.001	0.000	0.0	-0.0
0.0	q5x_pc	0.020	0.003	-0.000	0.0	0.0
0.0	q5y_pc	0.007	0.017	-0.000	-0.0	-0.0
0.0	q5x_ps	0.022	0.004	-0.000	0.0	0.0
0.0	q5y_ps	0.006	0.015	-0.000	-0.0	-0.0
0.0	q7	0.001	-0.000	-0.000	0.0	0.0
-0.0	T	-0.005	-0.006	0.000	0.0	-0.0
-0.0	SLVx-E~1	0.002	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1	0.004	0.004	0.000	0.0	-0.0
0.0						
689	Q1-1_2	Max	0.002	0.001	0.013	0.0
0.0		Min	-0.001	-0.002	-0.018	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.002	0.013	0.0
-0.0		Min	-0.002	-0.001	-0.017	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.007	0.0
-0.0		Min	-0.001	-0.001	-0.010	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.007	0.0
-0.0		Min	-0.001	-0.001	-0.009	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.000	0.005	0.0
-0.0		Min	-0.000	-0.001	-0.006	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.004	0.0
-0.0		Min	-0.001	-0.000	-0.005	-0.0
-0.0						
-0.0	SLVx (RS)		-0.060	0.038	-0.002	-0.0
-0.0	SLVy (RS)		0.070	0.077	0.002	-0.0
0.0	SLVz (RS)		-0.000	0.000	0.002	0.0
-0.0						
-0.0	G1		-0.001	0.000	-0.004	-0.0
0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	G2		-0.000	0.000	-0.001	-0.0	0.0
-0.0	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		0.007	0.007	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	0.0	-0.0
0.0	q5x_pc		0.020	0.003	-0.000	0.0	0.0
0.0	q5y_pc		0.007	0.017	-0.000	-0.0	-0.0
0.0	q5x_ps		0.022	0.004	-0.000	0.0	0.0
0.0	q5y_ps		0.006	0.015	-0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.004	-0.005	0.000	0.0	-0.0
0.0	SLVx-E~1		0.002	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		0.004	0.004	0.000	0.0	-0.0
690	Q1-1_2	Max	0.002	0.002	0.014	0.0	0.0
0.0		Min	-0.001	-0.002	-0.020	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.014	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.020	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.011	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.007	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.011	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.005	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.007	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.004	0.0	0.0
		Min	-0.001	-0.000	-0.006	-0.0	-0.0

PROJECT TITLE :


			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	SLVx (RS)		-0.060	0.038	-0.002	-0.0	-0.0
-0.0	SLVy (RS)		0.069	0.078	0.003	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.000	0.002	0.0	-0.0
-0.0	G1		-0.001	0.000	-0.005	-0.0	0.0
0.0	G2		-0.000	0.000	-0.002	-0.0	0.0
0.0	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		0.007	0.007	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	0.0	-0.0
0.0	q5x_pc		0.020	0.003	-0.000	0.0	0.0
0.0	q5y_pc		0.007	0.017	-0.000	-0.0	-0.0
0.0	q5x_ps		0.022	0.004	-0.000	0.0	0.0
0.0	q5y_ps		0.006	0.015	-0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.004	-0.005	0.001	0.0	-0.0
-0.0	SLVx-E~1		0.002	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		0.004	0.004	0.000	0.0	-0.0
0.0							
691	Q1-1_2	Max	0.002	0.002	0.016	0.0	0.0
0.0		Min	-0.001	-0.002	-0.022	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.015	0.0	0.0
0.0		Min	-0.002	-0.002	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.008	0.0	0.0
0.0		Min	-0.001	-0.001	-0.012	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.008	0.0	0.0
0.0		Min	-0.001	-0.001	-0.012	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	Q1-1	Max	0.001	0.001	0.005	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.008	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.007	-0.0	-0.0
-0.0	SLVx	(RS)	-0.060	0.038	-0.002	-0.0	-0.0
0.0	SLVy	(RS)	0.068	0.079	0.003	-0.0	0.0
-0.0	SLVz	(RS)	0.000	0.000	0.002	0.0	-0.0
0.0	G1		-0.001	0.000	-0.006	-0.0	0.0
0.0	G2		-0.000	0.000	-0.002	-0.0	0.0
-0.0	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		0.007	0.007	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	0.0	-0.0
0.0	q5x_pc		0.020	0.003	-0.000	0.0	0.0
0.0	q5y_pc		0.007	0.017	-0.000	-0.0	-0.0
0.0	q5x_ps		0.022	0.005	-0.000	0.0	0.0
0.0	q5y_ps		0.006	0.015	-0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.004	-0.005	0.001	0.0	-0.0
0.0	SLVx-E~1		0.002	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		0.004	0.004	0.000	0.0	-0.0
692	Q1-1_2	Max	0.002	0.002	0.017	0.0	0.0
0.0		Min	-0.001	-0.002	-0.024	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.017	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.024	-0.0	-0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q2a-1_2	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.013	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.013	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.009	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.007	-0.0	-0.0
-0.0	SLVx (RS)		-0.059	0.038	-0.002	-0.0	-0.0
0.0	SLVy (RS)		0.067	0.080	0.003	-0.0	0.0
-0.0	SLVz (RS)		0.000	0.000	0.003	0.0	-0.0
0.0	G1		-0.001	0.000	-0.007	-0.0	0.0
0.0	G2		-0.000	0.000	-0.002	-0.0	0.0
-0.0	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		0.007	0.007	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	0.0	-0.0
0.0	q5x_pc		0.020	0.003	-0.000	0.0	0.0
0.0	q5y_pc		0.007	0.017	-0.000	-0.0	-0.0
0.0	q5x_ps		0.021	0.005	-0.000	0.0	0.0
0.0	q5y_ps		0.006	0.015	-0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.004	-0.005	0.001	0.0	-0.0
0.0	SLVx-E~1		0.002	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		0.004	0.004	0.000	0.0	-0.0
693	Q1-1_2	Max	0.002	0.002	0.018	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0		Min	-0.001	-0.002	-0.026	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.018	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.026	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.015	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.014	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.010	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.008	-0.0	-0.0
-0.0	SLVx (RS)		-0.059	0.037	-0.002	-0.0	-0.0
0.0	SLVy (RS)		0.066	0.081	0.003	-0.0	0.0
-0.0	SLVz (RS)		0.000	0.000	0.003	0.0	-0.0
0.0	G1		-0.001	0.000	-0.008	-0.0	0.0
0.0	G2		-0.000	0.000	-0.003	-0.0	0.0
-0.0	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		0.007	0.007	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.020	0.003	-0.000	0.0	0.0
0.0	q5y_pc		0.006	0.017	-0.000	-0.0	-0.0
0.0	q5x_ps		0.021	0.005	-0.000	0.0	0.0
0.0	q5y_ps		0.006	0.015	-0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	-0.000	0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	T	-0.003	-0.004	0.001	0.0	-0.0	
0.0	SLVx-E~1	0.002	0.002	0.000	0.0	-0.0	
0.0	SLVy-E~1	0.004	0.004	0.000	0.0	-0.0	
694	Q1-1_2	Max	0.002	0.002	0.019	0.0	0.0
0.0		Min	-0.001	-0.002	-0.028	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.019	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.028	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.010	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.016	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.010	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.015	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.010	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.009	-0.0	-0.0
0.0	SLVx (RS)		-0.059	0.037	-0.003	-0.0	-0.0
0.0	SLVy (RS)		0.065	0.082	0.003	-0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.003	0.0	-0.0
0.0	G1		-0.001	0.000	-0.009	-0.0	0.0
0.0	G2		-0.000	0.000	-0.003	-0.0	0.0
0.0	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		0.007	0.007	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.020	0.004	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0							
0.0	q5y_pc		0.006	0.017	-0.000	-0.0	-0.0
0.0	q5x_ps		0.021	0.005	-0.000	0.0	0.0
0.0	q5y_ps		0.006	0.015	-0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.003	-0.004	0.001	0.0	-0.0
-0.0	SLVx-E~1		0.002	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		0.004	0.004	0.000	0.0	-0.0
0.0							
695	Q1-1_2	Max	0.002	0.002	0.020	0.0	0.0
0.0		Min	-0.001	-0.002	-0.030	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.019	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.030	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.010	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.017	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.010	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.016	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.007	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.011	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.009	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.058	0.037	-0.003	-0.0	-0.0
-0.0	SLVy (RS)		0.064	0.083	0.004	0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.003	0.0	-0.0
-0.0							
0.0	G1		-0.001	0.000	-0.010	-0.0	0.0
0.0	G2		-0.000	0.000	-0.003	-0.0	0.0
0.0							
-0.0	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	pp2		0.000	-0.000	0.000	0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0							
0.0	q3		0.006	0.007	-0.000	0.0	0.0
0.0							

PROJECT TITLE :


			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.019	0.004	-0.000	0.0	0.0
0.0	q5y_pc		0.006	0.017	-0.000	-0.0	-0.0
0.0	q5x_ps		0.021	0.005	-0.000	0.0	0.0
0.0	q5y_ps		0.006	0.016	-0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.003	-0.004	0.001	0.0	-0.0
0.0	SLVx-E~1		0.002	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		0.004	0.004	0.000	0.0	-0.0
696 0.0	Q1-1_2	Max	0.002	0.002	0.020	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.032	-0.0	-0.0
0.0	Q1-3_4	Max	0.001	0.002	0.020	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.031	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.011	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.010	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.017	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.007	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.010	-0.0	-0.0
-0.0	SLVx (RS)		-0.058	0.037	-0.003	-0.0	-0.0
0.0	SLVy (RS)		0.063	0.084	0.004	0.0	0.0
-0.0	SLVz (RS)		0.000	0.000	0.004	0.0	-0.0
0.0	G1		-0.001	0.000	-0.010	-0.0	0.0
0.0	G2		-0.000	0.000	-0.004	-0.0	0.0
0.0	pp imp~1		-0.000	-0.000	0.000	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

-0.0	perm i~1		-0.000	-0.000	0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		0.006	0.008	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.019	0.004	-0.000	0.0	0.0
0.0	q5y_pc		0.006	0.017	-0.000	-0.0	-0.0
0.0	q5x_ps		0.021	0.005	-0.000	0.0	0.0
0.0	q5y_ps		0.005	0.016	-0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.002	-0.004	0.001	0.0	-0.0
-0.0	SLVx-E~1		0.002	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		0.004	0.004	0.000	0.0	-0.0
0.0							
697	Q1-1_2	Max	0.002	0.002	0.021	0.0	0.0
0.0		Min	-0.001	-0.002	-0.033	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.021	0.0	0.0
0.0		Min	-0.002	-0.002	-0.033	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.011	0.0	0.0
0.0		Min	-0.001	-0.001	-0.019	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.011	0.0	0.0
0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.001	0.007	0.0	0.0
0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.006	0.0	0.0
0.0		Min	-0.001	-0.000	-0.010	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.058	0.036	-0.003	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	SLVy (RS)	0.062	0.085	0.004	0.0	0.0
-0.0	SLVz (RS)	0.000	0.000	0.004	0.0	-0.0
0.0	G1	-0.001	0.000	-0.011	-0.0	0.0
0.0	G2	-0.000	0.000	-0.004	-0.0	0.0
-0.0	pp imp~1	-0.000	-0.000	0.000	-0.0	-0.0
-0.0	perm i~1	-0.000	-0.000	0.000	-0.0	-0.0
0.0	pp2	0.000	-0.000	0.000	0.0	-0.0
0.0	perm2	0.000	-0.000	0.000	0.0	-0.0
0.0	q3	0.006	0.008	-0.000	0.0	0.0
0.0	q4-1	0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2	0.001	0.000	-0.000	0.0	0.0
0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4	-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc	0.019	0.004	-0.000	0.0	0.0
0.0	q5y_pc	0.006	0.018	-0.000	-0.0	-0.0
0.0	q5x_ps	0.021	0.005	-0.000	0.0	0.0
0.0	q5y_ps	0.005	0.016	-0.000	-0.0	-0.0
-0.0	q7	0.001	-0.000	-0.000	0.0	0.0
-0.0	T	-0.002	-0.004	0.001	0.0	-0.0
0.0	SLVx-E~1	0.002	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1	0.004	0.005	0.000	0.0	-0.0
698	Q1-1_2	Max	0.002	0.002	0.022	0.0
0.0		Min	-0.001	-0.002	-0.035	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.002	0.021	0.0
-0.0		Min	-0.002	-0.002	-0.034	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.011	0.0
-0.0		Min	-0.001	-0.001	-0.019	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.011	0.0
-0.0		Min	-0.001	-0.001	-0.019	-0.0
0.0	Q1-1	Max	0.001	0.001	0.007	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.011	-0.0	-0.0
-0.0		SLVx (RS)	-0.057	0.036	-0.003	-0.0	-0.0
0.0		SLVy (RS)	0.061	0.086	0.004	0.0	0.0
-0.0		SLVz (RS)	0.000	0.000	0.004	0.0	-0.0
0.0		G1	-0.001	0.000	-0.012	-0.0	0.0
0.0		G2	-0.000	0.000	-0.004	-0.0	0.0
-0.0	pp imp~1		-0.000	-0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	-0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		0.006	0.008	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
-0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.019	0.004	-0.000	0.0	0.0
0.0	q5y_pc		0.006	0.018	-0.000	-0.0	-0.0
0.0	q5x_ps		0.021	0.005	-0.000	0.0	0.0
0.0	q5y_ps		0.005	0.016	-0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.002	-0.003	0.001	0.0	-0.0
0.0	SLVx-E~1		0.001	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		0.003	0.005	0.000	0.0	-0.0
699	Q1-1_2	Max	0.002	0.002	0.022	0.0	0.0
0.0		Min	-0.001	-0.002	-0.036	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.022	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.036	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.011	0.0	0.0
		Min	-0.001	-0.001	-0.020	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.011	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.020	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.007	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.011	-0.0	-0.0
-0.0	SLVx	(RS)	-0.057	0.036	-0.003	-0.0	-0.0
0.0	SLVy	(RS)	0.060	0.086	0.004	0.0	0.0
-0.0	SLVz	(RS)	0.000	0.000	0.004	0.0	-0.0
0.0	G1		-0.001	0.000	-0.013	-0.0	0.0
0.0	G2		-0.000	0.000	-0.004	-0.0	0.0
-0.0	pp imp~1		-0.000	-0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	-0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		0.006	0.008	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
-0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.019	0.004	-0.000	0.0	0.0
0.0	q5y_pc		0.006	0.018	-0.000	-0.0	-0.0
0.0	q5x_ps		0.021	0.005	-0.000	0.0	0.0
0.0	q5y_ps		0.005	0.016	-0.000	-0.0	-0.0
-0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.002	-0.003	0.001	0.0	-0.0
0.0	SLVx-E~1		0.001	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		0.003	0.005	0.000	0.0	-0.0
700	Q1-1_2	Max	0.002	0.002	0.022	0.0	0.0
0.0		Min	-0.001	-0.002	-0.037	-0.0	-0.0
-0.0							

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-3_4	Max	0.001	0.002	0.022	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.037	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.012	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.021	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.011	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.020	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.014	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.007	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.012	-0.0	-0.0
-0.0	SLVx (RS)		-0.056	0.036	-0.003	-0.0	-0.0
0.0	SLVy (RS)		0.058	0.087	0.004	0.0	0.0
-0.0	SLVz (RS)		0.000	0.000	0.005	0.0	-0.0
0.0	G1		-0.001	0.000	-0.013	-0.0	0.0
0.0	G2		-0.000	0.000	-0.005	-0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		0.006	0.008	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
-0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.019	0.004	-0.000	0.0	0.0
0.0	q5y_pc		0.005	0.018	-0.000	-0.0	-0.0
0.0	q5x_ps		0.020	0.005	-0.000	0.0	0.0
0.0	q5y_ps		0.005	0.016	-0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.001	-0.003	0.001	0.0	-0.0
	SLVx-E~1		0.001	0.002	0.000	0.0	-0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	SLVy-E~1	0.003	0.005	0.000	0.0	-0.0	
0.0							
701	Q1-1_2	Max	0.002	0.002	0.023	0.0	0.0
0.0		Min	-0.001	-0.002	-0.038	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.023	0.0	0.0
0.0		Min	-0.002	-0.002	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.012	0.0	0.0
0.0		Min	-0.001	-0.001	-0.021	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.011	0.0	0.0
0.0		Min	-0.001	-0.001	-0.021	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.008	0.0	0.0
0.0		Min	-0.000	-0.001	-0.014	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.007	0.0	0.0
0.0		Min	-0.001	-0.000	-0.012	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.056	0.035	-0.003	-0.0	-0.0
-0.0	SLVy (RS)		0.057	0.088	0.004	0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.005	0.0	-0.0
-0.0	G1		-0.001	0.000	-0.014	-0.0	0.0
0.0	G2		-0.000	0.000	-0.005	-0.0	0.0
0.0	pp imp~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		0.006	0.008	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
-0.0	q5x_pc		0.019	0.004	-0.000	0.0	0.0
0.0	q5y_pc		0.005	0.018	-0.000	-0.0	-0.0
0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q5x_ps		0.020	0.006	-0.000	0.0	0.0
0.0	q5y_ps		0.005	0.016	-0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.001	-0.002	0.001	0.0	-0.0
0.0	SLVx-E~1		0.001	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		0.003	0.005	0.000	0.0	-0.0
702	Q1-1_2	Max	0.002	0.002	0.023	0.0	0.0
0.0		Min	-0.001	-0.002	-0.039	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.023	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.038	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.012	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.022	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.012	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.021	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.014	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.007	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.012	-0.0	-0.0
-0.0	SLVx (RS)		-0.056	0.035	-0.003	-0.0	-0.0
0.0	SLVy (RS)		0.056	0.089	0.004	0.0	0.0
-0.0	SLVz (RS)		0.000	0.000	0.005	-0.0	-0.0
-0.0	G1		-0.001	0.000	-0.014	0.0	0.0
-0.0	G2		-0.000	0.000	-0.005	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	-0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	0.0	-0.0
0.0	q3		0.005	0.008	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	0.000	-0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4	-0.001	-0.001	0.000	-0.0	-0.0
-0.0	q5x_pc	0.019	0.004	-0.000	0.0	0.0
0.0	q5y_pc	0.005	0.018	-0.000	-0.0	-0.0
0.0	q5x_ps	0.020	0.006	-0.000	0.0	0.0
0.0	q5y_ps	0.005	0.016	-0.000	-0.0	-0.0
0.0	q7	0.001	-0.000	-0.000	0.0	0.0
0.0	T	-0.001	-0.002	0.001	0.0	-0.0
-0.0	SLVx-E~1	0.001	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1	0.003	0.005	0.000	0.0	-0.0
0.0						
703	Q1-1_2	Max	0.002	0.002	0.023	0.0
0.0		Min	-0.001	-0.002	-0.040	-0.0
-0.0						
	Q1-3_4	Max	0.001	0.002	0.023	0.0
0.0		Min	-0.002	-0.002	-0.039	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.001	0.012	0.0
0.0		Min	-0.001	-0.001	-0.022	-0.0
-0.0						
	Q2a-3_4	Max	0.001	0.001	0.012	0.0
0.0		Min	-0.001	-0.001	-0.022	-0.0
-0.0						
	Q1-1	Max	0.001	0.001	0.008	0.0
0.0		Min	-0.000	-0.001	-0.015	-0.0
-0.0						
	Q1-3	Max	0.000	0.001	0.007	0.0
0.0		Min	-0.001	-0.000	-0.012	-0.0
-0.0						
-0.0	SLVx (RS)		-0.055	0.035	-0.003	-0.0
-0.0	SLVy (RS)		0.055	0.090	0.004	0.0
0.0	SLVz (RS)		0.000	0.000	0.005	-0.0
-0.0						
-0.0	G1		-0.001	0.000	-0.015	0.0
-0.0	G2		-0.000	0.000	-0.005	0.0
-0.0						
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0
-0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	pp2	0.000	-0.000	0.000	-0.0	-0.0	
0.0	perm2	0.000	-0.000	0.000	-0.0	-0.0	
0.0	q3	0.005	0.008	-0.000	0.0	0.0	
0.0	q4-1	0.000	0.001	0.000	-0.0	-0.0	
0.0	q4-2	0.001	0.000	-0.000	0.0	0.0	
-0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0	
0.0	q4-4	-0.001	-0.001	0.000	-0.0	-0.0	
-0.0	q5x_pc	0.019	0.004	-0.000	0.0	0.0	
0.0	q5y_pc	0.005	0.018	-0.000	-0.0	-0.0	
0.0	q5x_ps	0.020	0.006	-0.000	0.0	0.0	
0.0	q5y_ps	0.005	0.016	0.000	-0.0	-0.0	
0.0	q7	0.001	-0.000	-0.000	0.0	0.0	
0.0	T	-0.001	-0.002	0.001	0.0	-0.0	
-0.0	SLVx-E~1	0.001	0.002	0.000	0.0	0.0	
0.0	SLVy-E~1	0.003	0.005	0.000	0.0	0.0	
0.0							
704	Q1-1_2	Max	0.002	0.002	0.023	0.0	0.0
0.0		Min	-0.001	-0.002	-0.040	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.023	0.0	0.0
0.0		Min	-0.002	-0.002	-0.040	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.012	0.0	0.0
0.0		Min	-0.001	-0.001	-0.022	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.012	0.0	0.0
0.0		Min	-0.001	-0.001	-0.022	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.001	0.008	0.0	0.0
0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.007	0.0	0.0
0.0		Min	-0.001	-0.000	-0.012	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.055	0.035	-0.003	-0.0	-0.0
0.0	SLVy (RS)		0.054	0.091	0.004	0.0	0.0
	SLVz (RS)		0.000	0.000	0.005	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	


-0.0						
	G1		-0.001	0.000	-0.015	0.0
-0.0						
	G2		-0.000	0.000	-0.005	0.0
-0.0						
	pp imp~1		0.000	-0.000	0.000	-0.0
-0.0						
	perm i~1		0.000	-0.000	0.000	-0.0
-0.0						
	pp2		0.000	-0.000	0.000	-0.0
0.0						
	perm2		0.000	-0.000	0.000	-0.0
0.0						
	q3		0.005	0.008	-0.000	0.0
0.0						
	q4-1		0.000	0.001	0.000	-0.0
0.0						
	q4-2		0.001	0.000	-0.000	0.0
-0.0						
	q4-3		0.001	-0.001	-0.000	0.0
0.0						
	q4-4		-0.001	-0.001	0.000	-0.0
-0.0						
	q5x_pc		0.018	0.004	-0.000	0.0
0.0						
	q5y_pc		0.005	0.018	-0.000	-0.0
0.0						
	q5x_ps		0.020	0.006	-0.000	0.0
0.0						
	q5y_ps		0.004	0.016	0.000	-0.0
0.0						
	q7		0.001	-0.000	-0.000	0.0
0.0						
	T		-0.001	-0.002	0.001	0.0
-0.0						
	SLVx-E~1		0.001	0.002	0.000	0.0
0.0						
	SLVy-E~1		0.003	0.005	0.000	0.0
0.0						
705	Q1-1_2	Max	0.002	0.002	0.023	0.0
0.0		Min	-0.001	-0.002	-0.041	-0.0
-0.0						
	Q1-3_4	Max	0.001	0.002	0.023	0.0
0.0		Min	-0.002	-0.002	-0.040	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.001	0.012	0.0
0.0		Min	-0.001	-0.001	-0.023	-0.0
-0.0						
	Q2a-3_4	Max	0.001	0.001	0.012	0.0
0.0		Min	-0.001	-0.001	-0.022	-0.0
-0.0						
	Q1-1	Max	0.001	0.001	0.008	0.0
0.0		Min	-0.000	-0.001	-0.015	-0.0
-0.0						

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q1-3	Max	0.000	0.001	0.007	0.0	0.0
		Min	-0.001	-0.000	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	-0.054	0.035	-0.003	-0.0	-0.0
-0.0	SLVy	(RS)	0.053	0.091	0.004	0.0	0.0
0.0	SLVz	(RS)	0.000	0.000	0.005	-0.0	-0.0
-0.0	G1		-0.001	0.000	-0.015	0.0	0.0
-0.0	G2		-0.000	0.000	-0.005	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	-0.0	-0.0
0.0	perm2		0.000	-0.000	0.000	-0.0	-0.0
0.0	q3		0.005	0.009	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
-0.0	q5x_pc		0.018	0.004	-0.000	0.0	0.0
0.0	q5y_pc		0.005	0.018	-0.000	-0.0	-0.0
0.0	q5x_ps		0.019	0.006	-0.000	0.0	0.0
0.0	q5y_ps		0.004	0.016	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		-0.000	-0.001	0.001	0.0	0.0
-0.0	SLVx-E~1		0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1		0.003	0.005	0.000	0.0	0.0
0.0							
706	Q1-1_2	Max	0.002	0.002	0.023	0.0	0.0
0.0		Min	-0.001	-0.002	-0.041	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.023	0.0	0.0
0.0		Min	-0.002	-0.002	-0.040	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.012	0.0	0.0
0.0		Min	-0.001	-0.001	-0.023	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.012	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.001	-0.001	-0.022	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.007	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	-0.054	0.034	-0.003	-0.0	-0.0
0.0	SLVy	(RS)	0.052	0.092	0.004	0.0	0.0
-0.0	SLVz	(RS)	0.000	0.000	0.005	-0.0	-0.0
-0.0	G1		-0.001	0.000	-0.015	0.0	0.0
-0.0	G2		-0.000	0.000	-0.005	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	-0.0	-0.0
0.0	perm2		0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.005	0.009	-0.000	0.0	0.0
0.0	q4-1		0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
-0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.018	0.004	-0.000	0.0	0.0
0.0	q5y_pc		0.005	0.018	0.000	-0.0	-0.0
0.0	q5x_ps		0.019	0.006	-0.000	0.0	0.0
0.0	q5y_ps		0.004	0.016	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.000	-0.001	0.001	0.0	0.0
0.0	SLVx-E~1		0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1		0.003	0.005	0.000	0.0	0.0
707	Q1-1_2	Max	0.002	0.002	0.023	0.0	0.0
0.0		Min	-0.001	-0.002	-0.041	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.023	0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	Min	-0.002	-0.002	-0.040	-0.0	-0.0
0.0	Q2a-1_2 Max	0.001	0.001	0.012	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.023	-0.0	-0.0
0.0	Q2a-3_4 Max	0.001	0.001	0.012	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.022	-0.0	-0.0
0.0	Q1-1 Max	0.001	0.001	0.008	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.015	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.001	0.007	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.013	-0.0	-0.0
-0.0	SLVx (RS)	-0.053	0.034	-0.003	-0.0	-0.0
0.0	SLVy (RS)	0.050	0.093	0.004	0.0	0.0
-0.0	SLVz (RS)	0.000	0.000	0.005	-0.0	-0.0
-0.0	G1	-0.001	0.000	-0.015	0.0	0.0
-0.0	G2	-0.000	0.000	-0.005	0.0	0.0
-0.0	pp imp~1	0.000	-0.000	0.000	-0.0	-0.0
-0.0	perm i~1	0.000	-0.000	0.000	-0.0	-0.0
0.0	pp2	0.000	0.000	0.000	-0.0	-0.0
0.0	perm2	0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.005	0.009	-0.000	0.0	0.0
0.0	q4-1	0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0
-0.0	q4-4	-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc	0.018	0.004	-0.000	0.0	0.0
0.0	q5y_pc	0.004	0.018	0.000	-0.0	-0.0
0.0	q5x_ps	0.019	0.006	-0.000	0.0	0.0
0.0	q5y_ps	0.004	0.016	0.000	-0.0	-0.0
0.0	q7	0.001	-0.000	-0.000	0.0	0.0
-0.0	T	-0.000	-0.001	0.001	0.0	0.0
0.0	SLVx-E~1	0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1	0.003	0.005	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

708	Q1-1_2	Max	0.002	0.002	0.023	0.0	0.0
0.0		Min	-0.001	-0.002	-0.040	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.023	0.0	0.0
0.0		Min	-0.002	-0.002	-0.040	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.012	0.0	0.0
0.0		Min	-0.001	-0.001	-0.022	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.012	0.0	0.0
0.0		Min	-0.001	-0.001	-0.022	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.001	0.008	0.0	0.0
0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.007	0.0	0.0
0.0		Min	-0.001	-0.000	-0.012	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.053	0.034	-0.003	-0.0	-0.0
-0.0							
	SLVy (RS)		0.049	0.093	0.004	0.0	0.0
0.0							
	SLVz (RS)		0.000	0.000	0.005	-0.0	-0.0
-0.0							
	G1		-0.001	0.000	-0.015	0.0	0.0
-0.0							
	G2		-0.000	0.000	-0.005	0.0	0.0
-0.0							
	pp imp~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0							
	perm i~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0							
	pp2		0.000	0.000	0.000	-0.0	-0.0
0.0							
	perm2		0.000	0.000	0.000	-0.0	-0.0
0.0							
	q3		0.004	0.009	0.000	0.0	0.0
0.0							
	q4-1		0.000	0.001	0.000	-0.0	-0.0
0.0							
	q4-2		0.001	-0.000	-0.000	0.0	0.0
-0.0							
	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0							
	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
-0.0							
	q5x_pc		0.018	0.005	-0.000	0.0	0.0
0.0							
	q5y_pc		0.004	0.019	0.000	-0.0	-0.0
0.0							
	q5x_ps		0.019	0.006	-0.000	0.0	0.0
0.0							
	q5y_ps		0.004	0.017	0.000	-0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q7	0.001	-0.000	-0.000	0.0	0.0
0.0	T	0.000	-0.000	0.001	0.0	0.0
-0.0	SLVx-E~1	0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1	0.003	0.005	0.000	0.0	0.0
0.0						
709	Q1-1_2	Max	0.002	0.002	0.023	0.0
0.0		Min	-0.001	-0.002	-0.040	-0.0
-0.0						
	Q1-3_4	Max	0.001	0.002	0.023	0.0
0.0		Min	-0.002	-0.002	-0.039	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.001	0.012	0.0
0.0		Min	-0.001	-0.001	-0.022	-0.0
-0.0						
	Q2a-3_4	Max	0.001	0.001	0.012	0.0
0.0		Min	-0.001	-0.001	-0.022	-0.0
-0.0						
	Q1-1	Max	0.001	0.001	0.008	0.0
0.0		Min	-0.000	-0.001	-0.015	-0.0
-0.0						
	Q1-3	Max	0.000	0.001	0.007	0.0
0.0		Min	-0.001	-0.000	-0.012	-0.0
-0.0						
	SLVx (RS)		-0.052	0.034	-0.003	-0.0
-0.0	SLVy (RS)		0.048	0.094	0.004	0.0
0.0	SLVz (RS)		0.000	0.000	0.005	-0.0
-0.0						
	G1		-0.001	0.000	-0.015	0.0
-0.0	G2		-0.000	0.000	-0.005	0.0
-0.0						
	pp imp~1		0.000	-0.000	0.000	-0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0
-0.0						
	pp2		0.000	0.000	0.000	-0.0
0.0	perm2		0.000	0.000	0.000	-0.0
0.0						
	q3		0.004	0.009	0.000	0.0
0.0						
	q4-1		-0.000	0.001	0.000	-0.0
0.0						
	q4-2		0.001	-0.000	-0.000	0.0
-0.0						
	q4-3		0.001	-0.001	-0.000	0.0
0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.017	0.005	-0.000	0.0	0.0
0.0	q5y_pc		0.004	0.019	0.000	-0.0	-0.0
0.0	q5x_ps		0.018	0.006	-0.000	0.0	0.0
0.0	q5y_ps		0.004	0.017	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		0.000	0.000	0.001	-0.0	0.0
0.0	SLVx-E~1		0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1		0.002	0.005	0.000	0.0	0.0
710	Q1-1_2	Max	0.002	0.002	0.023	0.0	0.0
0.0		Min	-0.001	-0.002	-0.039	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.023	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.039	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.012	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.022	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.012	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.021	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.014	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.007	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.012	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.052	0.034	-0.003	-0.0	-0.0
0.0	SLVy (RS)		0.047	0.094	0.004	0.0	0.0
-0.0	SLVz (RS)		0.000	0.000	0.005	-0.0	-0.0
-0.0							
-0.0	G1		-0.001	0.000	-0.014	0.0	0.0
-0.0							
-0.0	G2		-0.000	0.000	-0.005	0.0	0.0
-0.0							
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0							
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	-0.0
0.0							
0.0	pp2		0.000	0.000	0.000	-0.0	-0.0
0.0							
0.0	perm2		0.000	0.000	0.000	-0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q3	0.004	0.009	0.000	0.0	0.0
0.0	q4-1	-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2	0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4	-0.001	-0.001	0.000	-0.0	-0.0
-0.0	q5x_pc	0.017	0.005	-0.000	0.0	0.0
0.0	q5y_pc	0.004	0.019	0.000	-0.0	-0.0
0.0	q5x_ps	0.018	0.006	-0.000	0.0	0.0
0.0	q5y_ps	0.004	0.017	0.000	-0.0	-0.0
0.0	q7	0.001	-0.000	-0.000	0.0	0.0
0.0	T	0.000	0.000	0.001	-0.0	0.0
-0.0	SLVx-E~1	0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1	0.002	0.005	0.000	0.0	0.0
0.0						
711	Q1-1_2	Max	0.002	0.002	0.023	0.0
0.0		Min	-0.001	-0.002	-0.038	-0.0
-0.0						
	Q1-3_4	Max	0.001	0.002	0.023	0.0
0.0		Min	-0.002	-0.002	-0.038	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.001	0.012	0.0
0.0		Min	-0.001	-0.001	-0.021	-0.0
-0.0						
	Q2a-3_4	Max	0.001	0.001	0.012	0.0
0.0		Min	-0.001	-0.001	-0.021	-0.0
-0.0						
	Q1-1	Max	0.001	0.001	0.008	0.0
0.0		Min	-0.000	-0.001	-0.014	-0.0
-0.0						
	Q1-3	Max	0.000	0.001	0.007	0.0
0.0		Min	-0.001	-0.000	-0.012	-0.0
-0.0						
	SLVx (RS)		-0.051	0.034	-0.003	-0.0
-0.0						
	SLVy (RS)		0.046	0.095	0.004	0.0
0.0						
	SLVz (RS)		0.000	0.000	0.005	-0.0
-0.0						
	G1		-0.001	0.000	-0.014	0.0
-0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	G2	-0.000	0.000	-0.005	0.0	0.0	
-0.0	pp imp~1	0.000	-0.000	0.000	-0.0	-0.0	
-0.0	perm i~1	0.000	-0.000	0.000	-0.0	-0.0	
-0.0	pp2	0.000	0.000	0.000	-0.0	-0.0	
0.0	perm2	0.000	0.000	0.000	-0.0	-0.0	
0.0	q3	0.004	0.009	0.000	0.0	0.0	
0.0	q4-1	-0.000	0.001	0.000	-0.0	-0.0	
0.0	q4-2	0.001	-0.000	-0.000	0.0	0.0	
-0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0	
0.0	q4-4	-0.001	-0.001	0.000	-0.0	-0.0	
-0.0	q5x_pc	0.017	0.005	-0.000	0.0	0.0	
0.0	q5y_pc	0.004	0.019	0.000	-0.0	-0.0	
0.0	q5x_ps	0.018	0.007	-0.000	0.0	0.0	
0.0	q5y_ps	0.003	0.017	0.000	-0.0	-0.0	
0.0	q7	0.001	-0.000	-0.000	0.0	0.0	
0.0	T	0.001	0.001	0.001	-0.0	0.0	
0.0	SLVx-E~1	0.001	0.002	0.000	0.0	0.0	
0.0	SLVy-E~1	0.002	0.005	0.000	0.0	0.0	
0.0							
712	Q1-1_2	Max	0.002	0.002	0.023	0.0	0.0
0.0		Min	-0.001	-0.002	-0.037	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.023	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.037	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.012	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.021	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.011	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.020	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.014	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.007	0.0	0.0
0.0		Min	-0.001	-0.000	-0.012	-0.0	-0.0

PROJECT TITLE :


			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	SLVx (RS)		-0.051	0.033	-0.003	-0.0	-0.0
-0.0	SLVy (RS)		0.045	0.096	0.004	0.0	0.0
0.0	SLVz (RS)		0.000	0.000	0.005	-0.0	-0.0
-0.0	G1		-0.001	0.000	-0.013	0.0	0.0
-0.0	G2		-0.000	0.000	-0.005	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0	pp2		0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.004	0.009	0.000	0.0	0.0
0.0	q4-1		-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
-0.0	q5x_pc		0.017	0.005	-0.000	0.0	0.0
0.0	q5y_pc		0.003	0.019	0.000	-0.0	-0.0
0.0	q5x_ps		0.018	0.007	0.000	0.0	0.0
0.0	q5y_ps		0.003	0.017	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.001	0.001	-0.0	0.0
0.0	SLVx-E~1		0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1		0.002	0.005	0.000	0.0	0.0
0.0							
713	Q1-1_2	Max	0.002	0.002	0.022	0.0	0.0
0.0		Min	-0.001	-0.002	-0.036	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.022	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.036	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.012	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.020	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.011	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.020	-0.0	-0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-1	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.007	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.011	-0.0	-0.0
-0.0	SLVx	(RS)	-0.050	0.033	-0.003	-0.0	-0.0
0.0	SLVy	(RS)	0.043	0.096	0.004	0.0	0.0
0.0	SLVz	(RS)	0.000	-0.000	0.005	-0.0	-0.0
-0.0	G1		-0.001	0.000	-0.013	0.0	0.0
-0.0	G2		-0.000	0.000	-0.004	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.003	0.009	0.000	0.0	0.0
0.0	q4-1		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
-0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.017	0.005	-0.000	0.0	0.0
0.0	q5y_pc		0.003	0.019	0.000	-0.0	-0.0
0.0	q5x_ps		0.017	0.007	0.000	0.0	0.0
0.0	q5y_ps		0.003	0.017	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.001	0.001	-0.0	0.0
0.0	SLVx-E~1		0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1		0.002	0.005	0.000	0.0	0.0
714	Q1-1_2	Max	0.002	0.002	0.022	0.0	0.0
0.0		Min	-0.001	-0.002	-0.035	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.022	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.034	-0.0	-0.0


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q2a-1_2	Max	0.001	0.001	0.011	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.019	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.011	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.019	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.011	-0.0	-0.0
-0.0	SLVx (RS)		-0.050	0.033	-0.002	-0.0	-0.0
0.0	SLVy (RS)		0.042	0.096	0.004	0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.004	-0.0	-0.0
-0.0	G1		-0.001	0.000	-0.012	0.0	0.0
-0.0	G2		-0.000	0.000	-0.004	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.003	0.009	0.000	0.0	0.0
0.0	q4-1		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
-0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.016	0.005	-0.000	0.0	0.0
0.0	q5y_pc		0.003	0.019	0.000	-0.0	-0.0
0.0	q5x_ps		0.017	0.007	0.000	0.0	0.0
0.0	q5y_ps		0.003	0.017	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.002	0.001	-0.0	0.0
0.0	SLVx-E~1		0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1		0.002	0.005	0.000	0.0	0.0
715	Q1-1_2	Max	0.002	0.002	0.021	0.0	0.0


PROJECT TITLE :

MIDAS	Company						Client
	Author						File Name
0.0							
-0.0	Min	-0.001	-0.002	-0.033	-0.0	-0.0	
0.0	Q1-3_4 Max	0.001	0.002	0.021	0.0	0.0	
-0.0	Min	-0.002	-0.002	-0.033	-0.0	-0.0	
0.0	Q2a-1_2 Max	0.001	0.001	0.011	0.0	0.0	
-0.0	Min	-0.001	-0.001	-0.019	-0.0	-0.0	
0.0	Q2a-3_4 Max	0.001	0.001	0.011	0.0	0.0	
-0.0	Min	-0.001	-0.001	-0.018	-0.0	-0.0	
0.0	Q1-1 Max	0.001	0.001	0.007	0.0	0.0	
-0.0	Min	-0.000	-0.001	-0.012	-0.0	-0.0	
0.0	Q1-3 Max	0.000	0.001	0.006	0.0	0.0	
-0.0	Min	-0.001	-0.000	-0.010	-0.0	-0.0	
-0.0	SLVx (RS)	-0.049	0.033	-0.002	-0.0	-0.0	
0.0	SLVy (RS)	0.041	0.097	0.004	0.0	0.0	
0.0	SLVz (RS)	0.000	-0.000	0.004	-0.0	-0.0	
-0.0	G1	-0.001	0.000	-0.011	0.0	0.0	
-0.0	G2	-0.000	0.000	-0.004	0.0	0.0	
-0.0	pp imp~1	0.000	-0.000	0.000	-0.0	-0.0	
-0.0	perm i~1	0.000	-0.000	0.000	-0.0	-0.0	
0.0	pp2	0.000	0.000	0.000	-0.0	-0.0	
0.0	perm2	0.000	0.000	0.000	-0.0	-0.0	
0.0	q3	0.003	0.009	0.000	0.0	0.0	
0.0	q4-1	-0.000	0.001	0.000	-0.0	-0.0	
-0.0	q4-2	0.001	-0.000	-0.000	0.0	0.0	
0.0	q4-3	0.001	-0.001	-0.000	0.0	0.0	
-0.0	q4-4	-0.001	-0.001	0.000	-0.0	-0.0	
0.0	q5x_pc	0.016	0.005	-0.000	0.0	0.0	
0.0	q5y_pc	0.003	0.019	0.000	-0.0	-0.0	
0.0	q5x_ps	0.017	0.007	0.000	0.0	0.0	
0.0	q5y_ps	0.003	0.017	0.000	-0.0	-0.0	
0.0	q7	0.001	-0.000	-0.000	0.0	0.0	


PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
	T		0.001	0.002	0.001	-0.0	0.0
0.0	SLVx-E~1		0.001	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		0.002	0.005	0.000	-0.0	0.0
0.0							
716	Q1-1_2	Max	0.002	0.002	0.021	0.0	0.0
0.0		Min	-0.001	-0.002	-0.032	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.020	0.0	0.0
0.0		Min	-0.002	-0.002	-0.031	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.011	0.0	0.0
0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.010	0.0	0.0
0.0		Min	-0.001	-0.001	-0.017	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.001	0.007	0.0	0.0
0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.006	0.0	0.0
0.0		Min	-0.001	-0.000	-0.010	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.049	0.033	-0.002	-0.0	-0.0
-0.0							
	SLVy (RS)		0.040	0.097	0.004	0.0	0.0
0.0							
	SLVz (RS)		0.000	-0.000	0.004	-0.0	-0.0
0.0							
	G1		-0.001	0.000	-0.010	0.0	0.0
-0.0							
	G2		-0.000	0.000	-0.004	0.0	0.0
-0.0							
	pp imp~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0							
	perm i~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0							
	pp2		0.000	0.000	0.000	-0.0	-0.0
0.0							
	perm2		0.000	0.000	0.000	-0.0	-0.0
0.0							
	q3		0.003	0.009	0.000	0.0	0.0
0.0							
	q4-1		-0.000	0.001	0.000	-0.0	-0.0
0.0							
	q4-2		0.001	-0.000	-0.000	0.0	0.0
-0.0							
	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0							
	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
-0.0							
	q5x_pc		0.016	0.005	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0						
0.0	q5y_pc		0.003	0.019	0.000	-0.0
0.0	q5x_ps		0.017	0.007	0.000	0.0
0.0	q5y_ps		0.003	0.017	0.000	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0
0.0	T		0.001	0.002	0.001	-0.0
0.0	SLVx-E~1		0.001	0.002	0.000	-0.0
0.0	SLVy-E~1		0.002	0.005	0.000	-0.0
0.0						
717	Q1-1_2	Max	0.002	0.002	0.020	0.0
0.0		Min	-0.001	-0.002	-0.030	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.002	0.020	0.0
-0.0		Min	-0.002	-0.002	-0.030	-0.0
0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.010	0.0
-0.0		Min	-0.001	-0.001	-0.017	-0.0
0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.010	0.0
-0.0		Min	-0.001	-0.001	-0.016	-0.0
0.0						
0.0	Q1-1	Max	0.001	0.001	0.007	0.0
-0.0		Min	-0.000	-0.001	-0.011	-0.0
0.0						
0.0	Q1-3	Max	0.000	0.001	0.006	0.0
-0.0		Min	-0.001	-0.000	-0.009	-0.0
0.0						
-0.0	SLVx (RS)		-0.048	0.033	-0.002	-0.0
0.0	SLVy (RS)		0.039	0.098	0.003	0.0
0.0	SLVz (RS)		0.000	-0.000	0.004	-0.0
-0.0	G1		-0.001	0.000	-0.009	0.0
-0.0	G2		-0.000	0.000	-0.003	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0
-0.0	pp2		0.000	0.000	0.000	-0.0
0.0	perm2		0.000	0.000	0.000	-0.0
0.0	q3		0.003	0.009	0.000	0.0
0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-1		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
-0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.016	0.005	-0.000	0.0	0.0
0.0	q5y_pc		0.003	0.019	0.000	-0.0	-0.0
0.0	q5x_ps		0.016	0.007	0.000	0.0	0.0
0.0	q5y_ps		0.002	0.017	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.003	0.001	-0.0	0.0
0.0	SLVx-E~1		0.001	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		0.002	0.005	0.000	-0.0	0.0
718	Q1-1_2	Max	0.002	0.002	0.019	0.0	0.0
0.0		Min	-0.001	-0.002	-0.028	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.019	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.028	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.001	0.001	0.010	0.0	0.0
0.0		Min	-0.001	-0.001	-0.016	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.010	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.015	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.001	0.007	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.010	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.009	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.048	0.033	-0.002	-0.0	-0.0
0.0	SLVy (RS)		0.038	0.098	0.003	0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.003	-0.0	-0.0
-0.0	G1		-0.001	0.000	-0.008	0.0	0.0
-0.0	G2		-0.000	0.000	-0.003	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

-0.0	perm i~1		0.000	-0.000	0.000	-0.0	-0.0
-0.0	pp2		0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.003	0.009	0.000	0.0	0.0
0.0	q4-1		-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
-0.0	q5x_pc		0.015	0.005	-0.000	0.0	0.0
0.0	q5y_pc		0.002	0.019	0.000	-0.0	-0.0
0.0	q5x_ps		0.016	0.007	0.000	0.0	0.0
0.0	q5y_ps		0.002	0.017	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.003	0.001	-0.0	0.0
0.0	SLVx-E~1		0.001	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		0.002	0.005	0.000	-0.0	0.0
0.0							
719	Q1-1_2	Max	0.002	0.002	0.018	0.0	0.0
0.0		Min	-0.001	-0.002	-0.026	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.018	0.0	0.0
0.0		Min	-0.002	-0.002	-0.026	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.009	0.0	0.0
0.0		Min	-0.001	-0.001	-0.015	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
0.0		Min	-0.001	-0.001	-0.014	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.001	0.006	0.0	0.0
0.0		Min	-0.000	-0.001	-0.010	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
0.0		Min	-0.001	-0.000	-0.008	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.047	0.033	-0.002	-0.0	-0.0
-0.0							

PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	SLVy (RS)		0.037	0.098	0.003	0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.003	-0.0	-0.0
0.0	G1		-0.001	0.000	-0.008	0.0	0.0
-0.0	G2		-0.000	0.000	-0.003	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	0.0
-0.0	pp2		-0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.002	0.009	0.000	0.0	0.0
0.0	q4-1		-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
-0.0	q5x_pc		0.015	0.005	0.000	0.0	0.0
0.0	q5y_pc		0.002	0.019	0.000	-0.0	-0.0
0.0	q5x_ps		0.016	0.007	0.000	0.0	0.0
0.0	q5y_ps		0.002	0.017	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.003	0.001	-0.0	0.0
0.0	SLVx-E~1		0.001	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		0.001	0.005	0.000	-0.0	0.0
0.0							
720	Q1-1_2	Max	0.002	0.002	0.017	0.0	0.0
0.0		Min	-0.001	-0.002	-0.024	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.017	0.0	0.0
0.0		Min	-0.002	-0.002	-0.024	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.009	0.0	0.0
0.0		Min	-0.001	-0.001	-0.013	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
0.0		Min	-0.001	-0.001	-0.013	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.006	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0		Min	-0.000	-0.001	-0.009	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.007	-0.0	-0.0
-0.0		SLVx (RS)	-0.047	0.033	-0.002	-0.0	-0.0
0.0		SLVy (RS)	0.036	0.098	0.003	0.0	0.0
0.0		SLVz (RS)	0.000	-0.000	0.003	-0.0	-0.0
-0.0		G1	-0.001	0.000	-0.007	0.0	0.0
-0.0		G2	-0.000	0.000	-0.002	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	0.0
0.0	pp2		-0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.002	0.009	0.000	0.0	0.0
0.0	q4-1		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
-0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.015	0.005	0.000	0.0	0.0
0.0	q5y_pc		0.002	0.019	0.000	-0.0	-0.0
0.0	q5x_ps		0.015	0.007	0.000	0.0	0.0
0.0	q5y_ps		0.002	0.017	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.004	0.001	-0.0	0.0
0.0	SLVx-E~1		0.001	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		0.001	0.006	0.000	-0.0	0.0
721	Q1-1_2	Max	0.002	0.002	0.016	0.0	0.0
0.0		Min	-0.001	-0.002	-0.022	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.016	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.022	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.008	0.0	0.0
		Min	-0.001	-0.001	-0.012	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.012	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.008	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.007	-0.0	-0.0
-0.0	SLVx (RS)		-0.046	0.033	-0.001	-0.0	-0.0
0.0	SLVy (RS)		0.035	0.099	0.003	0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.002	-0.0	-0.0
-0.0	G1		-0.001	0.000	-0.006	0.0	0.0
-0.0	G2		-0.000	0.000	-0.002	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	0.0
0.0	pp2		-0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.002	0.009	0.000	0.0	0.0
0.0	q4-1		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
-0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.015	0.005	0.000	0.0	0.0
0.0	q5y_pc		0.002	0.019	0.000	-0.0	-0.0
0.0	q5x_ps		0.015	0.007	0.000	0.0	0.0
0.0	q5y_ps		0.002	0.017	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.004	0.001	-0.0	0.0
0.0	SLVx-E~1		0.001	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		0.001	0.006	0.000	-0.0	0.0
722	Q1-1_2	Max	0.002	0.002	0.015	0.0	0.0
0.0		Min	-0.001	-0.002	-0.020	-0.0	-0.0
-0.0							

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-3_4	Max	0.001	0.002	0.015	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.020	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.011	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.011	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.005	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.007	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.004	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.006	-0.0	-0.0
-0.0	SLVx (RS)		-0.046	0.032	-0.001	-0.0	-0.0
0.0	SLVy (RS)		0.034	0.099	0.002	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.002	-0.0	-0.0
-0.0	G1		-0.001	0.000	-0.005	0.0	0.0
-0.0	G2		-0.000	0.000	-0.002	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	0.0
0.0	pp2		-0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.002	0.009	0.000	0.0	0.0
0.0	q4-1		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
-0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.014	0.005	0.000	0.0	0.0
0.0	q5y_pc		0.002	0.019	0.000	-0.0	-0.0
0.0	q5x_ps		0.015	0.007	0.000	0.0	0.0
0.0	q5y_ps		0.002	0.017	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.005	0.001	-0.0	0.0
0.0	SLVx-E~1		0.001	0.002	0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	SLVy-E~1	0.001	0.006	0.000	-0.0	0.0
0.0						
723	Q1-1_2	Max	0.002	0.002	0.013	0.0
0.0		Min	-0.001	-0.002	-0.018	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.002	0.013	0.0
0.0		Min	-0.002	-0.002	-0.017	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.007	0.0
0.0		Min	-0.001	-0.001	-0.010	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.001	0.007	0.0
0.0		Min	-0.001	-0.001	-0.010	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.001	0.005	0.0
0.0		Min	-0.000	-0.001	-0.006	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.004	0.0
0.0		Min	-0.001	-0.000	-0.005	-0.0
-0.0						
-0.0	SLVx (RS)		-0.045	0.032	-0.001	-0.0
-0.0	SLVy (RS)		0.033	0.099	0.002	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.002	-0.0
0.0	G1		-0.001	0.000	-0.004	0.0
-0.0	G2		-0.000	0.000	-0.001	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0
-0.0	pp2		-0.000	0.000	0.000	-0.0
0.0	perm2		-0.000	0.000	0.000	-0.0
0.0	q3		0.002	0.009	0.000	0.0
0.0	q4-1		-0.000	0.001	0.000	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0
-0.0	q4-3		0.001	-0.001	-0.000	0.0
0.0	q4-4		-0.001	-0.001	0.000	-0.0
-0.0	q5x_pc		0.014	0.005	0.000	0.0
0.0	q5y_pc		0.002	0.019	0.000	-0.0
0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q5x_ps		0.014	0.007	0.000	0.0	0.0
0.0	q5y_ps		0.001	0.017	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.005	0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		0.001	0.006	0.000	-0.0	0.0
724	Q1-1_2	Max	0.002	0.002	0.012	0.0	0.0
0.0		Min	-0.001	-0.002	-0.015	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.012	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.015	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.009	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.000	0.001	0.006	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.008	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.001	0.004	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.006	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.004	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.005	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.044	0.032	-0.001	-0.0	-0.0
0.0	SLVy (RS)		0.032	0.099	0.002	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.001	-0.0	-0.0
-0.0	G1		-0.001	0.000	-0.003	0.0	0.0
-0.0	G2		-0.000	0.000	-0.001	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	0.0
0.0	pp2		-0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.002	0.009	0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

MIDAS		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4	-0.001	-0.001	0.000	-0.0	-0.0
-0.0	q5x_pc	0.014	0.005	0.000	0.0	0.0
0.0	q5y_pc	0.001	0.019	0.000	-0.0	-0.0
0.0	q5x_ps	0.014	0.007	0.000	0.0	0.0
0.0	q5y_ps	0.001	0.017	0.000	-0.0	-0.0
0.0	q7	0.001	-0.000	-0.000	0.0	0.0
0.0	T	0.001	0.005	0.000	-0.0	0.0
0.0	SLVx-E~1	0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1	0.001	0.006	0.000	-0.0	0.0
0.0						
725	Q1-1_2	Max	0.002	0.002	0.011	0.0
0.0		Min	-0.001	-0.002	-0.013	-0.0
-0.0						
	Q1-3_4	Max	0.001	0.002	0.010	0.0
0.0		Min	-0.002	-0.002	-0.013	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.001	0.006	0.0
0.0		Min	-0.001	-0.001	-0.007	-0.0
-0.0						
	Q2a-3_4	Max	0.000	0.001	0.005	0.0
0.0		Min	-0.001	-0.001	-0.007	-0.0
-0.0						
	Q1-1	Max	0.001	0.001	0.004	0.0
0.0		Min	-0.000	-0.001	-0.005	-0.0
-0.0						
	Q1-3	Max	0.000	0.001	0.003	0.0
0.0		Min	-0.001	-0.000	-0.004	-0.0
-0.0						
-0.0	SLVx (RS)		-0.044	0.032	-0.001	-0.0
-0.0	SLVy (RS)		0.031	0.099	0.002	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.001	-0.0
0.0	G1		-0.001	0.000	-0.002	0.0
-0.0	G2		-0.000	0.000	-0.001	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0
-0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	pp2		-0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.001	0.009	0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
-0.0	q5x_pc		0.014	0.005	0.000	0.0	0.0
0.0	q5y_pc		0.001	0.019	0.000	-0.0	-0.0
0.0	q5x_ps		0.014	0.007	0.000	0.0	0.0
0.0	q5y_ps		0.001	0.017	0.000	-0.0	-0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.006	0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		0.001	0.006	0.000	-0.0	0.0
0.0							
726	Q1-1_2	Max	0.002	0.002	0.009	0.0	0.0
0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.009	0.0	0.0
0.0		Min	-0.002	-0.001	-0.011	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.005	0.0	0.0
0.0		Min	-0.001	-0.001	-0.006	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.001	0.005	0.0	0.0
0.0		Min	-0.001	-0.001	-0.006	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.003	0.0	0.0
0.0		Min	-0.000	-0.001	-0.004	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.003	0.0	0.0
0.0		Min	-0.001	-0.000	-0.003	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.043	0.032	-0.001	0.0	-0.0
-0.0	SLVy (RS)		0.030	0.099	0.001	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.001	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	


0.0						
	G1		-0.001	0.000	-0.002	0.0
-0.0						
	G2		-0.000	0.000	-0.001	0.0
-0.0						
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0
-0.0						
-0.0	perm i~1		0.000	-0.000	0.000	-0.0
-0.0						
0.0	pp2		-0.000	0.000	0.000	-0.0
0.0						
0.0	perm2		-0.000	0.000	0.000	-0.0
0.0						
0.0	q3		0.001	0.009	0.000	-0.0
0.0						
0.0	q4-1		-0.000	0.001	0.000	-0.0
0.0						
-0.0	q4-2		0.001	-0.000	-0.000	0.0
-0.0						
0.0	q4-3		0.000	-0.001	-0.000	0.0
0.0						
-0.0	q4-4		-0.001	-0.001	0.000	-0.0
-0.0						
0.0	q5x_pc		0.013	0.005	0.000	0.0
0.0						
0.0	q5y_pc		0.001	0.019	0.000	-0.0
0.0						
0.0	q5x_ps		0.013	0.007	0.000	0.0
0.0						
0.0	q5y_ps		0.001	0.017	0.000	-0.0
0.0						
0.0	q7		0.001	-0.000	-0.000	0.0
0.0						
0.0	T		0.001	0.006	0.000	-0.0
0.0						
0.0	SLVx-E~1		0.000	0.002	0.000	-0.0
0.0						
0.0	SLVy-E~1		0.001	0.006	0.000	-0.0
0.0						
727	Q1-1_2	Max	0.002	0.002	0.007	0.0
0.0		Min	-0.001	-0.002	-0.009	-0.0
-0.0						
	Q1-3_4	Max	0.001	0.002	0.007	0.0
0.0		Min	-0.002	-0.001	-0.009	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.001	0.004	0.0
0.0		Min	-0.001	-0.001	-0.005	-0.0
-0.0						
	Q2a-3_4	Max	0.000	0.001	0.004	0.0
0.0		Min	-0.001	-0.001	-0.005	-0.0
-0.0						
	Q1-1	Max	0.001	0.001	0.003	0.0
0.0		Min	-0.000	-0.001	-0.003	-0.0
-0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q1-3	Max	0.000	0.001	0.002	0.0	0.0
		Min	-0.001	-0.000	-0.003	-0.0	-0.0
-0.0	SLVx	(RS)	-0.043	0.032	-0.000	0.0	-0.0
-0.0	SLVy	(RS)	0.030	0.099	0.001	-0.0	0.0
0.0	SLVz	(RS)	0.000	-0.000	0.001	-0.0	-0.0
0.0	G1		-0.001	0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		0.000	-0.000	0.000	-0.0	0.0
-0.0	perm i~1		0.000	-0.000	0.000	-0.0	0.0
-0.0	pp2		-0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.001	0.009	0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	-0.000	0.0	0.0
-0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
-0.0	q5x_pc		0.013	0.005	0.000	-0.0	0.0
0.0	q5y_pc		0.001	0.019	0.000	-0.0	0.0
0.0	q5x_ps		0.013	0.007	0.000	-0.0	0.0
0.0	q5y_ps		0.001	0.017	0.000	-0.0	0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.006	0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		0.001	0.006	0.000	-0.0	0.0
0.0							
728	Q1-1_2	Max	0.002	0.002	0.006	0.0	0.0
0.0		Min	-0.001	-0.002	-0.006	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.005	0.0	0.0
0.0		Min	-0.002	-0.001	-0.006	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.003	0.0	0.0
0.0		Min	-0.000	-0.001	-0.004	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.001	0.003	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.001	-0.001	-0.003	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.002	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.002	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.002	-0.0	-0.0
-0.0	SLVx	(RS)	-0.042	0.032	-0.000	0.0	-0.0
0.0	SLVy	(RS)	0.029	0.099	0.001	-0.0	0.0
0.0	SLVz	(RS)	0.000	-0.000	0.000	-0.0	-0.0
-0.0	G1		-0.001	0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	0.0	-0.0
0.0	pp imp~1		0.000	-0.000	0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	-0.0	0.0
0.0	pp2		-0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	0.000	-0.0	-0.0
0.0	q3		0.001	0.009	0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	-0.000	-0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4		-0.001	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc		0.013	0.005	0.000	-0.0	0.0
0.0	q5y_pc		0.001	0.019	0.000	-0.0	0.0
0.0	q5x_ps		0.013	0.007	0.000	-0.0	0.0
0.0	q5y_ps		0.001	0.017	0.000	-0.0	0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
0.0	T		0.001	0.007	0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		0.001	0.006	0.000	-0.0	0.0
0.0							
729	Q1-1_2	Max	0.002	0.002	0.004	0.0	0.0
0.0		Min	-0.001	-0.002	-0.004	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.004	0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	Min	-0.002	-0.001	-0.004	-0.0	-0.0
0.0	Q2a-1_2 Max	0.001	0.001	0.002	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0	Q2a-3_4 Max	0.000	0.001	0.002	0.0	0.0
-0.0	Min	-0.001	-0.001	-0.002	-0.0	-0.0
0.0	Q1-1 Max	0.001	0.001	0.001	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.001	0.001	0.0	0.0
-0.0	Min	-0.001	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx (RS)	-0.042	0.032	-0.000	0.0	-0.0
0.0	SLVy (RS)	0.028	0.099	0.001	-0.0	0.0
0.0	SLVz (RS)	0.000	-0.000	0.000	-0.0	0.0
-0.0	G1	-0.001	0.001	-0.001	0.0	-0.0
-0.0	G2	-0.000	0.000	-0.000	0.0	-0.0
0.0	pp imp~1	0.000	-0.000	0.000	-0.0	0.0
0.0	perm i~1	0.000	-0.000	0.000	-0.0	0.0
0.0	pp2	-0.000	0.000	0.000	-0.0	-0.0
0.0	perm2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.001	0.009	0.000	-0.0	0.0
0.0	q4-1	-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2	0.001	-0.000	-0.000	-0.0	0.0
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
-0.0	q4-4	-0.000	-0.001	0.000	-0.0	-0.0
0.0	q5x_pc	0.013	0.005	0.000	-0.0	0.0
0.0	q5y_pc	0.000	0.019	0.000	-0.0	0.0
0.0	q5x_ps	0.012	0.007	0.000	-0.0	0.0
0.0	q5y_ps	0.001	0.017	0.000	-0.0	0.0
0.0	q7	0.001	-0.000	-0.000	0.0	0.0
0.0	T	0.001	0.007	0.000	-0.0	0.0
0.0	SLVx-E~1	0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1	0.001	0.006	0.000	-0.0	0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

730	Q1-1_2	Max	0.002	0.002	0.002	0.0	0.0
0.0		Min	-0.001	-0.002	-0.002	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.002	0.0	0.0
0.0		Min	-0.002	-0.001	-0.002	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.001	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.001	0.001	0.0	0.0
0.0		Min	-0.001	-0.001	-0.001	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.001	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.001	0.0	0.0
0.0		Min	-0.001	-0.000	-0.001	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.041	0.032	-0.000	0.0	-0.0
-0.0							
	SLVy (RS)		0.027	0.099	0.000	-0.0	0.0
0.0							
	SLVz (RS)		0.000	-0.000	0.000	-0.0	0.0
0.0							
-0.0	G1		-0.001	0.001	-0.001	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
	pp imp~1		0.000	-0.000	0.000	-0.0	0.0
0.0							
	perm i~1		0.000	-0.000	0.000	-0.0	0.0
0.0							
	pp2		-0.000	0.000	0.000	-0.0	-0.0
0.0							
	perm2		-0.000	0.000	0.000	-0.0	-0.0
0.0							
	q3		0.001	0.009	0.000	-0.0	0.0
0.0							
	q4-1		-0.000	0.001	0.000	-0.0	-0.0
0.0							
	q4-2		0.001	-0.000	-0.000	-0.0	0.0
0.0							
	q4-3		0.000	-0.001	-0.000	0.0	0.0
0.0							
	q4-4		-0.000	-0.001	0.000	-0.0	-0.0
-0.0							
	q5x_pc		0.012	0.005	0.000	-0.0	0.0
0.0							
	q5y_pc		0.000	0.019	0.000	-0.0	0.0
0.0							
	q5x_ps		0.012	0.007	0.000	-0.0	0.0
0.0							
	q5y_ps		0.000	0.017	0.000	-0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q7	0.001	-0.000	-0.000	0.0	0.0
0.0	T	0.001	0.007	0.000	-0.0	0.0
0.0	SLVx-E~1	0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1	0.001	0.006	0.000	-0.0	0.0
0.0						
733	Q1-1_2	Max	0.002	0.002	0.002	0.0
0.0		Min	-0.001	-0.002	-0.002	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.002	0.002	0.0
0.0		Min	-0.002	-0.001	-0.002	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.001	0.0
0.0		Min	-0.000	-0.001	-0.001	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.001	0.001	0.0
0.0		Min	-0.001	-0.001	-0.001	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.001	0.001	0.0
0.0		Min	-0.000	-0.001	-0.001	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.001	0.0
0.0		Min	-0.001	-0.000	-0.001	-0.0
-0.0						
-0.0	SLVx (RS)		-0.040	0.032	-0.000	0.0
-0.0	SLVy (RS)		0.026	0.099	-0.000	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0
0.0	G1		-0.001	0.001	-0.001	-0.0
-0.0	G2		-0.000	0.000	-0.000	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0
0.0	q3		0.000	0.009	-0.000	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0
0.0	q4-2		0.001	-0.000	0.000	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0
0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	q4-4		-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q5x_pc		0.012	0.005	-0.000	-0.0	0.0
0.0	q5y_pc		-0.000	0.019	-0.000	-0.0	0.0
0.0	q5x_ps		0.012	0.007	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.017	-0.000	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	0.0	0.0
0.0	T		0.001	0.008	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.006	-0.000	-0.0	0.0
734	Q1-1_2	Max	0.002	0.002	0.003	0.0	0.0
0.0		Min	-0.001	-0.002	-0.004	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.003	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.004	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.002	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.000	0.001	0.002	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.002	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.001	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.001	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.040	0.033	0.000	0.0	-0.0
0.0	SLVy (RS)		0.026	0.099	-0.001	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
-0.0	G1		-0.000	0.000	-0.002	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.001	-0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q3	0.000	0.009	-0.000	-0.0	0.0
0.0	q4-1	-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2	0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3	0.000	-0.001	0.000	0.0	0.0
0.0	q4-4	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	q5x_pc	0.012	0.005	-0.000	-0.0	0.0
0.0	q5y_pc	-0.000	0.019	-0.000	-0.0	0.0
0.0	q5x_ps	0.011	0.007	-0.000	-0.0	0.0
0.0	q5y_ps	-0.000	0.017	-0.000	-0.0	0.0
0.0	q7	0.001	-0.000	0.000	-0.0	0.0
0.0	T	0.001	0.008	-0.000	-0.0	0.0
0.0	SLVx-E~1	0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1	0.000	0.006	-0.000	-0.0	0.0
0.0						
735	Q1-1_2	Max	0.002	0.002	0.005	0.0
0.0		Min	-0.001	-0.002	-0.007	-0.0
-0.0						
	Q1-3_4	Max	0.001	0.002	0.005	0.0
0.0		Min	-0.002	-0.001	-0.006	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.001	0.003	0.0
0.0		Min	-0.000	-0.001	-0.004	-0.0
-0.0						
	Q2a-3_4	Max	0.000	0.001	0.003	0.0
0.0		Min	-0.001	-0.001	-0.003	-0.0
-0.0						
	Q1-1	Max	0.001	0.000	0.002	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0
-0.0						
	Q1-3	Max	0.000	0.001	0.002	0.0
0.0		Min	-0.001	-0.000	-0.002	-0.0
-0.0						
	SLVx (RS)		-0.039	0.033	0.000	0.0
-0.0						
	SLVy (RS)		0.025	0.099	-0.001	-0.0
0.0						
	SLVz (RS)		0.000	-0.000	0.000	0.0
0.0						
	G1		-0.000	0.000	-0.003	-0.0
-0.0						

MIDAS

PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
	G2		-0.000	0.000	-0.001	-0.0	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q5x_pc		0.011	0.005	-0.000	-0.0	0.0
0.0	q5y_pc		-0.000	0.019	-0.000	-0.0	0.0
0.0	q5x_ps		0.011	0.007	-0.000	-0.0	0.0
0.0	q5y_ps		-0.000	0.017	-0.000	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		0.001	0.009	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.006	-0.000	-0.0	0.0
0.0							
736	Q1-1_2	Max	0.002	0.001	0.007	0.0	0.0
0.0		Min	-0.001	-0.002	-0.009	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.006	0.0	0.0
0.0		Min	-0.002	-0.001	-0.009	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.004	0.0	0.0
0.0		Min	-0.000	-0.001	-0.005	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.001	0.004	0.0	0.0
0.0		Min	-0.001	-0.001	-0.005	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.002	0.0	0.0
0.0		Min	-0.000	-0.001	-0.003	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.002	0.0	0.0
0.0		Min	-0.001	-0.000	-0.003	-0.0	-0.0

PROJECT TITLE :


			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	SLVx (RS)		-0.039	0.033	0.000	0.0	-0.0
-0.0	SLVy (RS)		0.025	0.099	-0.001	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	0.000	-0.004	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.001	-0.0	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		-0.000	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q5x_pc		0.011	0.005	-0.000	-0.0	0.0
0.0	q5y_pc		-0.001	0.019	-0.000	-0.0	0.0
0.0	q5x_ps		0.011	0.007	-0.000	-0.0	0.0
0.0	q5y_ps		-0.000	0.017	-0.000	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		0.001	0.009	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.006	-0.000	-0.0	0.0
0.0							
737	Q1-1_2	Max	0.002	0.001	0.008	0.0	0.0
0.0		Min	-0.001	-0.002	-0.011	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.011	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.001	0.001	0.004	0.0	0.0
0.0		Min	-0.000	-0.001	-0.006	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.001	0.004	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.006	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	Q1-1	Max	0.001	0.000	0.003	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.004	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.002	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.003	-0.0	-0.0
-0.0	SLVx	(RS)	-0.038	0.033	0.000	0.0	-0.0
0.0	SLVy	(RS)	0.024	0.098	-0.001	-0.0	0.0
0.0	SLVz	(RS)	0.000	-0.000	0.001	0.0	0.0
-0.0	G1		-0.000	0.000	-0.005	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.002	-0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		-0.000	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.011	0.005	-0.000	-0.0	0.0
0.0	q5y_pc		-0.001	0.019	-0.000	-0.0	0.0
0.0	q5x_ps		0.011	0.007	-0.000	-0.0	0.0
0.0	q5y_ps		-0.001	0.017	-0.000	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		0.000	0.009	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.005	-0.000	-0.0	0.0
738	Q1-1_2	Max	0.002	0.001	0.009	0.0	0.0
0.0		Min	-0.001	-0.001	-0.013	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.013	-0.0	-0.0


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q2a-1_2	Max	0.001	0.001	0.005	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.007	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.007	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.003	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.005	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.003	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.004	-0.0	-0.0
-0.0	SLVx (RS)		-0.038	0.033	0.001	0.0	-0.0
0.0	SLVy (RS)		0.024	0.098	-0.001	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	0.001	0.0	0.0
-0.0	G1		-0.000	0.000	-0.006	-0.0	-0.0
-0.0	G2		-0.000	0.000	-0.002	-0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		-0.000	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.011	0.005	-0.000	-0.0	0.0
0.0	q5y_pc		-0.001	0.019	-0.000	-0.0	0.0
0.0	q5x_ps		0.010	0.007	-0.000	-0.0	0.0
0.0	q5y_ps		-0.001	0.017	-0.000	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		0.000	0.010	-0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.005	-0.000	-0.0	0.0
739	Q1-1_2	Max	0.002	0.001	0.011	0.0	0.0


PROJECT TITLE :

MIDAS	Company						Client
	Author						File Name
0.0							
-0.0	Min	-0.001	-0.001	-0.015	-0.0	-0.0	
0.0	Q1-3_4 Max	0.001	0.002	0.010	0.0	0.0	
-0.0	Min	-0.001	-0.001	-0.015	-0.0	-0.0	
0.0	Q2a-1_2 Max	0.001	0.001	0.006	0.0	0.0	
-0.0	Min	-0.000	-0.001	-0.008	-0.0	-0.0	
0.0	Q2a-3_4 Max	0.000	0.001	0.006	0.0	0.0	
-0.0	Min	-0.001	-0.001	-0.008	-0.0	-0.0	
0.0	Q1-1 Max	0.001	0.000	0.004	0.0	0.0	
-0.0	Min	-0.000	-0.001	-0.005	-0.0	-0.0	
0.0	Q1-3 Max	0.000	0.001	0.003	0.0	0.0	
-0.0	Min	-0.001	-0.000	-0.005	-0.0	-0.0	
-0.0	SLVx (RS)	-0.037	0.033	-0.001	0.0	-0.0	
0.0	SLVy (RS)	0.024	0.098	-0.002	-0.0	0.0	
0.0	SLVz (RS)	-0.000	-0.000	0.001	0.0	0.0	
-0.0	G1	-0.000	0.000	-0.007	-0.0	-0.0	
-0.0	G2	-0.000	0.000	-0.003	-0.0	-0.0	
0.0	pp imp~1	0.000	-0.000	-0.000	-0.0	0.0	
0.0	perm i~1	0.000	-0.000	-0.000	-0.0	0.0	
0.0	pp2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	perm2	-0.000	0.000	-0.000	-0.0	-0.0	
0.0	q3	-0.000	0.009	-0.000	-0.0	0.0	
0.0	q4-1	-0.000	0.001	-0.000	-0.0	-0.0	
0.0	q4-2	0.001	-0.000	0.000	-0.0	0.0	
0.0	q4-3	0.000	-0.001	0.000	0.0	0.0	
-0.0	q4-4	-0.000	-0.001	-0.000	0.0	-0.0	
0.0	q5x_pc	0.010	0.005	-0.000	-0.0	0.0	
0.0	q5y_pc	-0.001	0.019	-0.000	-0.0	0.0	
0.0	q5x_ps	0.010	0.007	-0.000	-0.0	0.0	
0.0	q5y_ps	-0.001	0.017	-0.000	-0.0	0.0	
0.0	q7	0.001	-0.000	0.000	-0.0	0.0	

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	T		0.000	0.010	-0.000	-0.0	0.0
0.0	SLVx-E~1		-0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		-0.000	0.005	-0.000	-0.0	0.0
0.0							
740	Q1-1_2	Max	0.002	0.001	0.012	0.0	0.0
0.0		Min	-0.001	-0.001	-0.017	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.011	0.0	0.0
0.0		Min	-0.001	-0.001	-0.017	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.006	0.0	0.0
0.0		Min	-0.000	-0.001	-0.009	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.001	0.006	0.0	0.0
0.0		Min	-0.001	-0.001	-0.009	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.000	0.004	0.0	0.0
0.0		Min	-0.000	-0.001	-0.006	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.004	0.0	0.0
0.0		Min	-0.001	-0.000	-0.005	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.037	0.033	-0.001	0.0	-0.0
-0.0	SLVy (RS)		0.023	0.098	-0.002	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	0.001	0.0	0.0
0.0	G1		-0.000	0.000	-0.009	-0.0	0.0
-0.0	G2		-0.000	0.000	-0.003	-0.0	0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q3		-0.001	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q5x_pc		0.010	0.005	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0						
0.0	q5y_pc		-0.001	0.019	-0.000	-0.0 0.0
0.0	q5x_ps		0.010	0.007	-0.000	-0.0 0.0
0.0	q5y_ps		-0.001	0.017	-0.000	-0.0 0.0
0.0	q7		0.001	-0.000	0.000	-0.0 0.0
0.0	T		0.000	0.010	-0.000	-0.0 0.0
0.0	SLVx-E~1		-0.000	0.002	-0.000	-0.0 0.0
0.0	SLVy-E~1		-0.000	0.005	-0.000	-0.0 0.0
0.0						
741	Q1-1_2	Max	0.002	0.001	0.013	0.0 0.0
0.0		Min	-0.001	-0.001	-0.019	-0.0 -0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.002	0.012	0.0 0.0
-0.0		Min	-0.001	-0.001	-0.019	-0.0 -0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.007	0.0 0.0
-0.0		Min	-0.000	-0.001	-0.011	-0.0 -0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.001	0.007	0.0 0.0
-0.0		Min	-0.001	-0.001	-0.010	-0.0 -0.0
-0.0						
0.0	Q1-1	Max	0.001	0.000	0.005	0.0 0.0
-0.0		Min	-0.000	-0.001	-0.007	-0.0 -0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.004	0.0 0.0
-0.0		Min	-0.001	-0.000	-0.006	-0.0 -0.0
-0.0						
-0.0	SLVx (RS)		-0.036	0.033	-0.001	0.0 -0.0
-0.0	SLVy (RS)		0.023	0.097	-0.002	-0.0 0.0
0.0	SLVz (RS)		-0.000	-0.000	0.001	0.0 0.0
0.0	G1		-0.000	0.000	-0.010	-0.0 0.0
-0.0	G2		-0.000	0.000	-0.003	-0.0 0.0
-0.0						
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0 0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0 0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0 -0.0
0.0	perm2		-0.000	0.000	-0.000	-0.0 0.0
0.0	q3		-0.001	0.009	-0.000	-0.0 0.0
0.0						

PROJECT TITLE :


MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q5x_pc		0.010	0.005	-0.000	-0.0	0.0
0.0	q5y_pc		-0.001	0.019	-0.000	-0.0	0.0
0.0	q5x_ps		0.010	0.007	-0.000	-0.0	0.0
0.0	q5y_ps		-0.001	0.017	-0.001	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		-0.000	0.011	-0.000	-0.0	0.0
0.0	SLVx-E~1		-0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		-0.000	0.005	-0.000	-0.0	0.0
0.0							
742	Q1-1_2	Max	0.002	0.001	0.014	0.0	0.0
0.0		Min	-0.001	-0.001	-0.021	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.013	0.0	0.0
0.0		Min	-0.001	-0.001	-0.021	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.008	0.0	0.0
0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.001	0.007	0.0	0.0
0.0		Min	-0.001	-0.001	-0.011	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.005	0.0	0.0
0.0		Min	-0.000	-0.001	-0.008	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.004	0.0	0.0
0.0		Min	-0.001	-0.000	-0.007	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.036	0.033	-0.001	0.0	-0.0
-0.0							
	SLVy (RS)		0.023	0.097	-0.002	-0.0	0.0
0.0							
	SLVz (RS)		-0.000	-0.000	0.002	0.0	0.0
0.0							
	G1		-0.000	0.000	-0.011	-0.0	0.0
-0.0							
	G2		-0.000	0.000	-0.004	-0.0	0.0
-0.0							
	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.001	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q5x_pc		0.010	0.005	-0.000	-0.0	0.0
0.0	q5y_pc		-0.002	0.019	-0.000	-0.0	0.0
0.0	q5x_ps		0.009	0.007	-0.000	-0.0	0.0
0.0	q5y_ps		-0.001	0.017	-0.001	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		-0.000	0.011	-0.000	-0.0	0.0
0.0	SLVx-E~1		-0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		-0.000	0.005	-0.000	-0.0	0.0
0.0							
743	Q1-1_2	Max	0.002	0.001	0.014	0.0	0.0
0.0		Min	-0.001	-0.001	-0.023	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.014	0.0	0.0
0.0		Min	-0.001	-0.001	-0.023	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.008	0.0	0.0
0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.001	0.008	0.0	0.0
0.0		Min	-0.001	-0.001	-0.012	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.005	0.0	0.0
0.0		Min	-0.000	-0.001	-0.008	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.004	0.0	0.0
0.0		Min	-0.001	-0.000	-0.007	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.035	0.033	-0.001	0.0	-0.0
-0.0							

PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	SLVy (RS)		0.023	0.097	-0.002	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	0.002	0.0	0.0
-0.0	G1		-0.000	0.000	-0.013	-0.0	0.0
-0.0	G2		-0.000	0.000	-0.004	-0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.001	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.010	0.005	-0.000	-0.0	0.0
0.0	q5y_pc		-0.002	0.019	-0.001	-0.0	0.0
0.0	q5x_ps		0.009	0.007	-0.000	-0.0	0.0
0.0	q5y_ps		-0.001	0.017	-0.001	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		-0.000	0.011	-0.000	-0.0	0.0
0.0	SLVx-E~1		-0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		-0.000	0.005	-0.000	-0.0	0.0
744	Q1-1_2	Max	0.002	0.001	0.015	0.0	0.0
0.0		Min	-0.001	-0.001	-0.025	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.015	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.025	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.001	0.001	0.008	0.0	0.0
0.0		Min	-0.000	-0.001	-0.014	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.001	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.013	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.000	0.005	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0		Min	-0.000	-0.001	-0.009	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.008	-0.0	-0.0
-0.0		SLVx (RS)	-0.035	0.034	-0.001	0.0	-0.0
0.0		SLVy (RS)	0.022	0.096	-0.002	-0.0	0.0
0.0		SLVz (RS)	-0.000	-0.000	0.002	0.0	-0.0
-0.0		G1	-0.000	0.000	-0.014	-0.0	0.0
-0.0		G2	-0.000	0.000	-0.005	-0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.001	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
-0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.009	0.005	-0.000	-0.0	0.0
0.0	q5y_pc		-0.002	0.019	-0.001	-0.0	0.0
0.0	q5x_ps		0.009	0.007	-0.000	-0.0	0.0
0.0	q5y_ps		-0.002	0.017	-0.001	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		-0.001	0.012	-0.001	-0.0	0.0
0.0	SLVx-E~1		-0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		-0.000	0.005	-0.000	-0.0	0.0
745	Q1-1_2	Max	0.002	0.001	0.016	0.0	0.0
0.0		Min	-0.001	-0.001	-0.027	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.015	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.026	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.009	0.0	0.0
0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-0.0							
0.0	Q2a-3_4	Max	0.000	0.001	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.014	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.010	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.008	-0.0	-0.0
-0.0	SLVx (RS)		-0.034	0.034	-0.001	0.0	-0.0
0.0	SLVy (RS)		0.022	0.096	-0.003	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	0.002	0.0	-0.0
-0.0	G1		0.000	0.000	-0.015	-0.0	0.0
-0.0	G2		0.000	0.000	-0.005	-0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.001	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	-0.0	0.0
-0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.009	0.005	-0.000	-0.0	0.0
0.0	q5y_pc		-0.002	0.019	-0.001	-0.0	0.0
0.0	q5x_ps		0.009	0.007	-0.000	-0.0	0.0
0.0	q5y_ps		-0.002	0.017	-0.001	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		-0.001	0.012	-0.001	-0.0	0.0
0.0	SLVx-E~1		-0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		-0.000	0.005	-0.000	-0.0	0.0
746	Q1-1_2	Max	0.002	0.001	0.016	0.0	0.0
0.0		Min	-0.001	-0.001	-0.028	-0.0	-0.0
-0.0							

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-3_4	Max	0.001	0.002	0.016	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.028	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.016	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.001	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.015	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.010	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.009	-0.0	-0.0
-0.0	SLVx (RS)		-0.034	0.034	-0.001	0.0	-0.0
0.0	SLVy (RS)		0.022	0.096	-0.003	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	0.003	0.0	-0.0
-0.0	G1		0.000	0.000	-0.017	-0.0	0.0
-0.0	G2		0.000	0.000	-0.006	-0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.001	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	-0.0	0.0
-0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.009	0.005	-0.000	-0.0	0.0
0.0	q5y_pc		-0.002	0.019	-0.001	-0.0	0.0
0.0	q5x_ps		0.008	0.006	-0.000	-0.0	0.0
0.0	q5y_ps		-0.002	0.017	-0.001	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		-0.001	0.012	-0.001	-0.0	0.0
0.0	SLVx-E~1		-0.000	0.002	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	SLVy-E~1	-0.001	0.005	-0.000	-0.0	0.0
0.0						
747	Q1-1_2	Max	0.002	0.001	0.017	0.0
0.0		Min	-0.001	-0.001	-0.030	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.002	0.016	0.0
0.0		Min	-0.001	-0.001	-0.029	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.009	0.0
0.0		Min	-0.000	-0.001	-0.016	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.001	0.009	0.0
0.0		Min	-0.001	-0.001	-0.016	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.000	0.006	0.0
0.0		Min	-0.000	-0.001	-0.011	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.005	0.0
0.0		Min	-0.001	-0.000	-0.009	-0.0
-0.0						
-0.0	SLVx (RS)		-0.033	0.034	-0.001	0.0
-0.0	SLVy (RS)		0.022	0.095	-0.003	-0.0
0.0	SLVz (RS)		-0.000	-0.000	0.003	0.0
0.0	G1		0.000	0.000	-0.018	-0.0
-0.0	G2		0.000	0.000	-0.006	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	-0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0
0.0	q3		-0.001	0.009	-0.000	-0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0
-0.0	q4-2		0.001	-0.000	0.000	-0.0
0.0	q4-3		0.000	-0.001	0.000	-0.0
0.0	q4-4		-0.000	-0.001	-0.000	0.0
-0.0	q5x_pc		0.009	0.005	-0.000	-0.0
0.0	q5y_pc		-0.002	0.019	-0.001	-0.0
0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q5x_ps		0.008	0.006	-0.000	-0.0	0.0
0.0	q5y_ps		-0.002	0.017	-0.001	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		-0.001	0.013	-0.001	-0.0	0.0
0.0	SLVx-E~1		-0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1		-0.001	0.005	-0.000	-0.0	0.0
748	Q1-1_2	Max	0.002	0.001	0.017	0.0	0.0
0.0		Min	-0.001	-0.001	-0.031	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.017	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.030	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.017	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.017	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.011	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.010	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.033	0.034	-0.001	0.0	-0.0
0.0	SLVy (RS)		0.022	0.095	-0.003	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	0.003	0.0	-0.0
-0.0	G1		0.000	0.000	-0.019	-0.0	0.0
-0.0	G2		0.000	0.000	-0.007	-0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.001	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	0.0
-0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0

PROJECT TITLE :

MIDAS		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q4-3	0.000	-0.001	0.000	-0.0	0.0
0.0	q4-4	-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q5x_pc	0.008	0.004	-0.000	-0.0	0.0
0.0	q5y_pc	-0.003	0.018	-0.001	-0.0	0.0
0.0	q5x_ps	0.008	0.006	-0.000	-0.0	0.0
0.0	q5y_ps	-0.002	0.016	-0.001	-0.0	0.0
0.0	q7	0.001	-0.000	0.000	-0.0	0.0
0.0	T	-0.001	0.013	-0.001	-0.0	0.0
0.0	SLVx-E~1	-0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1	-0.001	0.005	0.000	-0.0	0.0
0.0						
749	Q1-1_2	Max	0.002	0.001	0.017	0.0
0.0		Min	-0.001	-0.001	-0.032	-0.0
-0.0						
	Q1-3_4	Max	0.001	0.002	0.017	0.0
0.0		Min	-0.001	-0.001	-0.031	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.001	0.009	0.0
0.0		Min	-0.000	-0.001	-0.018	-0.0
-0.0						
	Q2a-3_4	Max	0.001	0.001	0.009	0.0
0.0		Min	-0.001	-0.001	-0.017	-0.0
-0.0						
	Q1-1	Max	0.001	0.000	0.006	0.0
0.0		Min	-0.000	-0.001	-0.012	-0.0
-0.0						
	Q1-3	Max	0.000	0.001	0.005	0.0
0.0		Min	-0.001	-0.000	-0.010	-0.0
-0.0						
	SLVx (RS)		-0.032	0.034	-0.001	0.0
-0.0	SLVy (RS)		0.023	0.094	-0.003	-0.0
0.0	SLVz (RS)		-0.000	-0.000	0.003	0.0
0.0	G1		0.000	0.000	-0.020	-0.0
-0.0	G2		0.000	0.000	-0.007	-0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	-0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0
0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.002	0.009	-0.000	-0.0	0.0
-0.0	q4-1		-0.000	0.001	-0.000	-0.0	0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	-0.0	0.0
-0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.008	0.004	-0.000	-0.0	0.0
0.0	q5y_pc		-0.003	0.018	-0.001	-0.0	0.0
0.0	q5x_ps		0.008	0.006	-0.000	-0.0	0.0
0.0	q5y_ps		-0.002	0.016	-0.001	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		-0.001	0.013	-0.001	-0.0	0.0
0.0	SLVx-E~1		-0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		-0.001	0.005	0.000	-0.0	0.0
750	Q1-1_2	Max	0.002	0.001	0.017	0.0	0.0
0.0		Min	-0.001	-0.001	-0.033	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.017	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.032	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.001	0.001	0.010	0.0	0.0
0.0		Min	-0.000	-0.001	-0.018	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
0.0							
-0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.001	-0.000	-0.010	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.032	0.035	-0.001	0.0	-0.0
0.0	SLVy (RS)		0.023	0.094	-0.003	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	0.004	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	G1		0.000	0.000	-0.021	-0.0	0.0
-0.0	G2		0.000	0.000	-0.008	-0.0	0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.002	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	0.0
-0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	-0.0	0.0
0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q5x_pc		0.008	0.004	-0.000	-0.0	0.0
0.0	q5y_pc		-0.003	0.018	-0.001	-0.0	0.0
0.0	q5x_ps		0.007	0.006	-0.000	-0.0	0.0
0.0	q5y_ps		-0.003	0.016	-0.001	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		-0.002	0.014	-0.001	-0.0	0.0
0.0	SLVx-E~1		-0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		-0.001	0.005	0.000	-0.0	0.0
0.0							
751	Q1-1_2	Max	0.002	0.001	0.017	0.0	0.0
0.0		Min	-0.001	-0.001	-0.034	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.017	0.0	0.0
0.0		Min	-0.001	-0.001	-0.033	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.010	0.0	0.0
0.0		Min	-0.000	-0.001	-0.019	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
-0.0							

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
		Min	-0.000	-0.000	-0.010	-0.0	-0.0
-0.0	SLVx	(RS)	-0.031	0.035	-0.002	0.0	-0.0
-0.0	SLVy	(RS)	0.023	0.093	-0.003	-0.0	0.0
0.0	SLVz	(RS)	-0.000	-0.000	0.004	0.0	-0.0
0.0	G1		0.000	0.000	-0.022	-0.0	0.0
-0.0	G2		0.000	0.000	-0.008	-0.0	0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.002	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	0.0
-0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	-0.0	0.0
0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q5x_pc		0.008	0.004	-0.000	-0.0	0.0
0.0	q5y_pc		-0.003	0.018	-0.001	-0.0	0.0
0.0	q5x_ps		0.007	0.006	-0.000	-0.0	0.0
0.0	q5y_ps		-0.003	0.016	-0.001	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	-0.0	0.0
0.0	T		-0.002	0.014	-0.001	-0.0	0.0
0.0	SLVx-E~1		-0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		-0.001	0.005	0.000	-0.0	0.0
0.0							
752	Q1-1_2	Max	0.002	0.001	0.017	0.0	0.0
0.0		Min	-0.001	-0.002	-0.034	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.017	0.0	0.0
0.0		Min	-0.001	-0.001	-0.034	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.010	0.0	0.0
0.0		Min	-0.000	-0.001	-0.019	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.011	-0.0	-0.0
0.0	SLVx	(RS)	-0.031	0.035	-0.002	0.0	-0.0
-0.0	SLVy	(RS)	0.023	0.093	-0.003	-0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.004	0.0	-0.0
0.0	G1		0.000	0.001	-0.023	-0.0	0.0
-0.0	G2		0.000	0.000	-0.008	-0.0	0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.002	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	0.0
-0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	-0.0	0.0
0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q5x_pc		0.008	0.004	-0.000	-0.0	0.0
0.0	q5y_pc		-0.003	0.018	-0.001	-0.0	0.0
0.0	q5x_ps		0.007	0.006	-0.000	-0.0	0.0
0.0	q5y_ps		-0.003	0.016	-0.001	-0.0	0.0
0.0	q7		0.000	-0.000	0.000	-0.0	0.0
0.0	T		-0.002	0.014	-0.001	-0.0	0.0
0.0	SLVx-E~1		-0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		-0.001	0.005	0.000	-0.0	0.0
0.0							
753	Q1-1_2	Max	0.002	0.001	0.017	0.0	0.0
0.0		Min	-0.001	-0.002	-0.035	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.017	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	Min	-0.001	-0.001	-0.034	-0.0	-0.0
0.0	Q2a-1_2 Max	0.001	0.001	0.009	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.019	-0.0	-0.0
0.0	Q2a-3_4 Max	0.001	0.001	0.009	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.019	-0.0	-0.0
0.0	Q1-1 Max	0.001	0.000	0.006	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.001	0.005	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.011	-0.0	-0.0
-0.0	SLVx (RS)	-0.030	0.035	-0.002	0.0	-0.0
0.0	SLVy (RS)	0.023	0.092	-0.003	-0.0	0.0
0.0	SLVz (RS)	-0.001	-0.000	0.004	0.0	-0.0
-0.0	G1	0.000	0.001	-0.023	-0.0	0.0
-0.0	G2	0.000	0.000	-0.008	-0.0	0.0
0.0	pp imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2	-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2	-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3	-0.002	0.009	-0.000	-0.0	0.0
-0.0	q4-1	-0.000	0.001	-0.000	-0.0	0.0
0.0	q4-2	0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3	0.000	-0.001	0.000	-0.0	0.0
-0.0	q4-4	-0.000	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc	0.007	0.004	-0.000	-0.0	0.0
0.0	q5y_pc	-0.003	0.018	-0.001	-0.0	0.0
0.0	q5x_ps	0.007	0.006	-0.000	-0.0	0.0
0.0	q5y_ps	-0.003	0.016	-0.001	-0.0	0.0
0.0	q7	0.000	-0.000	0.000	-0.0	0.0
0.0	T	-0.002	0.015	-0.001	-0.0	0.0
0.0	SLVx-E~1	-0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1	-0.001	0.005	0.000	-0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


754	Q1-1_2	Max	0.002	0.001	0.017	0.0	0.0
0.0		Min	-0.001	-0.002	-0.035	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.017	0.0	0.0
0.0		Min	-0.001	-0.001	-0.034	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.009	0.0	0.0
0.0		Min	-0.000	-0.001	-0.019	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
0.0		Min	-0.000	-0.001	-0.019	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
0.0		Min	-0.000	-0.000	-0.011	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.030	0.035	-0.002	0.0	-0.0
-0.0							
	SLVy (RS)		0.023	0.092	-0.003	-0.0	0.0
0.0							
	SLVz (RS)		-0.001	-0.000	0.004	0.0	-0.0
0.0							
-0.0	G1		0.001	0.001	-0.024	-0.0	0.0
-0.0	G2		0.000	0.000	-0.008	-0.0	0.0
	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0							
	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0							
	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0							
	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0							
	q3		-0.002	0.009	-0.000	-0.0	0.0
0.0							
	q4-1		-0.000	0.001	-0.000	-0.0	0.0
-0.0							
	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0							
	q4-3		0.000	-0.001	0.000	-0.0	0.0
-0.0							
	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
-0.0							
	q5x_pc		0.007	0.004	-0.000	-0.0	0.0
0.0							
	q5y_pc		-0.004	0.018	-0.001	-0.0	0.0
0.0							
	q5x_ps		0.006	0.005	-0.000	-0.0	0.0
0.0							
	q5y_ps		-0.003	0.016	-0.001	-0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q7	0.000	-0.000	0.000	-0.0	0.0	
0.0	T	-0.003	0.015	-0.001	-0.0	0.0	
0.0	SLVx-E~1	-0.000	0.002	0.000	-0.0	0.0	
0.0	SLVy-E~1	-0.001	0.005	0.000	-0.0	0.0	
0.0							
755	Q1-1_2	Max	0.002	0.001	0.017	0.0	0.0
0.0		Min	-0.001	-0.002	-0.035	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.016	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.034	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.019	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.019	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.011	-0.0	-0.0
0.0							
0.0	SLVx (RS)		-0.029	0.036	-0.002	0.0	-0.0
0.0	SLVy (RS)		0.024	0.091	-0.003	-0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.004	0.0	-0.0
0.0	G1		0.001	0.001	-0.024	-0.0	0.0
-0.0	G2		0.000	0.000	-0.009	-0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.002	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	0.0
-0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	-0.0	0.0
-0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.007	0.004	-0.000	-0.0	0.0
0.0	q5y_pc		-0.004	0.018	-0.001	-0.0	0.0
0.0	q5x_ps		0.006	0.005	-0.000	-0.0	0.0
0.0	q5y_ps		-0.003	0.016	-0.001	-0.0	0.0
0.0	q7		0.000	-0.000	0.000	-0.0	0.0
0.0	T		-0.003	0.015	-0.001	-0.0	0.0
0.0	SLVx-E~1		-0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		-0.001	0.005	0.000	-0.0	0.0
756	Q1-1_2	Max	0.002	0.002	0.016	0.0	0.0
0.0		Min	-0.001	-0.002	-0.035	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.016	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.034	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.019	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.009	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.019	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.011	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.029	0.036	-0.002	0.0	-0.0
0.0	SLVy (RS)		0.024	0.091	-0.003	-0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.004	0.0	-0.0
-0.0	G1		0.001	0.001	-0.024	-0.0	0.0
-0.0	G2		0.000	0.000	-0.009	-0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0						
0.0	q3	-0.002	0.009	-0.000	-0.0	0.0
-0.0	q4-1	-0.000	0.001	-0.000	-0.0	0.0
0.0	q4-2	0.001	-0.000	0.000	-0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	-0.0	0.0
-0.0	q4-4	-0.000	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc	0.007	0.003	-0.000	-0.0	0.0
0.0	q5y_pc	-0.004	0.018	-0.001	-0.0	0.0
0.0	q5x_ps	0.006	0.005	-0.000	-0.0	0.0
0.0	q5y_ps	-0.003	0.016	-0.001	-0.0	0.0
0.0	q7	0.000	-0.000	0.000	-0.0	0.0
0.0	T	-0.003	0.015	-0.001	-0.0	0.0
0.0	SLVx-E~1	-0.000	0.002	0.000	0.0	0.0
0.0	SLVy-E~1	-0.001	0.005	0.000	0.0	0.0
0.0						
757	Q1-1_2	Max	0.002	0.002	0.016	0.0
0.0		Min	-0.001	-0.002	-0.034	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.002	0.016	0.0
-0.0		Min	-0.001	-0.001	-0.034	-0.0
0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.009	0.0
-0.0		Min	-0.000	-0.001	-0.019	-0.0
0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.008	0.0
-0.0		Min	-0.000	-0.001	-0.019	-0.0
0.0						
0.0	Q1-1	Max	0.001	0.000	0.006	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0
0.0						
0.0	Q1-3	Max	0.000	0.001	0.005	0.0
-0.0		Min	-0.000	-0.000	-0.011	-0.0
0.0						
-0.0	SLVx (RS)	-0.029	0.036	-0.002	0.0	-0.0
0.0	SLVy (RS)	0.024	0.090	-0.003	-0.0	0.0
0.0	SLVz (RS)	-0.001	-0.000	0.004	0.0	-0.0
0.0						
-0.0	G1	0.001	0.001	-0.024	-0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
	G2	0.000	0.000	-0.009	-0.0	0.0	
-0.0	pp imp~1	0.000	-0.000	-0.000	-0.0	0.0	
0.0	perm i~1	0.000	-0.000	-0.000	-0.0	0.0	
0.0	pp2	-0.000	-0.000	-0.000	-0.0	0.0	
0.0	perm2	-0.000	-0.000	-0.000	-0.0	0.0	
0.0	q3	-0.002	0.009	-0.000	-0.0	0.0	
0.0	q4-1	-0.000	0.001	-0.000	-0.0	0.0	
-0.0	q4-2	0.001	-0.000	0.000	-0.0	0.0	
0.0	q4-3	0.000	-0.001	0.000	-0.0	0.0	
-0.0	q4-4	-0.000	-0.001	-0.000	0.0	-0.0	
-0.0	q5x_pc	0.006	0.003	-0.000	-0.0	0.0	
0.0	q5y_pc	-0.004	0.018	-0.001	-0.0	0.0	
0.0	q5x_ps	0.006	0.005	-0.000	-0.0	0.0	
0.0	q5y_ps	-0.004	0.016	-0.001	-0.0	0.0	
0.0	q7	0.000	-0.000	0.000	-0.0	0.0	
0.0	T	-0.003	0.016	-0.001	-0.0	0.0	
0.0	SLVx-E~1	-0.001	0.002	0.000	0.0	0.0	
0.0	SLVy-E~1	-0.001	0.005	0.000	0.0	0.0	
0.0							
758	Q1-1_2	Max	0.002	0.002	0.015	0.0	0.0
0.0		Min	-0.001	-0.002	-0.034	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.015	0.0	0.0
0.0		Min	-0.001	-0.001	-0.033	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.009	0.0	0.0
0.0		Min	-0.000	-0.001	-0.019	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.008	0.0	0.0
0.0		Min	-0.000	-0.001	-0.018	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.000	0.006	0.0	0.0
0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
0.0		Min	-0.000	-0.000	-0.010	-0.0	-0.0

PROJECT TITLE :


			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	SLVx (RS)		-0.028	0.037	-0.002	0.0	-0.0
-0.0	SLVy (RS)		-0.025	0.090	-0.003	-0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.004	0.0	-0.0
0.0	G1		0.001	0.001	-0.024	-0.0	0.0
-0.0	G2		0.000	0.000	-0.009	-0.0	0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.002	0.009	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	0.0
-0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	-0.0	0.0
-0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q5x_pc		0.006	0.003	-0.000	-0.0	0.0
0.0	q5y_pc		-0.004	0.018	-0.001	-0.0	0.0
0.0	q5x_ps		0.005	0.005	-0.000	-0.0	0.0
0.0	q5y_ps		-0.004	0.016	-0.001	-0.0	0.0
0.0	q7		0.000	-0.000	0.000	-0.0	0.0
0.0	T		-0.003	0.016	-0.001	-0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1		-0.001	0.005	0.000	0.0	0.0
0.0							
759	Q1-1_2	Max	0.002	0.002	0.015	0.0	0.0
0.0		Min	-0.001	-0.002	-0.033	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.015	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.032	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.001	0.001	0.008	0.0	0.0
0.0		Min	-0.000	-0.001	-0.018	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.018	-0.0	-0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-1	Max	0.001	0.000	0.005	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.005	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.010	-0.0	-0.0
-0.0	SLVx	(RS)	-0.028	0.037	-0.002	0.0	-0.0
0.0	SLVy	(RS)	-0.025	0.089	-0.003	-0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.004	0.0	-0.0
-0.0	G1		0.001	0.001	-0.024	-0.0	0.0
-0.0	G2		0.000	0.000	-0.009	-0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.002	0.009	-0.000	-0.0	0.0
-0.0	q4-1		-0.000	0.001	-0.000	-0.0	0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	0.0
-0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.006	0.003	-0.000	-0.0	0.0
0.0	q5y_pc		-0.004	0.018	-0.001	-0.0	0.0
0.0	q5x_ps		0.005	0.005	-0.000	-0.0	0.0
0.0	q5y_ps		-0.004	0.016	-0.001	-0.0	0.0
0.0	q7		0.000	-0.000	0.000	-0.0	0.0
0.0	T		-0.004	0.016	-0.000	-0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1		-0.001	0.005	0.000	0.0	0.0
760	Q1-1_2	Max	0.002	0.002	0.014	0.0	0.0
0.0		Min	-0.001	-0.002	-0.032	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.014	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.031	-0.0	-0.0


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q2a-1_2	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.018	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.017	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.005	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.012	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.004	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.010	-0.0	-0.0
-0.0	SLVx (RS)		-0.027	0.037	-0.001	0.0	-0.0
0.0	SLVy (RS)		-0.026	0.088	-0.003	-0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.004	0.0	-0.0
-0.0	G1		0.001	0.001	-0.023	-0.0	0.0
-0.0	G2		0.000	0.000	-0.008	-0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.003	0.008	-0.000	-0.0	0.0
-0.0	q4-1		-0.000	0.001	-0.000	-0.0	0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	0.0
-0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.006	0.003	-0.000	-0.0	0.0
0.0	q5y_pc		-0.004	0.017	-0.001	-0.0	0.0
0.0	q5x_ps		0.005	0.004	-0.000	-0.0	0.0
0.0	q5y_ps		-0.004	0.016	-0.001	-0.0	0.0
0.0	q7		0.000	-0.000	0.000	-0.0	0.0
0.0	T		-0.004	0.016	-0.000	-0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1		-0.001	0.005	0.000	0.0	0.0
761	Q1-1_2	Max	0.002	0.002	0.014	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.001	-0.002	-0.031	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.013	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.030	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.008	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.017	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.007	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.017	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.005	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.011	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.004	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.010	-0.0	-0.0
0.0	SLVx (RS)		-0.027	0.037	-0.001	0.0	-0.0
-0.0	SLVy (RS)		-0.026	0.088	-0.003	-0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.004	0.0	-0.0
0.0	G1		0.001	0.001	-0.023	-0.0	0.0
-0.0	G2		0.000	0.000	-0.008	-0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
-0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
-0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.003	0.008	-0.000	-0.0	0.0
-0.0	q4-1		-0.000	0.001	-0.000	-0.0	0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q5x_pc		0.005	0.003	-0.000	-0.0	0.0
0.0	q5y_pc		-0.005	0.017	-0.000	-0.0	0.0
-0.0	q5x_ps		0.005	0.004	-0.000	-0.0	0.0
0.0	q5y_ps		-0.004	0.015	-0.001	-0.0	0.0
-0.0	q7		0.000	-0.000	0.000	-0.0	0.0


PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	T		-0.004	0.017	-0.000	-0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1		-0.001	0.005	0.000	0.0	0.0
0.0							
762	Q1-1_2	Max	0.002	0.002	0.013	0.0	0.0
0.0		Min	-0.001	-0.002	-0.030	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.002	0.013	0.0	0.0
0.0		Min	-0.001	-0.001	-0.029	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.007	0.0	0.0
0.0		Min	-0.000	-0.001	-0.016	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.007	0.0	0.0
0.0		Min	-0.000	-0.001	-0.016	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.005	0.0	0.0
0.0		Min	-0.000	-0.001	-0.011	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.004	0.0	0.0
0.0		Min	-0.000	-0.000	-0.009	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.026	0.038	-0.001	0.0	-0.0
-0.0	SLVy (RS)		-0.026	0.087	-0.002	-0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.004	0.0	-0.0
0.0							
-0.0	G1		0.001	0.001	-0.022	0.0	0.0
-0.0	G2		0.000	0.000	-0.008	0.0	0.0
-0.0							
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0							
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0							
0.0	q3		-0.003	0.008	-0.000	-0.0	0.0
0.0							
-0.0	q4-1		-0.000	0.001	-0.000	-0.0	0.0
-0.0							
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0							
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0							
-0.0	q4-4		0.000	-0.001	-0.000	0.0	-0.0
-0.0							
	q5x_pc		0.005	0.002	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0						
0.0	q5y_pc		-0.005	0.017	-0.000	-0.0 0.0
0.0	q5x_ps		0.004	0.004	-0.000	-0.0 0.0
0.0	q5y_ps		-0.004	0.015	-0.001	-0.0 0.0
0.0	q7		0.000	-0.000	0.000	-0.0 0.0
0.0	T		-0.005	0.017	-0.000	-0.0 0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	0.0 0.0
0.0	SLVy-E~1		-0.001	0.005	0.000	0.0 0.0
0.0						
763	Q1-1_2	Max	0.002	0.002	0.012	0.0 0.0
0.0		Min	-0.001	-0.002	-0.028	-0.0 -0.0
-0.0						
0.0	Q1-3_4	Max	0.002	0.002	0.012	0.0 0.0
-0.0		Min	-0.001	-0.001	-0.028	-0.0 -0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.007	0.0 0.0
-0.0		Min	-0.000	-0.001	-0.016	-0.0 -0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.006	0.0 0.0
-0.0		Min	-0.000	-0.001	-0.015	-0.0 -0.0
0.0	Q1-1	Max	0.001	0.001	0.004	0.0 0.0
-0.0		Min	-0.000	-0.001	-0.010	-0.0 -0.0
0.0	Q1-3	Max	0.000	0.001	0.004	0.0 0.0
-0.0		Min	-0.000	-0.000	-0.009	-0.0 -0.0
0.0	SLVx (RS)		-0.026	0.038	-0.001	0.0 -0.0
0.0	SLVy (RS)		-0.027	0.087	-0.002	-0.0 0.0
0.0	SLVz (RS)		-0.001	-0.000	0.004	-0.0 -0.0
-0.0	G1		0.001	0.001	-0.021	0.0 0.0
-0.0	G2		0.000	0.000	-0.008	0.0 0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0 0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0 0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0 0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0 0.0
0.0	q3		-0.003	0.008	-0.000	-0.0 0.0
0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	q4-1	-0.000	0.001	-0.000	-0.0	0.0
0.0	q4-2	0.001	-0.000	-0.000	-0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc	0.005	0.002	-0.000	-0.0	0.0
0.0	q5y_pc	-0.005	0.017	-0.000	0.0	0.0
0.0	q5x_ps	0.004	0.004	-0.000	-0.0	0.0
0.0	q5y_ps	-0.004	0.015	-0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	-0.0	0.0
0.0	T	-0.005	0.017	-0.000	0.0	0.0
0.0	SLVx-E~1	-0.001	0.002	0.000	0.0	0.0
0.0	SLVy-E~1	-0.001	0.005	0.000	0.0	0.0
764	Q1-1_2	Max	0.002	0.002	0.011	0.0
0.0		Min	-0.001	-0.002	-0.026	-0.0
-0.0						
0.0	Q1-3_4	Max	0.002	0.002	0.011	0.0
-0.0		Min	-0.001	-0.001	-0.026	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.006	0.0
-0.0		Min	-0.000	-0.001	-0.015	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.006	0.0
-0.0		Min	-0.000	-0.001	-0.014	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.001	0.004	0.0
-0.0		Min	-0.000	-0.001	-0.010	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.003	0.0
-0.0		Min	-0.000	-0.000	-0.008	-0.0
-0.0						
-0.0	SLVx (RS)	-0.025	0.038	-0.001	0.0	-0.0
0.0	SLVy (RS)	-0.027	0.086	-0.002	-0.0	0.0
0.0	SLVz (RS)	-0.001	-0.000	0.004	-0.0	-0.0
-0.0	G1	0.001	0.001	-0.020	0.0	0.0
-0.0	G2	0.000	0.000	-0.007	0.0	0.0
-0.0	pp imp~1	0.000	-0.000	-0.000	-0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.003	0.008	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	0.0
-0.0	q4-2		0.001	-0.000	-0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	-0.0
-0.0	q5x_pc		0.005	0.002	-0.000	-0.0	0.0
0.0	q5y_pc		-0.005	0.017	-0.000	0.0	0.0
0.0	q5x_ps		0.004	0.004	-0.000	-0.0	0.0
0.0	q5y_ps		-0.004	0.015	-0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	-0.0	0.0
0.0	T		-0.005	0.017	-0.000	0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		-0.002	0.005	0.000	0.0	-0.0
0.0							
765	Q1-1_2	Max	0.002	0.002	0.010	0.0	0.0
0.0		Min	-0.001	-0.002	-0.025	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.002	0.002	0.010	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.024	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.014	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.006	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.004	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.009	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.003	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.008	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.025	0.039	-0.001	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	SLVy (RS)	-0.028	0.085	-0.002	-0.0	0.0
0.0	SLVz (RS)	-0.001	-0.000	0.004	-0.0	-0.0
-0.0	G1	0.001	0.001	-0.019	0.0	0.0
-0.0	G2	0.000	0.000	-0.007	0.0	0.0
0.0	pp imp~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1	0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2	-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2	-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3	-0.003	0.008	-0.000	-0.0	0.0
-0.0	q4-1	-0.000	0.001	-0.000	-0.0	0.0
0.0	q4-2	0.001	-0.000	-0.000	-0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc	0.004	0.002	-0.000	-0.0	0.0
0.0	q5y_pc	-0.005	0.017	-0.000	0.0	0.0
0.0	q5x_ps	0.004	0.003	-0.000	-0.0	0.0
0.0	q5y_ps	-0.005	0.015	-0.000	0.0	0.0
0.0	q7	0.000	-0.000	0.000	-0.0	0.0
0.0	T	-0.005	0.018	-0.000	0.0	0.0
0.0	SLVx-E~1	-0.001	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1	-0.002	0.005	0.000	0.0	-0.0
766	Q1-1_2	Max	0.002	0.002	0.010	0.0
0.0		Min	-0.001	-0.002	-0.023	-0.0
-0.0						
0.0	Q1-3_4	Max	0.002	0.002	0.009	0.0
-0.0		Min	-0.001	-0.001	-0.022	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.005	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.005	0.0
-0.0		Min	-0.000	-0.001	-0.012	-0.0
0.0	Q1-1	Max	0.001	0.001	0.003	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0		Min	-0.000	-0.001	-0.008	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.003	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.007	-0.0	-0.0
-0.0		SLVx (RS)	-0.025	0.039	0.001	0.0	-0.0
0.0		SLVy (RS)	-0.028	0.085	-0.002	-0.0	0.0
0.0		SLVz (RS)	-0.001	-0.001	0.003	-0.0	-0.0
-0.0		G1	0.001	0.001	-0.017	0.0	0.0
-0.0		G2	0.000	0.000	-0.006	0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.003	0.008	-0.000	-0.0	0.0
-0.0	q4-1		-0.000	0.001	-0.000	0.0	0.0
0.0	q4-2		0.001	-0.000	-0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.004	0.002	-0.000	-0.0	0.0
0.0	q5y_pc		-0.005	0.017	-0.000	0.0	0.0
0.0	q5x_ps		0.003	0.003	-0.000	-0.0	0.0
0.0	q5y_ps		-0.005	0.015	-0.000	0.0	0.0
0.0	q7		0.000	-0.000	0.000	-0.0	0.0
0.0	T		-0.006	0.018	-0.000	0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		-0.002	0.005	0.000	0.0	-0.0
767	Q1-1_2	Max	0.002	0.002	0.009	0.0	0.0
0.0		Min	-0.001	-0.002	-0.021	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.002	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.020	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.005	0.0	0.0
0.0		Min	-0.000	-0.001	-0.011	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.005	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.011	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.003	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.008	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.003	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.006	-0.0	-0.0
-0.0	SLVx (RS)		-0.024	0.039	0.001	0.0	-0.0
0.0	SLVy (RS)		-0.029	0.084	-0.002	-0.0	0.0
0.0	SLVz (RS)		-0.001	-0.001	0.003	-0.0	-0.0
-0.0	G1		0.001	0.001	-0.016	0.0	0.0
-0.0	G2		0.000	0.000	-0.006	0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.003	0.008	-0.000	-0.0	0.0
-0.0	q4-1		-0.000	0.002	-0.000	0.0	0.0
0.0	q4-2		0.001	-0.000	-0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.004	0.001	-0.000	-0.0	0.0
0.0	q5y_pc		-0.005	0.017	-0.000	0.0	0.0
0.0	q5x_ps		0.003	0.003	-0.000	-0.0	0.0
0.0	q5y_ps		-0.005	0.015	-0.000	0.0	0.0
0.0	q7		0.000	-0.001	0.000	-0.0	0.0
0.0	T		-0.006	0.018	-0.000	0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		-0.002	0.005	0.000	0.0	-0.0
768	Q1-1_2	Max	0.002	0.002	0.008	0.0	0.0
0.0		Min	-0.001	-0.002	-0.018	-0.0	-0.0
-0.0							

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-3_4	Max	0.002	0.002	0.008	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.018	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.001	0.004	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.010	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.004	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.010	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.003	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.007	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.002	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.006	-0.0	-0.0
-0.0	SLVx (RS)		-0.024	0.040	0.001	0.0	-0.0
0.0	SLVy (RS)		-0.029	0.083	-0.002	-0.0	0.0
0.0	SLVz (RS)		-0.001	-0.001	0.003	-0.0	-0.0
-0.0	G1		0.001	0.001	-0.014	0.0	0.0
-0.0	G2		0.000	0.000	-0.005	0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.003	0.008	-0.000	-0.0	0.0
-0.0	q4-1		-0.000	0.002	-0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	-0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.004	0.001	-0.000	-0.0	0.0
0.0	q5y_pc		-0.006	0.017	-0.000	0.0	0.0
0.0	q5x_ps		0.003	0.003	-0.000	-0.0	0.0
0.0	q5y_ps		-0.005	0.015	-0.000	0.0	0.0
0.0	q7		0.000	-0.001	0.000	-0.0	0.0
0.0	T		-0.006	0.018	-0.000	0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	SLVy-E~1	-0.002	0.005	0.000	0.0	-0.0
0.0						
769	Q1-1_2	Max	0.002	0.002	0.007	0.0
0.0		Min	-0.001	-0.002	-0.016	-0.0
-0.0						
0.0	Q1-3_4	Max	0.002	0.002	0.007	0.0
0.0		Min	-0.001	-0.002	-0.016	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.001	0.001	0.004	0.0
0.0		Min	-0.000	-0.001	-0.009	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.004	0.0
0.0		Min	-0.000	-0.001	-0.009	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.001	0.002	0.0
0.0		Min	-0.000	-0.001	-0.006	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.001	0.002	0.0
0.0		Min	-0.000	-0.000	-0.005	-0.0
-0.0						
-0.0	SLVx (RS)		-0.023	0.040	0.001	0.0
-0.0	SLVy (RS)		-0.030	0.082	-0.001	-0.0
0.0	SLVz (RS)		-0.001	-0.001	0.002	-0.0
0.0	G1		0.001	0.001	-0.013	0.0
-0.0	G2		0.000	0.000	-0.005	0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	-0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0
0.0	q3		-0.003	0.008	-0.000	-0.0
0.0	q4-1		-0.000	0.002	-0.000	0.0
-0.0	q4-2		0.001	-0.001	-0.000	-0.0
0.0	q4-3		0.000	-0.001	0.000	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0
-0.0	q5x_pc		0.003	0.001	-0.000	-0.0
0.0	q5y_pc		-0.006	0.016	-0.000	0.0
0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q5x_ps		0.003	0.003	-0.000	-0.0	0.0
0.0	q5y_ps		-0.005	0.015	-0.000	0.0	0.0
0.0	q7		0.000	-0.001	0.000	-0.0	-0.0
0.0	T		-0.007	0.018	-0.000	0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	0.0	-0.0
0.0	SLVy-E~1		-0.002	0.005	0.000	0.0	-0.0
770	Q1-1_2	Max	0.002	0.002	0.006	0.0	0.0
0.0		Min	-0.001	-0.002	-0.014	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.002	0.002	0.006	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.014	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.001	0.003	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.008	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.003	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.007	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.001	0.002	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.005	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.002	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.004	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.023	0.041	0.001	0.0	-0.0
0.0	SLVy (RS)		-0.030	0.082	-0.001	-0.0	0.0
0.0	SLVz (RS)		-0.001	-0.001	0.002	-0.0	-0.0
-0.0	G1		0.001	0.001	-0.011	0.0	0.0
-0.0	G2		0.000	0.000	-0.004	0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.003	0.008	-0.000	-0.0	0.0
0.0	q4-1		-0.000	0.002	-0.000	0.0	0.0
-0.0	q4-2		0.001	-0.001	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q4-3	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
-0.0	q5x_pc	0.003	0.001	-0.000	-0.0	0.0
0.0	q5y_pc	-0.006	0.016	-0.000	0.0	0.0
0.0	q5x_ps	0.002	0.002	-0.000	-0.0	0.0
0.0	q5y_ps	-0.005	0.014	-0.000	0.0	0.0
0.0	q7	0.000	-0.001	0.000	-0.0	-0.0
0.0	T	-0.007	0.019	-0.000	0.0	0.0
0.0	SLVx-E~1	-0.001	0.002	0.000	-0.0	-0.0
0.0	SLVy-E~1	-0.002	0.005	0.000	-0.0	-0.0
0.0						
771	Q1-1_2	Max	0.002	0.002	0.005	0.0
0.0		Min	-0.001	-0.002	-0.011	-0.0
-0.0						
	Q1-3_4	Max	0.002	0.003	0.005	0.0
0.0		Min	-0.001	-0.002	-0.011	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.001	0.003	0.0
0.0		Min	-0.000	-0.001	-0.006	-0.0
-0.0						
	Q2a-3_4	Max	0.001	0.001	0.002	0.0
0.0		Min	-0.000	-0.001	-0.006	-0.0
-0.0						
	Q1-1	Max	0.001	0.001	0.002	0.0
0.0		Min	-0.000	-0.001	-0.004	-0.0
-0.0						
	Q1-3	Max	0.000	0.001	0.001	0.0
0.0		Min	-0.000	-0.000	-0.004	-0.0
-0.0						
	SLVx (RS)		-0.023	0.041	0.001	0.0
-0.0	SLVy (RS)		-0.031	0.081	-0.001	-0.0
0.0	SLVz (RS)		-0.001	-0.001	0.002	-0.0
0.0						
	G1		0.001	0.001	-0.009	0.0
-0.0	G2		0.000	0.000	-0.003	0.0
-0.0						
	pp imp~1		0.000	-0.000	-0.000	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0
0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.003	0.008	-0.000	-0.0	0.0
-0.0	q4-1		-0.000	0.002	-0.000	0.0	0.0
0.0	q4-2		0.001	-0.001	-0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.003	0.000	-0.000	-0.0	0.0
0.0	q5y_pc		-0.006	0.016	-0.000	0.0	0.0
0.0	q5x_ps		0.002	0.002	-0.000	-0.0	0.0
0.0	q5y_ps		-0.005	0.014	-0.000	0.0	0.0
0.0	q7		0.000	-0.001	0.000	-0.0	-0.0
0.0	T		-0.007	0.019	-0.000	0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	-0.0	-0.0
0.0	SLVy-E~1		-0.002	0.004	0.000	-0.0	-0.0
772	Q1-1_2	Max	0.002	0.002	0.004	0.0	0.0
0.0		Min	-0.001	-0.002	-0.009	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.002	0.003	0.004	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.009	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.001	0.001	0.002	0.0	0.0
0.0		Min	-0.000	-0.001	-0.005	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.002	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.005	-0.0	-0.0
0.0							
-0.0	Q1-1	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.003	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.003	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.022	0.041	0.000	0.0	-0.0
0.0	SLVy (RS)		-0.031	0.080	-0.001	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.001	0.001	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0							
	G1		0.001	0.001	-0.007	0.0	0.0
-0.0		G2	0.000	0.001	-0.002	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0		pp2	-0.000	-0.000	-0.000	-0.0	0.0
0.0		perm2	-0.000	-0.000	-0.000	-0.0	0.0
0.0		q3	-0.003	0.008	-0.000	0.0	0.0
0.0		q4-1	-0.000	0.002	-0.000	0.0	0.0
-0.0		q4-2	0.001	-0.001	-0.000	-0.0	0.0
0.0		q4-3	0.000	-0.001	0.000	-0.0	-0.0
-0.0		q4-4	0.000	-0.000	-0.000	0.0	0.0
-0.0		q5x_pc	0.003	0.000	-0.000	-0.0	0.0
0.0		q5y_pc	-0.006	0.016	-0.000	0.0	0.0
0.0		q5x_ps	0.002	0.002	-0.000	-0.0	0.0
0.0		q5y_ps	-0.005	0.014	-0.000	0.0	0.0
0.0		q7	0.000	-0.001	0.000	-0.0	-0.0
0.0		T	-0.007	0.019	-0.000	0.0	0.0
0.0		SLVx-E~1	-0.001	0.002	0.000	-0.0	-0.0
0.0		SLVy-E~1	-0.002	0.004	0.000	-0.0	-0.0
0.0							
773	Q1-1_2	Max	0.002	0.002	0.003	0.0	0.0
0.0		Min	-0.001	-0.002	-0.006	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.002	0.003	0.002	0.0	0.0
0.0		Min	-0.001	-0.002	-0.006	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.003	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.003	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q1-3	Max	0.000	0.001	0.001	0.0	0.0
		Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0	SLVx	(RS)	-0.022	0.042	0.000	0.0	-0.0
-0.0	SLVy	(RS)	-0.032	0.080	-0.001	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.001	0.001	-0.0	-0.0
0.0	G1		0.001	0.002	-0.005	0.0	0.0
-0.0	G2		0.000	0.001	-0.002	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.003	0.008	-0.000	0.0	0.0
0.0	q4-1		-0.000	0.002	-0.000	0.0	0.0
-0.0	q4-2		0.001	-0.001	-0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0	q5x_pc		0.002	-0.000	-0.000	-0.0	0.0
0.0	q5y_pc		-0.006	0.016	-0.000	0.0	0.0
0.0	q5x_ps		0.002	0.001	-0.000	-0.0	0.0
0.0	q5y_ps		-0.005	0.014	-0.000	0.0	0.0
0.0	q7		0.000	-0.001	0.000	-0.0	-0.0
0.0	T		-0.008	0.019	-0.000	0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	-0.0	-0.0
0.0	SLVy-E~1		-0.002	0.004	0.000	-0.0	-0.0
0.0							
774	Q1-1_2	Max	0.002	0.002	0.001	0.0	0.0
0.0		Min	-0.001	-0.002	-0.004	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.002	0.003	0.001	0.0	0.0
0.0		Min	-0.001	-0.002	-0.004	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.001	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.001	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx	(RS)	-0.021	0.042	0.000	0.0	-0.0
0.0	SLVy	(RS)	-0.032	0.079	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.001	0.001	-0.0	-0.0
-0.0	G1		0.001	0.002	-0.003	0.0	0.0
-0.0	G2		0.001	0.001	-0.001	0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.003	0.008	-0.000	0.0	0.0
-0.0	q4-1		-0.000	0.002	-0.000	0.0	0.0
0.0	q4-2		0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.002	-0.000	-0.000	-0.0	0.0
0.0	q5y_pc		-0.006	0.016	-0.000	0.0	0.0
0.0	q5x_ps		0.001	0.001	-0.000	-0.0	0.0
0.0	q5y_ps		-0.006	0.014	-0.000	0.0	0.0
0.0	q7		0.000	-0.001	0.000	-0.0	-0.0
0.0	T		-0.008	0.019	-0.000	0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	-0.0	-0.0
0.0	SLVy-E~1		-0.002	0.004	0.000	-0.0	-0.0
775	Q1-1_2	Max	0.002	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.001	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.002	0.003	0.000	0.0	0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	Min	-0.001	-0.002	-0.001	-0.0	-0.0
0.0	Q2a-1_2 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.001	-0.0	-0.0
0.0	Q2a-3_4 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.001	-0.0	-0.0
0.0	Q1-1 Max	0.001	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.021	0.043	0.000	0.0	-0.0
0.0	SLVy (RS)	-0.033	0.078	0.000	0.0	0.0
0.0	SLVz (RS)	-0.001	-0.001	0.000	-0.0	-0.0
-0.0	G1	0.001	0.002	-0.001	0.0	0.0
-0.0	G2	0.001	0.001	-0.000	0.0	0.0
0.0	pp imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1	0.000	-0.000	-0.000	0.0	0.0
0.0	pp2	-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2	-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3	-0.003	0.008	-0.000	0.0	0.0
-0.0	q4-1	-0.000	0.002	-0.000	0.0	0.0
0.0	q4-2	0.000	-0.001	0.000	-0.0	0.0
-0.0	q4-3	0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc	0.002	-0.001	-0.000	0.0	0.0
0.0	q5y_pc	-0.006	0.016	-0.000	0.0	0.0
0.0	q5x_ps	0.001	0.001	-0.000	0.0	0.0
0.0	q5y_ps	-0.006	0.014	-0.000	0.0	0.0
0.0	q7	0.000	-0.001	0.000	-0.0	-0.0
0.0	T	-0.008	0.020	-0.000	0.0	0.0
0.0	SLVx-E~1	-0.001	0.002	0.000	-0.0	-0.0
0.0	SLVy-E~1	-0.002	0.004	0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

777	Q1-1_2	Max	0.002	0.006	0.000	0.0	0.0
0.0		Min	-0.003	-0.003	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.006	0.000	0.0	0.0
0.0		Min	-0.003	-0.003	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.002	-0.002	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.002	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.022	0.044	0.000	0.0	-0.0
-0.0							
	SLVy (RS)		-0.032	0.076	0.000	0.0	0.0
0.0							
	SLVz (RS)		-0.001	-0.001	0.000	-0.0	-0.0
0.0							
-0.0	G1		-0.002	0.004	-0.000	0.0	0.0
-0.0	G2		-0.001	0.002	-0.000	0.0	0.0
	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0							
	perm i~1		0.000	-0.000	0.000	0.0	0.0
0.0							
	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0							
	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0							
	q3		-0.003	0.008	-0.000	0.0	0.0
0.0							
	q4-1		-0.000	0.002	0.000	0.0	0.0
-0.0							
	q4-2		0.001	-0.001	0.000	-0.0	0.0
0.0							
	q4-3		0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	q4-4		0.000	-0.000	-0.000	0.0	0.0
-0.0							
	q5x_pc		0.002	-0.001	0.000	0.0	0.0
0.0							
	q5y_pc		-0.006	0.015	0.000	0.0	0.0
0.0							
	q5x_ps		0.002	0.000	0.000	0.0	0.0
0.0							
	q5y_ps		-0.005	0.014	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


0.0	q7		0.000	-0.001	-0.000	-0.0	-0.0
0.0	T		-0.008	0.020	0.000	0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	-0.000	-0.0	-0.0
0.0	SLVy-E~1		-0.002	0.004	-0.000	-0.0	-0.0
0.0							
779	Q1-1_2	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.003	0.000	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.001	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.000	0.002	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.037	0.034	-0.004	0.0	-0.0
0.0	SLVy (RS)		0.024	0.096	0.003	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	-0.0	0.0
0.0	G1		-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	pp imp~1		0.000	-0.000	0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	-0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.009	0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	q4-4		-0.000	-0.001	-0.000	-0.0	-0.0
0.0	q5x_pc		0.011	0.005	0.001	-0.0	0.0
0.0	q5y_pc		0.000	0.019	0.000	-0.0	0.0
0.0	q5x_ps		0.011	0.006	0.001	-0.0	0.0
0.0	q5y_ps		0.000	0.017	0.000	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	0.0	0.0
0.0	T		0.001	0.008	0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.005	0.000	-0.0	0.0
780	Q1-1_2	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.003	-0.001	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.003	0.000	0.0	0.0
-0.0		Min	-0.001	-0.003	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-1_2	Max	0.001	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
0.0							
0.0	Q2a-3_4	Max	0.000	0.002	0.000	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
0.0							
0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0							
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0							
-0.0	SLVx (RS)		-0.037	0.032	0.004	0.0	-0.0
0.0	SLVy (RS)		0.024	0.102	-0.003	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	-0.0	0.0
-0.0	G1		-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	pp imp~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp2		-0.000	0.000	0.000	-0.0	-0.0
0.0	perm2		-0.000	0.000	0.000	-0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q3	0.000	0.010	-0.000	-0.0	0.0
0.0	q4-1	-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2	0.001	-0.000	-0.000	-0.0	0.0
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4	-0.000	-0.001	0.000	-0.0	-0.0
-0.0	q5x_pc	0.011	0.006	-0.001	-0.0	0.0
0.0	q5y_pc	-0.000	0.019	-0.000	-0.0	0.0
0.0	q5x_ps	0.011	0.008	-0.001	-0.0	0.0
0.0	q5y_ps	0.000	0.017	-0.000	-0.0	0.0
0.0	q7	0.001	-0.000	-0.000	0.0	0.0
0.0	T	0.001	0.008	-0.000	-0.0	0.0
0.0	SLVx-E~1	0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1	0.000	0.006	-0.000	-0.0	0.0
0.0						
781	Q1-1_2	Max	0.001	0.003	0.000	0.0
0.0		Min	-0.001	-0.003	-0.001	-0.0
-0.0						
	Q1-3_4	Max	0.001	0.003	0.000	0.0
0.0		Min	-0.001	-0.003	-0.000	-0.0
-0.0						
	Q2a-1_2	Max	0.001	0.002	0.000	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0
-0.0						
	Q2a-3_4	Max	0.000	0.002	0.000	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0
-0.0						
	Q1-1	Max	0.001	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
	Q1-3	Max	0.000	0.001	0.000	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0
-0.0						
	SLVx (RS)		-0.036	0.031	0.004	-0.0
-0.0	SLVy (RS)		0.023	0.099	-0.003	-0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0
0.0	G1		-0.000	-0.000	-0.001	0.0
-0.0						


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	G2	-0.000	-0.000	-0.000	0.0	-0.0
0.0	pp imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1	0.000	-0.000	-0.000	0.0	0.0
0.0	pp2	-0.000	0.000	0.000	-0.0	-0.0
0.0	perm2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q3	0.000	0.009	-0.000	-0.0	0.0
0.0	q4-1	-0.000	0.001	0.000	-0.0	-0.0
0.0	q4-2	0.001	-0.000	-0.000	0.0	0.0
0.0	q4-3	0.000	-0.001	-0.000	0.0	0.0
0.0	q4-4	-0.000	-0.001	0.000	0.0	-0.0
-0.0	q5x_pc	0.011	0.006	-0.001	-0.0	0.0
0.0	q5y_pc	-0.000	0.019	-0.000	-0.0	-0.0
0.0	q5x_ps	0.010	0.008	-0.001	-0.0	0.0
0.0	q5y_ps	0.000	0.017	-0.000	-0.0	0.0
0.0	q7	0.001	-0.000	-0.000	0.0	0.0
0.0	T	0.001	0.007	-0.000	-0.0	0.0
0.0	SLVx-E~1	0.000	0.002	-0.000	-0.0	0.0
0.0	SLVy-E~1	0.000	0.006	-0.000	-0.0	0.0
782	Q1-1_2	Max	0.001	0.003	0.000	0.0
0.0		Min	-0.001	-0.003	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.001	0.003	0.000	0.0
-0.0		Min	-0.001	-0.003	-0.001	-0.0
0.0						
-0.0	Q2a-1_2	Max	0.001	0.002	0.000	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.002	0.000	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0
0.0						
0.0	Q1-1	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
0.0						
0.0	Q1-3	Max	0.000	0.001	0.000	0.0
		Min	-0.001	-0.001	-0.000	-0.0

PROJECT TITLE :


			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	SLVx (RS)		-0.036	0.033	-0.004	-0.0	-0.0
-0.0	SLVy (RS)		0.023	0.093	0.003	-0.0	0.0
0.0	SLVz (RS)		0.000	-0.000	0.000	0.0	0.0
0.0	G1		-0.000	-0.000	-0.001	0.0	-0.0
-0.0	G2		-0.000	-0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q3		0.000	0.009	0.000	-0.0	0.0
0.0	q4-1		-0.000	0.001	-0.000	-0.0	-0.0
0.0	q4-2		0.001	-0.000	0.000	0.0	0.0
0.0	q4-3		0.000	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.000	-0.001	-0.000	0.0	-0.0
-0.0	q5x_pc		0.011	0.005	0.001	-0.0	0.0
0.0	q5y_pc		0.000	0.018	0.000	-0.0	-0.0
0.0	q5x_ps		0.010	0.006	0.001	-0.0	0.0
0.0	q5y_ps		0.000	0.016	0.000	-0.0	0.0
0.0	q7		0.001	-0.000	0.000	0.0	0.0
0.0	T		0.001	0.007	0.000	-0.0	0.0
0.0	SLVx-E~1		0.000	0.002	0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.005	0.000	-0.0	0.0
0.0							
783	Q1-1_2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.003	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.003	0.002	0.000	0.0	0.0
-0.0		Min	-0.003	-0.003	-0.001	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0

PROJECT TITLE :


	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.058	0.036	-0.007	-0.0	-0.0
0.0	SLVy	(RS)	0.074	0.065	-0.002	-0.0	-0.0
-0.0	SLVz	(RS)	-0.000	0.000	0.000	0.0	-0.0
0.0	G1		-0.000	0.000	-0.001	0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.008	0.005	-0.000	-0.0	0.0
0.0	q4-1		0.001	0.001	-0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	0.0	-0.0
0.0	q5x_pc		0.020	0.003	0.001	0.0	0.0
0.0	q5y_pc		0.008	0.015	-0.001	-0.0	-0.0
0.0	q5x_ps		0.021	0.004	0.001	0.0	0.0
0.0	q5y_ps		0.007	0.013	-0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	0.000	0.0	0.0
-0.0	T		-0.007	-0.006	0.000	0.0	-0.0
0.0	SLVx-E~1		0.002	0.001	0.000	0.0	-0.0
0.0	SLVy-E~1		0.005	0.003	0.000	0.0	-0.0
784	Q1-1_2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.003	-0.003	-0.001	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.003	0.003	0.000	0.0	0.0
-0.0		Min	-0.003	-0.003	-0.001	-0.0	-0.0


PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.060	0.035	0.007	-0.0	-0.0
0.0	SLVy (RS)		0.079	0.069	0.002	-0.0	-0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	0.0	-0.0
0.0	G1		0.000	0.000	-0.001	0.0	-0.0
0.0	G2		0.000	0.000	-0.000	0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.008	0.006	0.000	-0.0	0.0
0.0	q4-1		0.001	0.001	0.000	-0.0	-0.0
-0.0	q4-2		0.001	0.000	-0.000	0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.020	0.003	-0.001	0.0	0.0
0.0	q5y_pc		0.008	0.015	0.001	-0.0	-0.0
0.0	q5x_ps		0.022	0.004	-0.001	0.0	0.0
0.0	q5y_ps		0.007	0.014	0.001	-0.0	-0.0
-0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0	T		-0.007	-0.007	-0.000	0.0	-0.0
0.0	SLVx-E~1		0.002	0.001	-0.000	0.0	-0.0
0.0	SLVy-E~1		0.005	0.003	-0.000	0.0	-0.0
785	Q1-1_2	Max	0.003	0.002	0.000	0.0	0.0


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0		Min	-0.003	-0.003	-0.001	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.003	0.003	0.000	0.0	0.0
-0.0		Min	-0.003	-0.003	-0.001	-0.0	-0.0
0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	SLVx (RS)		-0.059	0.034	0.007	-0.0	-0.0
-0.0	SLVy (RS)		0.077	0.067	0.002	-0.0	0.0
0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		0.000	0.000	-0.000	-0.0	-0.0
0.0	pp imp~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	-0.000	0.0	0.0
0.0	q3		0.008	0.006	0.000	-0.0	0.0
0.0	q4-1		0.001	0.001	0.000	-0.0	0.0
-0.0	q4-2		0.001	0.000	-0.000	-0.0	0.0
0.0	q4-3		0.001	-0.001	-0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	-0.000	0.0	-0.0
0.0	q5x_pc		0.019	0.003	-0.001	-0.0	0.0
0.0	q5y_pc		0.008	0.015	0.001	-0.0	0.0
0.0	q5x_ps		0.021	0.004	-0.001	-0.0	0.0
0.0	q5y_ps		0.007	0.013	0.001	-0.0	0.0
0.0	q7		0.001	-0.000	-0.000	0.0	0.0
-0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	T		-0.007	-0.006	-0.000	0.0	-0.0
0.0	SLVx-E~1		0.002	0.001	-0.000	-0.0	0.0
0.0	SLVy-E~1		0.005	0.003	-0.000	-0.0	0.0
786	Q1-1_2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.003	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.003	0.002	0.000	0.0	0.0
-0.0		Min	-0.003	-0.002	-0.001	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
0.0							
-0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.057	0.035	-0.007	-0.0	-0.0
0.0	SLVy (RS)		0.072	0.064	-0.002	-0.0	0.0
-0.0	SLVz (RS)		-0.000	0.000	0.000	-0.0	-0.0
0.0	G1		-0.000	0.000	-0.001	-0.0	-0.0
0.0	G2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.008	0.005	-0.000	-0.0	0.0
0.0	q4-1		0.000	0.001	-0.000	-0.0	0.0
-0.0	q4-2		0.001	0.000	0.000	-0.0	0.0
0.0	q4-3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-4		-0.001	-0.001	0.000	0.0	-0.0
0.0	q5x_pc		0.019	0.003	0.001	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0						
0.0	q5y_pc	0.007	0.015	-0.001	-0.0	0.0
0.0	q5x_ps	0.021	0.004	0.001	-0.0	0.0
0.0	q5y_ps	0.007	0.013	-0.001	-0.0	0.0
0.0	q7	0.001	-0.000	0.000	0.0	0.0
-0.0	T	-0.007	-0.006	0.000	0.0	-0.0
-0.0	SLVx-E~1	0.002	0.001	0.000	-0.0	0.0
0.0	SLVy-E~1	0.004	0.003	0.000	-0.0	0.0
0.0						
787	Q1-1_2	Max	0.003	0.001	0.000	0.0
0.0		Min	-0.000	-0.003	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.003	0.001	0.000	0.0
-0.0		Min	-0.000	-0.003	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.002	0.001	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.001	0.000	0.000	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)	-0.133	0.054	-0.004	-0.0	-0.0
-0.0	SLVy (RS)	0.037	0.052	-0.006	-0.0	0.0
-0.0	SLVz (RS)	-0.000	-0.000	0.000	-0.0	-0.0
0.0	G1	0.002	-0.002	-0.001	0.0	0.0
-0.0	G2	0.001	-0.001	-0.000	0.0	0.0
-0.0						
0.0	pp imp~1	-0.003	0.000	-0.000	-0.0	-0.0
0.0	perm i~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2	0.000	-0.000	0.000	0.0	0.0
0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.001	-0.001	0.000	0.0	0.0
0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.002	-0.003	0.000	0.0	0.0
-0.0	q5x_pc		0.008	-0.002	-0.000	0.0	0.0
-0.0	q5y_pc		-0.004	0.007	-0.001	-0.0	-0.0
0.0	q5x_ps		0.001	-0.002	0.000	0.0	0.0
-0.0	q5y_ps		-0.004	0.006	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.001	0.000	0.0	0.0
0.0	SLVx-E~1		0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1		0.003	-0.003	0.000	0.0	0.0
788	Q1-1_2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.006	-0.004	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.003	0.002	0.000	0.0	0.0
-0.0		Min	-0.006	-0.004	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.003	-0.002	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.003	-0.002	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.002	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.066	0.064	-0.004	-0.0	0.0
0.0	SLVy (RS)		0.083	0.049	-0.006	-0.0	-0.0
0.0	SLVz (RS)		0.001	-0.000	0.000	-0.0	-0.0
0.0	G1		-0.004	-0.003	-0.001	0.0	0.0
0.0	G2		-0.002	-0.001	-0.000	0.0	0.0
0.0	pp imp~1		-0.000	0.001	-0.000	0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	0.000	0.000	0.0	0.0
-0.0	perm2		0.000	0.000	0.000	0.0	0.0
-0.0	q3		0.009	0.001	0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	0.000	0.0	0.0
0.0	q4-2		0.001	0.000	-0.000	-0.0	-0.0
0.0	q4-3		0.001	-0.000	0.000	0.0	-0.0
-0.0	q4-4		-0.001	-0.003	0.000	0.0	0.0
0.0	q5x_pc		0.021	0.000	-0.000	0.0	-0.0
0.0	q5y_pc		0.008	0.010	-0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	0.000	0.0	-0.0
0.0	q5y_ps		0.007	0.009	-0.000	-0.0	-0.0
0.0	q7		0.001	0.000	0.000	0.0	-0.0
-0.0	T		-0.022	-0.005	0.000	0.0	0.0
-0.0	SLVx-E~1		0.002	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1		0.005	-0.002	0.000	0.0	0.0
0.0							
789	Q1-1_2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.001	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.003	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.001	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.001	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.134	0.054	0.009	-0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	SLVy (RS)	0.037	0.052	0.007	-0.0	0.0
0.0	SLVz (RS)	-0.000	-0.000	0.000	-0.0	-0.0
-0.0	G1	0.002	-0.002	-0.001	0.0	0.0
-0.0	G2	0.001	-0.001	-0.000	0.0	0.0
0.0	pp imp~1	-0.003	0.000	-0.000	-0.0	-0.0
0.0	perm i~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2	0.000	-0.000	-0.000	0.0	0.0
0.0	perm2	0.000	-0.000	-0.000	0.0	0.0
0.0	q3	0.001	-0.001	-0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-2	-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-3	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4	0.002	-0.003	-0.000	0.0	0.0
-0.0	q5x_pc	0.008	-0.002	-0.000	0.0	0.0
-0.0	q5y_pc	-0.004	0.007	0.001	-0.0	-0.0
0.0	q5x_ps	0.001	-0.002	-0.000	0.0	0.0
-0.0	q5y_ps	-0.004	0.006	0.001	-0.0	-0.0
0.0	q7	0.000	-0.000	-0.000	0.0	0.0
0.0	T	0.000	-0.001	-0.000	0.0	0.0
0.0	SLVx-E~1	0.001	-0.001	-0.000	0.0	0.0
0.0	SLVy-E~1	0.003	-0.003	-0.000	0.0	0.0
790	Q1-1_2	Max	0.003	0.002	0.000	0.0
0.0		Min	-0.005	-0.004	-0.001	-0.0
-0.0						
0.0	Q1-3_4	Max	0.003	0.002	0.000	0.0
-0.0		Min	-0.005	-0.004	-0.001	-0.0
0.0						
-0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0
0.0		Min	-0.003	-0.002	-0.001	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.001	0.001	0.000	0.0
-0.0		Min	-0.003	-0.002	-0.000	-0.0
0.0						
0.0	Q1-1	Max	0.001	0.001	0.000	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
-0.0		Min	-0.002	-0.001	-0.000	-0.0	-0.0
-0.0		SLVx (RS)	-0.068	0.064	0.009	-0.0	0.0
0.0		SLVy (RS)	0.090	0.050	0.007	-0.0	-0.0
0.0		SLVz (RS)	0.001	-0.000	0.000	-0.0	-0.0
0.0		G1	-0.004	-0.003	-0.001	0.0	0.0
0.0		G2	-0.001	-0.001	-0.000	0.0	0.0
-0.0	pp imp~1		-0.000	0.001	-0.000	0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0	pp2		0.000	0.000	-0.000	0.0	0.0
-0.0	perm2		0.000	0.000	-0.000	0.0	0.0
0.0	q3		0.010	0.001	-0.000	0.0	-0.0
0.0	q4-1		0.001	0.000	-0.000	0.0	0.0
0.0	q4-2		0.001	0.000	0.000	-0.0	-0.0
-0.0	q4-3		0.001	-0.000	-0.000	0.0	-0.0
0.0	q4-4		-0.000	-0.003	-0.000	0.0	0.0
0.0	q5x_pc		0.021	0.000	-0.000	0.0	-0.0
0.0	q5y_pc		0.009	0.010	0.001	-0.0	-0.0
0.0	q5x_ps		0.023	0.002	-0.000	0.0	-0.0
0.0	q5y_ps		0.008	0.008	0.001	-0.0	-0.0
-0.0	q7		0.001	0.000	-0.000	0.0	-0.0
-0.0	T		-0.023	-0.005	-0.000	0.0	0.0
0.0	SLVx-E~1		0.003	-0.001	-0.000	0.0	0.0
0.0	SLVy-E~1		0.006	-0.002	-0.000	0.0	0.0
791	Q1-1_2	Max	0.001	0.005	0.000	0.0	0.0
0.0		Min	-0.002	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.001	0.006	0.000	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.001	0.003	0.000	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-0.0							
0.0	Q2a-3_4	Max	0.001	0.003	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.002	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.002	0.000	0.0	0.0
-0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.019	0.041	0.001	0.0	-0.0
0.0	SLVy (RS)		-0.036	0.080	-0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.001	0.000	-0.0	-0.0
-0.0	G1		-0.002	0.004	-0.000	0.0	0.0
-0.0	G2		-0.001	0.001	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.004	0.008	0.000	0.0	0.0
-0.0	q4-1		-0.000	0.002	-0.000	0.0	0.0
0.0	q4-2		0.000	-0.001	-0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.001	0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.001	0.000	-0.000	0.0	0.0
0.0	q5y_pc		-0.007	0.016	-0.000	0.0	0.0
0.0	q5x_ps		-0.000	0.002	-0.000	0.0	0.0
0.0	q5y_ps		-0.006	0.014	-0.000	0.0	0.0
0.0	q7		0.000	-0.001	0.000	-0.0	-0.0
0.0	T		-0.009	0.020	-0.000	0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	0.000	-0.0	-0.0
0.0	SLVy-E~1		-0.002	0.004	0.000	-0.0	-0.0
792	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.007	0.004	0.001	-0.0	-0.0
-0.0	SLVy (RS)		0.004	-0.002	-0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	0.001	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	pp2		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	-0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.001	-0.000	-0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps		0.001	-0.000	-0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
	SLVx-E~1		-0.000	0.000	0.000	-0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	SLVy-E~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0						
796	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0						
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0						
-0.0	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)	-0.007	0.004	0.001	-0.0	-0.0
-0.0	SLVy (RS)	0.004	-0.002	-0.000	0.0	0.0
-0.0	SLVz (RS)	-0.001	0.001	0.000	-0.0	-0.0
-0.0	G1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
-0.0	pp imp~1	0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1	0.000	-0.000	-0.000	0.0	0.0
0.0	pp2	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	perm2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-1	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	-0.000	0.0	0.0
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc	0.001	-0.000	-0.000	0.0	0.0
0.0	q5y_pc	0.000	-0.000	-0.000	0.0	0.0
0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q5x_ps		0.001	-0.000	-0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	-0.000	0.0	0.0
-0.0	q7		-0.000	0.000	0.000	-0.0	-0.0
0.0	T		0.000	-0.000	-0.000	0.0	0.0
-0.0	SLVx-E~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	0.000	-0.0	-0.0
797	Q1-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.008	0.004	0.001	-0.0	-0.0
-0.0	SLVy (RS)		0.005	-0.003	-0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	0.001	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	-0.000	0.0	0.0
-0.0	pp2		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	-0.000	0.0	0.0
	q4-2		0.000	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q4-3	-0.000	0.000	0.000	-0.0	-0.0
-0.0	q4-4	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_pc	0.001	-0.000	-0.000	0.0	0.0
0.0	q5y_pc	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps	0.001	-0.000	-0.000	0.0	0.0
0.0	q5y_ps	0.000	-0.000	-0.000	0.0	0.0
0.0	q7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLVy-E~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0						
798	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	0.000	0.000	0.000	0.0
0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	0.000	0.000	0.000	0.0
0.0						
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	0.000	0.000	0.000	0.0
0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
0.0		Min	0.000	0.000	0.000	0.0
0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
0.0		Min	0.000	0.000	0.000	0.0
0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
0.0		Min	0.000	0.000	0.000	0.0
0.0						
0.0	SLVx	(RS)	0.000	0.000	0.000	0.0
0.0	SLVy	(RS)	0.000	0.000	0.000	0.0
0.0	SLVz	(RS)	0.000	0.000	0.000	0.0
0.0	G1		0.000	0.000	0.000	0.0
0.0	G2		0.000	0.000	0.000	0.0
0.0	pp imp~1		0.000	0.000	0.000	0.0
0.0	perm i~1		0.000	0.000	0.000	0.0
0.0						

PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	pp2		0.000	0.000	0.000	0.0	0.0
0.0	perm2		0.000	0.000	0.000	0.0	0.0
0.0	q3		0.000	0.000	0.000	0.0	0.0
0.0	q4-1		0.000	0.000	0.000	0.0	0.0
0.0	q4-2		0.000	0.000	0.000	0.0	0.0
0.0	q4-3		0.000	0.000	0.000	0.0	0.0
0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q5x_pc		0.000	0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	0.000	0.000	0.0	0.0
0.0	q5x_ps		0.000	0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.000	0.000	0.0	0.0
0.0	T		0.000	0.000	0.000	0.0	0.0
0.0	SLVx-E~1		0.000	0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.000	0.000	0.000	0.0	0.0
799	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	0.0	0.0
0.0							
0.0	SLVx	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLVy	(RS)	0.000	0.000	0.000	0.0	0.0
0.0	SLVz	(RS)	0.000	0.000	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

0.0	G1		0.000	0.000	0.000	0.0	0.0
0.0	G2		0.000	0.000	0.000	0.0	0.0
0.0	pp imp~1		0.000	0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	0.000	0.000	0.0	0.0
0.0	pp2		0.000	0.000	0.000	0.0	0.0
0.0	perm2		0.000	0.000	0.000	0.0	0.0
0.0	q3		0.000	0.000	0.000	0.0	0.0
0.0	q4-1		0.000	0.000	0.000	0.0	0.0
0.0	q4-2		0.000	0.000	0.000	0.0	0.0
0.0	q4-3		0.000	0.000	0.000	0.0	0.0
0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q5x_pc		0.000	0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	0.000	0.000	0.0	0.0
0.0	q5x_ps		0.000	0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	0.000	0.000	0.0	0.0
0.0	q7		0.000	0.000	0.000	0.0	0.0
0.0	T		0.000	0.000	0.000	0.0	0.0
0.0	SLVx-E~1		0.000	0.000	0.000	0.0	0.0
0.0	SLVy-E~1		0.000	0.000	0.000	0.0	0.0
0.0							
800	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.000	0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	-0.0	0.0
0.0	G2		0.000	0.000	-0.000	-0.0	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
-0.0	q3		0.000	0.000	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
0.0	q4-2		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.000	0.000	0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.000	0.000	-0.0	0.0
0.0	q5x_ps		0.000	0.000	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.000	0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.000	-0.000	0.000	0.0	-0.0
-0.0	SLVx-E~1		0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.000	0.000	-0.0	0.0
0.0							
801	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.000	0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.000	0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	-0.0	0.0
0.0	G2		0.000	-0.000	-0.000	-0.0	0.0
0.0	pp imp~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm i~1		-0.000	0.000	0.000	-0.0	-0.0
-0.0	pp2		0.000	-0.000	0.000	0.0	0.0
-0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.000	0.000	0.000	-0.0	0.0
0.0	q4-1		0.000	0.000	0.000	-0.0	0.0
0.0	q4-2		0.000	0.000	0.000	-0.0	0.0
-0.0	q4-3		0.000	-0.000	-0.000	0.0	0.0
0.0	q4-4		-0.000	-0.000	-0.000	0.0	-0.0
0.0	q5x_pc		0.000	-0.000	0.000	-0.0	0.0
0.0	q5y_pc		0.000	0.000	0.000	-0.0	0.0
0.0	q5x_ps		0.000	-0.000	-0.000	-0.0	0.0
0.0	q5y_ps		0.000	0.000	0.000	-0.0	0.0
0.0	q7		0.000	-0.000	-0.000	0.0	0.0
-0.0	T		-0.000	-0.000	0.000	0.0	-0.0
-0.0	SLVx-E~1		0.000	0.000	0.000	-0.0	0.0
0.0	SLVy-E~1		0.000	0.000	0.000	-0.0	0.0
0.0							
802	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1_2 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3 Max	0.000	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	-0.007	0.003	-0.001	-0.0	-0.0
-0.0	SLVy (RS)	0.004	-0.002	0.000	0.0	0.0
-0.0	SLVz (RS)	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	G1	0.000	-0.000	-0.000	0.0	0.0
-0.0	G2	0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1	0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1	0.000	-0.000	0.000	0.0	0.0
-0.0	pp2	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	perm2	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
0.0	q4-2	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-4	0.000	-0.000	0.000	0.0	0.0
0.0	q5x_pc	0.001	-0.000	0.000	0.0	0.0
0.0	q5y_pc	0.000	-0.000	0.000	0.0	0.0
0.0	q5x_ps	0.001	-0.000	0.000	0.0	0.0
0.0	q5y_ps	0.000	-0.000	0.000	0.0	0.0
-0.0	q7	-0.000	0.000	-0.000	-0.0	-0.0
0.0	T	0.000	-0.000	0.000	0.0	0.0
-0.0	SLVx-E~1	-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1	-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


804	Q1-1_2	Max	0.002	0.002	0.002	0.0	0.0
0.0		Min	-0.001	-0.005	-0.001	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.001	0.002	0.002	0.0	0.0
0.0		Min	-0.002	-0.005	-0.001	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.001	-0.002	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.000	0.0	0.0
0.0		Min	-0.001	-0.001	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.066	0.068	0.004	-0.0	0.0
-0.0							
	SLVy (RS)		0.085	0.054	-0.002	-0.0	-0.0
0.0							
	SLVz (RS)		-0.000	0.000	-0.000	-0.0	-0.0
0.0							
	G1		-0.000	-0.003	0.000	0.0	0.0
0.0							
	G2		-0.000	-0.001	0.000	0.0	0.0
0.0							
	pp imp~1		-0.000	0.001	-0.000	0.0	-0.0
-0.0							
	perm i~1		-0.000	0.000	-0.000	0.0	-0.0
-0.0							
	pp2		0.000	0.000	0.000	0.0	0.0
-0.0							
	perm2		0.000	0.000	0.000	0.0	0.0
-0.0							
	q3		0.009	0.000	-0.000	0.0	-0.0
0.0							
	q4-1		0.001	0.000	-0.000	0.0	0.0
0.0							
	q4-2		0.001	0.000	0.000	-0.0	-0.0
0.0							
	q4-3		0.001	-0.000	-0.000	0.0	-0.0
-0.0							
	q4-4		-0.001	-0.004	-0.000	0.0	0.0
0.0							
	q5x_pc		0.021	0.000	-0.000	0.0	-0.0
0.0							
	q5y_pc		0.008	0.011	0.000	-0.0	-0.0
0.0							
	q5x_ps		0.023	0.002	-0.000	0.0	-0.0
0.0							
	q5y_ps		0.008	0.009	0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	q7	0.001	0.000	-0.000	0.0	-0.0	
-0.0	T	-0.023	-0.005	0.000	0.0	0.0	
-0.0	SLVx-E~1	0.002	-0.001	-0.000	0.0	0.0	
0.0	SLVy-E~1	0.006	-0.003	-0.000	0.0	0.0	
0.0							
805	Q1-1_2	Max	0.002	0.003	0.002	0.0	0.0
0.0		Min	-0.001	-0.002	-0.001	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.002	0.003	0.002	0.0	0.0
0.0		Min	-0.001	-0.002	-0.001	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.001	0.002	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.001	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.021	0.043	0.000	0.0	-0.0
-0.0	SLVy (RS)		-0.034	0.077	-0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.001	-0.000	-0.0	-0.0
0.0	G1		0.001	0.002	0.001	0.0	0.0
-0.0	G2		0.001	0.001	0.001	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
0.0	pp2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	perm2		-0.000	-0.000	-0.000	-0.0	0.0
0.0	q3		-0.003	0.008	0.000	0.0	0.0
0.0	q4-1		-0.000	0.002	0.000	0.0	0.0
-0.0	q4-2		0.000	-0.001	0.000	-0.0	0.0
0.0	q4-3		0.000	-0.001	-0.000	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q5x_pc		0.002	-0.001	0.000	0.0	0.0
0.0	q5y_pc		-0.007	0.015	0.000	0.0	0.0
0.0	q5x_ps		0.001	0.001	0.000	0.0	0.0
0.0	q5y_ps		-0.006	0.014	0.000	0.0	0.0
0.0	q7		0.000	-0.001	-0.000	-0.0	-0.0
0.0	T		-0.009	0.020	0.000	0.0	0.0
0.0	SLVx-E~1		-0.001	0.002	-0.000	-0.0	-0.0
0.0	SLVy-E~1		-0.002	0.004	-0.000	-0.0	-0.0
806	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0							
-0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.007	0.003	-0.001	-0.0	-0.0
-0.0	SLVy (RS)		0.004	-0.003	0.001	0.0	0.0
-0.0	SLVz (RS)		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
-0.0	pp2		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

-0.0							
	q3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q5x_pc		0.001	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	0.000	0.0	0.0
0.0	q5x_ps		0.001	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	T		0.000	-0.000	0.000	0.0	0.0
0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
807	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		0.000	0.001	-0.001	-0.0	-0.0
-0.0	SLVy (RS)		0.001	0.001	0.001	0.0	0.0
-0.0	SLVz (RS)		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	G1		-0.000	-0.000	-0.000	0.0	0.0
-0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	G2		-0.000	-0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	0.000	0.000	0.0	0.0
-0.0	pp2		0.000	0.000	-0.000	-0.0	-0.0
-0.0	perm2		0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	0.000	0.000	0.0	0.0
0.0	q4-2		0.000	0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-4		0.000	0.000	0.000	0.0	0.0
0.0	q5x_pc		0.000	0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	0.000	0.000	0.0	0.0
0.0	q5x_ps		0.000	0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	0.000	0.000	0.0	0.0
-0.0	q7		-0.000	-0.000	-0.000	-0.0	-0.0
0.0	T		0.000	0.000	0.000	0.0	0.0
-0.0	SLVx-E~1		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	-0.000	-0.000	-0.0	-0.0
808	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :


			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	SLVx (RS)		-0.007	0.004	-0.001	-0.0	-0.0
-0.0	SLVy (RS)		0.004	-0.002	0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	0.000	0.0	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
0.0	pp2		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q5x_pc		0.001	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	0.000	0.0	0.0
0.0	q5x_ps		0.001	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	T		0.000	-0.000	0.000	0.0	0.0
0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
809	Q1-1_2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	-0.008	0.004	-0.001	-0.0	-0.0
-0.0	SLVy	(RS)	0.005	-0.003	0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	0.001	-0.000	-0.0	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0	G2		0.000	-0.000	0.000	0.0	0.0
0.0	pp imp~1		0.000	-0.000	0.000	0.0	0.0
0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
-0.0	pp2		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-3		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q5x_pc		0.001	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	0.000	0.0	0.0
0.0	q5x_ps		0.001	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	0.000	0.0	0.0
-0.0	q7		-0.000	0.000	-0.000	-0.0	-0.0
0.0	T		0.000	-0.000	0.000	0.0	0.0
-0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
810	Q1-1_2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.003	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0

PROJECT TITLE :


	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.136	0.055	-0.004	-0.0	-0.0
-0.0	SLVy (RS)		0.038	0.054	0.001	-0.0	0.0
0.0	SLVz (RS)		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	G1		0.002	-0.002	-0.001	0.0	0.0
-0.0	G2		0.001	-0.001	-0.000	0.0	0.0
0.0	pp imp~1		-0.003	0.000	-0.000	-0.0	-0.0
0.0	perm i~1		-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2		0.000	-0.000	0.000	0.0	0.0
0.0	perm2		0.000	-0.000	0.000	0.0	0.0
0.0	q3		0.001	-0.001	0.000	0.0	0.0
0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2		-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-3		0.000	-0.000	0.000	0.0	0.0
0.0	q4-4		0.002	-0.003	0.000	0.0	0.0
-0.0	q5x_pc		0.008	-0.002	0.000	0.0	0.0
-0.0	q5y_pc		-0.004	0.008	-0.000	-0.0	-0.0
0.0	q5x_ps		0.001	-0.002	0.000	0.0	0.0
-0.0	q5y_ps		-0.004	0.006	-0.000	-0.0	-0.0
0.0	q7		0.000	-0.000	0.000	0.0	0.0
0.0	T		0.000	-0.001	0.000	0.0	0.0
0.0	SLVx-E~1		0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1		0.003	-0.003	0.000	0.0	0.0
811	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		-0.004	-0.003	0.000	-0.0	-0.0
-0.0	SLVy (RS)		0.003	0.002	-0.001	0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.000	-0.0	-0.0
-0.0	G1		0.000	0.000	-0.000	0.0	0.0
-0.0	G2		0.000	0.000	-0.000	0.0	0.0
0.0	pp imp~1		0.000	0.000	-0.000	0.0	0.0
0.0	perm i~1		0.000	0.000	-0.000	0.0	0.0
-0.0	pp2		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	-0.000	0.000	-0.0	-0.0
0.0	q4-1		0.000	0.000	-0.000	0.0	0.0
0.0	q4-2		0.000	0.000	-0.000	0.0	0.0
-0.0	q4-3		-0.000	-0.000	0.000	-0.0	-0.0
0.0	q4-4		0.000	0.000	-0.000	0.0	0.0
0.0	q5x_pc		0.001	0.000	-0.000	0.0	0.0
0.0	q5y_pc		0.000	0.000	-0.000	0.0	0.0
0.0	q5x_ps		0.000	0.000	-0.000	0.0	0.0
0.0	q5y_ps		0.000	0.000	-0.000	0.0	0.0
-0.0	q7		-0.000	-0.000	0.000	-0.0	-0.0


PROJECT TITLE :

			Company		Client		
			Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
	T		0.000	0.000	-0.000	0.0	0.0
0.0	SLVx-E~1		-0.000	-0.000	0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	-0.000	0.000	-0.0	-0.0
-0.0							
812	Q1-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1_2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-3_4	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q1-3	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx (RS)		-0.007	0.004	0.001	-0.0	-0.0
-0.0							
	SLVy (RS)		0.004	-0.003	-0.000	0.0	0.0
-0.0							
	SLVz (RS)		-0.001	0.001	0.000	-0.0	-0.0
-0.0							
	G1		0.000	-0.000	-0.000	0.0	0.0
-0.0							
	G2		0.000	-0.000	-0.000	0.0	0.0
-0.0							
	pp imp~1		0.000	-0.000	-0.000	0.0	0.0
0.0							
	perm i~1		0.000	-0.000	-0.000	0.0	0.0
0.0							
	pp2		-0.001	0.001	-0.000	-0.0	-0.0
-0.0							
	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
	q3		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
	q4-1		0.000	-0.000	-0.000	0.0	0.0
0.0							
	q4-2		0.000	-0.000	-0.000	0.0	0.0
0.0							
	q4-3		-0.000	0.000	0.000	-0.0	-0.0
-0.0							
	q4-4		0.000	-0.000	-0.000	0.0	0.0
0.0							
	q5x_pc		0.001	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0						
0.0	q5y_pc	0.000	-0.000	-0.000	0.0	0.0
0.0	q5x_ps	0.001	-0.000	-0.000	0.0	0.0
0.0	q5y_ps	0.000	-0.000	-0.000	0.0	0.0
0.0	q7	-0.000	0.000	0.000	-0.0	-0.0
-0.0	T	0.000	-0.000	-0.000	0.0	0.0
0.0	SLVx-E~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0	SLVy-E~1	-0.000	0.000	0.000	-0.0	-0.0
-0.0						
813	Q1-1_2	Max	0.000	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0						
-0.0	SLVx (RS)	0.001	-0.001	-0.001	-0.0	-0.0
-0.0	SLVy (RS)	0.001	0.001	0.001	0.0	0.0
-0.0	SLVz (RS)	0.000	-0.000	-0.000	-0.0	-0.0
-0.0	G1	-0.000	-0.000	-0.000	0.0	0.0
-0.0	G2	-0.000	-0.000	-0.000	0.0	0.0
-0.0						
0.0	pp imp~1	-0.000	0.000	0.000	0.0	0.0
0.0	perm i~1	-0.000	0.000	0.000	0.0	0.0
0.0						
-0.0	pp2	0.000	0.000	-0.000	-0.0	-0.0
-0.0						
-0.0	perm2	0.000	0.000	-0.000	-0.0	-0.0
-0.0						
-0.0	q3	0.000	-0.000	-0.000	-0.0	-0.0
-0.0						

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	q4-1	-0.000	0.000	0.000	0.0	0.0
0.0	q4-2	-0.000	0.000	0.000	0.0	0.0
-0.0	q4-3	0.000	-0.000	-0.000	-0.0	-0.0
0.0	q4-4	-0.000	0.000	0.000	0.0	0.0
0.0	q5x_pc	-0.000	0.000	0.000	0.0	0.0
0.0	q5y_pc	-0.000	0.000	0.000	0.0	0.0
0.0	q5x_ps	-0.000	0.000	0.000	0.0	0.0
0.0	q5y_ps	-0.000	0.000	0.000	0.0	0.0
-0.0	q7	0.000	-0.000	-0.000	-0.0	-0.0
0.0	T	-0.000	0.000	0.000	0.0	0.0
-0.0	SLVx-E~1	0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1	0.000	-0.000	-0.000	-0.0	-0.0
814 0.0	Q1-1_2	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0	Q1-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0	Q2a-1_2	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0	Q2a-3_4	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0	Q1-1	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
0.0	Q1-3	Max	0.000	0.000	0.000	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0	SLVx (RS)		-0.007	0.004	-0.001	-0.0
-0.0	SLVy (RS)		0.004	-0.003	0.000	0.0
-0.0	SLVz (RS)		-0.001	0.001	-0.000	-0.0
-0.0	G1		0.000	-0.000	-0.000	0.0
-0.0	G2		0.000	-0.000	0.000	0.0
-0.0	pp imp~1		0.000	-0.000	0.000	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	


0.0	perm i~1		0.000	-0.000	0.000	0.0	0.0
0.0	pp2		-0.001	0.001	-0.000	-0.0	-0.0
-0.0	perm2		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-1		0.000	-0.000	0.000	0.0	0.0
0.0	q4-2		0.000	-0.000	0.000	0.0	0.0
0.0	q4-3		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	q4-4		0.000	-0.000	0.000	0.0	0.0
0.0	q5x_pc		0.001	-0.000	0.000	0.0	0.0
0.0	q5y_pc		0.000	-0.000	0.000	0.0	0.0
0.0	q5x_ps		0.001	-0.000	0.000	0.0	0.0
0.0	q5y_ps		0.000	-0.000	0.000	0.0	0.0
0.0	q7		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	T		0.000	-0.000	0.000	0.0	0.0
0.0	SLVx-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0	SLVy-E~1		-0.000	0.000	-0.000	-0.0	-0.0
-0.0							
815	Q1-1_2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3_4	Max	0.003	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1_2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-3_4	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-1	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.000	-0.0	-0.0
-0.0							
0.0	Q1-3	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		-0.135	0.054	-0.004	-0.0	-0.0

PROJECT TITLE :

	Company	Client				
	Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.0	SLVy (RS)	0.038	0.053	0.001	-0.0	0.0
0.0	SLVz (RS)	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	G1	0.002	-0.002	-0.001	0.0	0.0
-0.0	G2	0.001	-0.001	-0.000	0.0	0.0
0.0	pp imp~1	-0.003	0.000	-0.000	-0.0	-0.0
0.0	perm i~1	-0.001	0.000	-0.000	-0.0	-0.0
0.0	pp2	0.000	-0.000	0.000	0.0	0.0
0.0	perm2	0.000	-0.000	0.000	0.0	0.0
0.0	q3	0.001	-0.001	0.000	0.0	0.0
0.0	q4-1	0.000	-0.000	0.000	0.0	0.0
-0.0	q4-2	-0.000	0.000	-0.000	-0.0	-0.0
0.0	q4-3	0.000	-0.000	0.000	0.0	0.0
0.0	q4-4	0.002	-0.003	0.000	0.0	0.0
-0.0	q5x_pc	0.008	-0.002	0.000	0.0	0.0
-0.0	q5y_pc	-0.004	0.008	-0.000	-0.0	-0.0
0.0	q5x_ps	0.001	-0.002	0.000	0.0	0.0
-0.0	q5y_ps	-0.004	0.006	-0.000	-0.0	-0.0
0.0	q7	0.000	-0.000	0.000	0.0	0.0
0.0	T	0.000	-0.001	0.000	0.0	0.0
0.0	SLVx-E~1	0.001	-0.001	0.000	0.0	0.0
0.0	SLVy-E~1	0.003	-0.003	0.000	0.0	0.0

MIDAS

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

BEAM ELEMENT FORCES & MOMENTS DEFAULT PRINTOUT.
kN , m


Unit System :

ELEM MENT-y	MAT MOMENT-z	SEC	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MO
136	3	4	Q1-1_2	Max	I	0.0	3.5	0.0	5.8
0.0	0.0				J	0.0	3.5	0.0	5.8
0.0	8.4			Min	I	-0.0	-10.5	-0.0	-1.9
-0.0	-0.0				J	-0.0	-10.5	-0.0	-1.9
-0.0	-2.8								
			Q1-3_4	Max	I	0.0	4.7	0.0	4.6
0.0	0.0				J	0.0	4.7	0.0	4.6
0.0	6.7			Min	I	-0.0	-8.3	-0.0	-2.6
-0.0	-0.0				J	-0.0	-8.3	-0.0	-2.6
-0.0	-3.8								
			Q2a-1_2	Max	I	0.0	1.9	0.0	3.2
0.0	0.0				J	0.0	1.9	0.0	3.2
0.0	4.6			Min	I	-0.0	-5.8	-0.0	-1.0
-0.0	-0.0				J	-0.0	-5.8	-0.0	-1.0
-0.0	-1.5								
			Q2a-3_4	Max	I	0.0	2.6	0.0	2.4
0.0	0.0				J	0.0	2.6	0.0	2.4
0.0	3.5			Min	I	-0.0	-4.4	-0.0	-1.4
-0.0	-0.0				J	-0.0	-4.4	-0.0	-1.4
-0.0	-2.1								
			Q1-1	Max	I	0.0	1.0	0.0	2.6
0.0	0.0				J	0.0	1.0	0.0	2.6
0.0	3.8			Min	I	-0.0	-4.8	-0.0	-0.5
-0.0	-0.0				J	-0.0	-4.8	-0.0	-0.5
-0.0	-0.8								
			Q1-3	Max	I	0.0	2.0	0.0	0.5
0.0	0.0				J	0.0	2.0	0.0	0.5
0.0	0.7			Min	I	-0.0	-0.8	-0.0	-1.1
-0.0	-0.0				J	-0.0	-0.8	-0.0	-1.1
-0.0	-1.6								
			SLVx (RS)		I	0.0	-319.1	-194.4	175.5
-0.0	-0.0								


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
155.6	255.4		J	0.0	-319.1	-194.4	175.5
-0.0	0.0	SLVy (RS)	I	0.0	-538.4	91.1	296.1
-72.9	430.9		J	0.0	-538.4	91.1	296.1
0.0	0.0	SLVz (RS)	I	-0.0	155.7	882.2	-85.7
-706.1	-124.7		J	-0.0	155.7	882.2	-85.7
0.0	0.0	G1	I	-0.0	-5.2	0.0	2.8
-0.0	4.1		J	-0.0	-5.2	0.0	2.8
0.0	-0.0	G2	I	-0.0	-1.9	-0.0	1.0
0.0	1.5		J	-0.0	-1.9	-0.0	1.0
-0.0	-0.0	pp imp~1	I	0.0	0.4	1680.0	-0.2
1344.7	-0.3		J	0.0	0.4	1680.0	-0.2
-0.0	0.0	perm i~1	I	0.0	0.1	541.0	-0.1
-433.0	-0.1		J	0.0	0.1	541.0	-0.1
0.0	0.0	pp2	I	0.0	-0.0	0.0	0.0
0.0	0.0		J	0.0	-0.0	0.0	0.0
0.0	0.0	perm2	I	0.0	-0.0	0.0	0.0
0.0	0.0		J	0.0	-0.0	0.0	0.0
-0.0	0.0	q3	I	-0.0	-3.3	-0.0	1.8
-0.0	2.6		J	-0.0	-3.3	-0.0	1.8
-0.0	0.0	q4-1	I	0.0	-0.2	-0.0	0.1
-0.0	0.2		J	0.0	-0.2	-0.0	0.1
0.0	-0.0	q4-2	I	0.0	0.4	0.0	-0.2
-0.0	-0.4		J	0.0	0.4	0.0	-0.2
-0.0	0.0	q4-3	I	0.0	-1.5	-0.0	0.8
-0.0	1.2		J	0.0	-1.5	-0.0	0.8
-0.0	-0.0	q4-4	I	-0.0	-8.8	-0.0	4.9
			J	-0.0	-8.8	-0.0	4.9

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	7.1						
		q5x_pc	I	-0.0	-5.8	-0.0	3.2
0.0	0.0		J	-0.0	-5.8	-0.0	3.2
0.0	4.6						
		q5y_pc	I	-0.0	23.1	0.0	-12.7
0.0	0.0		J	-0.0	23.1	0.0	-12.7
0.0	-18.5						
		q5x_ps	I	0.0	-6.7	-0.0	3.7
-0.0	0.0		J	0.0	-6.7	-0.0	3.7
-0.0	5.4						
		q5y_ps	I	-0.0	18.7	0.0	-10.3
0.0	-0.0		J	-0.0	18.7	0.0	-10.3
0.0	-15.0						
		q7	I	0.0	-0.2	-0.0	0.1
-0.0	0.0		J	0.0	-0.2	-0.0	0.1
-0.0	0.2						
		T	I	0.0	-1.7	-0.0	1.0
-0.0	-0.0		J	0.0	-1.7	-0.0	1.0
-0.0	1.4						
		SLVx-E~1	I	0.0	-3.9	-0.0	2.2
-0.0	0.0		J	0.0	-3.9	-0.0	2.2
0.0	3.1						
		SLVy-E~1	I	0.0	-9.2	-0.0	5.0
-0.0	0.0		J	0.0	-9.2	-0.0	5.0
-0.0	7.3						
293	7	44	Q1-1_2 Max	I	280.4	19.7	13.5
1141.1	1589.5			J	280.4	19.7	13.5
1135.0	1586.6		Min	I	-1807.9	-51.4	-18.8
-172.3	-4134.1			J	-1807.9	-51.4	-18.8
-172.6	-4093.1						
			Q1-3_4 Max	I	273.7	17.2	12.1
1274.7	2359.5			J	273.7	17.2	12.1
1271.8	2357.4		Min	I	-1841.8	-45.1	-16.1
-214.8	-3192.8			J	-1841.8	-45.1	-16.1
-217.6	-3162.3						
			Q2a-1_2 Max	I	155.1	10.8	7.5
690.0	824.8			J	155.1	10.8	7.5
686.7	822.5		Min	I	-1068.3	-28.7	-10.6
-91.3	-2250.8						

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-91.3	-2226.4		J	-1068.3	-28.7	-3.1	-10.6	
772.4	1316.6	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
771.2	1313.5		J	149.2	9.5	6.6	3.5	
-113.0	-1650.2	Min	I	-1080.4	-24.5	-2.6	-8.7	
-114.6	-1633.8		J	-1080.4	-24.5	-2.6	-8.7	
356.0	387.6	Q1-1 Max	I	103.4	8.9	5.4	2.6	
352.5	384.1		J	103.4	8.9	5.4	2.6	
-47.3	-1902.7	Min	I	-657.4	-20.9	-2.6	-8.1	
-47.4	-1883.9		J	-657.4	-20.9	-2.6	-8.1	
529.5	1080.2	Q1-3 Max	I	83.7	5.3	3.4	2.3	
529.8	1079.1		J	83.7	5.3	3.4	2.3	
-86.4	-254.9	Min	I	-683.8	-11.5	-1.3	-3.3	
-88.0	-254.7		J	-683.8	-11.5	-1.3	-3.3	
7362.9	33476.1	SLVx (RS)	I	358.1	-1047.2	1509.0	-273.5	-3
8737.1	34466.6		J	358.1	-1047.2	1509.0	-273.5	-3
9731.3	45845.5	SLVy (RS)	I	-235.2	-1628.9	-481.6	-444.1	
0155.8	47381.0		J	-235.2	-1628.9	-481.6	-444.1	1
1295.8	-1565.1	SLVz (RS)	I	2912.6	242.8	-254.5	105.2	
1525.4	-1780.2		J	2912.6	242.8	-254.5	105.2	
957.7	-1516.4	G1	I	-9480.4	-38.5	10.4	-13.1	
947.2	-1477.9		J	-9688.1	-38.5	10.4	-13.1	
347.8	-550.1	G2	I	-640.2	-14.0	3.8	-4.8	
344.0	-536.1		J	-640.2	-14.0	3.8	-4.8	
1270.1	-374.8	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1268.4	-380.8		J	-1680.0	6.0	-1.7	1.8	-
-409.0	-120.7	perm i~1	I	-541.0	1.9	-0.6	0.6	
-408.5	-122.6		J	-541.0	1.9	-0.6	0.6	
		pp2	I	0.0	0.1	-0.0	0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1.5	-6.3		J	0.0	0.1	-0.0	0.0	
1.6	-6.4							
0.4	-1.6	perm2	I	0.0	0.0	-0.0	0.0	
0.4	-1.7		J	0.0	0.0	-0.0	0.0	
510.1	-1969.8	q3	I	13.6	43.6	-13.5	10.0	
523.6	-2013.3		J	13.6	43.6	-13.5	10.0	
44.9	-131.7	q4-1	I	-1.1	3.7	-1.1	0.9	
46.1	-135.5		J	-1.1	3.7	-1.1	0.9	
-88.8	285.4	q4-2	I	1.1	-7.4	2.3	-1.8	
-91.1	292.8		J	1.1	-7.4	2.3	-1.8	
254.5	-929.7	q4-3	I	5.6	21.7	-6.7	5.0	
261.3	-951.4		J	5.6	21.7	-6.7	5.0	
1562.9	-5471.8	q4-4	I	-0.7	131.3	-40.5	30.6	
1603.5	-5603.1		J	-0.7	131.3	-40.5	30.6	
7768.7	-1934.1	q5x_pc	I	44.9	41.1	-364.3	-167.6	
8136.4	-1975.2		J	44.9	41.1	-371.1	-171.0	
3388.7	15514.1	q5y_pc	I	-21.2	-463.6	88.3	-64.0	-
3477.0	15979.6		J	-21.2	-467.5	88.3	-64.0	-
1118.1	-4156.1	q5x_ps	I	46.2	96.8	-29.9	22.4	
1148.1	-4252.9		J	46.2	96.8	-29.9	22.4	
3332.1	11632.7	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
3419.0	11914.1		J	-19.7	-281.4	86.8	-65.7	-
28.0	-126.7	q7	I	3.5	2.6	-0.8	0.6	
28.8	-129.3		J	3.5	2.6	-0.8	0.6	
279.9	-1046.7	T	I	-4.4	23.1	-7.2	5.3	
287.1	-1069.9		J	-4.4	23.1	-7.2	5.3	
282.0	-843.5	SLVx-E~1	I	0.4	22.3	-7.3	3.9	

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
289.3	-865.8			J	0.4	22.3	-7.3	3.9
			SLVy-E~1	I	1.0	51.9	-17.1	9.1
657.9	-1968.2			J	1.0	51.9	-17.1	9.1
675.0	-2020.1							
375	7	55	Q1-1_2 Max	I	280.4	19.7	12.9	5.6
1390.1	1804.1			J	280.4	19.7	12.9	5.6
1383.8	1793.0		Min	I	-1807.9	-51.4	-5.6	-16.5
-214.3	-5774.1			J	-1807.9	-51.4	-5.6	-16.5
-211.3	-5728.8							
			Q1-3_4 Max	I	273.7	17.2	11.6	5.3
1417.6	2558.1			J	273.7	17.2	11.6	5.3
1413.7	2550.6		Min	I	-1841.8	-45.2	-4.8	-14.2
-209.7	-4623.0			J	-1841.8	-45.2	-4.8	-14.2
-207.7	-4583.2							
			Q2a-1_2 Max	I	155.1	10.8	7.2	3.1
820.6	971.1			J	155.1	10.8	7.2	3.1
817.9	964.6		Min	I	-1068.3	-28.7	-3.0	-9.2
-118.5	-3211.7			J	-1068.3	-28.7	-3.0	-9.2
-116.8	-3185.5							
			Q2a-3_4 Max	I	149.2	9.5	6.3	2.9
830.9	1483.9			J	149.2	9.5	6.3	2.9
829.9	1478.5		Min	I	-1080.4	-24.6	-2.7	-7.7
-114.3	-2454.8			J	-1080.4	-24.6	-2.7	-7.7
-113.3	-2432.5							
			Q1-1 Max	I	103.4	8.9	5.1	2.4
504.3	577.6			J	103.4	8.9	5.1	2.4
500.3	571.5		Min	I	-657.4	-20.9	-2.6	-7.0
-78.7	-2638.2			J	-657.4	-20.9	-2.6	-7.0
-77.1	-2618.2							
			Q1-3 Max	I	83.7	5.3	3.2	1.8
526.8	1156.0			J	83.7	5.3	3.2	1.8
527.0	1153.4		Min	I	-683.8	-11.5	-1.5	-3.1
-64.7	-528.4			J	-683.8	-11.5	-1.5	-3.1
-65.0	-519.6							
			SLVx(RS)	I	-262.1	-609.7	282.2	-274.1
214.6	2217.1			J	-262.1	-609.7	282.2	-274.1
418.9	2698.0							

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


154.4	-2224.8	SLVy (RS)	I	-167.5	-761.2	106.7	-443.7	
			J	-167.5	-761.2	106.7	-443.7	
-235.2	1916.2							
		SLVz (RS)	I	1255.3	-131.2	57.4	105.2	
-614.2	806.7		J	1255.3	-131.2	57.4	105.2	
-606.0	847.1							
		G1	I	-1763.8	-38.6	9.7	-11.8	
1353.5	-2979.7		J	-2429.1	-38.6	9.4	-11.8	
1344.0	-2941.1							
		G2	I	-640.2	-14.0	3.5	-4.3	
491.3	-1080.5		J	-640.2	-14.0	3.5	-4.3	
487.8	-1066.5							
		pp imp~1	I	-1680.0	5.9	-2.4	1.8	-
1335.8	-146.4		J	-1680.0	5.9	-2.4	1.8	-
1333.4	-152.4							
		perm i~1	I	-541.0	1.9	-0.8	0.6	
-430.2	-47.2		J	-541.0	1.9	-0.8	0.6	
-429.4	-49.1							
		pp2	I	0.0	0.1	-0.0	0.0	
0.0	-1.3		J	0.0	0.1	-0.0	0.0	
0.0	-1.5							
		perm2	I	0.0	0.0	-0.0	0.0	
0.0	-0.4		J	0.0	0.0	-0.0	0.0	
0.0	-0.4							
		q3	I	13.6	43.6	-13.5	10.1	
-3.1	-314.8		J	13.6	43.6	-13.5	10.1	
10.4	-358.3							
		q4-1	I	-1.1	3.7	-1.1	0.9	
1.5	10.1		J	-1.1	3.7	-1.1	0.9	
2.6	6.3							
		q4-2	I	1.1	-7.4	2.3	-1.8	
-2.1	3.4		J	1.1	-7.4	2.3	-1.8	
-4.4	10.9							
		q4-3	I	5.6	21.7	-6.7	5.1	
-0.6	-104.2		J	5.6	21.7	-6.7	5.1	
6.1	-125.9							
		q4-4	I	-0.6	131.3	-40.5	30.9	
22.8	-482.4		J	-0.6	131.3	-40.5	30.9	
63.3	-613.7							

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-27.3	-371.2	q5x_pc	I	44.9	41.1	-13.2	8.1	
			J	44.9	41.1	-25.8	1.9	
-7.8	-412.3							
		q5y_pc	I	-21.2	-283.7	88.3	-64.6	
-32.2	1094.6		J	-21.2	-289.7	88.3	-64.6	
-120.6	1381.5							
		q5x_ps	I	46.2	96.8	-29.9	22.7	
-19.1	-477.1		J	46.2	96.8	-29.9	22.7	
10.8	-574.0							
		q5y_ps	I	-19.8	-281.4	86.8	-66.2	
-32.5	938.3		J	-19.8	-281.4	86.8	-66.2	
-119.4	1219.9							
		q7	I	3.5	2.6	-0.8	0.6	
-2.3	-29.6		J	3.5	2.6	-0.8	0.6	
-1.5	-32.2							
		T	I	-4.4	23.1	-7.2	5.4	
7.4	-168.0		J	-4.4	23.1	-7.2	5.4	
14.5	-191.1							
		SLVx-E~1	I	0.4	22.3	-7.3	3.9	
3.7	2.3		J	0.4	22.3	-7.3	3.9	
11.0	-20.0							
		SLVy-E~1	I	1.0	51.9	-17.1	9.1	
8.7	5.3		J	1.0	51.9	-17.1	9.1	
25.7	-46.7							
376	7	56	Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1383.8	1793.0			J	280.4	19.7	13.5	6.2
1376.8	1782.1		Min	I	-1807.9	-51.4	-5.6	-18.8
-211.3	-5728.8			J	-1807.9	-51.4	-5.6	-18.8
-208.2	-5683.7							
			Q1-3_4 Max	I	273.7	17.2	12.1	6.0
1413.7	2550.6			J	273.7	17.2	12.1	6.0
1409.1	2543.1		Min	I	-1841.8	-45.1	-4.7	-16.1
-207.7	-4583.2			J	-1841.8	-45.1	-4.7	-16.1
-205.6	-4543.4							
			Q2a-1_2 Max	I	155.1	10.8	7.5	3.4
817.9	964.6			J	155.1	10.8	7.5	3.4
814.2	958.2		Min	I	-1068.3	-28.7	-3.1	-10.6
-116.8	-3185.5			J	-1068.3	-28.7	-3.1	-10.6
-115.1	-3159.4							


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


829.9	1478.5	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
			J	149.2	9.5	6.6	3.5	
828.0	1473.2							
		Min	I	-1080.4	-24.5	-2.6	-8.7	
-113.3	-2432.5		J	-1080.4	-24.5	-2.6	-8.7	
-112.2	-2410.1							
		Q1-1 Max	I	103.4	8.9	5.4	2.6	
500.3	571.5		J	103.4	8.9	5.4	2.6	
496.0	565.3							
		Min	I	-657.4	-20.9	-2.6	-8.1	
-77.1	-2618.2		J	-657.4	-20.9	-2.6	-8.1	
-75.4	-2598.3							
		Q1-3 Max	I	83.7	5.3	3.4	2.3	
527.0	1153.4		J	83.7	5.3	3.4	2.3	
526.9	1150.8							
		Min	I	-683.8	-11.5	-1.3	-3.3	
-65.0	-519.6		J	-683.8	-11.5	-1.3	-3.3	
-65.3	-510.9							
		SLVx (RS)	I	-270.2	-656.6	487.7	-273.5	
418.9	2698.1		J	-270.2	-656.6	487.7	-273.5	
877.4	3241.9							
		SLVy (RS)	I	-173.3	-873.4	117.4	-444.1	
-235.3	1916.1		J	-173.3	-873.4	117.4	-444.1	
-318.5	1827.5							
		SLVz (RS)	I	1446.7	-120.8	97.8	105.2	
-606.0	847.1		J	1446.7	-120.8	97.8	105.2	
-583.1	887.9							
		G1	I	-2429.1	-38.5	10.4	-13.1	
1344.0	-2941.1		J	-2765.7	-38.5	10.4	-13.1	
1333.5	-2902.6							
		G2	I	-640.2	-14.0	3.8	-4.8	
487.8	-1066.5		J	-640.2	-14.0	3.8	-4.8	
484.0	-1052.5							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1333.4	-152.4		J	-1680.0	6.0	-1.7	1.8	-
1331.7	-158.4							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-429.4	-49.1		J	-541.0	1.9	-0.6	0.6	
-428.8	-51.0							
		pp2	I	0.0	0.1	-0.0	0.0	
0.0	-1.5		J	0.0	0.1	-0.0	0.0	

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.1	-1.6						
0.0	-0.4	perm2	I	0.0	0.0	-0.0	0.0
0.0	-0.5		J	0.0	0.0	-0.0	0.0
10.4	-358.4	q3	I	13.6	43.6	-13.5	10.0
23.9	-401.9		J	13.6	43.6	-13.5	10.0
2.6	6.3	q4-1	I	-1.1	3.7	-1.1	0.9
3.8	2.6		J	-1.1	3.7	-1.1	0.9
-4.4	10.9	q4-2	I	1.1	-7.4	2.3	-1.8
-6.7	18.3		J	1.1	-7.4	2.3	-1.8
6.1	-125.9	q4-3	I	5.6	21.7	-6.7	5.0
12.8	-147.6		J	5.6	21.7	-6.7	5.0
63.3	-613.7	q4-4	I	-0.7	131.3	-40.5	30.6
103.9	-745.0		J	-0.7	131.3	-40.5	30.6
-7.8	-412.3	q5x_pc	I	44.9	41.1	-25.8	1.7
24.3	-453.4		J	44.9	41.1	-38.4	-4.6
-120.6	1381.5	q5y_pc	I	-21.2	-289.7	88.3	-64.0
-208.9	1674.1		J	-21.2	-295.6	88.3	-64.0
10.8	-574.0	q5x_ps	I	46.2	96.8	-29.9	22.4
40.7	-670.8		J	46.2	96.8	-29.9	22.4
-119.4	1219.9	q5y_ps	I	-19.7	-281.4	86.8	-65.7
-206.2	1501.3		J	-19.7	-281.4	86.8	-65.7
-1.5	-32.2	q7	I	3.5	2.6	-0.8	0.6
-0.7	-34.8		J	3.5	2.6	-0.8	0.6
14.5	-191.1	T	I	-4.4	23.1	-7.2	5.3
21.7	-214.3		J	-4.4	23.1	-7.2	5.3
11.0	-20.0	SLVx-E~1	I	0.4	22.3	-7.3	3.9
18.4	-42.3		J	0.4	22.3	-7.3	3.9

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


25.7	-46.7	SLVy-E~1	I	1.0	51.9	-17.1	9.1
42.8	-98.6		J	1.0	51.9	-17.1	9.1
377	7	37 Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1376.8	1782.1		J	280.4	19.7	13.5	6.2
1369.8	1771.2	Min	I	-1807.9	-51.4	-5.6	-18.8
-208.2	-5683.7		J	-1807.9	-51.4	-5.6	-18.8
-205.3	-5638.7						
1409.1	2543.1	Q1-3_4 Max	I	273.7	17.2	12.1	6.0
1404.5	2535.8		J	273.7	17.2	12.1	6.0
-205.6	-4543.4	Min	I	-1841.8	-45.1	-4.7	-16.1
-203.6	-4503.8		J	-1841.8	-45.1	-4.7	-16.1
814.2	958.2	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4
810.6	951.8		J	155.1	10.8	7.5	3.4
-115.1	-3159.4	Min	I	-1068.3	-28.7	-3.1	-10.6
-113.4	-3133.4		J	-1068.3	-28.7	-3.1	-10.6
828.0	1473.2	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5
826.2	1467.8		J	149.2	9.5	6.6	3.5
-112.2	-2410.1	Min	I	-1080.4	-24.5	-2.6	-8.7
-111.1	-2387.9		J	-1080.4	-24.5	-2.6	-8.7
496.0	565.3	Q1-1 Max	I	103.4	8.9	5.4	2.6
491.8	559.3		J	103.4	8.9	5.4	2.6
-75.4	-2598.3	Min	I	-657.4	-20.9	-2.6	-8.1
-73.8	-2578.4		J	-657.4	-20.9	-2.6	-8.1
526.9	1150.8	Q1-3 Max	I	83.7	5.3	3.4	2.3
526.7	1148.2		J	83.7	5.3	3.4	2.3
-65.3	-510.9	Min	I	-683.8	-11.5	-1.3	-3.3
-65.6	-502.2		J	-683.8	-11.5	-1.3	-3.3
877.4	3241.9	SLVx (RS)	I	-275.0	-681.6	584.5	-273.5
1447.6	3833.1		J	-275.0	-681.6	584.5	-273.5
		SLVy (RS)	I	-176.7	-929.4	140.6	-444.1

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-318.5	1827.5		J	-176.7	-929.4	140.6	-444.1	
-421.2	-2124.2							
		SLVz (RS)	I	1547.6	111.2	112.0	105.2	
-583.1	887.9		J	1547.6	111.2	112.0	105.2	
-563.2	930.3							
		G1	I	-2765.7	-38.5	10.4	-13.1	
1333.5	-2902.6		J	-2959.2	-38.5	10.4	-13.1	
1323.1	-2864.1							
		G2	I	-640.2	-14.0	3.8	-4.8	
484.0	-1052.5		J	-640.2	-14.0	3.8	-4.8	
480.2	-1038.6							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1331.7	-158.4		J	-1680.0	6.0	-1.7	1.8	-
1330.0	-164.4							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-428.8	-51.0		J	-541.0	1.9	-0.6	0.6	
-428.3	-52.9							
		pp2	I	0.0	0.1	-0.0	0.0	
0.1	-1.6		J	0.0	0.1	-0.0	0.0	
0.1	-1.7							
		perm2	I	0.0	0.0	-0.0	0.0	
0.0	-0.5		J	0.0	0.0	-0.0	0.0	
0.0	-0.5							
		q3	I	13.6	43.6	-13.5	10.0	
23.9	-401.9		J	13.6	43.6	-13.5	10.0	
37.4	-445.5							
		q4-1	I	-1.1	3.7	-1.1	0.9	
3.8	2.6		J	-1.1	3.7	-1.1	0.9	
4.9	-1.1							
		q4-2	I	1.1	-7.4	2.3	-1.8	
-6.7	18.3		J	1.1	-7.4	2.3	-1.8	
-9.0	25.7							
		q4-3	I	5.6	21.7	-6.7	5.0	
12.8	-147.6		J	5.6	21.7	-6.7	5.0	
19.5	-169.4							
		q4-4	I	-0.7	131.3	-40.5	30.6	
103.9	-745.0		J	-0.7	131.3	-40.5	30.6	
144.4	-876.3							
		q5x_pc	I	44.9	41.1	-38.4	-4.6	
24.3	-453.4							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
69.0	-494.6		J	44.9	41.1	-50.9	-10.9
-208.9	1674.1	q5y_pc	I	-21.2	-295.6	88.3	-64.0
-297.2	1972.8		J	-21.2	-301.6	88.3	-64.0
40.7	-670.8	q5x_ps	I	46.2	96.8	-29.9	22.4
70.7	-767.6		J	46.2	96.8	-29.9	22.4
-206.2	1501.3	q5y_ps	I	-19.7	-281.4	86.8	-65.7
-293.1	1782.7		J	-19.7	-281.4	86.8	-65.7
-0.7	-34.8	q7	I	3.5	2.6	-0.8	0.6
0.1	-37.3		J	3.5	2.6	-0.8	0.6
21.7	-214.3	T	I	-4.4	23.1	-7.2	5.3
28.9	-237.4		J	-4.4	23.1	-7.2	5.3
18.4	-42.3	SLVx-E~1	I	0.4	22.3	-7.3	3.9
25.7	-64.5		J	0.4	22.3	-7.3	3.9
42.8	-98.6	SLVy-E~1	I	1.0	51.9	-17.1	9.1
59.9	-150.6		J	1.0	51.9	-17.1	9.1
378	7	37 Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1369.8	1771.2		J	280.4	19.7	13.5	6.2
1362.8	1760.5	Min	I	-1807.9	-51.4	-5.6	-18.8
-205.3	-5638.7		J	-1807.9	-51.4	-5.6	-18.8
-202.4	-5593.8	Q1-3_4 Max	I	273.7	17.2	12.1	6.0
1404.5	2535.8		J	273.7	17.2	12.1	6.0
1400.0	2528.6	Min	I	-1841.8	-45.1	-4.7	-16.1
-203.6	-4503.8		J	-1841.8	-45.1	-4.7	-16.1
-201.7	-4464.2	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4
810.6	951.8		J	155.1	10.8	7.5	3.4
807.0	945.6	Min	I	-1068.3	-28.7	-3.1	-10.6
-113.4	-3133.4		J	-1068.3	-28.7	-3.1	-10.6
-111.7	-3107.3	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
826.2	1467.8		J	149.2	9.5	6.6	3.5	
824.3	1462.6							
		Min	I	-1080.4	-24.5	-2.6	-8.7	
-111.1	-2387.9							
			J	-1080.4	-24.5	-2.6	-8.7	
-110.1	-2365.6							
		Q1-1 Max	I	103.4	8.9	5.4	2.6	
491.8	559.3							
			J	103.4	8.9	5.4	2.6	
487.6	553.3							
		Min	I	-657.4	-20.9	-2.6	-8.1	
-73.8	-2578.4							
			J	-657.4	-20.9	-2.6	-8.1	
-72.2	-2558.5							
		Q1-3 Max	I	83.7	5.3	3.4	2.3	
526.7	1148.2							
			J	83.7	5.3	3.4	2.3	
526.6	1145.7							
		Min	I	-683.8	-11.5	-1.3	-3.3	
-65.6	-502.2							
			J	-683.8	-11.5	-1.3	-3.3	
-66.0	-493.5							
		SLVx (RS)	I	-278.5	-699.0	645.2	-273.5	-
1447.6	3833.1							
			J	-278.5	-699.0	645.2	-273.5	-
2082.1	4459.0							
		SLVy (RS)	I	-179.2	-967.0	157.6	-444.1	
-421.2	-2124.2							
			J	-179.2	-967.0	157.6	-444.1	
-545.0	-2729.1							
		SLVz (RS)	I	1620.1	100.9	117.5	105.2	
-563.2	930.3							
			J	1620.1	100.9	117.5	105.2	
-553.0	971.6							
		G1	I	-2959.2	-38.5	10.4	-13.1	
1323.1	-2864.1							
			J	-3152.7	-38.5	10.4	-13.1	
1312.6	-2825.6							
		G2	I	-640.2	-14.0	3.8	-4.8	
480.2	-1038.6							
			J	-640.2	-14.0	3.8	-4.8	
476.4	-1024.6							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1330.0	-164.4							
			J	-1680.0	6.0	-1.7	1.8	-
1328.3	-170.4							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-428.3	-52.9							
			J	-541.0	1.9	-0.6	0.6	
-427.7	-54.9							
		pp2	I	0.0	0.1	-0.0	0.0	
0.1	-1.7							
			J	0.0	0.1	-0.0	0.0	
0.2	-1.8							

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	-0.5	perm2	I	0.0	0.0	-0.0	0.0
0.0	-0.5		J	0.0	0.0	-0.0	0.0
37.4	-445.5	q3	I	13.6	43.6	-13.5	10.0
50.9	-489.0		J	13.6	43.6	-13.5	10.0
4.9	-1.1	q4-1	I	-1.1	3.7	-1.1	0.9
6.1	-4.9		J	-1.1	3.7	-1.1	0.9
-9.0	25.7	q4-2	I	1.1	-7.4	2.3	-1.8
-11.2	33.1		J	1.1	-7.4	2.3	-1.8
19.5	-169.4	q4-3	I	5.6	21.7	-6.7	5.0
26.3	-191.1		J	5.6	21.7	-6.7	5.0
144.4	-876.3	q4-4	I	-0.7	131.3	-40.5	30.6
184.9	-1007.6		J	-0.7	131.3	-40.5	30.6
69.0	-494.6	q5x_pc	I	44.9	41.1	-50.9	-10.9
126.2	-535.7		J	44.9	41.1	-63.5	-17.2
-297.2	1972.8	q5y_pc	I	-21.2	-301.6	88.3	-64.0
-385.6	2277.3		J	-21.2	-307.6	88.3	-64.0
70.7	-767.6	q5x_ps	I	46.2	96.8	-29.9	22.4
100.6	-864.4		J	46.2	96.8	-29.9	22.4
-293.1	1782.7	q5y_ps	I	-19.7	-281.4	86.8	-65.7
-379.9	2064.2		J	-19.7	-281.4	86.8	-65.7
0.1	-37.3	q7	I	3.5	2.6	-0.8	0.6
0.9	-39.9		J	3.5	2.6	-0.8	0.6
28.9	-237.4	T	I	-4.4	23.1	-7.2	5.3
36.1	-260.5		J	-4.4	23.1	-7.2	5.3
25.7	-64.5	SLVx-E~1	I	0.4	22.3	-7.3	3.9
33.0	-86.8		J	0.4	22.3	-7.3	3.9
		SLVy-E~1	I	1.0	51.9	-17.1	9.1

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
59.9	-150.6			J	1.0	51.9	-17.1	9.1	
77.0	-202.5								
379	7	37	Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1362.8	1760.5			J	280.4	19.7	13.5	6.2	
1355.8	1750.0		Min	I	-1807.9	-51.4	-5.6	-18.8	
-202.4	-5593.8			J	-1807.9	-51.4	-5.6	-18.8	
-199.6	-5549.0								
			Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1400.0	2528.6			J	273.7	17.2	12.1	6.0	
1395.5	2521.4		Min	I	-1841.8	-45.1	-4.7	-16.1	
-201.7	-4464.2			J	-1841.8	-45.1	-4.7	-16.1	
-199.8	-4424.7								
			Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
807.0	945.6			J	155.1	10.8	7.5	3.4	
803.4	939.4		Min	I	-1068.3	-28.7	-3.1	-10.6	
-111.7	-3107.3			J	-1068.3	-28.7	-3.1	-10.6	
-110.1	-3081.4								
			Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
824.3	1462.6			J	149.2	9.5	6.6	3.5	
822.5	1457.3		Min	I	-1080.4	-24.5	-2.6	-8.7	
-110.1	-2365.6			J	-1080.4	-24.5	-2.6	-8.7	
-109.1	-2343.4								
			Q1-1 Max	I	103.4	8.9	5.4	2.6	
487.6	553.3			J	103.4	8.9	5.4	2.6	
483.4	547.4		Min	I	-657.4	-20.9	-2.6	-8.1	
-72.2	-2558.5			J	-657.4	-20.9	-2.6	-8.1	
-70.7	-2538.7								
			Q1-3 Max	I	83.7	5.3	3.4	2.3	
526.6	1145.7			J	83.7	5.3	3.4	2.3	
526.6	1143.2		Min	I	-683.8	-11.5	-1.3	-3.3	
-66.0	-493.5			J	-683.8	-11.5	-1.3	-3.3	
-66.3	-484.9								
			SLVx (RS)	I	-282.0	-715.6	697.2	-273.5	-
2082.1	4459.0			J	-282.0	-715.6	697.2	-273.5	-
2768.2	5112.7								
			SLVy (RS)	I	-181.7	-1001.6	172.9	-444.1	-
-545.0	-2729.1			J	-181.7	-1001.6	172.9	-444.1	-

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-686.4	3511.4							
		SLVz (RS)	I	1691.3	88.6	119.9	105.2	
-553.0	971.6		J	1691.3	88.6	119.9	105.2	
-553.0	1006.4							
		G1	I	-3152.7	-38.5	10.4	-13.1	
1312.6	-2825.6		J	-3346.2	-38.5	10.4	-13.1	
1302.2	-2787.1							
		G2	I	-640.2	-14.0	3.8	-4.8	
476.4	-1024.6		J	-640.2	-14.0	3.8	-4.8	
472.6	-1010.7							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1328.3	-170.4		J	-1680.0	6.0	-1.7	1.8	-
1326.6	-176.4							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-427.7	-54.9		J	-541.0	1.9	-0.6	0.6	
-427.2	-56.8							
		pp2	I	0.0	0.1	-0.0	0.0	
0.2	-1.8		J	0.0	0.1	-0.0	0.0	
0.2	-2.0							
		perm2	I	0.0	0.0	-0.0	0.0	
0.0	-0.5		J	0.0	0.0	-0.0	0.0	
0.1	-0.6							
		q3	I	13.6	43.6	-13.5	10.0	
50.9	-489.0		J	13.6	43.6	-13.5	10.0	
64.4	-532.6							
		q4-1	I	-1.1	3.7	-1.1	0.9	
6.1	-4.9		J	-1.1	3.7	-1.1	0.9	
7.2	-8.6							
		q4-2	I	1.1	-7.4	2.3	-1.8	
-11.2	33.1		J	1.1	-7.4	2.3	-1.8	
-13.5	40.5							
		q4-3	I	5.6	21.7	-6.7	5.0	
26.3	-191.1		J	5.6	21.7	-6.7	5.0	
33.0	-212.8							
		q4-4	I	-0.7	131.3	-40.5	30.6	
184.9	-1007.6		J	-0.7	131.3	-40.5	30.6	
225.5	-1138.9							
		q5x_pc	I	44.9	41.1	-63.5	-17.2	
126.2	-535.7		J	44.9	41.1	-76.1	-23.4	
196.0	-576.8							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


-385.6	2277.3	q5y_pc	I	-21.2	-307.6	88.3	-64.0
-473.9	2587.9		J	-21.2	-313.5	88.3	-64.0
100.6	-864.4	q5x_ps	I	46.2	96.8	-29.9	22.4
130.5	-961.2		J	46.2	96.8	-29.9	22.4
-379.9	2064.2	q5y_ps	I	-19.7	-281.4	86.8	-65.7
-466.7	2345.6		J	-19.7	-281.4	86.8	-65.7
0.9	-39.9	q7	I	3.5	2.6	-0.8	0.6
1.7	-42.4		J	3.5	2.6	-0.8	0.6
36.1	-260.5	T	I	-4.4	23.1	-7.2	5.3
43.2	-283.6		J	-4.4	23.1	-7.2	5.3
33.0	-86.8	SLVx-E~1	I	0.4	22.3	-7.3	3.9
40.3	-109.0		J	0.4	22.3	-7.3	3.9
77.0	-202.5	SLVy-E~1	I	1.0	51.9	-17.1	9.1
94.1	-254.4		J	1.0	51.9	-17.1	9.1
380	7	37 Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1355.8	1750.0		J	280.4	19.7	13.5	6.2
1348.9	1739.6	Min	I	-1807.9	-51.4	-5.6	-18.8
-199.6	-5549.0		J	-1807.9	-51.4	-5.6	-18.8
-196.9	-5504.3	Q1-3_4 Max	I	273.7	17.2	12.1	6.0
1395.5	2521.4		J	273.7	17.2	12.1	6.0
1391.1	2514.4	Min	I	-1841.8	-45.1	-4.7	-16.1
-199.8	-4424.7		J	-1841.8	-45.1	-4.7	-16.1
-197.9	-4385.2	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4
803.4	939.4		J	155.1	10.8	7.5	3.4
799.8	933.3	Min	I	-1068.3	-28.7	-3.1	-10.6
-110.1	-3081.4		J	-1068.3	-28.7	-3.1	-10.6
-108.6	-3055.4	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5
822.5	1457.3		J	149.2	9.5	6.6	3.5

MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
820.7	1452.2							
		Min	I	-1080.4	-24.5	-2.6	-8.7	
-109.1	-2343.4		J	-1080.4	-24.5	-2.6	-8.7	
-108.1	-2321.1							
		Q1-1 Max	I	103.4	8.9	5.4	2.6	
483.4	547.4		J	103.4	8.9	5.4	2.6	
479.2	541.5							
		Min	I	-657.4	-20.9	-2.6	-8.1	
-70.7	-2538.7		J	-657.4	-20.9	-2.6	-8.1	
-69.2	-2518.9							
		Q1-3 Max	I	83.7	5.3	3.4	2.3	
526.6	1143.2		J	83.7	5.3	3.4	2.3	
526.5	1140.8							
		Min	I	-683.8	-11.5	-1.3	-3.3	
-66.3	-484.9		J	-683.8	-11.5	-1.3	-3.3	
-66.7	-476.3							
		SLVx (RS)	I	285.5	-731.5	742.2	-273.5	-
2768.2	5112.7		J	285.5	-731.5	742.2	-273.5	-
3496.8	5789.5							
		SLVy (RS)	I	-184.3	-1033.8	186.5	-444.1	
-686.4	3511.4		J	-184.3	-1033.8	186.5	-444.1	
-842.2	4396.0							
		SLVz (RS)	I	1761.3	75.7	120.6	105.2	
-553.0	1006.4		J	1761.3	75.7	120.6	105.2	
-562.4	1030.4							
		G1	I	-3346.2	-38.5	10.4	-13.1	
1302.2	-2787.1		J	-3539.7	-38.5	10.4	-13.1	
1291.8	-2748.6							
		G2	I	-640.2	-14.0	3.8	-4.8	
472.6	-1010.7		J	-640.2	-14.0	3.8	-4.8	
468.9	-996.7							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1326.6	-176.4		J	-1680.0	6.0	-1.7	1.8	-
1324.9	-182.4							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-427.2	-56.8		J	-541.0	1.9	-0.6	0.6	
-426.6	-58.7							
		pp2	I	0.0	0.1	-0.0	0.0	
0.2	-2.0		J	0.0	0.1	-0.0	0.0	
0.2	-2.1							
		perm2	I	0.0	0.0	-0.0	0.0	
0.1	-0.6							

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.1	-0.6		J	0.0	0.0	-0.0	0.0
64.4	-532.6	q3	I	13.6	43.6	-13.5	10.0
77.9	-576.1		J	13.6	43.6	-13.5	10.0
7.2	-8.6	q4-1	I	-1.1	3.7	-1.1	0.9
8.4	-12.3		J	-1.1	3.7	-1.1	0.9
-13.5	40.5	q4-2	I	1.1	-7.4	2.3	-1.8
-15.8	48.0		J	1.1	-7.4	2.3	-1.8
33.0	-212.8	q4-3	I	5.6	21.7	-6.7	5.0
39.7	-234.5		J	5.6	21.7	-6.7	5.0
225.5	-1138.9	q4-4	I	-0.7	131.3	-40.5	30.6
266.0	-1270.2		J	-0.7	131.3	-40.5	30.6
196.0	-576.8	q5x_pc	I	44.9	41.1	-76.1	-23.4
277.1	-618.0		J	44.9	41.1	-86.1	-28.4
-473.9	2587.9	q5y_pc	I	-21.2	-313.5	88.3	-64.0
-562.2	2903.9		J	-21.2	-318.5	88.3	-64.0
130.5	-961.2	q5x_ps	I	46.2	96.8	-29.9	22.4
160.4	-1058.0		J	46.2	96.8	-29.9	22.4
-466.7	2345.6	q5y_ps	I	-19.7	-281.4	86.8	-65.7
-553.6	2627.0		J	-19.7	-281.4	86.8	-65.7
1.7	-42.4	q7	I	3.5	2.6	-0.8	0.6
2.5	-45.0		J	3.5	2.6	-0.8	0.6
43.2	-283.6	T	I	-4.4	23.1	-7.2	5.3
50.4	-306.8		J	-4.4	23.1	-7.2	5.3
40.3	-109.0	SLVx-E~1	I	0.4	22.3	-7.3	3.9
47.6	-131.3		J	0.4	22.3	-7.3	3.9
94.1	-254.4	SLVy-E~1	I	1.0	51.9	-17.1	9.1
			J	1.0	51.9	-17.1	9.1

MIDAS

PROJECT TITLE :


		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
111.2	-306.4									
381	7	37	Q1-1_2	Max	I	280.4	19.7	13.5	6.2	
1348.9	1739.6				J	280.4	19.7	13.5	6.2	
1342.0	1729.4									
				Min	I	-1807.9	-51.4	-5.6	-18.8	
-196.9	-5504.3				J	-1807.9	-51.4	-5.6	-18.8	
-194.4	-5459.7									
			Q1-3_4	Max	I	273.7	17.2	12.1	6.0	
1391.1	2514.4				J	273.7	17.2	12.1	6.0	
1386.8	2507.5									
				Min	I	-1841.8	-45.1	-4.7	-16.1	
-197.9	-4385.2				J	-1841.8	-45.1	-4.7	-16.1	
-196.2	-4345.8									
			Q2a-1_2	Max	I	155.1	10.8	7.5	3.4	
799.8	933.3				J	155.1	10.8	7.5	3.4	
796.2	927.3									
				Min	I	-1068.3	-28.7	-3.1	-10.6	
-108.6	-3055.4				J	-1068.3	-28.7	-3.1	-10.6	
-107.1	-3029.5									
			Q2a-3_4	Max	I	149.2	9.5	6.6	3.5	
820.7	1452.2				J	149.2	9.5	6.6	3.5	
818.9	1447.0									
				Min	I	-1080.4	-24.5	-2.6	-8.7	
-108.1	-2321.1				J	-1080.4	-24.5	-2.6	-8.7	
-107.1	-2299.0									
			Q1-1	Max	I	103.4	8.9	5.4	2.6	
479.2	541.5				J	103.4	8.9	5.4	2.6	
475.1	535.7									
				Min	I	-657.4	-20.9	-2.6	-8.1	
-69.2	-2518.9				J	-657.4	-20.9	-2.6	-8.1	
-67.8	-2499.1									
			Q1-3	Max	I	83.7	5.3	3.4	2.3	
526.5	1140.8				J	83.7	5.3	3.4	2.3	
526.4	1138.3									
				Min	I	-683.8	-11.5	-1.3	-3.3	
-66.7	-476.3				J	-683.8	-11.5	-1.3	-3.3	
-67.0	-467.7									
			SLVx (RS)		I	288.9	-746.8	781.5	-273.5	-
3496.8	5789.5				J	288.9	-746.8	781.5	-273.5	-
4260.8	6486.2									
			SLVy (RS)		I	-186.8	-1064.1	-198.3	-444.1	-
-842.2	4396.0				J	-186.8	-1064.1	-198.3	-444.1	-
1009.7	5346.9									

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-562.4	1030.4	SLVz (RS)	I	1829.8	64.7	119.6	105.2	
			J	1829.8	64.7	119.6	105.2	
-579.4	1040.0							
1291.8	-2748.6	G1	I	-3539.7	-38.5	10.4	-13.1	
			J	-3733.2	-38.5	10.4	-13.1	
1281.3	-2710.1							
468.9	-996.7	G2	I	-640.2	-14.0	3.8	-4.8	
			J	-640.2	-14.0	3.8	-4.8	
465.1	-982.8							
1324.9	-182.4	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
			J	-1680.0	6.0	-1.7	1.8	-
1323.1	-188.4							
-426.6	-58.7	perm i~1	I	-541.0	1.9	-0.6	0.6	
			J	-541.0	1.9	-0.6	0.6	
-426.1	-60.7							
0.2	-2.1	pp2	I	0.0	0.1	-0.0	0.0	
			J	0.0	0.1	-0.0	0.0	
0.3	-2.2							
0.1	-0.6	perm2	I	0.0	0.0	-0.0	0.0	
			J	0.0	0.0	-0.0	0.0	
0.1	-0.6							
77.9	-576.1	q3	I	13.6	43.6	-13.5	10.0	
			J	13.6	43.6	-13.5	10.0	
91.4	-619.7							
8.4	-12.3	q4-1	I	-1.1	3.7	-1.1	0.9	
			J	-1.1	3.7	-1.1	0.9	
9.5	-16.1							
-15.8	48.0	q4-2	I	1.1	-7.4	2.3	-1.8	
			J	1.1	-7.4	2.3	-1.8	
-18.1	55.4							
39.7	-234.5	q4-3	I	5.6	21.7	-6.7	5.0	
			J	5.6	21.7	-6.7	5.0	
46.4	-256.3							
266.0	-1270.2	q4-4	I	-0.7	131.3	-40.5	30.6	
			J	-0.7	131.3	-40.5	30.6	
306.5	-1401.5							
277.1	-618.0	q5x_pc	I	44.9	41.1	-86.1	-28.4	
			J	44.9	41.1	-96.0	-33.4	
368.1	-659.1							
		q5y_pc	I	-21.2	-318.5	88.3	-64.0	

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-562.2	2903.9		J	-21.2	-323.5	88.3	-64.0
-650.5	3224.9						
		q5x_ps	I	46.2	96.8	-29.9	22.4
160.4	-1058.0		J	46.2	96.8	-29.9	22.4
190.4	-1154.9						
		q5y_ps	I	-19.7	-281.4	86.8	-65.7
-553.6	2627.0		J	-19.7	-281.4	86.8	-65.7
-640.4	2908.5						
		q7	I	3.5	2.6	-0.8	0.6
2.5	-45.0		J	3.5	2.6	-0.8	0.6
3.3	-47.5						
		T	I	-4.4	23.1	-7.2	5.3
50.4	-306.8		J	-4.4	23.1	-7.2	5.3
57.6	-329.9						
		SLVx-E~1	I	0.4	22.3	-7.3	3.9
47.6	-131.3		J	0.4	22.3	-7.3	3.9
55.0	-153.6						
		SLVy-E~1	I	1.0	51.9	-17.1	9.1
111.2	-306.4		J	1.0	51.9	-17.1	9.1
128.3	-358.3						
382	7	38 Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1342.0	1729.4		J	280.4	19.7	13.5	6.2
1335.2	1719.3						
		Min	I	-1807.9	-51.4	-5.6	-18.8
-194.4	-5459.7		J	-1807.9	-51.4	-5.6	-18.8
-191.8	-5415.1						
		Q1-3_4 Max	I	273.7	17.2	12.1	6.0
1386.8	2507.5		J	273.7	17.2	12.1	6.0
1382.5	2500.8						
		Min	I	-1841.8	-45.1	-4.7	-16.1
-196.2	-4345.8		J	-1841.8	-45.1	-4.7	-16.1
-194.5	-4306.5						
		Q2a-1_2 Max	I	155.1	10.8	7.5	3.4
796.2	927.3		J	155.1	10.8	7.5	3.4
792.6	921.3						
		Min	I	-1068.3	-28.7	-3.1	-10.6
-107.1	-3029.5		J	-1068.3	-28.7	-3.1	-10.6
-105.6	-3003.6						
		Q2a-3_4 Max	I	149.2	9.5	6.6	3.5
818.9	1447.0		J	149.2	9.5	6.6	3.5
817.1	1442.0						
		Min	I	-1080.4	-24.5	-2.6	-8.7

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-107.1	-2299.0		J	-1080.4	-24.5	-2.6	-8.7	
-106.2	-2276.8							
		Q1-1 Max	I	103.4	8.9	5.4	2.6	
475.1	535.7		J	103.4	8.9	5.4	2.6	
471.0	529.9	Min	I	-657.4	-20.9	-2.6	-8.1	
-67.8	-2499.1		J	-657.4	-20.9	-2.6	-8.1	
-66.3	-2479.4							
		Q1-3 Max	I	83.7	5.3	3.4	2.3	
526.4	1138.3		J	83.7	5.3	3.4	2.3	
526.4	1135.9	Min	I	-683.8	-11.5	-1.3	-3.3	
-67.0	-467.7		J	-683.8	-11.5	-1.3	-3.3	
-67.4	-459.1							
		SLVx (RS)	I	292.1	-761.0	814.4	-273.5	-
4260.8	6486.2		J	292.1	-761.0	814.4	-273.5	-
5053.4	7200.1							
		SLVy (RS)	I	-189.2	-1091.4	-208.1	-444.1	-
1009.7	5346.9		J	-189.2	-1091.4	-208.1	-444.1	-
1186.6	6345.2							
		SLVz (RS)	I	1893.6	59.1	116.8	105.2	
-579.4	1040.0		J	1893.6	59.1	116.8	105.2	
-602.3	1034.1							
		G1	I	-3733.2	-38.5	10.4	-13.1	
1281.3	-2710.1		J	-3907.7	-38.5	10.4	-13.1	
1270.9	-2671.5							
		G2	I	-640.2	-14.0	3.8	-4.8	
465.1	-982.8		J	-640.2	-14.0	3.8	-4.8	
461.3	-968.8							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1323.1	-188.4		J	-1680.0	6.0	-1.7	1.8	-
1321.4	-194.5							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-426.1	-60.7		J	-541.0	1.9	-0.6	0.6	
-425.5	-62.6							
		pp2	I	0.0	0.1	-0.0	0.0	
0.3	-2.2		J	0.0	0.1	-0.0	0.0	
0.3	-2.4							
		perm2	I	0.0	0.0	-0.0	0.0	
0.1	-0.6		J	0.0	0.0	-0.0	0.0	
0.1	-0.6							


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


91.4	-619.7	q3	I	13.6	43.6	-13.5	10.0
104.9	-663.2		J	13.6	43.6	-13.5	10.0
9.5	-16.1	q4-1	I	-1.1	3.7	-1.1	0.9
10.6	-19.8		J	-1.1	3.7	-1.1	0.9
-18.1	55.4	q4-2	I	1.1	-7.4	2.3	-1.8
-20.4	62.8		J	1.1	-7.4	2.3	-1.8
46.4	-256.3	q4-3	I	5.6	21.7	-6.7	5.0
53.1	-278.0		J	5.6	21.7	-6.7	5.0
306.5	-1401.5	q4-4	I	-0.7	131.3	-40.5	30.6
347.0	-1532.8		J	-0.7	131.3	-40.5	30.6
368.1	-659.1	q5x_pc	I	44.9	41.1	-96.0	-33.4
469.2	-700.2		J	44.9	41.1	-106.0	-38.4
-650.5	3224.9	q5y_pc	I	-21.2	-323.5	88.3	-64.0
-738.9	3550.9		J	-21.2	-328.5	88.3	-64.0
190.4	-1154.9	q5x_ps	I	46.2	96.8	-29.9	22.4
220.3	-1251.7		J	46.2	96.8	-29.9	22.4
-640.4	2908.5	q5y_ps	I	-19.7	-281.4	86.8	-65.7
-727.2	3189.9		J	-19.7	-281.4	86.8	-65.7
3.3	-47.5	q7	I	3.5	2.6	-0.8	0.6
4.1	-50.1		J	3.5	2.6	-0.8	0.6
57.6	-329.9	T	I	-4.4	23.1	-7.2	5.3
64.7	-353.0		J	-4.4	23.1	-7.2	5.3
55.0	-153.6	SLVx-E~1	I	0.4	22.3	-7.3	3.9
62.3	-175.8		J	0.4	22.3	-7.3	3.9
128.3	-358.3	SLVy-E~1	I	1.0	51.9	-17.1	9.1
145.4	-410.2		J	1.0	51.9	-17.1	9.1

MIDAS


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
383	7	38	Q1-1_2	Max	I	280.4	19.7	13.5	6.2	
1335.2	1719.3				J	280.4	19.7	13.5	6.2	
1328.3	1717.6			Min	I	-1807.9	-51.4	-5.6	-18.8	
-191.8	-5415.1				J	-1807.9	-51.4	-5.6	-18.8	
-189.5	-5370.7									
			Q1-3_4	Max	I	273.7	17.2	12.1	6.0	
1382.5	2500.8				J	273.7	17.2	12.1	6.0	
1378.2	2494.1			Min	I	-1841.8	-45.1	-4.7	-16.1	
-194.5	-4306.5				J	-1841.8	-45.1	-4.7	-16.1	
-193.2	-4267.2									
			Q2a-1_2	Max	I	155.1	10.8	7.5	3.4	
792.6	921.3				J	155.1	10.8	7.5	3.4	
789.0	915.3			Min	I	-1068.3	-28.7	-3.1	-10.6	
-105.6	-3003.6				J	-1068.3	-28.7	-3.1	-10.6	
-104.3	-2977.8									
			Q2a-3_4	Max	I	149.2	9.5	6.6	3.5	
817.1	1442.0				J	149.2	9.5	6.6	3.5	
815.3	1436.9			Min	I	-1080.4	-24.5	-2.6	-8.7	
-106.2	-2276.8				J	-1080.4	-24.5	-2.6	-8.7	
-105.3	-2254.7									
			Q1-1	Max	I	103.4	8.9	5.4	2.6	
471.0	529.9				J	103.4	8.9	5.4	2.6	
466.9	524.2			Min	I	-657.4	-20.9	-2.6	-8.1	
-66.3	-2479.4				J	-657.4	-20.9	-2.6	-8.1	
-65.0	-2459.7									
			Q1-3	Max	I	83.7	5.3	3.4	2.3	
526.4	1135.9				J	83.7	5.3	3.4	2.3	
526.3	1133.5			Min	I	-683.8	-11.5	-1.3	-3.3	
-67.4	-459.1				J	-683.8	-11.5	-1.3	-3.3	
-67.8	-450.6									
			SLVx (RS)		I	295.0	-773.9	842.4	-273.5	-
5053.4	7200.1				J	295.0	-773.9	842.4	-273.5	-
5869.0	7929.2									
			SLVy (RS)		I	-191.5	-1116.0	-216.4	-444.1	-
1186.6	6345.2				J	-191.5	-1116.0	-216.4	-444.1	-
1370.9	7379.9									
			SLVz (RS)		I	1952.5	60.3	112.0	105.2	
-602.3	1034.1									

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-628.2	1012.3		J	1952.5	60.3	112.0	105.2	
1270.9	-2671.5	G1	I	-3907.7	-38.5	10.4	-13.1	
1260.4	-2633.0		J	-4082.2	-38.5	10.4	-13.1	
461.3	-968.8	G2	I	-640.2	-14.0	3.8	-4.8	
457.5	-954.8		J	-640.2	-14.0	3.8	-4.8	
1321.4	-194.5	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1319.7	-200.5		J	-1680.0	6.0	-1.7	1.8	-
-425.5	-62.6	perm i~1	I	-541.0	1.9	-0.6	0.6	
-425.0	-64.6		J	-541.0	1.9	-0.6	0.6	
0.3	-2.4	pp2	I	0.0	0.1	-0.0	0.0	
0.4	-2.5		J	0.0	0.1	-0.0	0.0	
0.1	-0.6	perm2	I	0.0	0.0	-0.0	0.0	
0.1	-0.7		J	0.0	0.0	-0.0	0.0	
104.9	-663.2	q3	I	13.6	43.6	-13.5	10.0	
118.4	-706.8		J	13.6	43.6	-13.5	10.0	
10.6	-19.8	q4-1	I	-1.1	3.7	-1.1	0.9	
11.8	-23.5		J	-1.1	3.7	-1.1	0.9	
-20.4	62.8	q4-2	I	1.1	-7.4	2.3	-1.8	
-22.6	70.2		J	1.1	-7.4	2.3	-1.8	
53.1	-278.0	q4-3	I	5.6	21.7	-6.7	5.0	
59.8	-299.7		J	5.6	21.7	-6.7	5.0	
347.0	-1532.8	q4-4	I	-0.7	131.3	-40.5	30.6	
387.6	-1664.1		J	-0.7	131.3	-40.5	30.6	
469.2	-700.2	q5x_pc	I	44.9	41.1	-106.0	-38.4	
580.2	-741.3		J	44.9	41.1	-116.0	-43.4	
-738.9	3550.9	q5y_pc	I	-21.2	-328.5	88.3	-64.0	
			J	-21.2	-333.5	88.3	-64.0	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-827.2	3882.0						
220.3	-1251.7	q5x_ps	I	46.2	96.8	-29.9	22.4
250.2	-1348.5		J	46.2	96.8	-29.9	22.4
-727.2	3189.9	q5y_ps	I	-19.7	-281.4	86.8	-65.7
-814.0	3471.3		J	-19.7	-281.4	86.8	-65.7
4.1	-50.1	q7	I	3.5	2.6	-0.8	0.6
4.9	-52.6		J	3.5	2.6	-0.8	0.6
64.7	-353.0	T	I	-4.4	23.1	-7.2	5.3
71.9	-376.1		J	-4.4	23.1	-7.2	5.3
62.3	-175.8	SLVx-E~1	I	0.4	22.3	-7.3	3.9
69.6	-198.1		J	0.4	22.3	-7.3	3.9
145.4	-410.2	SLVy-E~1	I	1.0	51.9	-17.1	9.1
162.4	-462.1		J	1.0	51.9	-17.1	9.1
384	7	38 Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1328.3	1717.6		J	280.4	19.7	13.5	6.2
1321.5	1711.8	Min	I	-1807.9	-51.4	-5.6	-18.8
-189.5	-5370.7		J	-1807.9	-51.4	-5.6	-18.8
-187.1	-5326.3	Q1-3_4 Max	I	273.7	17.2	12.1	6.0
1378.2	2494.1		J	273.7	17.2	12.1	6.0
1374.0	2487.6	Min	I	-1841.8	-45.1	-4.7	-16.1
-193.2	-4267.2		J	-1841.8	-45.1	-4.7	-16.1
-193.1	-4228.0	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4
789.0	915.3		J	155.1	10.8	7.5	3.4
785.5	913.1	Min	I	-1068.3	-28.7	-3.1	-10.6
-104.3	-2977.8		J	-1068.3	-28.7	-3.1	-10.6
-102.9	-2952.0	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5
815.3	1436.9		J	149.2	9.5	6.6	3.5
813.6	1432.0	Min	I	-1080.4	-24.5	-2.6	-8.7
-105.3	-2254.7		J	-1080.4	-24.5	-2.6	-8.7


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-105.2	-2232.6							
		Q1-1 Max	I	103.4	8.9	5.4	2.6	
466.9	524.2		J	103.4	8.9	5.4	2.6	
462.8	518.5	Min	I	-657.4	-20.9	-2.6	-8.1	
-65.0	-2459.7		J	-657.4	-20.9	-2.6	-8.1	
-63.7	-2440.0							
		Q1-3 Max	I	83.7	5.3	3.4	2.3	
526.3	1133.5		J	83.7	5.3	3.4	2.3	
526.3	1131.2	Min	I	-683.8	-11.5	-1.3	-3.3	
-67.8	-450.6		J	-683.8	-11.5	-1.3	-3.3	
-68.2	-442.1							
		SLVx (RS)	I	297.9	-786.6	867.9	-273.5	-
5869.0	7929.2		J	297.9	-786.6	867.9	-273.5	-
6704.0	8671.9							
		SLVy (RS)	I	-193.7	-1139.8	-224.0	-444.1	-
1370.9	7379.9		J	-193.7	-1139.8	-224.0	-444.1	-
1560.9	8444.6							
		SLVz (RS)	I	2009.9	67.9	106.2	105.2	
-628.2	1012.3		J	2009.9	67.9	106.2	105.2	
-653.0	974.5							
		G1	I	-4082.2	-38.5	10.4	-13.1	
1260.4	-2633.0		J	-4256.7	-38.5	10.4	-13.1	
1250.0	-2594.5							
		G2	I	-640.2	-14.0	3.8	-4.8	
457.5	-954.8		J	-640.2	-14.0	3.8	-4.8	
453.7	-940.9							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1319.7	-200.5		J	-1680.0	6.0	-1.7	1.8	-
1318.0	-206.5							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-425.0	-64.6		J	-541.0	1.9	-0.6	0.6	
-424.4	-66.5							
		pp2	I	0.0	0.1	-0.0	0.0	
0.4	-2.5		J	0.0	0.1	-0.0	0.0	
0.4	-2.6							
		perm2	I	0.0	0.0	-0.0	0.0	
0.1	-0.7		J	0.0	0.0	-0.0	0.0	
0.1	-0.7							
		q3	I	13.6	43.6	-13.5	10.0	

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
118.4	-706.8		J	13.6	43.6	-13.5	10.0
132.0	-750.3						
		q4-1	I	-1.1	3.7	-1.1	0.9
11.8	-23.5		J	-1.1	3.7	-1.1	0.9
12.9	-27.3						
		q4-2	I	1.1	-7.4	2.3	-1.8
-22.6	70.2		J	1.1	-7.4	2.3	-1.8
-24.9	77.6						
		q4-3	I	5.6	21.7	-6.7	5.0
59.8	-299.7		J	5.6	21.7	-6.7	5.0
66.5	-321.4						
		q4-4	I	-0.7	131.3	-40.5	30.6
387.6	-1664.1		J	-0.7	131.3	-40.5	30.6
428.1	-1795.4						
		q5x_pc	I	44.9	41.1	-116.0	-43.4
580.2	-741.3		J	44.9	41.1	-126.0	-48.4
701.2	-782.5						
		q5y_pc	I	-21.2	-333.5	88.3	-64.0
-827.2	3882.0		J	-21.2	-338.5	88.3	-64.0
-915.5	4218.0						
		q5x_ps	I	46.2	96.8	-29.9	22.4
250.2	-1348.5		J	46.2	96.8	-29.9	22.4
280.1	-1445.3						
		q5y_ps	I	-19.7	-281.4	86.8	-65.7
-814.0	3471.3		J	-19.7	-281.4	86.8	-65.7
-900.9	3752.7						
		q7	I	3.5	2.6	-0.8	0.6
4.9	-52.6		J	3.5	2.6	-0.8	0.6
5.7	-55.2						
		T	I	-4.4	23.1	-7.2	5.3
71.9	-376.1		J	-4.4	23.1	-7.2	5.3
79.1	-399.3						
		SLVx-E~1	I	0.4	22.3	-7.3	3.9
69.6	-198.1		J	0.4	22.3	-7.3	3.9
76.9	-220.3						
		SLVy-E~1	I	1.0	51.9	-17.1	9.1
162.4	-462.1		J	1.0	51.9	-17.1	9.1
179.5	-514.1						
385	7	38	Q1-1_2 Max	I	280.4	19.7	13.5
1321.5	1711.8						6.2

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1314.7	1706.0		J	280.4	19.7	13.5	6.2	
		Min	I	-1807.9	-51.4	-5.6	-18.8	
-187.1	-5326.3		J	-1807.9	-51.4	-5.6	-18.8	
-185.5	-5282.1							
		Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1374.0	2487.6		J	273.7	17.2	12.1	6.0	
		Min	I	-1841.8	-45.1	-4.7	-16.1	
1369.8	2481.2		J	-1841.8	-45.1	-4.7	-16.1	
-193.1	-4228.0							
-193.0	-4188.9							
		Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
785.5	913.1		J	155.1	10.8	7.5	3.4	
		Min	I	-1068.3	-28.7	-3.1	-10.6	
781.9	909.2		J	-1068.3	-28.7	-3.1	-10.6	
-102.9	-2952.0							
-101.8	-2926.2							
		Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
813.6	1432.0		J	149.2	9.5	6.6	3.5	
		Min	I	-1080.4	-24.5	-2.6	-8.7	
811.9	1427.0		J	-1080.4	-24.5	-2.6	-8.7	
-105.2	-2232.6							
-105.0	-2210.5							
		Q1-1 Max	I	103.4	8.9	5.4	2.6	
462.8	518.5		J	103.4	8.9	5.4	2.6	
		Min	I	-657.4	-20.9	-2.6	-8.1	
458.7	513.0		J	-657.4	-20.9	-2.6	-8.1	
-63.7	-2440.0							
-62.4	-2420.3							
		Q1-3 Max	I	83.7	5.3	3.4	2.3	
526.3	1131.2		J	83.7	5.3	3.4	2.3	
		Min	I	-683.8	-11.5	-1.3	-3.3	
526.2	1128.9		J	-683.8	-11.5	-1.3	-3.3	
-68.2	-442.1							
-68.7	-433.7							
		SLVx (RS)	I	300.6	-799.0	891.8	-273.5	-
6704.0	8671.9		J	300.6	-799.0	891.8	-273.5	-
7555.9	9427.3							
		SLVy (RS)	I	-195.9	-1162.9	-231.3	-444.1	-
1560.9	8444.6		J	-195.9	-1162.9	-231.3	-444.1	-
1755.7	9535.2							
		SLVz (RS)	I	2065.7	79.6	101.1	105.2	
-653.0	974.5		J	2065.7	79.6	101.1	105.2	
-673.6	921.4							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

1250.0	-2594.5	G1	I	-4256.7	-38.5	10.4	-13.1	
			J	-4431.2	-38.5	10.4	-13.1	
1239.6	-2556.0							
		G2	I	-640.2	-14.0	3.8	-4.8	
453.7	-940.9		J	-640.2	-14.0	3.8	-4.8	
449.9	-926.9							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1318.0	-206.5		J	-1680.0	6.0	-1.7	1.8	-
1316.3	-212.5							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-424.4	-66.5		J	-541.0	1.9	-0.6	0.6	
-423.9	-68.4							
		pp2	I	0.0	0.1	-0.0	0.0	
0.4	-2.6		J	0.0	0.1	-0.0	0.0	
0.5	-2.8							
		perm2	I	0.0	0.0	-0.0	0.0	
0.1	-0.7		J	0.0	0.0	-0.0	0.0	
0.1	-0.7							
		q3	I	13.6	43.6	-13.5	10.0	
132.0	-750.3		J	13.6	43.6	-13.5	10.0	
145.5	-793.9							
		q4-1	I	-1.1	3.7	-1.1	0.9	
12.9	-27.3		J	-1.1	3.7	-1.1	0.9	
14.1	-31.0							
		q4-2	I	1.1	-7.4	2.3	-1.8	
-24.9	77.6		J	1.1	-7.4	2.3	-1.8	
-27.2	85.1							
		q4-3	I	5.6	21.7	-6.7	5.0	
66.5	-321.4		J	5.6	21.7	-6.7	5.0	
73.3	-343.2							
		q4-4	I	-0.7	131.3	-40.5	30.6	
428.1	-1795.4		J	-0.7	131.3	-40.5	30.6	
468.6	-1926.7							
		q5x_pc	I	44.9	41.1	-126.0	-48.4	
701.2	-782.5		J	44.9	41.1	-135.6	-53.2	
832.0	-823.6							
		q5y_pc	I	-21.2	-338.5	88.3	-64.0	
-915.5	4218.0		J	-21.2	-343.3	88.3	-64.0	-
1003.9	4558.9							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
280.1	-1445.3	q5x_ps	I	46.2	96.8	-29.9	22.4
310.1	-1542.1		J	46.2	96.8	-29.9	22.4
-900.9	3752.7	q5y_ps	I	-19.7	-281.4	86.8	-65.7
-987.7	4034.2		J	-19.7	-281.4	86.8	-65.7
5.7	-55.2	q7	I	3.5	2.6	-0.8	0.6
6.5	-57.8		J	3.5	2.6	-0.8	0.6
79.1	-399.3	T	I	-4.4	23.1	-7.2	5.3
86.3	-422.4		J	-4.4	23.1	-7.2	5.3
76.9	-220.3	SLVx-E~1	I	0.4	22.3	-7.3	3.9
84.3	-242.6		J	0.4	22.3	-7.3	3.9
179.5	-514.1	SLVy-E~1	I	1.0	51.9	-17.1	9.1
196.6	-566.0		J	1.0	51.9	-17.1	9.1
386	7	38 Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1314.7	1706.0		J	280.4	19.7	13.5	6.2
1308.0	1700.4	Min	I	-1807.9	-51.4	-5.6	-18.8
-185.5	-5282.1		J	-1807.9	-51.4	-5.6	-18.8
-184.3	-5238.0	Q1-3_4 Max	I	273.7	17.2	12.1	6.0
1369.8	2481.2		J	273.7	17.2	12.1	6.0
1365.7	2474.9	Min	I	-1841.8	-45.1	-4.7	-16.1
-193.0	-4188.9		J	-1841.8	-45.1	-4.7	-16.1
-192.9	-4149.9	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4
781.9	909.2		J	155.1	10.8	7.5	3.4
778.4	905.4	Min	I	-1068.3	-28.7	-3.1	-10.6
-101.8	-2926.2		J	-1068.3	-28.7	-3.1	-10.6
-101.0	-2900.5	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5
811.9	1427.0		J	149.2	9.5	6.6	3.5
810.2	1422.2	Min	I	-1080.4	-24.5	-2.6	-8.7
-105.0	-2210.5		J	-1080.4	-24.5	-2.6	-8.7
-104.9	-2188.5						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
458.7	513.0	Q1-1 Max	I	103.4	8.9	5.4	2.6	
			J	103.4	8.9	5.4	2.6	
454.6	507.5	Min	I	-657.4	-20.9	-2.6	-8.1	
-62.4	-2420.3		J	-657.4	-20.9	-2.6	-8.1	
-61.2	-2400.6							
526.2	1128.9	Q1-3 Max	I	83.7	5.3	3.4	2.3	
			J	83.7	5.3	3.4	2.3	
526.2	1126.6	Min	I	-683.8	-11.5	-1.3	-3.3	
-68.7	-433.7		J	-683.8	-11.5	-1.3	-3.3	
-69.1	-425.2							
7555.9	9427.3	SLVx (RS)	I	303.2	-811.3	914.9	-273.5	-
			J	303.2	-811.3	914.9	-273.5	-
8422.6	10194.5							
1755.7	9535.2	SLVy (RS)	I	-198.0	-1185.5	-238.6	-444.1	
			J	-198.0	-1185.5	-238.6	-444.1	
1954.4	10649.1							
-673.6	921.4	SLVz (RS)	I	2119.8	93.0	-98.0	105.2	
			J	2119.8	93.0	-98.0	105.2	
-687.8	854.7							
1239.6	-2556.0	G1	I	-4431.2	-38.5	10.4	-13.1	
			J	-4605.7	-38.5	10.4	-13.1	
1229.1	-2517.5							
449.9	-926.9	G2	I	-640.2	-14.0	3.8	-4.8	
			J	-640.2	-14.0	3.8	-4.8	
446.2	-913.0							
1316.3	-212.5	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
			J	-1680.0	6.0	-1.7	1.8	-
1314.6	-218.5							
-423.9	-68.4	perm i~1	I	-541.0	1.9	-0.6	0.6	
			J	-541.0	1.9	-0.6	0.6	
-423.3	-70.4							
0.5	-2.8	pp2	I	0.0	0.1	-0.0	0.0	
			J	0.0	0.1	-0.0	0.0	
0.5	-2.9							
0.1	-0.7	perm2	I	0.0	0.0	-0.0	0.0	
			J	0.0	0.0	-0.0	0.0	
0.1	-0.8							
145.5	-793.9	q3	I	13.6	43.6	-13.5	10.0	
			J	13.6	43.6	-13.5	10.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
159.0	-837.4							
		q4-1	I	-1.1	3.7	-1.1	0.9	
14.1	-31.0		J	-1.1	3.7	-1.1	0.9	
15.2	-34.7							
		q4-2	I	1.1	-7.4	2.3	-1.8	
-27.2	85.1		J	1.1	-7.4	2.3	-1.8	
-29.5	92.5							
		q4-3	I	5.6	21.7	-6.7	5.0	
73.3	-343.2		J	5.6	21.7	-6.7	5.0	
80.0	-364.9							
		q4-4	I	-0.7	131.3	-40.5	30.6	
468.6	-1926.7		J	-0.7	131.3	-40.5	30.6	
509.2	-2058.0							
		q5x_pc	I	44.9	41.1	-135.6	-53.2	
832.0	-823.6		J	44.9	41.1	-145.2	-58.0	
972.4	-864.7							
		q5y_pc	I	-21.2	-343.3	88.3	-64.0	-
1003.9	4558.9		J	-21.2	-348.2	88.3	-64.0	-
1092.2	4904.7							
		q5x_ps	I	46.2	96.8	-29.9	22.4	
310.1	-1542.1		J	46.2	96.8	-29.9	22.4	
340.0	-1638.9							
		q5y_ps	I	-19.7	-281.4	86.8	-65.7	
-987.7	4034.2		J	-19.7	-281.4	86.8	-65.7	-
1074.5	4315.6							
		q7	I	3.5	2.6	-0.8	0.6	
6.5	-57.8		J	3.5	2.6	-0.8	0.6	
7.3	-60.3							
		T	I	-4.4	23.1	-7.2	5.3	
86.3	-422.4		J	-4.4	23.1	-7.2	5.3	
93.4	-445.5							
		SLVx-E~1	I	0.4	22.3	-7.3	3.9	
84.3	-242.6		J	0.4	22.3	-7.3	3.9	
91.6	-264.8							
		SLVy-E~1	I	1.0	51.9	-17.1	9.1	
196.6	-566.0		J	1.0	51.9	-17.1	9.1	
213.7	-617.9							
		Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
387	7	38	J	280.4	19.7	13.5	6.2	
1308.0	1700.4							
1301.2	1694.8							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-184.3	-5238.0	Min	I	-1807.9	-51.4	-5.6	-18.8
			J	-1807.9	-51.4	-5.6	-18.8
-183.2	-5193.9						
1365.7	2474.9	Q1-3_4 Max	I	273.7	17.2	12.1	6.0
			J	273.7	17.2	12.1	6.0
1361.7	2468.7						
-192.9	-4149.9	Min	I	-1841.8	-45.1	-4.7	-16.1
			J	-1841.8	-45.1	-4.7	-16.1
-192.9	-4110.9						
778.4	905.4	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4
			J	155.1	10.8	7.5	3.4
774.8	901.6						
-101.0	-2900.5	Min	I	-1068.3	-28.7	-3.1	-10.6
			J	-1068.3	-28.7	-3.1	-10.6
-100.2	-2874.8						
810.2	1422.2	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5
			J	149.2	9.5	6.6	3.5
808.5	1417.3						
-104.9	-2188.5	Min	I	-1080.4	-24.5	-2.6	-8.7
			J	-1080.4	-24.5	-2.6	-8.7
-104.8	-2166.5						
454.6	507.5	Q1-1 Max	I	103.4	8.9	5.4	2.6
			J	103.4	8.9	5.4	2.6
450.6	502.0						
-61.2	-2400.6	Min	I	-657.4	-20.9	-2.6	-8.1
			J	-657.4	-20.9	-2.6	-8.1
-60.0	-2381.0						
526.2	1126.6	Q1-3 Max	I	83.7	5.3	3.4	2.3
			J	83.7	5.3	3.4	2.3
526.2	1124.3						
-69.1	-425.2	Min	I	-683.8	-11.5	-1.3	-3.3
			J	-683.8	-11.5	-1.3	-3.3
-69.5	-416.8						
8422.6	10194.5	SLVx (RS)	I	305.8	-823.5	937.7	-273.5
			J	305.8	-823.5	937.7	-273.5
9302.9	10972.8						
1954.4	10649.1	SLVy (RS)	I	-200.1	-1207.8	-246.0	-444.1
			J	-200.1	-1207.8	-246.0	-444.1
2156.9	11784.3						
-687.8	854.7	SLVz (RS)	I	2172.2	106.6	-96.8	105.2
			J	2172.2	106.6	-96.8	105.2
-694.9	777.4						
		G1	I	-4605.7	-38.5	10.4	-13.1

MIDAS

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1229.1	-2517.5		J	-4780.2	-38.5	10.4	-13.1
1218.7	-2479.0						
		G2	I	-640.2	-14.0	3.8	-4.8
446.2	-913.0		J	-640.2	-14.0	3.8	-4.8
442.4	-899.0						
		pp imp~1	I	-1680.0	6.0	-1.7	1.8
1314.6	-218.5		J	-1680.0	6.0	-1.7	1.8
1312.9	-224.5						
		perm i~1	I	-541.0	1.9	-0.6	0.6
-423.3	-70.4		J	-541.0	1.9	-0.6	0.6
-422.8	-72.3						
		pp2	I	0.0	0.1	-0.0	0.0
0.5	-2.9		J	0.0	0.1	-0.0	0.0
0.5	-3.0						
		perm2	I	0.0	0.0	-0.0	0.0
0.1	-0.8		J	0.0	0.0	-0.0	0.0
0.1	-0.8						
		q3	I	13.6	43.6	-13.5	10.0
159.0	-837.4		J	13.6	43.6	-13.5	10.0
172.5	-881.0						
		q4-1	I	-1.1	3.7	-1.1	0.9
15.2	-34.7		J	-1.1	3.7	-1.1	0.9
16.4	-38.4						
		q4-2	I	1.1	-7.4	2.3	-1.8
-29.5	92.5		J	1.1	-7.4	2.3	-1.8
-31.8	99.9						
		q4-3	I	5.6	21.7	-6.7	5.0
80.0	-364.9		J	5.6	21.7	-6.7	5.0
86.7	-386.6						
		q4-4	I	-0.7	131.3	-40.5	30.6
509.2	-2058.0		J	-0.7	131.3	-40.5	30.6
549.7	-2189.3						
		q5x_pc	I	44.9	41.1	-145.2	-58.0
972.4	-864.7		J	44.9	41.1	-154.8	-62.8
1122.4	-905.9						
		q5y_pc	I	-21.2	-348.2	88.3	-64.0
1092.2	4904.7		J	-21.2	-353.0	88.3	-64.0
1180.5	5255.2						
		q5x_ps	I	46.2	96.8	-29.9	22.4
340.0	-1638.9						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
369.9	-1735.7			J	46.2	96.8	-29.9	22.4
1074.5	4315.6	q5y_ps		I	-19.7	-281.4	86.8	-65.7 -
1161.4	4597.0			J	-19.7	-281.4	86.8	-65.7 -
7.3	-60.3	q7		I	3.5	2.6	-0.8	0.6
8.1	-62.9			J	3.5	2.6	-0.8	0.6
93.4	-445.5	T		I	-4.4	23.1	-7.2	5.3
100.6	-468.6			J	-4.4	23.1	-7.2	5.3
91.6	-264.8	SLVx-E~1		I	0.4	22.3	-7.3	3.9
98.9	-287.1			J	0.4	22.3	-7.3	3.9
213.7	-617.9	SLVy-E~1		I	1.0	51.9	-17.1	9.1
230.8	-669.9			J	1.0	51.9	-17.1	9.1
388	7	38 Q1-1_2 Max		I	280.4	19.7	13.5	6.2
1301.2	1694.8			J	280.4	19.7	13.5	6.2
1294.5	1689.4	Min		I	-1807.9	-51.4	-5.6	-18.8
-183.2	-5193.9			J	-1807.9	-51.4	-5.6	-18.8
-182.1	-5150.0	Q1-3_4 Max		I	273.7	17.2	12.1	6.0
1361.7	2468.7			J	273.7	17.2	12.1	6.0
1357.6	2462.6	Min		I	-1841.8	-45.1	-4.7	-16.1
-192.9	-4110.9			J	-1841.8	-45.1	-4.7	-16.1
-193.0	-4072.0	Q2a-1_2 Max		I	155.1	10.8	7.5	3.4
774.8	901.6			J	155.1	10.8	7.5	3.4
771.3	897.9	Min		I	-1068.3	-28.7	-3.1	-10.6
-100.2	-2874.8			J	-1068.3	-28.7	-3.1	-10.6
-99.5	-2849.2	Q2a-3_4 Max		I	149.2	9.5	6.6	3.5
808.5	1417.3			J	149.2	9.5	6.6	3.5
806.8	1412.6	Min		I	-1080.4	-24.5	-2.6	-8.7
-104.8	-2166.5			J	-1080.4	-24.5	-2.6	-8.7
-104.7	-2144.5	Q1-1 Max		I	103.4	8.9	5.4	2.6
450.6	502.0							


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
446.6	496.6		J	103.4	8.9	5.4	2.6	
-60.0	-2381.0	Min	I	-657.4	-20.9	-2.6	-8.1	
-58.9	-2361.4		J	-657.4	-20.9	-2.6	-8.1	
526.2	1124.3	Q1-3 Max	I	83.7	5.3	3.4	2.3	
526.2	1122.1		J	83.7	5.3	3.4	2.3	
-69.5	-416.8	Min	I	-683.8	-11.5	-1.3	-3.3	
-70.0	-408.5		J	-683.8	-11.5	-1.3	-3.3	
9302.9	10972.8	SLVx (RS)	I	308.3	-835.8	960.7	-273.5	-
0196.2	11761.9		J	308.3	-835.8	960.7	-273.5	-1
2156.9	11784.3	SLVy (RS)	I	-202.1	-1229.9	-253.6	-444.1	
2363.0	12939.6		J	-202.1	-1229.9	-253.6	-444.1	
-694.9	777.4	SLVz (RS)	I	2222.9	118.9	-96.3	105.2	
-694.8	693.6		J	2222.9	118.9	-96.3	105.2	
1218.7	-2479.0	G1	I	-4780.2	-38.5	10.4	-13.1	
1208.2	-2440.5		J	-4954.7	-38.5	10.4	-13.1	
442.4	-899.0	G2	I	-640.2	-14.0	3.8	-4.8	
438.6	-885.1		J	-640.2	-14.0	3.8	-4.8	
1312.9	-224.5	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1311.2	-230.5		J	-1680.0	6.0	-1.7	1.8	-
-422.8	-72.3	perm i~1	I	-541.0	1.9	-0.6	0.6	
-422.2	-74.2		J	-541.0	1.9	-0.6	0.6	
0.5	-3.0	pp2	I	0.0	0.1	-0.0	0.0	
0.6	-3.2		J	0.0	0.1	-0.0	0.0	
0.1	-0.8	perm2	I	0.0	0.0	-0.0	0.0	
0.1	-0.8		J	0.0	0.0	-0.0	0.0	
172.5	-881.0	q3	I	13.6	43.6	-13.5	10.0	
186.0	-924.5		J	13.6	43.6	-13.5	10.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
16.4	-38.4		q4-1	I	-1.1	3.7	-1.1	0.9
				J	-1.1	3.7	-1.1	0.9
17.5	-42.2							
			q4-2	I	1.1	-7.4	2.3	-1.8
-31.8	99.9			J	1.1	-7.4	2.3	-1.8
-34.0	107.3							
			q4-3	I	5.6	21.7	-6.7	5.0
86.7	-386.6			J	5.6	21.7	-6.7	5.0
93.4	-408.3							
			q4-4	I	-0.7	131.3	-40.5	30.6
549.7	-2189.3			J	-0.7	131.3	-40.5	30.6
590.2	-2320.6							
			q5x_pc	I	44.9	41.1	-154.8	-62.8
1122.4	-905.9			J	44.9	41.1	-164.4	-67.6
1282.1	-947.0							
			q5y_pc	I	-21.2	-353.0	88.3	-64.0
1180.5	5255.2			J	-21.2	-357.8	88.3	-64.0
1268.8	5610.6							
			q5x_ps	I	46.2	96.8	-29.9	22.4
369.9	-1735.7			J	46.2	96.8	-29.9	22.4
399.9	-1832.6							
			q5y_ps	I	-19.7	-281.4	86.8	-65.7
1161.4	4597.0			J	-19.7	-281.4	86.8	-65.7
1248.2	4878.4							
			q7	I	3.5	2.6	-0.8	0.6
8.1	-62.9			J	3.5	2.6	-0.8	0.6
8.9	-65.4							
			T	I	-4.4	23.1	-7.2	5.3
100.6	-468.6			J	-4.4	23.1	-7.2	5.3
107.8	-491.8							
			SLVx-E~1	I	0.4	22.3	-7.3	3.9
98.9	-287.1			J	0.4	22.3	-7.3	3.9
106.2	-309.3							
			SLVy-E~1	I	1.0	51.9	-17.1	9.1
230.8	-669.9			J	1.0	51.9	-17.1	9.1
247.9	-721.8							
389	7	38	Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1294.5	1689.4			J	280.4	19.7	13.5	6.2
1287.8	1683.9							
			Min	I	-1807.9	-51.4	-5.6	-18.8
-182.1	-5150.0							


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-181.0	-5106.2		J	-1807.9	-51.4	-5.6	-18.8	
1357.6	2462.6	Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1353.7	2456.6		J	273.7	17.2	12.1	6.0	
-193.0	-4072.0	Min	I	-1841.8	-45.1	-4.7	-16.1	
-193.1	-4033.1		J	-1841.8	-45.1	-4.7	-16.1	
771.3	897.9	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
767.8	894.2		J	155.1	10.8	7.5	3.4	
-99.5	-2849.2	Min	I	-1068.3	-28.7	-3.1	-10.6	
-98.8	-2823.6		J	-1068.3	-28.7	-3.1	-10.6	
806.8	1412.6	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
805.2	1407.8		J	149.2	9.5	6.6	3.5	
-104.7	-2144.5	Min	I	-1080.4	-24.5	-2.6	-8.7	
-104.6	-2122.5		J	-1080.4	-24.5	-2.6	-8.7	
446.6	496.6	Q1-1 Max	I	103.4	8.9	5.4	2.6	
442.6	491.3		J	103.4	8.9	5.4	2.6	
-58.9	-2361.4	Min	I	-657.4	-20.9	-2.6	-8.1	
-57.8	-2341.9		J	-657.4	-20.9	-2.6	-8.1	
526.2	1122.1	Q1-3 Max	I	83.7	5.3	3.4	2.3	
526.3	1119.9		J	83.7	5.3	3.4	2.3	
-70.0	-408.5	Min	I	-683.8	-11.5	-1.3	-3.3	
-70.5	-400.1		J	-683.8	-11.5	-1.3	-3.3	
0196.2	11761.9	SLVx (RS)	I	310.6	-848.0	984.3	-273.5	-1
1102.5	12561.4		J	310.6	-848.0	984.3	-273.5	-1
2363.0	12939.6	SLVy (RS)	I	-204.1	-1251.9	-261.6	-444.1	
2572.8	14114.1		J	-204.1	-1251.9	-261.6	-444.1	
-694.8	693.6	SLVz (RS)	I	2271.9	129.3	-95.5	105.2	
-686.9	609.6		J	2271.9	129.3	-95.5	105.2	
1208.2	-2440.5	G1	I	-4954.7	-38.5	10.4	-13.1	
			J	-5129.2	-38.5	10.4	-13.1	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1197.8	-2402.0							
		G2	I	-640.2	-14.0	3.8	-4.8	
438.6	-885.1		J	-640.2	-14.0	3.8	-4.8	
434.8	-871.1							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1311.2	-230.5		J	-1680.0	6.0	-1.7	1.8	-
1309.5	-236.5							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-422.2	-74.2		J	-541.0	1.9	-0.6	0.6	
-421.7	-76.2							
		pp2	I	0.0	0.1	-0.0	0.0	
0.6	-3.2		J	0.0	0.1	-0.0	0.0	
0.6	-3.3							
		perm2	I	0.0	0.0	-0.0	0.0	
0.1	-0.8		J	0.0	0.0	-0.0	0.0	
0.2	-0.9							
		q3	I	13.6	43.6	-13.5	10.0	
186.0	-924.5		J	13.6	43.6	-13.5	10.0	
199.5	-968.1							
		q4-1	I	-1.1	3.7	-1.1	0.9	
17.5	-42.2		J	-1.1	3.7	-1.1	0.9	
18.6	-45.9							
		q4-2	I	1.1	-7.4	2.3	-1.8	
-34.0	107.3		J	1.1	-7.4	2.3	-1.8	
-36.3	114.7							
		q4-3	I	5.6	21.7	-6.7	5.0	
93.4	-408.3		J	5.6	21.7	-6.7	5.0	
100.1	-430.0							
		q4-4	I	-0.7	131.3	-40.5	30.6	
590.2	-2320.6		J	-0.7	131.3	-40.5	30.6	
630.8	-2451.9							
		q5x_pc	I	44.9	41.1	-164.4	-67.6	
1282.1	-947.0		J	44.9	41.1	-174.0	-72.4	
1451.3	-988.1							
		q5y_pc	I	-21.2	-357.8	88.3	-64.0	-
1268.8	5610.6		J	-21.2	-362.5	88.3	-64.0	-
1357.2	5970.8							
		q5x_ps	I	46.2	96.8	-29.9	22.4	
399.9	-1832.6		J	46.2	96.8	-29.9	22.4	
429.8	-1929.4							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


1248.2	4878.4	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
			J	-19.7	-281.4	86.8	-65.7	-
1335.0	5159.9							
		q7	I	3.5	2.6	-0.8	0.6	
8.9	-65.4		J	3.5	2.6	-0.8	0.6	
9.7	-68.0							
		T	I	-4.4	23.1	-7.2	5.3	
107.8	-491.8		J	-4.4	23.1	-7.2	5.3	
114.9	-514.9							
		SLVx-E~1	I	0.4	22.3	-7.3	3.9	
106.2	-309.3		J	0.4	22.3	-7.3	3.9	
113.6	-331.6							
		SLVy-E~1	I	1.0	51.9	-17.1	9.1	
247.9	-721.8		J	1.0	51.9	-17.1	9.1	
265.0	-773.7							
390	7	38 Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1287.8	1683.9		J	280.4	19.7	13.5	6.2	
1281.2	1678.6							
		Min	I	-1807.9	-51.4	-5.6	-18.8	
-181.0	-5106.2		J	-1807.9	-51.4	-5.6	-18.8	
-180.0	-5062.5							
		Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1353.7	2456.6		J	273.7	17.2	12.1	6.0	
1349.7	2450.8							
		Min	I	-1841.8	-45.1	-4.7	-16.1	
-193.1	-4033.1		J	-1841.8	-45.1	-4.7	-16.1	
-193.3	-3994.3							
		Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
767.8	894.2		J	155.1	10.8	7.5	3.4	
764.3	890.5							
		Min	I	-1068.3	-28.7	-3.1	-10.6	
-98.8	-2823.6		J	-1068.3	-28.7	-3.1	-10.6	
-98.1	-2798.1							
		Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
805.2	1407.8		J	149.2	9.5	6.6	3.5	
803.6	1403.2							
		Min	I	-1080.4	-24.5	-2.6	-8.7	
-104.6	-2122.5		J	-1080.4	-24.5	-2.6	-8.7	
-104.6	-2100.6							
		Q1-1 Max	I	103.4	8.9	5.4	2.6	
442.6	491.3		J	103.4	8.9	5.4	2.6	
438.6	486.0							

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-57.8	-2341.9	Min	I	-657.4	-20.9	-2.6	-8.1	
			J	-657.4	-20.9	-2.6	-8.1	
-56.8	-2322.4							
526.3	1119.9	Q1-3 Max	I	83.7	5.3	3.4	2.3	
			J	83.7	5.3	3.4	2.3	
526.3	1117.8							
-70.5	-400.1	Min	I	-683.8	-11.5	-1.3	-3.3	
			J	-683.8	-11.5	-1.3	-3.3	
-71.0	-391.8							
1102.5	12561.4	SLVx (RS)	I	313.0	-860.3	1008.9	-273.5	-1
			J	313.0	-860.3	1008.9	-273.5	-1
2022.0	13371.0							
2572.8	14114.1	SLVy (RS)	I	-206.0	-1273.9	-270.1	-444.1	
			J	-206.0	-1273.9	-270.1	-444.1	
2786.9	15307.3							
-686.9	609.6	SLVz (RS)	I	2319.1	137.0	-94.8	105.2	
			J	2319.1	137.0	-94.8	105.2	
-670.5	533.9							
1197.8	-2402.0	G1	I	-5129.2	-38.5	10.4	-13.1	
			J	-5303.7	-38.5	10.4	-13.1	
1187.4	-2363.5							
434.8	-871.1	G2	I	-640.2	-14.0	3.8	-4.8	
			J	-640.2	-14.0	3.8	-4.8	
431.0	-857.1							
1309.5	-236.5	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
			J	-1680.0	6.0	-1.7	1.8	-
1307.7	-242.6							
-421.7	-76.2	perm i~1	I	-541.0	1.9	-0.6	0.6	
			J	-541.0	1.9	-0.6	0.6	
-421.1	-78.1							
0.6	-3.3	pp2	I	0.0	0.1	-0.0	0.0	
			J	0.0	0.1	-0.0	0.0	
0.7	-3.4							
0.2	-0.9	perm2	I	0.0	0.0	-0.0	0.0	
			J	0.0	0.0	-0.0	0.0	
0.2	-0.9							
199.5	-968.1	q3	I	13.6	43.6	-13.5	10.0	
			J	13.6	43.6	-13.5	10.0	
213.0	-1011.6							
18.6	-45.9	q4-1	I	-1.1	3.7	-1.1	0.9	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
19.8	-49.6		J	-1.1	3.7	-1.1	0.9
-36.3	114.7	q4-2	I	1.1	-7.4	2.3	-1.8
-38.6	122.2		J	1.1	-7.4	2.3	-1.8
100.1	-430.0	q4-3	I	5.6	21.7	-6.7	5.0
106.8	-451.8		J	5.6	21.7	-6.7	5.0
630.8	-2451.9	q4-4	I	-0.7	131.3	-40.5	30.6
671.3	-2583.2		J	-0.7	131.3	-40.5	30.6
1451.3	-988.1	q5x_pc	I	44.9	41.1	-174.0	-72.4
1629.9	-1029.3		J	44.9	41.1	-183.3	-77.1
1357.2	5970.8	q5y_pc	I	-21.2	-362.5	88.3	-64.0
1445.5	6335.7		J	-21.2	-367.3	88.3	-64.0
429.8	-1929.4	q5x_ps	I	46.2	96.8	-29.9	22.4
459.7	-2026.2		J	46.2	96.8	-29.9	22.4
1335.0	5159.9	q5y_ps	I	-19.7	-281.4	86.8	-65.7
1421.9	5441.3		J	-19.7	-281.4	86.8	-65.7
9.7	-68.0	q7	I	3.5	2.6	-0.8	0.6
10.5	-70.5		J	3.5	2.6	-0.8	0.6
114.9	-514.9	T	I	-4.4	23.1	-7.2	5.3
122.1	-538.0		J	-4.4	23.1	-7.2	5.3
113.6	-331.6	SLVx-E~1	I	0.4	22.3	-7.3	3.9
120.9	-353.9		J	0.4	22.3	-7.3	3.9
265.0	-773.7	SLVy-E~1	I	1.0	51.9	-17.1	9.1
282.0	-825.7		J	1.0	51.9	-17.1	9.1
391	7	38 Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1281.2	1678.6		J	280.4	19.7	13.5	6.2
1274.6	1673.4	Min	I	-1807.9	-51.4	-5.6	-18.8
-180.0	-5062.5		J	-1807.9	-51.4	-5.6	-18.8
-179.1	-5019.0						

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

1349.7	2450.8	Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
			J	273.7	17.2	12.1	6.0	
1345.9	2445.1	Min	I	-1841.8	-45.1	-4.7	-16.1	
-193.3	-3994.3		J	-1841.8	-45.1	-4.7	-16.1	
-193.6	-3955.6							
		Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
764.3	890.5		J	155.1	10.8	7.5	3.4	
760.8	886.9	Min	I	-1068.3	-28.7	-3.1	-10.6	
-98.1	-2798.1		J	-1068.3	-28.7	-3.1	-10.6	
-97.4	-2772.7							
		Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
803.6	1403.2		J	149.2	9.5	6.6	3.5	
802.0	1398.6	Min	I	-1080.4	-24.5	-2.6	-8.7	
-104.6	-2100.6		J	-1080.4	-24.5	-2.6	-8.7	
-104.6	-2078.7							
		Q1-1 Max	I	103.4	8.9	5.4	2.6	
438.6	486.0		J	103.4	8.9	5.4	2.6	
434.7	480.8	Min	I	-657.4	-20.9	-2.6	-8.1	
-56.8	-2322.4		J	-657.4	-20.9	-2.6	-8.1	
-55.8	-2303.0							
		Q1-3 Max	I	83.7	5.3	3.4	2.3	
526.3	1117.8		J	83.7	5.3	3.4	2.3	
526.3	1115.6	Min	I	-683.8	-11.5	-1.3	-3.3	
-71.0	-391.8		J	-683.8	-11.5	-1.3	-3.3	
-71.5	-383.5							
		SLVx (RS)	I	315.3	-872.6	1034.6	-273.5	-1
2022.0	13371.0		J	315.3	-872.6	1034.6	-273.5	-1
2955.6	14190.6							
		SLVy (RS)	I	-207.9	-1295.9	-279.2	-444.1	
2786.9	15307.3		J	-207.9	-1295.9	-279.2	-444.1	
3005.6	16518.6							
		SLVz (RS)	I	2364.5	141.7	-95.9	105.2	
-670.5	533.9		J	2364.5	141.7	-95.9	105.2	
-644.8	477.5							
		G1	I	-5303.7	-38.5	10.4	-13.1	
1187.4	-2363.5		J	-5478.2	-38.5	10.4	-13.1	
1176.9	-2325.0							


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
431.0	-857.1	G2	I	-640.2	-14.0	3.8	-4.8	
427.2	-843.2		J	-640.2	-14.0	3.8	-4.8	
1307.7	-242.6	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1306.0	-248.6		J	-1680.0	6.0	-1.7	1.8	-
-421.1	-78.1	perm i~1	I	-541.0	1.9	-0.6	0.6	
-420.6	-80.0		J	-541.0	1.9	-0.6	0.6	
0.7	-3.4	pp2	I	0.0	0.1	-0.0	0.0	
0.7	-3.5		J	0.0	0.1	-0.0	0.0	
0.2	-0.9	perm2	I	0.0	0.0	-0.0	0.0	
0.2	-0.9		J	0.0	0.0	-0.0	0.0	
213.0	-1011.6	q3	I	13.6	43.6	-13.5	10.0	
226.5	-1055.2		J	13.6	43.6	-13.5	10.0	
19.8	-49.6	q4-1	I	-1.1	3.7	-1.1	0.9	
20.9	-53.4		J	-1.1	3.7	-1.1	0.9	
-38.6	122.2	q4-2	I	1.1	-7.4	2.3	-1.8	
-40.9	129.6		J	1.1	-7.4	2.3	-1.8	
106.8	-451.8	q4-3	I	5.6	21.7	-6.7	5.0	
113.5	-473.5		J	5.6	21.7	-6.7	5.0	
671.3	-2583.2	q4-4	I	-0.7	131.3	-40.5	30.6	
711.8	-2714.5		J	-0.7	131.3	-40.5	30.6	
1629.9	-1029.3	q5x_pc	I	44.9	41.1	-183.3	-77.1	
1817.9	-1070.4		J	44.9	41.1	-192.6	-81.7	
1445.5	6335.7	q5y_pc	I	-21.2	-367.3	88.3	-64.0	-
1533.8	6705.4		J	-21.2	-372.0	88.3	-64.0	-
459.7	-2026.2	q5x_ps	I	46.2	96.8	-29.9	22.4	
489.6	-2123.0		J	46.2	96.8	-29.9	22.4	
		q5y_ps	I	-19.7	-281.4	86.8	-65.7	-

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1421.9	5441.3			J	-19.7	-281.4	86.8	-65.7	-
1508.7	5722.7								
			q7	I	3.5	2.6	-0.8	0.6	
10.5	-70.5			J	3.5	2.6	-0.8	0.6	
11.3	-73.1								
			T	I	-4.4	23.1	-7.2	5.3	
122.1	-538.0			J	-4.4	23.1	-7.2	5.3	
129.3	-561.1								
			SLVx-E~1	I	0.4	22.3	-7.3	3.9	
120.9	-353.9			J	0.4	22.3	-7.3	3.9	
128.2	-376.1								
			SLVy-E~1	I	1.0	51.9	-17.1	9.1	
282.0	-825.7			J	1.0	51.9	-17.1	9.1	
299.1	-877.6								
392	7	41	Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1274.6	1673.4			J	280.4	19.7	13.5	6.2	
1267.9	1668.3								
			Min	I	-1807.9	-51.4	-5.6	-18.8	
-179.1	-5019.0			J	-1807.9	-51.4	-5.6	-18.8	
-178.2	-4975.6								
			Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1345.9	2445.1			J	273.7	17.2	12.1	6.0	
1342.0	2439.6								
			Min	I	-1841.8	-45.1	-4.7	-16.1	
-193.6	-3955.6			J	-1841.8	-45.1	-4.7	-16.1	
-193.9	-3917.0								
			Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
760.8	886.9			J	155.1	10.8	7.5	3.4	
757.4	883.4								
			Min	I	-1068.3	-28.7	-3.1	-10.6	
-97.4	-2772.7			J	-1068.3	-28.7	-3.1	-10.6	
-96.8	-2747.4								
			Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
802.0	1398.6			J	149.2	9.5	6.6	3.5	
800.4	1394.0								
			Min	I	-1080.4	-24.5	-2.6	-8.7	
-104.6	-2078.7			J	-1080.4	-24.5	-2.6	-8.7	
-104.6	-2056.8								
			Q1-1 Max	I	103.4	8.9	5.4	2.6	
434.7	480.8			J	103.4	8.9	5.4	2.6	
430.7	475.6								
			Min	I	-657.4	-20.9	-2.6	-8.1	
-55.8	-2303.0								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-54.9	-2283.6		J	-657.4	-20.9	-2.6	-8.1	
526.3	1115.6	Q1-3 Max	I	83.7	5.3	3.4	2.3	
526.4	1113.5		J	83.7	5.3	3.4	2.3	
-71.5	-383.5	Min	I	-683.8	-11.5	-1.3	-3.3	
-72.0	-375.3		J	-683.8	-11.5	-1.3	-3.3	
2955.6	14190.6	SLVx (RS)	I	317.5	-885.1	1061.8	-273.5	-1
3904.3	15020.2		J	317.5	-885.1	1061.8	-273.5	-1
3005.6	16518.6	SLVy (RS)	I	-209.7	-1318.4	-289.1	-444.1	
3229.6	17748.1		J	-209.7	-1318.4	-289.1	-444.1	
-644.8	477.5	SLVz (RS)	I	2409.0	143.2	-100.8	105.2	
-610.0	451.5		J	2409.0	143.2	-100.8	105.2	
1176.9	-2325.0	G1	I	-5478.2	-38.5	10.4	-13.1	
1166.5	-2286.5		J	-5659.5	-38.5	10.4	-13.1	
427.2	-843.2	G2	I	-640.2	-14.0	3.8	-4.8	
423.4	-829.2		J	-640.2	-14.0	3.8	-4.8	
1306.0	-248.6	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1304.3	-254.6		J	-1680.0	6.0	-1.7	1.8	-
-420.6	-80.0	perm i~1	I	-541.0	1.9	-0.6	0.6	
-420.0	-82.0		J	-541.0	1.9	-0.6	0.6	
0.7	-3.5	pp2	I	0.0	0.1	-0.0	0.0	
0.7	-3.7		J	0.0	0.1	-0.0	0.0	
0.2	-0.9	perm2	I	0.0	0.0	-0.0	0.0	
0.2	-1.0		J	0.0	0.0	-0.0	0.0	
226.5	-1055.2	q3	I	13.6	43.6	-13.5	10.0	
240.0	-1098.7		J	13.6	43.6	-13.5	10.0	
20.9	-53.4	q4-1	I	-1.1	3.7	-1.1	0.9	
22.1	-57.1		J	-1.1	3.7	-1.1	0.9	


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-40.9	129.6		q4-2	I	1.1	-7.4	2.3	-1.8	
				J	1.1	-7.4	2.3	-1.8	
-43.2	137.0								
			q4-3	I	5.6	21.7	-6.7	5.0	
113.5	-473.5			J	5.6	21.7	-6.7	5.0	
120.3	-495.2								
			q4-4	I	-0.7	131.3	-40.5	30.6	
711.8	-2714.5			J	-0.7	131.3	-40.5	30.6	
752.3	-2845.8								
			q5x_pc	I	44.9	41.1	-192.6	-81.7	
1817.9	-1070.4			J	44.9	41.1	-201.9	-86.4	
2015.2	-1111.5								
			q5y_pc	I	-21.2	-372.0	88.3	-64.0	-
1533.8	6705.4			J	-21.2	-376.8	88.3	-64.0	-
1622.1	7079.7								
			q5x_ps	I	46.2	96.8	-29.9	22.4	
489.6	-2123.0			J	46.2	96.8	-29.9	22.4	
519.6	-2219.8								
			q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
1508.7	5722.7			J	-19.7	-281.4	86.8	-65.7	-
1595.5	6004.1								
			q7	I	3.5	2.6	-0.8	0.6	
11.3	-73.1			J	3.5	2.6	-0.8	0.6	
12.1	-75.6								
			T	I	-4.4	23.1	-7.2	5.3	
129.3	-561.1			J	-4.4	23.1	-7.2	5.3	
136.5	-584.3								
			SLVx-E~1	I	0.4	22.3	-7.3	3.9	
128.2	-376.1			J	0.4	22.3	-7.3	3.9	
135.5	-398.4								
			SLVy-E~1	I	1.0	51.9	-17.1	9.1	
299.1	-877.6			J	1.0	51.9	-17.1	9.1	
316.2	-929.5								
393	7	41	Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1267.9	1668.3			J	280.4	19.7	13.5	6.2	
1261.4	1663.3								
			Min	I	-1807.9	-51.4	-5.6	-18.8	
-178.2	-4975.6			J	-1807.9	-51.4	-5.6	-18.8	
-177.4	-4932.4								
			Q1-3_4 Max	I	273.7	17.2	12.1	6.0	

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1342.0	2439.6		J	273.7	17.2	12.1	6.0	
1338.2	2434.1							
		Min	I	-1841.8	-45.1	-4.7	-16.1	
-193.9	-3917.0							
			J	-1841.8	-45.1	-4.7	-16.1	
-194.3	-3878.4							
		Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
757.4	883.4							
			J	155.1	10.8	7.5	3.4	
753.9	879.9							
		Min	I	-1068.3	-28.7	-3.1	-10.6	
-96.8	-2747.4							
			J	-1068.3	-28.7	-3.1	-10.6	
-96.2	-2722.0							
		Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
800.4	1394.0							
			J	149.2	9.5	6.6	3.5	
798.8	1389.5							
		Min	I	-1080.4	-24.5	-2.6	-8.7	
-104.6	-2056.8							
			J	-1080.4	-24.5	-2.6	-8.7	
-104.7	-2035.0							
		Q1-1 Max	I	103.4	8.9	5.4	2.6	
430.7	475.6							
			J	103.4	8.9	5.4	2.6	
426.8	470.6							
		Min	I	-657.4	-20.9	-2.6	-8.1	
-54.9	-2283.6							
			J	-657.4	-20.9	-2.6	-8.1	
-54.1	-2264.2							
		Q1-3 Max	I	83.7	5.3	3.4	2.3	
526.4	1113.5							
			J	83.7	5.3	3.4	2.3	
526.4	1111.5							
		Min	I	-683.8	-11.5	-1.3	-3.3	
-72.0	-375.3							
			J	-683.8	-11.5	-1.3	-3.3	
-72.5	-367.1							
		SLVx (RS)	I	319.9	-897.8	1090.5	-273.5	-1
3904.3	15020.2							
			J	319.9	-897.8	1090.5	-273.5	-1
4869.4	15859.8							
		SLVy (RS)	I	-211.6	-1341.2	-299.7	-444.1	
3229.6	17748.1							
			J	-211.6	-1341.2	-299.7	-444.1	
3459.7	18995.8							
		SLVz (RS)	I	2452.5	141.3	-109.8	105.2	
-610.0	451.5							
			J	2452.5	141.3	-109.8	105.2	
-568.6	460.3							
		G1	I	-5659.5	-38.5	10.4	-13.1	
1166.5	-2286.5							
			J	-5840.8	-38.5	10.4	-13.1	
1156.0	-2248.0							
		G2	I	-640.2	-14.0	3.8	-4.8	
423.4	-829.2							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
419.7	-815.3		J	-640.2	-14.0	3.8	-4.8	
1304.3	-254.6	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1302.6	-260.6		J	-1680.0	6.0	-1.7	1.8	-
-420.0	-82.0	perm i~1	I	-541.0	1.9	-0.6	0.6	
-419.5	-83.9		J	-541.0	1.9	-0.6	0.6	
0.7	-3.7	pp2	I	0.0	0.1	-0.0	0.0	
0.8	-3.8		J	0.0	0.1	-0.0	0.0	
0.2	-1.0	perm2	I	0.0	0.0	-0.0	0.0	
0.2	-1.0		J	0.0	0.0	-0.0	0.0	
240.0	-1098.7	q3	I	13.6	43.6	-13.5	10.0	
253.5	-1142.3		J	13.6	43.6	-13.5	10.0	
22.1	-57.1	q4-1	I	-1.1	3.7	-1.1	0.9	
23.2	-60.8		J	-1.1	3.7	-1.1	0.9	
-43.2	137.0	q4-2	I	1.1	-7.4	2.3	-1.8	
-45.4	144.4		J	1.1	-7.4	2.3	-1.8	
120.3	-495.2	q4-3	I	5.6	21.7	-6.7	5.0	
127.0	-516.9		J	5.6	21.7	-6.7	5.0	
752.3	-2845.8	q4-4	I	-0.7	131.3	-40.5	30.6	
792.9	-2977.1		J	-0.7	131.3	-40.5	30.6	
2015.2	-1111.5	q5x_pc	I	44.9	41.1	-201.9	-86.4	
2221.7	-1152.6		J	44.9	41.1	-211.2	-91.0	
1622.1	7079.7	q5y_pc	I	-21.2	-376.8	88.3	-64.0	-
1710.5	7458.9		J	-21.2	-381.5	88.3	-64.0	-
519.6	-2219.8	q5x_ps	I	46.2	96.8	-29.9	22.4	
549.5	-2316.6		J	46.2	96.8	-29.9	22.4	
1595.5	6004.1	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
			J	-19.7	-281.4	86.8	-65.7	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1682.3	6285.6							
			q7	I	3.5	2.6	-0.8	0.6
12.1	-75.6			J	3.5	2.6	-0.8	0.6
12.8	-78.2							
			T	I	-4.4	23.1	-7.2	5.3
136.5	-584.3			J	-4.4	23.1	-7.2	5.3
143.6	-607.4							
			SLVx-E~1	I	0.4	22.3	-7.3	3.9
135.5	-398.4			J	0.4	22.3	-7.3	3.9
142.8	-420.6							
			SLVy-E~1	I	1.0	51.9	-17.1	9.1
316.2	-929.5			J	1.0	51.9	-17.1	9.1
333.3	-981.5							
394	7	41	Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1261.4	1663.3			J	280.4	19.7	13.5	6.2
1254.8	1658.4							
			Min	I	-1807.9	-51.4	-5.6	-18.8
-177.4	-4932.4			J	-1807.9	-51.4	-5.6	-18.8
-176.6	-4889.2							
			Q1-3_4 Max	I	273.7	17.2	12.1	6.0
1338.2	2434.1			J	273.7	17.2	12.1	6.0
1334.5	2428.8							
			Min	I	-1841.8	-45.1	-4.7	-16.1
-194.3	-3878.4			J	-1841.8	-45.1	-4.7	-16.1
-194.7	-3839.9							
			Q2a-1_2 Max	I	155.1	10.8	7.5	3.4
753.9	879.9			J	155.1	10.8	7.5	3.4
750.5	876.5							
			Min	I	-1068.3	-28.7	-3.1	-10.6
-96.2	-2722.0			J	-1068.3	-28.7	-3.1	-10.6
-95.7	-2696.8							
			Q2a-3_4 Max	I	149.2	9.5	6.6	3.5
798.8	1389.5			J	149.2	9.5	6.6	3.5
797.3	1385.1							
			Min	I	-1080.4	-24.5	-2.6	-8.7
-104.7	-2035.0			J	-1080.4	-24.5	-2.6	-8.7
-104.8	-2013.2							
			Q1-1 Max	I	103.4	8.9	5.4	2.6
426.8	470.6			J	103.4	8.9	5.4	2.6
422.9	465.6							
			Min	I	-657.4	-20.9	-2.6	-8.1
-54.1	-2264.2			J	-657.4	-20.9	-2.6	-8.1
-53.2	-2244.9							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

526.4	1111.5	Q1-3 Max	I	83.7	5.3	3.4	2.3	
			J	83.7	5.3	3.4	2.3	
526.5	1109.5	Min	I	-683.8	-11.5	-1.3	-3.3	
-72.5	-367.1		J	-683.8	-11.5	-1.3	-3.3	
-73.0	-358.9							
4869.4	15859.8	SLVx (RS)	I	322.2	-910.3	1120.1	-273.5	-1
			J	322.2	-910.3	1120.1	-273.5	-1
5852.4	16709.3							
3459.7	18995.8	SLVy (RS)	I	-213.4	-1363.9	-310.8	-444.1	
			J	-213.4	-1363.9	-310.8	-444.1	
3696.8	20261.7							
-568.6	460.3	SLVz (RS)	I	2494.1	136.2	-120.4	105.2	
			J	2494.1	136.2	-120.4	105.2	
-527.2	498.1							
1156.0	-2248.0	G1	I	-5840.8	-38.5	10.4	-13.1	
			J	-6022.1	-38.5	10.4	-13.1	
1145.6	-2209.5							
419.7	-815.3	G2	I	-640.2	-14.0	3.8	-4.8	
			J	-640.2	-14.0	3.8	-4.8	
415.9	-801.3							
1302.6	-260.6	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
			J	-1680.0	6.0	-1.7	1.8	-
1300.9	-266.6							
-419.5	-83.9	perm i~1	I	-541.0	1.9	-0.6	0.6	
			J	-541.0	1.9	-0.6	0.6	
-418.9	-85.9							
0.8	-3.8	pp2	I	0.0	0.1	-0.0	0.0	
			J	0.0	0.1	-0.0	0.0	
0.8	-3.9							
0.2	-1.0	perm2	I	0.0	0.0	-0.0	0.0	
			J	0.0	0.0	-0.0	0.0	
0.2	-1.0							
253.5	-1142.3	q3	I	13.6	43.6	-13.5	10.0	
			J	13.6	43.6	-13.5	10.0	
267.0	-1185.8							
23.2	-60.8	q4-1	I	-1.1	3.7	-1.1	0.9	
			J	-1.1	3.7	-1.1	0.9	
24.4	-64.6							
		q4-2	I	1.1	-7.4	2.3	-1.8	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-45.4	144.4		J	1.1	-7.4	2.3	-1.8	
-47.7	151.8							
127.0	-516.9	q4-3	I	5.6	21.7	-6.7	5.0	
133.7	-538.7		J	5.6	21.7	-6.7	5.0	
792.9	-2977.1	q4-4	I	-0.7	131.3	-40.5	30.6	
833.4	-3108.4		J	-0.7	131.3	-40.5	30.6	
2221.7	-1152.6	q5x_pc	I	44.9	41.1	-211.2	-91.0	
2437.6	-1193.8		J	44.9	41.1	-220.5	-95.7	
1710.5	7458.9	q5y_pc	I	-21.2	-381.5	88.3	-64.0	-
1798.8	7842.7		J	-21.2	-386.1	88.3	-64.0	-
549.5	-2316.6	q5x_ps	I	46.2	96.8	-29.9	22.4	
579.4	-2413.4		J	46.2	96.8	-29.9	22.4	
1682.3	6285.6	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
1769.2	6567.0		J	-19.7	-281.4	86.8	-65.7	-
12.8	-78.2	q7	I	3.5	2.6	-0.8	0.6	
13.6	-80.7		J	3.5	2.6	-0.8	0.6	
143.6	-607.4	T	I	-4.4	23.1	-7.2	5.3	
150.8	-630.5		J	-4.4	23.1	-7.2	5.3	
142.8	-420.6	SLVx-E~1	I	0.4	22.3	-7.3	3.9	
150.2	-442.9		J	0.4	22.3	-7.3	3.9	
333.3	-981.5	SLVy-E~1	I	1.0	51.9	-17.1	9.1	
350.4	-1033.4		J	1.0	51.9	-17.1	9.1	
395	7	41 Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1254.8	1658.4		J	280.4	19.7	13.5	6.2	
1248.3	1653.5	Min	I	-1807.9	-51.4	-5.6	-18.8	
-176.6	-4889.2		J	-1807.9	-51.4	-5.6	-18.8	
-175.9	-4846.2							
1334.5	2428.8	Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
			J	273.7	17.2	12.1	6.0	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
1330.8	2423.7							
		Min	I	-1841.8	-45.1	-4.7	-16.1	
-194.7	-3839.9		J	-1841.8	-45.1	-4.7	-16.1	
-195.2	-3801.5							
		Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
750.5	876.5		J	155.1	10.8	7.5	3.4	
747.0	873.1							
		Min	I	-1068.3	-28.7	-3.1	-10.6	
-95.7	-2696.8		J	-1068.3	-28.7	-3.1	-10.6	
-95.1	-2671.5							
		Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
797.3	1385.1		J	149.2	9.5	6.6	3.5	
795.7	1380.7							
		Min	I	-1080.4	-24.5	-2.6	-8.7	
-104.8	-2013.2		J	-1080.4	-24.5	-2.6	-8.7	
-104.9	-1991.4							
		Q1-1 Max	I	103.4	8.9	5.4	2.6	
422.9	465.6		J	103.4	8.9	5.4	2.6	
419.1	460.6							
		Min	I	-657.4	-20.9	-2.6	-8.1	
-53.2	-2244.9		J	-657.4	-20.9	-2.6	-8.1	
-52.5	-2225.6							
		Q1-3 Max	I	83.7	5.3	3.4	2.3	
526.5	1109.5		J	83.7	5.3	3.4	2.3	
526.6	1107.5							
		Min	I	-683.8	-11.5	-1.3	-3.3	
-73.0	-358.9		J	-683.8	-11.5	-1.3	-3.3	
-73.6	-350.8							
		SLVx (RS)	I	324.5	-922.7	1150.3	-273.5	-1
5852.4	16709.3		J	324.5	-922.7	1150.3	-273.5	-1
6854.5	17568.7							
		SLVy (RS)	I	-215.2	-1386.4	-322.5	-444.1	
3696.8	20261.7		J	-215.2	-1386.4	-322.5	-444.1	
3941.6	21545.7							
		SLVz (RS)	I	2533.8	128.4	-129.7	105.2	
-527.2	498.1		J	2533.8	128.4	-129.7	105.2	
-495.1	552.4							
		G1	I	-6022.1	-38.5	10.4	-13.1	
1145.6	-2209.5		J	-6203.4	-38.5	10.4	-13.1	
1135.1	-2171.0							
		G2	I	-640.2	-14.0	3.8	-4.8	
415.9	-801.3		J	-640.2	-14.0	3.8	-4.8	
412.1	-787.4							


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


1300.9	-266.6	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1299.2	-272.6		J	-1680.0	6.0	-1.7	1.8	-
-418.9	-85.9	perm i~1	I	-541.0	1.9	-0.6	0.6	
-418.4	-87.8		J	-541.0	1.9	-0.6	0.6	
0.8	-3.9	pp2	I	0.0	0.1	-0.0	0.0	
0.9	-4.1		J	0.0	0.1	-0.0	0.0	
0.2	-1.0	perm2	I	0.0	0.0	-0.0	0.0	
0.2	-1.1		J	0.0	0.0	-0.0	0.0	
267.0	-1185.8	q3	I	13.6	43.6	-13.5	10.0	
280.5	-1229.4		J	13.6	43.6	-13.5	10.0	
24.4	-64.6	q4-1	I	-1.1	3.7	-1.1	0.9	
25.5	-68.3		J	-1.1	3.7	-1.1	0.9	
-47.7	151.8	q4-2	I	1.1	-7.4	2.3	-1.8	
-50.0	159.3		J	1.1	-7.4	2.3	-1.8	
133.7	-538.7	q4-3	I	5.6	21.7	-6.7	5.0	
140.4	-560.4		J	5.6	21.7	-6.7	5.0	
833.4	-3108.4	q4-4	I	-0.7	131.3	-40.5	30.6	
873.9	-3239.7		J	-0.7	131.3	-40.5	30.6	
2437.6	-1193.8	q5x_pc	I	44.9	41.1	-220.5	-95.7	
2662.5	-1234.9		J	44.9	41.1	-229.4	-100.1	
1798.8	7842.7	q5y_pc	I	-21.2	-386.1	88.3	-64.0	-
1887.1	8231.1		J	-21.2	-390.8	88.3	-64.0	-
579.4	-2413.4	q5x_ps	I	46.2	96.8	-29.9	22.4	
609.4	-2510.3		J	46.2	96.8	-29.9	22.4	
1769.2	6567.0	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
1856.0	6848.4		J	-19.7	-281.4	86.8	-65.7	-

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
13.6	-80.7	q7	I	3.5	2.6	-0.8	0.6
			J	3.5	2.6	-0.8	0.6
14.4	-83.3						
		T	I	-4.4	23.1	-7.2	5.3
150.8	-630.5		J	-4.4	23.1	-7.2	5.3
158.0	-653.6						
		SLVx-E~1	I	0.4	22.3	-7.3	3.9
150.2	-442.9		J	0.4	22.3	-7.3	3.9
157.5	-465.1						
		SLVy-E~1	I	1.0	51.9	-17.1	9.1
350.4	-1033.4		J	1.0	51.9	-17.1	9.1
367.5	-1085.3						
396	7	41 Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1248.3	1653.5		J	280.4	19.7	13.5	6.2
1241.8	1648.8						
		Min	I	-1807.9	-51.4	-5.6	-18.8
-175.9	-4846.2		J	-1807.9	-51.4	-5.6	-18.8
-175.2	-4803.3						
		Q1-3_4 Max	I	273.7	17.2	12.1	6.0
1330.8	2423.7		J	273.7	17.2	12.1	6.0
1327.1	2418.6						
		Min	I	-1841.8	-45.1	-4.7	-16.1
-195.2	-3801.5		J	-1841.8	-45.1	-4.7	-16.1
-195.8	-3763.2						
		Q2a-1_2 Max	I	155.1	10.8	7.5	3.4
747.0	873.1		J	155.1	10.8	7.5	3.4
743.6	869.7						
		Min	I	-1068.3	-28.7	-3.1	-10.6
-95.1	-2671.5		J	-1068.3	-28.7	-3.1	-10.6
-94.6	-2646.4						
		Q2a-3_4 Max	I	149.2	9.5	6.6	3.5
795.7	1380.7		J	149.2	9.5	6.6	3.5
794.2	1376.4						
		Min	I	-1080.4	-24.5	-2.6	-8.7
-104.9	-1991.4		J	-1080.4	-24.5	-2.6	-8.7
-105.1	-1969.6						
		Q1-1 Max	I	103.4	8.9	5.4	2.6
419.1	460.6		J	103.4	8.9	5.4	2.6
415.2	455.7						
		Min	I	-657.4	-20.9	-2.6	-8.1
-52.5	-2225.6		J	-657.4	-20.9	-2.6	-8.1
-51.8	-2206.3						
		Q1-3 Max	I	83.7	5.3	3.4	2.3

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
526.6	1107.5		J	83.7	5.3	3.4	2.3	
526.7	1105.5							
		Min	I	-683.8	-11.5	-1.3	-3.3	
-73.6	-350.8							
			J	-683.8	-11.5	-1.3	-3.3	
		SLVx (RS)	I	326.9	-934.7	1181.0	-273.5	-1
6854.5	17568.7							
			J	326.9	-934.7	1181.0	-273.5	-1
7877.3	18437.9							
		SLVy (RS)	I	-216.9	-1408.4	-334.5	-444.1	
3941.6	21545.7							
			J	-216.9	-1408.4	-334.5	-444.1	
4195.2	22847.8							
		SLVz (RS)	I	2571.6	118.5	-134.9	105.2	
-495.1	552.4							
			J	2571.6	118.5	-134.9	105.2	
-481.4	611.1							
		G1	I	-6203.4	-38.5	10.4	-13.1	
1135.1	-2171.0							
			J	-6384.7	-38.5	10.4	-13.1	
1124.7	-2132.5							
		G2	I	-640.2	-14.0	3.8	-4.8	
412.1	-787.4							
			J	-640.2	-14.0	3.8	-4.8	
408.3	-773.4							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1299.2	-272.6							
			J	-1680.0	6.0	-1.7	1.8	-
1297.5	-278.6							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-418.4	-87.8							
			J	-541.0	1.9	-0.6	0.6	
-417.8	-89.7							
		pp2	I	0.0	0.1	-0.0	0.0	
0.9	-4.1							
			J	0.0	0.1	-0.0	0.0	
0.9	-4.2							
		perm2	I	0.0	0.0	-0.0	0.0	
0.2	-1.1							
			J	0.0	0.0	-0.0	0.0	
0.2	-1.1							
		q3	I	13.6	43.6	-13.5	10.0	
280.5	-1229.4							
			J	13.6	43.6	-13.5	10.0	
294.0	-1272.9							
		q4-1	I	-1.1	3.7	-1.1	0.9	
25.5	-68.3							
			J	-1.1	3.7	-1.1	0.9	
26.6	-72.0							
		q4-2	I	1.1	-7.4	2.3	-1.8	
-50.0	159.3							
			J	1.1	-7.4	2.3	-1.8	


MIDAS

PROJECT TITLE :

MIDAS	Company		Client		File Name		
	Author		File Name		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-52.3	166.7						
140.4	-560.4	q4-3	I	5.6	21.7	-6.7	5.0
147.1	-582.1		J	5.6	21.7	-6.7	5.0
873.9	-3239.7	q4-4	I	-0.7	131.3	-40.5	30.6
914.5	-3371.0		J	-0.7	131.3	-40.5	30.6
2662.5	-1234.9	q5x_pc	I	44.9	41.1	-229.4	-100.1
2896.4	-1276.0		J	44.9	41.1	-238.3	-104.5
1887.1	8231.1	q5y_pc	I	-21.2	-390.8	88.3	-64.0
1975.4	8624.2		J	-21.2	-395.4	88.3	-64.0
609.4	-2510.3	q5x_ps	I	46.2	96.8	-29.9	22.4
639.3	-2607.1		J	46.2	96.8	-29.9	22.4
1856.0	6848.4	q5y_ps	I	-19.7	-281.4	86.8	-65.7
1942.8	7129.8		J	-19.7	-281.4	86.8	-65.7
14.4	-83.3	q7	I	3.5	2.6	-0.8	0.6
15.2	-85.9		J	3.5	2.6	-0.8	0.6
158.0	-653.6	T	I	-4.4	23.1	-7.2	5.3
165.1	-676.8		J	-4.4	23.1	-7.2	5.3
157.5	-465.1	SLVx-E~1	I	0.4	22.3	-7.3	3.9
164.8	-487.4		J	0.4	22.3	-7.3	3.9
367.5	-1085.3	SLVy-E~1	I	1.0	51.9	-17.1	9.1
384.6	-1137.3		J	1.0	51.9	-17.1	9.1
397	7	41	Q1-1_2 Max	I	280.4	19.7	13.5
1241.8	1648.8			J	280.4	19.7	13.5
1235.3	1644.2		Min	I	-1807.9	-51.4	-5.6
-175.2	-4803.3			J	-1807.9	-51.4	-5.6
-174.6	-4760.5						
1327.1	2418.6		Q1-3_4 Max	I	273.7	17.2	12.1
1323.5	2413.7			J	273.7	17.2	12.1
			Min	I	-1841.8	-45.1	-4.7


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-195.8	-3763.2		J	-1841.8	-45.1	-4.7	-16.1	
-196.4	-3724.9							
743.6	869.7	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
740.2	866.5		J	155.1	10.8	7.5	3.4	
-94.6	-2646.4	Min	I	-1068.3	-28.7	-3.1	-10.6	
-94.2	-2621.3		J	-1068.3	-28.7	-3.1	-10.6	
794.2	1376.4	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
792.7	1372.1		J	149.2	9.5	6.6	3.5	
-105.1	-1969.6	Min	I	-1080.4	-24.5	-2.6	-8.7	
-105.3	-1947.9		J	-1080.4	-24.5	-2.6	-8.7	
415.2	455.7	Q1-1 Max	I	103.4	8.9	5.4	2.6	
411.4	450.9		J	103.4	8.9	5.4	2.6	
-51.8	-2206.3	Min	I	-657.4	-20.9	-2.6	-8.1	
-51.1	-2187.1		J	-657.4	-20.9	-2.6	-8.1	
526.7	1105.5	Q1-3 Max	I	83.7	5.3	3.4	2.3	
526.8	1103.6		J	83.7	5.3	3.4	2.3	
-74.1	-342.7	Min	I	-683.8	-11.5	-1.3	-3.3	
-74.7	-334.6		J	-683.8	-11.5	-1.3	-3.3	
7877.3	18437.9	SLVx (RS)	I	329.2	-946.2	1211.8	-273.5	-1
8922.0	19316.9		J	329.2	-946.2	1211.8	-273.5	-1
4195.2	22847.8	SLVy (RS)	I	-218.5	-1430.0	-346.8	-444.1	
4458.4	24167.9		J	-218.5	-1430.0	-346.8	-444.1	
-481.4	611.1	SLVz (RS)	I	2607.4	107.6	-134.7	105.2	
-489.6	665.6		J	2607.4	107.6	-134.7	105.2	
1124.7	-2132.5	G1	I	-6384.7	-38.5	10.4	-13.1	
1114.3	-2094.0		J	-6566.0	-38.5	10.4	-13.1	
408.3	-773.4	G2	I	-640.2	-14.0	3.8	-4.8	
404.5	-759.4		J	-640.2	-14.0	3.8	-4.8	
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-

MIDAS


PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1297.5	-278.6		J	-1680.0	6.0	-1.7	1.8	-
1295.8	-284.6							
-417.8	-89.7	perm i~1	I	-541.0	1.9	-0.6	0.6	
-417.3	-91.7		J	-541.0	1.9	-0.6	0.6	
0.9	-4.2	pp2	I	0.0	0.1	-0.0	0.0	
0.9	-4.3		J	0.0	0.1	-0.0	0.0	
0.2	-1.1	perm2	I	0.0	0.0	-0.0	0.0	
0.2	-1.1		J	0.0	0.0	-0.0	0.0	
294.0	-1272.9	q3	I	13.6	43.6	-13.5	10.0	
307.5	-1316.5		J	13.6	43.6	-13.5	10.0	
26.6	-72.0	q4-1	I	-1.1	3.7	-1.1	0.9	
27.8	-75.8		J	-1.1	3.7	-1.1	0.9	
-52.3	166.7	q4-2	I	1.1	-7.4	2.3	-1.8	
-54.6	174.1		J	1.1	-7.4	2.3	-1.8	
147.1	-582.1	q4-3	I	5.6	21.7	-6.7	5.0	
153.8	-603.8		J	5.6	21.7	-6.7	5.0	
914.5	-3371.0	q4-4	I	-0.7	131.3	-40.5	30.6	
955.0	-3502.3		J	-0.7	131.3	-40.5	30.6	
2896.4	-1276.0	q5x_pc	I	44.9	41.1	-238.3	-104.5	
3139.1	-1317.2		J	44.9	41.1	-247.1	-109.0	
1975.4	8624.2	q5y_pc	I	-21.2	-395.4	88.3	-64.0	-
2063.8	9021.9		J	-21.2	-400.0	88.3	-64.0	-
639.3	-2607.1	q5x_ps	I	46.2	96.8	-29.9	22.4	
669.2	-2703.9		J	46.2	96.8	-29.9	22.4	
1942.8	7129.8	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
2029.7	7411.3		J	-19.7	-281.4	86.8	-65.7	-
15.2	-85.9	q7	I	3.5	2.6	-0.8	0.6	


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
16.0	-88.4		J	3.5	2.6	-0.8	0.6
165.1	-676.8	T	I	-4.4	23.1	-7.2	5.3
172.3	-699.9		J	-4.4	23.1	-7.2	5.3
164.8	-487.4	SLVx-E~1	I	0.4	22.3	-7.3	3.9
172.1	-509.7		J	0.4	22.3	-7.3	3.9
384.6	-1137.3	SLVy-E~1	I	1.0	51.9	-17.1	9.1
401.6	-1189.2		J	1.0	51.9	-17.1	9.1
398	7	41 Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1235.3	1644.2		J	280.4	19.7	13.5	6.2
1228.8	1639.8	Min	I	-1807.9	-51.4	-5.6	-18.8
-174.6	-4760.5		J	-1807.9	-51.4	-5.6	-18.8
-174.1	-4717.9						
1323.5	2413.7	Q1-3_4 Max	I	273.7	17.2	12.1	6.0
1320.0	2409.0		J	273.7	17.2	12.1	6.0
-196.4	-3724.9	Min	I	-1841.8	-45.1	-4.7	-16.1
-197.1	-3686.7		J	-1841.8	-45.1	-4.7	-16.1
740.2	866.5	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4
736.7	863.3		J	155.1	10.8	7.5	3.4
-94.2	-2621.3	Min	I	-1068.3	-28.7	-3.1	-10.6
-93.8	-2596.3		J	-1068.3	-28.7	-3.1	-10.6
792.7	1372.1	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5
791.2	1367.9		J	149.2	9.5	6.6	3.5
-105.3	-1947.9	Min	I	-1080.4	-24.5	-2.6	-8.7
-105.5	-1926.2		J	-1080.4	-24.5	-2.6	-8.7
411.4	450.9	Q1-1 Max	I	103.4	8.9	5.4	2.6
407.6	446.2		J	103.4	8.9	5.4	2.6
-51.1	-2187.1	Min	I	-657.4	-20.9	-2.6	-8.1
-50.5	-2168.0		J	-657.4	-20.9	-2.6	-8.1
526.8	1103.6	Q1-3 Max	I	83.7	5.3	3.4	2.3
			J	83.7	5.3	3.4	2.3

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
526.9	1101.7		Min	I	-683.8	-11.5	-1.3	-3.3	
-74.7	-334.6			J	-683.8	-11.5	-1.3	-3.3	
-75.3	-326.6								
8922.0	19316.9		SLVx (RS)	I	331.6	-957.2	1242.3	-273.5	-1
9989.5	20205.3			J	331.6	-957.2	1242.3	-273.5	-1
4458.4	24167.9		SLVy (RS)	I	-220.1	-1450.9	-359.2	-444.1	
4731.8	25505.9			J	-220.1	-1450.9	-359.2	-444.1	
-489.6	665.6		SLVz (RS)	I	2641.2	97.3	-129.2	105.2	
-514.9	-709.8			J	2641.2	97.3	-129.2	105.2	
1114.3	-2094.0		G1	I	-6566.0	-38.5	10.4	-13.1	
1103.8	-2055.5			J	-6747.3	-38.5	10.4	-13.1	
404.5	-759.4		G2	I	-640.2	-14.0	3.8	-4.8	
400.7	-745.5			J	-640.2	-14.0	3.8	-4.8	
1295.8	-284.6		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1294.1	-290.6			J	-1680.0	6.0	-1.7	1.8	-
-417.3	-91.7		perm i~1	I	-541.0	1.9	-0.6	0.6	
-416.7	-93.6			J	-541.0	1.9	-0.6	0.6	
0.9	-4.3		pp2	I	0.0	0.1	-0.0	0.0	
1.0	-4.5			J	0.0	0.1	-0.0	0.0	
0.2	-1.1		perm2	I	0.0	0.0	-0.0	0.0	
0.2	-1.2			J	0.0	0.0	-0.0	0.0	
307.5	-1316.5		q3	I	13.6	43.6	-13.5	10.0	
321.0	-1360.0			J	13.6	43.6	-13.5	10.0	
27.8	-75.8		q4-1	I	-1.1	3.7	-1.1	0.9	
28.9	-79.5			J	-1.1	3.7	-1.1	0.9	
-54.6	174.1		q4-2	I	1.1	-7.4	2.3	-1.8	
-56.9	181.5			J	1.1	-7.4	2.3	-1.8	

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
153.8	-603.8	q4-3	I	5.6	21.7	-6.7	5.0	
160.5	-625.6		J	5.6	21.7	-6.7	5.0	
955.0	-3502.3	q4-4	I	-0.7	131.3	-40.5	30.6	
995.5	-3633.6		J	-0.7	131.3	-40.5	30.6	
3139.1	-1317.2	q5x_pc	I	44.9	41.1	-247.1	-109.0	
3390.6	-1358.3		J	44.9	41.1	-256.0	-113.4	
2063.8	9021.9	q5y_pc	I	-21.2	-400.0	88.3	-64.0	-
2152.1	9424.2		J	-21.2	-404.6	88.3	-64.0	-
669.2	-2703.9	q5x_ps	I	46.2	96.8	-29.9	22.4	
699.1	-2800.7		J	46.2	96.8	-29.9	22.4	
2029.7	7411.3	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
2116.5	7692.7		J	-19.7	-281.4	86.8	-65.7	-
16.0	-88.4	q7	I	3.5	2.6	-0.8	0.6	
16.8	-91.0		J	3.5	2.6	-0.8	0.6	
172.3	-699.9	T	I	-4.4	23.1	-7.2	5.3	
179.5	-723.0		J	-4.4	23.1	-7.2	5.3	
172.1	-509.7	SLVx-E~1	I	0.4	22.3	-7.3	3.9	
179.5	-531.9		J	0.4	22.3	-7.3	3.9	
401.6	-1189.2	SLVy-E~1	I	1.0	51.9	-17.1	9.1	
418.7	-1241.1		J	1.0	51.9	-17.1	9.1	
399	7	42 Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1228.8	1639.8		J	280.4	19.7	13.5	6.2	
1222.4	1635.5	Min	I	-1807.9	-51.4	-5.6	-18.8	
-174.1	-4717.9		J	-1807.9	-51.4	-5.6	-18.8	
-173.6	-4675.4							
1320.0	2409.0	Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1316.5	2404.4		J	273.7	17.2	12.1	6.0	
-197.1	-3686.7	Min	I	-1841.8	-45.1	-4.7	-16.1	
			J	-1841.8	-45.1	-4.7	-16.1	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-197.8	-3648.6							
736.7	863.3	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
733.3	860.2		J	155.1	10.8	7.5	3.4	
-93.8	-2596.3	Min	I	-1068.3	-28.7	-3.1	-10.6	
-93.4	-2571.3		J	-1068.3	-28.7	-3.1	-10.6	
791.2	1367.9	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
789.8	1363.8		J	149.2	9.5	6.6	3.5	
-105.5	-1926.2	Min	I	-1080.4	-24.5	-2.6	-8.7	
-105.7	-1904.5		J	-1080.4	-24.5	-2.6	-8.7	
407.6	446.2	Q1-1 Max	I	103.4	8.9	5.4	2.6	
403.8	441.6		J	103.4	8.9	5.4	2.6	
-50.5	-2168.0	Min	I	-657.4	-20.9	-2.6	-8.1	
-49.9	-2148.8		J	-657.4	-20.9	-2.6	-8.1	
526.9	1101.7	Q1-3 Max	I	83.7	5.3	3.4	2.3	
527.0	1099.9		J	83.7	5.3	3.4	2.3	
-75.3	-326.6	Min	I	-683.8	-11.5	-1.3	-3.3	
-75.9	-318.6		J	-683.8	-11.5	-1.3	-3.3	
9989.5	20205.3	SLVx (RS)	I	334.0	-967.9	1272.8	-273.5	-1
1080.9	21103.2		J	334.0	-967.9	1272.8	-273.5	-2
4731.8	25505.9	SLVy (RS)	I	-221.7	-1471.5	-371.7	-444.1	
5016.2	26861.5		J	-221.7	-1471.5	-371.7	-444.1	
-514.9	-709.8	SLVz (RS)	I	2673.6	89.6	-119.6	105.2	
-546.9	-740.2		J	2673.6	89.6	-119.6	105.2	
1103.8	-2055.5	G1	I	-6747.3	-38.5	10.4	-13.1	
1093.4	-2017.0		J	-6934.6	-38.5	10.4	-13.1	
400.7	-745.5	G2	I	-640.2	-14.0	3.8	-4.8	
397.0	-731.5		J	-640.2	-14.0	3.8	-4.8	
1294.1	-290.6	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
			J	-1680.0	6.0	-1.7	1.8	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1292.4	-296.7							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-416.7	-93.6		J	-541.0	1.9	-0.6	0.6	
-416.2	-95.5							
		pp2	I	0.0	0.1	-0.0	0.0	
1.0	-4.5		J	0.0	0.1	-0.0	0.0	
1.0	-4.6							
		perm2	I	0.0	0.0	-0.0	0.0	
0.2	-1.2		J	0.0	0.0	-0.0	0.0	
0.3	-1.2							
		q3	I	13.6	43.6	-13.5	10.0	
321.0	-1360.0		J	13.6	43.6	-13.5	10.0	
334.5	-1403.6							
		q4-1	I	-1.1	3.7	-1.1	0.9	
28.9	-79.5		J	-1.1	3.7	-1.1	0.9	
30.1	-83.2							
		q4-2	I	1.1	-7.4	2.3	-1.8	
-56.9	181.5		J	1.1	-7.4	2.3	-1.8	
-59.1	188.9							
		q4-3	I	5.6	21.7	-6.7	5.0	
160.5	-625.6		J	5.6	21.7	-6.7	5.0	
167.3	-647.3							
		q4-4	I	-0.7	131.3	-40.5	30.6	
995.5	-3633.6		J	-0.7	131.3	-40.5	30.6	
1036.0	-3764.9							
		q5x_pc	I	44.9	41.1	-256.0	-113.4	
3390.6	-1358.3		J	44.9	41.1	-264.9	-117.8	
3651.0	-1399.4							
		q5y_pc	I	-21.2	-404.6	88.3	-64.0	-
2152.1	9424.2		J	-21.2	-409.1	88.3	-64.0	-
2240.4	9831.1							
		q5x_ps	I	46.2	96.8	-29.9	22.4	
699.1	-2800.7		J	46.2	96.8	-29.9	22.4	
729.1	-2897.5							
		q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
2116.5	7692.7		J	-19.7	-281.4	86.8	-65.7	-
2203.3	7974.1							
		q7	I	3.5	2.6	-0.8	0.6	
16.8	-91.0		J	3.5	2.6	-0.8	0.6	
17.6	-93.5							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

179.5	-723.0		T	I	-4.4	23.1	-7.2	5.3
186.7	-746.1			J	-4.4	23.1	-7.2	5.3
179.5	-531.9		SLVx-E~1	I	0.4	22.3	-7.3	3.9
186.8	-554.2			J	0.4	22.3	-7.3	3.9
418.7	-1241.1		SLVy-E~1	I	1.0	51.9	-17.1	9.1
435.8	-1293.1			J	1.0	51.9	-17.1	9.1
400	7	42	Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1222.4	1635.5			J	280.4	19.7	13.5	6.2
1216.0	1631.2			Min	-1807.9	-51.4	-5.6	-18.8
-173.6	-4675.4			J	-1807.9	-51.4	-5.6	-18.8
-173.2	-4633.1							
1316.5	2404.4		Q1-3_4 Max	I	273.7	17.2	12.1	6.0
1313.0	2399.9			J	273.7	17.2	12.1	6.0
-197.8	-3648.6			Min	-1841.8	-45.1	-4.7	-16.1
-198.6	-3610.5			J	-1841.8	-45.1	-4.7	-16.1
733.3	860.2		Q2a-1_2 Max	I	155.1	10.8	7.5	3.4
729.9	857.1			J	155.1	10.8	7.5	3.4
-93.4	-2571.3			Min	-1068.3	-28.7	-3.1	-10.6
-93.0	-2546.3			J	-1068.3	-28.7	-3.1	-10.6
789.8	1363.8		Q2a-3_4 Max	I	149.2	9.5	6.6	3.5
788.3	1359.7			J	149.2	9.5	6.6	3.5
-105.7	-1904.5			Min	-1080.4	-24.5	-2.6	-8.7
-106.0	-1882.9			J	-1080.4	-24.5	-2.6	-8.7
403.8	441.6		Q1-1 Max	I	103.4	8.9	5.4	2.6
400.0	437.0			J	103.4	8.9	5.4	2.6
-49.9	-2148.8			Min	-657.4	-20.9	-2.6	-8.1
-49.4	-2129.7			J	-657.4	-20.9	-2.6	-8.1
527.0	1099.9		Q1-3 Max	I	83.7	5.3	3.4	2.3
527.1	1098.1			J	83.7	5.3	3.4	2.3
				Min	-683.8	-11.5	-1.3	-3.3


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-75.9	-318.6		J	-683.8	-11.5	-1.3	-3.3
-76.5	-310.6						
1080.9	21103.2	SLVx (RS)	I	336.4	-978.2	1302.7	-273.5 -2
2196.9	22010.2		J	336.4	-978.2	1302.7	-273.5 -2
5016.2	26861.5	SLVy (RS)	I	-223.3	-1491.4	-384.1	-444.1
5312.0	28234.6		J	-223.3	-1491.4	-384.1	-444.1
-546.9	-740.2	SLVz (RS)	I	2704.4	87.1	-108.6	105.2
-574.6	-754.7		J	2704.4	87.1	-108.6	105.2
1093.4	-2017.0	G1	I	-6934.6	-38.5	10.4	-13.1
1082.9	-1978.5		J	-7121.9	-38.5	10.4	-13.1
397.0	-731.5	G2	I	-640.2	-14.0	3.8	-4.8
393.2	-717.6		J	-640.2	-14.0	3.8	-4.8
1292.4	-296.7	pp imp~1	I	-1680.0	6.0	-1.7	1.8 -
1290.6	-302.7		J	-1680.0	6.0	-1.7	1.8 -
-416.2	-95.5	perm i~1	I	-541.0	1.9	-0.6	0.6
-415.6	-97.5		J	-541.0	1.9	-0.6	0.6
1.0	-4.6	pp2	I	0.0	0.1	-0.0	0.0
1.1	-4.7		J	0.0	0.1	-0.0	0.0
0.3	-1.2	perm2	I	0.0	0.0	-0.0	0.0
0.3	-1.2		J	0.0	0.0	-0.0	0.0
334.5	-1403.6	q3	I	13.6	43.6	-13.5	10.0
348.0	-1447.1		J	13.6	43.6	-13.5	10.0
30.1	-83.2	q4-1	I	-1.1	3.7	-1.1	0.9
31.2	-87.0		J	-1.1	3.7	-1.1	0.9
-59.1	188.9	q4-2	I	1.1	-7.4	2.3	-1.8
-61.4	196.4		J	1.1	-7.4	2.3	-1.8
167.3	-647.3	q4-3	I	5.6	21.7	-6.7	5.0


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
174.0	-669.0		J	5.6	21.7	-6.7	5.0	
1036.0	-3764.9	q4-4	I	-0.7	131.3	-40.5	30.6	
1076.6	-3896.2		J	-0.7	131.3	-40.5	30.6	
3651.0	-1399.4	q5x_pc	I	44.9	41.1	-264.9	-117.8	
3920.1	-1440.6		J	44.9	41.1	-273.2	-122.0	
2240.4	9831.1	q5y_pc	I	-21.2	-409.1	88.3	-64.0	-
2328.7	10242.5		J	-21.2	-413.6	88.3	-64.0	-
729.1	-2897.5	q5x_ps	I	46.2	96.8	-29.9	22.4	
759.0	-2994.3		J	46.2	96.8	-29.9	22.4	
2203.3	7974.1	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
2290.2	8255.6		J	-19.7	-281.4	86.8	-65.7	-
17.6	-93.5	q7	I	3.5	2.6	-0.8	0.6	
18.4	-96.1		J	3.5	2.6	-0.8	0.6	
186.7	-746.1	T	I	-4.4	23.1	-7.2	5.3	
193.8	-769.3		J	-4.4	23.1	-7.2	5.3	
186.8	-554.2	SLVx-E~1	I	0.4	22.3	-7.3	3.9	
194.1	-576.4		J	0.4	22.3	-7.3	3.9	
435.8	-1293.1	SLVy-E~1	I	1.0	51.9	-17.1	9.1	
452.9	-1345.0		J	1.0	51.9	-17.1	9.1	
1216.0	7 42 1631.2	Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1209.6	1627.2		J	280.4	19.7	13.5	6.2	
-173.2	-4633.1	Min	I	-1807.9	-51.4	-5.6	-18.8	
-172.8	-4590.9		J	-1807.9	-51.4	-5.6	-18.8	
1313.0	2399.9	Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1309.6	2395.6		J	273.7	17.2	12.1	6.0	
-198.6	-3610.5	Min	I	-1841.8	-45.1	-4.7	-16.1	
-199.5	-3572.5		J	-1841.8	-45.1	-4.7	-16.1	


MIDAS

PROJECT TITLE :


		Company					Client		
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
729.9	857.1	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4		
			J	155.1	10.8	7.5	3.4		
726.6	854.1	Min	I	-1068.3	-28.7	-3.1	-10.6		
-93.0	-2546.3		J	-1068.3	-28.7	-3.1	-10.6		
-92.7	-2521.5								
788.3	1359.7	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5		
			J	149.2	9.5	6.6	3.5		
786.9	1355.7	Min	I	-1080.4	-24.5	-2.6	-8.7		
-106.0	-1882.9		J	-1080.4	-24.5	-2.6	-8.7		
-106.3	-1861.3								
400.0	437.0	Q1-1 Max	I	103.4	8.9	5.4	2.6		
			J	103.4	8.9	5.4	2.6		
396.2	432.4	Min	I	-657.4	-20.9	-2.6	-8.1		
-49.4	-2129.7		J	-657.4	-20.9	-2.6	-8.1		
-49.0	-2110.6								
527.1	1098.1	Q1-3 Max	I	83.7	5.3	3.4	2.3		
			J	83.7	5.3	3.4	2.3		
527.3	1096.3	Min	I	-683.8	-11.5	-1.3	-3.3		
-76.5	-310.6		J	-683.8	-11.5	-1.3	-3.3		
-77.2	-302.7								
2196.9	22010.2	SLVx (RS)	I	338.8	-987.8	1331.4	-273.5	-2	
			J	338.8	-987.8	1331.4	-273.5	-2	
3337.8	22926.2								
5312.0	28234.6	SLVy (RS)	I	-224.7	-1510.3	-396.2	-444.1		
			J	-224.7	-1510.3	-396.2	-444.1		
5619.5	29624.8								
-574.6	-754.7	SLVz (RS)	I	2733.1	91.5	-100.4	105.2		
			J	2733.1	91.5	-100.4	105.2		
590.5	-754.1								
1082.9	-1978.5	G1	I	-7121.9	-38.5	10.4	-13.1		
			J	-7309.2	-38.5	10.4	-13.1		
1072.5	-1940.0								
393.2	-717.6	G2	I	-640.2	-14.0	3.8	-4.8		
			J	-640.2	-14.0	3.8	-4.8		
389.4	-703.6								
1290.6	-302.7	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-	
			J	-1680.0	6.0	-1.7	1.8	-	
1288.9	-308.7								

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-415.6	-97.5	perm i~1	I	-541.0	1.9	-0.6	0.6	
			J	-541.0	1.9	-0.6	0.6	
-415.1	-99.4							
		pp2	I	0.0	0.1	-0.0	0.0	
1.1	-4.7		J	0.0	0.1	-0.0	0.0	
1.1	-4.8							
		perm2	I	0.0	0.0	-0.0	0.0	
0.3	-1.2		J	0.0	0.0	-0.0	0.0	
0.3	-1.3							
		q3	I	13.6	43.6	-13.5	10.0	
348.0	-1447.1		J	13.6	43.6	-13.5	10.0	
361.5	-1490.7							
		q4-1	I	-1.1	3.7	-1.1	0.9	
31.2	-87.0		J	-1.1	3.7	-1.1	0.9	
32.4	-90.7							
		q4-2	I	1.1	-7.4	2.3	-1.8	
-61.4	196.4		J	1.1	-7.4	2.3	-1.8	
-63.7	203.8							
		q4-3	I	5.6	21.7	-6.7	5.0	
174.0	-669.0		J	5.6	21.7	-6.7	5.0	
180.7	-690.7							
		q4-4	I	-0.7	131.3	-40.5	30.6	
1076.6	-3896.2		J	-0.7	131.3	-40.5	30.6	
1117.1	-4027.5							
		q5x_pc	I	44.9	41.1	-273.2	-122.0	
3920.1	-1440.6		J	44.9	41.1	-281.6	-126.2	
4197.5	-1481.7							
		q5y_pc	I	-21.2	-413.6	88.3	-64.0	-
2328.7	10242.5		J	-21.2	-418.1	88.3	-64.0	-
2417.1	10658.4							
		q5x_ps	I	46.2	96.8	-29.9	22.4	
759.0	-2994.3		J	46.2	96.8	-29.9	22.4	
788.9	-3091.1							
		q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
2290.2	8255.6		J	-19.7	-281.4	86.8	-65.7	-
2377.0	8537.0							
		q7	I	3.5	2.6	-0.8	0.6	
18.4	-96.1		J	3.5	2.6	-0.8	0.6	
19.2	-98.6							
		T	I	-4.4	23.1	-7.2	5.3	

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
193.8	-769.3			J	-4.4	23.1	-7.2	5.3
201.0	-792.4							
		SLVx-E~1		I	0.4	22.3	-7.3	3.9
194.1	-576.4			J	0.4	22.3	-7.3	3.9
201.4	-598.7							
		SLVy-E~1		I	1.0	51.9	-17.1	9.1
452.9	-1345.0			J	1.0	51.9	-17.1	9.1
470.0	-1396.9							
402	7	42	Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1209.6	1627.2			J	280.4	19.7	13.5	6.2
1203.3	1623.4		Min	I	-1807.9	-51.4	-5.6	-18.8
-172.8	-4590.9			J	-1807.9	-51.4	-5.6	-18.8
-172.5	-4549.0							
		Q1-3_4 Max		I	273.7	17.2	12.1	6.0
1309.6	2395.6			J	273.7	17.2	12.1	6.0
1306.2	2391.4		Min	I	-1841.8	-45.1	-4.7	-16.1
-199.5	-3572.5			J	-1841.8	-45.1	-4.7	-16.1
-200.4	-3534.6							
		Q2a-1_2 Max		I	155.1	10.8	7.5	3.4
726.6	854.1			J	155.1	10.8	7.5	3.4
723.2	851.2		Min	I	-1068.3	-28.7	-3.1	-10.6
-92.7	-2521.5			J	-1068.3	-28.7	-3.1	-10.6
-92.4	-2496.7							
		Q2a-3_4 Max		I	149.2	9.5	6.6	3.5
786.9	1355.7			J	149.2	9.5	6.6	3.5
785.5	1351.8		Min	I	-1080.4	-24.5	-2.6	-8.7
-106.3	-1861.3			J	-1080.4	-24.5	-2.6	-8.7
-106.7	-1839.7							
		Q1-1 Max		I	103.4	8.9	5.4	2.6
396.2	432.4			J	103.4	8.9	5.4	2.6
392.5	427.9		Min	I	-657.4	-20.9	-2.6	-8.1
-49.0	-2110.6			J	-657.4	-20.9	-2.6	-8.1
-48.6	-2091.5							
		Q1-3 Max		I	83.7	5.3	3.4	2.3
527.3	1096.3			J	83.7	5.3	3.4	2.3
527.4	1094.6		Min	I	-683.8	-11.5	-1.3	-3.3
-77.2	-302.7			J	-683.8	-11.5	-1.3	-3.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-77.8	-294.9							
3337.8	22926.2	SLVx (RS)	I	341.2	-996.7	1358.5	-273.5	-2
4503.7	23850.6		J	341.2	-996.7	1358.5	-273.5	-2
5619.5	29624.8	SLVy (RS)	I	-226.2	-1528.0	-407.9	-444.1	
5939.1	31031.6		J	-226.2	-1528.0	-407.9	-444.1	
590.5	-754.1	SLVz (RS)	I	2759.6	102.1	-98.8	105.2	
590.8	-740.8		J	2759.6	102.1	-98.8	105.2	
1072.5	-1940.0	G1	I	-7309.2	-38.5	10.4	-13.1	
1062.1	-1901.5		J	-7496.5	-38.5	10.4	-13.1	
389.4	-703.6	G2	I	-640.2	-14.0	3.8	-4.8	
385.6	-689.7		J	-640.2	-14.0	3.8	-4.8	
1288.9	-308.7	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1287.2	-314.7		J	-1680.0	6.0	-1.7	1.8	-
-415.1	-99.4	perm i~1	I	-541.0	1.9	-0.6	0.6	
-414.5	-101.3		J	-541.0	1.9	-0.6	0.6	
1.1	-4.8	pp2	I	0.0	0.1	-0.0	0.0	
1.1	-5.0		J	0.0	0.1	-0.0	0.0	
0.3	-1.3	perm2	I	0.0	0.0	-0.0	0.0	
0.3	-1.3		J	0.0	0.0	-0.0	0.0	
361.5	-1490.7	q3	I	13.6	43.6	-13.5	10.0	
375.0	-1534.2		J	13.6	43.6	-13.5	10.0	
32.4	-90.7	q4-1	I	-1.1	3.7	-1.1	0.9	
33.5	-94.4		J	-1.1	3.7	-1.1	0.9	
-63.7	203.8	q4-2	I	1.1	-7.4	2.3	-1.8	
-66.0	211.2		J	1.1	-7.4	2.3	-1.8	
180.7	-690.7	q4-3	I	5.6	21.7	-6.7	5.0	
187.4	-712.4		J	5.6	21.7	-6.7	5.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


1117.1	-4027.5	q4-4	I	-0.7	131.3	-40.5	30.6	
1157.6	-4158.8		J	-0.7	131.3	-40.5	30.6	
4197.5	-1481.7	q5x_pc	I	44.9	41.1	-281.6	-126.2	
4483.3	-1522.8		J	44.9	41.1	-290.0	-130.4	
2417.1	10658.4	q5y_pc	I	-21.2	-418.1	88.3	-64.0	-
2505.4	11078.8		J	-21.2	-422.6	88.3	-64.0	-
788.9	-3091.1	q5x_ps	I	46.2	96.8	-29.9	22.4	
818.8	-3188.0		J	46.2	96.8	-29.9	22.4	
2377.0	8537.0	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
2463.8	8818.4		J	-19.7	-281.4	86.8	-65.7	-
19.2	-98.6	q7	I	3.5	2.6	-0.8	0.6	
20.0	-101.2		J	3.5	2.6	-0.8	0.6	
201.0	-792.4	T	I	-4.4	23.1	-7.2	5.3	
208.2	-815.5		J	-4.4	23.1	-7.2	5.3	
201.4	-598.7	SLVx-E~1	I	0.4	22.3	-7.3	3.9	
208.7	-620.9		J	0.4	22.3	-7.3	3.9	
470.0	-1396.9	SLVy-E~1	I	1.0	51.9	-17.1	9.1	
487.1	-1448.8		J	1.0	51.9	-17.1	9.1	
403	7	43 Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1203.3	1623.4		J	280.4	19.7	13.5	6.2	
1196.9	1619.7	Min	I	-1807.9	-51.4	-5.6	-18.8	
-172.5	-4549.0		J	-1807.9	-51.4	-5.6	-18.8	
-172.2	-4507.1							
1306.2	2391.4	Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1302.8	2387.5		J	273.7	17.2	12.1	6.0	
-200.4	-3534.6	Min	I	-1841.8	-45.1	-4.7	-16.1	
-201.4	-3496.8		J	-1841.8	-45.1	-4.7	-16.1	
723.2	851.2	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
719.8	848.4		J	155.1	10.8	7.5	3.4	
		Min	I	-1068.3	-28.7	-3.1	-10.6	
-92.4	-2496.7		J	-1068.3	-28.7	-3.1	-10.6	
-92.1	-2472.0							
		Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
785.5	1351.8		J	149.2	9.5	6.6	3.5	
784.1	1347.9	Min	I	-1080.4	-24.5	-2.6	-8.7	
-106.7	-1839.7		J	-1080.4	-24.5	-2.6	-8.7	
-107.0	-1818.2							
		Q1-1 Max	I	103.4	8.9	5.4	2.6	
392.5	427.9		J	103.4	8.9	5.4	2.6	
388.8	423.6	Min	I	-657.4	-20.9	-2.6	-8.1	
-48.6	-2091.5		J	-657.4	-20.9	-2.6	-8.1	
-48.2	-2072.5							
		Q1-3 Max	I	83.7	5.3	3.4	2.3	
527.4	1094.6		J	83.7	5.3	3.4	2.3	
527.6	1092.9	Min	I	-683.8	-11.5	-1.3	-3.3	
-77.8	-294.9		J	-683.8	-11.5	-1.3	-3.3	
-78.5	-287.1							
		SLVx (RS)	I	343.5	-1005.0	1384.1	-273.5	-2
4503.7	23850.6		J	343.5	-1005.0	1384.1	-273.5	-2
5694.5	24783.3							
		SLVy (RS)	I	-227.5	-1544.5	-419.2	-444.1	
5939.1	31031.6		J	-227.5	-1544.5	-419.2	-444.1	
6270.6	32454.4							
		SLVz (RS)	I	2784.3	117.4	-105.2	105.2	
590.8	-740.8		J	2784.3	117.4	-105.2	105.2	
575.4	-720.1							
		G1	I	-7496.5	-38.5	10.4	-13.1	
1062.1	-1901.5		J	-7689.0	-38.5	10.4	-13.1	
1051.6	-1862.9							
		G2	I	-640.2	-14.0	3.8	-4.8	
385.6	-689.7		J	-640.2	-14.0	3.8	-4.8	
381.8	-675.7							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1287.2	-314.7		J	-1680.0	6.0	-1.7	1.8	-
1285.5	-320.7							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-414.5	-101.3							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-414.0	-103.3		J	-541.0	1.9	-0.6	0.6	
1.1	-5.0	pp2	I	0.0	0.1	-0.0	0.0	
1.2	-5.1		J	0.0	0.1	-0.0	0.0	
0.3	-1.3	perm2	I	0.0	0.0	-0.0	0.0	
0.3	-1.3		J	0.0	0.0	-0.0	0.0	
375.0	-1534.2	q3	I	13.6	43.6	-13.5	10.0	
388.5	-1577.8		J	13.6	43.6	-13.5	10.0	
33.5	-94.4	q4-1	I	-1.1	3.7	-1.1	0.9	
34.6	-98.1		J	-1.1	3.7	-1.1	0.9	
-66.0	211.2	q4-2	I	1.1	-7.4	2.3	-1.8	
-68.3	218.6		J	1.1	-7.4	2.3	-1.8	
187.4	-712.4	q4-3	I	5.6	21.7	-6.7	5.0	
194.1	-734.2		J	5.6	21.7	-6.7	5.0	
1157.6	-4158.8	q4-4	I	-0.7	131.3	-40.5	30.6	
1198.2	-4290.1		J	-0.7	131.3	-40.5	30.6	
4483.3	-1522.8	q5x_pc	I	44.9	41.1	-290.0	-130.4	
4777.5	-1563.9		J	44.9	41.1	-298.3	-134.6	
2505.4	11078.8	q5y_pc	I	-21.2	-422.6	88.3	-64.0	-
2593.7	11503.7		J	-21.2	-427.1	88.3	-64.0	-
818.8	-3188.0	q5x_ps	I	46.2	96.8	-29.9	22.4	
848.8	-3284.8		J	46.2	96.8	-29.9	22.4	
2463.8	8818.4	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
2550.7	9099.8		J	-19.7	-281.4	86.8	-65.7	-
20.0	-101.2	q7	I	3.5	2.6	-0.8	0.6	
20.8	-103.7		J	3.5	2.6	-0.8	0.6	
208.2	-815.5	T	I	-4.4	23.1	-7.2	5.3	
			J	-4.4	23.1	-7.2	5.3	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
215.3	-838.6						
		SLVx-E~1	I	0.4	22.3	-7.3	3.9
208.7	-620.9		J	0.4	22.3	-7.3	3.9
216.1	-643.2						
		SLVy-E~1	I	1.0	51.9	-17.1	9.1
487.1	-1448.8		J	1.0	51.9	-17.1	9.1
504.2	-1500.8						
404	7	43 Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1196.9	1619.7		J	280.4	19.7	13.5	6.2
1190.6	1616.0						
		Min	I	-1807.9	-51.4	-5.6	-18.8
-172.2	-4507.1		J	-1807.9	-51.4	-5.6	-18.8
-172.0	-4465.3						
		Q1-3_4 Max	I	273.7	17.2	12.1	6.0
1302.8	2387.5		J	273.7	17.2	12.1	6.0
1299.5	2383.6						
		Min	I	-1841.8	-45.1	-4.7	-16.1
-201.4	-3496.8		J	-1841.8	-45.1	-4.7	-16.1
-202.5	-3459.1						
		Q2a-1_2 Max	I	155.1	10.8	7.5	3.4
719.8	848.4		J	155.1	10.8	7.5	3.4
716.5	845.6						
		Min	I	-1068.3	-28.7	-3.1	-10.6
-92.1	-2472.0		J	-1068.3	-28.7	-3.1	-10.6
-91.9	-2447.3						
		Q2a-3_4 Max	I	149.2	9.5	6.6	3.5
784.1	1347.9		J	149.2	9.5	6.6	3.5
782.7	1344.1						
		Min	I	-1080.4	-24.5	-2.6	-8.7
-107.0	-1818.2		J	-1080.4	-24.5	-2.6	-8.7
-107.4	-1796.6						
		Q1-1 Max	I	103.4	8.9	5.4	2.6
388.8	423.6		J	103.4	8.9	5.4	2.6
385.1	419.3						
		Min	I	-657.4	-20.9	-2.6	-8.1
-48.2	-2072.5		J	-657.4	-20.9	-2.6	-8.1
-47.9	-2053.5						
		Q1-3 Max	I	83.7	5.3	3.4	2.3
527.6	1092.9		J	83.7	5.3	3.4	2.3
527.7	1091.3						
		Min	I	-683.8	-11.5	-1.3	-3.3
-78.5	-287.1		J	-683.8	-11.5	-1.3	-3.3
-79.1	-279.3						

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
5694.5	24783.3	SLVx (RS)	I	345.8	-1012.6	1407.9	-273.5	-2
6909.6	25723.9		J	345.8	-1012.6	1407.9	-273.5	-2
6270.6	32454.4	SLVy (RS)	I	-228.8	-1559.7	-429.9	-444.1	
6614.1	33892.5		J	-228.8	-1559.7	-429.9	-444.1	
575.4	-720.1	SLVz (RS)	I	2807.2	135.4	-118.6	105.2	
548.2	-700.1		J	2807.2	135.4	-118.6	105.2	
1051.6	-1862.9	G1	I	-7689.0	-38.5	10.4	-13.1	
1041.2	-1824.4		J	-7881.5	-38.5	10.4	-13.1	
381.8	-675.7	G2	I	-640.2	-14.0	3.8	-4.8	
378.0	-661.7		J	-640.2	-14.0	3.8	-4.8	
1285.5	-320.7	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1283.8	-326.7		J	-1680.0	6.0	-1.7	1.8	-
-414.0	-103.3	perm i~1	I	-541.0	1.9	-0.6	0.6	
-413.4	-105.2		J	-541.0	1.9	-0.6	0.6	
1.2	-5.1	pp2	I	0.0	0.1	-0.0	0.0	
1.2	-5.2		J	0.0	0.1	-0.0	0.0	
0.3	-1.3	perm2	I	0.0	0.0	-0.0	0.0	
0.3	-1.4		J	0.0	0.0	-0.0	0.0	
388.5	-1577.8	q3	I	13.6	43.6	-13.5	10.0	
402.0	-1621.4		J	13.6	43.6	-13.5	10.0	
34.6	-98.1	q4-1	I	-1.1	3.7	-1.1	0.9	
35.8	-101.9		J	-1.1	3.7	-1.1	0.9	
-68.3	218.6	q4-2	I	1.1	-7.4	2.3	-1.8	
-70.5	226.0		J	1.1	-7.4	2.3	-1.8	
194.1	-734.2	q4-3	I	5.6	21.7	-6.7	5.0	
200.8	-755.9		J	5.6	21.7	-6.7	5.0	
		q4-4	I	-0.7	131.3	-40.5	30.6	

MIDAS


PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1198.2	-4290.1		J	-0.7	131.3	-40.5	30.6	
1238.7	-4421.4							
		q5x_pc	I	44.9	41.1	-298.3	-134.6	
4777.5	-1563.9		J	44.9	41.1	-306.7	-138.8	
5080.0	-1605.1							
		q5y_pc	I	-21.2	-427.1	88.3	-64.0	-
2593.7	11503.7		J	-21.2	-431.3	88.3	-64.0	-
2682.0	11933.0							
		q5x_ps	I	46.2	96.8	-29.9	22.4	
848.8	-3284.8		J	46.2	96.8	-29.9	22.4	
878.7	-3381.6							
		q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
2550.7	9099.8		J	-19.7	-281.4	86.8	-65.7	-
2637.5	9381.3							
		q7	I	3.5	2.6	-0.8	0.6	
20.8	-103.7		J	3.5	2.6	-0.8	0.6	
21.6	-106.3							
		T	I	-4.4	23.1	-7.2	5.3	
215.3	-838.6		J	-4.4	23.1	-7.2	5.3	
222.5	-861.7							
		SLVx-E~1	I	0.4	22.3	-7.3	3.9	
216.1	-643.2		J	0.4	22.3	-7.3	3.9	
223.4	-665.4							
		SLVy-E~1	I	1.0	51.9	-17.1	9.1	
504.2	-1500.8		J	1.0	51.9	-17.1	9.1	
521.3	-1552.7							
405	7	43	Q1-1_2 Max	I	280.4	19.7	13.5	6.2
1190.6	1616.0			J	280.4	19.7	13.5	6.2
1184.4	1612.4		Min	I	-1807.9	-51.4	-5.6	-18.8
-172.0	-4465.3			J	-1807.9	-51.4	-5.6	-18.8
-171.8	-4423.6							
		Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1299.5	2383.6			J	273.7	17.2	12.1	6.0
1296.3	2380.0		Min	I	-1841.8	-45.1	-4.7	-16.1
-202.5	-3459.1			J	-1841.8	-45.1	-4.7	-16.1
-203.6	-3421.4							
		Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
716.5	845.6			J	155.1	10.8	7.5	3.4
713.1	842.8							

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-91.9	-2447.3	Min	I	-1068.3	-28.7	-3.1	-10.6	
			J	-1068.3	-28.7	-3.1	-10.6	
-91.7	-2422.6							
782.7	1344.1	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
			J	149.2	9.5	6.6	3.5	
781.4	1340.4							
-107.4	-1796.6	Min	I	-1080.4	-24.5	-2.6	-8.7	
			J	-1080.4	-24.5	-2.6	-8.7	
-107.9	-1775.2							
385.1	419.3	Q1-1 Max	I	103.4	8.9	5.4	2.6	
			J	103.4	8.9	5.4	2.6	
381.4	415.1							
-47.9	-2053.5	Min	I	-657.4	-20.9	-2.6	-8.1	
			J	-657.4	-20.9	-2.6	-8.1	
-47.7	-2034.5							
527.7	1091.3	Q1-3 Max	I	83.7	5.3	3.4	2.3	
			J	83.7	5.3	3.4	2.3	
527.9	1089.7							
-79.1	-279.3	Min	I	-683.8	-11.5	-1.3	-3.3	
			J	-683.8	-11.5	-1.3	-3.3	
-79.8	-271.6							
6909.6	25723.9	SLVx (RS)	I	348.0	-1019.5	1429.2	-273.5	-2
			J	348.0	-1019.5	1429.2	-273.5	-2
8148.3	26671.9							
6614.1	33892.5	SLVy (RS)	I	-230.0	-1573.5	-439.7	-444.1	
			J	-230.0	-1573.5	-439.7	-444.1	
6969.2	35345.3							
548.2	-700.1	SLVz (RS)	I	2827.8	154.3	-136.2	105.2	
			J	2827.8	154.3	-136.2	105.2	
518.8	-693.2							
1041.2	-1824.4	G1	I	-7881.5	-38.5	10.4	-13.1	
			J	-8074.0	-38.5	10.4	-13.1	
1030.7	-1785.9							
378.0	-661.7	G2	I	-640.2	-14.0	3.8	-4.8	
			J	-640.2	-14.0	3.8	-4.8	
374.2	-647.8							
1283.8	-326.7	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
			J	-1680.0	6.0	-1.7	1.8	-
1282.1	-332.7							
-413.4	-105.2	perm i~1	I	-541.0	1.9	-0.6	0.6	
			J	-541.0	1.9	-0.6	0.6	
-412.9	-107.1							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

1.2	-5.2	pp2	I	0.0	0.1	-0.0	0.0	
1.3	-5.4		J	0.0	0.1	-0.0	0.0	
0.3	-1.4	perm2	I	0.0	0.0	-0.0	0.0	
0.3	-1.4		J	0.0	0.0	-0.0	0.0	
402.0	-1621.4	q3	I	13.6	43.6	-13.5	10.0	
415.5	-1664.9		J	13.6	43.6	-13.5	10.0	
35.8	-101.9	q4-1	I	-1.1	3.7	-1.1	0.9	
36.9	-105.6		J	-1.1	3.7	-1.1	0.9	
-70.5	226.0	q4-2	I	1.1	-7.4	2.3	-1.8	
-72.8	233.5		J	1.1	-7.4	2.3	-1.8	
200.8	-755.9	q4-3	I	5.6	21.7	-6.7	5.0	
207.5	-777.6		J	5.6	21.7	-6.7	5.0	
1238.7	-4421.4	q4-4	I	-0.7	131.3	-40.5	30.6	
1279.2	-4552.7		J	-0.7	131.3	-40.5	30.6	
5080.0	-1605.1	q5x_pc	I	44.9	41.1	-306.7	-138.8	
5390.4	-1646.2		J	44.9	41.1	-314.1	-142.5	
2682.0	11933.0	q5y_pc	I	-21.2	-431.3	88.3	-64.0	-
2770.4	12366.3		J	-21.2	-435.4	88.3	-64.0	-
878.7	-3381.6	q5x_ps	I	46.2	96.8	-29.9	22.4	
908.6	-3478.4		J	46.2	96.8	-29.9	22.4	
2637.5	9381.3	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
2724.3	9662.7		J	-19.7	-281.4	86.8	-65.7	-
21.6	-106.3	q7	I	3.5	2.6	-0.8	0.6	
22.4	-108.9		J	3.5	2.6	-0.8	0.6	
222.5	-861.7	T	I	-4.4	23.1	-7.2	5.3	
229.7	-884.9		J	-4.4	23.1	-7.2	5.3	

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
223.4	-665.4	SLVx-E~1	I	0.4	22.3	-7.3	3.9	
230.7	-687.7		J	0.4	22.3	-7.3	3.9	
521.3	-1552.7	SLVy-E~1	I	1.0	51.9	-17.1	9.1	
538.3	-1604.6		J	1.0	51.9	-17.1	9.1	
406	7	43 Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1184.4	1612.4		J	280.4	19.7	13.5	6.2	
1178.1	1608.9							
-171.8	-4423.6	Min	I	-1807.9	-51.4	-5.6	-18.8	
-171.7	-4382.0		J	-1807.9	-51.4	-5.6	-18.8	
1296.3	2380.0	Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1293.1	2376.5		J	273.7	17.2	12.1	6.0	
-203.6	-3421.4	Min	I	-1841.8	-45.1	-4.7	-16.1	
-204.8	-3383.9		J	-1841.8	-45.1	-4.7	-16.1	
713.1	842.8	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
709.8	840.0		J	155.1	10.8	7.5	3.4	
-91.7	-2422.6	Min	I	-1068.3	-28.7	-3.1	-10.6	
-91.5	-2398.0		J	-1068.3	-28.7	-3.1	-10.6	
781.4	1340.4	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
780.0	1336.7		J	149.2	9.5	6.6	3.5	
-107.9	-1775.2	Min	I	-1080.4	-24.5	-2.6	-8.7	
-108.4	-1753.7		J	-1080.4	-24.5	-2.6	-8.7	
381.4	415.1	Q1-1 Max	I	103.4	8.9	5.4	2.6	
377.7	410.9		J	103.4	8.9	5.4	2.6	
-47.7	-2034.5	Min	I	-657.4	-20.9	-2.6	-8.1	
-47.5	-2015.6		J	-657.4	-20.9	-2.6	-8.1	
527.9	1089.7	Q1-3 Max	I	83.7	5.3	3.4	2.3	
528.1	1088.2		J	83.7	5.3	3.4	2.3	
-79.8	-271.6	Min	I	-683.8	-11.5	-1.3	-3.3	
-80.6	-263.9		J	-683.8	-11.5	-1.3	-3.3	
8148.3	26671.9	SLVx(RS)	I	350.0	-1025.6	1448.0	-273.5	-2

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
9409.4	27626.8		J	350.0	-1025.6	1448.0	-273.5	-2
6969.2	35345.3	SLVy (RS)	I	-231.1	-1585.8	-448.6	-444.1	
7335.5	36811.7		J	-231.1	-1585.8	-448.6	-444.1	
518.8	-693.2	SLVz (RS)	I	2846.1	172.8	-155.9	105.2	
503.6	-712.9		J	2846.1	172.8	-155.9	105.2	
1030.7	-1785.9	G1	I	-8074.0	-38.5	10.4	-13.1	
1020.3	-1747.4		J	-8266.5	-38.5	10.4	-13.1	
374.2	-647.8	G2	I	-640.2	-14.0	3.8	-4.8	
370.5	-633.8		J	-640.2	-14.0	3.8	-4.8	
1282.1	-332.7	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1280.4	-338.7		J	-1680.0	6.0	-1.7	1.8	-
-412.9	-107.1	perm i~1	I	-541.0	1.9	-0.6	0.6	
-412.3	-109.1		J	-541.0	1.9	-0.6	0.6	
1.3	-5.4	pp2	I	0.0	0.1	-0.0	0.0	
1.3	-5.5		J	0.0	0.1	-0.0	0.0	
0.3	-1.4	perm2	I	0.0	0.0	-0.0	0.0	
0.3	-1.4		J	0.0	0.0	-0.0	0.0	
415.5	-1664.9	q3	I	13.6	43.6	-13.5	10.0	
429.0	-1708.5		J	13.6	43.6	-13.5	10.0	
36.9	-105.6	q4-1	I	-1.1	3.7	-1.1	0.9	
38.1	-109.3		J	-1.1	3.7	-1.1	0.9	
-72.8	233.5	q4-2	I	1.1	-7.4	2.3	-1.8	
-75.1	240.9		J	1.1	-7.4	2.3	-1.8	
207.5	-777.6	q4-3	I	5.6	21.7	-6.7	5.0	
214.3	-799.3		J	5.6	21.7	-6.7	5.0	
1279.2	-4552.7	q4-4	I	-0.7	131.3	-40.5	30.6	
			J	-0.7	131.3	-40.5	30.6	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
1319.8	-4684.0							
5390.4	-1646.2	q5x_pc	I	44.9	41.1	-314.1	-142.5	
5708.3	-1687.3		J	44.9	41.1	-321.6	-146.2	
2770.4	12366.3	q5y_pc	I	-21.2	-435.4	88.3	-64.0	-
2858.7	12803.8		J	-21.2	-439.6	88.3	-64.0	-
908.6	-3478.4	q5x_ps	I	46.2	96.8	-29.9	22.4	
938.6	-3575.2		J	46.2	96.8	-29.9	22.4	
2724.3	9662.7	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
2811.1	9944.1		J	-19.7	-281.4	86.8	-65.7	-
22.4	-108.9	q7	I	3.5	2.6	-0.8	0.6	
23.2	-111.4		J	3.5	2.6	-0.8	0.6	
229.7	-884.9	T	I	-4.4	23.1	-7.2	5.3	
236.9	-908.0		J	-4.4	23.1	-7.2	5.3	
230.7	-687.7	SLVx-E~1	I	0.4	22.3	-7.3	3.9	
238.0	-710.0		J	0.4	22.3	-7.3	3.9	
538.3	-1604.6	SLVy-E~1	I	1.0	51.9	-17.1	9.1	
555.4	-1656.6		J	1.0	51.9	-17.1	9.1	
407	7	39 Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1178.1	1608.9		J	280.4	19.7	13.5	6.2	
1171.9	1605.4	Min	I	-1807.9	-51.4	-5.6	-18.8	
-171.7	-4382.0		J	-1807.9	-51.4	-5.6	-18.8	
-171.7	-4340.5	Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1293.1	2376.5		J	273.7	17.2	12.1	6.0	
1289.9	2373.2	Min	I	-1841.8	-45.1	-4.7	-16.1	
-204.8	-3383.9		J	-1841.8	-45.1	-4.7	-16.1	
-206.1	-3346.9	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
709.8	840.0		J	155.1	10.8	7.5	3.4	
706.5	837.4	Min	I	-1068.3	-28.7	-3.1	-10.6	
-91.5	-2398.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-91.4	-2373.4		J	-1068.3	-28.7	-3.1	-10.6	
780.0	1336.7	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
778.7	1333.2		J	149.2	9.5	6.6	3.5	
-108.4	-1753.7	Min	I	-1080.4	-24.5	-2.6	-8.7	
-108.9	-1732.7		J	-1080.4	-24.5	-2.6	-8.7	
377.7	410.9	Q1-1 Max	I	103.4	8.9	5.4	2.6	
374.1	406.8		J	103.4	8.9	5.4	2.6	
-47.5	-2015.6	Min	I	-657.4	-20.9	-2.6	-8.1	
-47.3	-1996.7		J	-657.4	-20.9	-2.6	-8.1	
528.1	1088.2	Q1-3 Max	I	83.7	5.3	3.4	2.3	
528.3	1086.7		J	83.7	5.3	3.4	2.3	
-80.6	-263.9	Min	I	-683.8	-11.5	-1.3	-3.3	
-81.3	-256.8		J	-683.8	-11.5	-1.3	-3.3	
9409.4	27626.8	SLVx (RS)	I	351.9	-1031.1	1464.5	-273.5	-2
0691.5	28588.2		J	351.9	-1031.1	1464.5	-273.5	-3
7335.5	36811.7	SLVy (RS)	I	-232.1	-1596.8	-456.7	-444.1	
7712.5	38290.9		J	-232.1	-1596.8	-456.7	-444.1	
503.6	-712.9	SLVz (RS)	I	2862.4	190.3	-176.7	105.2	
523.2	-770.2		J	2862.4	190.3	-176.7	105.2	
1020.3	-1747.4	G1	I	-8266.5	-38.5	10.4	-13.1	
1009.8	-1708.9		J	-8466.1	-38.5	10.4	-13.1	
370.5	-633.8	G2	I	-640.2	-14.0	3.8	-4.8	
366.7	-619.9		J	-640.2	-14.0	3.8	-4.8	
1280.4	-338.7	pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1278.7	-344.8		J	-1680.0	6.0	-1.7	1.8	-
-412.3	-109.1	perm i~1	I	-541.0	1.9	-0.6	0.6	
-411.8	-111.0		J	-541.0	1.9	-0.6	0.6	
		pp2	I	0.0	0.1	-0.0	0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1.3	-5.5		J	0.0	0.1	-0.0	0.0
1.3	-5.6						
		perm2	I	0.0	0.0	-0.0	0.0
0.3	-1.4		J	0.0	0.0	-0.0	0.0
0.3	-1.5						
		q3	I	13.6	43.6	-13.5	10.0
429.0	-1708.5		J	13.6	43.6	-13.5	10.0
442.5	-1752.0						
		q4-1	I	-1.1	3.7	-1.1	0.9
38.1	-109.3		J	-1.1	3.7	-1.1	0.9
39.2	-113.1						
		q4-2	I	1.1	-7.4	2.3	-1.8
-75.1	240.9		J	1.1	-7.4	2.3	-1.8
-77.4	248.3						
		q4-3	I	5.6	21.7	-6.7	5.0
214.3	-799.3		J	5.6	21.7	-6.7	5.0
221.0	-821.1						
		q4-4	I	-0.7	131.3	-40.5	30.6
1319.8	-4684.0		J	-0.7	131.3	-40.5	30.6
1360.3	-4815.3						
		q5x_pc	I	44.9	41.1	-321.6	-146.2
5708.3	-1687.3		J	44.9	41.1	-329.0	-149.9
6033.6	-1728.5						
		q5y_pc	I	-21.2	-439.6	88.3	-64.0
2858.7	12803.8		J	-21.2	-443.7	88.3	-64.0
2947.0	13245.5						
		q5x_ps	I	46.2	96.8	-29.9	22.4
938.6	-3575.2		J	46.2	96.8	-29.9	22.4
968.5	-3672.0						
		q5y_ps	I	-19.7	-281.4	86.8	-65.7
2811.1	9944.1		J	-19.7	-281.4	86.8	-65.7
2898.0	10225.5						
		q7	I	3.5	2.6	-0.8	0.6
23.2	-111.4		J	3.5	2.6	-0.8	0.6
24.0	-114.0						
		T	I	-4.4	23.1	-7.2	5.3
236.9	-908.0		J	-4.4	23.1	-7.2	5.3
244.0	-931.1						
		SLVx-E~1	I	0.4	22.3	-7.3	3.9
238.0	-710.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
245.4	-732.2			J	0.4	22.3	-7.3	3.9	
			SLVy-E~1	I	1.0	51.9	-17.1	9.1	
555.4	-1656.6			J	1.0	51.9	-17.1	9.1	
572.5	-1708.5								
408	7	39	Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1171.9	1605.4			J	280.4	19.7	13.5	6.2	
1165.7	1602.1		Min	I	-1807.9	-51.4	-5.6	-18.8	
-171.7	-4340.5			J	-1807.9	-51.4	-5.6	-18.8	
-171.7	-4299.1								
			Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1289.9	2373.2			J	273.7	17.2	12.1	6.0	
1286.8	2370.0		Min	I	-1841.8	-45.1	-4.7	-16.1	
-206.1	-3346.9			J	-1841.8	-45.1	-4.7	-16.1	
-207.4	-3315.9								
			Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
706.5	837.4			J	155.1	10.8	7.5	3.4	
703.1	834.8		Min	I	-1068.3	-28.7	-3.1	-10.6	
-91.4	-2373.4			J	-1068.3	-28.7	-3.1	-10.6	
-91.3	-2348.8								
			Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
778.7	1333.2			J	149.2	9.5	6.6	3.5	
777.4	1329.7		Min	I	-1080.4	-24.5	-2.6	-8.7	
-108.9	-1732.7			J	-1080.4	-24.5	-2.6	-8.7	
-109.4	-1716.1								
			Q1-1 Max	I	103.4	8.9	5.4	2.6	
374.1	406.8			J	103.4	8.9	5.4	2.6	
370.4	402.9		Min	I	-657.4	-20.9	-2.6	-8.1	
-47.3	-1996.7			J	-657.4	-20.9	-2.6	-8.1	
-47.2	-1977.8								
			Q1-3 Max	I	83.7	5.3	3.4	2.3	
528.3	1086.7			J	83.7	5.3	3.4	2.3	
528.5	1085.3		Min	I	-683.8	-11.5	-1.3	-3.3	
-81.3	-256.8			J	-683.8	-11.5	-1.3	-3.3	
-82.1	-256.3								
			SLVx(RS)	I	353.6	-1035.9	1478.5	-273.5	-3
0691.5	28588.2			J	353.6	-1035.9	1478.5	-273.5	-3
1993.4	29555.6								


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


7712.5	38290.9	SLVy (RS)	I	-232.9	-1606.5	-463.9	-444.1	
			J	-232.9	-1606.5	-463.9	-444.1	
8099.4	39782.1							
		SLVz (RS)	I	2876.7	206.0	-197.5	105.2	
523.2	-770.2		J	2876.7	206.0	-197.5	105.2	
593.6	-868.7							
		G1	I	-8466.1	-38.5	10.4	-13.1	
1009.8	-1708.9		J	-8665.7	-38.5	10.4	-13.1	
999.4	-1670.4							
		G2	I	-640.2	-14.0	3.8	-4.8	
366.7	-619.9		J	-640.2	-14.0	3.8	-4.8	
362.9	-605.9							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1278.7	-344.8		J	-1680.0	6.0	-1.7	1.8	-
1277.0	-350.8							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-411.8	-111.0		J	-541.0	1.9	-0.6	0.6	
-411.2	-113.0							
		pp2	I	0.0	0.1	-0.0	0.0	
1.3	-5.6		J	0.0	0.1	-0.0	0.0	
1.4	-5.8							
		perm2	I	0.0	0.0	-0.0	0.0	
0.3	-1.5		J	0.0	0.0	-0.0	0.0	
0.4	-1.5							
		q3	I	13.6	43.6	-13.5	10.0	
442.5	-1752.0		J	13.6	43.6	-13.5	10.0	
456.0	-1795.6							
		q4-1	I	-1.1	3.7	-1.1	0.9	
39.2	-113.1		J	-1.1	3.7	-1.1	0.9	
40.3	-116.8							
		q4-2	I	1.1	-7.4	2.3	-1.8	
-77.4	248.3		J	1.1	-7.4	2.3	-1.8	
-79.7	255.7							
		q4-3	I	5.6	21.7	-6.7	5.0	
221.0	-821.1		J	5.6	21.7	-6.7	5.0	
227.7	-842.8							
		q4-4	I	-0.7	131.3	-40.5	30.6	
1360.3	-4815.3		J	-0.7	131.3	-40.5	30.6	
1400.8	-4946.6							

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
6033.6	-1728.5	q5x_pc	I	44.9	41.1	-329.0	-149.9	
			J	44.9	41.1	-336.4	-153.6	
6366.3	-1769.6	q5y_pc	I	-21.2	-443.7	88.3	-64.0	-
2947.0	13245.5		J	-21.2	-447.8	88.3	-64.0	-
3035.3	13691.2	q5x_ps	I	46.2	96.8	-29.9	22.4	
968.5	-3672.0		J	46.2	96.8	-29.9	22.4	
998.4	-3768.8	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
2898.0	10225.5		J	-19.7	-281.4	86.8	-65.7	-
2984.8	10507.0	q7	I	3.5	2.6	-0.8	0.6	
24.0	-114.0		J	3.5	2.6	-0.8	0.6	
24.8	-116.5	T	I	-4.4	23.1	-7.2	5.3	
244.0	-931.1		J	-4.4	23.1	-7.2	5.3	
251.2	-954.2	SLVx-E~1	I	0.4	22.3	-7.3	3.9	
245.4	-732.2		J	0.4	22.3	-7.3	3.9	
252.7	-754.5	SLVy-E~1	I	1.0	51.9	-17.1	9.1	
572.5	-1708.5		J	1.0	51.9	-17.1	9.1	
589.6	-1760.4	Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
409	7		J	280.4	19.7	13.5	6.2	
1165.7	1602.1	Min	I	-1807.9	-51.4	-5.6	-18.8	
1159.5	1598.9		J	-1807.9	-51.4	-5.6	-18.8	
-171.7	-4299.1	Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
-171.8	-4257.7		J	273.7	17.2	12.1	6.0	
1286.8	2370.0	Min	I	-1841.8	-45.1	-4.7	-16.1	
1283.7	2367.1		J	-1841.8	-45.1	-4.7	-16.1	
-207.4	-3315.9	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
-208.8	-3285.0		J	155.1	10.8	7.5	3.4	
703.1	834.8	Min	I	-1068.3	-28.7	-3.1	-10.6	
699.8	832.2		J	-1068.3	-28.7	-3.1	-10.6	
-91.3	-2348.8							
-91.3	-2324.2							

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

777.4	1329.7	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
			J	149.2	9.5	6.6	3.5	
776.1	1326.3							
		Min	I	-1080.4	-24.5	-2.6	-8.7	
-109.4	-1716.1		J	-1080.4	-24.5	-2.6	-8.7	
-110.0	-1699.6							
		Q1-1 Max	I	103.4	8.9	5.4	2.6	
370.4	402.9		J	103.4	8.9	5.4	2.6	
366.8	399.0							
		Min	I	-657.4	-20.9	-2.6	-8.1	
-47.2	-1977.8		J	-657.4	-20.9	-2.6	-8.1	
-47.2	-1959.0							
		Q1-3 Max	I	83.7	5.3	3.4	2.3	
528.5	1085.3		J	83.7	5.3	3.4	2.3	
528.8	1084.0							
		Min	I	-683.8	-11.5	-1.3	-3.3	
-82.1	-256.3		J	-683.8	-11.5	-1.3	-3.3	
-82.8	-255.9							
		SLVx (RS)	I	355.0	-1039.9	1489.8	-273.5	-3
1993.4	29555.6		J	355.0	-1039.9	1489.8	-273.5	-3
3313.2	30528.6							
		SLVy (RS)	I	-233.7	-1614.4	-470.0	-444.1	
8099.4	39782.1		J	-233.7	-1614.4	-470.0	-444.1	
8495.6	41284.1							
		SLVz (RS)	I	2888.6	219.1	-216.4	105.2	
593.6	-868.7		J	2888.6	219.1	-216.4	105.2	
716.5	-1004.9							
		G1	I	-8665.7	-38.5	10.4	-13.1	
999.4	-1670.4		J	-8865.3	-38.5	10.4	-13.1	
989.0	-1631.9							
		G2	I	-640.2	-14.0	3.8	-4.8	
362.9	-605.9		J	-640.2	-14.0	3.8	-4.8	
359.1	-592.0							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1277.0	-350.8		J	-1680.0	6.0	-1.7	1.8	-
1275.2	-356.8							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-411.2	-113.0		J	-541.0	1.9	-0.6	0.6	
-410.7	-114.9							
		pp2	I	0.0	0.1	-0.0	0.0	
1.4	-5.8		J	0.0	0.1	-0.0	0.0	

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1.4	-5.9							
		perm2	I	0.0	0.0	-0.0	0.0	
0.4	-1.5		J	0.0	0.0	-0.0	0.0	
0.4	-1.5							
		q3	I	13.6	43.6	-13.5	10.0	
456.0	-1795.6		J	13.6	43.6	-13.5	10.0	
469.5	-1839.1							
		q4-1	I	-1.1	3.7	-1.1	0.9	
40.3	-116.8		J	-1.1	3.7	-1.1	0.9	
41.5	-120.5							
		q4-2	I	1.1	-7.4	2.3	-1.8	
-79.7	255.7		J	1.1	-7.4	2.3	-1.8	
-81.9	263.1							
		q4-3	I	5.6	21.7	-6.7	5.0	
227.7	-842.8		J	5.6	21.7	-6.7	5.0	
234.4	-864.5							
		q4-4	I	-0.7	131.3	-40.5	30.6	
1400.8	-4946.6		J	-0.7	131.3	-40.5	30.6	
1441.3	-5077.9							
		q5x_pc	I	44.9	41.1	-336.4	-153.6	
6366.3	-1769.6		J	44.9	41.1	-343.9	-157.3	
6706.4	-1810.7							
		q5y_pc	I	-21.2	-447.8	88.3	-64.0	-
3035.3	13691.2		J	-21.2	-451.8	88.3	-64.0	-
3123.7	14141.1							
		q5x_ps	I	46.2	96.8	-29.9	22.4	
998.4	-3768.8		J	46.2	96.8	-29.9	22.4	
1028.3	-3865.7							
		q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
2984.8	10507.0		J	-19.7	-281.4	86.8	-65.7	-
3071.6	10788.4							
		q7	I	3.5	2.6	-0.8	0.6	
24.8	-116.5		J	3.5	2.6	-0.8	0.6	
25.6	-119.1							
		T	I	-4.4	23.1	-7.2	5.3	
251.2	-954.2		J	-4.4	23.1	-7.2	5.3	
258.4	-977.4							
		SLVx-E~1	I	0.4	22.3	-7.3	3.9	
252.7	-754.5		J	0.4	22.3	-7.3	3.9	
260.0	-776.7							

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


589.6	-1760.4	SLVy-E~1	I	1.0	51.9	-17.1	9.1	
606.7	-1812.4		J	1.0	51.9	-17.1	9.1	
410	7	39 Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1159.5	1598.9		J	280.4	19.7	13.5	6.2	
1153.3	1595.7	Min	I	-1807.9	-51.4	-5.6	-18.8	
-171.8	-4257.7		J	-1807.9	-51.4	-5.6	-18.8	
-171.9	-4216.4							
1283.7	2367.1	Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1280.7	2364.4		J	273.7	17.2	12.1	6.0	
-208.8	-3285.0	Min	I	-1841.8	-45.1	-4.7	-16.1	
-210.3	-3254.2		J	-1841.8	-45.1	-4.7	-16.1	
699.8	832.2	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
696.5	829.7		J	155.1	10.8	7.5	3.4	
-91.3	-2324.2	Min	I	-1068.3	-28.7	-3.1	-10.6	
-91.2	-2299.7		J	-1068.3	-28.7	-3.1	-10.6	
776.1	1326.3	Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
774.9	1322.9		J	149.2	9.5	6.6	3.5	
-110.0	-1699.6	Min	I	-1080.4	-24.5	-2.6	-8.7	
-110.6	-1683.1		J	-1080.4	-24.5	-2.6	-8.7	
366.8	399.0	Q1-1 Max	I	103.4	8.9	5.4	2.6	
363.2	395.1		J	103.4	8.9	5.4	2.6	
-47.2	-1959.0	Min	I	-657.4	-20.9	-2.6	-8.1	
-47.2	-1940.2		J	-657.4	-20.9	-2.6	-8.1	
528.8	1084.0	Q1-3 Max	I	83.7	5.3	3.4	2.3	
529.0	1082.7		J	83.7	5.3	3.4	2.3	
-82.8	-255.9	Min	I	-683.8	-11.5	-1.3	-3.3	
-83.7	-255.5		J	-683.8	-11.5	-1.3	-3.3	
3313.2	30528.6	SLVx (RS)	I	356.2	-1043.0	1498.3	-273.5	-3
4649.2	31506.7		J	356.2	-1043.0	1498.3	-273.5	-3
		SLVy (RS)	I	-234.3	-1620.6	-475.0	-444.1	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
8495.6	41284.1		J	-234.3	-1620.6	-475.0	-444.1
8900.2	42796.0						
		SLVz (RS)	I	2898.0	229.3	-232.2	105.2
716.5	-1004.9		J	2898.0	229.3	-232.2	105.2
882.2	-1171.3						
		G1	I	-8865.3	-38.5	10.4	-13.1
989.0	-1631.9		J	-9064.9	-38.5	10.4	-13.1
978.5	-1593.4						
		G2	I	-640.2	-14.0	3.8	-4.8
359.1	-592.0		J	-640.2	-14.0	3.8	-4.8
355.3	-578.0						
		pp imp~1	I	-1680.0	6.0	-1.7	1.8
1275.2	-356.8		J	-1680.0	6.0	-1.7	1.8
1273.5	-362.8						
		perm i~1	I	-541.0	1.9	-0.6	0.6
-410.7	-114.9		J	-541.0	1.9	-0.6	0.6
-410.1	-116.8						
		pp2	I	0.0	0.1	-0.0	0.0
1.4	-5.9		J	0.0	0.1	-0.0	0.0
1.5	-6.0						
		perm2	I	0.0	0.0	-0.0	0.0
0.4	-1.5		J	0.0	0.0	-0.0	0.0
0.4	-1.6						
		q3	I	13.6	43.6	-13.5	10.0
469.5	-1839.1		J	13.6	43.6	-13.5	10.0
483.0	-1882.7						
		q4-1	I	-1.1	3.7	-1.1	0.9
41.5	-120.5		J	-1.1	3.7	-1.1	0.9
42.6	-124.3						
		q4-2	I	1.1	-7.4	2.3	-1.8
-81.9	263.1		J	1.1	-7.4	2.3	-1.8
-84.2	270.6						
		q4-3	I	5.6	21.7	-6.7	5.0
234.4	-864.5		J	5.6	21.7	-6.7	5.0
241.1	-886.2						
		q4-4	I	-0.7	131.3	-40.5	30.6
1441.3	-5077.9		J	-0.7	131.3	-40.5	30.6
1481.9	-5209.2						
		q5x_pc	I	44.9	41.1	-343.9	-157.3
6706.4	-1810.7						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
7053.7	-1851.8		J	44.9	41.1	-350.7	-160.7	
3123.7	14141.1	q5y_pc	I	-21.2	-451.8	88.3	-64.0	-
3212.0	14594.8		J	-21.2	-455.7	88.3	-64.0	-
1028.3	-3865.7	q5x_ps	I	46.2	96.8	-29.9	22.4	
1058.3	-3962.5		J	46.2	96.8	-29.9	22.4	
3071.6	10788.4	q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
3158.5	11069.8		J	-19.7	-281.4	86.8	-65.7	-
		q7	I	3.5	2.6	-0.8	0.6	
25.6	-119.1		J	3.5	2.6	-0.8	0.6	
		T	I	-4.4	23.1	-7.2	5.3	
258.4	-977.4		J	-4.4	23.1	-7.2	5.3	
265.5	-1000.5							
260.0	-776.7	SLVx-E~1	I	0.4	22.3	-7.3	3.9	
267.3	-799.0		J	0.4	22.3	-7.3	3.9	
606.7	-1812.4	SLVy-E~1	I	1.0	51.9	-17.1	9.1	
623.8	-1864.3		J	1.0	51.9	-17.1	9.1	
411	7	44 Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1153.3	1595.7		J	280.4	19.7	13.5	6.2	
1147.2	1592.5							
		Min	I	-1807.9	-51.4	-5.6	-18.8	
-171.9	-4216.4		J	-1807.9	-51.4	-5.6	-18.8	
-172.1	-4175.2							
1280.7	2364.4	Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1277.7	2361.8		J	273.7	17.2	12.1	6.0	
		Min	I	-1841.8	-45.1	-4.7	-16.1	
-210.3	-3254.2		J	-1841.8	-45.1	-4.7	-16.1	
-212.2	-3223.5							
696.5	829.7	Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
693.3	827.2		J	155.1	10.8	7.5	3.4	
		Min	I	-1068.3	-28.7	-3.1	-10.6	
-91.2	-2299.7		J	-1068.3	-28.7	-3.1	-10.6	
-91.2	-2275.3							
		Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
774.9	1322.9		J	149.2	9.5	6.6	3.5	
773.6	1319.7							
		Min	I	-1080.4	-24.5	-2.6	-8.7	
-110.6	-1683.1							
			J	-1080.4	-24.5	-2.6	-8.7	
-111.5	-1666.6							
		Q1-1 Max	I	103.4	8.9	5.4	2.6	
363.2	395.1							
			J	103.4	8.9	5.4	2.6	
359.6	391.3							
		Min	I	-657.4	-20.9	-2.6	-8.1	
-47.2	-1940.2							
			J	-657.4	-20.9	-2.6	-8.1	
-47.2	-1921.4							
		Q1-3 Max	I	83.7	5.3	3.4	2.3	
529.0	1082.7							
			J	83.7	5.3	3.4	2.3	
529.3	1081.4							
		Min	I	-683.8	-11.5	-1.3	-3.3	
-83.7	-255.5							
			J	-683.8	-11.5	-1.3	-3.3	
-84.7	-255.2							
		SLVx (RS)	I	357.1	-1045.3	1504.3	-273.5	-3
4649.2	31506.7							
			J	357.1	-1045.3	1504.3	-273.5	-3
5999.7	32489.4							
		SLVy (RS)	I	-234.7	-1625.1	-478.6	-444.1	
8900.2	42796.0							
			J	-234.7	-1625.1	-478.6	-444.1	
9312.4	44316.8							
		SLVz (RS)	I	2905.2	236.5	-244.1	105.2	
882.2	-1171.3							
			J	2905.2	236.5	-244.1	105.2	
1078.7	-1360.3							
		G1	I	-9064.9	-38.5	10.4	-13.1	
978.5	-1593.4							
			J	-9272.6	-38.5	10.4	-13.1	
968.1	-1554.9							
		G2	I	-640.2	-14.0	3.8	-4.8	
355.3	-578.0							
			J	-640.2	-14.0	3.8	-4.8	
351.5	-564.0							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1273.5	-362.8							
			J	-1680.0	6.0	-1.7	1.8	-
1271.8	-368.8							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-410.1	-116.8							
			J	-541.0	1.9	-0.6	0.6	
-409.6	-118.8							
		pp2	I	0.0	0.1	-0.0	0.0	
1.5	-6.0							
			J	0.0	0.1	-0.0	0.0	
1.5	-6.2							


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.4	-1.6	perm2	I	0.0	0.0	-0.0	0.0
			J	0.0	0.0	-0.0	0.0
0.4	-1.6						
483.0	-1882.7	q3	I	13.6	43.6	-13.5	10.0
			J	13.6	43.6	-13.5	10.0
496.6	-1926.2						
42.6	-124.3	q4-1	I	-1.1	3.7	-1.1	0.9
			J	-1.1	3.7	-1.1	0.9
43.8	-128.0						
-84.2	270.6	q4-2	I	1.1	-7.4	2.3	-1.8
			J	1.1	-7.4	2.3	-1.8
-86.5	278.0						
241.1	-886.2	q4-3	I	5.6	21.7	-6.7	5.0
			J	5.6	21.7	-6.7	5.0
247.8	-908.0						
1481.9	-5209.2	q4-4	I	-0.7	131.3	-40.5	30.6
			J	-0.7	131.3	-40.5	30.6
1522.4	-5340.5						
7053.7	-1851.8	q5x_pc	I	44.9	41.1	-350.7	-160.7
			J	44.9	41.1	-357.5	-164.2
7407.8	-1893.0						
3212.0	14594.8	q5y_pc	I	-21.2	-455.7	88.3	-64.0
			J	-21.2	-459.6	88.3	-64.0
3300.3	15052.5						
1058.3	-3962.5	q5x_ps	I	46.2	96.8	-29.9	22.4
			J	46.2	96.8	-29.9	22.4
1088.2	-4059.3						
3158.5	11069.8	q5y_ps	I	-19.7	-281.4	86.8	-65.7
			J	-19.7	-281.4	86.8	-65.7
3245.3	11351.2						
26.4	-121.6	q7	I	3.5	2.6	-0.8	0.6
			J	3.5	2.6	-0.8	0.6
27.2	-124.2						
265.5	-1000.5	T	I	-4.4	23.1	-7.2	5.3
			J	-4.4	23.1	-7.2	5.3
272.7	-1023.6						
267.3	-799.0	SLVx-E~1	I	0.4	22.3	-7.3	3.9
			J	0.4	22.3	-7.3	3.9
274.7	-821.2						
		SLVy-E~1	I	1.0	51.9	-17.1	9.1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
623.8	-1864.3			J	1.0	51.9	-17.1	9.1	
640.9	-1916.2								
412	7	44	Q1-1_2 Max	I	280.4	19.7	13.5	6.2	
1147.2	1592.5			J	280.4	19.7	13.5	6.2	
1141.1	1589.5		Min	I	-1807.9	-51.4	-5.6	-18.8	
-172.1	-4175.2			J	-1807.9	-51.4	-5.6	-18.8	
-172.3	-4134.1								
			Q1-3_4 Max	I	273.7	17.2	12.1	6.0	
1277.7	2361.8			J	273.7	17.2	12.1	6.0	
1274.7	2359.5		Min	I	-1841.8	-45.1	-4.7	-16.1	
-212.2	-3223.5			J	-1841.8	-45.1	-4.7	-16.1	
-214.8	-3192.8								
			Q2a-1_2 Max	I	155.1	10.8	7.5	3.4	
693.3	827.2			J	155.1	10.8	7.5	3.4	
690.0	824.8		Min	I	-1068.3	-28.7	-3.1	-10.6	
-91.2	-2275.3			J	-1068.3	-28.7	-3.1	-10.6	
-91.3	-2250.8								
			Q2a-3_4 Max	I	149.2	9.5	6.6	3.5	
773.6	1319.7			J	149.2	9.5	6.6	3.5	
772.4	1316.6		Min	I	-1080.4	-24.5	-2.6	-8.7	
-111.5	-1666.6			J	-1080.4	-24.5	-2.6	-8.7	
-113.0	-1650.2								
			Q1-1 Max	I	103.4	8.9	5.4	2.6	
359.6	391.3			J	103.4	8.9	5.4	2.6	
356.0	387.6		Min	I	-657.4	-20.9	-2.6	-8.1	
-47.2	-1921.4			J	-657.4	-20.9	-2.6	-8.1	
-47.3	-1902.7								
			Q1-3 Max	I	83.7	5.3	3.4	2.3	
529.3	1081.4			J	83.7	5.3	3.4	2.3	
529.5	1080.2		Min	I	-683.8	-11.5	-1.3	-3.3	
-84.7	-255.2			J	-683.8	-11.5	-1.3	-3.3	
-86.4	-254.9								
			SLVx (RS)	I	357.7	-1046.7	1507.7	-273.6	-3
5999.7	32489.4			J	357.7	-1046.7	1507.7	-273.6	-3
7362.9	33476.1								
			SLVy (RS)	I	-235.1	-1627.8	-480.8	-444.1	
9312.4	44316.8			J	-235.1	-1627.8	-480.8	-444.1	


MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
9731.3	45845.5							
		SLVz (RS)	I	2910.1	240.9	-251.5	105.2	
1078.7	-1360.3		J	2910.1	240.9	-251.5	105.2	
1295.8	-1565.1							
		G1	I	-9272.6	-38.5	10.4	-13.1	
968.1	-1554.9		J	-9480.4	-38.5	10.4	-13.1	
957.7	-1516.4							
		G2	I	-640.2	-14.0	3.8	-4.8	
351.5	-564.0		J	-640.2	-14.0	3.8	-4.8	
347.8	-550.1							
		pp imp~1	I	-1680.0	6.0	-1.7	1.8	-
1271.8	-368.8		J	-1680.0	6.0	-1.7	1.8	-
1270.1	-374.8							
		perm i~1	I	-541.0	1.9	-0.6	0.6	
-409.6	-118.8		J	-541.0	1.9	-0.6	0.6	
-409.0	-120.7							
		pp2	I	0.0	0.1	-0.0	0.0	
1.5	-6.2		J	0.0	0.1	-0.0	0.0	
1.5	-6.3							
		perm2	I	0.0	0.0	-0.0	0.0	
0.4	-1.6		J	0.0	0.0	-0.0	0.0	
0.4	-1.6							
		q3	I	13.6	43.6	-13.5	10.0	
496.6	-1926.2		J	13.6	43.6	-13.5	10.0	
510.1	-1969.8							
		q4-1	I	-1.1	3.7	-1.1	0.9	
43.8	-128.0		J	-1.1	3.7	-1.1	0.9	
44.9	-131.7							
		q4-2	I	1.1	-7.4	2.3	-1.8	
-86.5	278.0		J	1.1	-7.4	2.3	-1.8	
-88.8	285.4							
		q4-3	I	5.6	21.7	-6.7	5.0	
247.8	-908.0		J	5.6	21.7	-6.7	5.0	
254.5	-929.7							
		q4-4	I	-0.7	131.3	-40.5	30.6	
1522.4	-5340.5		J	-0.7	131.3	-40.5	30.6	
1562.9	-5471.8							
		q5x_pc	I	44.9	41.1	-357.5	-164.1	
7407.8	-1893.0		J	44.9	41.1	-364.3	-167.6	
7768.7	-1934.1							

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3300.3	15052.5	q5y_pc	I	-21.2	-459.6	88.3	-64.0	-
			J	-21.2	-463.6	88.3	-64.0	-
3388.7	15514.1							
		q5x_ps	I	46.2	96.8	-29.9	22.4	
1088.2	-4059.3		J	46.2	96.8	-29.9	22.4	
1118.1	-4156.1							
		q5y_ps	I	-19.7	-281.4	86.8	-65.7	-
3245.3	11351.2		J	-19.7	-281.4	86.8	-65.7	-
3332.1	11632.7							
		q7	I	3.5	2.6	-0.8	0.6	
27.2	-124.2		J	3.5	2.6	-0.8	0.6	
28.0	-126.7							
		T	I	-4.4	23.1	-7.2	5.3	
272.7	-1023.6		J	-4.4	23.1	-7.2	5.3	
279.9	-1046.7							
		SLVx-E~1	I	0.4	22.3	-7.3	3.9	
274.7	-821.2		J	0.4	22.3	-7.3	3.9	
282.0	-843.5							
		SLVy-E~1	I	1.0	51.9	-17.1	9.1	
640.9	-1916.2		J	1.0	51.9	-17.1	9.1	
657.9	-1968.2							
504	7	53 Q1-1_2 Max	I	355.1	87.2	105.4	573.9	
56.4	3698.5		J	355.1	87.2	105.4	573.9	
158.3	3648.5							
		Min	I	-3359.1	-91.8	-101.8	-381.6	
-57.7	-2040.2		J	-3359.1	-91.8	-101.8	-381.6	
-163.1	-1990.0							
		Q1-3_4 Max	I	346.8	83.8	100.1	535.7	
59.5	2248.0		J	346.8	83.8	100.1	535.7	
166.9	2215.8							
		Min	I	-3448.7	-101.6	-107.4	-353.2	
-54.8	-3697.0		J	-3448.7	-101.6	-107.4	-353.2	
-155.0	-3635.1							
		Q2a-1_2 Max	I	200.0	46.5	53.8	300.4	
30.7	1969.2		J	200.0	46.5	53.8	300.4	
86.2	1937.6							
		Min	I	-1695.4	-48.3	-55.4	-209.7	
-29.5	-916.4		J	-1695.4	-48.3	-55.4	-209.7	
-83.3	-895.1							
		Q2a-3_4 Max	I	192.6	45.1	50.5	273.9	
32.1	1131.8		J	192.6	45.1	50.5	273.9	

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
90.1	1110.9		Min	I	-1729.2	-52.0	-58.0	-190.1
-27.6	-1812.1			J	-1729.2	-52.0	-58.0	-190.1
-78.2	-1782.4							
		Q1-1	Max	I	132.3	30.4	38.7	223.4
17.4	1935.0			J	132.3	30.4	38.7	223.4
48.8	1918.3							
			Min	I	-1072.6	-29.1	-31.4	-148.8
-21.2	-0.1			J	-1072.6	-29.1	-31.4	-148.8
-59.9	-0.3							
		Q1-3	Max	I	108.9	28.7	24.2	134.7
21.7	47.4			J	108.9	28.7	24.2	134.7
60.9	21.0							
			Min	I	-1121.9	-35.9	-39.2	-90.5
-13.2	-1812.1			J	-1121.9	-35.9	-39.2	-90.5
-37.4	-1782.3							
		SLVx	(RS)	I	355.4	2003.4	-269.8	-5237.3
145.8	2641.9			J	355.4	2003.4	-269.8	-5237.3
415.4	1720.8							
		SLVy	(RS)	I	291.9	618.8	933.4	13118.4
-503.1	2292.8			J	291.9	618.8	933.4	13118.4
1436.7	2015.6							-
		SLVz	(RS)	I	1114.1	72.8	-106.7	-181.2
64.1	394.2			J	1114.1	72.8	-106.7	-181.2
170.3	430.0							
		G1		I	-5370.4	-30.7	8.0	341.3
-3.4	-1220.7			J	-5802.6	-30.8	8.2	341.3
-11.5	-1190.0							
		G2		I	-1948.5	-11.1	2.9	124.2
-1.2	-439.1			J	-1948.5	-11.1	2.9	124.2
-4.1	-428.1							
		pp imp~1		I	-0.1	8.0	-0.5	-63.8
0.3	-5.6			J	-0.1	8.0	-0.5	-63.8
0.8	-13.6							
		perm i~1		I	-0.0	2.6	-0.2	-20.6
0.1	-1.8			J	-0.0	2.6	-0.2	-20.6
0.2	-4.4							
		pp2		I	0.0	-2.0	0.7	-0.4
-0.4	0.6			J	0.0	-2.0	0.7	-0.4
-1.0	2.6							
		perm2		I	0.0	-0.5	0.2	-0.1
-0.1	0.2							

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.3	0.7		J	0.0	-0.5	0.2	-0.1
-155.8	522.0	q3	I	5.8	46.9	282.7	1282.4
-438.6	475.1		J	5.8	46.9	282.7	1282.4
-14.8	-34.4	q4-1	I	4.0	37.8	26.7	199.2
-41.5	-72.2		J	4.0	37.8	26.7	199.2
-13.8	62.0	q4-2	I	2.7	-25.4	25.1	-88.5
-38.9	87.4		J	2.7	-25.4	25.1	-88.5
-5.7	296.8	q4-3	I	-10.2	-137.2	10.3	21.9
-15.9	434.1		J	-10.2	-137.2	10.3	21.9
16.8	82.7	q4-4	I	-5.5	-11.5	-30.7	231.2
47.5	94.2		J	-5.5	-11.5	-30.7	231.2
-286.8	1281.5	q5x_pc	I	1.3	-738.9	521.2	530.1
-808.2	2020.7		J	1.3	-738.9	521.2	530.1
-236.1	-1061.9	q5y_pc	I	94.3	749.7	428.7	1006.8
-665.0	-1811.9		J	94.3	749.7	428.7	1006.8
-321.7	1224.5	q5x_ps	I	-1.4	-775.9	584.6	765.0
-906.5	2000.6		J	-1.4	-775.9	584.6	765.0
-212.1	-770.0	q5y_ps	I	81.7	674.9	385.3	919.8
-597.5	-1445.2		J	81.7	674.9	385.3	919.8
-7.1	71.7	q7	I	-2.6	-58.0	13.0	-27.8
-20.2	129.7		J	-2.6	-58.0	13.0	-27.8
148.1	171.5	T	I	10.5	-135.8	-268.9	-693.9
417.1	307.3		J	10.5	-135.8	-268.9	-693.9
-13.2	27.9	SLVx-E~1	I	0.7	1.0	23.9	416.0
-37.1	26.9		J	0.7	1.0	23.9	416.0
-30.9	65.0	SLVy-E~1	I	1.7	2.3	55.7	970.7
			J	1.7	2.3	55.7	970.7

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-86.7	62.7									
505	7	49	Q1-1_2	Max	I	355.1	87.5	104.7	573.6	
158.2	3648.6				J	355.1	87.5	104.7	573.6	
260.7	3602.4									
				Min	I	-3359.1	-91.4	-102.5	-381.9	
-163.0	-1989.9				J	-3359.1	-91.4	-102.5	-381.9	
-267.7	-1944.7									
			Q1-3_4	Max	I	346.8	83.8	99.5	535.6	
166.9	2215.9				J	346.8	83.8	99.5	535.6	
275.0	2188.9									
				Min	I	-3448.7	-101.0	-108.1	-353.2	
-154.9	-3635.2				J	-3448.7	-101.0	-108.1	-353.2	
-254.4	-3583.0									
			Q2a-1_2	Max	I	200.0	46.7	53.5	300.3	
86.1	1937.6				J	200.0	46.7	53.5	300.3	
141.9	1907.5									
				Min	I	-1695.4	-48.1	-55.8	-209.9	
-83.2	-895.1				J	-1695.4	-48.1	-55.8	-209.9	
-136.7	-875.9									
			Q2a-3_4	Max	I	192.6	45.1	50.2	273.8	
90.1	1110.9				J	192.6	45.1	50.2	273.8	
148.4	1092.6									
				Min	I	-1729.2	-51.7	-58.3	-190.1	
-78.1	-1782.4				J	-1729.2	-51.7	-58.3	-190.1	
-128.3	-1756.6									
			Q1-1	Max	I	132.2	30.6	38.5	223.2	
48.7	1918.4				J	132.2	30.6	38.5	223.2	
80.3	1901.5									
				Min	I	-1072.6	-29.0	-31.6	-149.0	
-59.9	-0.3				J	-1072.6	-29.0	-31.6	-149.0	
-98.3	-0.4									
			Q1-3	Max	I	108.9	28.6	23.9	134.9	
60.9	21.0				J	108.9	28.6	23.9	134.9	
100.2	0.1									
				Min	I	-1121.9	-35.6	-39.4	-90.2	
-37.3	-1782.3				J	-1121.9	-35.6	-39.4	-90.2	
-61.3	-1756.4									
			SLVx (RS)		I	358.0	2045.1	-277.5	-5237.5	
414.7	1720.4				J	358.0	2045.1	-277.5	-5237.5	
690.0	2632.2									
			SLVy (RS)		I	293.6	620.8	956.9	13118.1	-
1434.6	2018.9				J	293.6	620.8	956.9	13118.1	-
2390.3	1872.5									

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
170.3	430.0	SLVz (RS)	I	1148.5	58.0	-88.7	-181.3
			J	1148.5	58.0	-88.7	-181.3
256.0	458.9						
		G1	I	-5802.6	-29.4	6.1	341.7
-11.5	-1189.8		J	-6029.9	-29.4	6.1	341.7
-17.6	-1160.4						
		G2	I	-1948.5	-10.6	2.2	124.3
-4.1	-428.0		J	-1948.5	-10.6	2.2	124.3
-6.3	-417.4						
		pp imp~1	I	-0.0	8.0	-0.5	-63.8
0.7	-13.7		J	-0.0	8.0	-0.5	-63.8
1.2	-21.7						
		perm i~1	I	-0.0	2.6	-0.2	-20.6
0.2	-4.4		J	-0.0	2.6	-0.2	-20.6
0.4	-7.0						
		pp2	I	0.0	-2.0	0.7	-0.4
-1.0	2.6		J	0.0	-2.0	0.7	-0.4
-1.7	4.5						
		perm2	I	0.0	-0.5	0.2	-0.1
-0.3	0.7		J	0.0	-0.5	0.2	-0.1
-0.5	1.2						
		q3	I	5.7	46.9	282.7	1282.3
-438.3	475.5		J	5.7	46.9	282.7	1282.3
-721.0	428.7						
		q4-1	I	4.0	37.8	26.7	199.2
-41.5	-72.2		J	4.0	37.8	26.7	199.2
-68.2	-109.9						
		q4-2	I	2.6	-25.4	25.1	-88.5
-38.9	87.3		J	2.6	-25.4	25.1	-88.5
-64.1	112.7						
		q4-3	I	-10.2	-137.2	10.3	21.7
-15.9	434.1		J	-10.2	-137.2	10.3	21.7
-26.2	571.3						
		q4-4	I	-5.5	-11.5	-30.7	231.2
47.5	94.3		J	-5.5	-11.5	-30.7	231.2
78.2	105.8						
		q5x_pc	I	0.9	-738.9	521.2	529.5
-808.1	2020.9		J	0.9	-738.9	521.2	529.5
1329.3	2759.8						-
		q5y_pc	I	94.3	749.7	428.8	1007.6

MIDAS


PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-664.7	-1811.5			J	94.3	749.7	428.8	1007.6	-
1093.5	-2561.2								
		q5x_ps		I	-1.8	-775.9	584.6	764.5	
-906.3	2000.9			J	-1.8	-775.9	584.6	764.5	-
1490.9	2776.8								
		q5y_ps		I	81.7	674.9	385.3	920.4	
-597.3	-1444.9			J	81.7	674.9	385.3	920.4	
-982.6	-2119.8								
		q7		I	-2.7	-58.0	13.0	-27.8	
-20.2	129.7			J	-2.7	-58.0	13.0	-27.8	
-33.2	187.7								
		T		I	10.6	-135.8	-268.9	-694.2	
417.0	307.1			J	10.6	-135.8	-268.9	-694.2	
685.9	442.9								
		SLVx-E~1		I	0.7	1.0	23.9	416.0	
-37.0	27.0			J	0.7	1.0	23.9	416.0	
-60.9	26.0								
		SLVy-E~1		I	1.6	2.3	55.7	970.7	
-86.4	63.0			J	1.6	2.3	55.7	970.7	
-142.2	60.7								
506	7	37	Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
260.7	3602.4			J	355.1	87.5	104.7	573.6	
363.2	3569.4		Min	I	-3359.1	-91.4	-102.5	-381.9	
-267.7	-1944.7			J	-3359.1	-91.4	-102.5	-381.9	
-372.5	-1917.9								
		Q1-3_4 Max		I	346.8	83.8	99.5	535.6	
275.0	2188.9			J	346.8	83.8	99.5	535.6	
383.0	2181.9		Min	I	-3448.7	-101.0	-108.1	-353.2	
-254.4	-3583.0			J	-3448.7	-101.0	-108.1	-353.2	
-353.9	-3552.9								
		Q2a-1_2 Max		I	200.0	46.7	53.5	300.3	
141.9	1907.5			J	200.0	46.7	53.5	300.3	
197.7	1884.9		Min	I	-1695.4	-48.1	-55.8	-209.9	
-136.7	-875.9			J	-1695.4	-48.1	-55.8	-209.9	
-190.2	-864.3								
		Q2a-3_4 Max		I	192.6	45.1	50.2	273.8	
148.4	1092.6			J	192.6	45.1	50.2	273.8	
206.7	1086.4		Min	I	-1729.2	-51.7	-58.3	-190.1	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-128.3	-1756.6		J	-1729.2	-51.7	-58.3	-190.1
-178.4	-1740.4						
80.3	1901.5	Q1-1 Max	I	132.2	30.6	38.5	223.2
111.9	1884.9		J	132.2	30.6	38.5	223.2
-98.3	-0.4	Min	I	-1072.6	-29.0	-31.6	-149.0
-136.8	-1.8		J	-1072.6	-29.0	-31.6	-149.0
100.2	0.1	Q1-3 Max	I	108.9	28.6	23.9	134.9
139.6	0.1		J	108.9	28.6	23.9	134.9
-61.3	-1756.4	Min	I	-1121.9	-35.6	-39.4	-90.2
-85.2	-1738.0		J	-1121.9	-35.6	-39.4	-90.2
690.0	2632.2	SLVx (RS)	I	359.5	2069.8	-282.0	-5237.5
968.5	-4393.4		J	359.5	2069.8	-282.0	-5237.5
2390.3	1872.5	SLVy (RS)	I	294.8	622.2	966.3	13118.1
3354.2	1901.0		J	294.8	622.2	966.3	13118.1
256.0	458.9	SLVz (RS)	I	1172.9	48.7	-75.4	-181.3
326.7	480.8		J	1172.9	48.7	-75.4	-181.3
-17.6	-1160.4	G1	I	-6029.9	-29.4	6.1	341.7
-23.7	-1131.0		J	-6223.4	-29.4	6.1	341.7
-6.3	-417.4	G2	I	-1948.5	-10.6	2.2	124.3
-8.5	-406.8		J	-1948.5	-10.6	2.2	124.3
1.2	-21.7	pp imp~1	I	-0.0	8.0	-0.5	-63.8
1.7	-29.7		J	-0.0	8.0	-0.5	-63.8
0.4	-7.0	perm i~1	I	-0.0	2.6	-0.2	-20.6
0.5	-9.6		J	-0.0	2.6	-0.2	-20.6
-1.7	4.5	pp2	I	0.0	-2.0	0.7	-0.4
-2.3	6.5		J	0.0	-2.0	0.7	-0.4
-0.5	1.2	perm2	I	0.0	-0.5	0.2	-0.1
-0.7	1.8		J	0.0	-0.5	0.2	-0.1


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


-721.0	428.7	q3	I	5.7	46.9	282.7	1282.3	
1003.7	381.8		J	5.7	46.9	282.7	1282.3	-
-68.2	-109.9	q4-1	I	4.0	37.8	26.7	199.2	
-95.0	-147.7		J	4.0	37.8	26.7	199.2	
-64.1	112.7	q4-2	I	2.6	-25.4	25.1	-88.5	
-89.2	138.1		J	2.6	-25.4	25.1	-88.5	
-26.2	571.3	q4-3	I	-10.2	-137.2	10.3	21.7	
-36.5	708.5		J	-10.2	-137.2	10.3	21.7	
78.2	105.8	q4-4	I	-5.5	-11.5	-30.7	231.2	
108.8	117.2		J	-5.5	-11.5	-30.7	231.2	
1329.3	2759.8	q5x_pc	I	0.9	-738.9	521.2	529.5	-
1850.6	3498.8		J	0.9	-738.9	521.2	529.5	-
1093.5	-2561.2	q5y_pc	I	94.3	749.7	428.8	1007.6	-
1522.3	-3310.9		J	94.3	749.7	428.8	1007.6	-
1490.9	2776.8	q5x_ps	I	-1.8	-775.9	584.6	764.5	-
2075.4	3552.6		J	-1.8	-775.9	584.6	764.5	-
-982.6	-2119.8	q5y_ps	I	81.7	674.9	385.3	920.4	
1367.9	-2794.7		J	81.7	674.9	385.3	920.4	-
-33.2	187.7	q7	I	-2.7	-58.0	13.0	-27.8	
-46.2	245.7		J	-2.7	-58.0	13.0	-27.8	
685.9	442.9	T	I	10.6	-135.8	-268.9	-694.2	
954.8	578.8		J	10.6	-135.8	-268.9	-694.2	
-60.9	26.0	SLVx-E~1	I	0.7	1.0	23.9	416.0	
-84.8	25.0		J	0.7	1.0	23.9	416.0	
-142.2	60.7	SLVy-E~1	I	1.6	2.3	55.7	970.7	
-197.9	58.4		J	1.6	2.3	55.7	970.7	

MIDAS

PROJECT TITLE :


	Company				Client			
	Author				File Name			
507	7	37	Q1-1_2 Max	I	355.1	87.5	104.7	573.6
363.2	3569.4			J	355.1	87.5	104.7	573.6
465.7	3553.8		Min	I	-3359.1	-91.4	-102.5	-381.9
-372.5	-1917.9			J	-3359.1	-91.4	-102.5	-381.9
-477.2	-1908.7							
			Q1-3_4 Max	I	346.8	83.8	99.5	535.6
383.0	2181.9			J	346.8	83.8	99.5	535.6
491.1	2188.7		Min	I	-3448.7	-101.0	-108.1	-353.2
-353.9	-3552.9			J	-3448.7	-101.0	-108.1	-353.2
-453.4	-3534.7							
			Q2a-1_2 Max	I	200.0	46.7	53.5	300.3
197.7	1884.9			J	200.0	46.7	53.5	300.3
253.4	1871.8		Min	I	-1695.4	-48.1	-55.8	-209.9
-190.2	-864.3			J	-1695.4	-48.1	-55.8	-209.9
-243.7	-862.0							
			Q2a-3_4 Max	I	192.6	45.1	50.2	273.8
206.7	1086.4			J	192.6	45.1	50.2	273.8
265.0	1085.8		Min	I	-1729.2	-51.7	-58.3	-190.1
-178.4	-1740.4			J	-1729.2	-51.7	-58.3	-190.1
-228.6	-1731.6							
			Q1-1 Max	I	132.2	30.6	38.5	223.2
111.9	1884.9			J	132.2	30.6	38.5	223.2
143.4	1871.8		Min	I	-1072.6	-29.0	-31.6	-149.0
-136.8	-1.8			J	-1072.6	-29.0	-31.6	-149.0
-175.3	-12.8							
			Q1-3 Max	I	108.9	28.6	23.9	134.9
139.6	0.1			J	108.9	28.6	23.9	134.9
179.0	0.2		Min	I	-1121.9	-35.6	-39.4	-90.2
-85.2	-1738.0			J	-1121.9	-35.6	-39.4	-90.2
-109.2	-1720.0							
			SLVx (RS)	I	361.0	2090.9	-285.9	-5237.5
968.5	-4393.4			J	361.0	2090.9	-285.9	-5237.5
1249.3	-6350.5							
			SLVy (RS)	I	296.0	623.5	971.0	13118.1
3354.2	1901.0			J	296.0	623.5	971.0	13118.1
4320.7	2098.4							
			SLVz (RS)	I	1196.5	42.1	-61.5	-181.3
326.7	480.8							

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
380.6	494.0		J	1196.5	42.1	-61.5	-181.3	
-23.7	-1131.0	G1	I	-6223.4	-29.4	6.1	341.7	
-29.8	-1101.6		J	-6416.9	-29.4	6.1	341.7	
-8.5	-406.8	G2	I	-1948.5	-10.6	2.2	124.3	
-10.7	-396.1		J	-1948.5	-10.6	2.2	124.3	
1.7	-29.7	pp imp~1	I	-0.0	8.0	-0.5	-63.8	
2.2	-37.7		J	-0.0	8.0	-0.5	-63.8	
0.5	-9.6	perm i~1	I	-0.0	2.6	-0.2	-20.6	
0.7	-12.1		J	-0.0	2.6	-0.2	-20.6	
-2.3	6.5	pp2	I	0.0	-2.0	0.7	-0.4	
-3.0	8.4		J	0.0	-2.0	0.7	-0.4	
-0.7	1.8	perm2	I	0.0	-0.5	0.2	-0.1	
-0.8	2.3		J	0.0	-0.5	0.2	-0.1	
1003.7	381.8	q3	I	5.7	46.9	282.7	1282.3	-
1286.4	334.9		J	5.7	46.9	282.7	1282.3	-
-95.0	-147.7	q4-1	I	4.0	37.8	26.7	199.2	
-121.7	-185.5		J	4.0	37.8	26.7	199.2	
-89.2	138.1	q4-2	I	2.6	-25.4	25.1	-88.5	
-114.3	163.5		J	2.6	-25.4	25.1	-88.5	
-36.5	708.5	q4-3	I	-10.2	-137.2	10.3	21.7	
-46.8	845.6		J	-10.2	-137.2	10.3	21.7	
108.8	117.2	q4-4	I	-5.5	-11.5	-30.7	231.2	
139.5	128.7		J	-5.5	-11.5	-30.7	231.2	
1850.6	3498.8	q5x_pc	I	0.9	-738.9	521.2	529.5	-
2371.8	4237.7		J	0.9	-738.9	521.2	529.5	-
1522.3	-3310.9	q5y_pc	I	94.3	749.7	428.8	1007.6	-
			J	94.3	749.7	428.8	1007.6	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1951.0	-4060.6							
2075.4	3552.6	q5x_ps	I	-1.8	-775.9	584.6	764.5	-
2660.0	4328.5		J	-1.8	-775.9	584.6	764.5	-
1367.9	-2794.7	q5y_ps	I	81.7	674.9	385.3	920.4	-
1753.2	-3469.7		J	81.7	674.9	385.3	920.4	-
-46.2	245.7	q7	I	-2.7	-58.0	13.0	-27.8	
-59.2	303.8		J	-2.7	-58.0	13.0	-27.8	
954.8	578.8	T	I	10.6	-135.8	-268.9	-694.2	
1223.8	714.6		J	10.6	-135.8	-268.9	-694.2	
-84.8	25.0	SLVx-E~1	I	0.7	1.0	23.9	416.0	
-108.7	24.0		J	0.7	1.0	23.9	416.0	
-197.9	58.4	SLVy-E~1	I	1.6	2.3	55.7	970.7	
-253.7	56.1		J	1.6	2.3	55.7	970.7	
508	7	37 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
465.7	3553.8		J	355.1	87.5	104.7	573.6	
568.1	3545.8	Min	I	-3359.1	-91.4	-102.5	-381.9	
-477.2	-1908.7		J	-3359.1	-91.4	-102.5	-381.9	
-581.9	-1905.0	Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
491.1	2188.7		J	346.8	83.8	99.5	535.6	
599.2	2203.3	Min	I	-3448.7	-101.0	-108.1	-353.2	
-453.4	-3534.7		J	-3448.7	-101.0	-108.1	-353.2	
-552.9	-3521.5	Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
253.4	1871.8		J	200.0	46.7	53.5	300.3	
309.2	1861.8	Min	I	-1695.4	-48.1	-55.8	-209.9	
-243.7	-862.0		J	-1695.4	-48.1	-55.8	-209.9	
-297.1	-863.1	Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
265.0	1085.8		J	192.6	45.1	50.2	273.8	
323.3	1088.5	Min	I	-1729.2	-51.7	-58.3	-190.1	
-228.6	-1731.6		J	-1729.2	-51.7	-58.3	-190.1	

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-278.7	-1725.6						
143.4	1871.8	Q1-1 Max	I	132.2	30.6	38.5	223.2
175.0	1861.8		J	132.2	30.6	38.5	223.2
-175.3	-12.8	Min	I	-1072.6	-29.0	-31.6	-149.0
-213.8	-30.5		J	-1072.6	-29.0	-31.6	-149.0
179.0	0.2	Q1-3 Max	I	108.9	28.6	23.9	134.9
218.4	0.2		J	108.9	28.6	23.9	134.9
-109.2	-1720.0	Min	I	-1121.9	-35.6	-39.4	-90.2
-133.1	-1701.9		J	-1121.9	-35.6	-39.4	-90.2
1249.3	-6350.5	SLVx (RS)	I	362.5	2111.0	-289.8	-5237.5
1531.6	-8380.2		J	362.5	2111.0	-289.8	-5237.5
4320.7	2098.4	SLVy (RS)	I	297.2	624.9	973.3	13118.1
5286.0	2422.7		J	297.2	624.9	973.3	13118.1
380.6	494.0	SLVz (RS)	I	1220.9	39.3	-47.8	-181.3
415.7	497.0		J	1220.9	39.3	-47.8	-181.3
-29.8	-1101.6	G1	I	-6416.9	-29.4	6.1	341.7
-35.9	-1072.2		J	-6610.4	-29.4	6.1	341.7
-10.7	-396.1	G2	I	-1948.5	-10.6	2.2	124.3
-12.9	-385.5		J	-1948.5	-10.6	2.2	124.3
2.2	-37.7	pp imp~1	I	-0.0	8.0	-0.5	-63.8
2.6	-45.7		J	-0.0	8.0	-0.5	-63.8
0.7	-12.1	perm i~1	I	-0.0	2.6	-0.2	-20.6
0.8	-14.7		J	-0.0	2.6	-0.2	-20.6
-3.0	8.4	pp2	I	0.0	-2.0	0.7	-0.4
-3.6	10.4		J	0.0	-2.0	0.7	-0.4
-0.8	2.3	perm2	I	0.0	-0.5	0.2	-0.1
-1.0	2.8		J	0.0	-0.5	0.2	-0.1
		q3	I	5.7	46.9	282.7	1282.3


MIDAS

PROJECT TITLE :


MIDAS	Company		Client		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
	Author		File Name					
1286.4	334.9		J	5.7	46.9	282.7	1282.3	-
1569.1	288.0							
		q4-1	I	4.0	37.8	26.7	199.2	
-121.7	-185.5		J	4.0	37.8	26.7	199.2	
-148.4	-223.2							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-114.3	163.5		J	2.6	-25.4	25.1	-88.5	
-139.4	188.9							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-46.8	845.6		J	-10.2	-137.2	10.3	21.7	
-57.1	982.8							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
139.5	128.7		J	-5.5	-11.5	-30.7	231.2	
170.1	140.2							
		q5x_pc	I	0.9	-738.9	521.2	529.5	-
2371.8	4237.7		J	0.9	-738.9	521.2	529.5	-
2893.0	4976.6							
		q5y_pc	I	94.3	749.7	428.8	1007.6	-
1951.0	-4060.6		J	94.3	749.7	428.8	1007.6	-
2379.8	-4810.3							
		q5x_ps	I	-1.8	-775.9	584.6	764.5	-
2660.0	4328.5		J	-1.8	-775.9	584.6	764.5	-
3244.5	5104.4							
		q5y_ps	I	81.7	674.9	385.3	920.4	-
1753.2	-3469.7		J	81.7	674.9	385.3	920.4	-
2138.4	-4144.6							
		q7	I	-2.7	-58.0	13.0	-27.8	
-59.2	303.8		J	-2.7	-58.0	13.0	-27.8	
-72.2	361.8							
		T	I	10.6	-135.8	-268.9	-694.2	
1223.8	714.6		J	10.6	-135.8	-268.9	-694.2	
1492.7	850.5							
		SLVx-E~1	I	0.7	1.0	23.9	416.0	
-108.7	24.0		J	0.7	1.0	23.9	416.0	
-132.6	23.0							
		SLVy-E~1	I	1.6	2.3	55.7	970.7	
-253.7	56.1		J	1.6	2.3	55.7	970.7	
-309.4	53.7							
509	7	37	Q1-1_2 Max	I	355.1	87.5	104.7	573.6
568.1	3545.8							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
670.6	3540.7		J	355.1	87.5	104.7	573.6
		Min	I	-3359.1	-91.4	-102.5	-381.9
-581.9	-1905.0		J	-3359.1	-91.4	-102.5	-381.9
-686.6	-1903.2						
		Q1-3_4 Max	I	346.8	83.8	99.5	535.6
599.2	2203.3		J	346.8	83.8	99.5	535.6
707.2	2219.8	Min	I	-3448.7	-101.0	-108.1	-353.2
-552.9	-3521.5		J	-3448.7	-101.0	-108.1	-353.2
-652.4	-3509.8						
		Q2a-1_2 Max	I	200.0	46.7	53.5	300.3
309.2	1861.8		J	200.0	46.7	53.5	300.3
365.0	1852.9	Min	I	-1695.4	-48.1	-55.8	-209.9
-297.1	-863.1		J	-1695.4	-48.1	-55.8	-209.9
-350.6	-865.3						
		Q2a-3_4 Max	I	192.6	45.1	50.2	273.8
323.3	1088.5		J	192.6	45.1	50.2	273.8
381.6	1092.1	Min	I	-1729.2	-51.7	-58.3	-190.1
-278.7	-1725.6		J	-1729.2	-51.7	-58.3	-190.1
-328.9	-1720.3						
		Q1-1 Max	I	132.2	30.6	38.5	223.2
175.0	1861.8		J	132.2	30.6	38.5	223.2
206.6	1852.9	Min	I	-1072.6	-29.0	-31.6	-149.0
-213.8	-30.5		J	-1072.6	-29.0	-31.6	-149.0
-252.2	-50.6						
		Q1-3 Max	I	108.9	28.6	23.9	134.9
218.4	0.2		J	108.9	28.6	23.9	134.9
257.8	0.2	Min	I	-1121.9	-35.6	-39.4	-90.2
-133.1	-1701.9		J	-1121.9	-35.6	-39.4	-90.2
-157.0	-1683.8						
		SLVx (RS)	I	364.1	2130.2	-294.1	-5237.5
1531.6	-8380.2		J	364.1	2130.2	-294.1	-5237.5
1815.2	-10449.7						
		SLVy (RS)	I	298.5	627.0	974.5	13118.1
5286.0	2422.7		J	298.5	627.0	974.5	13118.1
6247.6	2830.1						
		SLVz (RS)	I	1246.1	40.9	-37.9	-181.3
415.7	497.0		J	1246.1	40.9	-37.9	-181.3
430.4	489.6						

PROJECT TITLE :


	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

-35.9	-1072.2	G1	I	-6610.4	-29.4	6.1	341.7	
			J	-6803.9	-29.4	6.1	341.7	
-42.1	-1042.8							
		G2	I	-1948.5	-10.6	2.2	124.3	
-12.9	-385.5		J	-1948.5	-10.6	2.2	124.3	
-15.1	-374.9							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
2.6	-45.7		J	-0.0	8.0	-0.5	-63.8	
3.1	-53.7							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
0.8	-14.7		J	-0.0	2.6	-0.2	-20.6	
1.0	-17.3							
		pp2	I	0.0	-2.0	0.7	-0.4	
-3.6	10.4		J	0.0	-2.0	0.7	-0.4	
-4.3	12.4							
		perm2	I	0.0	-0.5	0.2	-0.1	
-1.0	2.8		J	0.0	-0.5	0.2	-0.1	
-1.2	3.3							
		q3	I	5.7	46.9	282.7	1282.3	-
1569.1	288.0		J	5.7	46.9	282.7	1282.3	-
1851.8	241.1							
		q4-1	I	4.0	37.8	26.7	199.2	
-148.4	-223.2		J	4.0	37.8	26.7	199.2	
-175.2	-261.0							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-139.4	188.9		J	2.6	-25.4	25.1	-88.5	
-164.6	214.3							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-57.1	982.8		J	-10.2	-137.2	10.3	21.7	
-67.4	1120.0							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
170.1	140.2		J	-5.5	-11.5	-30.7	231.2	
200.8	151.6							
		q5x_pc	I	0.9	-738.9	521.2	529.5	-
2893.0	4976.6		J	0.9	-738.9	521.2	529.5	-
3414.2	5715.6							
		q5y_pc	I	94.3	749.7	428.8	1007.6	-
2379.8	-4810.3		J	94.3	749.7	428.8	1007.6	-
2808.6	-5559.9							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3244.5	5104.4	q5x_ps	I	-1.8	-775.9	584.6	764.5	-
			J	-1.8	-775.9	584.6	764.5	-
3829.1	5880.2							
		q5y_ps	I	81.7	674.9	385.3	920.4	-
2138.4	-4144.6		J	81.7	674.9	385.3	920.4	-
2523.7	-4819.5							
		q7	I	-2.7	-58.0	13.0	-27.8	
-72.2	361.8		J	-2.7	-58.0	13.0	-27.8	
-85.2	419.8							
		T	I	10.6	-135.8	-268.9	-694.2	
1492.7	850.5		J	10.6	-135.8	-268.9	-694.2	
1761.6	986.3							
		SLVx-E~1	I	0.7	1.0	23.9	416.0	
-132.6	23.0		J	0.7	1.0	23.9	416.0	
-156.5	22.0							
		SLVy-E~1	I	1.6	2.3	55.7	970.7	
-309.4	53.7		J	1.6	2.3	55.7	970.7	
-365.1	51.4							
510	7	37 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
670.6	3540.7		J	355.1	87.5	104.7	573.6	
773.1	3536.7							
		Min	I	-3359.1	-91.4	-102.5	-381.9	
-686.6	-1903.2		J	-3359.1	-91.4	-102.5	-381.9	
-791.4	-1902.3							
		Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
707.2	2219.8		J	346.8	83.8	99.5	535.6	
815.3	2237.0							
		Min	I	-3448.7	-101.0	-108.1	-353.2	
-652.4	-3509.8		J	-3448.7	-101.0	-108.1	-353.2	
-751.9	-3498.8							
		Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
365.0	1852.9		J	200.0	46.7	53.5	300.3	
420.8	1844.5							
		Min	I	-1695.4	-48.1	-55.8	-209.9	
-350.6	-865.3		J	-1695.4	-48.1	-55.8	-209.9	
-404.1	-868.1							
		Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
381.6	1092.1		J	192.6	45.1	50.2	273.8	
439.9	1095.9							
		Min	I	-1729.2	-51.7	-58.3	-190.1	
-328.9	-1720.3		J	-1729.2	-51.7	-58.3	-190.1	
-379.1	-1715.3							

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
206.6	1852.9	Q1-1 Max	I	132.2	30.6	38.5	223.2	
			J	132.2	30.6	38.5	223.2	
238.2	1844.5	Min	I	-1072.6	-29.0	-31.6	-149.0	
-252.2	-50.6		J	-1072.6	-29.0	-31.6	-149.0	
-290.7	-71.5							
		Q1-3 Max	I	108.9	28.6	23.9	134.9	
257.8	0.2		J	108.9	28.6	23.9	134.9	
297.2	0.3	Min	I	-1121.9	-35.6	-39.4	-90.2	
-157.0	-1683.8		J	-1121.9	-35.6	-39.4	-90.2	
-181.0	-1665.8							
		SLVx (RS)	I	365.8	2148.8	-299.2	-5237.5	
1815.2	-10449.7		J	365.8	2148.8	-299.2	-5237.5	
2100.3	-12546.9							
		SLVy (RS)	I	299.8	630.0	975.9	13118.1	-
6247.6	2830.1		J	299.8	630.0	975.9	13118.1	-
7204.0	3289.8							
		SLVz (RS)	I	1271.7	45.6	-37.3	-181.3	
430.4	489.6		J	1271.7	45.6	-37.3	-181.3	
424.5	472.3							
		G1	I	-6803.9	-29.4	6.1	341.7	
-42.1	-1042.8		J	-6997.4	-29.4	6.1	341.7	
-48.2	-1013.4							
		G2	I	-1948.5	-10.6	2.2	124.3	
-15.1	-374.9		J	-1948.5	-10.6	2.2	124.3	
-17.3	-364.3							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
3.1	-53.7		J	-0.0	8.0	-0.5	-63.8	
3.6	-61.7							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
1.0	-17.3		J	-0.0	2.6	-0.2	-20.6	
1.2	-19.9							
		pp2	I	0.0	-2.0	0.7	-0.4	
-4.3	12.4		J	0.0	-2.0	0.7	-0.4	
-4.9	14.3							
		perm2	I	0.0	-0.5	0.2	-0.1	
-1.2	3.3		J	0.0	-0.5	0.2	-0.1	
-1.4	3.9							
		q3	I	5.7	46.9	282.7	1282.3	-
1851.8	241.1		J	5.7	46.9	282.7	1282.3	-

MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
2134.5	194.2							
-175.2	-261.0	q4-1	I	4.0	37.8	26.7	199.2	
-201.9	-298.8		J	4.0	37.8	26.7	199.2	
-164.6	214.3	q4-2	I	2.6	-25.4	25.1	-88.5	
-189.7	239.7		J	2.6	-25.4	25.1	-88.5	
-67.4	1120.0	q4-3	I	-10.2	-137.2	10.3	21.7	
-77.6	1257.2		J	-10.2	-137.2	10.3	21.7	
200.8	151.6	q4-4	I	-5.5	-11.5	-30.7	231.2	
231.5	163.1		J	-5.5	-11.5	-30.7	231.2	
3414.2	5715.6	q5x_pc	I	0.9	-738.9	521.2	529.5	-
3935.5	6454.5		J	0.9	-738.9	521.2	529.5	-
2808.6	-5559.9	q5y_pc	I	94.3	749.7	428.8	1007.6	-
3237.3	-6309.6		J	94.3	749.7	428.8	1007.6	-
3829.1	5880.2	q5x_ps	I	-1.8	-775.9	584.6	764.5	-
4413.7	6656.1		J	-1.8	-775.9	584.6	764.5	-
2523.7	-4819.5	q5y_ps	I	81.7	674.9	385.3	920.4	-
2909.0	-5494.4		J	81.7	674.9	385.3	920.4	-
-85.2	419.8	q7	I	-2.7	-58.0	13.0	-27.8	
-98.2	477.8		J	-2.7	-58.0	13.0	-27.8	
1761.6	986.3	T	I	10.6	-135.8	-268.9	-694.2	
2030.6	1122.2		J	10.6	-135.8	-268.9	-694.2	
-156.5	22.0	SLVx-E~1	I	0.7	1.0	23.9	416.0	
-180.4	21.0		J	0.7	1.0	23.9	416.0	
-365.1	51.4	SLVy-E~1	I	1.6	2.3	55.7	970.7	
-420.9	49.1		J	1.6	2.3	55.7	970.7	
511	7	38 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
773.1	3536.7		J	355.1	87.5	104.7	573.6	
875.6	3533.3							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-791.4	-1902.3	Min	I	-3359.1	-91.4	-102.5	-381.9
			J	-3359.1	-91.4	-102.5	-381.9
-896.1	-1901.8						
		Q1-3_4 Max	I	346.8	83.8	99.5	535.6
815.3	2237.0		J	346.8	83.8	99.5	535.6
923.4	2254.7						
		Min	I	-3448.7	-101.0	-108.1	-353.2
-751.9	-3498.8		J	-3448.7	-101.0	-108.1	-353.2
-851.4	-3488.1						
		Q2a-1_2 Max	I	200.0	46.7	53.5	300.3
420.8	1844.5		J	200.0	46.7	53.5	300.3
476.5	1836.4						
		Min	I	-1695.4	-48.1	-55.8	-209.9
-404.1	-868.1		J	-1695.4	-48.1	-55.8	-209.9
-457.5	-871.1						
		Q2a-3_4 Max	I	192.6	45.1	50.2	273.8
439.9	1095.9		J	192.6	45.1	50.2	273.8
498.2	1099.8						
		Min	I	-1729.2	-51.7	-58.3	-190.1
-379.1	-1715.3		J	-1729.2	-51.7	-58.3	-190.1
-429.2	-1710.6						
		Q1-1 Max	I	132.2	30.6	38.5	223.2
238.2	1844.5		J	132.2	30.6	38.5	223.2
269.7	1836.4						
		Min	I	-1072.6	-29.0	-31.6	-149.0
-290.7	-71.5		J	-1072.6	-29.0	-31.6	-149.0
-329.2	-92.9						
		Q1-3 Max	I	108.9	28.6	23.9	134.9
297.2	0.3		J	108.9	28.6	23.9	134.9
336.6	0.3						
		Min	I	-1121.9	-35.6	-39.4	-90.2
-181.0	-1665.8		J	-1121.9	-35.6	-39.4	-90.2
-204.9	-1647.7						
		SLVx (RS)	I	367.4	2166.1	-304.9	-5237.5
2100.3	-12546.9		J	367.4	2166.1	-304.9	-5237.5
2387.3	-14665.7						
		SLVy (RS)	I	301.1	634.1	978.3	13118.1
7204.0	3289.8		J	301.1	634.1	978.3	13118.1
8155.1	3784.0						
		SLVz (RS)	I	1296.2	51.6	-46.0	-181.3
424.5	472.3		J	1296.2	51.6	-46.0	-181.3
399.4	446.6						
		G1	I	-6997.4	-29.4	6.1	341.7

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-48.2	-1013.4		J	-7171.9	-29.4	6.1	341.7	
-54.3	-984.0							
		G2	I	-1948.5	-10.6	2.2	124.3	
-17.3	-364.3		J	-1948.5	-10.6	2.2	124.3	
-19.5	-353.7							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
3.6	-61.7		J	-0.0	8.0	-0.5	-63.8	
4.1	-69.7							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
1.2	-19.9		J	-0.0	2.6	-0.2	-20.6	
1.3	-22.4							
		pp2	I	0.0	-2.0	0.7	-0.4	
-4.9	14.3		J	0.0	-2.0	0.7	-0.4	
-5.6	16.3							
		perm2	I	0.0	-0.5	0.2	-0.1	
-1.4	3.9		J	0.0	-0.5	0.2	-0.1	
-1.6	4.4							
		q3	I	5.7	46.9	282.7	1282.3	-
2134.5	194.2		J	5.7	46.9	282.7	1282.3	-
2417.3	147.4							
		q4-1	I	4.0	37.8	26.7	199.2	
-201.9	-298.8		J	4.0	37.8	26.7	199.2	
-228.7	-336.6							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-189.7	239.7		J	2.6	-25.4	25.1	-88.5	
-214.8	265.1							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-77.6	1257.2		J	-10.2	-137.2	10.3	21.7	
-87.9	1394.4							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
231.5	163.1		J	-5.5	-11.5	-30.7	231.2	
262.1	174.6							
		q5x_pc	I	0.9	-738.9	521.2	529.5	-
3935.5	6454.5		J	0.9	-738.9	521.2	529.5	-
4456.7	7193.4							
		q5y_pc	I	94.3	749.7	428.8	1007.6	-
3237.3	-6309.6		J	94.3	749.7	428.8	1007.6	-
3666.1	-7059.3							
		q5x_ps	I	-1.8	-775.9	584.6	764.5	-
4413.7	6656.1							

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
4998.2	7432.0			J	-1.8	-775.9	584.6	764.5	-
2909.0	-5494.4	q5y_ps		I	81.7	674.9	385.3	920.4	-
3294.3	-6169.4			J	81.7	674.9	385.3	920.4	-
-98.2	477.8	q7		I	-2.7	-58.0	13.0	-27.8	
-111.2	535.8			J	-2.7	-58.0	13.0	-27.8	
2030.6	1122.2	T		I	10.6	-135.8	-268.9	-694.2	
2299.5	1258.0			J	10.6	-135.8	-268.9	-694.2	
-180.4	21.0	SLVx-E~1		I	0.7	1.0	23.9	416.0	
-204.3	20.0			J	0.7	1.0	23.9	416.0	
-420.9	49.1	SLVy-E~1		I	1.6	2.3	55.7	970.7	
-476.6	46.8			J	1.6	2.3	55.7	970.7	
512	7	38 Q1-1_2 Max		I	355.1	87.5	104.7	573.6	
875.6	3533.3			J	355.1	87.5	104.7	573.6	
978.0	3531.9	Min		I	-3359.1	-91.4	-102.5	-381.9	
-896.1	-1901.8			J	-3359.1	-91.4	-102.5	-381.9	-
1000.8	-1901.9								
923.4	2254.7	Q1-3_4 Max		I	346.8	83.8	99.5	535.6	
1031.4	2272.5			J	346.8	83.8	99.5	535.6	
-851.4	-3488.1	Min		I	-3448.7	-101.0	-108.1	-353.2	
-950.9	-3477.6			J	-3448.7	-101.0	-108.1	-353.2	
476.5	1836.4	Q2a-1_2 Max		I	200.0	46.7	53.5	300.3	
532.3	1829.6			J	200.0	46.7	53.5	300.3	
-457.5	-871.1	Min		I	-1695.4	-48.1	-55.8	-209.9	
-511.0	-874.5			J	-1695.4	-48.1	-55.8	-209.9	
498.2	1099.8	Q2a-3_4 Max		I	192.6	45.1	50.2	273.8	
556.5	1103.9			J	192.6	45.1	50.2	273.8	
-429.2	-1710.6	Min		I	-1729.2	-51.7	-58.3	-190.1	
-479.4	-1705.9			J	-1729.2	-51.7	-58.3	-190.1	
269.7	1836.4	Q1-1 Max		I	132.2	30.6	38.5	223.2	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
301.3	1828.3		J	132.2	30.6	38.5	223.2	
-329.2	-92.9	Min	I	-1072.6	-29.0	-31.6	-149.0	
-367.7	-114.5		J	-1072.6	-29.0	-31.6	-149.0	
336.6	0.3	Q1-3 Max	I	108.9	28.6	23.9	134.9	
376.0	0.4		J	108.9	28.6	23.9	134.9	
-204.9	-1647.7	Min	I	-1121.9	-35.6	-39.4	-90.2	
-228.9	-1629.7		J	-1121.9	-35.6	-39.4	-90.2	
2387.3	-14665.7	SLVx (RS)	I	368.9	2182.1	-310.9	-5237.5	
2677.0	-16802.6		J	368.9	2182.1	-310.9	-5237.5	
8155.1	3784.0	SLVy (RS)	I	302.3	639.1	982.3	13118.1	-
9101.9	4302.5		J	302.3	639.1	982.3	13118.1	-
399.4	446.6	SLVz (RS)	I	1319.5	58.0	58.3	-181.3	
357.7	414.6		J	1319.5	58.0	58.3	-181.3	
-54.3	-984.0	G1	I	-7171.9	-29.4	6.1	341.7	
-60.4	-954.5		J	-7346.4	-29.4	6.1	341.7	
-19.5	-353.7	G2	I	-1948.5	-10.6	2.2	124.3	
-21.7	-343.0		J	-1948.5	-10.6	2.2	124.3	
4.1	-69.7	pp imp~1	I	-0.0	8.0	-0.5	-63.8	
4.5	-77.7		J	-0.0	8.0	-0.5	-63.8	
1.3	-22.4	perm i~1	I	-0.0	2.6	-0.2	-20.6	
1.5	-25.0		J	-0.0	2.6	-0.2	-20.6	
-5.6	16.3	pp2	I	0.0	-2.0	0.7	-0.4	
-6.3	18.2		J	0.0	-2.0	0.7	-0.4	
-1.6	4.4	perm2	I	0.0	-0.5	0.2	-0.1	
-1.8	4.9		J	0.0	-0.5	0.2	-0.1	
2417.3	147.4	q3	I	5.7	46.9	282.7	1282.3	-
2700.0	100.5		J	5.7	46.9	282.7	1282.3	-


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-228.7	-336.6	q4-1	I	4.0	37.8	26.7	199.2	
			J	4.0	37.8	26.7	199.2	
-255.4	-374.3							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-214.8	265.1		J	2.6	-25.4	25.1	-88.5	
-239.9	290.5							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-87.9	1394.4		J	-10.2	-137.2	10.3	21.7	
-98.2	1531.6							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
262.1	174.6		J	-5.5	-11.5	-30.7	231.2	
292.8	186.0							
		q5x_pc	I	0.9	-738.9	521.2	529.5	-
4456.7	7193.4		J	0.9	-738.9	521.2	529.5	-
4977.9	7932.4							
		q5y_pc	I	94.3	749.7	428.8	1007.6	-
3666.1	-7059.3		J	94.3	749.7	428.8	1007.6	-
4094.9	-7809.0							
		q5x_ps	I	-1.8	-775.9	584.6	764.5	-
4998.2	7432.0		J	-1.8	-775.9	584.6	764.5	-
5582.8	8207.8							
		q5y_ps	I	81.7	674.9	385.3	920.4	-
3294.3	-6169.4		J	81.7	674.9	385.3	920.4	-
3679.6	-6844.3							
		q7	I	-2.7	-58.0	13.0	-27.8	
-111.2	535.8		J	-2.7	-58.0	13.0	-27.8	
-124.2	593.8							
		T	I	10.6	-135.8	-268.9	-694.2	
2299.5	1258.0		J	10.6	-135.8	-268.9	-694.2	
2568.4	1393.9							
		SLVx-E~1	I	0.7	1.0	23.9	416.0	
-204.3	20.0		J	0.7	1.0	23.9	416.0	
-228.2	19.1							
		SLVy-E~1	I	1.6	2.3	55.7	970.7	
-476.6	46.8		J	1.6	2.3	55.7	970.7	
-532.4	44.5							
513	7	38	Q1-1_2 Max	I	355.1	87.5	104.7	573.6
978.0	3531.9			J	355.1	87.5	104.7	573.6
1080.5	3537.3							
		Min	I	-3359.1	-91.4	-102.5	-381.9	-
1000.8	-1901.9							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1105.5	-1906.3		J	-3359.1	-91.4	-102.5	-381.9	-
		Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
1031.4	2272.5		J	346.8	83.8	99.5	535.6	
1139.5	2290.4	Min	I	-3448.7	-101.0	-108.1	-353.2	
-950.9	-3477.6		J	-3448.7	-101.0	-108.1	-353.2	-
1050.4	-3467.3							
		Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
532.3	1829.6		J	200.0	46.7	53.5	300.3	
588.1	1827.4	Min	I	-1695.4	-48.1	-55.8	-209.9	
-511.0	-874.5		J	-1695.4	-48.1	-55.8	-209.9	
-564.5	-879.6							
		Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
556.5	1103.9		J	192.6	45.1	50.2	273.8	
614.8	1107.9	Min	I	-1729.2	-51.7	-58.3	-190.1	
-479.4	-1705.9		J	-1729.2	-51.7	-58.3	-190.1	
-529.5	-1701.3							
		Q1-1 Max	I	132.2	30.6	38.5	223.2	
301.3	1828.3		J	132.2	30.6	38.5	223.2	
332.9	1820.3	Min	I	-1072.6	-29.0	-31.6	-149.0	
-367.7	-114.5		J	-1072.6	-29.0	-31.6	-149.0	
-406.1	-136.2							
		Q1-3 Max	I	108.9	28.6	23.9	134.9	
376.0	0.4		J	108.9	28.6	23.9	134.9	
415.4	0.4	Min	I	-1121.9	-35.6	-39.4	-90.2	
-228.9	-1629.7		J	-1121.9	-35.6	-39.4	-90.2	
-252.8	-1611.7							
		SLVx (RS)	I	370.4	2198.1	-317.7	-5237.5	
2677.0	-16802.6		J	370.4	2198.1	-317.7	-5237.5	
2969.6	-18955.6							
		SLVy (RS)	I	303.6	645.3	988.4	13118.1	-
9101.9	4302.5		J	303.6	645.3	988.4	13118.1	-1
0044.9	4839.0							
		SLVz (RS)	I	1342.5	64.6	71.3	-181.3	
357.7	414.6		J	1342.5	64.6	71.3	-181.3	
302.3	378.7							
		G1	I	-7346.4	-29.4	6.1	341.7	
-60.4	-954.5		J	-7520.9	-29.4	6.1	341.7	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-66.5	-925.1							
		G2	I	-1948.5	-10.6	2.2	124.3	
-21.7	-343.0		J	-1948.5	-10.6	2.2	124.3	
-23.9	-332.4							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
4.5	-77.7		J	-0.0	8.0	-0.5	-63.8	
5.0	-85.7							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
1.5	-25.0		J	-0.0	2.6	-0.2	-20.6	
1.6	-27.6							
		pp2	I	0.0	-2.0	0.7	-0.4	
-6.3	18.2		J	0.0	-2.0	0.7	-0.4	
-6.9	20.2							
		perm2	I	0.0	-0.5	0.2	-0.1	
-1.8	4.9		J	0.0	-0.5	0.2	-0.1	
-2.0	5.4							
		q3	I	5.7	46.9	282.7	1282.3	-
2700.0	100.5		J	5.7	46.9	282.7	1282.3	-
2982.7	53.6							
		q4-1	I	4.0	37.8	26.7	199.2	
-255.4	-374.3		J	4.0	37.8	26.7	199.2	
-282.2	-412.1							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-239.9	290.5		J	2.6	-25.4	25.1	-88.5	
-265.0	315.9							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-98.2	1531.6		J	-10.2	-137.2	10.3	21.7	
-108.5	1668.8							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
292.8	186.0		J	-5.5	-11.5	-30.7	231.2	
323.4	197.5							
		q5x_pc	I	0.9	-738.9	521.2	529.5	-
4977.9	7932.4		J	0.9	-738.9	521.2	529.5	-
5499.2	8671.3							
		q5y_pc	I	94.3	749.7	428.8	1007.6	-
4094.9	-7809.0		J	94.3	749.7	428.8	1007.6	-
4523.6	-8558.7							
		q5x_ps	I	-1.8	-775.9	584.6	764.5	-
5582.8	8207.8		J	-1.8	-775.9	584.6	764.5	-
6167.4	8983.7							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

3679.6	-6844.3	q5y_ps	I	81.7	674.9	385.3	920.4	-
4064.9	-7519.2		J	81.7	674.9	385.3	920.4	-
-124.2	593.8	q7	I	-2.7	-58.0	13.0	-27.8	
-137.2	651.8		J	-2.7	-58.0	13.0	-27.8	
2568.4	1393.9	T	I	10.6	-135.8	-268.9	-694.2	
2837.4	1529.7		J	10.6	-135.8	-268.9	-694.2	
-228.2	19.1	SLVx-E~1	I	0.7	1.0	23.9	416.0	
-252.1	18.1		J	0.7	1.0	23.9	416.0	
-532.4	44.5	SLVy-E~1	I	1.6	2.3	55.7	970.7	
-588.1	42.1		J	1.6	2.3	55.7	970.7	
514	7	38 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
1080.5	3537.3		J	355.1	87.5	104.7	573.6	
1183.0	3545.0	Min	I	-3359.1	-91.4	-102.5	-381.9	-
1105.5	-1906.3		J	-3359.1	-91.4	-102.5	-381.9	-
1210.3	-1914.7	Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
1139.5	2290.4		J	346.8	83.8	99.5	535.6	
1247.6	2308.4	Min	I	-3448.7	-101.0	-108.1	-353.2	-
1050.4	-3467.3		J	-3448.7	-101.0	-108.1	-353.2	-
1150.0	-3457.3	Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
588.1	1827.4		J	200.0	46.7	53.5	300.3	
643.8	1826.6	Min	I	-1695.4	-48.1	-55.8	-209.9	
-564.5	-879.6		J	-1695.4	-48.1	-55.8	-209.9	
-617.9	-886.3	Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
614.8	1107.9		J	192.6	45.1	50.2	273.8	
673.1	1112.1	Min	I	-1729.2	-51.7	-58.3	-190.1	
-529.5	-1701.3		J	-1729.2	-51.7	-58.3	-190.1	
-579.7	-1696.9	Q1-1 Max	I	132.2	30.6	38.5	223.2	
332.9	1820.3		J	132.2	30.6	38.5	223.2	
364.4	1812.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-406.1	-136.2	Min	I	-1072.6	-29.0	-31.6	-149.0	
			J	-1072.6	-29.0	-31.6	-149.0	
-444.6	-158.1							
		Q1-3 Max	I	108.9	28.6	23.9	134.9	
415.4	0.4		J	108.9	28.6	23.9	134.9	
454.8	0.4							
		Min	I	-1121.9	-35.6	-39.4	-90.2	
-252.8	-1611.7		J	-1121.9	-35.6	-39.4	-90.2	
-276.8	-1593.9							
		SLVx (RS)	I	371.9	2214.0	-325.1	-5237.5	
2969.6	-18955.6		J	371.9	2214.0	-325.1	-5237.5	
3266.0	-21123.3							
		SLVy (RS)	I	304.8	653.0	996.9	13118.1	-1
0044.9	4839.0		J	304.8	653.0	996.9	13118.1	-1
0985.6	-5390.0							
		SLVz (RS)	I	1365.2	71.0	82.9	-181.3	
302.3	378.7		J	1365.2	71.0	82.9	-181.3	
238.2	342.4							
		G1	I	-7520.9	-29.4	6.1	341.7	
-66.5	-925.1		J	-7695.4	-29.4	6.1	341.7	
-72.7	-895.7							
		G2	I	-1948.5	-10.6	2.2	124.3	
-23.9	-332.4		J	-1948.5	-10.6	2.2	124.3	
-26.1	-321.8							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
5.0	-85.7		J	-0.0	8.0	-0.5	-63.8	
5.5	-93.7							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
1.6	-27.6		J	-0.0	2.6	-0.2	-20.6	
1.8	-30.2							
		pp2	I	0.0	-2.0	0.7	-0.4	
-6.9	20.2		J	0.0	-2.0	0.7	-0.4	
-7.6	22.1							
		perm2	I	0.0	-0.5	0.2	-0.1	
-2.0	5.4		J	0.0	-0.5	0.2	-0.1	
-2.1	5.9							
		q3	I	5.7	46.9	282.7	1282.3	-
2982.7	53.6		J	5.7	46.9	282.7	1282.3	-
3265.4	6.7							
		q4-1	I	4.0	37.8	26.7	199.2	
-282.2	-412.1							


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-308.9	-449.9		J	4.0	37.8	26.7	199.2	
-265.0	315.9	q4-2	I	2.6	-25.4	25.1	-88.5	
-290.2	341.3		J	2.6	-25.4	25.1	-88.5	
-108.5	1668.8	q4-3	I	-10.2	-137.2	10.3	21.7	
-118.8	1805.9		J	-10.2	-137.2	10.3	21.7	
323.4	197.5	q4-4	I	-5.5	-11.5	-30.7	231.2	
354.1	209.0		J	-5.5	-11.5	-30.7	231.2	
5499.2	8671.3	q5x_pc	I	0.9	-738.9	521.2	529.5	-
6020.4	9410.2		J	0.9	-738.9	521.2	529.5	-
4523.6	-8558.7	q5y_pc	I	94.3	749.7	428.8	1007.6	-
4952.4	-9308.4		J	94.3	749.7	428.8	1007.6	-
6167.4	8983.7	q5x_ps	I	-1.8	-775.9	584.6	764.5	-
6751.9	9759.6		J	-1.8	-775.9	584.6	764.5	-
4064.9	-7519.2	q5y_ps	I	81.7	674.9	385.3	920.4	-
4450.1	-8194.2		J	81.7	674.9	385.3	920.4	-
-137.2	651.8	q7	I	-2.7	-58.0	13.0	-27.8	
-150.2	709.8		J	-2.7	-58.0	13.0	-27.8	
2837.4	1529.7	T	I	10.6	-135.8	-268.9	-694.2	
3106.3	1665.6		J	10.6	-135.8	-268.9	-694.2	
-252.1	18.1	SLVx-E~1	I	0.7	1.0	23.9	416.0	
-275.9	17.1		J	0.7	1.0	23.9	416.0	
-588.1	42.1	SLVy-E~1	I	1.6	2.3	55.7	970.7	
-643.9	39.8		J	1.6	2.3	55.7	970.7	
515	7	38 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
1183.0	3545.0		J	355.1	87.5	104.7	573.6	
1285.5	3554.7	Min	I	-3359.1	-91.4	-102.5	-381.9	-
1210.3	-1914.7		J	-3359.1	-91.4	-102.5	-381.9	-
1315.0	-1926.8							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

1247.6	2308.4	Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
			J	346.8	83.8	99.5	535.6	
1355.6	2326.4							
		Min	I	-3448.7	-101.0	-108.1	-353.2	-
1150.0	-3457.3		J	-3448.7	-101.0	-108.1	-353.2	-
1249.5	-3447.3							
		Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
643.8	1826.6		J	200.0	46.7	53.5	300.3	
699.6	1826.8							
		Min	I	-1695.4	-48.1	-55.8	-209.9	
-617.9	-886.3		J	-1695.4	-48.1	-55.8	-209.9	
-671.4	-894.6							
		Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
673.1	1112.1		J	192.6	45.1	50.2	273.8	
731.4	1116.2							
		Min	I	-1729.2	-51.7	-58.3	-190.1	
-579.7	-1696.9		J	-1729.2	-51.7	-58.3	-190.1	
-629.8	-1692.5							
		Q1-1 Max	I	132.2	30.6	38.5	223.2	
364.4	1812.4		J	132.2	30.6	38.5	223.2	
396.0	1804.5							
		Min	I	-1072.6	-29.0	-31.6	-149.0	
-444.6	-158.1		J	-1072.6	-29.0	-31.6	-149.0	
-483.1	-180.1							
		Q1-3 Max	I	108.9	28.6	23.9	134.9	
454.8	0.4		J	108.9	28.6	23.9	134.9	
494.2	0.5							
		Min	I	-1121.9	-35.6	-39.4	-90.2	
-276.8	-1593.9		J	-1121.9	-35.6	-39.4	-90.2	
-300.7	-1576.1							
		SLVx (RS)	I	373.5	2230.0	-333.1	-5237.5	
3266.0	-21123.3		J	373.5	2230.0	-333.1	-5237.5	
3566.7	-23305.2							
		SLVy (RS)	I	306.0	661.9	1008.1	13118.1	-1
0985.6	-5390.0		J	306.0	661.9	1008.1	13118.1	-1
1925.6	-5953.9							
		SLVz (RS)	I	1387.5	76.2	91.9	-181.3	
238.2	342.4		J	1387.5	76.2	91.9	-181.3	
175.4	310.9							
		G1	I	-7695.4	-29.4	6.1	341.7	
-72.7	-895.7		J	-7869.9	-29.4	6.1	341.7	
-78.8	-866.3							


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-26.1	-321.8	G2	I	-1948.5	-10.6	2.2	124.3	
			J	-1948.5	-10.6	2.2	124.3	
-28.3	-311.2	pp imp~1	I	-0.0	8.0	-0.5	-63.8	
5.5	-93.7		J	-0.0	8.0	-0.5	-63.8	
6.0	-101.7	perm i~1	I	-0.0	2.6	-0.2	-20.6	
1.8	-30.2		J	-0.0	2.6	-0.2	-20.6	
1.9	-32.7	pp2	I	0.0	-2.0	0.7	-0.4	
-7.6	22.1		J	0.0	-2.0	0.7	-0.4	
-8.2	24.1	perm2	I	0.0	-0.5	0.2	-0.1	
-2.1	5.9		J	0.0	-0.5	0.2	-0.1	
-2.3	6.5	q3	I	5.7	46.9	282.7	1282.3	-
3265.4	6.7		J	5.7	46.9	282.7	1282.3	-
3548.1	-40.2	q4-1	I	4.0	37.8	26.7	199.2	
-308.9	-449.9		J	4.0	37.8	26.7	199.2	
-335.7	-487.7	q4-2	I	2.6	-25.4	25.1	-88.5	
-290.2	341.3		J	2.6	-25.4	25.1	-88.5	
-315.3	366.7	q4-3	I	-10.2	-137.2	10.3	21.7	
-118.8	1805.9		J	-10.2	-137.2	10.3	21.7	
-129.0	1943.1	q4-4	I	-5.5	-11.5	-30.7	231.2	
354.1	209.0		J	-5.5	-11.5	-30.7	231.2	
384.7	220.4	q5x_pc	I	0.9	-738.9	521.2	529.5	-
6020.4	9410.2		J	0.9	-738.9	521.2	529.5	-
6541.6	10149.2	q5y_pc	I	94.3	749.7	428.8	1007.6	-
4952.4	-9308.4		J	94.3	749.7	428.8	1007.6	-
5381.2	-10058.0	q5x_ps	I	-1.8	-775.9	584.6	764.5	-
6751.9	9759.6		J	-1.8	-775.9	584.6	764.5	-
7336.5	10535.4	q5y_ps	I	81.7	674.9	385.3	920.4	-

MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
4450.1	-8194.2		J	81.7	674.9	385.3	920.4	-
4835.4	-8869.1							
		q7	I	-2.7	-58.0	13.0	-27.8	
-150.2	709.8		J	-2.7	-58.0	13.0	-27.8	
-163.3	767.8							
		T	I	10.6	-135.8	-268.9	-694.2	
3106.3	1665.6		J	10.6	-135.8	-268.9	-694.2	
3375.2	1801.4							
		SLVx-E~1	I	0.7	1.0	23.9	416.0	
-275.9	17.1		J	0.7	1.0	23.9	416.0	
-299.8	16.1							
		SLVy-E~1	I	1.6	2.3	55.7	970.7	
-643.9	39.8		J	1.6	2.3	55.7	970.7	
-699.6	37.5							
516	7	38 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
1285.5	3554.7		J	355.1	87.5	104.7	573.6	
1387.9	3566.0							
		Min	I	-3359.1	-91.4	-102.5	-381.9	-
1315.0	-1926.8		J	-3359.1	-91.4	-102.5	-381.9	-
1419.7	-1942.3							
		Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
1355.6	2326.4		J	346.8	83.8	99.5	535.6	
1463.7	2344.5							
		Min	I	-3448.7	-101.0	-108.1	-353.2	-
1249.5	-3447.3		J	-3448.7	-101.0	-108.1	-353.2	-
1349.0	-3437.3							
		Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
699.6	1826.8		J	200.0	46.7	53.5	300.3	
755.4	1828.0							
		Min	I	-1695.4	-48.1	-55.8	-209.9	
-671.4	-894.6		J	-1695.4	-48.1	-55.8	-209.9	
-724.9	-904.2							
		Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
731.4	1116.2		J	192.6	45.1	50.2	273.8	
789.7	1120.3							
		Min	I	-1729.2	-51.7	-58.3	-190.1	
-629.8	-1692.5		J	-1729.2	-51.7	-58.3	-190.1	
-680.0	-1688.2							
		Q1-1 Max	I	132.2	30.6	38.5	223.2	
396.0	1804.5		J	132.2	30.6	38.5	223.2	
427.6	1796.6							
		Min	I	-1072.6	-29.0	-31.6	-149.0	
-483.1	-180.1							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-521.5	-202.0		J	-1072.6	-29.0	-31.6	-149.0	
494.2	0.5	Q1-3 Max	I	108.9	28.6	23.9	134.9	
533.6	0.5		J	108.9	28.6	23.9	134.9	
-300.7	-1576.1	Min	I	-1121.9	-35.6	-39.4	-90.2	
-324.6	-1558.3		J	-1121.9	-35.6	-39.4	-90.2	
3566.7	-23305.2	SLVx (RS)	I	375.0	2246.0	-341.5	-5237.5	
3872.3	-25500.6		J	375.0	2246.0	-341.5	-5237.5	
1925.6	-5953.9	SLVy (RS)	I	307.2	672.0	1021.9	13118.1	-1
2867.1	-6529.7		J	307.2	672.0	1021.9	13118.1	-1
175.4	310.9	SLVz (RS)	I	1409.2	79.4	97.2	-181.3	
136.8	290.1		J	1409.2	79.4	97.2	-181.3	
-78.8	-866.3	G1	I	-7869.9	-29.4	6.1	341.7	
-84.9	-836.9		J	-8044.4	-29.4	6.1	341.7	
-28.3	-311.2	G2	I	-1948.5	-10.6	2.2	124.3	
-30.5	-300.6		J	-1948.5	-10.6	2.2	124.3	
6.0	-101.7	pp imp~1	I	-0.0	8.0	-0.5	-63.8	
6.4	-109.7		J	-0.0	8.0	-0.5	-63.8	
1.9	-32.7	perm i~1	I	-0.0	2.6	-0.2	-20.6	
2.1	-35.3		J	-0.0	2.6	-0.2	-20.6	
-8.2	24.1	pp2	I	0.0	-2.0	0.7	-0.4	
-8.9	26.0		J	0.0	-2.0	0.7	-0.4	
-2.3	6.5	perm2	I	0.0	-0.5	0.2	-0.1	
-2.5	7.0		J	0.0	-0.5	0.2	-0.1	
3548.1	-40.2	q3	I	5.7	46.9	282.7	1282.3	-
3830.8	-87.0		J	5.7	46.9	282.7	1282.3	-
-335.7	-487.7	q4-1	I	4.0	37.8	26.7	199.2	
-362.4	-525.4		J	4.0	37.8	26.7	199.2	


MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-315.3	366.7	q4-2	I	2.6	-25.4	25.1	-88.5	
			J	2.6	-25.4	25.1	-88.5	
-340.4	392.1							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-129.0	1943.1		J	-10.2	-137.2	10.3	21.7	
-139.3	2080.3							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
384.7	220.4		J	-5.5	-11.5	-30.7	231.2	
415.4	231.9							
		q5x_pc	I	0.9	-738.9	521.2	529.5	-
6541.6	10149.2		J	0.9	-738.9	521.2	529.5	-
7062.9	10888.1							
		q5y_pc	I	94.3	749.7	428.8	1007.6	-
5381.2	-10058.0		J	94.3	749.7	428.8	1007.6	-
5809.9	-10807.7							
		q5x_ps	I	-1.8	-775.9	584.6	764.5	-
7336.5	10535.4		J	-1.8	-775.9	584.6	764.5	-
7921.1	11311.3							
		q5y_ps	I	81.7	674.9	385.3	920.4	-
4835.4	-8869.1		J	81.7	674.9	385.3	920.4	-
5220.7	-9544.0							
		q7	I	-2.7	-58.0	13.0	-27.8	
-163.3	767.8		J	-2.7	-58.0	13.0	-27.8	
-176.3	825.8							
		T	I	10.6	-135.8	-268.9	-694.2	
3375.2	1801.4		J	10.6	-135.8	-268.9	-694.2	
3644.2	1937.3							
		SLVx-E~1	I	0.7	1.0	23.9	416.0	
-299.8	16.1		J	0.7	1.0	23.9	416.0	
-323.7	15.1							
		SLVy-E~1	I	1.6	2.3	55.7	970.7	
-699.6	37.5		J	1.6	2.3	55.7	970.7	
-755.4	35.2							
517	7	38 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
1387.9	3566.0		J	355.1	87.5	104.7	573.6	
1490.4	3578.6							
		Min	I	-3359.1	-91.4	-102.5	-381.9	-
1419.7	-1942.3		J	-3359.1	-91.4	-102.5	-381.9	-
1524.5	-1960.3							
		Q1-3_4 Max	I	346.8	83.8	99.5	535.6	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1463.7	2344.5		J	346.8	83.8	99.5	535.6	
1571.8	2362.6	Min	I	-3448.7	-101.0	-108.1	-353.2	-
1349.0	-3437.3		J	-3448.7	-101.0	-108.1	-353.2	-
1448.5	-3427.4							
		Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
755.4	1828.0		J	200.0	46.7	53.5	300.3	
811.2	1829.8	Min	I	-1695.4	-48.1	-55.8	-209.9	
-724.9	-904.2		J	-1695.4	-48.1	-55.8	-209.9	
-778.3	-915.0							
		Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
789.7	1120.3		J	192.6	45.1	50.2	273.8	
848.0	1124.5	Min	I	-1729.2	-51.7	-58.3	-190.1	
-680.0	-1688.2		J	-1729.2	-51.7	-58.3	-190.1	
-730.1	-1683.9							
		Q1-1 Max	I	132.2	30.6	38.5	223.2	
427.6	1796.6		J	132.2	30.6	38.5	223.2	
459.2	1788.8	Min	I	-1072.6	-29.0	-31.6	-149.0	
-521.5	-202.0		J	-1072.6	-29.0	-31.6	-149.0	
-560.0	-224.0							
		Q1-3 Max	I	108.9	28.6	23.9	134.9	
533.6	0.5		J	108.9	28.6	23.9	134.9	
572.9	0.5	Min	I	-1121.9	-35.6	-39.4	-90.2	
-324.6	-1558.3		J	-1121.9	-35.6	-39.4	-90.2	
-348.6	-1540.5							
		SLVx (RS)	I	376.4	2262.1	-350.1	-5237.5	
3872.3	-25500.6		J	376.4	2262.1	-350.1	-5237.5	
4183.4	-27709.2							
		SLVy (RS)	I	308.4	683.1	1038.2	13118.1	-1
2867.1	-6529.7		J	308.4	683.1	1038.2	13118.1	-1
3812.4	-7117.5							
		SLVz (RS)	I	1430.4	80.0	98.3	-181.3	
136.8	290.1		J	1430.4	80.0	98.3	-181.3	
152.1	284.3							
		G1	I	-8044.4	-29.4	6.1	341.7	
-84.9	-836.9		J	-8218.9	-29.4	6.1	341.7	
-91.0	-807.5							
		G2	I	-1948.5	-10.6	2.2	124.3	
-30.5	-300.6							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-32.7	-289.9		J	-1948.5	-10.6	2.2	124.3	
6.4	-109.7	pp imp~1	I	-0.0	8.0	-0.5	-63.8	
6.9	-117.7		J	-0.0	8.0	-0.5	-63.8	
2.1	-35.3	perm i~1	I	-0.0	2.6	-0.2	-20.6	
2.2	-37.9		J	-0.0	2.6	-0.2	-20.6	
-8.9	26.0	pp2	I	0.0	-2.0	0.7	-0.4	
-9.5	28.0		J	0.0	-2.0	0.7	-0.4	
-2.5	7.0	perm2	I	0.0	-0.5	0.2	-0.1	
-2.7	7.5		J	0.0	-0.5	0.2	-0.1	
3830.8	-87.0	q3	I	5.7	46.9	282.7	1282.3	-
4113.5	-133.9		J	5.7	46.9	282.7	1282.3	-
-362.4	-525.4	q4-1	I	4.0	37.8	26.7	199.2	
-389.1	-563.2		J	4.0	37.8	26.7	199.2	
-340.4	392.1	q4-2	I	2.6	-25.4	25.1	-88.5	
-365.5	417.5		J	2.6	-25.4	25.1	-88.5	
-139.3	2080.3	q4-3	I	-10.2	-137.2	10.3	21.7	
-149.6	2217.5		J	-10.2	-137.2	10.3	21.7	
415.4	231.9	q4-4	I	-5.5	-11.5	-30.7	231.2	
446.0	243.4		J	-5.5	-11.5	-30.7	231.2	
7062.9	10888.1	q5x_pc	I	0.9	-738.9	521.2	529.5	-
7584.1	11627.0		J	0.9	-738.9	521.2	529.5	-
5809.9	-10807.7	q5y_pc	I	94.3	749.7	428.8	1007.6	-
6238.7	-11557.4		J	94.3	749.7	428.8	1007.6	-
7921.1	11311.3	q5x_ps	I	-1.8	-775.9	584.6	764.5	-
8505.6	12087.2		J	-1.8	-775.9	584.6	764.5	-
5220.7	-9544.0	q5y_ps	I	81.7	674.9	385.3	920.4	-
			J	81.7	674.9	385.3	920.4	-


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

5606.0	-10218.9								
			q7	I	-2.7	-58.0	13.0	-27.8	
-176.3	825.8			J	-2.7	-58.0	13.0	-27.8	
-189.3	883.8								
			T	I	10.6	-135.8	-268.9	-694.2	
3644.2	1937.3			J	10.6	-135.8	-268.9	-694.2	
3913.1	2073.1								
			SLVx-E~1	I	0.7	1.0	23.9	416.0	
-323.7	15.1			J	0.7	1.0	23.9	416.0	
-347.6	14.1								
			SLVy-E~1	I	1.6	2.3	55.7	970.7	
-755.4	35.2			J	1.6	2.3	55.7	970.7	
-811.1	32.8								
518	7	38	Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
1490.4	3578.6			J	355.1	87.5	104.7	573.6	
1592.9	3592.2								
			Min	I	-3359.1	-91.4	-102.5	-381.9	-
1524.5	-1960.3			J	-3359.1	-91.4	-102.5	-381.9	-
1629.2	-1980.4								
			Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
1571.8	2362.6			J	346.8	83.8	99.5	535.6	
1679.8	2380.7								
			Min	I	-3448.7	-101.0	-108.1	-353.2	-
1448.5	-3427.4			J	-3448.7	-101.0	-108.1	-353.2	-
1548.0	-3417.5								
			Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
811.2	1829.8			J	200.0	46.7	53.5	300.3	
866.9	1832.2								
			Min	I	-1695.4	-48.1	-55.8	-209.9	
-778.3	-915.0			J	-1695.4	-48.1	-55.8	-209.9	
-831.8	-926.5								
			Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
848.0	1124.5			J	192.6	45.1	50.2	273.8	
906.3	1128.6								
			Min	I	-1729.2	-51.7	-58.3	-190.1	
-730.1	-1683.9			J	-1729.2	-51.7	-58.3	-190.1	
-780.3	-1679.6								
			Q1-1 Max	I	132.2	30.6	38.5	223.2	
459.2	1788.8			J	132.2	30.6	38.5	223.2	
490.7	1780.9								
			Min	I	-1072.6	-29.0	-31.6	-149.0	
-560.0	-224.0			J	-1072.6	-29.0	-31.6	-149.0	
-598.5	-246.1								


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

572.9	0.5	Q1-3 Max	I	108.9	28.6	23.9	134.9	
			J	108.9	28.6	23.9	134.9	
612.3	0.6							
-348.6	-1540.5	Min	I	-1121.9	-35.6	-39.4	-90.2	
			J	-1121.9	-35.6	-39.4	-90.2	
-372.5	-1522.7							
4183.4	-27709.2	SLVx (RS)	I	377.9	2278.0	-358.9	-5237.5	
			J	377.9	2278.0	-358.9	-5237.5	
4500.5	-29930.9							
3812.4	-7117.5	SLVy (RS)	I	309.6	694.8	1056.9	13118.1	-1
			J	309.6	694.8	1056.9	13118.1	-1
4763.7	-7717.2							
152.1	284.3	SLVz (RS)	I	1451.0	77.6	95.0	-181.3	
			J	1451.0	77.6	95.0	-181.3	
207.9	293.3							
-91.0	-807.5	G1	I	-8218.9	-29.4	6.1	341.7	
			J	-8393.4	-29.4	6.1	341.7	
-97.1	-778.1							
-32.7	-289.9	G2	I	-1948.5	-10.6	2.2	124.3	
			J	-1948.5	-10.6	2.2	124.3	
-34.9	-279.3							
6.9	-117.7	pp imp~1	I	-0.0	8.0	-0.5	-63.8	
			J	-0.0	8.0	-0.5	-63.8	
7.4	-125.7							
2.2	-37.9	perm i~1	I	-0.0	2.6	-0.2	-20.6	
			J	-0.0	2.6	-0.2	-20.6	
2.4	-40.5							
-9.5	28.0	pp2	I	0.0	-2.0	0.7	-0.4	
			J	0.0	-2.0	0.7	-0.4	
-10.2	30.0							
-2.7	7.5	perm2	I	0.0	-0.5	0.2	-0.1	
			J	0.0	-0.5	0.2	-0.1	
-2.9	8.0							
4113.5	-133.9	q3	I	5.7	46.9	282.7	1282.3	-
			J	5.7	46.9	282.7	1282.3	-
4396.2	-180.8							
-389.1	-563.2	q4-1	I	4.0	37.8	26.7	199.2	
			J	4.0	37.8	26.7	199.2	
-415.9	-601.0							
		q4-2	I	2.6	-25.4	25.1	-88.5	


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-365.5	417.5		J	2.6	-25.4	25.1	-88.5	
-390.6	442.9							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-149.6	2217.5		J	-10.2	-137.2	10.3	21.7	
-159.9	2354.7							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
446.0	243.4		J	-5.5	-11.5	-30.7	231.2	
476.7	254.8							
		q5x_pc	I	0.9	-738.9	521.2	529.5	-
7584.1	11627.0		J	0.9	-738.9	521.2	529.5	-
8105.3	12366.0							
		q5y_pc	I	94.3	749.7	428.8	1007.6	-
6238.7	-11557.4		J	94.3	749.7	428.8	1007.6	-
6667.5	-12307.1							
		q5x_ps	I	-1.8	-775.9	584.6	764.5	-
8505.6	12087.2		J	-1.8	-775.9	584.6	764.5	-
9090.2	12863.0							
		q5y_ps	I	81.7	674.9	385.3	920.4	-
5606.0	-10218.9		J	81.7	674.9	385.3	920.4	-
5991.3	-10893.9							
		q7	I	-2.7	-58.0	13.0	-27.8	
-189.3	883.8		J	-2.7	-58.0	13.0	-27.8	
-202.3	941.8							
		T	I	10.6	-135.8	-268.9	-694.2	
3913.1	2073.1		J	10.6	-135.8	-268.9	-694.2	
4182.1	2209.0							
		SLVx-E~1	I	0.7	1.0	23.9	416.0	
-347.6	14.1		J	0.7	1.0	23.9	416.0	
-371.5	13.1							
		SLVy-E~1	I	1.6	2.3	55.7	970.7	
-811.1	32.8		J	1.6	2.3	55.7	970.7	
-866.9	30.5							
519	7	38	Q1-1_2 Max	I	355.1	87.5	104.7	573.6
1592.9	3592.2			J	355.1	87.5	104.7	573.6
1695.4	3606.4		Min	I	-3359.1	-91.4	-102.5	-381.9
1629.2	-1980.4			J	-3359.1	-91.4	-102.5	-381.9
1733.9	-2023.3							
		Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
1679.8	2380.7		J	346.8	83.8	99.5	535.6	

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1787.9	2398.8		Min	I	-3448.7	-101.0	-108.1	-353.2	-
1548.0	-3417.5			J	-3448.7	-101.0	-108.1	-353.2	-
1647.5	-3407.6								
		Q2a-1_2	Max	I	200.0	46.7	53.5	300.3	
866.9	1832.2			J	200.0	46.7	53.5	300.3	
922.7	1835.0								
			Min	I	-1695.4	-48.1	-55.8	-209.9	
-831.8	-926.5			J	-1695.4	-48.1	-55.8	-209.9	
-885.3	-954.6								
		Q2a-3_4	Max	I	192.6	45.1	50.2	273.8	
906.3	1128.6			J	192.6	45.1	50.2	273.8	
964.6	1132.8								
			Min	I	-1729.2	-51.7	-58.3	-190.1	
-780.3	-1679.6			J	-1729.2	-51.7	-58.3	-190.1	
-830.5	-1675.2								
		Q1-1	Max	I	132.2	30.6	38.5	223.2	
490.7	1780.9			J	132.2	30.6	38.5	223.2	
522.3	1773.1								
			Min	I	-1072.6	-29.0	-31.6	-149.0	
-598.5	-246.1			J	-1072.6	-29.0	-31.6	-149.0	
-637.0	-268.1								
		Q1-3	Max	I	108.9	28.6	23.9	134.9	
612.3	0.6			J	108.9	28.6	23.9	134.9	
651.7	0.6								
			Min	I	-1121.9	-35.6	-39.4	-90.2	
-372.5	-1522.7			J	-1121.9	-35.6	-39.4	-90.2	
-396.5	-1504.9								
		SLVx (RS)		I	379.3	2293.6	-367.6	-5237.5	
4500.5	-29930.9			J	379.3	2293.6	-367.6	-5237.5	
4824.1	-32165.5								
		SLVy (RS)		I	310.8	707.0	1077.5	13118.1	-1
4763.7	-7717.2			J	310.8	707.0	1077.5	13118.1	-1
5723.6	-8329.3								
		SLVz (RS)		I	1470.8	72.8	87.5	-181.3	
207.9	293.3			J	1470.8	72.8	87.5	-181.3	
273.8	-312.1								
		G1		I	-8393.4	-29.4	6.1	341.7	
-97.1	-778.1			J	-8567.9	-29.4	6.1	341.7	
-103.2	-748.7								
		G2		I	-1948.5	-10.6	2.2	124.3	
-34.9	-279.3			J	-1948.5	-10.6	2.2	124.3	
-37.1	-268.7								

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


7.4	-125.7	pp imp~1	I	-0.0	8.0	-0.5	-63.8	
7.9	-133.7		J	-0.0	8.0	-0.5	-63.8	
2.4	-40.5	perm i~1	I	-0.0	2.6	-0.2	-20.6	
2.5	-43.0		J	-0.0	2.6	-0.2	-20.6	
-10.2	30.0	pp2	I	0.0	-2.0	0.7	-0.4	
-10.8	31.9		J	0.0	-2.0	0.7	-0.4	
-2.9	8.0	perm2	I	0.0	-0.5	0.2	-0.1	
-3.1	8.5		J	0.0	-0.5	0.2	-0.1	
4396.2	-180.8	q3	I	5.7	46.9	282.7	1282.3	-
4678.9	-227.7		J	5.7	46.9	282.7	1282.3	-
-415.9	-601.0	q4-1	I	4.0	37.8	26.7	199.2	
-442.6	-638.7		J	4.0	37.8	26.7	199.2	
-390.6	442.9	q4-2	I	2.6	-25.4	25.1	-88.5	
-415.8	468.3		J	2.6	-25.4	25.1	-88.5	
-159.9	2354.7	q4-3	I	-10.2	-137.2	10.3	21.7	
-170.2	2491.9		J	-10.2	-137.2	10.3	21.7	
476.7	254.8	q4-4	I	-5.5	-11.5	-30.7	231.2	
507.4	266.3		J	-5.5	-11.5	-30.7	231.2	
8105.3	12366.0	q5x_pc	I	0.9	-738.9	521.2	529.5	-
8626.5	13104.9		J	0.9	-738.9	521.2	529.5	-
6667.5	-12307.1	q5y_pc	I	94.3	749.7	428.8	1007.6	-
7096.2	-13056.8		J	94.3	749.7	428.8	1007.6	-
9090.2	12863.0	q5x_ps	I	-1.8	-775.9	584.6	764.5	-
9674.8	13638.9		J	-1.8	-775.9	584.6	764.5	-
5991.3	-10893.9	q5y_ps	I	81.7	674.9	385.3	920.4	-
6376.5	-11568.8		J	81.7	674.9	385.3	920.4	-

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-202.3	941.8	q7	I	-2.7	-58.0	13.0	-27.8
			J	-2.7	-58.0	13.0	-27.8
-215.3	999.8						
4182.1	2209.0	T	I	10.6	-135.8	-268.9	-694.2
4451.0	2344.8		J	10.6	-135.8	-268.9	-694.2
-371.5	13.1	SLVx-E~1	I	0.7	1.0	23.9	416.0
-395.4	12.1		J	0.7	1.0	23.9	416.0
-866.9	30.5	SLVy-E~1	I	1.6	2.3	55.7	970.7
-922.6	28.2		J	1.6	2.3	55.7	970.7
520	7	38 Q1-1_2 Max	I	355.1	87.5	104.7	573.6
1695.4	3606.4		J	355.1	87.5	104.7	573.6
1797.8	3621.4						
1733.9	-2023.3	Min	I	-3359.1	-91.4	-102.5	-381.9
1838.6	-2067.6		J	-3359.1	-91.4	-102.5	-381.9
1787.9	2398.8	Q1-3_4 Max	I	346.8	83.8	99.5	535.6
1896.0	2417.0		J	346.8	83.8	99.5	535.6
1647.5	-3407.6	Min	I	-3448.7	-101.0	-108.1	-353.2
1747.0	-3397.7		J	-3448.7	-101.0	-108.1	-353.2
922.7	1835.0	Q2a-1_2 Max	I	200.0	46.7	53.5	300.3
978.5	1838.1		J	200.0	46.7	53.5	300.3
-885.3	-954.6	Min	I	-1695.4	-48.1	-55.8	-209.9
-938.7	-983.5		J	-1695.4	-48.1	-55.8	-209.9
964.6	1132.8	Q2a-3_4 Max	I	192.6	45.1	50.2	273.8
1023.0	1137.0		J	192.6	45.1	50.2	273.8
-830.5	-1675.2	Min	I	-1729.2	-51.7	-58.3	-190.1
-880.6	-1670.9		J	-1729.2	-51.7	-58.3	-190.1
522.3	1773.1	Q1-1 Max	I	132.2	30.6	38.5	223.2
553.9	1765.2		J	132.2	30.6	38.5	223.2
-637.0	-268.1	Min	I	-1072.6	-29.0	-31.6	-149.0
-675.4	-290.2		J	-1072.6	-29.0	-31.6	-149.0
		Q1-3 Max	I	108.9	28.6	23.9	134.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
651.7	0.6		J	108.9	28.6	23.9	134.9	
691.1	0.7							
		Min	I	-1121.9	-35.6	-39.4	-90.2	
-396.5	-1504.9		J	-1121.9	-35.6	-39.4	-90.2	
-420.4	-1487.1							
		SLVx (RS)	I	380.7	2308.9	-376.3	-5237.5	
4824.1	-32165.5		J	380.7	2308.9	-376.3	-5237.5	
5154.4	-34412.7							
		SLVy (RS)	I	311.9	719.5	1099.6	13118.1	-1
5723.6	-8329.3		J	311.9	719.5	1099.6	13118.1	-1
6694.3	-8953.9							
		SLVz (RS)	I	1489.8	66.9	76.1	-181.3	
273.8	-312.1		J	1489.8	66.9	76.1	-181.3	
334.4	-334.0							
		G1	I	-8567.9	-29.4	6.1	341.7	
-103.2	-748.7		J	-8742.4	-29.4	6.1	341.7	
-109.4	-719.2							
		G2	I	-1948.5	-10.6	2.2	124.3	
-37.1	-268.7		J	-1948.5	-10.6	2.2	124.3	
-39.3	-258.1							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
7.9	-133.7		J	-0.0	8.0	-0.5	-63.8	
8.3	-141.7							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
2.5	-43.0		J	-0.0	2.6	-0.2	-20.6	
2.7	-45.6							
		pp2	I	0.0	-2.0	0.7	-0.4	
-10.8	31.9		J	0.0	-2.0	0.7	-0.4	
-11.5	33.9							
		perm2	I	0.0	-0.5	0.2	-0.1	
-3.1	8.5		J	0.0	-0.5	0.2	-0.1	
-3.3	9.1							
		q3	I	5.7	46.9	282.7	1282.3	-
4678.9	-227.7		J	5.7	46.9	282.7	1282.3	-
4961.6	-274.6							
		q4-1	I	4.0	37.8	26.7	199.2	
-442.6	-638.7		J	4.0	37.8	26.7	199.2	
-469.4	-676.5							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-415.8	468.3		J	2.6	-25.4	25.1	-88.5	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-440.9	493.7							
-170.2	2491.9	q4-3	I	-10.2	-137.2	10.3	21.7	
-180.4	2629.0		J	-10.2	-137.2	10.3	21.7	
507.4	266.3	q4-4	I	-5.5	-11.5	-30.7	231.2	
538.0	277.8		J	-5.5	-11.5	-30.7	231.2	
8626.5	13104.9	q5x_pc	I	0.9	-738.9	521.2	529.5	-
9147.8	13843.8		J	0.9	-738.9	521.2	529.5	-
7096.2	-13056.8	q5y_pc	I	94.3	749.7	428.8	1007.6	-
7525.0	-13806.5		J	94.3	749.7	428.8	1007.6	-
9674.8	13638.9	q5x_ps	I	-1.8	-775.9	584.6	764.5	-
0259.3	14414.8		J	-1.8	-775.9	584.6	764.5	-1
6376.5	-11568.8	q5y_ps	I	81.7	674.9	385.3	920.4	-
6761.8	-12243.7		J	81.7	674.9	385.3	920.4	-
-215.3	999.8	q7	I	-2.7	-58.0	13.0	-27.8	
-228.3	1057.9		J	-2.7	-58.0	13.0	-27.8	
4451.0	2344.8	T	I	10.6	-135.8	-268.9	-694.2	
4719.9	2480.7		J	10.6	-135.8	-268.9	-694.2	
-395.4	12.1	SLVx-E~1	I	0.7	1.0	23.9	416.0	
-419.3	11.1		J	0.7	1.0	23.9	416.0	
-922.6	28.2	SLVy-E~1	I	1.6	2.3	55.7	970.7	
-978.3	25.9		J	1.6	2.3	55.7	970.7	
521	7	41 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
1797.8	3621.4		J	355.1	87.5	104.7	573.6	
1900.3	3636.7	Min	I	-3359.1	-91.4	-102.5	-381.9	-
1838.6	-2067.6		J	-3359.1	-91.4	-102.5	-381.9	-
1943.4	-2112.8	Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
1896.0	2417.0		J	346.8	83.8	99.5	535.6	
2004.0	2435.1	Min	I	-3448.7	-101.0	-108.1	-353.2	-


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
1747.0	-3397.7							
1846.5	-3387.9		J	-3448.7	-101.0	-108.1	-353.2	-
978.5	1838.1	Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
1034.2	1841.4		J	200.0	46.7	53.5	300.3	
-938.7	-983.5	Min	I	-1695.4	-48.1	-55.8	-209.9	
-992.2	-1012.7		J	-1695.4	-48.1	-55.8	-209.9	
1023.0	1137.0	Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
1081.3	1141.2		J	192.6	45.1	50.2	273.8	
-880.6	-1670.9	Min	I	-1729.2	-51.7	-58.3	-190.1	
-930.8	-1666.6		J	-1729.2	-51.7	-58.3	-190.1	
553.9	1765.2	Q1-1 Max	I	132.2	30.6	38.5	223.2	
585.4	1757.4		J	132.2	30.6	38.5	223.2	
-675.4	-290.2	Min	I	-1072.6	-29.0	-31.6	-149.0	
-713.9	-312.3		J	-1072.6	-29.0	-31.6	-149.0	
691.1	0.7	Q1-3 Max	I	108.9	28.6	23.9	134.9	
730.5	0.7		J	108.9	28.6	23.9	134.9	
-420.4	-1487.1	Min	I	-1121.9	-35.6	-39.4	-90.2	
-444.4	-1469.3		J	-1121.9	-35.6	-39.4	-90.2	
5154.4	-34412.7	SLVx (RS)	I	382.0	2324.1	-384.9	-5237.5	
5491.6	-36672.3		J	382.0	2324.1	-384.9	-5237.5	
6694.3	-8953.9	SLVy (RS)	I	313.0	732.3	1123.0	13118.1	-1
7678.0	-9591.3		J	313.0	732.3	1123.0	13118.1	-1
334.4	-334.0	SLVz (RS)	I	1508.4	61.6	61.4	-181.3	
-381.7	-353.8		J	1508.4	61.6	61.4	-181.3	
-109.4	-719.2	G1	I	-8742.4	-29.4	6.1	341.7	
-115.5	-689.8		J	-8923.7	-29.4	6.1	341.7	
-39.3	-258.1	G2	I	-1948.5	-10.6	2.2	124.3	
-41.5	-247.5		J	-1948.5	-10.6	2.2	124.3	
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
8.3	-141.7		J	-0.0	8.0	-0.5	-63.8	
8.8	-149.7							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
2.7	-45.6		J	-0.0	2.6	-0.2	-20.6	
2.8	-48.2							
		pp2	I	0.0	-2.0	0.7	-0.4	
-11.5	33.9		J	0.0	-2.0	0.7	-0.4	
-12.2	35.8							
		perm2	I	0.0	-0.5	0.2	-0.1	
-3.3	9.1		J	0.0	-0.5	0.2	-0.1	
-3.4	9.6							
		q3	I	5.7	46.9	282.7	1282.3	-
4961.6	-274.6		J	5.7	46.9	282.7	1282.3	-
5244.3	-321.4							
		q4-1	I	4.0	37.8	26.7	199.2	
-469.4	-676.5		J	4.0	37.8	26.7	199.2	
-496.1	-714.3							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-440.9	493.7		J	2.6	-25.4	25.1	-88.5	
-466.0	519.1							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-180.4	2629.0		J	-10.2	-137.2	10.3	21.7	
-190.7	2766.2							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
538.0	277.8		J	-5.5	-11.5	-30.7	231.2	
568.7	289.2							
		q5x_pc	I	0.9	-738.9	521.2	529.5	-
9147.8	13843.8		J	0.9	-738.9	521.2	529.5	-
9669.0	14582.8							
		q5y_pc	I	94.3	749.7	428.8	1007.6	-
7525.0	-13806.5		J	94.3	749.7	428.8	1007.6	-
7953.8	-14556.1							
		q5x_ps	I	-1.8	-775.9	584.6	764.5	-1
0259.3	14414.8		J	-1.8	-775.9	584.6	764.5	-1
0843.9	15190.6							
		q5y_ps	I	81.7	674.9	385.3	920.4	-
6761.8	-12243.7		J	81.7	674.9	385.3	920.4	-
7147.1	-12918.7							
		q7	I	-2.7	-58.0	13.0	-27.8	
-228.3	1057.9							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-241.3	1115.9		J	-2.7	-58.0	13.0	-27.8
4719.9	2480.7	T	I	10.6	-135.8	-268.9	-694.2
4988.9	2616.5		J	10.6	-135.8	-268.9	-694.2
-419.3	11.1	SLVx-E~1	I	0.7	1.0	23.9	416.0
-443.2	10.1		J	0.7	1.0	23.9	416.0
-978.3	25.9	SLVy-E~1	I	1.6	2.3	55.7	970.7
1034.1	23.5		J	1.6	2.3	55.7	970.7
522	7	41 Q1-1_2 Max	I	355.1	87.5	104.7	573.6
1900.3	3636.7		J	355.1	87.5	104.7	573.6
2002.8	3652.3	Min	I	-3359.1	-91.4	-102.5	-381.9
1943.4	-2112.8		J	-3359.1	-91.4	-102.5	-381.9
2048.1	-2158.6						
2004.0	2435.1	Q1-3_4 Max	I	346.8	83.8	99.5	535.6
2112.1	2453.3		J	346.8	83.8	99.5	535.6
1846.5	-3387.9	Min	I	-3448.7	-101.0	-108.1	-353.2
1946.0	-3378.0		J	-3448.7	-101.0	-108.1	-353.2
1034.2	1841.4	Q2a-1_2 Max	I	200.0	46.7	53.5	300.3
1090.0	1845.0		J	200.0	46.7	53.5	300.3
-992.2	-1012.7	Min	I	-1695.4	-48.1	-55.8	-209.9
1045.7	-1042.2		J	-1695.4	-48.1	-55.8	-209.9
1081.3	1141.2	Q2a-3_4 Max	I	192.6	45.1	50.2	273.8
1139.6	1145.3		J	192.6	45.1	50.2	273.8
-930.8	-1666.6	Min	I	-1729.2	-51.7	-58.3	-190.1
-980.9	-1662.3		J	-1729.2	-51.7	-58.3	-190.1
585.4	1757.4	Q1-1 Max	I	132.2	30.6	38.5	223.2
617.0	1749.6		J	132.2	30.6	38.5	223.2
-713.9	-312.3	Min	I	-1072.6	-29.0	-31.6	-149.0
-752.4	-334.4		J	-1072.6	-29.0	-31.6	-149.0
730.5	0.7	Q1-3 Max	I	108.9	28.6	23.9	134.9
			J	108.9	28.6	23.9	134.9


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

769.9	0.7								
		Min	I	-1121.9	-35.6	-39.4	-90.2		
-444.4	-1469.3		J	-1121.9	-35.6	-39.4	-90.2		
-468.3	-1451.4								
		SLVx (RS)	I	383.3	2338.8	-393.5	-5237.5		
5491.6	-36672.3		J	383.3	2338.8	-393.5	-5237.5		
5836.0	-38944.3								
		SLVy (RS)	I	314.1	745.2	1147.3	13118.1	-1	
7678.0	-9591.3		J	314.1	745.2	1147.3	13118.1	-1	
8676.7	-10241.6								
		SLVz (RS)	I	1526.3	59.4	45.2	-181.3		
-381.7	-353.8		J	1526.3	59.4	45.2	-181.3		
-410.8	-368.3								
		G1	I	-8923.7	-29.4	6.1	341.7		
-115.5	-689.8		J	-9105.0	-29.4	6.1	341.7		
-121.6	-660.4								
		G2	I	-1948.5	-10.6	2.2	124.3		
-41.5	-247.5		J	-1948.5	-10.6	2.2	124.3		
-43.7	-236.8								
		pp imp~1	I	-0.0	8.0	-0.5	-63.8		
8.8	-149.7		J	-0.0	8.0	-0.5	-63.8		
9.3	-157.7								
		perm i~1	I	-0.0	2.6	-0.2	-20.6		
2.8	-48.2		J	-0.0	2.6	-0.2	-20.6		
3.0	-50.8								
		pp2	I	0.0	-2.0	0.7	-0.4		
-12.2	35.8		J	0.0	-2.0	0.7	-0.4		
-12.8	37.8								
		perm2	I	0.0	-0.5	0.2	-0.1		
-3.4	9.6		J	0.0	-0.5	0.2	-0.1		
-3.6	10.1								
		q3	I	5.7	46.9	282.7	1282.3	-	
5244.3	-321.4		J	5.7	46.9	282.7	1282.3	-	
5527.0	-368.3								
		q4-1	I	4.0	37.8	26.7	199.2		
-496.1	-714.3		J	4.0	37.8	26.7	199.2		
-522.9	-752.1								
		q4-2	I	2.6	-25.4	25.1	-88.5		
-466.0	519.1		J	2.6	-25.4	25.1	-88.5		
-491.1	544.5								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-190.7	2766.2	q4-3	I	-10.2	-137.2	10.3	21.7	
			J	-10.2	-137.2	10.3	21.7	
-201.0	2903.4							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
568.7	289.2		J	-5.5	-11.5	-30.7	231.2	
599.3	300.7							
		q5x_pc	I	0.9	-738.9	521.2	529.5	-
9669.0	14582.8		J	0.9	-738.9	521.2	529.5	-1
0190.2	15321.7							
		q5y_pc	I	94.3	749.7	428.8	1007.6	-
7953.8	-14556.1		J	94.3	749.7	428.8	1007.6	-
8382.5	-15305.8							
		q5x_ps	I	-1.8	-775.9	584.6	764.5	-1
0843.9	15190.6		J	-1.8	-775.9	584.6	764.5	-1
1428.4	15966.5							
		q5y_ps	I	81.7	674.9	385.3	920.4	-
7147.1	-12918.7		J	81.7	674.9	385.3	920.4	-
7532.4	-13593.6							
		q7	I	-2.7	-58.0	13.0	-27.8	
-241.3	1115.9		J	-2.7	-58.0	13.0	-27.8	
-254.3	1173.9							
		T	I	10.6	-135.8	-268.9	-694.2	
4988.9	2616.5		J	10.6	-135.8	-268.9	-694.2	
5257.8	2752.3							
		SLVx-E~1	I	0.7	1.0	23.9	416.0	
-443.2	10.1		J	0.7	1.0	23.9	416.0	
-467.1	9.1							
		SLVy-E~1	I	1.6	2.3	55.7	970.7	-
1034.1	23.5		J	1.6	2.3	55.7	970.7	-
1089.8	21.2							
523	7	41	Q1-1_2 Max	I	355.1	87.5	104.7	573.6
2002.8	3652.3			J	355.1	87.5	104.7	573.6
2105.3	3668.2		Min	I	-3359.1	-91.4	-102.5	-381.9
2048.1	-2158.6			J	-3359.1	-91.4	-102.5	-381.9
2152.8	-2204.9							
		Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
2112.1	2453.3			J	346.8	83.8	99.5	535.6
2220.2	2472.3		Min	I	-3448.7	-101.0	-108.1	-353.2
1946.0	-3378.0			J	-3448.7	-101.0	-108.1	-353.2


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
2045.5	-3368.1							
1090.0	1845.0	Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
1145.8	1848.6		J	200.0	46.7	53.5	300.3	
1045.7	-1042.2	Min	I	-1695.4	-48.1	-55.8	-209.9	-
1099.2	-1071.8		J	-1695.4	-48.1	-55.8	-209.9	-
1139.6	1145.3	Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
1197.9	1150.1		J	192.6	45.1	50.2	273.8	
-980.9	-1662.3	Min	I	-1729.2	-51.7	-58.3	-190.1	
1031.1	-1658.0		J	-1729.2	-51.7	-58.3	-190.1	-
617.0	1749.6	Q1-1 Max	I	132.2	30.6	38.5	223.2	
648.6	1741.8		J	132.2	30.6	38.5	223.2	
-752.4	-334.4	Min	I	-1072.6	-29.0	-31.6	-149.0	
-790.9	-356.5		J	-1072.6	-29.0	-31.6	-149.0	
769.9	0.7	Q1-3 Max	I	108.9	28.6	23.9	134.9	
809.3	0.8		J	108.9	28.6	23.9	134.9	
-468.3	-1451.4	Min	I	-1121.9	-35.6	-39.4	-90.2	
-492.2	-1433.6		J	-1121.9	-35.6	-39.4	-90.2	
5836.0	-38944.3	SLVx (RS)	I	384.5	2352.8	-402.0	-5237.5	
6187.7	-41228.2		J	384.5	2352.8	-402.0	-5237.5	
8676.7	-10241.6	SLVy (RS)	I	315.2	757.9	1171.5	13118.1	-1
9692.0	-10905.0		J	315.2	757.9	1171.5	13118.1	-1
-410.8	-368.3	SLVz (RS)	I	1543.4	61.4	32.7	-181.3	
-418.4	-377.7		J	1543.4	61.4	32.7	-181.3	
-121.6	-660.4	G1	I	-9105.0	-29.4	6.1	341.7	
-127.7	-631.0		J	-9286.3	-29.4	6.1	341.7	
-43.7	-236.8	G2	I	-1948.5	-10.6	2.2	124.3	
-45.9	-226.2		J	-1948.5	-10.6	2.2	124.3	
9.3	-157.7	pp imp~1	I	-0.0	8.0	-0.5	-63.8	
			J	-0.0	8.0	-0.5	-63.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
9.7	-165.6							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
3.0	-50.8		J	-0.0	2.6	-0.2	-20.6	
3.1	-53.3							
		pp2	I	0.0	-2.0	0.7	-0.4	
-12.8	37.8		J	0.0	-2.0	0.7	-0.4	
-13.5	39.7							
		perm2	I	0.0	-0.5	0.2	-0.1	
-3.6	10.1		J	0.0	-0.5	0.2	-0.1	
-3.8	10.6							
		q3	I	5.7	46.9	282.7	1282.3	-
5527.0	-368.3		J	5.7	46.9	282.7	1282.3	-
5809.8	-415.2							
		q4-1	I	4.0	37.8	26.7	199.2	
-522.9	-752.1		J	4.0	37.8	26.7	199.2	
-549.6	-789.8							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-491.1	544.5		J	2.6	-25.4	25.1	-88.5	
-516.3	569.9							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-201.0	2903.4		J	-10.2	-137.2	10.3	21.7	
-211.3	3040.6							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
599.3	300.7		J	-5.5	-11.5	-30.7	231.2	
630.0	312.2							
		q5x_pc	I	0.9	-738.9	521.2	529.5	-1
0190.2	15321.7		J	0.9	-738.9	521.2	529.5	-1
0711.5	16060.6							
		q5y_pc	I	94.3	749.7	428.8	1007.6	-
8382.5	-15305.8		J	94.3	749.7	428.8	1007.6	-
8811.3	-16055.5							
		q5x_ps	I	-1.8	-775.9	584.6	764.5	-1
1428.4	15966.5		J	-1.8	-775.9	584.6	764.5	-1
2013.0	16742.4							
		q5y_ps	I	81.7	674.9	385.3	920.4	-
7532.4	-13593.6		J	81.7	674.9	385.3	920.4	-
7917.7	-14268.5							
		q7	I	-2.7	-58.0	13.0	-27.8	
-254.3	1173.9		J	-2.7	-58.0	13.0	-27.8	
-267.3	1231.9							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

5257.8	2752.3		T	I	10.6	-135.8	-268.9	-694.2	
5526.7	2888.2			J	10.6	-135.8	-268.9	-694.2	
-467.1	9.1		SLVx-E~1	I	0.7	1.0	23.9	416.0	
-491.0	8.1			J	0.7	1.0	23.9	416.0	
1089.8	21.2		SLVy-E~1	I	1.6	2.3	55.7	970.7	-
1145.6	18.9			J	1.6	2.3	55.7	970.7	-
524	7	41	Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
2105.3	3668.2			J	355.1	87.5	104.7	573.6	
2207.7	3684.5		Min	I	-3359.1	-91.4	-102.5	-381.9	-
2152.8	-2204.9			J	-3359.1	-91.4	-102.5	-381.9	-
2257.6	-2251.8								
2220.2	2472.3		Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
2328.2	2510.1			J	346.8	83.8	99.5	535.6	
2045.5	-3368.1		Min	I	-3448.7	-101.0	-108.1	-353.2	-
2145.0	-3358.3			J	-3448.7	-101.0	-108.1	-353.2	-
1145.8	1848.6		Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
1201.6	1852.5			J	200.0	46.7	53.5	300.3	
1099.2	-1071.8		Min	I	-1695.4	-48.1	-55.8	-209.9	-
1152.6	-1101.7			J	-1695.4	-48.1	-55.8	-209.9	-
1197.9	1150.1		Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
1256.2	1169.1			J	192.6	45.1	50.2	273.8	
1031.1	-1658.0		Min	I	-1729.2	-51.7	-58.3	-190.1	-
1081.2	-1653.7			J	-1729.2	-51.7	-58.3	-190.1	-
648.6	1741.8		Q1-1 Max	I	132.2	30.6	38.5	223.2	
680.2	1734.0			J	132.2	30.6	38.5	223.2	
-790.9	-356.5		Min	I	-1072.6	-29.0	-31.6	-149.0	
-829.3	-378.6			J	-1072.6	-29.0	-31.6	-149.0	
809.3	0.8		Q1-3 Max	I	108.9	28.6	23.9	134.9	
848.7	0.8			J	108.9	28.6	23.9	134.9	
			Min	I	-1121.9	-35.6	-39.4	-90.2	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-492.2	-1433.6		J	-1121.9	-35.6	-39.4	-90.2	
-516.2	-1415.8							
		SLVx (RS)	I	385.7	2365.8	-410.1	-5237.5	
6187.7	-41228.2		J	385.7	2365.8	-410.1	-5237.5	
6546.6	-43523.7							
		SLVy (RS)	I	316.2	769.9	1195.0	13118.1	-1
9692.0	-10905.0		J	316.2	769.9	1195.0	13118.1	-2
0725.1	-11581.5							
		SLVz (RS)	I	1559.3	67.2	34.3	-181.3	
-418.4	-377.7		J	1559.3	67.2	34.3	-181.3	
-402.8	-384.1							
		G1	I	-9286.3	-29.4	6.1	341.7	
-127.7	-631.0		J	-9467.6	-29.4	6.1	341.7	
-133.8	-601.6							
		G2	I	-1948.5	-10.6	2.2	124.3	
-45.9	-226.2		J	-1948.5	-10.6	2.2	124.3	
-48.2	-215.6							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
9.7	-165.6		J	-0.0	8.0	-0.5	-63.8	
10.2	-173.6							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
3.1	-53.3		J	-0.0	2.6	-0.2	-20.6	
3.3	-55.9							
		pp2	I	0.0	-2.0	0.7	-0.4	
-13.5	39.7		J	0.0	-2.0	0.7	-0.4	
-14.1	41.7							
		perm2	I	0.0	-0.5	0.2	-0.1	
-3.8	10.6		J	0.0	-0.5	0.2	-0.1	
-4.0	11.1							
		q3	I	5.7	46.9	282.7	1282.3	-
5809.8	-415.2		J	5.7	46.9	282.7	1282.3	-
6092.5	-462.1							
		q4-1	I	4.0	37.8	26.7	199.2	
-549.6	-789.8		J	4.0	37.8	26.7	199.2	
-576.3	-827.6							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-516.3	569.9		J	2.6	-25.4	25.1	-88.5	
-541.4	595.3							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-211.3	3040.6							


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-221.6	3177.8		J	-10.2	-137.2	10.3	21.7	
630.0	312.2	q4-4	I	-5.5	-11.5	-30.7	231.2	
660.6	323.6		J	-5.5	-11.5	-30.7	231.2	
0711.5	16060.6	q5x_pc	I	0.9	-738.9	521.2	529.5	-1
1232.7	16799.6		J	0.9	-738.9	521.2	529.5	-1
8811.3	-16055.5	q5y_pc	I	94.3	749.7	428.8	1007.6	-
9240.1	-16805.2		J	94.3	749.7	428.8	1007.6	-
2013.0	16742.4	q5x_ps	I	-1.8	-775.9	584.6	764.5	-1
2597.6	17518.2		J	-1.8	-775.9	584.6	764.5	-1
7917.7	-14268.5	q5y_ps	I	81.7	674.9	385.3	920.4	-
8303.0	-14943.5		J	81.7	674.9	385.3	920.4	-
-267.3	1231.9	q7	I	-2.7	-58.0	13.0	-27.8	
-280.3	1289.9		J	-2.7	-58.0	13.0	-27.8	
5526.7	2888.2	T	I	10.6	-135.8	-268.9	-694.2	
5795.7	3024.0		J	10.6	-135.8	-268.9	-694.2	
-491.0	8.1	SLVx-E~1	I	0.7	1.0	23.9	416.0	
-514.9	7.1		J	0.7	1.0	23.9	416.0	
1145.6	18.9	SLVy-E~1	I	1.6	2.3	55.7	970.7	-
1201.3	16.6		J	1.6	2.3	55.7	970.7	-
525	7	41 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
2207.7	3684.5		J	355.1	87.5	104.7	573.6	
2310.2	3701.0	Min	I	-3359.1	-91.4	-102.5	-381.9	-
2257.6	-2251.8		J	-3359.1	-91.4	-102.5	-381.9	-
2362.3	-2299.4	Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
2328.2	2510.1		J	346.8	83.8	99.5	535.6	
2436.3	2554.7	Min	I	-3448.7	-101.0	-108.1	-353.2	-
2145.0	-3358.3		J	-3448.7	-101.0	-108.1	-353.2	-
2244.5	-3348.9							

MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
1201.6	1852.5	Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
			J	200.0	46.7	53.5	300.3	
1257.3	1856.5	Min	I	-1695.4	-48.1	-55.8	-209.9	-
1152.6	-1101.7		J	-1695.4	-48.1	-55.8	-209.9	-
1206.1	-1131.9							
		Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
1256.2	1169.1		J	192.6	45.1	50.2	273.8	
1314.5	1193.0	Min	I	-1729.2	-51.7	-58.3	-190.1	-
1081.2	-1653.7		J	-1729.2	-51.7	-58.3	-190.1	-
1131.4	-1649.6							
		Q1-1 Max	I	132.2	30.6	38.5	223.2	
680.2	1734.0		J	132.2	30.6	38.5	223.2	
711.7	1726.2	Min	I	-1072.6	-29.0	-31.6	-149.0	
-829.3	-378.6		J	-1072.6	-29.0	-31.6	-149.0	
-867.8	-400.8							
		Q1-3 Max	I	108.9	28.6	23.9	134.9	
848.7	0.8		J	108.9	28.6	23.9	134.9	
888.1	2.9	Min	I	-1121.9	-35.6	-39.4	-90.2	
-516.2	-1415.8		J	-1121.9	-35.6	-39.4	-90.2	
-540.1	-1398.2							
		SLVx (RS)	I	386.7	2377.7	-417.8	-5237.5	
6546.6	-43523.7		J	386.7	2377.7	-417.8	-5237.5	
6912.7	-45830.2							
		SLVy (RS)	I	317.1	781.1	1217.2	13118.1	-2
0725.1	-11581.5		J	317.1	781.1	1217.2	13118.1	-2
1777.0	-12270.7							
		SLVz (RS)	I	1574.1	75.1	50.1	-181.3	
-402.8	-384.1		J	1574.1	75.1	50.1	-181.3	
-363.8	-391.6							
		G1	I	-9467.6	-29.4	6.1	341.7	
-133.8	-601.6		J	-9648.9	-29.4	6.1	341.7	
-140.0	-572.2							
		G2	I	-1948.5	-10.6	2.2	124.3	
-48.2	-215.6		J	-1948.5	-10.6	2.2	124.3	
-50.4	-205.0							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
10.2	-173.6		J	-0.0	8.0	-0.5	-63.8	
10.7	-181.6							

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
3.3	-55.9	perm i~1	I	-0.0	2.6	-0.2	-20.6	
3.4	-58.5		J	-0.0	2.6	-0.2	-20.6	
-14.1	41.7	pp2	I	0.0	-2.0	0.7	-0.4	
-14.8	43.7		J	0.0	-2.0	0.7	-0.4	
-4.0	11.1	perm2	I	0.0	-0.5	0.2	-0.1	
-4.2	11.7		J	0.0	-0.5	0.2	-0.1	
6092.5	-462.1	q3	I	5.7	46.9	282.7	1282.3	-
6375.2	-509.0		J	5.7	46.9	282.7	1282.3	-
-576.3	-827.6	q4-1	I	4.0	37.8	26.7	199.2	
-603.1	-865.4		J	4.0	37.8	26.7	199.2	
-541.4	595.3	q4-2	I	2.6	-25.4	25.1	-88.5	
-566.5	620.7		J	2.6	-25.4	25.1	-88.5	
-221.6	3177.8	q4-3	I	-10.2	-137.2	10.3	21.7	
-231.9	3315.0		J	-10.2	-137.2	10.3	21.7	
660.6	323.6	q4-4	I	-5.5	-11.5	-30.7	231.2	
691.3	335.1		J	-5.5	-11.5	-30.7	231.2	
1232.7	16799.6	q5x_pc	I	0.9	-738.9	521.2	529.5	-1
1753.9	17538.5		J	0.9	-738.9	521.2	529.5	-1
9240.1	-16805.2	q5y_pc	I	94.3	749.7	428.8	1007.6	-
9668.8	-17554.9		J	94.3	749.7	428.8	1007.6	-
2597.6	17518.2	q5x_ps	I	-1.8	-775.9	584.6	764.5	-1
3182.1	18294.1		J	-1.8	-775.9	584.6	764.5	-1
8303.0	-14943.5	q5y_ps	I	81.7	674.9	385.3	920.4	-
8688.2	-15618.4		J	81.7	674.9	385.3	920.4	-
-280.3	1289.9	q7	I	-2.7	-58.0	13.0	-27.8	
-293.3	1347.9		J	-2.7	-58.0	13.0	-27.8	
		T	I	10.6	-135.8	-268.9	-694.2	


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
5795.7	3024.0			J	10.6	-135.8	-268.9	-694.2
6064.6	3159.9							
		SLVx-E~1		I	0.7	1.0	23.9	416.0
-514.9	7.1			J	0.7	1.0	23.9	416.0
-538.7	6.1							
		SLVy-E~1		I	1.6	2.3	55.7	970.7
1201.3	16.6			J	1.6	2.3	55.7	970.7
1257.1	14.2							
526	7	41	Q1-1_2 Max	I	355.1	87.5	104.7	573.6
2310.2	3701.0			J	355.1	87.5	104.7	573.6
2412.7	3717.6		Min	I	-3359.1	-91.4	-102.5	-381.9
2362.3	-2299.4			J	-3359.1	-91.4	-102.5	-381.9
2467.0	-2347.5							
		Q1-3_4 Max		I	346.8	83.8	99.5	535.6
2436.3	2554.7			J	346.8	83.8	99.5	535.6
2544.4	2609.2		Min	I	-3448.7	-101.0	-108.1	-353.2
2244.5	-3348.9			J	-3448.7	-101.0	-108.1	-353.2
2344.0	-3343.7							
		Q2a-1_2 Max		I	200.0	46.7	53.5	300.3
1257.3	1856.5			J	200.0	46.7	53.5	300.3
1313.1	1860.5		Min	I	-1695.4	-48.1	-55.8	-209.9
1206.1	-1131.9			J	-1695.4	-48.1	-55.8	-209.9
1259.6	-1162.3							
		Q2a-3_4 Max		I	192.6	45.1	50.2	273.8
1314.5	1193.0			J	192.6	45.1	50.2	273.8
1372.8	1224.0		Min	I	-1729.2	-51.7	-58.3	-190.1
1131.4	-1649.6			J	-1729.2	-51.7	-58.3	-190.1
1181.6	-1647.2							
		Q1-1 Max		I	132.2	30.6	38.5	223.2
711.7	1726.2			J	132.2	30.6	38.5	223.2
743.3	1718.4		Min	I	-1072.6	-29.0	-31.6	-149.0
-867.8	-400.8			J	-1072.6	-29.0	-31.6	-149.0
-906.3	-422.9							
		Q1-3 Max		I	108.9	28.6	23.9	134.9
888.1	2.9			J	108.9	28.6	23.9	134.9
927.5	15.4		Min	I	-1121.9	-35.6	-39.4	-90.2
-540.1	-1398.2			J	-1121.9	-35.6	-39.4	-90.2

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-564.1	-1382.3							
		SLVx (RS)	I	387.7	2388.3	-425.0	-5237.5	
6912.7	-45830.2		J	387.7	2388.3	-425.0	-5237.5	
7285.9	-48147.0							
		SLVy (RS)	I	318.0	791.2	1237.8	13118.1	-2
1777.0	-12270.7		J	318.0	791.2	1237.8	13118.1	-2
2847.9	-12972.4							
		SLVz (RS)	I	1587.7	83.9	70.8	-181.3	
-363.8	-391.6		J	1587.7	83.9	70.8	-181.3	
-302.8	-405.2							
		G1	I	-9648.9	-29.4	6.1	341.7	
-140.0	-572.2		J	-9830.2	-29.4	6.1	341.7	
-146.1	-542.8							
		G2	I	-1948.5	-10.6	2.2	124.3	
-50.4	-205.0		J	-1948.5	-10.6	2.2	124.3	
-52.6	-194.4							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
10.7	-181.6		J	-0.0	8.0	-0.5	-63.8	
11.2	-189.6							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
3.4	-58.5		J	-0.0	2.6	-0.2	-20.6	
3.6	-61.1							
		pp2	I	0.0	-2.0	0.7	-0.4	
-14.8	43.7		J	0.0	-2.0	0.7	-0.4	
-15.4	45.6							
		perm2	I	0.0	-0.5	0.2	-0.1	
-4.2	11.7		J	0.0	-0.5	0.2	-0.1	
-4.4	12.2							
		q3	I	5.7	46.9	282.7	1282.3	-
6375.2	-509.0		J	5.7	46.9	282.7	1282.3	-
6657.9	-555.9							
		q4-1	I	4.0	37.8	26.7	199.2	
-603.1	-865.4		J	4.0	37.8	26.7	199.2	
-629.8	-903.2							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-566.5	620.7		J	2.6	-25.4	25.1	-88.5	
-591.6	646.1							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-231.9	3315.0		J	-10.2	-137.2	10.3	21.7	
-242.1	3452.2							


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


691.3	335.1	q4-4	I	-5.5	-11.5	-30.7	231.2	
721.9	346.6		J	-5.5	-11.5	-30.7	231.2	
1753.9	17538.5	q5x_pc	I	0.9	-738.9	521.2	529.5	-1
2275.2	18277.4		J	0.9	-738.9	521.2	529.5	-1
9668.8	-17554.9	q5y_pc	I	94.3	749.7	428.8	1007.6	-
0097.6	-18304.6		J	94.3	749.7	428.8	1007.6	-1
3182.1	18294.1	q5x_ps	I	-1.8	-775.9	584.6	764.5	-1
3766.7	19070.0		J	-1.8	-775.9	584.6	764.5	-1
8688.2	-15618.4	q5y_ps	I	81.7	674.9	385.3	920.4	-
9073.5	-16293.3		J	81.7	674.9	385.3	920.4	-
-293.3	1347.9	q7	I	-2.7	-58.0	13.0	-27.8	
-306.3	1405.9		J	-2.7	-58.0	13.0	-27.8	
6064.6	3159.9	T	I	10.6	-135.8	-268.9	-694.2	
6333.5	3295.7		J	10.6	-135.8	-268.9	-694.2	
-538.7	6.1	SLVx-E~1	I	0.7	1.0	23.9	416.0	
-562.6	5.1		J	0.7	1.0	23.9	416.0	
1257.1	14.2	SLVy-E~1	I	1.6	2.3	55.7	970.7	-
1312.8	11.9		J	1.6	2.3	55.7	970.7	-
527	7	41 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
2412.7	3717.6		J	355.1	87.5	104.7	573.6	
2515.2	3734.6	Min	I	-3359.1	-91.4	-102.5	-381.9	-
2467.0	-2347.5		J	-3359.1	-91.4	-102.5	-381.9	-
2571.7	-2396.1							
2544.4	2609.2	Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
2652.4	2665.3		J	346.8	83.8	99.5	535.6	
2344.0	-3343.7	Min	I	-3448.7	-101.0	-108.1	-353.2	-
2443.5	-3341.2		J	-3448.7	-101.0	-108.1	-353.2	-
1313.1	1860.5	Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1368.9	1864.7		J	200.0	46.7	53.5	300.3	
		Min	I	-1695.4	-48.1	-55.8	-209.9	-
1259.6	-1162.3		J	-1695.4	-48.1	-55.8	-209.9	-
1313.0	-1192.9							
		Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
1372.8	1224.0		J	192.6	45.1	50.2	273.8	
1431.1	1255.9	Min	I	-1729.2	-51.7	-58.3	-190.1	-
1181.6	-1647.2		J	-1729.2	-51.7	-58.3	-190.1	-
1231.7	-1645.8							
		Q1-1 Max	I	132.2	30.6	38.5	223.2	
743.3	1718.4		J	132.2	30.6	38.5	223.2	
774.9	1710.6	Min	I	-1072.6	-29.0	-31.6	-149.0	
-906.3	-422.9		J	-1072.6	-29.0	-31.6	-149.0	
-944.8	-445.0							
		Q1-3 Max	I	108.9	28.6	23.9	134.9	
927.5	15.4		J	108.9	28.6	23.9	134.9	
966.9	29.3	Min	I	-1121.9	-35.6	-39.4	-90.2	
-564.1	-1382.3		J	-1121.9	-35.6	-39.4	-90.2	
-588.0	-1367.4							
		SLVx (RS)	I	388.6	2397.8	-431.5	-5237.5	
7285.9	-48147.0		J	388.6	2397.8	-431.5	-5237.5	
7665.9	-50473.6							
		SLVy (RS)	I	318.8	800.1	1256.1	13118.1	-2
2847.9	-12972.4		J	318.8	800.1	1256.1	13118.1	-2
3937.8	-13685.7							
		SLVz (RS)	I	1599.9	92.8	91.6	-181.3	
-302.8	-405.2		J	1599.9	92.8	91.6	-181.3	
-224.3	-429.9							
		G1	I	-9830.2	-29.4	6.1	341.7	
-146.1	-542.8		J	-10011.5	-29.4	6.1	341.7	
-152.2	-513.4							
		G2	I	-1948.5	-10.6	2.2	124.3	
-52.6	-194.4		J	-1948.5	-10.6	2.2	124.3	
-54.8	-183.7							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
11.2	-189.6		J	-0.0	8.0	-0.5	-63.8	
11.6	-197.6							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
3.6	-61.1							

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
3.7	-63.6		J	-0.0	2.6	-0.2	-20.6	
-15.4	45.6	pp2	I	0.0	-2.0	0.7	-0.4	
-16.1	47.6		J	0.0	-2.0	0.7	-0.4	
-4.4	12.2	perm2	I	0.0	-0.5	0.2	-0.1	
-4.6	12.7		J	0.0	-0.5	0.2	-0.1	
6657.9	-555.9	q3	I	5.7	46.9	282.7	1282.3	-
6940.6	-602.7		J	5.7	46.9	282.7	1282.3	-
-629.8	-903.2	q4-1	I	4.0	37.8	26.7	199.2	
-656.6	-940.9		J	4.0	37.8	26.7	199.2	
-591.6	646.1	q4-2	I	2.6	-25.4	25.1	-88.5	
-616.7	671.4		J	2.6	-25.4	25.1	-88.5	
-242.1	3452.2	q4-3	I	-10.2	-137.2	10.3	21.7	
-252.4	3589.3		J	-10.2	-137.2	10.3	21.7	
721.9	346.6	q4-4	I	-5.5	-11.5	-30.7	231.2	
752.6	358.0		J	-5.5	-11.5	-30.7	231.2	
2275.2	18277.4	q5x_pc	I	0.9	-738.9	521.2	529.5	-1
2796.4	19016.4		J	0.9	-738.9	521.2	529.5	-1
0097.6	-18304.6	q5y_pc	I	94.3	749.7	428.8	1007.6	-1
0526.4	-19054.2		J	94.3	749.7	428.8	1007.6	-1
3766.7	19070.0	q5x_ps	I	-1.8	-775.9	584.6	764.5	-1
4351.3	19845.8		J	-1.8	-775.9	584.6	764.5	-1
9073.5	-16293.3	q5y_ps	I	81.7	674.9	385.3	920.4	-
9458.8	-16968.2		J	81.7	674.9	385.3	920.4	-
-306.3	1405.9	q7	I	-2.7	-58.0	13.0	-27.8	
-319.3	1463.9		J	-2.7	-58.0	13.0	-27.8	
6333.5	3295.7	T	I	10.6	-135.8	-268.9	-694.2	
			J	10.6	-135.8	-268.9	-694.2	


MIDAS

PROJECT TITLE :

		Company	Client						
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT					
6602.5	3431.6								
		SLVx-E~1	I	0.7	1.0	23.9	416.0		
-562.6	5.1		J	0.7	1.0	23.9	416.0		
-586.5	4.1								
		SLVy-E~1	I	1.6	2.3	55.7	970.7	-	
1312.8	11.9		J	1.6	2.3	55.7	970.7	-	
1368.6	9.6								
528	7	42 Q1-1_2 Max	I	355.1	87.5	104.7	573.6		
2515.2	3734.6		J	355.1	87.5	104.7	573.6		
2617.6	3751.7								
		Min	I	-3359.1	-91.4	-102.5	-381.9	-	
2571.7	-2396.1		J	-3359.1	-91.4	-102.5	-381.9	-	
2676.5	-2445.2								
		Q1-3_4 Max	I	346.8	83.8	99.5	535.6		
2652.4	2665.3		J	346.8	83.8	99.5	535.6		
2760.5	2722.6								
		Min	I	-3448.7	-101.0	-108.1	-353.2	-	
2443.5	-3341.2		J	-3448.7	-101.0	-108.1	-353.2	-	
2543.0	-3340.7								
		Q2a-1_2 Max	I	200.0	46.7	53.5	300.3		
1368.9	1864.7		J	200.0	46.7	53.5	300.3		
1424.7	1869.0								
		Min	I	-1695.4	-48.1	-55.8	-209.9	-	
1313.0	-1192.9		J	-1695.4	-48.1	-55.8	-209.9	-	
1366.5	-1223.6								
		Q2a-3_4 Max	I	192.6	45.1	50.2	273.8		
1431.1	1255.9		J	192.6	45.1	50.2	273.8		
1489.4	1288.5								
		Min	I	-1729.2	-51.7	-58.3	-190.1	-	
1231.7	-1645.8		J	-1729.2	-51.7	-58.3	-190.1	-	
1281.9	-1645.3								
		Q1-1 Max	I	132.2	30.6	38.5	223.2		
774.9	1710.6		J	132.2	30.6	38.5	223.2		
806.4	1702.8								
		Min	I	-1072.6	-29.0	-31.6	-149.0		
-944.8	-445.0		J	-1072.6	-29.0	-31.6	-149.0		
-983.2	-467.2								
		Q1-3 Max	I	108.9	28.6	23.9	134.9		
966.9	29.3		J	108.9	28.6	23.9	134.9		
1006.3	44.4								
		Min	I	-1121.9	-35.6	-39.4	-90.2		
-588.0	-1367.4		J	-1121.9	-35.6	-39.4	-90.2		
-612.0	-1353.3								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
7665.9	-50473.6	SLVx (RS)	I	389.4	2406.1	-437.4	-5237.5	
			J	389.4	2406.1	-437.4	-5237.5	
8052.5	-52809.2							
3937.8	-13685.7	SLVy (RS)	I	319.5	807.9	1272.3	13118.1	-2
			J	319.5	807.9	1272.3	13118.1	-2
5046.3	-14410.1							
-224.3	-429.9	SLVz (RS)	I	1610.8	101.8	111.1	-181.3	
			J	1610.8	101.8	111.1	-181.3	
-142.6	-469.5							
-152.2	-513.4	G1	I	-10011.5	-29.4	6.1	341.7	
			J	-10198.8	-29.4	6.1	341.7	
-158.3	-483.9							
-54.8	-183.7	G2	I	-1948.5	-10.6	2.2	124.3	
			J	-1948.5	-10.6	2.2	124.3	
-57.0	-173.1							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
11.6	-197.6		J	-0.0	8.0	-0.5	-63.8	
12.1	-205.6							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
3.7	-63.6		J	-0.0	2.6	-0.2	-20.6	
3.9	-66.2							
		pp2	I	0.0	-2.0	0.7	-0.4	
-16.1	47.6		J	0.0	-2.0	0.7	-0.4	
-16.7	49.5							
		perm2	I	0.0	-0.5	0.2	-0.1	
-4.6	12.7		J	0.0	-0.5	0.2	-0.1	
-4.7	13.2							
		q3	I	5.7	46.9	282.7	1282.3	-
6940.6	-602.7		J	5.7	46.9	282.7	1282.3	-
7223.3	-649.6							
		q4-1	I	4.0	37.8	26.7	199.2	
-656.6	-940.9		J	4.0	37.8	26.7	199.2	
-683.3	-978.7							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-616.7	671.4		J	2.6	-25.4	25.1	-88.5	
-641.9	696.8							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-252.4	3589.3		J	-10.2	-137.2	10.3	21.7	
-262.7	3726.5							
		q4-4	I	-5.5	-11.5	-30.7	231.2	


MIDAS

PROJECT TITLE :


MIDAS	Company		Client		File Name			
	Author		File Name		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
752.6	358.0		J	-5.5	-11.5	-30.7	231.2	
783.3	369.5							
2796.4	19016.4	q5x_pc	I	0.9	-738.9	521.2	529.5	-1
3317.6	19755.3		J	0.9	-738.9	521.2	529.5	-1
0526.4	-19054.2	q5y_pc	I	94.3	749.7	428.8	1007.6	-1
0955.1	-19803.9		J	94.3	749.7	428.8	1007.6	-1
4351.3	19845.8	q5x_ps	I	-1.8	-775.9	584.6	764.5	-1
4935.8	20621.7		J	-1.8	-775.9	584.6	764.5	-1
9458.8	-16968.2	q5y_ps	I	81.7	674.9	385.3	920.4	-
9844.1	-17643.2		J	81.7	674.9	385.3	920.4	-
-319.3	1463.9	q7	I	-2.7	-58.0	13.0	-27.8	
-332.4	1521.9		J	-2.7	-58.0	13.0	-27.8	
6602.5	3431.6	T	I	10.6	-135.8	-268.9	-694.2	
6871.4	3567.4		J	10.6	-135.8	-268.9	-694.2	
-586.5	4.1	SLVx-E~1	I	0.7	1.0	23.9	416.0	
-610.4	3.1		J	0.7	1.0	23.9	416.0	
1368.6	9.6	SLVy-E~1	I	1.6	2.3	55.7	970.7	-
1424.3	7.3		J	1.6	2.3	55.7	970.7	-
529	7	42 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
2617.6	3751.7		J	355.1	87.5	104.7	573.6	
2720.1	3768.9	Min	I	-3359.1	-91.4	-102.5	-381.9	-
2676.5	-2445.2		J	-3359.1	-91.4	-102.5	-381.9	-
2781.2	-2494.7							
2760.5	2722.6	Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
2868.6	2780.9		J	346.8	83.8	99.5	535.6	
2543.0	-3340.7	Min	I	-3448.7	-101.0	-108.1	-353.2	-
2642.5	-3341.8		J	-3448.7	-101.0	-108.1	-353.2	-
1424.7	1869.0	Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
1480.4	1873.4		J	200.0	46.7	53.5	300.3	

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1366.5	-1223.6		Min	I	-1695.4	-48.1	-55.8	-209.9	-
				J	-1695.4	-48.1	-55.8	-209.9	-
1420.0	-1254.5								
		Q2a-3_4	Max	I	192.6	45.1	50.2	273.8	
1489.4	1288.5			J	192.6	45.1	50.2	273.8	
1547.7	1321.7								
			Min	I	-1729.2	-51.7	-58.3	-190.1	-
1281.9	-1645.3			J	-1729.2	-51.7	-58.3	-190.1	-
1332.0	-1645.4								
		Q1-1	Max	I	132.2	30.6	38.5	223.2	
806.4	1702.8			J	132.2	30.6	38.5	223.2	
838.0	1695.0								
			Min	I	-1072.6	-29.0	-31.6	-149.0	
-983.2	-467.2			J	-1072.6	-29.0	-31.6	-149.0	-
1021.7	-489.3								
		Q1-3	Max	I	108.9	28.6	23.9	134.9	
1006.3	44.4			J	108.9	28.6	23.9	134.9	
1045.7	60.4								
			Min	I	-1121.9	-35.6	-39.4	-90.2	
-612.0	-1353.3			J	-1121.9	-35.6	-39.4	-90.2	
-635.9	-1339.8								
		SLVx (RS)		I	390.0	2413.3	-442.6	-5237.5	
8052.5	-52809.2			J	390.0	2413.3	-442.6	-5237.5	
8445.3	-55153.0								
		SLVy (RS)		I	320.2	814.5	1286.2	13118.1	-2
5046.3	-14410.1			J	320.2	814.5	1286.2	13118.1	-2
6172.4	-15144.8								
		SLVz (RS)		I	1620.5	110.6	128.2	-181.3	
-142.6	-469.5			J	1620.5	110.6	128.2	-181.3	
-121.7	-525.8								
		G1		I	-10198.8	-29.4	6.1	341.7	
-158.3	-483.9			J	-10386.1	-29.4	6.1	341.7	
-164.4	-454.5								
		G2		I	-1948.5	-10.6	2.2	124.3	
-57.0	-173.1			J	-1948.5	-10.6	2.2	124.3	
-59.2	-162.5								
		pp imp~1		I	-0.0	8.0	-0.5	-63.8	
12.1	-205.6			J	-0.0	8.0	-0.5	-63.8	
12.6	-213.6								
		perm i~1		I	-0.0	2.6	-0.2	-20.6	
3.9	-66.2			J	-0.0	2.6	-0.2	-20.6	
4.1	-68.8								

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-16.7	49.5	pp2	I	0.0	-2.0	0.7	-0.4
-17.4	51.5		J	0.0	-2.0	0.7	-0.4
-4.7	13.2	perm2	I	0.0	-0.5	0.2	-0.1
-4.9	13.8		J	0.0	-0.5	0.2	-0.1
7223.3	-649.6	q3	I	5.7	46.9	282.7	1282.3
7506.0	-696.5		J	5.7	46.9	282.7	1282.3
-683.3	-978.7	q4-1	I	4.0	37.8	26.7	199.2
-710.1	-1016.5		J	4.0	37.8	26.7	199.2
-641.9	696.8	q4-2	I	2.6	-25.4	25.1	-88.5
-667.0	722.2		J	2.6	-25.4	25.1	-88.5
-262.7	3726.5	q4-3	I	-10.2	-137.2	10.3	21.7
-273.0	3863.7		J	-10.2	-137.2	10.3	21.7
783.3	369.5	q4-4	I	-5.5	-11.5	-30.7	231.2
813.9	381.0		J	-5.5	-11.5	-30.7	231.2
3317.6	19755.3	q5x_pc	I	0.9	-738.9	521.2	529.5
3838.8	20494.2		J	0.9	-738.9	521.2	529.5
0955.1	-19803.9	q5y_pc	I	94.3	749.7	428.8	1007.6
1383.9	-20553.6		J	94.3	749.7	428.8	1007.6
4935.8	20621.7	q5x_ps	I	-1.8	-775.9	584.6	764.5
5520.4	21397.6		J	-1.8	-775.9	584.6	764.5
9844.1	-17643.2	q5y_ps	I	81.7	674.9	385.3	920.4
0229.4	-18318.1		J	81.7	674.9	385.3	920.4
-332.4	1521.9	q7	I	-2.7	-58.0	13.0	-27.8
-345.4	1579.9		J	-2.7	-58.0	13.0	-27.8
6871.4	3567.4	T	I	10.6	-135.8	-268.9	-694.2
7140.3	3703.3		J	10.6	-135.8	-268.9	-694.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-610.4	3.1	SLVx-E~1	I	0.7	1.0	23.9	416.0	
			J	0.7	1.0	23.9	416.0	
-634.3	2.1							
1424.3	7.3	SLVy-E~1	I	1.6	2.3	55.7	970.7	-
			J	1.6	2.3	55.7	970.7	-
1480.0	4.9							
530	7	42 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
2720.1	3768.9		J	355.1	87.5	104.7	573.6	
2822.6	3786.3	Min	I	-3359.1	-91.4	-102.5	-381.9	-
2781.2	-2494.7		J	-3359.1	-91.4	-102.5	-381.9	-
2885.9	-2544.6							
		Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
2868.6	2780.9		J	346.8	83.8	99.5	535.6	
2976.6	2840.0	Min	I	-3448.7	-101.0	-108.1	-353.2	-
2642.5	-3341.8		J	-3448.7	-101.0	-108.1	-353.2	-
2742.0	-3346.1							
		Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
1480.4	1873.4		J	200.0	46.7	53.5	300.3	
1536.2	1877.8	Min	I	-1695.4	-48.1	-55.8	-209.9	-
1420.0	-1254.5		J	-1695.4	-48.1	-55.8	-209.9	-
1473.4	-1285.6							
		Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
1547.7	1321.7		J	192.6	45.1	50.2	273.8	
1606.0	1355.4	Min	I	-1729.2	-51.7	-58.3	-190.1	-
1332.0	-1645.4		J	-1729.2	-51.7	-58.3	-190.1	-
1382.2	-1647.4							
		Q1-1 Max	I	132.2	30.6	38.5	223.2	
838.0	1695.0		J	132.2	30.6	38.5	223.2	
869.6	1687.2	Min	I	-1072.6	-29.0	-31.6	-149.0	-
1021.7	-489.3		J	-1072.6	-29.0	-31.6	-149.0	-
1060.2	-511.4							
		Q1-3 Max	I	108.9	28.6	23.9	134.9	
1045.7	60.4		J	108.9	28.6	23.9	134.9	
1085.0	77.2	Min	I	-1121.9	-35.6	-39.4	-90.2	
-635.9	-1339.8		J	-1121.9	-35.6	-39.4	-90.2	
-659.8	-1328.3							
		SLVx (RS)	I	390.6	2419.2	-446.9	-5237.5	
8445.3	-55153.0							


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
8843.8	-57504.3		J	390.6	2419.2	-446.9	-5237.5	
6172.4	-15144.8	SLVy (RS)	I	320.7	819.8	1297.3	13118.1	-2
7315.1	-15888.6		J	320.7	819.8	1297.3	13118.1	-2
-121.7	-525.8	SLVz (RS)	I	1628.5	118.7	142.1	-181.3	
-214.1	-598.7		J	1628.5	118.7	142.1	-181.3	
-164.4	-454.5	G1	I	-10386.1	-29.4	6.1	341.7	
-170.6	-425.1		J	-10573.4	-29.4	6.1	341.7	
-59.2	-162.5	G2	I	-1948.5	-10.6	2.2	124.3	
-61.4	-151.9		J	-1948.5	-10.6	2.2	124.3	
12.6	-213.6	pp imp~1	I	-0.0	8.0	-0.5	-63.8	
13.1	-221.6		J	-0.0	8.0	-0.5	-63.8	
4.1	-68.8	perm i~1	I	-0.0	2.6	-0.2	-20.6	
4.2	-71.4		J	-0.0	2.6	-0.2	-20.6	
-17.4	51.5	pp2	I	0.0	-2.0	0.7	-0.4	
-18.1	53.4		J	0.0	-2.0	0.7	-0.4	
-4.9	13.8	perm2	I	0.0	-0.5	0.2	-0.1	
-5.1	14.3		J	0.0	-0.5	0.2	-0.1	
7506.0	-696.5	q3	I	5.7	46.9	282.7	1282.3	-
7788.7	-743.4		J	5.7	46.9	282.7	1282.3	-
-710.1	-1016.5	q4-1	I	4.0	37.8	26.7	199.2	
-736.8	-1054.2		J	4.0	37.8	26.7	199.2	
-667.0	722.2	q4-2	I	2.6	-25.4	25.1	-88.5	
-692.1	747.6		J	2.6	-25.4	25.1	-88.5	
-273.0	3863.7	q4-3	I	-10.2	-137.2	10.3	21.7	
-283.3	4000.9		J	-10.2	-137.2	10.3	21.7	
813.9	381.0	q4-4	I	-5.5	-11.5	-30.7	231.2	
			J	-5.5	-11.5	-30.7	231.2	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
844.6	392.4							
3838.8	20494.2	q5x_pc	I	0.9	-738.9	521.2	529.5	-1
4360.1	21233.2		J	0.9	-738.9	521.2	529.5	-1
1383.9	-20553.6	q5y_pc	I	94.3	749.7	428.8	1007.6	-1
1812.7	-21303.3		J	94.3	749.7	428.8	1007.6	-1
5520.4	21397.6	q5x_ps	I	-1.8	-775.9	584.6	764.5	-1
6105.0	22173.4		J	-1.8	-775.9	584.6	764.5	-1
0229.4	-18318.1	q5y_ps	I	81.7	674.9	385.3	920.4	-1
0614.7	-18993.0		J	81.7	674.9	385.3	920.4	-1
-345.4	1579.9	q7	I	-2.7	-58.0	13.0	-27.8	
-358.4	1637.9		J	-2.7	-58.0	13.0	-27.8	
7140.3	3703.3	T	I	10.6	-135.8	-268.9	-694.2	
7409.3	3839.1		J	10.6	-135.8	-268.9	-694.2	
-634.3	2.1	SLVx-E~1	I	0.7	1.0	23.9	416.0	
-658.2	1.1		J	0.7	1.0	23.9	416.0	
1480.0	4.9	SLVy-E~1	I	1.6	2.3	55.7	970.7	-
1535.8	2.6		J	1.6	2.3	55.7	970.7	-
531	7	42 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
2822.6	3786.3		J	355.1	87.5	104.7	573.6	
2925.1	3829.1	Min	I	-3359.1	-91.4	-102.5	-381.9	-
2885.9	-2544.6		J	-3359.1	-91.4	-102.5	-381.9	-
2990.7	-2594.7							
2976.6	2840.0	Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
3084.7	2899.9		J	346.8	83.8	99.5	535.6	
2742.0	-3346.1	Min	I	-3448.7	-101.0	-108.1	-353.2	-
2841.5	-3353.3		J	-3448.7	-101.0	-108.1	-353.2	-
1536.2	1877.8	Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
1592.0	1901.2		J	200.0	46.7	53.5	300.3	
1473.4	-1285.6	Min	I	-1695.4	-48.1	-55.8	-209.9	-


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1526.9	-1316.8		J	-1695.4	-48.1	-55.8	-209.9	-
1606.0	1355.4	Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
1664.3	1389.5		J	192.6	45.1	50.2	273.8	
1382.2	-1647.4	Min	I	-1729.2	-51.7	-58.3	-190.1	-
1432.3	-1651.0		J	-1729.2	-51.7	-58.3	-190.1	-
869.6	1687.2	Q1-1 Max	I	132.2	30.6	38.5	223.2	
901.2	1698.4		J	132.2	30.6	38.5	223.2	
1060.2	-511.4	Min	I	-1072.6	-29.0	-31.6	-149.0	-
1098.6	-533.6		J	-1072.6	-29.0	-31.6	-149.0	-
1085.0	77.2	Q1-3 Max	I	108.9	28.6	23.9	134.9	
1124.4	94.8		J	108.9	28.6	23.9	134.9	
-659.8	-1328.3	Min	I	-1121.9	-35.6	-39.4	-90.2	-
-683.8	-1318.5		J	-1121.9	-35.6	-39.4	-90.2	-
8843.8	-57504.3	SLVx (RS)	I	391.1	2423.6	-450.1	-5237.5	
9247.6	-59862.3		J	391.1	2423.6	-450.1	-5237.5	
7315.1	-15888.6	SLVy (RS)	I	321.1	823.7	1305.6	13118.1	-2
8472.9	-16640.8		J	321.1	823.7	1305.6	13118.1	-2
-214.1	-598.7	SLVz (RS)	I	1634.9	125.6	152.3	-181.3	
-350.7	-686.6		J	1634.9	125.6	152.3	-181.3	
-170.6	-425.1	G1	I	-10573.4	-29.4	6.1	341.7	
-176.7	-395.7		J	-10760.7	-29.4	6.1	341.7	
-61.4	-151.9	G2	I	-1948.5	-10.6	2.2	124.3	
-63.6	-141.2		J	-1948.5	-10.6	2.2	124.3	
13.1	-221.6	pp imp~1	I	-0.0	8.0	-0.5	-63.8	
13.5	-229.6		J	-0.0	8.0	-0.5	-63.8	
4.2	-71.4	perm i~1	I	-0.0	2.6	-0.2	-20.6	
4.4	-73.9		J	-0.0	2.6	-0.2	-20.6	
		pp2	I	0.0	-2.0	0.7	-0.4	

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-18.1	53.4		J	0.0	-2.0	0.7	-0.4	
-18.7	55.4							
		perm2	I	0.0	-0.5	0.2	-0.1	
-5.1	14.3		J	0.0	-0.5	0.2	-0.1	
-5.3	14.8							
		q3	I	5.7	46.9	282.7	1282.3	-
7788.7	-743.4		J	5.7	46.9	282.7	1282.3	-
8071.4	-790.3							
		q4-1	I	4.0	37.8	26.7	199.2	
-736.8	-1054.2		J	4.0	37.8	26.7	199.2	
-763.6	-1092.0							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-692.1	747.6		J	2.6	-25.4	25.1	-88.5	
-717.2	773.0							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-283.3	4000.9		J	-10.2	-137.2	10.3	21.7	
-293.5	4138.1							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
844.6	392.4		J	-5.5	-11.5	-30.7	231.2	
875.2	403.9							
		q5x_pc	I	0.9	-738.9	521.2	529.5	-1
4360.1	21233.2		J	0.9	-738.9	521.2	529.5	-1
4881.3	21972.1							
		q5y_pc	I	94.3	749.7	428.8	1007.6	-1
1812.7	-21303.3		J	94.3	749.7	428.8	1007.6	-1
2241.4	-22053.0							
		q5x_ps	I	-1.8	-775.9	584.6	764.5	-1
6105.0	22173.4		J	-1.8	-775.9	584.6	764.5	-1
6689.5	22949.3							
		q5y_ps	I	81.7	674.9	385.3	920.4	-1
0614.7	-18993.0		J	81.7	674.9	385.3	920.4	-1
0999.9	-19668.0							
		q7	I	-2.7	-58.0	13.0	-27.8	
-358.4	1637.9		J	-2.7	-58.0	13.0	-27.8	
-371.4	1695.9							
		T	I	10.6	-135.8	-268.9	-694.2	
7409.3	3839.1		J	10.6	-135.8	-268.9	-694.2	
7678.2	3975.0							
		SLVx-E~1	I	0.7	1.0	23.9	416.0	
-658.2	1.1							

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-682.1	0.1		J	0.7	1.0	23.9	416.0	
1535.8	2.6	SLVy-E~1	I	1.6	2.3	55.7	970.7	-
1591.5	0.3		J	1.6	2.3	55.7	970.7	-
532	7	43 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
2925.1	3829.1		J	355.1	87.5	104.7	573.6	
3027.5	3880.3	Min	I	-3359.1	-91.4	-102.5	-381.9	-
2990.7	-2594.7		J	-3359.1	-91.4	-102.5	-381.9	-
3095.4	-2645.3							
3084.7	2899.9	Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
3192.8	2960.3		J	346.8	83.8	99.5	535.6	
2841.5	-3353.3	Min	I	-3448.7	-101.0	-108.1	-353.2	-
2941.0	-3361.8		J	-3448.7	-101.0	-108.1	-353.2	-
1592.0	1901.2	Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
1647.7	1930.9		J	200.0	46.7	53.5	300.3	
1526.9	-1316.8	Min	I	-1695.4	-48.1	-55.8	-209.9	-
1580.4	-1348.2		J	-1695.4	-48.1	-55.8	-209.9	-
1664.3	1389.5	Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
1722.6	1423.9		J	192.6	45.1	50.2	273.8	
1432.3	-1651.0	Min	I	-1729.2	-51.7	-58.3	-190.1	-
1482.5	-1655.3		J	-1729.2	-51.7	-58.3	-190.1	-
901.2	1698.4	Q1-1 Max	I	132.2	30.6	38.5	223.2	
932.7	1715.9		J	132.2	30.6	38.5	223.2	
1098.6	-533.6	Min	I	-1072.6	-29.0	-31.6	-149.0	-
1137.1	-555.7		J	-1072.6	-29.0	-31.6	-149.0	-
1124.4	94.8	Q1-3 Max	I	108.9	28.6	23.9	134.9	
1163.8	113.0		J	108.9	28.6	23.9	134.9	
-683.8	-1318.5	Min	I	-1121.9	-35.6	-39.4	-90.2	-
-707.7	-1309.2		J	-1121.9	-35.6	-39.4	-90.2	-
9247.6	-59862.3	SLVx (RS)	I	391.4	2426.7	-452.3	-5237.5	
9656.0	-62226.2		J	391.4	2426.7	-452.3	-5237.5	

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


8472.9	-16640.8	SLVy (RS)	I	321.4	826.2	1311.1	13118.1	-2
			J	321.4	826.2	1311.1	13118.1	-2
9644.3	-17400.2							
		SLVz (RS)	I	1639.7	130.8	159.1	-181.3	
-350.7	-686.6		J	1639.7	130.8	159.1	-181.3	
-502.3	-786.8							
		G1	I	-10760.7	-29.4	6.1	341.7	
-176.7	-395.7		J	-10953.2	-29.4	6.1	341.7	
-182.8	-366.3							
		G2	I	-1948.5	-10.6	2.2	124.3	
-63.6	-141.2		J	-1948.5	-10.6	2.2	124.3	
-65.8	-130.6							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
13.5	-229.6		J	-0.0	8.0	-0.5	-63.8	
14.0	-237.6							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
4.4	-73.9		J	-0.0	2.6	-0.2	-20.6	
4.5	-76.5							
		pp2	I	0.0	-2.0	0.7	-0.4	
-18.7	55.4		J	0.0	-2.0	0.7	-0.4	
-19.4	57.3							
		perm2	I	0.0	-0.5	0.2	-0.1	
-5.3	14.8		J	0.0	-0.5	0.2	-0.1	
-5.5	15.3							
		q3	I	5.7	46.9	282.7	1282.3	-
8071.4	-790.3		J	5.7	46.9	282.7	1282.3	-
8354.1	-837.1							
		q4-1	I	4.0	37.8	26.7	199.2	
-763.6	-1092.0		J	4.0	37.8	26.7	199.2	
-790.3	-1129.8							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-717.2	773.0		J	2.6	-25.4	25.1	-88.5	
-742.4	798.4							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-293.5	4138.1		J	-10.2	-137.2	10.3	21.7	
-303.8	4275.3							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
875.2	403.9		J	-5.5	-11.5	-30.7	231.2	
905.9	415.4							

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
4881.3	21972.1	q5x_pc	I	0.9	-738.9	521.2	529.5	-1
			J	0.9	-738.9	521.2	529.5	-1
5402.5	22711.0	q5y_pc	I	94.3	749.7	428.8	1007.6	-1
			J	94.3	749.7	428.8	1007.6	-1
2241.4	-22053.0	q5x_ps	I	-1.8	-775.9	584.6	764.5	-1
			J	-1.8	-775.9	584.6	764.5	-1
2670.2	-22802.7	q5y_ps	I	81.7	674.9	385.3	920.4	-1
			J	81.7	674.9	385.3	920.4	-1
6689.5	22949.3	q7	I	-2.7	-58.0	13.0	-27.8	
			J	-2.7	-58.0	13.0	-27.8	
7274.1	23725.2	T	I	10.6	-135.8	-268.9	-694.2	
			J	10.6	-135.8	-268.9	-694.2	
0999.9	-19668.0	SLVx-E~1	I	0.7	1.0	23.9	416.0	
			J	0.7	1.0	23.9	416.0	
1385.2	-20342.9	SLVy-E~1	I	1.6	2.3	55.7	970.7	-
			J	1.6	2.3	55.7	970.7	-
-371.4	1695.9	Q1-1_2 Max	I	340.1	68.7	113.5	196.1	
			J	340.1	68.7	113.5	196.1	
-384.4	1753.9	Min	I	-3366.8	-80.0	-113.1	-313.2	
			J	-3366.8	-80.0	-113.1	-313.2	
7678.2	3975.0	Q1-3_4 Max	I	332.7	80.4	108.2	160.4	
			J	332.7	80.4	108.2	160.4	
7947.2	4110.8	Min	I	-3454.8	-74.0	-119.5	-330.7	
			J	-3454.8	-74.0	-119.5	-330.7	
-682.1	0.1	Q2a-1_2 Max	I	191.6	34.0	58.0	108.7	
			J	191.6	34.0	58.0	108.7	
-706.0	-0.9	Min	I	-1699.0	-42.4	-61.6	-159.2	
			J	-1699.0	-42.4	-61.6	-159.2	
1591.5	0.3							
1647.3	-2.0							
548	7	53						
62.3	2019.7							
175.5	1978.5							
-62.5	-3626.7							
-176.0	-3572.0							
65.8	3674.5							
185.3	3617.1							
-59.6	-2188.3							
-167.9	-2149.3							
33.9	908.5							
95.5	890.6							
-32.0	-1936.8							
-90.0	-1904.7							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
35.5	1808.0	Q2a-3_4 Max	I	184.8	39.9	54.7	85.8
			J	184.8	39.9	54.7	85.8
100.0	1779.1	Min	I	-1732.0	-39.3	-64.5	-167.8
-30.1	-1104.0		J	-1732.0	-39.3	-64.5	-167.8
-84.9	-1081.5						
		Q1-1 Max	I	126.4	19.7	41.5	87.8
19.2	0.7		J	126.4	19.7	41.5	87.8
53.9	4.1	Min	I	-1076.2	-28.8	-34.8	-98.2
-22.8	-1912.4		J	-1076.2	-28.8	-34.8	-98.2
-64.3	-1892.1						
		Q1-3 Max	I	105.0	29.5	26.6	21.0
24.0	1801.8		J	105.0	29.5	26.6	21.0
67.7	1775.4	Min	I	-1121.5	-24.2	-43.6	-113.6
-14.7	-29.7		J	-1121.5	-24.2	-43.6	-113.6
-41.3	-9.1						
		SLVx (RS)	I	-300.3	-1453.8	-402.4	-5057.2
214.4	-1359.7		J	-300.3	-1453.8	-402.4	-5057.2
616.6	1668.0						
		SLVy (RS)	I	-390.8	1184.6	-1082.4	11380.0
586.1	2235.1		J	-390.8	1184.6	-1082.4	11380.0
1668.9	1585.1						
		SLVz (RS)	I	1052.8	-54.9	-173.8	252.0
101.7	-294.2		J	1052.8	-54.9	-173.8	252.0
275.1	-316.5						
		G1	I	-5395.1	9.9	3.5	-328.1
-2.0	1260.7		J	-5827.2	10.1	3.5	-328.1
-5.6	1250.7						
		G2	I	-1958.1	3.6	1.3	-118.7
-0.7	459.1		J	-1958.1	3.6	1.3	-118.7
-2.0	455.5						
		pp imp~1	I	-0.0	3.5	0.9	1.0
-0.5	-1.5		J	-0.0	3.5	0.9	1.0
-1.4	-5.0						
		perm i~1	I	-0.0	1.1	0.3	0.3
-0.2	-0.5		J	-0.0	1.1	0.3	0.3
-0.5	-1.6						
		pp2	I	-0.0	-4.7	-0.3	39.3
0.2	3.4		J	-0.0	-4.7	-0.3	39.3

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.5	8.1						
		perm2	I	-0.0	-1.3	-0.1	10.4
0.0	-0.3		J	-0.0	-1.3	-0.1	10.4
0.1	1.0						
		q3	I	-23.7	83.6	-338.4	1262.9
186.7	-578.8		J	-23.7	83.6	-338.4	1262.9
525.2	-662.5						
		q4-1	I	-6.8	-31.5	-51.1	87.2
28.1	40.3		J	-6.8	-31.5	-51.1	87.2
79.2	71.8						
		q4-2	I	-8.9	144.5	5.6	35.1
-3.1	-318.1		J	-8.9	144.5	5.6	35.1
-8.7	-462.7						
		q4-3	I	3.2	33.6	29.8	114.7
-16.4	-90.8		J	3.2	33.6	29.8	114.7
-46.2	-124.4						
		q4-4	I	7.9	-53.8	23.7	-172.5
-13.1	55.6		J	7.9	-53.8	23.7	-172.5
-36.8	109.4						
		q5x_pc	I	-98.4	1273.8	-167.7	2060.6
93.1	-1979.4		J	-98.4	1278.6	-167.7	2060.6
260.8	-3256.1						
		q5y_pc	I	-67.2	146.9	-597.2	1583.1
329.1	123.8		J	-67.2	146.9	-608.4	1577.5
932.1	-23.1						
		q5x_ps	I	-88.8	1322.1	-234.5	2418.7
130.0	-1872.1		J	-88.8	1322.1	-234.5	2418.7
364.6	-3194.7						
		q5y_ps	I	-55.1	141.1	-611.7	1370.0
337.0	69.0		J	-55.1	141.1	-611.7	1370.0
949.0	-72.1						
		q7	I	-2.1	64.7	13.3	52.2
-7.3	-91.9		J	-2.1	64.7	13.3	52.2
-20.6	-156.7						
		T	I	-1.9	145.7	-273.9	395.1
150.8	-221.0		J	-1.9	145.7	-273.9	395.1
424.8	-366.7						
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8
15.8	29.6		J	-0.1	14.7	-28.5	289.8
44.3	14.9						


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


36.8	69.1	SLVy-E~1	I	-0.2	34.3	-66.5	676.2
103.3	34.8		J	-0.2	34.3	-66.5	676.2
549	7	49 Q1-1_2 Max	I	340.1	67.7	113.4	196.2
175.4	1978.5		J	340.1	67.7	113.4	196.2
288.6	1944.8	Min	I	-3366.8	-80.6	-113.2	-313.3
-175.9	-3572.0		J	-3366.8	-80.6	-113.2	-313.3
-289.3	-3521.9						
185.3	3617.1	Q1-3_4 Max	I	332.8	79.2	108.2	160.5
304.8	3577.5		J	332.8	79.2	108.2	160.5
-167.8	-2149.3	Min	I	-3454.8	-74.2	-119.5	-330.8
-276.0	-2123.7		J	-3454.8	-74.2	-119.5	-330.8
95.5	890.6	Q2a-1_2 Max	I	191.6	33.6	58.0	108.7
157.1	876.2		J	191.6	33.6	58.0	108.7
-90.0	-1904.7	Min	I	-1699.0	-42.7	-61.6	-159.2
-148.0	-1874.3		J	-1699.0	-42.7	-61.6	-159.2
100.0	1779.1	Q2a-3_4 Max	I	184.8	39.3	54.7	85.8
164.5	1758.7		J	184.8	39.3	54.7	85.8
-84.8	-1081.5	Min	I	-1732.0	-39.4	-64.5	-167.9
-139.6	-1067.0		J	-1732.0	-39.4	-64.5	-167.9
53.9	4.1	Q1-1 Max	I	126.4	19.6	41.5	87.8
88.7	9.4		J	126.4	19.6	41.5	87.8
-64.3	-1892.1	Min	I	-1076.2	-29.2	-34.8	-98.2
-105.8	-1871.9		J	-1076.2	-29.2	-34.8	-98.2
67.7	1775.4	Q1-3 Max	I	105.0	29.1	26.6	21.0
111.3	1754.7		J	105.0	29.1	26.6	21.0
-41.3	-9.1	Min	I	-1121.5	-24.1	-43.6	-113.6
-67.9	-2.3		J	-1121.5	-24.1	-43.6	-113.6
617.8	1668.0	SLVx (RS)	I	-303.0	-1480.1	-413.0	-5057.1
1028.9	2814.3		J	-303.0	-1480.1	-413.0	-5057.1
		SLVy (RS)	I	-393.8	1203.3	-1115.2	11380.7

MIDAS

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1664.4	1585.1		J	-393.8	1203.3	-1115.2	11380.7
2779.0	1630.4						
		SLVz (RS)	I	1092.8	-37.8	-144.3	252.0
275.1	-316.5		J	1092.8	-37.8	-144.3	252.0
417.2	-329.1						
		G1	I	-5827.2	7.6	3.4	-328.2
-5.4	1250.7		J	-6054.5	7.6	3.4	-328.2
-8.8	1243.1						
		G2	I	-1958.1	2.8	1.2	-118.7
-2.0	455.5		J	-1958.1	2.8	1.2	-118.7
-3.2	452.7						
		pp imp~1	I	-0.0	3.5	0.9	1.0
-1.4	-5.0		J	-0.0	3.5	0.9	1.0
-2.4	-8.4						
		perm i~1	I	-0.0	1.1	0.3	0.3
-0.5	-1.6		J	-0.0	1.1	0.3	0.3
-0.8	-2.7						
		pp2	I	-0.0	-4.7	-0.3	39.3
0.5	8.1		J	-0.0	-4.7	-0.3	39.3
0.8	12.8						
		perm2	I	-0.0	-1.3	-0.1	10.4
0.1	1.0		J	-0.0	-1.3	-0.1	10.4
0.2	2.2						
		q3	I	-23.7	83.6	-338.4	1263.1
524.6	-662.4		J	-23.7	83.6	-338.4	1263.1
863.0	-746.0						
		q4-1	I	-6.8	-31.6	-51.1	87.3
79.2	71.8		J	-6.8	-31.6	-51.1	87.3
130.3	103.4						
		q4-2	I	-9.0	144.5	5.6	35.1
-8.7	-462.7		J	-9.0	144.5	5.6	35.1
-14.4	-607.2						
		q4-3	I	3.2	33.6	29.8	114.7
-46.2	-124.4		J	3.2	33.6	29.8	114.7
-76.0	-158.0						
		q4-4	I	7.9	-53.7	23.7	-172.5
-36.8	109.4		J	7.9	-53.7	23.7	-172.5
-60.5	163.2						
		q5x_pc	I	-98.9	1278.6	-167.7	2060.8
259.9	-3256.1						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
427.6	-4537.0		J	-98.9	1283.3	-167.7	2060.8
931.5	-23.1	q5y_pc	I	-67.2	146.8	-608.4	1577.9
1545.4	-169.9		J	-67.2	146.8	-619.6	1572.3
363.6	-3194.6	q5x_ps	I	-89.4	1322.0	-234.5	2418.9
598.1	-4516.7		J	-89.4	1322.0	-234.5	2418.9
948.4	-72.1	q5y_ps	I	-55.2	141.1	-611.7	1370.4
1560.1	-213.1		J	-55.2	141.1	-611.7	1370.4
-20.6	-156.7	q7	I	-2.1	64.7	13.3	52.2
-33.9	-221.4		J	-2.1	64.7	13.3	52.2
424.6	-366.7	T	I	-2.0	145.7	-273.9	395.2
698.5	-512.4		J	-2.0	145.7	-273.9	395.2
44.2	14.9	SLVx-E~1	I	-0.1	14.7	-28.5	289.8
72.7	0.2		J	-0.1	14.7	-28.5	289.8
103.1	34.8	SLVy-E~1	I	-0.2	34.3	-66.5	676.3
169.5	0.5		J	-0.2	34.3	-66.5	676.3
550	7	37 Q1-1_2 Max	I	340.1	67.7	113.4	196.2
288.6	1944.8		J	340.1	67.7	113.4	196.2
401.8	1929.7	Min	I	-3366.8	-80.6	-113.2	-313.3
-289.3	-3521.9		J	-3366.8	-80.6	-113.2	-313.3
-402.8	-3488.7	Q1-3_4 Max	I	332.8	79.2	108.2	160.5
304.8	3577.5		J	332.8	79.2	108.2	160.5
424.3	3551.9	Min	I	-3454.8	-74.2	-119.5	-330.8
-276.0	-2123.7		J	-3454.8	-74.2	-119.5	-330.8
-384.2	-2111.6	Q2a-1_2 Max	I	191.6	33.6	58.0	108.7
157.1	876.2		J	191.6	33.6	58.0	108.7
218.7	869.4	Min	I	-1699.0	-42.7	-61.6	-159.2
-148.0	-1874.3		J	-1699.0	-42.7	-61.6	-159.2
-206.0	-1853.5	Q2a-3_4 Max	I	184.8	39.3	54.7	85.8

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
164.5	1758.7		J	184.8	39.3	54.7	85.8
229.0	1745.2						
		Min	I	-1732.0	-39.4	-64.5	-167.9
-139.6	-1067.0						
			J	-1732.0	-39.4	-64.5	-167.9
-194.3	-1059.3						
		Q1-1 Max	I	126.4	19.6	41.5	87.8
88.7	9.4						
			J	126.4	19.6	41.5	87.8
123.5	16.4						
		Min	I	-1076.2	-29.2	-34.8	-98.2
-105.8	-1871.9						
			J	-1076.2	-29.2	-34.8	-98.2
-147.2	-1853.3						
		Q1-3 Max	I	105.0	29.1	26.6	21.0
111.3	1754.7						
			J	105.0	29.1	26.6	21.0
154.9	1736.9						
		Min	I	-1121.5	-24.1	-43.6	-113.6
-67.9	-2.3						
			J	-1121.5	-24.1	-43.6	-113.6
-94.5	-3.1						
		SLVx (RS)	I	-304.8	-1496.5	-417.3	-5057.1
1028.9	2814.3						
			J	-304.8	-1496.5	-417.3	-5057.1
1442.9	4178.7						
		SLVy (RS)	I	-395.9	1215.0	-1133.2	11380.7
2779.0	1630.4						
			J	-395.9	1215.0	-1133.2	11380.7
3911.0	-2366.6						
		SLVz (RS)	I	1120.7	-32.3	-117.4	252.0
417.2	-329.1						
			J	1120.7	-32.3	-117.4	252.0
531.1	-333.7						
		G1	I	-6054.5	7.6	3.4	-328.2
-8.8	1243.1						
			J	-6248.0	7.6	3.4	-328.2
-12.2	1235.5						
		G2	I	-1958.1	2.8	1.2	-118.7
-3.2	452.7						
			J	-1958.1	2.8	1.2	-118.7
-4.5	449.8						
		pp imp~1	I	-0.0	3.5	0.9	1.0
-2.4	-8.4						
			J	-0.0	3.5	0.9	1.0
-3.3	-11.9						
		perm i~1	I	-0.0	1.1	0.3	0.3
-0.8	-2.7						
			J	-0.0	1.1	0.3	0.3
-1.1	-3.8						
		pp2	I	-0.0	-4.7	-0.3	39.3
0.8	12.8						
			J	-0.0	-4.7	-0.3	39.3
1.1	17.5						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.2	2.2	perm2	I	-0.0	-1.3	-0.1	10.4
			J	-0.0	-1.3	-0.1	10.4
0.3	3.5						
863.0	-746.0	q3	I	-23.7	83.6	-338.4	1263.1
1201.4	-829.6		J	-23.7	83.6	-338.4	1263.1
130.3	103.4	q4-1	I	-6.8	-31.6	-51.1	87.3
181.3	134.9		J	-6.8	-31.6	-51.1	87.3
-14.4	-607.2	q4-2	I	-9.0	144.5	5.6	35.1
-20.0	-751.7		J	-9.0	144.5	5.6	35.1
-76.0	-158.0	q4-3	I	3.2	33.6	29.8	114.7
-105.9	-191.5		J	3.2	33.6	29.8	114.7
-60.5	163.2	q4-4	I	7.9	-53.7	23.7	-172.5
-84.2	216.9		J	7.9	-53.7	23.7	-172.5
427.6	-4537.0	q5x_pc	I	-98.9	1283.3	-167.7	2060.8
595.2	-5822.7		J	-98.9	1288.1	-167.7	2060.8
1545.4	-169.9	q5y_pc	I	-67.2	146.8	-619.6	1572.3
2170.6	-316.7		J	-67.2	146.8	-630.8	1566.7
598.1	-4516.7	q5x_ps	I	-89.4	1322.0	-234.5	2418.9
832.6	-5838.7		J	-89.4	1322.0	-234.5	2418.9
1560.1	-213.1	q5y_ps	I	-55.2	141.1	-611.7	1370.4
2171.8	-354.2		J	-55.2	141.1	-611.7	1370.4
-33.9	-221.4	q7	I	-2.1	64.7	13.3	52.2
-47.2	-286.1		J	-2.1	64.7	13.3	52.2
698.5	-512.4	T	I	-2.0	145.7	-273.9	395.2
972.4	-658.1		J	-2.0	145.7	-273.9	395.2
72.7	0.2	SLVx-E~1	I	-0.1	14.7	-28.5	289.8
101.1	-14.5		J	-0.1	14.7	-28.5	289.8
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
169.5	0.5			J	-0.2	34.3	-66.5	676.3
236.0	-33.8							
551	7	37	Q1-1_2 Max	I	340.1	67.7	113.4	196.2
401.8	1929.7			J	340.1	67.7	113.4	196.2
514.9	1920.8		Min	I	-3366.8	-80.6	-113.2	-313.3
-402.8	-3488.7			J	-3366.8	-80.6	-113.2	-313.3
-516.2	-3464.2							
			Q1-3_4 Max	I	332.8	79.2	108.2	160.5
424.3	3551.9			J	332.8	79.2	108.2	160.5
543.9	3533.0		Min	I	-3454.8	-74.2	-119.5	-330.8
-384.2	-2111.6			J	-3454.8	-74.2	-119.5	-330.8
-492.4	-2108.0							
			Q2a-1_2 Max	I	191.6	33.6	58.0	108.7
218.7	869.4			J	191.6	33.6	58.0	108.7
280.3	865.8		Min	I	-1699.0	-42.7	-61.6	-159.2
-206.0	-1853.5			J	-1699.0	-42.7	-61.6	-159.2
-264.0	-1837.0							
			Q2a-3_4 Max	I	184.8	39.3	54.7	85.8
229.0	1745.2			J	184.8	39.3	54.7	85.8
293.5	1735.8		Min	I	-1732.0	-39.4	-64.5	-167.9
-194.3	-1059.3			J	-1732.0	-39.4	-64.5	-167.9
-249.0	-1055.0							
			Q1-1 Max	I	126.4	19.6	41.5	87.8
123.5	16.4			J	126.4	19.6	41.5	87.8
158.3	28.1		Min	I	-1076.2	-29.2	-34.8	-98.2
-147.2	-1853.3			J	-1076.2	-29.2	-34.8	-98.2
-188.7	-1836.9							
			Q1-3 Max	I	105.0	29.1	26.6	21.0
154.9	1736.9			J	105.0	29.1	26.6	21.0
198.6	1719.0		Min	I	-1121.5	-24.1	-43.6	-113.6
-94.5	-3.1			J	-1121.5	-24.1	-43.6	-113.6
-121.1	-3.8							
			SLVx (RS)	I	-306.5	-1511.1	-419.7	-5057.1
1442.9	4178.7			J	-306.5	-1511.1	-419.7	-5057.1
1857.3	5614.9							
			SLVy (RS)	I	-398.2	1225.4	-1147.7	11380.7
3911.0	-2366.6			J	-398.2	1225.4	-1147.7	11380.7

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
5056.7	-3378.3						
		SLVz (RS)	I	1147.7	-32.9	-86.2	252.0
531.1	-333.7		J	1147.7	-32.9	-86.2	252.0
612.1	-330.7						
		G1	I	-6248.0	7.6	3.4	-328.2
-12.2	1235.5		J	-6441.5	7.6	3.4	-328.2
-15.6	1227.9						
		G2	I	-1958.1	2.8	1.2	-118.7
-4.5	449.8		J	-1958.1	2.8	1.2	-118.7
-5.7	447.0						
		pp imp~1	I	-0.0	3.5	0.9	1.0
-3.3	-11.9		J	-0.0	3.5	0.9	1.0
-4.2	-15.4						
		perm i~1	I	-0.0	1.1	0.3	0.3
-1.1	-3.8		J	-0.0	1.1	0.3	0.3
-1.4	-4.9						
		pp2	I	-0.0	-4.7	-0.3	39.3
1.1	17.5		J	-0.0	-4.7	-0.3	39.3
1.4	22.2						
		perm2	I	-0.0	-1.3	-0.1	10.4
0.3	3.5		J	-0.0	-1.3	-0.1	10.4
0.3	4.8						
		q3	I	-23.7	83.6	-338.4	1263.1
1201.4	-829.6		J	-23.7	83.6	-338.4	1263.1
1539.8	-913.2						
		q4-1	I	-6.8	-31.6	-51.1	87.3
181.3	134.9		J	-6.8	-31.6	-51.1	87.3
232.4	166.5						
		q4-2	I	-9.0	144.5	5.6	35.1
-20.0	-751.7		J	-9.0	144.5	5.6	35.1
-25.6	-896.2						
		q4-3	I	3.2	33.6	29.8	114.7
-105.9	-191.5		J	3.2	33.6	29.8	114.7
-135.7	-225.1						
		q4-4	I	7.9	-53.7	23.7	-172.5
-84.2	216.9		J	7.9	-53.7	23.7	-172.5
-107.9	270.7						
		q5x_pc	I	-98.9	1288.1	-167.7	2060.8
595.2	-5822.7		J	-98.9	1292.7	-167.7	2060.8
762.9	-7113.1						


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


2170.6	-316.7	q5y_pc	I	-67.2	146.8	-630.8	1566.7
2805.9	-463.6		J	-67.2	146.8	-639.9	1562.2
832.6	-5838.7	q5x_ps	I	-89.4	1322.0	-234.5	2418.9
1067.1	-7160.8		J	-89.4	1322.0	-234.5	2418.9
2171.8	-354.2	q5y_ps	I	-55.2	141.1	-611.7	1370.4
2783.5	-495.2		J	-55.2	141.1	-611.7	1370.4
-47.2	-286.1	q7	I	-2.1	64.7	13.3	52.2
-60.5	-350.8		J	-2.1	64.7	13.3	52.2
972.4	-658.1	T	I	-2.0	145.7	-273.9	395.2
1246.2	-803.8		J	-2.0	145.7	-273.9	395.2
101.1	-14.5	SLVx-E~1	I	-0.1	14.7	-28.5	289.8
129.6	-29.2		J	-0.1	14.7	-28.5	289.8
236.0	-33.8	SLVy-E~1	I	-0.2	34.3	-66.5	676.3
302.5	-68.1		J	-0.2	34.3	-66.5	676.3
552	7	37 Q1-1_2 Max	I	340.1	67.7	113.4	196.2
514.9	1920.8		J	340.1	67.7	113.4	196.2
628.1	1915.3	Min	I	-3366.8	-80.6	-113.2	-313.3
-516.2	-3464.2		J	-3366.8	-80.6	-113.2	-313.3
-629.6	-3443.2	Q1-3_4 Max	I	332.8	79.2	108.2	160.5
543.9	3533.0		J	332.8	79.2	108.2	160.5
663.4	3517.2	Min	I	-3454.8	-74.2	-119.5	-330.8
-492.4	-2108.0		J	-3454.8	-74.2	-119.5	-330.8
-600.6	-2108.4	Q2a-1_2 Max	I	191.6	33.6	58.0	108.7
280.3	865.8		J	191.6	33.6	58.0	108.7
341.9	864.4	Min	I	-1699.0	-42.7	-61.6	-159.2
-264.0	-1837.0		J	-1699.0	-42.7	-61.6	-159.2
-322.0	-1822.0	Q2a-3_4 Max	I	184.8	39.3	54.7	85.8
293.5	1735.8		J	184.8	39.3	54.7	85.8

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
358.0	1728.1						
		Min	I	-1732.0	-39.4	-64.5	-167.9
-249.0	-1055.0		J	-1732.0	-39.4	-64.5	-167.9
-303.7	-1052.3						
		Q1-1 Max	I	126.4	19.6	41.5	87.8
158.3	28.1		J	126.4	19.6	41.5	87.8
193.1	43.5						
		Min	I	-1076.2	-29.2	-34.8	-98.2
-188.7	-1836.9		J	-1076.2	-29.2	-34.8	-98.2
-230.2	-1821.9						
		Q1-3 Max	I	105.0	29.1	26.6	21.0
198.6	1719.0		J	105.0	29.1	26.6	21.0
242.2	1701.2						
		Min	I	-1121.5	-24.1	-43.6	-113.6
-121.1	-3.8		J	-1121.5	-24.1	-43.6	-113.6
-147.7	-4.6						
		SLVx (RS)	I	-308.3	-1525.5	-421.6	-5057.1
1857.3	5614.9		J	-308.3	-1525.5	-421.6	-5057.1
2270.2	7087.4						
		SLVy (RS)	I	-400.6	1235.9	-1160.7	11380.7
5056.7	-3378.3		J	-400.6	1235.9	-1160.7	11380.7
6213.8	-4489.3						
		SLVz (RS)	I	1175.4	-37.9	-52.1	252.0
612.1	-330.7		J	1175.4	-37.9	-52.1	252.0
654.6	-320.9						
		G1	I	-6441.5	7.6	3.4	-328.2
-15.6	1227.9		J	-6635.0	7.6	3.4	-328.2
-19.0	1220.3						
		G2	I	-1958.1	2.8	1.2	-118.7
-5.7	447.0		J	-1958.1	2.8	1.2	-118.7
-7.0	444.2						
		pp imp~1	I	-0.0	3.5	0.9	1.0
-4.2	-15.4		J	-0.0	3.5	0.9	1.0
-5.1	-18.8						
		perm i~1	I	-0.0	1.1	0.3	0.3
-1.4	-4.9		J	-0.0	1.1	0.3	0.3
-1.7	-6.1						
		pp2	I	-0.0	-4.7	-0.3	39.3
1.4	22.2		J	-0.0	-4.7	-0.3	39.3
1.8	26.9						
		perm2	I	-0.0	-1.3	-0.1	10.4
0.3	4.8						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.4	6.0		J	-0.0	-1.3	-0.1	10.4
1539.8	-913.2	q3	I	-23.7	83.6	-338.4	1263.1
1878.2	-996.8		J	-23.7	83.6	-338.4	1263.1
232.4	166.5	q4-1	I	-6.8	-31.6	-51.1	87.3
283.5	198.0		J	-6.8	-31.6	-51.1	87.3
-25.6	-896.2	q4-2	I	-9.0	144.5	5.6	35.1
-31.3	-1040.7		J	-9.0	144.5	5.6	35.1
-135.7	-225.1	q4-3	I	3.2	33.6	29.8	114.7
-165.5	-258.6		J	3.2	33.6	29.8	114.7
-107.9	270.7	q4-4	I	7.9	-53.7	23.7	-172.5
-131.6	324.4		J	7.9	-53.7	23.7	-172.5
762.9	-7113.1	q5x_pc	I	-98.9	1292.7	-167.7	2060.8
930.5	-8408.1		J	-98.9	1297.2	-167.7	2060.8
2805.9	-463.6	q5y_pc	I	-67.2	146.8	-639.9	1562.2
3450.4	-610.4		J	-67.2	146.8	-649.0	1557.6
1067.1	-7160.8	q5x_ps	I	-89.4	1322.0	-234.5	2418.9
1301.6	-8482.8		J	-89.4	1322.0	-234.5	2418.9
2783.5	-495.2	q5y_ps	I	-55.2	141.1	-611.7	1370.4
3395.2	-636.3		J	-55.2	141.1	-611.7	1370.4
-60.5	-350.8	q7	I	-2.1	64.7	13.3	52.2
-73.8	-415.5		J	-2.1	64.7	13.3	52.2
1246.2	-803.8	T	I	-2.0	145.7	-273.9	395.2
1520.1	-949.5		J	-2.0	145.7	-273.9	395.2
129.6	-29.2	SLVx-E~1	I	-0.1	14.7	-28.5	289.8
158.1	-43.9		J	-0.1	14.7	-28.5	289.8
302.5	-68.1	SLVy-E~1	I	-0.2	34.3	-66.5	676.3
			J	-0.2	34.3	-66.5	676.3

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
368.9	-102.4								
553	7	37	Q1-1_2	Max	I	340.1	67.7	113.4	196.2
628.1	1915.3				J	340.1	67.7	113.4	196.2
741.3	1911.3								
				Min	I	-3366.8	-80.6	-113.2	-313.3
-629.6	-3443.2				J	-3366.8	-80.6	-113.2	-313.3
-743.1	-3424.1								
			Q1-3_4	Max	I	332.8	79.2	108.2	160.5
663.4	3517.2				J	332.8	79.2	108.2	160.5
782.9	3502.7								
				Min	I	-3454.8	-74.2	-119.5	-330.8
-600.6	-2108.4				J	-3454.8	-74.2	-119.5	-330.8
-708.8	-2110.5								
			Q2a-1_2	Max	I	191.6	33.6	58.0	108.7
341.9	864.4				J	191.6	33.6	58.0	108.7
403.5	864.0								
				Min	I	-1699.0	-42.7	-61.6	-159.2
-322.0	-1822.0				J	-1699.0	-42.7	-61.6	-159.2
-380.0	-1807.7								
			Q2a-3_4	Max	I	184.8	39.3	54.7	85.8
358.0	1728.1				J	184.8	39.3	54.7	85.8
422.5	1721.1								
				Min	I	-1732.0	-39.4	-64.5	-167.9
-303.7	-1052.3				J	-1732.0	-39.4	-64.5	-167.9
-358.4	-1050.3								
			Q1-1	Max	I	126.4	19.6	41.5	87.8
193.1	43.5				J	126.4	19.6	41.5	87.8
227.8	60.8								
				Min	I	-1076.2	-29.2	-34.8	-98.2
-230.2	-1821.9				J	-1076.2	-29.2	-34.8	-98.2
-271.6	-1807.6								
			Q1-3	Max	I	105.0	29.1	26.6	21.0
242.2	1701.2				J	105.0	29.1	26.6	21.0
285.9	1683.4								
				Min	I	-1121.5	-24.1	-43.6	-113.6
-147.7	-4.6				J	-1121.5	-24.1	-43.6	-113.6
-174.3	-5.4								
			SLVx (RS)		I	-310.2	-1539.8	-423.9	-5057.1
2270.2	7087.4				J	-310.2	-1539.8	-423.9	-5057.1
2681.0	8584.0								
			SLVy (RS)		I	-403.2	1246.8	-1172.7	11380.7
6213.8	-4489.3				J	-403.2	1246.8	-1172.7	11380.7
7381.0	-5646.3								

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
654.6	-320.9	SLVz (RS)	I	1203.8	-44.7	-30.9	252.0
			J	1203.8	-44.7	-30.9	252.0
655.4	-306.4						
		G1	I	-6635.0	7.6	3.4	-328.2
-19.0	1220.3		J	-6828.5	7.6	3.4	-328.2
-22.4	1212.6						
		G2	I	-1958.1	2.8	1.2	-118.7
-7.0	444.2		J	-1958.1	2.8	1.2	-118.7
-8.2	441.4						
		pp imp~1	I	-0.0	3.5	0.9	1.0
-5.1	-18.8		J	-0.0	3.5	0.9	1.0
-6.1	-22.3						
		perm i~1	I	-0.0	1.1	0.3	0.3
-1.7	-6.1		J	-0.0	1.1	0.3	0.3
-2.0	-7.2						
		pp2	I	-0.0	-4.7	-0.3	39.3
1.8	26.9		J	-0.0	-4.7	-0.3	39.3
2.1	31.6						
		perm2	I	-0.0	-1.3	-0.1	10.4
0.4	6.0		J	-0.0	-1.3	-0.1	10.4
0.5	7.3						
		q3	I	-23.7	83.6	-338.4	1263.1
1878.2	-996.8		J	-23.7	83.6	-338.4	1263.1
2216.6	-1080.4						
		q4-1	I	-6.8	-31.6	-51.1	87.3
283.5	198.0		J	-6.8	-31.6	-51.1	87.3
334.6	229.6						
		q4-2	I	-9.0	144.5	5.6	35.1
-31.3	-1040.7		J	-9.0	144.5	5.6	35.1
-36.9	-1185.2						
		q4-3	I	3.2	33.6	29.8	114.7
-165.5	-258.6		J	3.2	33.6	29.8	114.7
-195.3	-292.2						
		q4-4	I	7.9	-53.7	23.7	-172.5
-131.6	324.4		J	7.9	-53.7	23.7	-172.5
-155.3	378.1						
		q5x_pc	I	-98.9	1297.2	-167.7	2060.8
930.5	-8408.1		J	-98.9	1301.8	-167.7	2060.8
1098.2	-9707.6						
		q5y_pc	I	-67.2	146.8	-649.0	1557.6

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
3450.4	-610.4		J	-67.2	146.8	-658.1	1553.1
4103.9	-757.3						
		q5x_ps	I	-89.4	1322.0	-234.5	2418.9
1301.6	-8482.8		J	-89.4	1322.0	-234.5	2418.9
1536.1	-9804.9						
		q5y_ps	I	-55.2	141.1	-611.7	1370.4
3395.2	-636.3		J	-55.2	141.1	-611.7	1370.4
4007.0	-777.3						
		q7	I	-2.1	64.7	13.3	52.2
-73.8	-415.5		J	-2.1	64.7	13.3	52.2
-87.1	-480.2						
		T	I	-2.0	145.7	-273.9	395.2
1520.1	-949.5		J	-2.0	145.7	-273.9	395.2
1794.0	-1095.2						
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8
158.1	-43.9		J	-0.1	14.7	-28.5	289.8
186.6	-58.6						
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3
368.9	-102.4		J	-0.2	34.3	-66.5	676.3
435.4	-136.8						
554	7	37 Q1-1_2 Max	I	340.1	67.7	113.4	196.2
741.3	1911.3		J	340.1	67.7	113.4	196.2
854.4	1908.3						
		Min	I	-3366.8	-80.6	-113.2	-313.3
-743.1	-3424.1		J	-3366.8	-80.6	-113.2	-313.3
-856.5	-3405.9						
		Q1-3_4 Max	I	332.8	79.2	108.2	160.5
782.9	3502.7		J	332.8	79.2	108.2	160.5
902.5	3488.8						
		Min	I	-3454.8	-74.2	-119.5	-330.8
-708.8	-2110.5		J	-3454.8	-74.2	-119.5	-330.8
-816.9	-2113.2						
		Q2a-1_2 Max	I	191.6	33.6	58.0	108.7
403.5	864.0		J	191.6	33.6	58.0	108.7
465.1	864.3						
		Min	I	-1699.0	-42.7	-61.6	-159.2
-380.0	-1807.7		J	-1699.0	-42.7	-61.6	-159.2
-438.1	-1793.8						
		Q2a-3_4 Max	I	184.8	39.3	54.7	85.8
422.5	1721.1		J	184.8	39.3	54.7	85.8
487.0	1714.5						
		Min	I	-1732.0	-39.4	-64.5	-167.9

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-358.4	-1050.3		J	-1732.0	-39.4	-64.5	-167.9
-413.1	-1048.6						
		Q1-1 Max	I	126.4	19.6	41.5	87.8
227.8	60.8		J	126.4	19.6	41.5	87.8
262.6	79.0	Min	I	-1076.2	-29.2	-34.8	-98.2
-271.6	-1807.6		J	-1076.2	-29.2	-34.8	-98.2
-313.1	-1793.6						
		Q1-3 Max	I	105.0	29.1	26.6	21.0
285.9	1683.4		J	105.0	29.1	26.6	21.0
329.5	1665.5	Min	I	-1121.5	-24.1	-43.6	-113.6
-174.3	-5.4		J	-1121.5	-24.1	-43.6	-113.6
-200.9	-6.1						
		SLVx (RS)	I	-312.1	-1554.0	-427.4	-5057.1
2681.0	8584.0		J	-312.1	-1554.0	-427.4	-5057.1
3089.7	10099.4						
		SLVy (RS)	I	-406.1	1258.4	-1184.2	11380.7
7381.0	-5646.3		J	-406.1	1258.4	-1184.2	11380.7
8557.1	-6830.7						
		SLVz (RS)	I	1232.6	-51.2	52.1	252.0
655.4	-306.4		J	1232.6	-51.2	52.1	252.0
614.4	-290.6						
		G1	I	-6828.5	7.6	3.4	-328.2
-22.4	1212.6		J	-7022.0	7.6	3.4	-328.2
-25.8	1205.0						
		G2	I	-1958.1	2.8	1.2	-118.7
-8.2	441.4		J	-1958.1	2.8	1.2	-118.7
-9.5	438.6						
		pp imp~1	I	-0.0	3.5	0.9	1.0
-6.1	-22.3		J	-0.0	3.5	0.9	1.0
-7.0	-25.7						
		perm i~1	I	-0.0	1.1	0.3	0.3
-2.0	-7.2		J	-0.0	1.1	0.3	0.3
-2.2	-8.3						
		pp2	I	-0.0	-4.7	-0.3	39.3
2.1	31.6		J	-0.0	-4.7	-0.3	39.3
2.4	36.4						
		perm2	I	-0.0	-1.3	-0.1	10.4
0.5	7.3		J	-0.0	-1.3	-0.1	10.4
0.6	8.6						


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


2216.6	-1080.4	q3	I	-23.7	83.6	-338.4	1263.1
			J	-23.7	83.6	-338.4	1263.1
2555.0	-1164.0						
		q4-1	I	-6.8	-31.6	-51.1	87.3
334.6	229.6		J	-6.8	-31.6	-51.1	87.3
385.6	261.1						
		q4-2	I	-9.0	144.5	5.6	35.1
-36.9	-1185.2		J	-9.0	144.5	5.6	35.1
-42.5	-1329.8						
		q4-3	I	3.2	33.6	29.8	114.7
-195.3	-292.2		J	3.2	33.6	29.8	114.7
-225.1	-325.8						
		q4-4	I	7.9	-53.7	23.7	-172.5
-155.3	378.1		J	7.9	-53.7	23.7	-172.5
-179.1	431.9						
		q5x_pc	I	-98.9	1301.8	-167.7	2060.8
1098.2	-9707.6		J	-98.9	1306.4	-167.7	2060.8
1265.8	-11011.7						
		q5y_pc	I	-67.2	146.8	-658.1	1553.1
4103.9	-757.3		J	-67.2	146.8	-667.2	1548.5
4766.5	-904.1						
		q5x_ps	I	-89.4	1322.0	-234.5	2418.9
1536.1	-9804.9		J	-89.4	1322.0	-234.5	2418.9
1770.6	-11126.9						
		q5y_ps	I	-55.2	141.1	-611.7	1370.4
4007.0	-777.3		J	-55.2	141.1	-611.7	1370.4
4618.7	-918.4						
		q7	I	-2.1	64.7	13.3	52.2
-87.1	-480.2		J	-2.1	64.7	13.3	52.2
-100.4	-544.9						
		T	I	-2.0	145.7	-273.9	395.2
1794.0	-1095.2		J	-2.0	145.7	-273.9	395.2
2067.8	-1240.9						
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8
186.6	-58.6		J	-0.1	14.7	-28.5	289.8
215.1	-73.3						
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3
435.4	-136.8		J	-0.2	34.3	-66.5	676.3
501.9	-171.1						

MIDAS

PROJECT TITLE :


		Company					Client		
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
555	7	38	Q1-1_2 Max	I	340.1	67.7	113.4	196.2	
854.4	1908.3			J	340.1	67.7	113.4	196.2	
967.6	1905.9		Min	I	-3366.8	-80.6	-113.2	-313.3	
-856.5	-3405.9			J	-3366.8	-80.6	-113.2	-313.3	
-969.9	-3388.2		Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
902.5	3488.8			J	332.8	79.2	108.2	160.5	
1022.0	3475.3		Min	I	-3454.8	-74.2	-119.5	-330.8	
-816.9	-2113.2			J	-3454.8	-74.2	-119.5	-330.8	
-925.1	-2116.4		Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
465.1	864.3			J	191.6	33.6	58.0	108.7	
526.7	864.9		Min	I	-1699.0	-42.7	-61.6	-159.2	
-438.1	-1793.8			J	-1699.0	-42.7	-61.6	-159.2	
-496.1	-1780.2		Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
487.0	1714.5			J	184.8	39.3	54.7	85.8	
551.6	1708.1		Min	I	-1732.0	-39.4	-64.5	-167.9	
-413.1	-1048.6			J	-1732.0	-39.4	-64.5	-167.9	
-467.8	-1047.0		Q1-1 Max	I	126.4	19.6	41.5	87.8	
262.6	79.0			J	126.4	19.6	41.5	87.8	
297.4	97.8		Min	I	-1076.2	-29.2	-34.8	-98.2	
-313.1	-1793.6			J	-1076.2	-29.2	-34.8	-98.2	
-354.6	-1779.9		Q1-3 Max	I	105.0	29.1	26.6	21.0	
329.5	1665.5			J	105.0	29.1	26.6	21.0	
373.2	1647.7		Min	I	-1121.5	-24.1	-43.6	-113.6	
-200.9	-6.1			J	-1121.5	-24.1	-43.6	-113.6	
-227.5	-6.9		SLVx (RS)	I	-314.0	-1567.4	-432.0	-5057.1	
3089.7	10099.4			J	-314.0	-1567.4	-432.0	-5057.1	
3497.2	11630.6		SLVy (RS)	I	-408.9	1270.1	-1194.8	11380.7	
8557.1	-6830.7			J	-408.9	1270.1	-1194.8	11380.7	
9741.0	-8034.7		SLVz (RS)	I	1260.0	-55.8	85.9	252.0	
614.4	-290.6								

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
535.9	-277.2		J	1260.0	-55.8	85.9	252.0
		G1	I	-7022.0	7.6	3.4	-328.2
-25.8	1205.0		J	-7196.5	7.6	3.4	-328.2
-29.2	1197.4						
		G2	I	-1958.1	2.8	1.2	-118.7
-9.5	438.6		J	-1958.1	2.8	1.2	-118.7
-10.7	435.7						
		pp imp~1	I	-0.0	3.5	0.9	1.0
-7.0	-25.7		J	-0.0	3.5	0.9	1.0
-7.9	-29.2						
		perm i~1	I	-0.0	1.1	0.3	0.3
-2.2	-8.3		J	-0.0	1.1	0.3	0.3
-2.5	-9.4						
		pp2	I	-0.0	-4.7	-0.3	39.3
2.4	36.4		J	-0.0	-4.7	-0.3	39.3
2.7	41.1						
		perm2	I	-0.0	-1.3	-0.1	10.4
0.6	8.6		J	-0.0	-1.3	-0.1	10.4
0.7	9.8						
		q3	I	-23.7	83.6	-338.4	1263.1
2555.0	-1164.0		J	-23.7	83.6	-338.4	1263.1
2893.4	-1247.6						
		q4-1	I	-6.8	-31.6	-51.1	87.3
385.6	261.1		J	-6.8	-31.6	-51.1	87.3
436.7	292.7						
		q4-2	I	-9.0	144.5	5.6	35.1
-42.5	-1329.8		J	-9.0	144.5	5.6	35.1
-48.2	-1474.3						
		q4-3	I	3.2	33.6	29.8	114.7
-225.1	-325.8		J	3.2	33.6	29.8	114.7
-255.0	-359.3						
		q4-4	I	7.9	-53.7	23.7	-172.5
-179.1	431.9		J	7.9	-53.7	23.7	-172.5
-202.8	485.6						
		q5x_pc	I	-98.9	1306.4	-167.7	2060.8
1265.8	-11011.7		J	-98.9	1310.9	-167.7	2060.8
1433.5	-12320.3						
		q5y_pc	I	-67.2	146.8	-667.2	1548.5
4766.5	-904.1		J	-67.2	146.8	-676.3	1544.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
5438.3	-1051.0						
1770.6	-11126.9	q5x_ps	I	-89.4	1322.0	-234.5	2418.9
2005.1	-12448.9		J	-89.4	1322.0	-234.5	2418.9
4618.7	-918.4	q5y_ps	I	-55.2	141.1	-611.7	1370.4
5230.4	-1059.4		J	-55.2	141.1	-611.7	1370.4
-100.4	-544.9	q7	I	-2.1	64.7	13.3	52.2
-113.7	-609.7		J	-2.1	64.7	13.3	52.2
2067.8	-1240.9	T	I	-2.0	145.7	-273.9	395.2
2341.7	-1386.6		J	-2.0	145.7	-273.9	395.2
215.1	-73.3	SLVx-E~1	I	-0.1	14.7	-28.5	289.8
243.6	-88.0		J	-0.1	14.7	-28.5	289.8
501.9	-171.1	SLVy-E~1	I	-0.2	34.3	-66.5	676.3
568.3	-205.4		J	-0.2	34.3	-66.5	676.3
556	7	38 Q1-1_2 Max	I	340.1	67.7	113.4	196.2
967.6	1905.9		J	340.1	67.7	113.4	196.2
1080.8	1903.9	Min	I	-3366.8	-80.6	-113.2	-313.3
-969.9	-3388.2		J	-3366.8	-80.6	-113.2	-313.3
1083.4	-3370.9	Q1-3_4 Max	I	332.8	79.2	108.2	160.5
1022.0	3475.3		J	332.8	79.2	108.2	160.5
1141.5	3462.0	Min	I	-3454.8	-74.2	-119.5	-330.8
-925.1	-2116.4		J	-3454.8	-74.2	-119.5	-330.8
1033.3	-2119.8	Q2a-1_2 Max	I	191.6	33.6	58.0	108.7
526.7	864.9		J	191.6	33.6	58.0	108.7
588.3	865.8	Min	I	-1699.0	-42.7	-61.6	-159.2
-496.1	-1780.2		J	-1699.0	-42.7	-61.6	-159.2
-554.1	-1766.6	Q2a-3_4 Max	I	184.8	39.3	54.7	85.8
551.6	1708.1		J	184.8	39.3	54.7	85.8
616.1	1701.8	Min	I	-1732.0	-39.4	-64.5	-167.9
-467.8	-1047.0		J	-1732.0	-39.4	-64.5	-167.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-522.5	-1045.5							
		Q1-1 Max	I	126.4	19.6	41.5	87.8	
297.4	97.8		J	126.4	19.6	41.5	87.8	
332.2	116.9							
		Min	I	-1076.2	-29.2	-34.8	-98.2	
-354.6	-1779.9		J	-1076.2	-29.2	-34.8	-98.2	
-396.0	-1766.4							
		Q1-3 Max	I	105.0	29.1	26.6	21.0	
373.2	1647.7		J	105.0	29.1	26.6	21.0	
416.8	1629.9							
		Min	I	-1121.5	-24.1	-43.6	-113.6	
-227.5	-6.9		J	-1121.5	-24.1	-43.6	-113.6	
-254.1	-7.7							
		SLVx (RS)	I	-315.8	-1579.7	-437.7	-5057.1	
3497.2	11630.6		J	-315.8	-1579.7	-437.7	-5057.1	
3904.6	13175.7							
		SLVy (RS)	I	-411.7	1281.7	-1204.8	11380.7	
9741.0	-8034.7		J	-411.7	1281.7	-1204.8	11380.7	1
0932.0	-9254.7							
		SLVz (RS)	I	1285.8	-58.2	116.0	252.0	
535.9	-277.2		J	1285.8	-58.2	116.0	252.0	
427.5	-269.8							
		G1	I	-7196.5	7.6	3.4	-328.2	
-29.2	1197.4		J	-7371.0	7.6	3.4	-328.2	
-32.7	1189.8							
		G2	I	-1958.1	2.8	1.2	-118.7	
-10.7	435.7		J	-1958.1	2.8	1.2	-118.7	
-12.0	432.9							
		pp imp~1	I	-0.0	3.5	0.9	1.0	
-7.9	-29.2		J	-0.0	3.5	0.9	1.0	
-8.8	-32.7							
		perm i~1	I	-0.0	1.1	0.3	0.3	
-2.5	-9.4		J	-0.0	1.1	0.3	0.3	
-2.8	-10.5							
		pp2	I	-0.0	-4.7	-0.3	39.3	
2.7	41.1		J	-0.0	-4.7	-0.3	39.3	
3.0	45.8							
		perm2	I	-0.0	-1.3	-0.1	10.4	
0.7	9.8		J	-0.0	-1.3	-0.1	10.4	
0.7	11.1							
		q3	I	-23.7	83.6	-338.4	1263.1	


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
2893.4	-1247.6		J	-23.7	83.6	-338.4	1263.1
3231.8	-1331.2						
		q4-1	I	-6.8	-31.6	-51.1	87.3
436.7	292.7		J	-6.8	-31.6	-51.1	87.3
487.8	324.2						
		q4-2	I	-9.0	144.5	5.6	35.1
-48.2	-1474.3		J	-9.0	144.5	5.6	35.1
-53.8	-1618.8						
		q4-3	I	3.2	33.6	29.8	114.7
-255.0	-359.3		J	3.2	33.6	29.8	114.7
-284.8	-392.9						
		q4-4	I	7.9	-53.7	23.7	-172.5
-202.8	485.6		J	7.9	-53.7	23.7	-172.5
-226.5	539.4						
		q5x_pc	I	-98.9	1310.9	-167.7	2060.8
1433.5	-12320.3		J	-98.9	1315.2	-167.7	2060.8
1601.2	-13633.4						
		q5y_pc	I	-67.2	146.8	-676.3	1544.0
5438.3	-1051.0		J	-67.2	146.8	-684.8	1539.7
6118.8	-1197.8						
		q5x_ps	I	-89.4	1322.0	-234.5	2418.9
2005.1	-12448.9		J	-89.4	1322.0	-234.5	2418.9
2239.6	-13771.0						
		q5y_ps	I	-55.2	141.1	-611.7	1370.4
5230.4	-1059.4		J	-55.2	141.1	-611.7	1370.4
5842.1	-1200.5						
		q7	I	-2.1	64.7	13.3	52.2
-113.7	-609.7		J	-2.1	64.7	13.3	52.2
-127.0	-674.4						
		T	I	-2.0	145.7	-273.9	395.2
2341.7	-1386.6		J	-2.0	145.7	-273.9	395.2
2615.6	-1532.3						
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8
243.6	-88.0		J	-0.1	14.7	-28.5	289.8
272.1	-102.7						
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3
568.3	-205.4		J	-0.2	34.3	-66.5	676.3
634.8	-239.7						
557	7	38	Q1-1_2 Max	I	340.1	113.4	196.2
1080.8	1903.9						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1193.9	1902.3		J	340.1	67.7	113.4	196.2	
1083.4	-3370.9	Min	I	-3366.8	-80.6	-113.2	-313.3	-
1196.8	-3353.8		J	-3366.8	-80.6	-113.2	-313.3	-
1141.5	3462.0	Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
1261.1	3448.9		J	332.8	79.2	108.2	160.5	
1033.3	-2119.8	Min	I	-3454.8	-74.2	-119.5	-330.8	-
1141.5	-2123.3		J	-3454.8	-74.2	-119.5	-330.8	-
588.3	865.8	Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
649.9	867.0		J	191.6	33.6	58.0	108.7	
-554.1	-1766.6	Min	I	-1699.0	-42.7	-61.6	-159.2	-
-612.1	-1753.2		J	-1699.0	-42.7	-61.6	-159.2	-
616.1	1701.8	Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
680.6	1695.6		J	184.8	39.3	54.7	85.8	
-522.5	-1045.5	Min	I	-1732.0	-39.4	-64.5	-167.9	-
-577.3	-1044.1		J	-1732.0	-39.4	-64.5	-167.9	-
332.2	116.9	Q1-1 Max	I	126.4	19.6	41.5	87.8	
367.0	136.2		J	126.4	19.6	41.5	87.8	
-396.0	-1766.4	Min	I	-1076.2	-29.2	-34.8	-98.2	-
-437.5	-1752.9		J	-1076.2	-29.2	-34.8	-98.2	-
416.8	1629.9	Q1-3 Max	I	105.0	29.1	26.6	21.0	
460.5	1612.1		J	105.0	29.1	26.6	21.0	
-254.1	-7.7	Min	I	-1121.5	-24.1	-43.6	-113.6	-
-280.7	-8.4		J	-1121.5	-24.1	-43.6	-113.6	-
3904.6	13175.7	SLVx (RS)	I	-317.5	-1591.7	-444.9	-5057.1	
4312.8	14733.4		J	-317.5	-1591.7	-444.9	-5057.1	
0932.0	-9254.7	SLVy (RS)	I	-414.5	1293.8	-1215.0	11380.7	1
2129.7	-10488.5		J	-414.5	1293.8	-1215.0	11380.7	1
427.5	-269.8	SLVz (RS)	I	1311.2	-58.5	140.1	252.0	
298.3	-269.6		J	1311.2	-58.5	140.1	252.0	


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

-32.7	1189.8	G1	I	-7371.0	7.6	3.4	-328.2
			J	-7545.5	7.6	3.4	-328.2
-36.1	1182.2						
		G2	I	-1958.1	2.8	1.2	-118.7
-12.0	432.9		J	-1958.1	2.8	1.2	-118.7
-13.2	430.1						
		pp imp~1	I	-0.0	3.5	0.9	1.0
-8.8	-32.7		J	-0.0	3.5	0.9	1.0
-9.8	-36.1						
		perm i~1	I	-0.0	1.1	0.3	0.3
-2.8	-10.5		J	-0.0	1.1	0.3	0.3
-3.1	-11.6						
		pp2	I	-0.0	-4.7	-0.3	39.3
3.0	45.8		J	-0.0	-4.7	-0.3	39.3
3.3	50.5						
		perm2	I	-0.0	-1.3	-0.1	10.4
0.7	11.1		J	-0.0	-1.3	-0.1	10.4
0.8	12.4						
		q3	I	-23.7	83.6	-338.4	1263.1
3231.8	-1331.2		J	-23.7	83.6	-338.4	1263.1
3570.2	-1414.8						
		q4-1	I	-6.8	-31.6	-51.1	87.3
487.8	324.2		J	-6.8	-31.6	-51.1	87.3
538.8	355.8						
		q4-2	I	-9.0	144.5	5.6	35.1
-53.8	-1618.8		J	-9.0	144.5	5.6	35.1
-59.5	-1763.3						
		q4-3	I	3.2	33.6	29.8	114.7
-284.8	-392.9		J	3.2	33.6	29.8	114.7
-314.6	-426.4						
		q4-4	I	7.9	-53.7	23.7	-172.5
-226.5	539.4		J	7.9	-53.7	23.7	-172.5
-250.2	593.1						
		q5x_pc	I	-98.9	1315.2	-167.7	2060.8
1601.2	-13633.4		J	-98.9	1319.4	-167.7	2060.8
1768.8	-14950.7						
		q5y_pc	I	-67.2	146.8	-684.8	1539.7
6118.8	-1197.8		J	-67.2	146.8	-693.3	1535.5
6807.8	-1344.7						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2239.6	-13771.0	q5x_ps	I	-89.4	1322.0	-234.5	2418.9
			J	-89.4	1322.0	-234.5	2418.9
2474.1	-15093.0						
		q5y_ps	I	-55.2	141.1	-611.7	1370.4
5842.1	-1200.5		J	-55.2	141.1	-611.7	1370.4
6453.8	-1341.6						
		q7	I	-2.1	64.7	13.3	52.2
-127.0	-674.4		J	-2.1	64.7	13.3	52.2
-140.3	-739.1						
		T	I	-2.0	145.7	-273.9	395.2
2615.6	-1532.3		J	-2.0	145.7	-273.9	395.2
2889.5	-1678.0						
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8
272.1	-102.7		J	-0.1	14.7	-28.5	289.8
300.5	-117.4						
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3
634.8	-239.7		J	-0.2	34.3	-66.5	676.3
701.3	-274.0						
558	7	38 Q1-1_2 Max	I	340.1	67.7	113.4	196.2
1193.9	1902.3		J	340.1	67.7	113.4	196.2
1307.1	1901.0						
		Min	I	-3366.8	-80.6	-113.2	-313.3
1196.8	-3353.8		J	-3366.8	-80.6	-113.2	-313.3
1310.2	-3336.9						
		Q1-3_4 Max	I	332.8	79.2	108.2	160.5
1261.1	3448.9		J	332.8	79.2	108.2	160.5
1380.6	3435.9						
		Min	I	-3454.8	-74.2	-119.5	-330.8
1141.5	-2123.3		J	-3454.8	-74.2	-119.5	-330.8
1249.7	-2126.9						
		Q2a-1_2 Max	I	191.6	33.6	58.0	108.7
649.9	867.0		J	191.6	33.6	58.0	108.7
711.5	868.4						
		Min	I	-1699.0	-42.7	-61.6	-159.2
-612.1	-1753.2		J	-1699.0	-42.7	-61.6	-159.2
-670.1	-1739.8						
		Q2a-3_4 Max	I	184.8	39.3	54.7	85.8
680.6	1695.6		J	184.8	39.3	54.7	85.8
745.1	1689.4						
		Min	I	-1732.0	-39.4	-64.5	-167.9
-577.3	-1044.1		J	-1732.0	-39.4	-64.5	-167.9
-632.0	-1042.7						


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
367.0	136.2	Q1-1 Max	I	126.4	19.6	41.5	87.8	
			J	126.4	19.6	41.5	87.8	
401.8	155.7	Min	I	-1076.2	-29.2	-34.8	-98.2	
-437.5	-1752.9		J	-1076.2	-29.2	-34.8	-98.2	
-479.0	-1739.5							
460.5	1612.1	Q1-3 Max	I	105.0	29.1	26.6	21.0	
			J	105.0	29.1	26.6	21.0	
504.1	1594.2	Min	I	-1121.5	-24.1	-43.6	-113.6	
-280.7	-8.4		J	-1121.5	-24.1	-43.6	-113.6	
-307.3	-9.2							
4312.8	14733.4	SLVx (RS)	I	-319.3	-1603.3	-453.4	-5057.1	
			J	-319.3	-1603.3	-453.4	-5057.1	
4723.0	16302.7							
2129.7	-10488.5	SLVy (RS)	I	-417.4	1306.5	-1225.4	11380.7	1
			J	-417.4	1306.5	-1225.4	11380.7	1
3334.1	-11735.1							
298.3	-269.6	SLVz (RS)	I	1336.1	-57.0	156.1	252.0	
			J	1336.1	-57.0	156.1	252.0	
168.0	-276.0							
-36.1	1182.2	G1	I	-7545.5	7.6	3.4	-328.2	
			J	-7720.0	7.6	3.4	-328.2	
-39.5	1174.6							
-13.2	430.1	G2	I	-1958.1	2.8	1.2	-118.7	
			J	-1958.1	2.8	1.2	-118.7	
-14.5	427.3							
-9.8	-36.1	pp imp~1	I	-0.0	3.5	0.9	1.0	
			J	-0.0	3.5	0.9	1.0	
-10.7	-39.6							
-3.1	-11.6	perm i~1	I	-0.0	1.1	0.3	0.3	
			J	-0.0	1.1	0.3	0.3	
-3.4	-12.7							
3.3	50.5	pp2	I	-0.0	-4.7	-0.3	39.3	
			J	-0.0	-4.7	-0.3	39.3	
3.7	55.2							
0.8	12.4	perm2	I	-0.0	-1.3	-0.1	10.4	
			J	-0.0	-1.3	-0.1	10.4	
0.9	13.6							
3570.2	-1414.8	q3	I	-23.7	83.6	-338.4	1263.1	
			J	-23.7	83.6	-338.4	1263.1	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
3908.6	-1498.3						
		q4-1	I	-6.8	-31.6	-51.1	87.3
538.8	355.8		J	-6.8	-31.6	-51.1	87.3
589.9	387.4						
		q4-2	I	-9.0	144.5	5.6	35.1
-59.5	-1763.3		J	-9.0	144.5	5.6	35.1
-65.1	-1907.8						
		q4-3	I	3.2	33.6	29.8	114.7
-314.6	-426.4		J	3.2	33.6	29.8	114.7
-344.4	-460.0						
		q4-4	I	7.9	-53.7	23.7	-172.5
-250.2	593.1		J	7.9	-53.7	23.7	-172.5
-273.9	646.9						
		q5x_pc	I	-98.9	1319.4	-167.7	2060.8
1768.8	-14950.7		J	-98.9	1323.7	-167.7	2060.8
1936.5	-16272.3						
		q5y_pc	I	-67.2	146.8	-693.3	1535.5
6807.8	-1344.7		J	-67.2	146.8	-701.8	1531.2
7505.4	-1491.5						
		q5x_ps	I	-89.4	1322.0	-234.5	2418.9
2474.1	-15093.0		J	-89.4	1322.0	-234.5	2418.9
2708.6	-16415.1						
		q5y_ps	I	-55.2	141.1	-611.7	1370.4
6453.8	-1341.6		J	-55.2	141.1	-611.7	1370.4
7065.5	-1482.6						
		q7	I	-2.1	64.7	13.3	52.2
-140.3	-739.1		J	-2.1	64.7	13.3	52.2
-153.6	-803.8						
		T	I	-2.0	145.7	-273.9	395.2
2889.5	-1678.0		J	-2.0	145.7	-273.9	395.2
3163.3	-1823.7						
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8
300.5	-117.4		J	-0.1	14.7	-28.5	289.8
329.0	-132.1						
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3
701.3	-274.0		J	-0.2	34.3	-66.5	676.3
767.7	-308.3						
559	7	38	Q1-1_2 Max	I	340.1	67.7	113.4
1307.1	1901.0			J	340.1	67.7	113.4
1420.3	1899.8						


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1310.2	-3336.9		Min	I	-3366.8	-80.6	-113.2	-313.3	-
				J	-3366.8	-80.6	-113.2	-313.3	-
1423.7	-3320.1								
		Q1-3_4	Max	I	332.8	79.2	108.2	160.5	
1380.6	3435.9			J	332.8	79.2	108.2	160.5	
1500.1	3422.9								
			Min	I	-3454.8	-74.2	-119.5	-330.8	-
1249.7	-2126.9			J	-3454.8	-74.2	-119.5	-330.8	-
1357.9	-2130.6								
		Q2a-1_2	Max	I	191.6	33.6	58.0	108.7	
711.5	868.4			J	191.6	33.6	58.0	108.7	
773.1	869.9								
			Min	I	-1699.0	-42.7	-61.6	-159.2	
-670.1	-1739.8			J	-1699.0	-42.7	-61.6	-159.2	
-728.1	-1726.5								
		Q2a-3_4	Max	I	184.8	39.3	54.7	85.8	
745.1	1689.4			J	184.8	39.3	54.7	85.8	
809.6	1683.2								
			Min	I	-1732.0	-39.4	-64.5	-167.9	
-632.0	-1042.7			J	-1732.0	-39.4	-64.5	-167.9	
-686.7	-1041.3								
		Q1-1	Max	I	126.4	19.6	41.5	87.8	
401.8	155.7			J	126.4	19.6	41.5	87.8	
436.6	175.2								
			Min	I	-1076.2	-29.2	-34.8	-98.2	
-479.0	-1739.5			J	-1076.2	-29.2	-34.8	-98.2	
-520.5	-1726.1								
		Q1-3	Max	I	105.0	29.1	26.6	21.0	
504.1	1594.2			J	105.0	29.1	26.6	21.0	
547.8	1576.4								
			Min	I	-1121.5	-24.1	-43.6	-113.6	
-307.3	-9.2			J	-1121.5	-24.1	-43.6	-113.6	
-333.9	-10.0								
		SLVx (RS)		I	-321.0	-1614.6	-463.2	-5057.1	
4723.0	16302.7			J	-321.0	-1614.6	-463.2	-5057.1	
5136.5	17883.1								
		SLVy (RS)		I	-420.3	1319.6	-1236.1	11380.7	1
3334.1	-11735.1			J	-420.3	1319.6	-1236.1	11380.7	1
4545.3	-12994.0								
		SLVz (RS)		I	1360.2	-53.9	162.7	252.0	
168.0	-276.0			J	1360.2	-53.9	162.7	252.0	
121.8	-286.5								
		G1		I	-7720.0	7.6	3.4	-328.2	

MIDAS

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-39.5	1174.6		J	-7894.5	7.6	3.4	-328.2
-42.9	1166.9						
		G2	I	-1958.1	2.8	1.2	-118.7
-14.5	427.3		J	-1958.1	2.8	1.2	-118.7
-15.7	424.5						
		pp imp~1	I	-0.0	3.5	0.9	1.0
-10.7	-39.6		J	-0.0	3.5	0.9	1.0
-11.6	-43.1						
		perm i~1	I	-0.0	1.1	0.3	0.3
-3.4	-12.7		J	-0.0	1.1	0.3	0.3
-3.7	-13.9						
		pp2	I	-0.0	-4.7	-0.3	39.3
3.7	55.2		J	-0.0	-4.7	-0.3	39.3
4.0	59.9						
		perm2	I	-0.0	-1.3	-0.1	10.4
0.9	13.6		J	-0.0	-1.3	-0.1	10.4
1.0	14.9						
		q3	I	-23.7	83.6	-338.4	1263.1
3908.6	-1498.3		J	-23.7	83.6	-338.4	1263.1
4247.0	-1581.9						
		q4-1	I	-6.8	-31.6	-51.1	87.3
589.9	387.4		J	-6.8	-31.6	-51.1	87.3
641.0	418.9						
		q4-2	I	-9.0	144.5	5.6	35.1
-65.1	-1907.8		J	-9.0	144.5	5.6	35.1
-70.7	-2052.3						
		q4-3	I	3.2	33.6	29.8	114.7
-344.4	-460.0		J	3.2	33.6	29.8	114.7
-374.2	-493.6						
		q4-4	I	7.9	-53.7	23.7	-172.5
-273.9	646.9		J	7.9	-53.7	23.7	-172.5
-297.6	700.6						
		q5x_pc	I	-98.9	1323.7	-167.7	2060.8
1936.5	-16272.3		J	-98.9	1328.0	-167.7	2060.8
2104.1	-17598.1						
		q5y_pc	I	-67.2	146.8	-701.8	1531.2
7505.4	-1491.5		J	-67.2	146.8	-710.3	1527.0
8211.4	-1638.4						
		q5x_ps	I	-89.4	1322.0	-234.5	2418.9
2708.6	-16415.1						

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
2943.1	-17737.1		J	-89.4	1322.0	-234.5	2418.9	
7065.5	-1482.6	q5y_ps	I	-55.2	141.1	-611.7	1370.4	
7677.3	-1623.7		J	-55.2	141.1	-611.7	1370.4	
-153.6	-803.8	q7	I	-2.1	64.7	13.3	52.2	
-166.9	-868.5		J	-2.1	64.7	13.3	52.2	
3163.3	-1823.7	T	I	-2.0	145.7	-273.9	395.2	
3437.2	-1969.4		J	-2.0	145.7	-273.9	395.2	
329.0	-132.1	SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
357.5	-146.9		J	-0.1	14.7	-28.5	289.8	
767.7	-308.3	SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
834.2	-342.7		J	-0.2	34.3	-66.5	676.3	
560	7	38 Q1-1_2 Max	I	340.1	67.7	113.4	196.2	
1420.3	1899.8		J	340.1	67.7	113.4	196.2	
1533.5	1899.4	Min	I	-3366.8	-80.6	-113.2	-313.3	-
1423.7	-3320.1		J	-3366.8	-80.6	-113.2	-313.3	-
1537.1	-3304.8							
1500.1	3422.9	Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
1619.6	3409.9		J	332.8	79.2	108.2	160.5	
1357.9	-2130.6	Min	I	-3454.8	-74.2	-119.5	-330.8	-
1466.1	-2134.3		J	-3454.8	-74.2	-119.5	-330.8	-
773.1	869.9	Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
834.7	871.8		J	191.6	33.6	58.0	108.7	
-728.1	-1726.5	Min	I	-1699.0	-42.7	-61.6	-159.2	
-786.1	-1714.2		J	-1699.0	-42.7	-61.6	-159.2	
809.6	1683.2	Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
874.1	1677.1		J	184.8	39.3	54.7	85.8	
-686.7	-1041.3	Min	I	-1732.0	-39.4	-64.5	-167.9	
-741.4	-1040.0		J	-1732.0	-39.4	-64.5	-167.9	
436.6	175.2	Q1-1 Max	I	126.4	19.6	41.5	87.8	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
471.4	194.8		J	126.4	19.6	41.5	87.8
		Min	I	-1076.2	-29.2	-34.8	-98.2
-520.5	-1726.1		J	-1076.2	-29.2	-34.8	-98.2
-561.9	-1712.8						
		Q1-3 Max	I	105.0	29.1	26.6	21.0
547.8	1576.4		J	105.0	29.1	26.6	21.0
591.4	1558.6						
		Min	I	-1121.5	-24.1	-43.6	-113.6
-333.9	-10.0		J	-1121.5	-24.1	-43.6	-113.6
-360.5	-10.7						
		SLVx (RS)	I	-322.7	-1625.5	-474.0	-5057.1
5136.5	17883.1		J	-322.7	-1625.5	-474.0	-5057.1
5554.6	19473.7						
		SLVy (RS)	I	-423.1	1333.1	-1247.1	11380.7
4545.3	-12994.0		J	-423.1	1333.1	-1247.1	11380.7
5763.3	-14265.1						1
		SLVz (RS)	I	1383.5	-50.0	159.3	252.0
121.8	-286.5		J	1383.5	-50.0	159.3	252.0
226.4	-297.9						
		G1	I	-7894.5	7.6	3.4	-328.2
-42.9	1166.9		J	-8069.0	7.6	3.4	-328.2
-46.3	1159.3						
		G2	I	-1958.1	2.8	1.2	-118.7
-15.7	424.5		J	-1958.1	2.8	1.2	-118.7
-17.0	421.6						
		pp imp~1	I	-0.0	3.5	0.9	1.0
-11.6	-43.1		J	-0.0	3.5	0.9	1.0
-12.5	-46.5						
		perm i~1	I	-0.0	1.1	0.3	0.3
-3.7	-13.9		J	-0.0	1.1	0.3	0.3
-4.0	-15.0						
		pp2	I	-0.0	-4.7	-0.3	39.3
4.0	59.9		J	-0.0	-4.7	-0.3	39.3
4.3	64.6						
		perm2	I	-0.0	-1.3	-0.1	10.4
1.0	14.9		J	-0.0	-1.3	-0.1	10.4
1.0	16.2						
		q3	I	-23.7	83.6	-338.4	1263.1
4247.0	-1581.9		J	-23.7	83.6	-338.4	1263.1
4585.4	-1665.5						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
641.0	418.9	q4-1	I	-6.8	-31.6	-51.1	87.3
692.1	450.5		J	-6.8	-31.6	-51.1	87.3
-70.7	-2052.3	q4-2	I	-9.0	144.5	5.6	35.1
-76.4	-2196.9		J	-9.0	144.5	5.6	35.1
-374.2	-493.6	q4-3	I	3.2	33.6	29.8	114.7
-404.1	-527.1		J	3.2	33.6	29.8	114.7
-297.6	700.6	q4-4	I	7.9	-53.7	23.7	-172.5
-321.4	754.4		J	7.9	-53.7	23.7	-172.5
2104.1	-17598.1	q5x_pc	I	-98.9	1328.0	-167.7	2060.8
2271.8	-18928.2		J	-98.9	1332.2	-167.7	2060.8
8211.4	-1638.4	q5y_pc	I	-67.2	146.8	-710.3	1527.0
8925.9	-1785.2		J	-67.2	146.8	-718.8	1522.7
2943.1	-17737.1	q5x_ps	I	-89.4	1322.0	-234.5	2418.9
3177.6	-19059.2		J	-89.4	1322.0	-234.5	2418.9
7677.3	-1623.7	q5y_ps	I	-55.2	141.1	-611.7	1370.4
8289.0	-1764.7		J	-55.2	141.1	-611.7	1370.4
-166.9	-868.5	q7	I	-2.1	64.7	13.3	52.2
-180.2	-933.2		J	-2.1	64.7	13.3	52.2
3437.2	-1969.4	T	I	-2.0	145.7	-273.9	395.2
3711.1	-2115.1		J	-2.0	145.7	-273.9	395.2
357.5	-146.9	SLVx-E~1	I	-0.1	14.7	-28.5	289.8
386.0	-161.6		J	-0.1	14.7	-28.5	289.8
834.2	-342.7	SLVy-E~1	I	-0.2	34.3	-66.5	676.3
900.7	-377.0		J	-0.2	34.3	-66.5	676.3
561	7	38 Q1-1_2 Max	I	340.1	67.7	113.4	196.2
1533.5	1899.4		J	340.1	67.7	113.4	196.2
1646.6	1900.5	Min	I	-3366.8	-80.6	-113.2	-313.3
1537.1	-3304.8						-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1650.5	-3293.0		J	-3366.8	-80.6	-113.2	-313.3	-
1619.6	3409.9	Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
1739.2	3397.0		J	332.8	79.2	108.2	160.5	
1466.1	-2134.3	Min	I	-3454.8	-74.2	-119.5	-330.8	-
1574.3	-2138.1		J	-3454.8	-74.2	-119.5	-330.8	-
834.7	871.8	Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
896.4	874.3		J	191.6	33.6	58.0	108.7	
-786.1	-1714.2	Min	I	-1699.0	-42.7	-61.6	-159.2	
-844.2	-1704.4		J	-1699.0	-42.7	-61.6	-159.2	
874.1	1677.1	Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
938.6	1671.0		J	184.8	39.3	54.7	85.8	
-741.4	-1040.0	Min	I	-1732.0	-39.4	-64.5	-167.9	
-796.1	-1038.7		J	-1732.0	-39.4	-64.5	-167.9	
471.4	194.8	Q1-1 Max	I	126.4	19.6	41.5	87.8	
506.1	214.6		J	126.4	19.6	41.5	87.8	
-561.9	-1712.8	Min	I	-1076.2	-29.2	-34.8	-98.2	
-603.4	-1699.5		J	-1076.2	-29.2	-34.8	-98.2	
591.4	1558.6	Q1-3 Max	I	105.0	29.1	26.6	21.0	
635.1	1540.7		J	105.0	29.1	26.6	21.0	
-360.5	-10.7	Min	I	-1121.5	-24.1	-43.6	-113.6	
-387.2	-11.5		J	-1121.5	-24.1	-43.6	-113.6	
5554.6	19473.7	SLVx (RS)	I	-324.3	-1636.0	-485.8	-5057.1	
5978.5	21074.1		J	-324.3	-1636.0	-485.8	-5057.1	
5763.3	-14265.1	SLVy (RS)	I	-426.0	1346.8	-1258.3	11380.7	1
6988.4	-15548.3		J	-426.0	1346.8	-1258.3	11380.7	1
226.4	-297.9	SLVz (RS)	I	1405.9	-46.1	145.8	252.0	
356.8	-307.6		J	1405.9	-46.1	145.8	252.0	
-46.3	1159.3	G1	I	-8069.0	7.6	3.4	-328.2	
			J	-8243.5	7.6	3.4	-328.2	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-49.7	1151.7						
			G2	I	-1958.1	2.8	1.2 -118.7
-17.0	421.6			J	-1958.1	2.8	1.2 -118.7
-18.2	418.8						
			pp imp~1	I	-0.0	3.5	0.9 1.0
-12.5	-46.5			J	-0.0	3.5	0.9 1.0
-13.5	-50.0						
			perm i~1	I	-0.0	1.1	0.3 0.3
-4.0	-15.0			J	-0.0	1.1	0.3 0.3
-4.3	-16.1						
			pp2	I	-0.0	-4.7	-0.3 39.3
4.3	64.6			J	-0.0	-4.7	-0.3 39.3
4.6	69.3						
			perm2	I	-0.0	-1.3	-0.1 10.4
1.0	16.2			J	-0.0	-1.3	-0.1 10.4
1.1	17.4						
			q3	I	-23.7	83.6	-338.4 1263.1
4585.4	-1665.5			J	-23.7	83.6	-338.4 1263.1
4923.8	-1749.1						
			q4-1	I	-6.8	-31.6	-51.1 87.3
692.1	450.5			J	-6.8	-31.6	-51.1 87.3
743.1	482.0						
			q4-2	I	-9.0	144.5	5.6 35.1
-76.4	-2196.9			J	-9.0	144.5	5.6 35.1
-82.0	-2341.4						
			q4-3	I	3.2	33.6	29.8 114.7
-404.1	-527.1			J	3.2	33.6	29.8 114.7
-433.9	-560.7						
			q4-4	I	7.9	-53.7	23.7 -172.5
-321.4	754.4			J	7.9	-53.7	23.7 -172.5
-345.1	808.1						
			q5x_pc	I	-98.9	1332.2	-167.7 2060.8
2271.8	-18928.2			J	-98.9	1336.2	-167.7 2060.8
2439.4	-20262.4						
			q5y_pc	I	-67.2	146.8	-718.8 1522.7
8925.9	-1785.2			J	-67.2	146.8	-726.6 1518.8
9648.6	-1932.1						
			q5x_ps	I	-89.4	1322.0	-234.5 2418.9
3177.6	-19059.2			J	-89.4	1322.0	-234.5 2418.9
3412.1	-20381.2						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


8289.0	-1764.7	q5y_ps	I	-55.2	141.1	-611.7	1370.4	
			J	-55.2	141.1	-611.7	1370.4	
8900.7	-1905.8							
		q7	I	-2.1	64.7	13.3	52.2	
-180.2	-933.2		J	-2.1	64.7	13.3	52.2	
-193.5	-997.9							
		T	I	-2.0	145.7	-273.9	395.2	
3711.1	-2115.1		J	-2.0	145.7	-273.9	395.2	
3985.0	-2260.8							
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
386.0	-161.6		J	-0.1	14.7	-28.5	289.8	
414.5	-176.3							
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
900.7	-377.0		J	-0.2	34.3	-66.5	676.3	
967.1	-411.3							
562	7	38 Q1-1_2 Max	I	340.1	67.7	113.4	196.2	
1646.6	1900.5		J	340.1	67.7	113.4	196.2	
1759.8	1911.8							
		Min	I	-3366.8	-80.6	-113.2	-313.3	-
1650.5	-3293.0		J	-3366.8	-80.6	-113.2	-313.3	-
1764.0	-3281.7							
		Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
1739.2	3397.0		J	332.8	79.2	108.2	160.5	
1858.7	3384.2							
		Min	I	-3454.8	-74.2	-119.5	-330.8	-
1574.3	-2138.1		J	-3454.8	-74.2	-119.5	-330.8	-
1682.5	-2141.9							
		Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
896.4	874.3		J	191.6	33.6	58.0	108.7	
958.0	884.2							
		Min	I	-1699.0	-42.7	-61.6	-159.2	
-844.2	-1704.4		J	-1699.0	-42.7	-61.6	-159.2	
-902.2	-1694.9							
		Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
938.6	1671.0		J	184.8	39.3	54.7	85.8	
1003.1	1664.9							
		Min	I	-1732.0	-39.4	-64.5	-167.9	
-796.1	-1038.7		J	-1732.0	-39.4	-64.5	-167.9	
-850.8	-1037.3							
		Q1-1 Max	I	126.4	19.6	41.5	87.8	
506.1	214.6		J	126.4	19.6	41.5	87.8	
540.9	234.3							

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-603.4	-1699.5	Min	I	-1076.2	-29.2	-34.8	-98.2	
			J	-1076.2	-29.2	-34.8	-98.2	
-644.9	-1686.2							
		Q1-3 Max	I	105.0	29.1	26.6	21.0	
635.1	1540.7		J	105.0	29.1	26.6	21.0	
678.7	1522.9							
		Min	I	-1121.5	-24.1	-43.6	-113.6	
-387.2	-11.5		J	-1121.5	-24.1	-43.6	-113.6	
-413.8	-12.3							
		SLVx (RS)	I	-325.9	-1646.0	-498.2	-5057.1	
5978.5	21074.1		J	-325.9	-1646.0	-498.2	-5057.1	
6409.5	22683.8							
		SLVy (RS)	I	-428.8	1360.5	-1269.6	11380.7	1
6988.4	-15548.3		J	-428.8	1360.5	-1269.6	11380.7	1
8220.8	-16843.6							
		SLVz (RS)	I	1427.1	-42.8	123.2	252.0	
356.8	-307.6		J	1427.1	-42.8	123.2	252.0	
-471.8	-313.1							
		G1	I	-8243.5	7.6	3.4	-328.2	
-49.7	1151.7		J	-8418.0	7.6	3.4	-328.2	
-53.1	1144.1							
		G2	I	-1958.1	2.8	1.2	-118.7	
-18.2	418.8		J	-1958.1	2.8	1.2	-118.7	
-19.5	416.0							
		pp imp~1	I	-0.0	3.5	0.9	1.0	
-13.5	-50.0		J	-0.0	3.5	0.9	1.0	
-14.4	-53.4							
		perm i~1	I	-0.0	1.1	0.3	0.3	
-4.3	-16.1		J	-0.0	1.1	0.3	0.3	
-4.6	-17.2							
		pp2	I	-0.0	-4.7	-0.3	39.3	
4.6	69.3		J	-0.0	-4.7	-0.3	39.3	
4.9	74.1							
		perm2	I	-0.0	-1.3	-0.1	10.4	
1.1	17.4		J	-0.0	-1.3	-0.1	10.4	
1.2	18.7							
		q3	I	-23.7	83.6	-338.4	1263.1	
4923.8	-1749.1		J	-23.7	83.6	-338.4	1263.1	
5262.2	-1832.7							
		q4-1	I	-6.8	-31.6	-51.1	87.3	
743.1	482.0							

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
794.2	513.6		J	-6.8	-31.6	-51.1	87.3	
-82.0	-2341.4	q4-2	I	-9.0	144.5	5.6	35.1	
-87.6	-2485.9		J	-9.0	144.5	5.6	35.1	
-433.9	-560.7	q4-3	I	3.2	33.6	29.8	114.7	
-463.7	-594.3		J	3.2	33.6	29.8	114.7	
-345.1	808.1	q4-4	I	7.9	-53.7	23.7	-172.5	
-368.8	861.9		J	7.9	-53.7	23.7	-172.5	
2439.4	-20262.4	q5x_pc	I	-98.9	1336.2	-167.7	2060.8	
2607.1	-21600.6		J	-98.9	1340.2	-167.7	2060.8	
9648.6	-1932.1	q5y_pc	I	-67.2	146.8	-726.6	1518.8	
0379.2	-2078.9		J	-67.2	146.8	-734.5	1514.9	1
3412.1	-20381.2	q5x_ps	I	-89.4	1322.0	-234.5	2418.9	
3646.6	-21703.3		J	-89.4	1322.0	-234.5	2418.9	
8900.7	-1905.8	q5y_ps	I	-55.2	141.1	-611.7	1370.4	
9512.4	-2046.8		J	-55.2	141.1	-611.7	1370.4	
-193.5	-997.9	q7	I	-2.1	64.7	13.3	52.2	
-206.8	-1062.6		J	-2.1	64.7	13.3	52.2	
3985.0	-2260.8	T	I	-2.0	145.7	-273.9	395.2	
4258.8	-2406.5		J	-2.0	145.7	-273.9	395.2	
414.5	-176.3	SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
443.0	-191.0		J	-0.1	14.7	-28.5	289.8	
967.1	-411.3	SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
1033.6	-445.6		J	-0.2	34.3	-66.5	676.3	
563	7	38 Q1-1_2 Max	I	340.1	67.7	113.4	196.2	
1759.8	1911.8		J	340.1	67.7	113.4	196.2	
1873.0	1936.1	Min	I	-3366.8	-80.6	-113.2	-313.3	-
1764.0	-3281.7		J	-3366.8	-80.6	-113.2	-313.3	-
1877.4	-3271.1							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

1858.7	3384.2	Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
			J	332.8	79.2	108.2	160.5	
1978.2	3371.3							
		Min	I	-3454.8	-74.2	-119.5	-330.8	-
1682.5	-2141.9		J	-3454.8	-74.2	-119.5	-330.8	-
1790.7	-2145.7							
		Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
958.0	884.2		J	191.6	33.6	58.0	108.7	
1019.6	903.4							
		Min	I	-1699.0	-42.7	-61.6	-159.2	
-902.2	-1694.9		J	-1699.0	-42.7	-61.6	-159.2	
-960.2	-1685.8							
		Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
1003.1	1664.9		J	184.8	39.3	54.7	85.8	
1067.6	1658.9							
		Min	I	-1732.0	-39.4	-64.5	-167.9	
-850.8	-1037.3		J	-1732.0	-39.4	-64.5	-167.9	
-905.5	-1036.0							
		Q1-1 Max	I	126.4	19.6	41.5	87.8	
540.9	234.3		J	126.4	19.6	41.5	87.8	
575.7	254.0							
		Min	I	-1076.2	-29.2	-34.8	-98.2	
-644.9	-1686.2		J	-1076.2	-29.2	-34.8	-98.2	
-686.3	-1672.9							
		Q1-3 Max	I	105.0	29.1	26.6	21.0	
678.7	1522.9		J	105.0	29.1	26.6	21.0	
722.4	1505.1							
		Min	I	-1121.5	-24.1	-43.6	-113.6	
-413.8	-12.3		J	-1121.5	-24.1	-43.6	-113.6	
-440.4	-13.0							
		SLVx (RS)	I	-327.4	-1655.5	-511.1	-5057.1	
6409.5	22683.8		J	-327.4	-1655.5	-511.1	-5057.1	
6848.6	24302.2							
		SLVy (RS)	I	-431.5	1374.0	-1280.9	11380.7	1
8220.8	-16843.6		J	-431.5	1374.0	-1280.9	11380.7	1
9460.7	-18151.0							
		SLVz (RS)	I	1447.2	-41.0	92.9	252.0	
-471.8	-313.1		J	1447.2	-41.0	92.9	252.0	
-558.1	-313.1							
		G1	I	-8418.0	7.6	3.4	-328.2	
-53.1	1144.1		J	-8592.5	7.6	3.4	-328.2	
-56.5	1136.5							


MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-19.5	416.0	G2	I	-1958.1	2.8	1.2	-118.7	
			J	-1958.1	2.8	1.2	-118.7	
-20.7	413.2							
		pp imp~1	I	-0.0	3.5	0.9	1.0	
-14.4	-53.4		J	-0.0	3.5	0.9	1.0	
-15.3	-56.9							
		perm i~1	I	-0.0	1.1	0.3	0.3	
-4.6	-17.2		J	-0.0	1.1	0.3	0.3	
-4.9	-18.3							
		pp2	I	-0.0	-4.7	-0.3	39.3	
4.9	74.1		J	-0.0	-4.7	-0.3	39.3	
5.3	78.8							
		perm2	I	-0.0	-1.3	-0.1	10.4	
1.2	18.7		J	-0.0	-1.3	-0.1	10.4	
1.3	20.0							
		q3	I	-23.7	83.6	-338.4	1263.1	
5262.2	-1832.7		J	-23.7	83.6	-338.4	1263.1	
5600.6	-1916.3							
		q4-1	I	-6.8	-31.6	-51.1	87.3	
794.2	513.6		J	-6.8	-31.6	-51.1	87.3	
845.3	545.1							
		q4-2	I	-9.0	144.5	5.6	35.1	
-87.6	-2485.9		J	-9.0	144.5	5.6	35.1	
-93.3	-2630.4							
		q4-3	I	3.2	33.6	29.8	114.7	
-463.7	-594.3		J	3.2	33.6	29.8	114.7	
-493.5	-627.8							
		q4-4	I	7.9	-53.7	23.7	-172.5	
-368.8	861.9		J	7.9	-53.7	23.7	-172.5	
-392.5	915.6							
		q5x_pc	I	-98.9	1340.2	-167.7	2060.8	
2607.1	-21600.6		J	-98.9	1344.2	-167.7	2060.8	
2774.7	-22942.7							
		q5y_pc	I	-67.2	146.8	-734.5	1514.9	1
0379.2	-2078.9		J	-67.2	146.8	-742.3	1511.0	1
1117.6	-2225.7							
		q5x_ps	I	-89.4	1322.0	-234.5	2418.9	
3646.6	-21703.3		J	-89.4	1322.0	-234.5	2418.9	
3881.1	-23025.3							
		q5y_ps	I	-55.2	141.1	-611.7	1370.4	

MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
9512.4	-2046.8		J	-55.2	141.1	-611.7	1370.4	1
0124.1	-2187.9							
		q7	I	-2.1	64.7	13.3	52.2	
-206.8	-1062.6		J	-2.1	64.7	13.3	52.2	
-220.1	-1127.4							
		T	I	-2.0	145.7	-273.9	395.2	
4258.8	-2406.5		J	-2.0	145.7	-273.9	395.2	
4532.7	-2552.2							
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
443.0	-191.0		J	-0.1	14.7	-28.5	289.8	
471.5	-205.7							
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
1033.6	-445.6		J	-0.2	34.3	-66.5	676.3	
1100.1	-479.9							
564	7	38 Q1-1_2 Max	I	340.1	67.7	113.4	196.2	
1873.0	1936.1		J	340.1	67.7	113.4	196.2	
1986.1	1961.4							
		Min	I	-3366.8	-80.6	-113.2	-313.3	-
1877.4	-3271.1		J	-3366.8	-80.6	-113.2	-313.3	-
1990.8	-3261.1							
		Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
1978.2	3371.3		J	332.8	79.2	108.2	160.5	
2097.8	3358.5							
		Min	I	-3454.8	-74.2	-119.5	-330.8	-
1790.7	-2145.7		J	-3454.8	-74.2	-119.5	-330.8	-
1898.9	-2149.6							
		Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
1019.6	903.4		J	191.6	33.6	58.0	108.7	
1081.2	923.0							
		Min	I	-1699.0	-42.7	-61.6	-159.2	
-960.2	-1685.8		J	-1699.0	-42.7	-61.6	-159.2	-
1018.2	-1677.0							
		Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
1067.6	1658.9		J	184.8	39.3	54.7	85.8	
1132.1	1652.8							
		Min	I	-1732.0	-39.4	-64.5	-167.9	
-905.5	-1036.0		J	-1732.0	-39.4	-64.5	-167.9	
-960.2	-1034.7							
		Q1-1 Max	I	126.4	19.6	41.5	87.8	
575.7	254.0		J	126.4	19.6	41.5	87.8	
610.5	273.8							
		Min	I	-1076.2	-29.2	-34.8	-98.2	
-686.3	-1672.9							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-727.8	-1659.6		J	-1076.2	-29.2	-34.8	-98.2	
722.4	1505.1	Q1-3 Max	I	105.0	29.1	26.6	21.0	
766.0	1487.3		J	105.0	29.1	26.6	21.0	
-440.4	-13.0	Min	I	-1121.5	-24.1	-43.6	-113.6	
-467.0	-13.8		J	-1121.5	-24.1	-43.6	-113.6	
6848.6	24302.2	SLVx (RS)	I	-328.9	-1664.3	-524.3	-5057.1	
7297.0	25929.0		J	-328.9	-1664.3	-524.3	-5057.1	
9460.7	-18151.0	SLVy (RS)	I	-434.1	1386.9	-1292.1	11380.7	1
0708.2	-19470.3		J	-434.1	1386.9	-1292.1	11380.7	2
-558.1	-313.1	SLVz (RS)	I	1466.0	-41.4	58.1	252.0	
-608.3	-306.7		J	1466.0	-41.4	58.1	252.0	
-56.5	1136.5	G1	I	-8592.5	7.6	3.4	-328.2	
-59.9	1128.9		J	-8767.0	7.6	3.4	-328.2	
-20.7	413.2	G2	I	-1958.1	2.8	1.2	-118.7	
-22.0	410.4		J	-1958.1	2.8	1.2	-118.7	
-15.3	-56.9	pp imp~1	I	-0.0	3.5	0.9	1.0	
-16.2	-60.4		J	-0.0	3.5	0.9	1.0	
-4.9	-18.3	perm i~1	I	-0.0	1.1	0.3	0.3	
-5.2	-19.4		J	-0.0	1.1	0.3	0.3	
5.3	78.8	pp2	I	-0.0	-4.7	-0.3	39.3	
5.6	83.5		J	-0.0	-4.7	-0.3	39.3	
1.3	20.0	perm2	I	-0.0	-1.3	-0.1	10.4	
1.3	21.2		J	-0.0	-1.3	-0.1	10.4	
5600.6	-1916.3	q3	I	-23.7	83.6	-338.4	1263.1	
5939.0	-1999.9		J	-23.7	83.6	-338.4	1263.1	
845.3	545.1	q4-1	I	-6.8	-31.6	-51.1	87.3	
896.4	576.7		J	-6.8	-31.6	-51.1	87.3	


MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-93.3	-2630.4	q4-2	I	-9.0	144.5	5.6	35.1	
			J	-9.0	144.5	5.6	35.1	
-98.9	-2774.9							
		q4-3	I	3.2	33.6	29.8	114.7	
-493.5	-627.8		J	3.2	33.6	29.8	114.7	
-523.3	-661.4							
		q4-4	I	7.9	-53.7	23.7	-172.5	
-392.5	915.6		J	7.9	-53.7	23.7	-172.5	
-416.2	969.4							
		q5x_pc	I	-98.9	1344.2	-167.7	2060.8	
2774.7	-22942.7		J	-98.9	1348.1	-167.7	2060.8	
2942.4	-24288.9							
		q5y_pc	I	-67.2	146.8	-742.3	1511.0	1
1117.6	-2225.7		J	-67.2	146.8	-750.1	1507.0	1
1863.8	-2372.6							
		q5x_ps	I	-89.4	1322.0	-234.5	2418.9	
3881.1	-23025.3		J	-89.4	1322.0	-234.5	2418.9	
4115.6	-24347.3							
		q5y_ps	I	-55.2	141.1	-611.7	1370.4	1
0124.1	-2187.9		J	-55.2	141.1	-611.7	1370.4	1
0735.8	-2328.9							
		q7	I	-2.1	64.7	13.3	52.2	
-220.1	-1127.4		J	-2.1	64.7	13.3	52.2	
-233.4	-1192.1							
		T	I	-2.0	145.7	-273.9	395.2	
4532.7	-2552.2		J	-2.0	145.7	-273.9	395.2	
4806.6	-2697.9							
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
471.5	-205.7		J	-0.1	14.7	-28.5	289.8	
499.9	-220.4							
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
1100.1	-479.9		J	-0.2	34.3	-66.5	676.3	
1166.5	-514.2							
565	7	41	Q1-1_2 Max	I	340.1	67.7	113.4	196.2
1986.1	1961.4			J	340.1	67.7	113.4	196.2
2099.3	1987.5		Min	I	-3366.8	-80.6	-113.2	-313.3
1990.8	-3261.1			J	-3366.8	-80.6	-113.2	-313.3
2104.3	-3251.4							
		Q1-3_4 Max	I	332.8	79.2	108.2	160.5	

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2097.8	3358.5			J	332.8	79.2	108.2	160.5	
2217.3	3345.7								
		Min	I		-3454.8	-74.2	-119.5	-330.8	-
1898.9	-2149.6			J	-3454.8	-74.2	-119.5	-330.8	-
2007.1	-2153.4								
		Q2a-1_2 Max	I		191.6	33.6	58.0	108.7	
1081.2	923.0			J	191.6	33.6	58.0	108.7	
1142.8	943.0								
		Min	I		-1699.0	-42.7	-61.6	-159.2	-
1018.2	-1677.0			J	-1699.0	-42.7	-61.6	-159.2	-
1076.2	-1668.4								
		Q2a-3_4 Max	I		184.8	39.3	54.7	85.8	
1132.1	1652.8			J	184.8	39.3	54.7	85.8	
1196.6	1646.8								
		Min	I		-1732.0	-39.4	-64.5	-167.9	-
-960.2	-1034.7			J	-1732.0	-39.4	-64.5	-167.9	-
1014.9	-1033.4								
		Q1-1 Max	I		126.4	19.6	41.5	87.8	
610.5	273.8			J	126.4	19.6	41.5	87.8	
645.3	293.6								
		Min	I		-1076.2	-29.2	-34.8	-98.2	-
-727.8	-1659.6			J	-1076.2	-29.2	-34.8	-98.2	-
-769.3	-1646.3								
		Q1-3 Max	I		105.0	29.1	26.6	21.0	
766.0	1487.3			J	105.0	29.1	26.6	21.0	
809.7	1469.4								
		Min	I		-1121.5	-24.1	-43.6	-113.6	-
-467.0	-13.8			J	-1121.5	-24.1	-43.6	-113.6	-
-493.6	-14.6								
		SLVx (RS)	I		-330.3	-1672.7	-537.9	-5057.1	
7297.0	25929.0			J	-330.3	-1672.7	-537.9	-5057.1	
7755.2	27563.6								
		SLVy (RS)	I		-436.5	1399.4	-1303.1	11380.7	2
0708.2	-19470.3			J	-436.5	1399.4	-1303.1	11380.7	2
1963.6	-20801.4								
		SLVz (RS)	I		1483.7	-44.4	29.3	252.0	
-608.3	-306.7			J	1483.7	-44.4	29.3	252.0	
-617.3	-293.7								
		G1	I		-8767.0	7.6	3.4	-328.2	
-59.9	1128.9			J	-8948.3	7.6	3.4	-328.2	
-63.3	1121.2								
		G2	I		-1958.1	2.8	1.2	-118.7	
-22.0	410.4								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-23.2	407.5		J	-1958.1	2.8	1.2	-118.7	
-16.2	-60.4	pp imp~1	I	-0.0	3.5	0.9	1.0	
-17.1	-63.8		J	-0.0	3.5	0.9	1.0	
-5.2	-19.4	perm i~1	I	-0.0	1.1	0.3	0.3	
-5.5	-20.6		J	-0.0	1.1	0.3	0.3	
5.6	83.5	pp2	I	-0.0	-4.7	-0.3	39.3	
5.9	88.2		J	-0.0	-4.7	-0.3	39.3	
1.3	21.2	perm2	I	-0.0	-1.3	-0.1	10.4	
1.4	22.5		J	-0.0	-1.3	-0.1	10.4	
5939.0	-1999.9	q3	I	-23.7	83.6	-338.4	1263.1	
6277.4	-2083.5		J	-23.7	83.6	-338.4	1263.1	
896.4	576.7	q4-1	I	-6.8	-31.6	-51.1	87.3	
947.4	608.2		J	-6.8	-31.6	-51.1	87.3	
-98.9	-2774.9	q4-2	I	-9.0	144.5	5.6	35.1	
-104.5	-2919.4		J	-9.0	144.5	5.6	35.1	
-523.3	-661.4	q4-3	I	3.2	33.6	29.8	114.7	
-553.1	-694.9		J	3.2	33.6	29.8	114.7	
-416.2	969.4	q4-4	I	7.9	-53.7	23.7	-172.5	
-439.9	1023.1		J	7.9	-53.7	23.7	-172.5	
2942.4	-24288.9	q5x_pc	I	-98.9	1348.1	-167.7	2060.8	
3110.0	-25639.0		J	-98.9	1352.1	-167.7	2060.8	
1863.8	-2372.6	q5y_pc	I	-67.2	146.8	-750.1	1507.0	1
2617.8	-2519.4		J	-67.2	146.8	-758.0	1503.1	1
4115.6	-24347.3	q5x_ps	I	-89.4	1322.0	-234.5	2418.9	
4350.1	-25669.4		J	-89.4	1322.0	-234.5	2418.9	
0735.8	-2328.9	q5y_ps	I	-55.2	141.1	-611.7	1370.4	1
			J	-55.2	141.1	-611.7	1370.4	1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1347.5	-2470.0							
			q7	I	-2.1	64.7	13.3	52.2
-233.4	-1192.1			J	-2.1	64.7	13.3	52.2
-246.7	-1256.8							
			T	I	-2.0	145.7	-273.9	395.2
4806.6	-2697.9			J	-2.0	145.7	-273.9	395.2
5080.5	-2843.6							
			SLVx-E~1	I	-0.1	14.7	-28.5	289.8
499.9	-220.4			J	-0.1	14.7	-28.5	289.8
528.4	-235.1							
			SLVy-E~1	I	-0.2	34.3	-66.5	676.3
1166.5	-514.2			J	-0.2	34.3	-66.5	676.3
1233.0	-548.6							
566	7	41	Q1-1_2 Max	I	340.1	67.7	113.4	196.2
2099.3	1987.5			J	340.1	67.7	113.4	196.2
2212.5	2014.5							
			Min	I	-3366.8	-80.6	-113.2	-313.3
2104.3	-3251.4			J	-3366.8	-80.6	-113.2	-313.3
2217.7	-3242.2							
			Q1-3_4 Max	I	332.8	79.2	108.2	160.5
2217.3	3345.7			J	332.8	79.2	108.2	160.5
2336.8	3332.9							
			Min	I	-3454.8	-74.2	-119.5	-330.8
2007.1	-2153.4			J	-3454.8	-74.2	-119.5	-330.8
2115.3	-2157.3							
			Q2a-1_2 Max	I	191.6	33.6	58.0	108.7
1142.8	943.0			J	191.6	33.6	58.0	108.7
1204.4	963.3							
			Min	I	-1699.0	-42.7	-61.6	-159.2
1076.2	-1668.4			J	-1699.0	-42.7	-61.6	-159.2
1134.2	-1660.1							
			Q2a-3_4 Max	I	184.8	39.3	54.7	85.8
1196.6	1646.8			J	184.8	39.3	54.7	85.8
1261.2	1640.7							
			Min	I	-1732.0	-39.4	-64.5	-167.9
1014.9	-1033.4			J	-1732.0	-39.4	-64.5	-167.9
1069.7	-1032.2							
			Q1-1 Max	I	126.4	19.6	41.5	87.8
645.3	293.6			J	126.4	19.6	41.5	87.8
680.1	313.5							
			Min	I	-1076.2	-29.2	-34.8	-98.2
-769.3	-1646.3			J	-1076.2	-29.2	-34.8	-98.2
-810.7	-1633.1							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

809.7	1469.4	Q1-3 Max	I	105.0	29.1	26.6	21.0	
			J	105.0	29.1	26.6	21.0	
853.3	1451.6							
-493.6	-14.6	Min	I	-1121.5	-24.1	-43.6	-113.6	
			J	-1121.5	-24.1	-43.6	-113.6	
-520.2	-15.3							
		SLVx (RS)	I	-331.6	-1680.4	-551.4	-5057.1	
7755.2	27563.6		J	-331.6	-1680.4	-551.4	-5057.1	
8224.2	29205.5							
		SLVy (RS)	I	-438.9	1411.2	-1313.7	11380.7	2
1963.6	-20801.4		J	-438.9	1411.2	-1313.7	11380.7	2
3226.9	-22144.0							
		SLVz (RS)	I	1500.3	-50.2	45.3	252.0	
-617.3	-293.7		J	1500.3	-50.2	45.3	252.0	
-582.7	-275.2							
		G1	I	-8948.3	7.6	3.4	-328.2	
-63.3	1121.2		J	-9129.6	7.6	3.4	-328.2	
-66.7	1113.6							
		G2	I	-1958.1	2.8	1.2	-118.7	
-23.2	407.5		J	-1958.1	2.8	1.2	-118.7	
-24.5	404.7							
		pp imp~1	I	-0.0	3.5	0.9	1.0	
-17.1	-63.8		J	-0.0	3.5	0.9	1.0	
-18.1	-67.3							
		perm i~1	I	-0.0	1.1	0.3	0.3	
-5.5	-20.6		J	-0.0	1.1	0.3	0.3	
-5.8	-21.7							
		pp2	I	-0.0	-4.7	-0.3	39.3	
5.9	88.2		J	-0.0	-4.7	-0.3	39.3	
6.2	92.9							
		perm2	I	-0.0	-1.3	-0.1	10.4	
1.4	22.5		J	-0.0	-1.3	-0.1	10.4	
1.5	23.8							
		q3	I	-23.7	83.6	-338.4	1263.1	
6277.4	-2083.5		J	-23.7	83.6	-338.4	1263.1	
6615.7	-2167.1							
		q4-1	I	-6.8	-31.6	-51.1	87.3	
947.4	608.2		J	-6.8	-31.6	-51.1	87.3	
998.5	639.8							
		q4-2	I	-9.0	144.5	5.6	35.1	


MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-104.5	-2919.4		J	-9.0	144.5	5.6	35.1	
-110.2	-3064.0							
		q4-3	I	3.2	33.6	29.8	114.7	
-553.1	-694.9		J	3.2	33.6	29.8	114.7	
-583.0	-728.5							
		q4-4	I	7.9	-53.7	23.7	-172.5	
-439.9	1023.1		J	7.9	-53.7	23.7	-172.5	
-463.7	1076.9							
		q5x_pc	I	-98.9	1352.1	-167.7	2060.8	
3110.0	-25639.0		J	-98.9	1355.7	-167.7	2060.8	
3277.7	-26992.9							
		q5y_pc	I	-67.2	146.8	-758.0	1503.1	1
2617.8	-2519.4		J	-67.2	146.8	-764.8	1499.7	1
3379.2	-2666.3							
		q5x_ps	I	-89.4	1322.0	-234.5	2418.9	
4350.1	-25669.4		J	-89.4	1322.0	-234.5	2418.9	
4584.6	-26991.4							
		q5y_ps	I	-55.2	141.1	-611.7	1370.4	1
1347.5	-2470.0		J	-55.2	141.1	-611.7	1370.4	1
1959.3	-2611.1							
		q7	I	-2.1	64.7	13.3	52.2	
-246.7	-1256.8		J	-2.1	64.7	13.3	52.2	
-260.0	-1321.5							
		T	I	-2.0	145.7	-273.9	395.2	
5080.5	-2843.6		J	-2.0	145.7	-273.9	395.2	
5354.3	-2989.3							
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
528.4	-235.1		J	-0.1	14.7	-28.5	289.8	
556.9	-249.8							
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
1233.0	-548.6		J	-0.2	34.3	-66.5	676.3	
1299.5	-582.9							
567	7	41	Q1-1_2 Max	I	340.1	67.7	113.4	196.2
2212.5	2014.5			J	340.1	67.7	113.4	196.2
2325.7	2042.6		Min	I	-3366.8	-80.6	-113.2	-313.3
2217.7	-3242.2			J	-3366.8	-80.6	-113.2	-313.3
2331.1	-3233.5							
		Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
2336.8	3332.9		J	332.8	79.2	108.2	160.5	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2456.4	3320.1		Min	I	-3454.8	-74.2	-119.5	-330.8	-
2115.3	-2157.3			J	-3454.8	-74.2	-119.5	-330.8	-
2223.5	-2161.2								
		Q2a-1_2	Max	I	191.6	33.6	58.0	108.7	
1204.4	963.3			J	191.6	33.6	58.0	108.7	
1266.0	984.1								
			Min	I	-1699.0	-42.7	-61.6	-159.2	-
1134.2	-1660.1			J	-1699.0	-42.7	-61.6	-159.2	-
1192.3	-1652.0								
		Q2a-3_4	Max	I	184.8	39.3	54.7	85.8	
1261.2	1640.7			J	184.8	39.3	54.7	85.8	
1325.7	1634.7								
			Min	I	-1732.0	-39.4	-64.5	-167.9	-
1069.7	-1032.2			J	-1732.0	-39.4	-64.5	-167.9	-
1124.4	-1030.9								
		Q1-1	Max	I	126.4	19.6	41.5	87.8	
680.1	313.5			J	126.4	19.6	41.5	87.8	
714.9	333.4								
			Min	I	-1076.2	-29.2	-34.8	-98.2	-
-810.7	-1633.1			J	-1076.2	-29.2	-34.8	-98.2	-
-852.2	-1619.8								
		Q1-3	Max	I	105.0	29.1	26.6	21.0	
853.3	1451.6			J	105.0	29.1	26.6	21.0	
896.9	1433.8								
			Min	I	-1121.5	-24.1	-43.6	-113.6	-
-520.2	-15.3			J	-1121.5	-24.1	-43.6	-113.6	-
-546.8	-16.1								
		SLVx (RS)		I	-332.8	-1687.5	-564.2	-5057.1	
8224.2	29205.5			J	-332.8	-1687.5	-564.2	-5057.1	
8704.3	30854.3								
		SLVy (RS)		I	-441.1	1422.0	-1323.4	11380.7	2
3226.9	-22144.0			J	-441.1	1422.0	-1323.4	11380.7	2
4498.0	-23497.5								
		SLVz (RS)		I	1515.3	-58.1	84.2	252.0	
-582.7	-275.2			J	1515.3	-58.1	84.2	252.0	
-505.5	-254.0								
		G1		I	-9129.6	7.6	3.4	-328.2	
-66.7	1113.6			J	-9310.9	7.6	3.4	-328.2	
-70.1	1106.0								
		G2		I	-1958.1	2.8	1.2	-118.7	
-24.5	404.7			J	-1958.1	2.8	1.2	-118.7	
-25.7	401.9								


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

-18.1	-67.3	pp imp~1	I	-0.0	3.5	0.9	1.0	
			J	-0.0	3.5	0.9	1.0	
-19.0	-70.8							
		perm i~1	I	-0.0	1.1	0.3	0.3	
-5.8	-21.7		J	-0.0	1.1	0.3	0.3	
-6.1	-22.8							
		pp2	I	-0.0	-4.7	-0.3	39.3	
6.2	92.9		J	-0.0	-4.7	-0.3	39.3	
6.5	97.6							
		perm2	I	-0.0	-1.3	-0.1	10.4	
1.5	23.8		J	-0.0	-1.3	-0.1	10.4	
1.6	25.0							
		q3	I	-23.7	83.6	-338.4	1263.1	
6615.7	-2167.1		J	-23.7	83.6	-338.4	1263.1	
6954.1	-2250.6							
		q4-1	I	-6.8	-31.6	-51.1	87.3	
998.5	639.8		J	-6.8	-31.6	-51.1	87.3	
1049.6	671.3							
		q4-2	I	-9.0	144.5	5.6	35.1	
-110.2	-3064.0		J	-9.0	144.5	5.6	35.1	
-115.8	-3208.5							
		q4-3	I	3.2	33.6	29.8	114.7	
-583.0	-728.5		J	3.2	33.6	29.8	114.7	
-612.8	-762.1							
		q4-4	I	7.9	-53.7	23.7	-172.5	
-463.7	1076.9		J	7.9	-53.7	23.7	-172.5	
-487.4	1130.6							
		q5x_pc	I	-98.9	1355.7	-167.7	2060.8	
3277.7	-26992.9		J	-98.9	1359.2	-167.7	2060.8	
3445.3	-28350.4							
		q5y_pc	I	-67.2	146.8	-764.8	1499.7	1
3379.2	-2666.3		J	-67.2	146.8	-771.7	1496.3	1
4147.5	-2813.1							
		q5x_ps	I	-89.4	1322.0	-234.5	2418.9	
4584.6	-26991.4		J	-89.4	1322.0	-234.5	2418.9	
4819.1	-28313.5							
		q5y_ps	I	-55.2	141.1	-611.7	1370.4	1
1959.3	-2611.1		J	-55.2	141.1	-611.7	1370.4	1
2571.0	-2752.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-260.0	-1321.5	q7	I	-2.1	64.7	13.3	52.2	
			J	-2.1	64.7	13.3	52.2	
-273.3	-1386.2							
		T	I	-2.0	145.7	-273.9	395.2	
5354.3	-2989.3		J	-2.0	145.7	-273.9	395.2	
5628.2	-3135.0							
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
556.9	-249.8		J	-0.1	14.7	-28.5	289.8	
585.4	-264.5							
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
1299.5	-582.9		J	-0.2	34.3	-66.5	676.3	
1366.0	-617.2							
568	7	41	Q1-1_2 Max	I	340.1	67.7	113.4	196.2
2325.7	2042.6			J	340.1	67.7	113.4	196.2
2438.8	2071.9		Min	I	-3366.8	-80.6	-113.2	-313.3
2331.1	-3233.5			J	-3366.8	-80.6	-113.2	-313.3
2444.6	-3225.3							
		Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
2456.4	3320.1		J	332.8	79.2	108.2	160.5	
2575.9	3307.3		Min	I	-3454.8	-74.2	-119.5	-330.8
2223.5	-2161.2		J	-3454.8	-74.2	-119.5	-330.8	-
2331.7	-2165.1							
		Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
1266.0	984.1		J	191.6	33.6	58.0	108.7	
1327.6	1005.4		Min	I	-1699.0	-42.7	-61.6	-159.2
1192.3	-1652.0		J	-1699.0	-42.7	-61.6	-159.2	-
1250.3	-1644.1							
		Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
1325.7	1634.7		J	184.8	39.3	54.7	85.8	
1390.2	1628.6		Min	I	-1732.0	-39.4	-64.5	-167.9
1124.4	-1030.9		J	-1732.0	-39.4	-64.5	-167.9	-
1179.1	-1029.6							
		Q1-1 Max	I	126.4	19.6	41.5	87.8	
714.9	333.4		J	126.4	19.6	41.5	87.8	
749.6	353.3		Min	I	-1076.2	-29.2	-34.8	-98.2
-852.2	-1619.8		J	-1076.2	-29.2	-34.8	-98.2	
-893.7	-1606.6							
		Q1-3 Max	I	105.0	29.1	26.6	21.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
896.9	1433.8		J	105.0	29.1	26.6	21.0	
940.6	1416.0							
		Min	I	-1121.5	-24.1	-43.6	-113.6	
-546.8	-16.1							
			J	-1121.5	-24.1	-43.6	-113.6	
-573.4	-16.9							
		SLVx (RS)	I	-333.9	-1693.9	-576.0	-5057.1	
8704.3	30854.3							
			J	-333.9	-1693.9	-576.0	-5057.1	
9195.6	32509.3							
		SLVy (RS)	I	-443.2	1431.7	-1332.1	11380.7	2
4498.0	-23497.5							
			J	-443.2	1431.7	-1332.1	11380.7	2
5776.5	-24861.3							
		SLVz (RS)	I	1528.8	-67.3	123.6	252.0	
-505.5	-254.0							
			J	1528.8	-67.3	123.6	252.0	
-389.7	-236.6							
		G1	I	-9310.9	7.6	3.4	-328.2	
-70.1	1106.0							
			J	-9492.2	7.6	3.4	-328.2	
-73.5	1098.4							
		G2	I	-1958.1	2.8	1.2	-118.7	
-25.7	401.9							
			J	-1958.1	2.8	1.2	-118.7	
-27.0	399.1							
		pp imp~1	I	-0.0	3.5	0.9	1.0	
-19.0	-70.8							
			J	-0.0	3.5	0.9	1.0	
-19.9	-74.2							
		perm i~1	I	-0.0	1.1	0.3	0.3	
-6.1	-22.8							
			J	-0.0	1.1	0.3	0.3	
-6.4	-23.9							
		pp2	I	-0.0	-4.7	-0.3	39.3	
6.5	97.6							
			J	-0.0	-4.7	-0.3	39.3	
6.8	102.3							
		perm2	I	-0.0	-1.3	-0.1	10.4	
1.6	25.0							
			J	-0.0	-1.3	-0.1	10.4	
1.6	26.3							
		q3	I	-23.7	83.6	-338.4	1263.1	
6954.1	-2250.6							
			J	-23.7	83.6	-338.4	1263.1	
7292.5	-2334.2							
		q4-1	I	-6.8	-31.6	-51.1	87.3	
1049.6	671.3							
			J	-6.8	-31.6	-51.1	87.3	
1100.7	702.9							
		q4-2	I	-9.0	144.5	5.6	35.1	
-115.8	-3208.5							
			J	-9.0	144.5	5.6	35.1	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-121.4	-3353.0							
		q4-3	I	3.2	33.6	29.8	114.7	
-612.8	-762.1		J	3.2	33.6	29.8	114.7	
-642.6	-795.6							
		q4-4	I	7.9	-53.7	23.7	-172.5	
-487.4	1130.6		J	7.9	-53.7	23.7	-172.5	
-511.1	1184.3							
		q5x_pc	I	-98.9	1359.2	-167.7	2060.8	
3445.3	-28350.4		J	-98.9	1362.8	-167.7	2060.8	
3613.0	-29711.4							
		q5y_pc	I	-67.2	146.8	-771.7	1496.3	1
4147.5	-2813.1		J	-67.2	146.8	-778.5	1492.8	1
4922.6	-2960.0							
		q5x_ps	I	-89.4	1322.0	-234.5	2418.9	
4819.1	-28313.5		J	-89.4	1322.0	-234.5	2418.9	
5053.6	-29635.5							
		q5y_ps	I	-55.2	141.1	-611.7	1370.4	1
2571.0	-2752.1		J	-55.2	141.1	-611.7	1370.4	1
3182.7	-2893.2							
		q7	I	-2.1	64.7	13.3	52.2	
-273.3	-1386.2		J	-2.1	64.7	13.3	52.2	
-286.6	-1450.9							
		T	I	-2.0	145.7	-273.9	395.2	
5628.2	-3135.0		J	-2.0	145.7	-273.9	395.2	
5902.1	-3280.7							
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
585.4	-264.5		J	-0.1	14.7	-28.5	289.8	
613.9	-279.2							
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
1366.0	-617.2		J	-0.2	34.3	-66.5	676.3	
1432.4	-651.5							
569	7	41	Q1-1_2 Max	I	340.1	67.7	113.4	196.2
2438.8	2071.9			J	340.1	67.7	113.4	196.2
2552.0	2102.4		Min	I	-3366.8	-80.6	-113.2	-313.3
2444.6	-3225.3			J	-3366.8	-80.6	-113.2	-313.3
2558.0	-3217.6							
			Q1-3_4 Max	I	332.8	79.2	108.2	160.5
2575.9	3307.3			J	332.8	79.2	108.2	160.5
2695.4	3294.5		Min	I	-3454.8	-74.2	-119.5	-330.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2331.7	-2165.1		J	-3454.8	-74.2	-119.5	-330.8	-
2439.9	-2169.0							
1327.6	1005.4	Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
1389.2	1027.1		J	191.6	33.6	58.0	108.7	
1250.3	-1644.1	Min	I	-1699.0	-42.7	-61.6	-159.2	-
1308.3	-1636.6		J	-1699.0	-42.7	-61.6	-159.2	-
1390.2	1628.6	Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
1454.7	1622.6		J	184.8	39.3	54.7	85.8	
1179.1	-1029.6	Min	I	-1732.0	-39.4	-64.5	-167.9	-
1233.8	-1028.3		J	-1732.0	-39.4	-64.5	-167.9	-
749.6	353.3	Q1-1 Max	I	126.4	19.6	41.5	87.8	
784.4	373.2		J	126.4	19.6	41.5	87.8	
-893.7	-1606.6	Min	I	-1076.2	-29.2	-34.8	-98.2	
-935.1	-1593.3		J	-1076.2	-29.2	-34.8	-98.2	
940.6	1416.0	Q1-3 Max	I	105.0	29.1	26.6	21.0	
984.2	1398.1		J	105.0	29.1	26.6	21.0	
-573.4	-16.9	Min	I	-1121.5	-24.1	-43.6	-113.6	
-600.0	-17.6		J	-1121.5	-24.1	-43.6	-113.6	
9195.6	32509.3	SLVx (RS)	I	-334.8	-1699.7	-586.7	-5057.1	
9698.1	34170.1		J	-334.8	-1699.7	-586.7	-5057.1	
5776.5	-24861.3	SLVy (RS)	I	-444.9	1440.1	-1339.7	11380.7	2
7062.2	-26234.8		J	-444.9	1440.1	-1339.7	11380.7	2
-389.7	-236.6	SLVz (RS)	I	1540.6	-76.9	159.5	252.0	
-244.9	-232.7		J	1540.6	-76.9	159.5	252.0	
-73.5	1098.4	G1	I	-9492.2	7.6	3.4	-328.2	
-76.9	1090.8		J	-9673.5	7.6	3.4	-328.2	
-27.0	399.1	G2	I	-1958.1	2.8	1.2	-118.7	
-28.2	396.3		J	-1958.1	2.8	1.2	-118.7	
		pp imp~1	I	-0.0	3.5	0.9	1.0	


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-19.9	-74.2		J	-0.0	3.5	0.9	1.0	
-20.8	-77.7							
		perm i~1	I	-0.0	1.1	0.3	0.3	
-6.4	-23.9		J	-0.0	1.1	0.3	0.3	
-6.7	-25.0							
		pp2	I	-0.0	-4.7	-0.3	39.3	
6.8	102.3		J	-0.0	-4.7	-0.3	39.3	
7.2	107.1							
		perm2	I	-0.0	-1.3	-0.1	10.4	
1.6	26.3		J	-0.0	-1.3	-0.1	10.4	
1.7	27.6							
		q3	I	-23.7	83.6	-338.4	1263.1	
7292.5	-2334.2		J	-23.7	83.6	-338.4	1263.1	
7630.9	-2417.8							
		q4-1	I	-6.8	-31.6	-51.1	87.3	
1100.7	702.9		J	-6.8	-31.6	-51.1	87.3	
1151.7	734.4							
		q4-2	I	-9.0	144.5	5.6	35.1	
-121.4	-3353.0		J	-9.0	144.5	5.6	35.1	
-127.1	-3497.5							
		q4-3	I	3.2	33.6	29.8	114.7	
-642.6	-795.6		J	3.2	33.6	29.8	114.7	
-672.4	-829.2							
		q4-4	I	7.9	-53.7	23.7	-172.5	
-511.1	1184.3		J	7.9	-53.7	23.7	-172.5	
-534.8	1238.1							
		q5x_pc	I	-98.9	1362.8	-167.7	2060.8	
3613.0	-29711.4		J	-98.9	1366.4	-167.7	2060.8	
3780.6	-31076.0							
		q5y_pc	I	-67.2	146.8	-778.5	1492.8	1
4922.6	-2960.0		J	-67.2	146.8	-785.4	1489.4	1
5704.6	-3106.8							
		q5x_ps	I	-89.4	1322.0	-234.5	2418.9	
5053.6	-29635.5		J	-89.4	1322.0	-234.5	2418.9	
5288.1	-30957.6							
		q5y_ps	I	-55.2	141.1	-611.7	1370.4	1
3182.7	-2893.2		J	-55.2	141.1	-611.7	1370.4	1
3794.4	-3034.2							
		q7	I	-2.1	64.7	13.3	52.2	
-286.6	-1450.9							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-299.9	-1515.6		J	-2.1	64.7	13.3	52.2	
5902.1	-3280.7	T	I	-2.0	145.7	-273.9	395.2	
6176.0	-3426.4		J	-2.0	145.7	-273.9	395.2	
613.9	-279.2	SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
642.4	-293.9		J	-0.1	14.7	-28.5	289.8	
1432.4	-651.5	SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
1498.9	-685.8		J	-0.2	34.3	-66.5	676.3	
570	7	41 Q1-1_2 Max	I	340.1	67.7	113.4	196.2	
2552.0	2102.4		J	340.1	67.7	113.4	196.2	
2665.2	2134.0	Min	I	-3366.8	-80.6	-113.2	-313.3	-
2558.0	-3217.6		J	-3366.8	-80.6	-113.2	-313.3	-
2671.4	-3210.3							
2695.4	3294.5	Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
2815.0	3281.8		J	332.8	79.2	108.2	160.5	
2439.9	-2169.0	Min	I	-3454.8	-74.2	-119.5	-330.8	-
2548.0	-2172.9		J	-3454.8	-74.2	-119.5	-330.8	-
1389.2	1027.1	Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
1450.8	1049.3		J	191.6	33.6	58.0	108.7	
1308.3	-1636.6	Min	I	-1699.0	-42.7	-61.6	-159.2	-
1366.3	-1629.1		J	-1699.0	-42.7	-61.6	-159.2	-
1454.7	1622.6	Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
1519.2	1616.6		J	184.8	39.3	54.7	85.8	
1233.8	-1028.3	Min	I	-1732.0	-39.4	-64.5	-167.9	-
1288.5	-1027.0		J	-1732.0	-39.4	-64.5	-167.9	-
784.4	373.2	Q1-1 Max	I	126.4	19.6	41.5	87.8	
819.2	393.1		J	126.4	19.6	41.5	87.8	
-935.1	-1593.3	Min	I	-1076.2	-29.2	-34.8	-98.2	
-976.6	-1580.1		J	-1076.2	-29.2	-34.8	-98.2	
984.2	1398.1	Q1-3 Max	I	105.0	29.1	26.6	21.0	
			J	105.0	29.1	26.6	21.0	


MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

1027.9	1380.3								
		Min	I	-1121.5	-24.1	-43.6	-113.6		
-600.0	-17.6		J	-1121.5	-24.1	-43.6	-113.6		
-626.6	-18.4								
		SLVx (RS)	I	-335.6	-1704.7	-596.0	-5057.1		
9698.1	34170.1		J	-335.6	-1704.7	-596.0	-5057.1	1	
0211.4	35836.1								
		SLVy (RS)	I	-446.5	1447.1	-1346.2	11380.7	2	
7062.2	-26234.8		J	-446.5	1447.1	-1346.2	11380.7	2	
8354.6	-27617.2								
		SLVz (RS)	I	1550.6	-86.2	190.2	252.0		
-244.9	-232.7		J	1550.6	-86.2	190.2	252.0		
-121.5	-252.3								
		G1	I	-9673.5	7.6	3.4	-328.2		
-76.9	1090.8		J	-9854.8	7.6	3.4	-328.2		
-80.3	1083.2								
		G2	I	-1958.1	2.8	1.2	-118.7		
-28.2	396.3		J	-1958.1	2.8	1.2	-118.7		
-29.5	393.4								
		pp imp~1	I	-0.0	3.5	0.9	1.0		
-20.8	-77.7		J	-0.0	3.5	0.9	1.0		
-21.8	-81.1								
		perm i~1	I	-0.0	1.1	0.3	0.3		
-6.7	-25.0		J	-0.0	1.1	0.3	0.3		
-7.0	-26.1								
		pp2	I	-0.0	-4.7	-0.3	39.3		
7.2	107.1		J	-0.0	-4.7	-0.3	39.3		
7.5	111.8								
		perm2	I	-0.0	-1.3	-0.1	10.4		
1.7	27.6		J	-0.0	-1.3	-0.1	10.4		
1.8	28.8								
		q3	I	-23.7	83.6	-338.4	1263.1		
7630.9	-2417.8		J	-23.7	83.6	-338.4	1263.1		
7969.3	-2501.4								
		q4-1	I	-6.8	-31.6	-51.1	87.3		
1151.7	734.4		J	-6.8	-31.6	-51.1	87.3		
1202.8	766.0								
		q4-2	I	-9.0	144.5	5.6	35.1		
-127.1	-3497.5		J	-9.0	144.5	5.6	35.1		
-132.7	-3642.0								

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-672.4	-829.2		q4-3	I	3.2	33.6	29.8	114.7	
				J	3.2	33.6	29.8	114.7	
-702.2	-862.7								
			q4-4	I	7.9	-53.7	23.7	-172.5	
-534.8	1238.1			J	7.9	-53.7	23.7	-172.5	
-558.5	1291.8								
			q5x_pc	I	-98.9	1366.4	-167.7	2060.8	
3780.6	-31076.0			J	-98.9	1369.9	-167.7	2060.8	
3948.3	-32444.1								
			q5y_pc	I	-67.2	146.8	-785.4	1489.4	1
5704.6	-3106.8			J	-67.2	146.8	-792.2	1486.0	1
6493.4	-3253.7								
			q5x_ps	I	-89.4	1322.0	-234.5	2418.9	
5288.1	-30957.6			J	-89.4	1322.0	-234.5	2418.9	
5522.6	-32279.6								
			q5y_ps	I	-55.2	141.1	-611.7	1370.4	1
3794.4	-3034.2			J	-55.2	141.1	-611.7	1370.4	1
4406.1	-3175.3								
			q7	I	-2.1	64.7	13.3	52.2	
-299.9	-1515.6			J	-2.1	64.7	13.3	52.2	
-313.2	-1580.3								
			T	I	-2.0	145.7	-273.9	395.2	
6176.0	-3426.4			J	-2.0	145.7	-273.9	395.2	
6449.8	-3572.1								
			SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
642.4	-293.9			J	-0.1	14.7	-28.5	289.8	
670.9	-308.6								
			SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
1498.9	-685.8			J	-0.2	34.3	-66.5	676.3	
1565.4	-720.1								
571	7	41	Q1-1_2 Max	I	340.1	67.7	113.4	196.2	
2665.2	2134.0			J	340.1	67.7	113.4	196.2	
2778.3	2166.6								
			Min	I	-3366.8	-80.6	-113.2	-313.3	-
2671.4	-3210.3			J	-3366.8	-80.6	-113.2	-313.3	-
2784.9	-3203.3								
			Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
2815.0	3281.8			J	332.8	79.2	108.2	160.5	
2934.5	3269.0								
			Min	I	-3454.8	-74.2	-119.5	-330.8	-
2548.0	-2172.9			J	-3454.8	-74.2	-119.5	-330.8	-

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2656.2	-2176.8							
1450.8	1049.3	Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
1512.4	1071.9		J	191.6	33.6	58.0	108.7	
1366.3	-1629.1	Min	I	-1699.0	-42.7	-61.6	-159.2	-
1424.3	-1621.9		J	-1699.0	-42.7	-61.6	-159.2	-
1519.2	1616.6	Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
1583.7	1610.5		J	184.8	39.3	54.7	85.8	
1288.5	-1027.0	Min	I	-1732.0	-39.4	-64.5	-167.9	-
1343.2	-1025.8		J	-1732.0	-39.4	-64.5	-167.9	-
819.2	393.1	Q1-1 Max	I	126.4	19.6	41.5	87.8	
854.0	413.0		J	126.4	19.6	41.5	87.8	
-976.6	-1580.1	Min	I	-1076.2	-29.2	-34.8	-98.2	
1018.1	-1566.9		J	-1076.2	-29.2	-34.8	-98.2	-
1027.9	1380.3	Q1-3 Max	I	105.0	29.1	26.6	21.0	
1071.5	1362.5		J	105.0	29.1	26.6	21.0	
-626.6	-18.4	Min	I	-1121.5	-24.1	-43.6	-113.6	
-653.2	-19.2		J	-1121.5	-24.1	-43.6	-113.6	
0211.4	35836.1	SLVx (RS)	I	-336.3	-1708.8	-603.7	-5057.1	1
0734.8	37506.8		J	-336.3	-1708.8	-603.7	-5057.1	1
8354.6	-27617.2	SLVy (RS)	I	-447.8	1452.7	-1351.6	11380.7	2
9653.0	-29007.5		J	-447.8	1452.7	-1351.6	11380.7	2
-121.5	-252.3	SLVz (RS)	I	1558.8	-94.4	214.8	252.0	
-221.8	-298.6		J	1558.8	-94.4	214.8	252.0	
-80.3	1083.2	G1	I	-9854.8	7.6	3.4	-328.2	
-83.7	1075.5		J	-10036.1	7.6	3.4	-328.2	
-29.5	393.4	G2	I	-1958.1	2.8	1.2	-118.7	
-30.7	390.6		J	-1958.1	2.8	1.2	-118.7	
-21.8	-81.1	pp imp~1	I	-0.0	3.5	0.9	1.0	
			J	-0.0	3.5	0.9	1.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-22.7	-84.6							
			perm i~1	I	-0.0	1.1	0.3	0.3
-7.0	-26.1			J	-0.0	1.1	0.3	0.3
-7.3	-27.2							
			pp2	I	-0.0	-4.7	-0.3	39.3
7.5	111.8			J	-0.0	-4.7	-0.3	39.3
7.8	116.5							
			perm2	I	-0.0	-1.3	-0.1	10.4
1.8	28.8			J	-0.0	-1.3	-0.1	10.4
1.9	30.1							
			q3	I	-23.7	83.6	-338.4	1263.1
7969.3	-2501.4			J	-23.7	83.6	-338.4	1263.1
8307.7	-2585.0							
			q4-1	I	-6.8	-31.6	-51.1	87.3
1202.8	766.0			J	-6.8	-31.6	-51.1	87.3
1253.9	797.5							
			q4-2	I	-9.0	144.5	5.6	35.1
-132.7	-3642.0			J	-9.0	144.5	5.6	35.1
-138.3	-3786.5							
			q4-3	I	3.2	33.6	29.8	114.7
-702.2	-862.7			J	3.2	33.6	29.8	114.7
-732.1	-896.3							
			q4-4	I	7.9	-53.7	23.7	-172.5
-558.5	1291.8			J	7.9	-53.7	23.7	-172.5
-582.2	1345.6							
			q5x_pc	I	-98.9	1369.9	-167.7	2060.8
3948.3	-32444.1			J	-98.9	1373.2	-167.7	2060.8
4116.0	-33815.7							
			q5y_pc	I	-67.2	146.8	-792.2	1486.0
6493.4	-3253.7			J	-67.2	146.8	-798.4	1482.9
7288.7	-3400.5							
			q5x_ps	I	-89.4	1322.0	-234.5	2418.9
5522.6	-32279.6			J	-89.4	1322.0	-234.5	2418.9
5757.1	-33601.6							
			q5y_ps	I	-55.2	141.1	-611.7	1370.4
4406.1	-3175.3			J	-55.2	141.1	-611.7	1370.4
5017.8	-3316.3							
			q7	I	-2.1	64.7	13.3	52.2
-313.2	-1580.3			J	-2.1	64.7	13.3	52.2
-326.5	-1645.1							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

6449.8	-3572.1		T	I	-2.0	145.7	-273.9	395.2	
6723.7	-3717.8			J	-2.0	145.7	-273.9	395.2	
670.9	-308.6		SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
699.4	-323.3			J	-0.1	14.7	-28.5	289.8	
1565.4	-720.1		SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
1631.8	-754.5			J	-0.2	34.3	-66.5	676.3	
572	7	42	Q1-1_2 Max	I	340.1	67.7	113.4	196.2	
2778.3	2166.6			J	340.1	67.7	113.4	196.2	
2891.5	2200.1		Min	I	-3366.8	-80.6	-113.2	-313.3	-
2784.9	-3203.3			J	-3366.8	-80.6	-113.2	-313.3	-
2898.3	-3196.8		Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
2934.5	3269.0			J	332.8	79.2	108.2	160.5	
3054.0	3256.2		Min	I	-3454.8	-74.2	-119.5	-330.8	-
2656.2	-2176.8			J	-3454.8	-74.2	-119.5	-330.8	-
2764.4	-2180.7		Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
1512.4	1071.9			J	191.6	33.6	58.0	108.7	
1574.0	1094.9		Min	I	-1699.0	-42.7	-61.6	-159.2	-
1424.3	-1621.9			J	-1699.0	-42.7	-61.6	-159.2	-
1482.3	-1614.9		Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
1583.7	1610.5			J	184.8	39.3	54.7	85.8	
1648.2	1604.5		Min	I	-1732.0	-39.4	-64.5	-167.9	-
1343.2	-1025.8			J	-1732.0	-39.4	-64.5	-167.9	-
1397.9	-1024.5		Q1-1 Max	I	126.4	19.6	41.5	87.8	
854.0	413.0			J	126.4	19.6	41.5	87.8	
888.8	432.9		Min	I	-1076.2	-29.2	-34.8	-98.2	-
1018.1	-1566.9			J	-1076.2	-29.2	-34.8	-98.2	-
1059.5	-1553.6		Q1-3 Max	I	105.0	29.1	26.6	21.0	
1071.5	1362.5			J	105.0	29.1	26.6	21.0	
1115.2	1344.6		Min	I	-1121.5	-24.1	-43.6	-113.6	


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-653.2	-19.2		J	-1121.5	-24.1	-43.6	-113.6
-679.8	-19.9						
		SLVx (RS)	I	-336.9	-1712.0	-609.6	-5057.1
0734.8	37506.8		J	-336.9	-1712.0	-609.6	-5057.1
1267.5	39181.7						
		SLVy (RS)	I	-448.8	1456.8	-1355.7	11380.7
9653.0	-29007.5		J	-448.8	1456.8	-1355.7	11380.7
0957.0	-30405.0						
		SLVz (RS)	I	1565.4	-100.9	233.0	252.0
-221.8	-298.6		J	1565.4	-100.9	233.0	252.0
-435.4	-366.8						
		G1	I	-10036.1	7.6	3.4	-328.2
-83.7	1075.5		J	-10223.4	7.6	3.4	-328.2
-87.1	1067.9						
		G2	I	-1958.1	2.8	1.2	-118.7
-30.7	390.6		J	-1958.1	2.8	1.2	-118.7
-32.0	387.8						
		pp imp~1	I	-0.0	3.5	0.9	1.0
-22.7	-84.6		J	-0.0	3.5	0.9	1.0
-23.6	-88.1						
		perm i~1	I	-0.0	1.1	0.3	0.3
-7.3	-27.2		J	-0.0	1.1	0.3	0.3
-7.6	-28.4						
		pp2	I	-0.0	-4.7	-0.3	39.3
7.8	116.5		J	-0.0	-4.7	-0.3	39.3
8.1	121.2						
		perm2	I	-0.0	-1.3	-0.1	10.4
1.9	30.1		J	-0.0	-1.3	-0.1	10.4
1.9	31.4						
		q3	I	-23.7	83.6	-338.4	1263.1
8307.7	-2585.0		J	-23.7	83.6	-338.4	1263.1
8646.1	-2668.6						
		q4-1	I	-6.8	-31.6	-51.1	87.3
1253.9	797.5		J	-6.8	-31.6	-51.1	87.3
1304.9	829.1						
		q4-2	I	-9.0	144.5	5.6	35.1
-138.3	-3786.5		J	-9.0	144.5	5.6	35.1
-144.0	-3931.1						
		q4-3	I	3.2	33.6	29.8	114.7
-732.1	-896.3						


MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-761.9	-929.9		J	3.2	33.6	29.8	114.7	
-582.2	1345.6	q4-4	I	7.9	-53.7	23.7	-172.5	
-606.0	1399.3		J	7.9	-53.7	23.7	-172.5	
4116.0	-33815.7	q5x_pc	I	-98.9	1373.2	-167.7	2060.8	
4283.6	-35190.6		J	-98.9	1376.5	-167.7	2060.8	
7288.7	-3400.5	q5y_pc	I	-67.2	146.8	-798.4	1482.9	1
8090.2	-3547.4		J	-67.2	146.8	-804.6	1479.8	1
5757.1	-33601.6	q5x_ps	I	-89.4	1322.0	-234.5	2418.9	
5991.6	-34923.7		J	-89.4	1322.0	-234.5	2418.9	
5017.8	-3316.3	q5y_ps	I	-55.2	141.1	-611.7	1370.4	1
5629.6	-3457.4		J	-55.2	141.1	-611.7	1370.4	1
-326.5	-1645.1	q7	I	-2.1	64.7	13.3	52.2	
-339.8	-1709.8		J	-2.1	64.7	13.3	52.2	
6723.7	-3717.8	T	I	-2.0	145.7	-273.9	395.2	
6997.6	-3863.5		J	-2.0	145.7	-273.9	395.2	
699.4	-323.3	SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
727.8	-338.0		J	-0.1	14.7	-28.5	289.8	
1631.8	-754.5	SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
1698.3	-788.8		J	-0.2	34.3	-66.5	676.3	
573	7	42 Q1-1_2 Max	I	340.1	67.7	113.4	196.2	
2891.5	2200.1		J	340.1	67.7	113.4	196.2	
3004.7	2234.6	Min	I	-3366.8	-80.6	-113.2	-313.3	-
2898.3	-3196.8		J	-3366.8	-80.6	-113.2	-313.3	-
3011.7	-3190.5	Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
3054.0	3256.2		J	332.8	79.2	108.2	160.5	
3173.6	3243.5	Min	I	-3454.8	-74.2	-119.5	-330.8	-
2764.4	-2180.7		J	-3454.8	-74.2	-119.5	-330.8	-
2872.6	-2184.6							

MIDAS


PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
1574.0	1094.9	Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
			J	191.6	33.6	58.0	108.7	
1635.6	1118.2	Min	I	-1699.0	-42.7	-61.6	-159.2	-
1482.3	-1614.9		J	-1699.0	-42.7	-61.6	-159.2	-
1540.3	-1608.0							
		Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
1648.2	1604.5		J	184.8	39.3	54.7	85.8	
1712.7	1598.5	Min	I	-1732.0	-39.4	-64.5	-167.9	-
1397.9	-1024.5		J	-1732.0	-39.4	-64.5	-167.9	-
1452.6	-1023.2							
		Q1-1 Max	I	126.4	19.6	41.5	87.8	
888.8	432.9		J	126.4	19.6	41.5	87.8	
923.6	452.8	Min	I	-1076.2	-29.2	-34.8	-98.2	-
1059.5	-1553.6		J	-1076.2	-29.2	-34.8	-98.2	-
1101.0	-1540.4							
		Q1-3 Max	I	105.0	29.1	26.6	21.0	
1115.2	1344.6		J	105.0	29.1	26.6	21.0	
1158.8	1326.8	Min	I	-1121.5	-24.1	-43.6	-113.6	
-679.8	-19.9		J	-1121.5	-24.1	-43.6	-113.6	
-706.4	-20.7							
		SLVx (RS)	I	-337.3	-1714.1	-613.5	-5057.1	1
1267.5	39181.7		J	-337.3	-1714.1	-613.5	-5057.1	1
1808.7	40860.3							
		SLVy (RS)	I	-449.5	1459.5	-1358.4	11380.7	3
0957.0	-30405.0		J	-449.5	1459.5	-1358.4	11380.7	3
2266.0	-31808.6							
		SLVz (RS)	I	1570.2	-105.6	244.7	252.0	
-435.4	-366.8		J	1570.2	-105.6	244.7	252.0	
-673.0	-450.2							
		G1	I	-10223.4	7.6	3.4	-328.2	
-87.1	1067.9		J	-10410.7	7.6	3.4	-328.2	
-90.5	1060.3							
		G2	I	-1958.1	2.8	1.2	-118.7	
-32.0	387.8		J	-1958.1	2.8	1.2	-118.7	
-33.2	385.0							
		pp imp~1	I	-0.0	3.5	0.9	1.0	
-23.6	-88.1		J	-0.0	3.5	0.9	1.0	
-24.5	-91.5							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-7.6	-28.4	perm i~1	I	-0.0	1.1	0.3	0.3
			J	-0.0	1.1	0.3	0.3
-7.9	-29.5						
		pp2	I	-0.0	-4.7	-0.3	39.3
8.1	121.2		J	-0.0	-4.7	-0.3	39.3
8.4	125.9						
		perm2	I	-0.0	-1.3	-0.1	10.4
1.9	31.4		J	-0.0	-1.3	-0.1	10.4
2.0	32.6						
		q3	I	-23.7	83.6	-338.4	1263.1
8646.1	-2668.6		J	-23.7	83.6	-338.4	1263.1
8984.5	-2752.2						
		q4-1	I	-6.8	-31.6	-51.1	87.3
1304.9	829.1		J	-6.8	-31.6	-51.1	87.3
1356.0	860.6						
		q4-2	I	-9.0	144.5	5.6	35.1
-144.0	-3931.1		J	-9.0	144.5	5.6	35.1
-149.6	-4075.6						
		q4-3	I	3.2	33.6	29.8	114.7
-761.9	-929.9		J	3.2	33.6	29.8	114.7
-791.7	-963.4						
		q4-4	I	7.9	-53.7	23.7	-172.5
-606.0	1399.3		J	7.9	-53.7	23.7	-172.5
-629.7	1453.1						
		q5x_pc	I	-98.9	1376.5	-167.7	2060.8
4283.6	-35190.6		J	-98.9	1379.8	-167.7	2060.8
4451.3	-36568.8						
		q5y_pc	I	-67.2	146.8	-804.6	1479.8
8090.2	-3547.4		J	-67.2	146.8	-810.8	1476.7
8898.0	-3694.2						
		q5x_ps	I	-89.4	1322.0	-234.5	2418.9
5991.6	-34923.7		J	-89.4	1322.0	-234.5	2418.9
6226.2	-36245.7						
		q5y_ps	I	-55.2	141.1	-611.7	1370.4
5629.6	-3457.4		J	-55.2	141.1	-611.7	1370.4
6241.3	-3598.4						
		q7	I	-2.1	64.7	13.3	52.2
-339.8	-1709.8		J	-2.1	64.7	13.3	52.2
-353.1	-1774.5						
		T	I	-2.0	145.7	-273.9	395.2

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
6997.6	-3863.5			J	-2.0	145.7	-273.9	395.2	
7271.4	-4009.2								
			SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
727.8	-338.0			J	-0.1	14.7	-28.5	289.8	
756.3	-352.8								
			SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
1698.3	-788.8			J	-0.2	34.3	-66.5	676.3	
1764.8	-823.1								
574	7	42	Q1-1_2 Max	I	340.1	67.7	113.4	196.2	
3004.7	2234.6			J	340.1	67.7	113.4	196.2	
3117.9	2269.9		Min	I	-3366.8	-80.6	-113.2	-313.3	-
3011.7	-3190.5			J	-3366.8	-80.6	-113.2	-313.3	-
3125.2	-3184.5								
			Q1-3_4 Max	I	332.8	79.2	108.2	160.5	
3173.6	3243.5			J	332.8	79.2	108.2	160.5	
3293.1	3230.7		Min	I	-3454.8	-74.2	-119.5	-330.8	-
2872.6	-2184.6			J	-3454.8	-74.2	-119.5	-330.8	-
2980.8	-2188.5								
			Q2a-1_2 Max	I	191.6	33.6	58.0	108.7	
1635.6	1118.2			J	191.6	33.6	58.0	108.7	
1697.2	1141.8		Min	I	-1699.0	-42.7	-61.6	-159.2	-
1540.3	-1608.0			J	-1699.0	-42.7	-61.6	-159.2	-
1598.4	-1601.2								
			Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
1712.7	1598.5			J	184.8	39.3	54.7	85.8	
1777.2	1592.5		Min	I	-1732.0	-39.4	-64.5	-167.9	-
1452.6	-1023.2			J	-1732.0	-39.4	-64.5	-167.9	-
1507.3	-1021.9								
			Q1-1 Max	I	126.4	19.6	41.5	87.8	
923.6	452.8			J	126.4	19.6	41.5	87.8	
958.4	472.7		Min	I	-1076.2	-29.2	-34.8	-98.2	-
1101.0	-1540.4			J	-1076.2	-29.2	-34.8	-98.2	-
1142.5	-1527.2								
			Q1-3 Max	I	105.0	29.1	26.6	21.0	
1158.8	1326.8			J	105.0	29.1	26.6	21.0	
1202.5	1309.0		Min	I	-1121.5	-24.1	-43.6	-113.6	
-706.4	-20.7			J	-1121.5	-24.1	-43.6	-113.6	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-733.0	-21.5							
1808.7	40860.3	SLVx (RS)	I	-337.5	-1715.3	-615.5	-5057.1	1
2357.1	42542.1		J	-337.5	-1715.3	-615.5	-5057.1	1
2266.0	-31808.6	SLVy (RS)	I	-450.0	1460.9	-1359.8	11380.7	3
3579.2	-33217.4		J	-450.0	1460.9	-1359.8	11380.7	3
-673.0	-450.2	SLVz (RS)	I	1573.1	-108.1	250.4	252.0	
-919.7	-543.1		J	1573.1	-108.1	250.4	252.0	
-90.5	1060.3	G1	I	-10410.7	7.6	3.4	-328.2	
-93.9	1052.7		J	-10598.0	7.6	3.4	-328.2	
-33.2	385.0	G2	I	-1958.1	2.8	1.2	-118.7	
-34.5	382.2		J	-1958.1	2.8	1.2	-118.7	
-24.5	-91.5	pp imp~1	I	-0.0	3.5	0.9	1.0	
-25.5	-95.0		J	-0.0	3.5	0.9	1.0	
-7.9	-29.5	perm i~1	I	-0.0	1.1	0.3	0.3	
-8.2	-30.6		J	-0.0	1.1	0.3	0.3	
8.4	125.9	pp2	I	-0.0	-4.7	-0.3	39.3	
8.7	130.6		J	-0.0	-4.7	-0.3	39.3	
2.0	32.6	perm2	I	-0.0	-1.3	-0.1	10.4	
2.1	33.9		J	-0.0	-1.3	-0.1	10.4	
8984.5	-2752.2	q3	I	-23.7	83.6	-338.4	1263.1	
9322.9	-2835.8		J	-23.7	83.6	-338.4	1263.1	
1356.0	860.6	q4-1	I	-6.8	-31.6	-51.1	87.3	
1407.1	892.2		J	-6.8	-31.6	-51.1	87.3	
-149.6	-4075.6	q4-2	I	-9.0	144.5	5.6	35.1	
-155.3	-4220.1		J	-9.0	144.5	5.6	35.1	
-791.7	-963.4	q4-3	I	3.2	33.6	29.8	114.7	
-821.5	-997.0		J	3.2	33.6	29.8	114.7	

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-629.7	1453.1	q4-4	I	7.9	-53.7	23.7	-172.5	
			J	7.9	-53.7	23.7	-172.5	
-653.4	1506.8							
		q5x_pc	I	-98.9	1379.8	-167.7	2060.8	
4451.3	-36568.8		J	-98.9	1383.2	-167.7	2060.8	
4618.9	-37950.3							
		q5y_pc	I	-67.2	146.8	-810.8	1476.7	1
8898.0	-3694.2		J	-67.2	146.8	-817.0	1473.6	1
9711.9	-3841.0							
		q5x_ps	I	-89.4	1322.0	-234.5	2418.9	
6226.2	-36245.7		J	-89.4	1322.0	-234.5	2418.9	
6460.7	-37567.8							
		q5y_ps	I	-55.2	141.1	-611.7	1370.4	1
6241.3	-3598.4		J	-55.2	141.1	-611.7	1370.4	1
6853.0	-3739.5							
		q7	I	-2.1	64.7	13.3	52.2	
-353.1	-1774.5		J	-2.1	64.7	13.3	52.2	
-366.4	-1839.2							
		T	I	-2.0	145.7	-273.9	395.2	
7271.4	-4009.2		J	-2.0	145.7	-273.9	395.2	
7545.3	-4154.9							
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
756.3	-352.8		J	-0.1	14.7	-28.5	289.8	
784.8	-367.5							
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
1764.8	-823.1		J	-0.2	34.3	-66.5	676.3	
1831.2	-857.4							
575	7	42	Q1-1_2 Max	I	340.1	67.7	113.4	196.2
3117.9	2269.9			J	340.1	67.7	113.4	196.2
3180.1	2289.6		Min	I	-3366.8	-80.6	-113.2	-313.3
3125.2	-3184.5			J	-3366.8	-80.6	-113.2	-313.3
3187.6	-3181.3							
			Q1-3_4 Max	I	332.8	79.2	108.2	160.5
3293.1	3230.7			J	332.8	79.2	108.2	160.5
3358.8	3223.7		Min	I	-3454.8	-74.2	-119.5	-330.8
2980.8	-2188.5			J	-3454.8	-74.2	-119.5	-330.8
3040.3	-2190.7							
			Q2a-1_2 Max	I	191.6	33.6	58.0	108.7
1697.2	1141.8							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1731.1	1155.0		J	191.6	33.6	58.0	108.7	
		Min	I	-1699.0	-42.7	-61.6	-159.2	-
1598.4	-1601.2		J	-1699.0	-42.7	-61.6	-159.2	-
1630.3	-1597.6							
		Q2a-3_4 Max	I	184.8	39.3	54.7	85.8	
1777.2	1592.5		J	184.8	39.3	54.7	85.8	
1812.7	1589.2							
		Min	I	-1732.0	-39.4	-64.5	-167.9	-
1507.3	-1021.9		J	-1732.0	-39.4	-64.5	-167.9	-
1537.4	-1021.2							
		Q1-1 Max	I	126.4	19.6	41.5	87.8	
958.4	472.7		J	126.4	19.6	41.5	87.8	
977.5	483.6							
		Min	I	-1076.2	-29.2	-34.8	-98.2	-
1142.5	-1527.2		J	-1076.2	-29.2	-34.8	-98.2	-
1165.3	-1519.9							
		Q1-3 Max	I	105.0	29.1	26.6	21.0	
1202.5	1309.0		J	105.0	29.1	26.6	21.0	
1226.5	1299.2							
		Min	I	-1121.5	-24.1	-43.6	-113.6	
-733.0	-21.5		J	-1121.5	-24.1	-43.6	-113.6	
-747.7	-21.9							
		SLVx (RS)	I	-337.6	-1715.5	-615.8	-5057.1	1
2357.1	42542.1		J	-337.6	-1715.5	-615.8	-5057.1	1
2661.4	43468.2							
		SLVy (RS)	I	-450.1	1461.2	-1360.0	11380.7	3
3579.2	-33217.4		J	-450.1	1461.2	-1360.0	11380.7	3
4303.0	-33994.2							
		SLVz (RS)	I	1573.9	-108.7	251.5	252.0	
-919.7	-543.1		J	1573.9	-108.7	251.5	252.0	-
1056.6	-596.6							
		G1	I	-10598.0	7.6	3.4	-328.2	
-93.9	1052.7		J	-10701.0	7.6	3.4	-328.2	
-95.8	1048.5							
		G2	I	-1958.1	2.8	1.2	-118.7	
-34.5	382.2		J	-1958.1	2.8	1.2	-118.7	
-35.2	380.6							
		pp imp~1	I	-0.0	3.5	0.9	1.0	
-25.5	-95.0		J	-0.0	3.5	0.9	1.0	
-26.0	-96.9							
		perm i~1	I	-0.0	1.1	0.3	0.3	
-8.2	-30.6							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-8.4	-31.2		J	-0.0	1.1	0.3	0.3	
8.7	130.6	pp2	I	-0.0	-4.7	-0.3	39.3	
8.9	133.2		J	-0.0	-4.7	-0.3	39.3	
2.1	33.9	perm2	I	-0.0	-1.3	-0.1	10.4	
2.1	34.6		J	-0.0	-1.3	-0.1	10.4	
9322.9	-2835.8	q3	I	-23.7	83.6	-338.4	1263.1	
9509.0	-2881.7		J	-23.7	83.6	-338.4	1263.1	
1407.1	892.2	q4-1	I	-6.8	-31.6	-51.1	87.3	
1435.2	909.5		J	-6.8	-31.6	-51.1	87.3	
-155.3	-4220.1	q4-2	I	-9.0	144.5	5.6	35.1	
-158.3	-4299.6		J	-9.0	144.5	5.6	35.1	
-821.5	-997.0	q4-3	I	3.2	33.6	29.8	114.7	
-837.9	-1015.4		J	3.2	33.6	29.8	114.7	
-653.4	1506.8	q4-4	I	7.9	-53.7	23.7	-172.5	
-666.4	1536.4		J	7.9	-53.7	23.7	-172.5	
4618.9	-37950.3	q5x_pc	I	-98.9	1383.2	-167.7	2060.8	
4711.1	-38711.5		J	-98.9	1385.0	-167.7	2060.8	
9711.9	-3841.0	q5y_pc	I	-67.2	146.8	-817.0	1473.6	1
0162.2	-3921.8		J	-67.2	146.8	-820.4	1471.9	2
6460.7	-37567.8	q5x_ps	I	-89.4	1322.0	-234.5	2418.9	
6589.6	-38294.9		J	-89.4	1322.0	-234.5	2418.9	
6853.0	-3739.5	q5y_ps	I	-55.2	141.1	-611.7	1370.4	1
7189.4	-3817.1		J	-55.2	141.1	-611.7	1370.4	1
-366.4	-1839.2	q7	I	-2.1	64.7	13.3	52.2	
-373.7	-1874.8		J	-2.1	64.7	13.3	52.2	
7545.3	-4154.9	T	I	-2.0	145.7	-273.9	395.2	
			J	-2.0	145.7	-273.9	395.2	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

7696.0	-4235.0							
		SLVx-E~1	I	-0.1	14.7	-28.5	289.8	
784.8	-367.5		J	-0.1	14.7	-28.5	289.8	
800.5	-375.5							
		SLVy-E~1	I	-0.2	34.3	-66.5	676.3	
1831.2	-857.4		J	-0.2	34.3	-66.5	676.3	
1867.8	-876.3							
592	7	59 Q1-1_2 Max	I	269.4	33.0	24.0	39.2	
1677.7	1549.4		J	269.4	33.0	24.0	39.2	
1660.9	1536.0							
		Min	I	-1797.6	-22.6	-16.3	-41.7	
-386.0	-6347.4		J	-1797.6	-22.6	-16.3	-41.7	
-374.3	-6350.9							
		Q1-3_4 Max	I	263.0	33.1	26.1	30.1	
1489.9	962.0		J	263.0	33.1	26.1	30.1	
1471.6	950.5							
		Min	I	-1835.9	-19.9	-13.2	-55.4	
-383.5	-8313.5		J	-1835.9	-19.9	-13.2	-55.4	
-374.0	-8317.1							
		Q2a-1_2 Max	I	149.1	18.0	13.0	20.9	
943.3	880.5		J	149.1	18.0	13.0	20.9	
934.4	872.8							
		Min	I	-1062.8	-12.3	-8.9	-21.7	
-213.5	-3885.3		J	-1062.8	-12.3	-8.9	-21.7	
-206.9	-3886.0							
		Q2a-3_4 Max	I	143.4	18.0	14.0	15.6	
810.6	512.8		J	143.4	18.0	14.0	15.6	
800.9	506.4							
		Min	I	-1077.9	-10.7	-6.9	-28.5	
-209.5	-5136.8		J	-1077.9	-10.7	-6.9	-28.5	
-204.4	-5136.6							
		Q1-1 Max	I	99.3	11.5	7.8	17.8	
700.2	855.6		J	99.3	11.5	7.8	17.8	
695.0	847.5							
		Min	I	-649.7	-9.6	-7.1	-7.4	
-138.5	-1100.8		J	-649.7	-9.6	-7.1	-7.4	
-133.0	-1099.6							
		Q1-3 Max	I	80.5	11.6	9.5	6.8	
330.3	40.8		J	80.5	11.6	9.5	6.8	
323.5	42.8							
		Min	I	-684.5	-5.7	-2.8	-24.1	
-124.5	-4004.1		J	-684.5	-5.7	-2.8	-24.1	
-123.6	-4005.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1132.7	4332.7	SLVx (RS)	I	-499.9	967.4	860.9	-1248.7	-
			J	-499.9	967.4	860.9	-1248.7	-
1938.9	-5147.3							
		SLVy (RS)	I	-453.1	-1820.7	-633.1	-2804.3	
1063.3	8108.9		J	-453.1	-1820.7	-633.1	-2804.3	
1621.8	9764.5							
		SLVz (RS)	I	1130.2	181.7	202.8	-1039.1	
-747.5	2680.7		J	1130.2	181.7	202.8	-1039.1	
-912.6	2722.7							
		G1	I	-1753.4	17.8	16.4	-23.9	
1426.9	-5059.2		J	-3383.8	17.5	15.8	-23.9	
1410.8	-5076.9							
		G2	I	-636.2	6.5	6.0	-8.7	
517.8	-1834.9		J	-636.2	6.5	6.0	-8.7	
511.9	-1841.4							
		pp imp~1	I	0.0	-0.2	-0.2	0.5	
0.4	2.6		J	0.0	-0.2	-0.2	0.5	
0.6	2.9							
		perm i~1	I	0.0	-0.1	-0.1	0.2	
0.1	0.8		J	0.0	-0.1	-0.1	0.2	
0.2	0.9							
		pp2	I	-4285.5	-2.9	-8.4	-22.3	-
2473.8	7748.4		J	-4285.5	-2.9	-8.4	-22.3	-
2465.5	7751.3							
		perm2	I	-1467.2	0.1	-2.4	-5.3	
-744.1	2976.4		J	-1467.2	0.1	-2.4	-5.3	
-741.7	2976.3							
		q3	I	-7.1	48.9	36.2	-95.6	
20.2	178.8		J	-7.1	48.9	36.2	-95.6	
-16.0	129.9							
		q4-1	I	3.9	-126.9	-94.9	258.0	
111.7	554.8		J	3.9	-126.9	-94.9	258.0	
206.7	681.8							
		q4-2	I	5.2	-17.7	-13.3	36.3	
18.5	137.8		J	5.2	-17.7	-13.3	36.3	
31.7	155.5							
		q4-3	I	1.4	9.4	7.0	-18.9	
-6.1	-11.1		J	1.4	9.4	7.0	-18.9	
-13.1	-20.5							
		q4-4	I	-1.8	-2.9	-2.2	5.7	


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.4	-18.6						
2.5	-15.6		J	-1.8	-2.9	-2.2	5.7
245.6	1677.3	q5x_pc	I	53.2	-241.7	-181.2	495.3
426.8	1919.0		J	53.2	-241.7	-181.2	495.3
23.5	102.3	q5y_pc	I	-5.9	-5.1	-3.9	11.2
27.3	107.4		J	-5.9	-5.1	-3.9	11.2
213.2	1441.7	q5x_ps	I	45.1	-212.1	-159.0	434.5
372.2	1653.9		J	45.1	-212.1	-159.0	434.5
24.6	102.8	q5y_ps	I	-6.8	-5.0	-3.8	11.1
28.4	107.8		J	-6.8	-5.0	-3.8	11.1
-0.8	14.7	q7	I	1.2	5.0	3.7	-9.9
-4.5	9.7		J	1.2	5.0	3.7	-9.9
26.7	127.0	T	I	-4.2	-11.2	-8.4	23.6
35.1	138.2		J	-4.2	-11.2	-8.4	23.6
-20.2	-86.9	SLVx-E~1	I	-1.1	30.9	23.1	-62.3
-43.2	-117.8		J	-1.1	30.9	23.1	-62.3
-47.0	-202.8	SLVy-E~1	I	-2.5	72.1	53.8	-145.5
-100.9	-274.9		J	-2.5	72.1	53.8	-145.5
593	7	61 Q1-1_2 Max	I	269.4	24.5	22.6	39.1
6350.9	1660.9		J	269.4	24.5	22.6	39.1
6355.1	1643.8	Min	I	-1797.6	-16.4	-33.3	-42.8
1536.0	-374.3		J	-1797.6	-16.4	-33.3	-42.8
1522.8	-362.8						
8317.1	1471.6	Q1-3_4 Max	I	263.0	26.5	19.8	30.1
8321.3	1453.1		J	263.0	26.5	19.8	30.1
-950.5	-374.0	Min	I	-1835.9	-13.2	-33.3	-56.8
-939.2	-364.6		J	-1835.9	-13.2	-33.3	-56.8
3886.0	934.4	Q2a-1_2 Max	I	149.1	13.3	12.3	20.9
3887.1	925.4		J	149.1	13.3	12.3	20.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-872.8	-206.9		Min	I	-1062.8	-8.9	-18.2	-22.2
				J	-1062.8	-8.9	-18.2	-22.2
-865.2	-200.3							
5136.6	800.9	Q2a-3_4	Max	I	143.4	14.3	10.6	15.6
				J	143.4	14.3	10.6	15.6
5136.7	791.1							
			Min	I	-1077.9	-6.9	-18.1	-29.2
-506.4	-204.4			J	-1077.9	-6.9	-18.1	-29.2
-500.1	-199.3							
1099.6	695.0	Q1-1	Max	I	99.3	8.0	9.6	17.8
				J	99.3	8.0	9.6	17.8
1098.6	689.6							
			Min	I	-649.7	-7.1	-11.6	-7.4
-847.5	-133.0			J	-649.7	-7.1	-11.6	-7.4
-839.5	-127.6							
4005.0	323.5	Q1-3	Max	I	80.5	9.6	5.6	6.8
				J	80.5	9.6	5.6	6.8
4006.0	316.6							
			Min	I	-684.5	-2.8	-11.7	-24.7
-42.8	-123.6			J	-684.5	-2.8	-11.7	-24.7
-44.8	-122.7							
5147.3	-1938.8	SLVx (RS)		I	-554.4	1288.8	1058.7	-1248.6
				J	-554.4	1288.8	1058.7	-1248.6
6085.3	-3172.8							-
9765.2	1621.6	SLVy (RS)		I	-510.4	-795.8	2223.3	-2802.1
				J	-510.4	-795.8	2223.3	-2802.1
1818.5	2289.1							-1
2722.8	-912.6	SLVz (RS)		I	1277.2	260.4	-170.8	-1038.8
				J	1277.2	260.4	-170.8	-1038.8
2720.8	-1127.4							-
5076.9	1410.8	G1		I	-3383.8	17.0	-18.2	-26.1
				J	-3997.3	17.0	-18.2	-26.1
5095.0	1393.8							
1841.4	511.9	G2		I	-636.2	6.2	-6.6	-9.5
				J	-636.2	6.2	-6.6	-9.5
1848.0	505.7							
		pp imp~1		I	0.0	-0.2	0.2	0.5
-2.9	0.6			J	0.0	-0.2	0.2	0.5
-3.1	0.8							
		perm i~1		I	0.0	-0.1	0.1	0.2
-0.9	0.2			J	0.0	-0.1	0.1	0.2
-1.0	0.2							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			

7751.3	-2465.5	pp2	I	-4285.5	-6.8	2.0	-18.9	-
			J	-4285.5	-6.8	2.0	-18.9	-
7753.4	-2458.7							
		perm2	I	-1467.2	-1.8	-0.4	-4.0	-
2976.3	-741.7		J	-1467.2	-1.8	-0.4	-4.0	-
2976.0	-739.9							
		q3	I	-7.1	36.2	-48.9	-95.5	
-129.9	-16.1		J	-7.1	36.2	-48.9	-95.5	
-81.1	-52.3							
		q4-1	I	3.9	-94.9	126.9	258.2	
-681.7	206.7		J	3.9	-94.9	126.9	258.2	
-808.6	301.6							
		q4-2	I	5.2	-13.3	17.7	36.3	
-155.4	31.7		J	5.2	-13.3	17.7	36.3	
-173.1	45.0							
		q4-3	I	1.4	7.0	-9.4	-18.9	
20.5	-13.1		J	1.4	7.0	-9.4	-18.9	
29.9	-20.1							
		q4-4	I	-1.8	-2.2	2.9	5.7	
15.6	2.5		J	-1.8	-2.2	2.9	5.7	
12.7	4.7							
		q5x_pc	I	53.1	-181.2	241.7	495.9	-
1918.9	426.9		J	53.1	-181.2	241.7	495.9	-
2160.5	608.2							
		q5y_pc	I	-5.9	-3.9	5.1	11.3	
-107.4	27.3		J	-5.9	-3.9	5.1	11.3	
-112.4	31.2							
		q5x_ps	I	45.0	-159.0	212.1	435.0	-
1653.8	372.3		J	45.0	-159.0	212.1	435.0	-
1865.9	531.4							
		q5y_ps	I	-6.8	-3.8	5.0	11.1	
-107.8	28.4		J	-6.8	-3.8	5.0	11.1	
-112.8	32.2							
		q7	I	1.2	3.7	-5.0	-9.9	
-9.7	-4.5		J	1.2	3.7	-5.0	-9.9	
-4.7	-8.2							
		T	I	-4.2	-8.4	11.2	23.7	
-138.2	35.1		J	-4.2	-8.4	11.2	23.7	
-149.4	43.6							

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
117.8	-43.2		SLVx-E~1	I	-1.0	23.1	-30.9	-62.4	
148.7	-66.3			J	-1.0	23.1	-30.9	-62.4	
274.9	-100.9		SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	
347.0	-154.7			J	-2.4	53.8	-72.1	-145.6	
594	7	61	Q1-1_2 Max	I	269.4	24.5	22.6	39.1	
6355.1	1643.8			J	269.4	24.5	22.6	39.1	
6359.6	1627.3		Min	I	-1797.6	-16.4	-33.3	-42.8	-
1522.8	-362.8			J	-1797.6	-16.4	-33.3	-42.8	-
1510.1	-351.6								
8321.3	1453.1		Q1-3_4 Max	I	263.0	26.5	19.8	30.1	
8325.6	1435.2			J	263.0	26.5	19.8	30.1	
-939.2	-364.6		Min	I	-1835.9	-13.2	-33.3	-56.8	
-928.2	-355.4			J	-1835.9	-13.2	-33.3	-56.8	
3887.1	925.4		Q2a-1_2 Max	I	149.1	13.3	12.3	20.9	
3888.4	916.8			J	149.1	13.3	12.3	20.9	
-865.2	-200.3		Min	I	-1062.8	-8.9	-18.2	-22.2	
-857.8	-193.9			J	-1062.8	-8.9	-18.2	-22.2	
5136.7	791.1		Q2a-3_4 Max	I	143.4	14.3	10.6	15.6	
5136.9	781.7			J	143.4	14.3	10.6	15.6	
-500.1	-199.3		Min	I	-1077.9	-6.9	-18.1	-29.2	
-494.0	-194.3			J	-1077.9	-6.9	-18.1	-29.2	
1098.6	689.6		Q1-1 Max	I	99.3	8.0	9.6	17.8	
1097.8	684.5			J	99.3	8.0	9.6	17.8	
-839.5	-127.6		Min	I	-649.7	-7.1	-11.6	-7.4	
-831.7	-122.3			J	-649.7	-7.1	-11.6	-7.4	
4006.0	316.6		Q1-3 Max	I	80.5	9.6	5.6	6.8	
4007.1	310.0			J	80.5	9.6	5.6	6.8	
-44.8	-122.7		Min	I	-684.5	-2.8	-11.7	-24.7	
-46.8	-122.0			J	-684.5	-2.8	-11.7	-24.7	
6085.3	-3172.8		SLVx (RS)	I	-584.6	1506.6	1109.6	-1248.6	-

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
7099.3	-4639.4		J	-584.6	1506.6	1109.6	-1248.6	-
1818.5	2289.1	SLVy (RS)	I	-542.9	-904.6	2433.4	-2802.1	-1
4105.8	3079.2		J	-542.9	-904.6	2433.4	-2802.1	-1
2720.8	-1127.4	SLVz (RS)	I	1356.2	282.2	-186.9	-1038.8	-
2695.1	-1363.0		J	1356.2	282.2	-186.9	-1038.8	-
5095.0	1393.8	G1	I	-3997.3	17.0	-18.2	-26.1	
5113.2	1376.8		J	-4610.8	17.0	-18.2	-26.1	
1848.0	505.7	G2	I	-636.2	6.2	-6.6	-9.5	
1854.6	499.5		J	-636.2	6.2	-6.6	-9.5	
-3.1	0.8	pp imp~1	I	0.0	-0.2	0.2	0.5	
-3.3	0.9		J	0.0	-0.2	0.2	0.5	
-1.0	0.2	perm i~1	I	0.0	-0.1	0.1	0.2	
-1.1	0.3		J	0.0	-0.1	0.1	0.2	
7753.4	-2458.7	pp2	I	-4285.5	-6.8	2.0	-18.9	-
7755.4	-2451.9		J	-4285.5	-6.8	2.0	-18.9	-
2976.0	-739.9	perm2	I	-1467.2	-1.8	-0.4	-4.0	-
2975.6	-738.1		J	-1467.2	-1.8	-0.4	-4.0	-
-81.1	-52.3	q3	I	-7.1	36.2	-48.9	-95.5	
-32.2	-88.5		J	-7.1	36.2	-48.9	-95.5	
-808.6	301.6	q4-1	I	3.9	-94.9	126.9	258.2	
-935.6	396.6		J	3.9	-94.9	126.9	258.2	
-173.1	45.0	q4-2	I	5.2	-13.3	17.7	36.3	
-190.8	58.3		J	5.2	-13.3	17.7	36.3	
29.9	-20.1	q4-3	I	1.4	7.0	-9.4	-18.9	
39.3	-27.1		J	1.4	7.0	-9.4	-18.9	
12.7	4.7	q4-4	I	-1.8	-2.2	2.9	5.7	
			J	-1.8	-2.2	2.9	5.7	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
9.7	6.9							
2160.5	608.2	q5x_pc	I	53.1	-181.2	241.7	495.9	-
2402.2	789.4		J	53.1	-181.2	241.7	495.9	-
-112.4	31.2	q5y_pc	I	-5.9	-3.9	5.1	11.3	
-117.5	35.0		J	-5.9	-3.9	5.1	11.3	
1865.9	531.4	q5x_ps	I	45.0	-159.0	212.1	435.0	-
2078.0	690.4		J	45.0	-159.0	212.1	435.0	-
-112.8	32.2	q5y_ps	I	-6.8	-3.8	5.0	11.1	
-117.8	36.0		J	-6.8	-3.8	5.0	11.1	
-4.7	-8.2	q7	I	1.2	3.7	-5.0	-9.9	
0.3	-11.9		J	1.2	3.7	-5.0	-9.9	
-149.4	43.6	T	I	-4.2	-8.4	11.2	23.7	
-160.6	52.0		J	-4.2	-8.4	11.2	23.7	
148.7	-66.3	SLVx-E~1	I	-1.0	23.1	-30.9	-62.4	
179.6	-89.4		J	-1.0	23.1	-30.9	-62.4	
347.0	-154.7	SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	
419.1	-208.5		J	-2.4	53.8	-72.1	-145.6	
595	7	60 Q1-1_2 Max	I	269.4	24.5	22.6	39.1	
6359.6	1627.3		J	269.4	24.5	22.6	39.1	
6364.6	1611.4	Min	I	-1797.6	-16.4	-33.3	-42.8	-
1510.1	-351.6		J	-1797.6	-16.4	-33.3	-42.8	-
1497.9	-340.8	Q1-3_4 Max	I	263.0	26.5	19.8	30.1	
8325.6	1435.2		J	263.0	26.5	19.8	30.1	
8330.1	1417.6	Min	I	-1835.9	-13.2	-33.3	-56.8	
-928.2	-355.4		J	-1835.9	-13.2	-33.3	-56.8	
-917.5	-346.5	Q2a-1_2 Max	I	149.1	13.3	12.3	20.9	
3888.4	916.8		J	149.1	13.3	12.3	20.9	
3889.8	908.4	Min	I	-1062.8	-8.9	-18.2	-22.2	
-857.8	-193.9							


MIDAS

PROJECT TITLE :


		Company		Client				
		Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-850.6	-187.7		J	-1062.8	-8.9	-18.2	-22.2	
5136.9	781.7	Q2a-3_4 Max	I	143.4	14.3	10.6	15.6	
5137.1	772.4		J	143.4	14.3	10.6	15.6	
-494.0	-194.3	Min	I	-1077.9	-6.9	-18.1	-29.2	
-487.9	-189.4		J	-1077.9	-6.9	-18.1	-29.2	
1097.8	684.5	Q1-1 Max	I	99.3	8.0	9.6	17.8	
1097.2	679.6		J	99.3	8.0	9.6	17.8	
-831.7	-122.3	Min	I	-649.7	-7.1	-11.6	-7.4	
-824.0	-117.1		J	-649.7	-7.1	-11.6	-7.4	
4007.1	310.0	Q1-3 Max	I	80.5	9.6	5.6	6.8	
4008.2	303.4		J	80.5	9.6	5.6	6.8	
-46.8	-122.0	Min	I	-684.5	-2.8	-11.7	-24.7	
-48.9	-121.3		J	-684.5	-2.8	-11.7	-24.7	
7099.3	-4639.4	SLVx (RS)	I	-606.2	1649.2	1145.3	-1248.6	-
8167.2	-6256.6		J	-606.2	1649.2	1145.3	-1248.6	-
4105.8	3079.2	SLVy (RS)	I	-566.4	-982.2	2576.0	-2802.1	-1
6558.7	3967.6		J	-566.4	-982.2	2576.0	-2802.1	-1
2695.1	-1363.0	SLVz (RS)	I	1411.9	293.3	-207.7	-1038.8	-
2655.0	-1607.3		J	1411.9	293.3	-207.7	-1038.8	-
5113.2	1376.8	G1	I	-4610.8	17.0	-18.2	-26.1	
5131.4	1359.8		J	-4883.5	17.0	-18.2	-26.1	
1854.6	499.5	G2	I	-636.2	6.2	-6.6	-9.5	
1861.2	493.3		J	-636.2	6.2	-6.6	-9.5	
-3.3	0.9	pp imp~1	I	0.0	-0.2	0.2	0.5	
-3.6	1.1		J	0.0	-0.2	0.2	0.5	
-1.1	0.3	perm i~1	I	0.0	-0.1	0.1	0.2	
-1.1	0.4		J	0.0	-0.1	0.1	0.2	
		pp2	I	-4285.5	-6.8	2.0	-18.9	-

MIDAS

PROJECT TITLE :


	Company				Client			
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
7755.4	-2451.9		J	-4285.5	-6.8	2.0	-18.9	-
7757.4	-2445.1							
		perm2	I	-1467.2	-1.8	-0.4	-4.0	-
2975.6	-738.1		J	-1467.2	-1.8	-0.4	-4.0	-
2975.2	-736.3							
		q3	I	-7.1	36.2	-48.9	-95.5	
-32.2	-88.5		J	-7.1	36.2	-48.9	-95.5	
16.7	-124.7							
		q4-1	I	3.9	-94.9	126.9	258.2	
-935.6	396.6		J	3.9	-94.9	126.9	258.2	-
1062.5	491.5							
		q4-2	I	5.2	-13.3	17.7	36.3	
-190.8	58.3		J	5.2	-13.3	17.7	36.3	
-208.4	71.5							
		q4-3	I	1.4	7.0	-9.4	-18.9	
39.3	-27.1		J	1.4	7.0	-9.4	-18.9	
48.7	-34.1							
		q4-4	I	-1.8	-2.2	2.9	5.7	
9.7	6.9		J	-1.8	-2.2	2.9	5.7	
6.8	9.1							
		q5x_pc	I	53.1	-181.2	241.7	495.9	-
2402.2	789.4		J	53.1	-181.2	241.7	495.9	-
2643.9	970.6							
		q5y_pc	I	-5.9	-3.9	5.1	11.3	
-117.5	35.0		J	-5.9	-3.9	5.1	11.3	
-122.6	38.9							
		q5x_ps	I	45.0	-159.0	212.1	435.0	-
2078.0	690.4		J	45.0	-159.0	212.1	435.0	-
2290.1	849.4							
		q5y_ps	I	-6.8	-3.8	5.0	11.1	
-117.8	36.0		J	-6.8	-3.8	5.0	11.1	
-122.8	39.8							
		q7	I	1.2	3.7	-5.0	-9.9	
0.3	-11.9		J	1.2	3.7	-5.0	-9.9	
5.2	-15.6							
		T	I	-4.2	-8.4	11.2	23.7	
-160.6	52.0		J	-4.2	-8.4	11.2	23.7	
-171.8	60.5							
		SLVx-E~1	I	-1.0	23.1	-30.9	-62.4	
179.6	-89.4							

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
210.5	-112.4			J	-1.0	23.1	-30.9	-62.4	
			SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	
419.1	-208.5			J	-2.4	53.8	-72.1	-145.6	
491.2	-262.3								
596	7	60	Q1-1_2 Max	I	269.4	24.5	22.6	39.1	
6364.6	1611.4			J	269.4	24.5	22.6	39.1	
6370.0	1595.8		Min	I	-1797.6	-16.4	-33.3	-42.8	-
1497.9	-340.8			J	-1797.6	-16.4	-33.3	-42.8	-
1486.1	-330.4								
			Q1-3_4 Max	I	263.0	26.5	19.8	30.1	
8330.1	1417.6			J	263.0	26.5	19.8	30.1	
8334.9	1400.4		Min	I	-1835.9	-13.2	-33.3	-56.8	
-917.5	-346.5			J	-1835.9	-13.2	-33.3	-56.8	
-907.1	-341.0								
			Q2a-1_2 Max	I	149.1	13.3	12.3	20.9	
3889.8	908.4			J	149.1	13.3	12.3	20.9	
3891.4	900.3		Min	I	-1062.8	-8.9	-18.2	-22.2	
-850.6	-187.7			J	-1062.8	-8.9	-18.2	-22.2	
-843.6	-181.7								
			Q2a-3_4 Max	I	143.4	14.3	10.6	15.6	
5137.1	772.4			J	143.4	14.3	10.6	15.6	
5137.5	763.3		Min	I	-1077.9	-6.9	-18.1	-29.2	
-487.9	-189.4			J	-1077.9	-6.9	-18.1	-29.2	
-482.0	-185.9								
			Q1-1 Max	I	99.3	8.0	9.6	17.8	
1097.2	679.6			J	99.3	8.0	9.6	17.8	
1096.6	674.7		Min	I	-649.7	-7.1	-11.6	-7.4	
-824.0	-117.1			J	-649.7	-7.1	-11.6	-7.4	
-816.4	-112.1								
			Q1-3 Max	I	80.5	9.6	5.6	6.8	
4008.2	303.4			J	80.5	9.6	5.6	6.8	
4009.2	297.0		Min	I	-684.5	-2.8	-11.7	-24.7	
-48.9	-121.3			J	-684.5	-2.8	-11.7	-24.7	
-50.9	-120.7								
			SLVx(RS)	I	-618.8	1727.8	1165.6	-1248.6	-
8167.2	-6256.6			J	-618.8	1727.8	1165.6	-1248.6	-
9270.2	-7958.7								

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

6558.7	3967.6	SLVy (RS)	I	-580.2	-1026.6	2655.7	-2802.1	-1
9113.9	4921.7		J	-580.2	-1026.6	2655.7	-2802.1	-1
2655.0	-1607.3	SLVz (RS)	I	1444.0	299.1	-223.2	-1038.8	-
2613.7	-1857.0		J	1444.0	299.1	-223.2	-1038.8	-
5131.4	1359.8	G1	I	-4883.5	17.0	-18.2	-26.1	
5149.5	1342.7		J	-5156.3	17.0	-18.2	-26.1	
1861.2	493.3	G2	I	-636.2	6.2	-6.6	-9.5	
1867.8	487.1		J	-636.2	6.2	-6.6	-9.5	
-3.6	1.1	pp imp~1	I	0.0	-0.2	0.2	0.5	
-3.8	1.3		J	0.0	-0.2	0.2	0.5	
-1.1	0.4	perm i~1	I	0.0	-0.1	0.1	0.2	
-1.2	0.4		J	0.0	-0.1	0.1	0.2	
7757.4	-2445.1	pp2	I	-4285.5	-6.8	2.0	-18.9	-
7759.4	-2438.3		J	-4285.5	-6.8	2.0	-18.9	-
2975.2	-736.3	perm2	I	-1467.2	-1.8	-0.4	-4.0	-
2974.9	-734.4		J	-1467.2	-1.8	-0.4	-4.0	-
16.7	-124.7	q3	I	-7.1	36.2	-48.9	-95.5	
65.6	-160.9		J	-7.1	36.2	-48.9	-95.5	
1062.5	491.5	q4-1	I	3.9	-94.9	126.9	258.2	-
1189.5	586.4		J	3.9	-94.9	126.9	258.2	-
-208.4	71.5	q4-2	I	5.2	-13.3	17.7	36.3	
-226.1	84.8		J	5.2	-13.3	17.7	36.3	
48.7	-34.1	q4-3	I	1.4	7.0	-9.4	-18.9	
58.1	-41.1		J	1.4	7.0	-9.4	-18.9	
6.8	9.1	q4-4	I	-1.8	-2.2	2.9	5.7	
3.9	11.2		J	-1.8	-2.2	2.9	5.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2643.9	970.6	q5x_pc	I	53.1	-181.2	241.7	495.9	-
			J	53.1	-181.2	241.7	495.9	-
2885.6	1151.8							
		q5y_pc	I	-5.9	-3.9	5.1	11.3	
-122.6	38.9		J	-5.9	-3.9	5.1	11.3	
-127.6	42.7							
		q5x_ps	I	45.0	-159.0	212.1	435.0	-
2290.1	849.4		J	45.0	-159.0	212.1	435.0	-
2502.2	1008.4							
		q5y_ps	I	-6.8	-3.8	5.0	11.1	
-122.8	39.8		J	-6.8	-3.8	5.0	11.1	
-127.8	43.6							
		q7	I	1.2	3.7	-5.0	-9.9	
5.2	-15.6		J	1.2	3.7	-5.0	-9.9	
10.2	-19.4							
		T	I	-4.2	-8.4	11.2	23.7	
-171.8	60.5		J	-4.2	-8.4	11.2	23.7	
-183.0	68.9							
		SLVx-E~1	I	-1.0	23.1	-30.9	-62.4	
210.5	-112.4		J	-1.0	23.1	-30.9	-62.4	
241.4	-135.5							
		SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	
491.2	-262.3		J	-2.4	53.8	-72.1	-145.6	
563.3	-316.2							
597	7	60	Q1-1_2 Max	I	269.4	24.5	22.6	39.1
6370.0	1595.8			J	269.4	24.5	22.6	39.1
6376.1	1581.0		Min	I	-1797.6	-16.4	-33.3	-42.8
1486.1	-330.4			J	-1797.6	-16.4	-33.3	-42.8
1474.8	-322.0							
		Q1-3_4 Max	I	263.0	26.5	19.8	30.1	
8334.9	1400.4			J	263.0	26.5	19.8	30.1
8339.8	1383.8		Min	I	-1835.9	-13.2	-33.3	-56.8
-907.1	-341.0			J	-1835.9	-13.2	-33.3	-56.8
-897.0	-336.2							
		Q2a-1_2 Max	I	149.1	13.3	12.3	20.9	
3891.4	900.3			J	149.1	13.3	12.3	20.9
3893.3	892.6		Min	I	-1062.8	-8.9	-18.2	-22.2
-843.6	-181.7			J	-1062.8	-8.9	-18.2	-22.2
-836.8	-176.6							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	

5137.5	763.3	Q2a-3_4 Max	I	143.4	14.3	10.6	15.6	
			J	143.4	14.3	10.6	15.6	
5137.9	754.6							
-482.0	-185.9	Min	I	-1077.9	-6.9	-18.1	-29.2	
			J	-1077.9	-6.9	-18.1	-29.2	
-476.3	-183.0							
		Q1-1 Max	I	99.3	8.0	9.6	17.8	
1096.6	674.7		J	99.3	8.0	9.6	17.8	
1096.3	670.3							
		Min	I	-649.7	-7.1	-11.6	-7.4	
-816.4	-112.1		J	-649.7	-7.1	-11.6	-7.4	
-808.9	-107.3							
		Q1-3 Max	I	80.5	9.6	5.6	6.8	
4009.2	297.0		J	80.5	9.6	5.6	6.8	
4010.3	290.9							
		Min	I	-684.5	-2.8	-11.7	-24.7	
-50.9	-120.7		J	-684.5	-2.8	-11.7	-24.7	
-53.1	-120.2							
		SLVx (RS)	I	-630.5	1797.7	1184.1	-1248.6	-
9270.2	-7958.7		J	-630.5	1797.7	1184.1	-1248.6	-1
0402.0	-9732.6							
		SLVy (RS)	I	-593.1	-1067.1	2727.4	-2802.1	-1
9113.9	4921.7		J	-593.1	-1067.1	2727.4	-2802.1	-2
1756.3	5928.6							
		SLVz (RS)	I	1473.7	306.1	-240.3	-1038.8	-
2613.7	-1857.0		J	1473.7	306.1	-240.3	-1038.8	
2574.4	-2108.0							
		G1	I	-5156.3	17.0	-18.2	-26.1	
5149.5	1342.7		J	-5429.0	17.0	-18.2	-26.1	
5167.7	1325.7							
		G2	I	-636.2	6.2	-6.6	-9.5	
1867.8	487.1		J	-636.2	6.2	-6.6	-9.5	
1874.4	480.9							
		pp imp~1	I	0.0	-0.2	0.2	0.5	
-3.8	1.3		J	0.0	-0.2	0.2	0.5	
-4.0	1.5							
		perm i~1	I	0.0	-0.1	0.1	0.2	
-1.2	0.4		J	0.0	-0.1	0.1	0.2	
-1.3	0.5							
		pp2	I	-4285.5	-6.8	2.0	-18.9	-
7759.4	-2438.3		J	-4285.5	-6.8	2.0	-18.9	-

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
7761.5	-2431.5									
		perm2	I	-1467.2	-1.8	-0.4	-4.0	-		
2974.9	-734.4		J	-1467.2	-1.8	-0.4	-4.0	-		
2974.5	-732.6									
		q3	I	-7.1	36.2	-48.9	-95.5			
65.6	-160.9		J	-7.1	36.2	-48.9	-95.5			
114.4	-197.1									
		q4-1	I	3.9	-94.9	126.9	258.2	-		
1189.5	586.4		J	3.9	-94.9	126.9	258.2	-		
1316.4	681.3									
		q4-2	I	5.2	-13.3	17.7	36.3			
-226.1	84.8		J	5.2	-13.3	17.7	36.3			
-243.8	98.0									
		q4-3	I	1.4	7.0	-9.4	-18.9			
58.1	-41.1		J	1.4	7.0	-9.4	-18.9			
67.5	-48.1									
		q4-4	I	-1.8	-2.2	2.9	5.7			
3.9	11.2		J	-1.8	-2.2	2.9	5.7			
0.9	13.4									
		q5x_pc	I	53.1	-181.2	241.7	495.9	-		
2885.6	1151.8		J	53.1	-181.2	241.7	495.9	-		
3127.3	1333.0									
		q5y_pc	I	-5.9	-3.9	5.1	11.3			
-127.6	42.7		J	-5.9	-3.9	5.1	11.3			
-132.7	46.6									
		q5x_ps	I	45.0	-159.0	212.1	435.0	-		
2502.2	1008.4		J	45.0	-159.0	212.1	435.0	-		
2714.4	1167.5									
		q5y_ps	I	-6.8	-3.8	5.0	11.1			
-127.8	43.6		J	-6.8	-3.8	5.0	11.1			
-132.8	47.4									
		q7	I	1.2	3.7	-5.0	-9.9			
10.2	-19.4		J	1.2	3.7	-5.0	-9.9			
15.2	-23.1									
		T	I	-4.2	-8.4	11.2	23.7			
-183.0	68.9		J	-4.2	-8.4	11.2	23.7			
-194.2	77.4									
		SLVx-E~1	I	-1.0	23.1	-30.9	-62.4			
241.4	-135.5		J	-1.0	23.1	-30.9	-62.4			
272.3	-158.6									

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


563.3	-316.2	SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	
635.4	-370.0		J	-2.4	53.8	-72.1	-145.6	
598	7	60 Q1-1_2 Max	I	269.4	24.5	22.6	39.1	
6376.1	1581.0		J	269.4	24.5	22.6	39.1	
6382.5	1566.7	Min	I	-1797.6	-16.4	-33.3	-42.8	-
1474.8	-322.0		J	-1797.6	-16.4	-33.3	-42.8	-
1464.1	-314.5							
8339.8	1383.8	Q1-3_4 Max	I	263.0	26.5	19.8	30.1	
8345.0	1367.6		J	263.0	26.5	19.8	30.1	
-897.0	-336.2	Min	I	-1835.9	-13.2	-33.3	-56.8	
-887.3	-331.6		J	-1835.9	-13.2	-33.3	-56.8	
3893.3	892.6	Q2a-1_2 Max	I	149.1	13.3	12.3	20.9	
3895.3	885.2		J	149.1	13.3	12.3	20.9	
-836.8	-176.6	Min	I	-1062.8	-8.9	-18.2	-22.2	
-830.1	-172.0		J	-1062.8	-8.9	-18.2	-22.2	
5137.9	754.6	Q2a-3_4 Max	I	143.4	14.3	10.6	15.6	
5138.4	746.2		J	143.4	14.3	10.6	15.6	
-476.3	-183.0	Min	I	-1077.9	-6.9	-18.1	-29.2	
-470.6	-180.1		J	-1077.9	-6.9	-18.1	-29.2	
1096.3	670.3	Q1-1 Max	I	99.3	8.0	9.6	17.8	
1096.1	665.9		J	99.3	8.0	9.6	17.8	
-808.9	-107.3	Min	I	-649.7	-7.1	-11.6	-7.4	
-801.7	-102.6		J	-649.7	-7.1	-11.6	-7.4	
4010.3	290.9	Q1-3 Max	I	80.5	9.6	5.6	6.8	
4011.5	284.8		J	80.5	9.6	5.6	6.8	
-53.1	-120.2	Min	I	-684.5	-2.8	-11.7	-24.7	
-55.2	-119.8		J	-684.5	-2.8	-11.7	-24.7	
0402.0	-9732.6	SLVx (RS)	I	-641.4	1859.5	1200.7	-1248.6	-1
1558.0	-11568.4		J	-641.4	1859.5	1200.7	-1248.6	-1
		SLVy (RS)	I	-605.2	-1103.7	2791.2	-2802.1	-2

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1756.3	5928.6		J	-605.2	-1103.7	2791.2	-2802.1	-2
4473.6	6979.4							
		SLVz (RS)	I	1501.1	316.7	-258.3	-1038.8	
2574.4	-2108.0		J	1501.1	316.7	-258.3	-1038.8	
2541.7	-2359.6							
		G1	I	-5429.0	17.0	-18.2	-26.1	
5167.7	1325.7		J	-5701.8	17.0	-18.2	-26.1	
5185.9	1308.7							
		G2	I	-636.2	6.2	-6.6	-9.5	
1874.4	480.9		J	-636.2	6.2	-6.6	-9.5	
1881.0	474.7							
		pp imp~1	I	0.0	-0.2	0.2	0.5	
-4.0	1.5		J	0.0	-0.2	0.2	0.5	
-4.3	1.6							
		perm i~1	I	0.0	-0.1	0.1	0.2	
-1.3	0.5		J	0.0	-0.1	0.1	0.2	
-1.4	0.5							
		pp2	I	-4285.5	-6.8	2.0	-18.9	-
7761.5	-2431.5		J	-4285.5	-6.8	2.0	-18.9	-
7763.5	-2424.7							
		perm2	I	-1467.2	-1.8	-0.4	-4.0	-
2974.5	-732.6		J	-1467.2	-1.8	-0.4	-4.0	-
2974.1	-730.8							
		q3	I	-7.1	36.2	-48.9	-95.5	
114.4	-197.1		J	-7.1	36.2	-48.9	-95.5	
163.3	-233.4							
		q4-1	I	3.9	-94.9	126.9	258.2	-
1316.4	681.3		J	3.9	-94.9	126.9	258.2	-
1443.3	776.2							
		q4-2	I	5.2	-13.3	17.7	36.3	
-243.8	98.0		J	5.2	-13.3	17.7	36.3	
-261.4	111.3							
		q4-3	I	1.4	7.0	-9.4	-18.9	
67.5	-48.1		J	1.4	7.0	-9.4	-18.9	
76.9	-55.1							
		q4-4	I	-1.8	-2.2	2.9	5.7	
0.9	13.4		J	-1.8	-2.2	2.9	5.7	
-2.0	15.6							
		q5x_pc	I	53.1	-181.2	241.7	495.9	-
3127.3	1333.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3369.0	1514.2		J	53.1	-181.2	241.7	495.9	-
-132.7	46.6	q5y_pc	I	-5.9	-3.9	5.1	11.3	
-137.8	50.5		J	-5.9	-3.9	5.1	11.3	
2714.4	1167.5	q5x_ps	I	45.0	-159.0	212.1	435.0	-
2926.5	1326.5		J	45.0	-159.0	212.1	435.0	-
-132.8	47.4	q5y_ps	I	-6.8	-3.8	5.0	11.1	
-137.8	51.2		J	-6.8	-3.8	5.0	11.1	
15.2	-23.1	q7	I	1.2	3.7	-5.0	-9.9	
20.2	-26.8		J	1.2	3.7	-5.0	-9.9	
-194.2	77.4	T	I	-4.2	-8.4	11.2	23.7	
-205.5	85.8		J	-4.2	-8.4	11.2	23.7	
272.3	-158.6	SLVx-E~1	I	-1.0	23.1	-30.9	-62.4	
303.2	-181.6		J	-1.0	23.1	-30.9	-62.4	
635.4	-370.0	SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	
707.4	-423.8		J	-2.4	53.8	-72.1	-145.6	
599	7	60 Q1-1_2 Max	I	269.4	24.5	22.6	39.1	
6382.5	1566.7		J	269.4	24.5	22.6	39.1	
6389.0	1553.1	Min	I	-1797.6	-16.4	-33.3	-42.8	-
1464.1	-314.5		J	-1797.6	-16.4	-33.3	-42.8	-
1453.7	-307.1							
8345.0	1367.6	Q1-3_4 Max	I	263.0	26.5	19.8	30.1	
8350.4	1352.1		J	263.0	26.5	19.8	30.1	
-887.3	-331.6	Min	I	-1835.9	-13.2	-33.3	-56.8	
-877.9	-327.4		J	-1835.9	-13.2	-33.3	-56.8	
3895.3	885.2	Q2a-1_2 Max	I	149.1	13.3	12.3	20.9	
3897.3	878.2		J	149.1	13.3	12.3	20.9	
-830.1	-172.0	Min	I	-1062.8	-8.9	-18.2	-22.2	
-823.7	-167.5		J	-1062.8	-8.9	-18.2	-22.2	
		Q2a-3_4 Max	I	143.4	14.3	10.6	15.6	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
5138.4	746.2		J	143.4	14.3	10.6	15.6
5139.0	738.1						
		Min	I	-1077.9	-6.9	-18.1	-29.2
-470.6	-180.1						
			J	-1077.9	-6.9	-18.1	-29.2
-465.1	-177.5						
		Q1-1 Max	I	99.3	8.0	9.6	17.8
1096.1	665.9						
			J	99.3	8.0	9.6	17.8
1096.0	661.9						
		Min	I	-649.7	-7.1	-11.6	-7.4
-801.7	-102.6						
			J	-649.7	-7.1	-11.6	-7.4
-794.5	-98.0						
		Q1-3 Max	I	80.5	9.6	5.6	6.8
4011.5	284.8						
			J	80.5	9.6	5.6	6.8
4012.6	279.1						
		Min	I	-684.5	-2.8	-11.7	-24.7
-55.2	-119.8						
			J	-684.5	-2.8	-11.7	-24.7
-57.4	-119.4						
		SLVx (RS)	I	-651.3	1913.4	1215.6	-1248.6
1558.0	-11568.4						-1
			J	-651.3	1913.4	1215.6	-1248.6
2734.5	-13457.4						-1
		SLVy (RS)	I	-616.2	-1136.3	2847.7	-2802.1
4473.6	6979.4						-2
			J	-616.2	-1136.3	2847.7	-2802.1
7255.5	8067.8						-2
		SLVz (RS)	I	1526.1	332.1	-276.8	-1038.8
2541.7	-2359.6						
			J	1526.1	332.1	-276.8	-1038.8
2521.3	-2614.0						
		G1	I	-5701.8	17.0	-18.2	-26.1
5185.9	1308.7						
			J	-5974.5	17.0	-18.2	-26.1
5204.0	1291.7						
		G2	I	-636.2	6.2	-6.6	-9.5
1881.0	474.7						
			J	-636.2	6.2	-6.6	-9.5
1887.6	468.6						
		pp imp~1	I	0.0	-0.2	0.2	0.5
-4.3	1.6						
			J	0.0	-0.2	0.2	0.5
-4.5	1.8						
		perm i~1	I	0.0	-0.1	0.1	0.2
-1.4	0.5						
			J	0.0	-0.1	0.1	0.2
-1.4	0.6						
		pp2	I	-4285.5	-6.8	2.0	-18.9
7763.5	-2424.7						-
			J	-4285.5	-6.8	2.0	-18.9
7765.5	-2418.0						-


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2974.1	-730.8	perm2	I	-1467.2	-1.8	-0.4	-4.0	-
			J	-1467.2	-1.8	-0.4	-4.0	-
2973.7	-729.0							
		q3	I	-7.1	36.2	-48.9	-95.5	
163.3	-233.4		J	-7.1	36.2	-48.9	-95.5	
212.2	-269.6							
		q4-1	I	3.9	-94.9	126.9	258.2	-
1443.3	776.2		J	3.9	-94.9	126.9	258.2	-
1570.3	871.2							
		q4-2	I	5.2	-13.3	17.7	36.3	
-261.4	111.3		J	5.2	-13.3	17.7	36.3	
-279.1	124.6							
		q4-3	I	1.4	7.0	-9.4	-18.9	
76.9	-55.1		J	1.4	7.0	-9.4	-18.9	
86.3	-62.1							
		q4-4	I	-1.8	-2.2	2.9	5.7	
-2.0	15.6		J	-1.8	-2.2	2.9	5.7	
-4.9	17.7							
		q5x_pc	I	53.1	-181.2	241.7	495.9	-
3369.0	1514.2		J	53.1	-181.2	241.7	495.9	-
3610.6	1695.4							
		q5y_pc	I	-5.9	-3.9	5.1	11.3	
-137.8	50.5		J	-5.9	-3.9	5.1	11.3	
-142.8	54.3							
		q5x_ps	I	45.0	-159.0	212.1	435.0	-
2926.5	1326.5		J	45.0	-159.0	212.1	435.0	-
3138.6	1485.5							
		q5y_ps	I	-6.8	-3.8	5.0	11.1	
-137.8	51.2		J	-6.8	-3.8	5.0	11.1	
-142.8	55.0							
		q7	I	1.2	3.7	-5.0	-9.9	
20.2	-26.8		J	1.2	3.7	-5.0	-9.9	
25.2	-30.5							
		T	I	-4.2	-8.4	11.2	23.7	
-205.5	85.8		J	-4.2	-8.4	11.2	23.7	
-216.7	94.3							
		SLVx-E~1	I	-1.0	23.1	-30.9	-62.4	
303.2	-181.6		J	-1.0	23.1	-30.9	-62.4	
334.1	-204.7							
		SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
707.4	-423.8			J	-2.4	53.8	-72.1	-145.6	
779.5	-477.6								
600	7	60	Q1-1_2 Max	I	269.4	24.5	22.6	39.1	
6389.0	1553.1			J	269.4	24.5	22.6	39.1	
6395.7	1540.2		Min	I	-1797.6	-16.4	-33.3	-42.8	-
1453.7	-307.1			J	-1797.6	-16.4	-33.3	-42.8	-
1443.8	-300.0								
			Q1-3_4 Max	I	263.0	26.5	19.8	30.1	
8350.4	1352.1			J	263.0	26.5	19.8	30.1	
8356.0	1337.0		Min	I	-1835.9	-13.2	-33.3	-56.8	
-877.9	-327.4			J	-1835.9	-13.2	-33.3	-56.8	
-869.1	-323.6								
			Q2a-1_2 Max	I	149.1	13.3	12.3	20.9	
3897.3	878.2			J	149.1	13.3	12.3	20.9	
3899.4	871.6		Min	I	-1062.8	-8.9	-18.2	-22.2	
-823.7	-167.5			J	-1062.8	-8.9	-18.2	-22.2	
-817.4	-163.2								
			Q2a-3_4 Max	I	143.4	14.3	10.6	15.6	
5139.0	738.1			J	143.4	14.3	10.6	15.6	
5139.7	730.4		Min	I	-1077.9	-6.9	-18.1	-29.2	
-465.1	-177.5			J	-1077.9	-6.9	-18.1	-29.2	
-460.0	-175.0								
			Q1-1 Max	I	99.3	8.0	9.6	17.8	
1096.0	661.9			J	99.3	8.0	9.6	17.8	
1096.1	658.1		Min	I	-649.7	-7.1	-11.6	-7.4	
-794.5	-98.0			J	-649.7	-7.1	-11.6	-7.4	
-787.6	-93.7								
			Q1-3 Max	I	80.5	9.6	5.6	6.8	
4012.6	279.1			J	80.5	9.6	5.6	6.8	
4013.8	273.5		Min	I	-684.5	-2.8	-11.7	-24.7	
-57.4	-119.4			J	-684.5	-2.8	-11.7	-24.7	
-59.5	-119.2								
			SLVx (RS)	I	-660.3	1959.8	1228.8	-1248.6	-1
2734.5	-13457.4			J	-660.3	1959.8	1228.8	-1248.6	-1
3928.4	-15391.8								
			SLVy (RS)	I	-626.3	-1164.7	2897.4	-2802.1	-2
7255.5	8067.8			J	-626.3	-1164.7	2897.4	-2802.1	-3

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0092.8	9188.4							
		SLVz (RS)	I	1548.6	352.2	-295.2	-1038.8	
2521.3	-2614.0		J	1548.6	352.2	-295.2	-1038.8	
2519.7	-2875.2							
		G1	I	-5974.5	17.0	-18.2	-26.1	
5204.0	1291.7		J	-6247.3	17.0	-18.2	-26.1	
5222.2	1274.6							
		G2	I	-636.2	6.2	-6.6	-9.5	
1887.6	468.6		J	-636.2	6.2	-6.6	-9.5	
1894.2	462.4							
		pp imp~1	I	0.0	-0.2	0.2	0.5	
-4.5	1.8		J	0.0	-0.2	0.2	0.5	
-4.7	2.0							
		perm i~1	I	0.0	-0.1	0.1	0.2	
-1.4	0.6		J	0.0	-0.1	0.1	0.2	
-1.5	0.6							
		pp2	I	-4285.5	-6.8	2.0	-18.9	-
7765.5	-2418.0		J	-4285.5	-6.8	2.0	-18.9	-
7767.6	-2411.2							
		perm2	I	-1467.2	-1.8	-0.4	-4.0	-
2973.7	-729.0		J	-1467.2	-1.8	-0.4	-4.0	-
2973.4	-727.2							
		q3	I	-7.1	36.2	-48.9	-95.5	
212.2	-269.6		J	-7.1	36.2	-48.9	-95.5	
261.1	-305.8							
		q4-1	I	3.9	-94.9	126.9	258.2	-
1570.3	871.2		J	3.9	-94.9	126.9	258.2	-
1697.2	966.1							
		q4-2	I	5.2	-13.3	17.7	36.3	
-279.1	124.6		J	5.2	-13.3	17.7	36.3	
-296.8	137.8							
		q4-3	I	1.4	7.0	-9.4	-18.9	
86.3	-62.1		J	1.4	7.0	-9.4	-18.9	
95.8	-69.2							
		q4-4	I	-1.8	-2.2	2.9	5.7	
-4.9	17.7		J	-1.8	-2.2	2.9	5.7	
-7.9	19.9							
		q5x_pc	I	53.1	-181.2	241.7	495.9	-
3610.6	1695.4		J	53.1	-181.2	241.7	495.9	-
3852.3	1876.6							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

-142.8	54.3	q5y_pc	I	-5.9	-3.9	5.1	11.3	
			J	-5.9	-3.9	5.1	11.3	
-147.9	58.2							
		q5x_ps	I	45.0	-159.0	212.1	435.0	-
3138.6	1485.5		J	45.0	-159.0	212.1	435.0	-
3350.7	1644.5							
		q5y_ps	I	-6.8	-3.8	5.0	11.1	
-142.8	55.0		J	-6.8	-3.8	5.0	11.1	
-147.7	58.8							
		q7	I	1.2	3.7	-5.0	-9.9	
25.2	-30.5		J	1.2	3.7	-5.0	-9.9	
30.2	-34.2							
		T	I	-4.2	-8.4	11.2	23.7	
-216.7	94.3		J	-4.2	-8.4	11.2	23.7	
-227.9	102.7							
		SLVx-E~1	I	-1.0	23.1	-30.9	-62.4	
334.1	-204.7		J	-1.0	23.1	-30.9	-62.4	
365.0	-227.7							
		SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	
779.5	-477.6		J	-2.4	53.8	-72.1	-145.6	
851.6	-531.4							
601	7	60 Q1-1_2 Max	I	269.4	24.5	22.6	39.1	
6395.7	1540.2		J	269.4	24.5	22.6	39.1	
6402.5	1527.8							
		Min	I	-1797.6	-16.4	-33.3	-42.8	-
1443.8	-300.0		J	-1797.6	-16.4	-33.3	-42.8	-
1434.3	-293.2							
		Q1-3_4 Max	I	263.0	26.5	19.8	30.1	
8356.0	1337.0		J	263.0	26.5	19.8	30.1	
8361.8	1322.6							
		Min	I	-1835.9	-13.2	-33.3	-56.8	
-869.1	-323.6		J	-1835.9	-13.2	-33.3	-56.8	
-860.6	-320.0							
		Q2a-1_2 Max	I	149.1	13.3	12.3	20.9	
3899.4	871.6		J	149.1	13.3	12.3	20.9	
3901.6	865.3							
		Min	I	-1062.8	-8.9	-18.2	-22.2	
-817.4	-163.2		J	-1062.8	-8.9	-18.2	-22.2	
-811.3	-158.9							
		Q2a-3_4 Max	I	143.4	14.3	10.6	15.6	
5139.7	730.4		J	143.4	14.3	10.6	15.6	


MIDAS

PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
5140.5	723.0		Min	I	-1077.9	-6.9	-18.1	-29.2	
-460.0	-175.0			J	-1077.9	-6.9	-18.1	-29.2	
-455.0	-172.6								
		Q1-1 Max		I	99.3	8.0	9.6	17.8	
1096.1	658.1			J	99.3	8.0	9.6	17.8	
1096.4	654.5		Min	I	-649.7	-7.1	-11.6	-7.4	
-787.6	-93.7			J	-649.7	-7.1	-11.6	-7.4	
-780.8	-89.5								
		Q1-3 Max		I	80.5	9.6	5.6	6.8	
4013.8	273.5			J	80.5	9.6	5.6	6.8	
4014.9	268.2		Min	I	-684.5	-2.8	-11.7	-24.7	
-59.5	-119.2			J	-684.5	-2.8	-11.7	-24.7	
-61.7	-119.1								
		SLVx (RS)		I	-668.4	1999.2	1240.3	-1248.6	-1
3928.4	-15391.8			J	-668.4	1999.2	1240.3	-1248.6	-1
5137.1	-17364.4								
		SLVy (RS)		I	-635.3	-1189.0	2940.6	-2802.1	-3
0092.8	9188.4			J	-635.3	-1189.0	2940.6	-2802.1	-3
2977.4	10336.1								
		SLVz (RS)		I	1568.7	375.6	-313.0	-1038.8	
2519.7	-2875.2			J	1568.7	375.6	-313.0	-1038.8	
2543.8	-3148.2								
		G1		I	-6247.3	17.0	-18.2	-26.1	
5222.2	1274.6			J	-6520.0	17.0	-18.2	-26.1	
5240.4	1257.6								
		G2		I	-636.2	6.2	-6.6	-9.5	
1894.2	462.4			J	-636.2	6.2	-6.6	-9.5	
1900.8	456.2								
		pp imp~1		I	0.0	-0.2	0.2	0.5	
-4.7	2.0			J	0.0	-0.2	0.2	0.5	
-5.0	2.2								
		perm i~1		I	0.0	-0.1	0.1	0.2	
-1.5	0.6			J	0.0	-0.1	0.1	0.2	
-1.6	0.7								
		pp2		I	-4285.5	-6.8	2.0	-18.9	-
7767.6	-2411.2			J	-4285.5	-6.8	2.0	-18.9	-
7769.6	-2404.4								
		perm2		I	-1467.2	-1.8	-0.4	-4.0	-
2973.4	-727.2								


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2973.0	-725.4		J	-1467.2	-1.8	-0.4	-4.0	-
		q3	I	-7.1	36.2	-48.9	-95.5	
261.1	-305.8		J	-7.1	36.2	-48.9	-95.5	
309.9	-342.0							
		q4-1	I	3.9	-94.9	126.9	258.2	-
1697.2	966.1		J	3.9	-94.9	126.9	258.2	-
1824.2	1061.0							
		q4-2	I	5.2	-13.3	17.7	36.3	
-296.8	137.8		J	5.2	-13.3	17.7	36.3	
-314.4	151.1							
		q4-3	I	1.4	7.0	-9.4	-18.9	
95.8	-69.2		J	1.4	7.0	-9.4	-18.9	
105.2	-76.2							
		q4-4	I	-1.8	-2.2	2.9	5.7	
-7.9	19.9		J	-1.8	-2.2	2.9	5.7	
-10.8	22.1							
		q5x_pc	I	53.1	-181.2	241.7	495.9	-
3852.3	1876.6		J	53.1	-181.2	241.7	495.9	-
4094.0	2057.8							
		q5y_pc	I	-5.9	-3.9	5.1	11.3	
-147.9	58.2		J	-5.9	-3.9	5.1	11.3	
-153.0	62.0							
		q5x_ps	I	45.0	-159.0	212.1	435.0	-
3350.7	1644.5		J	45.0	-159.0	212.1	435.0	-
3562.9	1803.6							
		q5y_ps	I	-6.8	-3.8	5.0	11.1	
-147.7	58.8		J	-6.8	-3.8	5.0	11.1	
-152.7	62.6							
		q7	I	1.2	3.7	-5.0	-9.9	
30.2	-34.2		J	1.2	3.7	-5.0	-9.9	
35.2	-37.9							
		T	I	-4.2	-8.4	11.2	23.7	
-227.9	102.7		J	-4.2	-8.4	11.2	23.7	
-239.1	111.2							
		SLVx-E~1	I	-1.0	23.1	-30.9	-62.4	
365.0	-227.7		J	-1.0	23.1	-30.9	-62.4	
395.9	-250.8							
		SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	
851.6	-531.4		J	-2.4	53.8	-72.1	-145.6	


MIDAS

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
923.7	-585.2									
602	7	60	Q1-1_2	Max	I	269.4	24.5	22.6	39.1	
6402.5	1527.8				J	269.4	24.5	22.6	39.1	
6409.5	1516.0									
				Min	I	-1797.6	-16.4	-33.3	-42.8	-
1434.3	-293.2				J	-1797.6	-16.4	-33.3	-42.8	-
1425.3	-286.7									
			Q1-3_4	Max	I	263.0	26.5	19.8	30.1	
8361.8	1322.6				J	263.0	26.5	19.8	30.1	
8367.8	1308.8									
				Min	I	-1835.9	-13.2	-33.3	-56.8	
-860.6	-320.0				J	-1835.9	-13.2	-33.3	-56.8	
-852.6	-316.9									
			Q2a-1_2	Max	I	149.1	13.3	12.3	20.9	
3901.6	865.3				J	149.1	13.3	12.3	20.9	
3903.8	859.4									
				Min	I	-1062.8	-8.9	-18.2	-22.2	
-811.3	-158.9				J	-1062.8	-8.9	-18.2	-22.2	
-805.4	-154.9									
			Q2a-3_4	Max	I	143.4	14.3	10.6	15.6	
5140.5	723.0				J	143.4	14.3	10.6	15.6	
5141.4	716.1									
				Min	I	-1077.9	-6.9	-18.1	-29.2	
-455.0	-172.6				J	-1077.9	-6.9	-18.1	-29.2	
-450.2	-170.5									
			Q1-1	Max	I	99.3	8.0	9.6	17.8	
1096.4	654.5				J	99.3	8.0	9.6	17.8	
1096.9	651.1									
				Min	I	-649.7	-7.1	-11.6	-7.4	
-780.8	-89.5				J	-649.7	-7.1	-11.6	-7.4	
-774.2	-85.7									
			Q1-3	Max	I	80.5	9.6	5.6	6.8	
4014.9	268.2				J	80.5	9.6	5.6	6.8	
4016.1	263.1									
				Min	I	-684.5	-2.8	-11.7	-24.7	
-61.7	-119.1				J	-684.5	-2.8	-11.7	-24.7	
-64.0	-119.1									
			SLVx (RS)		I	-675.4	2032.2	1250.3	-1248.6	-1
5137.1	-17364.4				J	-675.4	2032.2	1250.3	-1248.6	-1
6358.3	-19368.5									
			SLVy (RS)		I	-643.3	-1209.3	2977.9	-2802.1	-3
2977.4	10336.1				J	-643.3	-1209.3	2977.9	-2802.1	-3
5902.0	11506.6									

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2543.8	-3148.2	SLVz (RS)	I	1586.1	400.6	-329.7	-1038.8	
			J	1586.1	400.6	-329.7	-1038.8	
2599.7	-3437.9							
		G1	I	-6520.0	17.0	-18.2	-26.1	
5240.4	1257.6		J	-6792.8	17.0	-18.2	-26.1	
5258.5	1240.6							
		G2	I	-636.2	6.2	-6.6	-9.5	
1900.8	456.2		J	-636.2	6.2	-6.6	-9.5	
1907.4	450.0							
		pp imp~1	I	0.0	-0.2	0.2	0.5	
-5.0	2.2		J	0.0	-0.2	0.2	0.5	
-5.2	2.3							
		perm i~1	I	0.0	-0.1	0.1	0.2	
-1.6	0.7		J	0.0	-0.1	0.1	0.2	
-1.7	0.8							
		pp2	I	-4285.5	-6.8	2.0	-18.9	-
7769.6	-2404.4		J	-4285.5	-6.8	2.0	-18.9	-
7771.6	-2397.6							
		perm2	I	-1467.2	-1.8	-0.4	-4.0	-
2973.0	-725.4		J	-1467.2	-1.8	-0.4	-4.0	-
2972.6	-723.5							
		q3	I	-7.1	36.2	-48.9	-95.5	
309.9	-342.0		J	-7.1	36.2	-48.9	-95.5	
358.8	-378.2							
		q4-1	I	3.9	-94.9	126.9	258.2	-
1824.2	1061.0		J	3.9	-94.9	126.9	258.2	-
1951.1	1155.9							
		q4-2	I	5.2	-13.3	17.7	36.3	
-314.4	151.1		J	5.2	-13.3	17.7	36.3	
-332.1	164.3							
		q4-3	I	1.4	7.0	-9.4	-18.9	
105.2	-76.2		J	1.4	7.0	-9.4	-18.9	
114.6	-83.2							
		q4-4	I	-1.8	-2.2	2.9	5.7	
-10.8	22.1		J	-1.8	-2.2	2.9	5.7	
-13.7	24.2							
		q5x_pc	I	53.1	-181.2	241.7	495.9	-
4094.0	2057.8		J	53.1	-181.2	241.7	495.9	-
4335.7	2239.1							
		q5y_pc	I	-5.9	-3.9	5.1	11.3	


MIDAS

PROJECT TITLE :


MIDAS	Company		Client		File Name			
	Author		File Name		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-153.0	62.0		J	-5.9	-3.9	5.1	11.3	
-158.0	65.9							
3562.9	1803.6	q5x_ps	I	45.0	-159.0	212.1	435.0	-
3775.0	1962.6		J	45.0	-159.0	212.1	435.0	-
-152.7	62.6	q5y_ps	I	-6.8	-3.8	5.0	11.1	
-157.7	66.4		J	-6.8	-3.8	5.0	11.1	
35.2	-37.9	q7	I	1.2	3.7	-5.0	-9.9	
40.2	-41.6		J	1.2	3.7	-5.0	-9.9	
-239.1	111.2	T	I	-4.2	-8.4	11.2	23.7	
-250.3	119.6		J	-4.2	-8.4	11.2	23.7	
395.9	-250.8	SLVx-E~1	I	-1.0	23.1	-30.9	-62.4	
426.8	-273.9		J	-1.0	23.1	-30.9	-62.4	
923.7	-585.2	SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	
995.8	-639.0		J	-2.4	53.8	-72.1	-145.6	
603	7	60 Q1-1_2 Max	I	269.4	24.5	22.6	39.1	
6409.5	1516.0		J	269.4	24.5	22.6	39.1	
6416.6	1504.8	Min	I	-1797.6	-16.4	-33.3	-42.8	-
1425.3	-286.7		J	-1797.6	-16.4	-33.3	-42.8	-
1417.1	-280.5	Q1-3_4 Max	I	263.0	26.5	19.8	30.1	
8367.8	1308.8		J	263.0	26.5	19.8	30.1	
8374.1	1295.8	Min	I	-1835.9	-13.2	-33.3	-56.8	
-852.6	-316.9		J	-1835.9	-13.2	-33.3	-56.8	
-845.0	-314.2	Q2a-1_2 Max	I	149.1	13.3	12.3	20.9	
3903.8	859.4		J	149.1	13.3	12.3	20.9	
3906.1	853.7	Min	I	-1062.8	-8.9	-18.2	-22.2	
-805.4	-154.9		J	-1062.8	-8.9	-18.2	-22.2	
-799.8	-151.0	Q2a-3_4 Max	I	143.4	14.3	10.6	15.6	
5141.4	716.1		J	143.4	14.3	10.6	15.6	
5142.3	709.6	Min	I	-1077.9	-6.9	-18.1	-29.2	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-450.2	-170.5		J	-1077.9	-6.9	-18.1	-29.2	
-445.6	-168.5							
		Q1-1 Max	I	99.3	8.0	9.6	17.8	
1096.9	651.1		J	99.3	8.0	9.6	17.8	
1097.5	647.8	Min	I	-649.7	-7.1	-11.6	-7.4	
-774.2	-85.7		J	-649.7	-7.1	-11.6	-7.4	
-768.0	-82.0							
		Q1-3 Max	I	80.5	9.6	5.6	6.8	
4016.1	263.1		J	80.5	9.6	5.6	6.8	
4017.3	258.3	Min	I	-684.5	-2.8	-11.7	-24.7	
-64.0	-119.1		J	-684.5	-2.8	-11.7	-24.7	
-66.2	-119.2							
		SLVx (RS)	I	-681.5	2059.4	1258.7	-1248.6	-1
6358.3	-19368.5		J	-681.5	2059.4	1258.7	-1248.6	-1
7589.9	-21398.1							
		SLVy (RS)	I	-650.1	-1225.8	3009.4	-2802.1	-3
5902.0	11506.6		J	-650.1	-1225.8	3009.4	-2802.1	-3
8860.0	12695.7							
		SLVz (RS)	I	1601.0	425.2	-344.8	-1038.8	
2599.7	-3437.9		J	1601.0	425.2	-344.8	-1038.8	
2691.7	-3748.2							
		G1	I	-6792.8	17.0	-18.2	-26.1	
5258.5	1240.6		J	-7065.5	17.0	-18.2	-26.1	
5276.7	1223.6							
		G2	I	-636.2	6.2	-6.6	-9.5	
1907.4	450.0		J	-636.2	6.2	-6.6	-9.5	
1914.0	443.8							
		pp imp~1	I	0.0	-0.2	0.2	0.5	
-5.2	2.3		J	0.0	-0.2	0.2	0.5	
-5.4	2.5							
		perm i~1	I	0.0	-0.1	0.1	0.2	
-1.7	0.8		J	0.0	-0.1	0.1	0.2	
-1.7	0.8							
		pp2	I	-4285.5	-6.8	2.0	-18.9	-
7771.6	-2397.6		J	-4285.5	-6.8	2.0	-18.9	-
7773.7	-2390.8							
		perm2	I	-1467.2	-1.8	-0.4	-4.0	-
2972.6	-723.5		J	-1467.2	-1.8	-0.4	-4.0	-
2972.3	-721.7							


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


358.8	-378.2	q3	I	-7.1	36.2	-48.9	-95.5	
407.7	-414.4		J	-7.1	36.2	-48.9	-95.5	
1951.1	1155.9	q4-1	I	3.9	-94.9	126.9	258.2	-
2078.1	1250.8		J	3.9	-94.9	126.9	258.2	-
-332.1	164.3	q4-2	I	5.2	-13.3	17.7	36.3	
-349.8	177.6		J	5.2	-13.3	17.7	36.3	
114.6	-83.2	q4-3	I	1.4	7.0	-9.4	-18.9	
124.0	-90.2		J	1.4	7.0	-9.4	-18.9	
-13.7	24.2	q4-4	I	-1.8	-2.2	2.9	5.7	
-16.7	26.4		J	-1.8	-2.2	2.9	5.7	
4335.7	2239.1	q5x_pc	I	53.1	-181.2	241.7	495.9	-
4577.4	2420.3		J	53.1	-181.2	241.7	495.9	-
-158.0	65.9	q5y_pc	I	-5.9	-3.9	5.1	11.3	
-163.1	69.7		J	-5.9	-3.9	5.1	11.3	
3775.0	1962.6	q5x_ps	I	45.0	-159.0	212.1	435.0	-
3987.1	2121.6		J	45.0	-159.0	212.1	435.0	-
-157.7	66.4	q5y_ps	I	-6.8	-3.8	5.0	11.1	
-162.7	70.2		J	-6.8	-3.8	5.0	11.1	
40.2	-41.6	q7	I	1.2	3.7	-5.0	-9.9	
45.2	-45.3		J	1.2	3.7	-5.0	-9.9	
-250.3	119.6	T	I	-4.2	-8.4	11.2	23.7	
-261.5	128.1		J	-4.2	-8.4	11.2	23.7	
426.8	-273.9	SLVx-E~1	I	-1.0	23.1	-30.9	-62.4	
457.7	-296.9		J	-1.0	23.1	-30.9	-62.4	
995.8	-639.0	SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	
1067.9	-692.8		J	-2.4	53.8	-72.1	-145.6	

MIDAS

PROJECT TITLE :


		Company				Client				
		Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
604	7	60	Q1-1_2	Max	I	269.4	24.5	22.6	39.1	
6416.6	1504.8				J	269.4	24.5	22.6	39.1	
6423.9	1494.1			Min	I	-1797.6	-16.4	-33.3	-42.8	-
1417.1	-280.5				J	-1797.6	-16.4	-33.3	-42.8	-
1409.5	-274.5									
			Q1-3_4	Max	I	263.0	26.5	19.8	30.1	
8374.1	1295.8				J	263.0	26.5	19.8	30.1	
8380.6	1283.5			Min	I	-1835.9	-13.2	-33.3	-56.8	
-845.0	-314.2				J	-1835.9	-13.2	-33.3	-56.8	
-837.8	-311.9									
			Q2a-1_2	Max	I	149.1	13.3	12.3	20.9	
3906.1	853.7				J	149.1	13.3	12.3	20.9	
3908.4	848.4			Min	I	-1062.8	-8.9	-18.2	-22.2	
-799.8	-151.0				J	-1062.8	-8.9	-18.2	-22.2	
-794.6	-147.3									
			Q2a-3_4	Max	I	143.4	14.3	10.6	15.6	
5142.3	709.6				J	143.4	14.3	10.6	15.6	
5143.4	703.5			Min	I	-1077.9	-6.9	-18.1	-29.2	
-445.6	-168.5				J	-1077.9	-6.9	-18.1	-29.2	
-441.2	-166.7									
			Q1-1	Max	I	99.3	8.0	9.6	17.8	
1097.5	647.8				J	99.3	8.0	9.6	17.8	
1098.4	644.6			Min	I	-649.7	-7.1	-11.6	-7.4	
-768.0	-82.0				J	-649.7	-7.1	-11.6	-7.4	
-762.1	-78.6									
			Q1-3	Max	I	80.5	9.6	5.6	6.8	
4017.3	258.3				J	80.5	9.6	5.6	6.8	
4018.5	253.7			Min	I	-684.5	-2.8	-11.7	-24.7	
-66.2	-119.2				J	-684.5	-2.8	-11.7	-24.7	
-68.5	-119.4									
			SLVx (RS)		I	-686.4	2081.1	1265.5	-1248.6	-1
7589.9	-21398.1				J	-686.4	2081.1	1265.5	-1248.6	-1
8830.2	-23448.0									
			SLVy (RS)		I	-655.7	-1238.9	3035.1	-2802.1	-3
8860.0	12695.7				J	-655.7	-1238.9	3035.1	-2802.1	-4
1845.3	13899.8									
			SLVz (RS)		I	1613.3	447.3	-357.9	-1038.8	
2691.7	-3748.2									

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2821.9	-4081.6		J	1613.3	447.3	-357.9	-1038.8	
5276.7	1223.6	G1	I	-7065.5	17.0	-18.2	-26.1	
5294.9	1206.5		J	-7338.3	17.0	-18.2	-26.1	
1914.0	443.8	G2	I	-636.2	6.2	-6.6	-9.5	
1920.6	437.6		J	-636.2	6.2	-6.6	-9.5	
		pp imp~1	I	0.0	-0.2	0.2	0.5	
-5.4	2.5		J	0.0	-0.2	0.2	0.5	
-5.6	2.7							
		perm i~1	I	0.0	-0.1	0.1	0.2	
-1.7	0.8		J	0.0	-0.1	0.1	0.2	
-1.8	0.9							
7773.7	-2390.8	pp2	I	-4285.5	-6.8	2.0	-18.9	-
7775.7	-2384.0		J	-4285.5	-6.8	2.0	-18.9	-
2972.3	-721.7	perm2	I	-1467.2	-1.8	-0.4	-4.0	-
2971.9	-719.9		J	-1467.2	-1.8	-0.4	-4.0	-
407.7	-414.4	q3	I	-7.1	36.2	-48.9	-95.5	
456.6	-450.7		J	-7.1	36.2	-48.9	-95.5	
2078.1	1250.8	q4-1	I	3.9	-94.9	126.9	258.2	-
2205.0	1345.8		J	3.9	-94.9	126.9	258.2	-
-349.8	177.6	q4-2	I	5.2	-13.3	17.7	36.3	
-367.4	190.8		J	5.2	-13.3	17.7	36.3	
124.0	-90.2	q4-3	I	1.4	7.0	-9.4	-18.9	
133.4	-97.2		J	1.4	7.0	-9.4	-18.9	
-16.7	26.4	q4-4	I	-1.8	-2.2	2.9	5.7	
-19.6	28.6		J	-1.8	-2.2	2.9	5.7	
4577.4	2420.3	q5x_pc	I	53.1	-181.2	241.7	495.9	-
4819.1	2601.5		J	53.1	-181.2	241.7	495.9	-
-163.1	69.7	q5y_pc	I	-5.9	-3.9	5.1	11.3	
			J	-5.9	-3.9	5.1	11.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-168.2	73.6							
3987.1	2121.6	q5x_ps	I	45.0	-159.0	212.1	435.0	-
4199.2	2280.6		J	45.0	-159.0	212.1	435.0	-
-162.7	70.2	q5y_ps	I	-6.8	-3.8	5.0	11.1	
-167.7	74.1		J	-6.8	-3.8	5.0	11.1	
45.2	-45.3	q7	I	1.2	3.7	-5.0	-9.9	
50.2	-49.0		J	1.2	3.7	-5.0	-9.9	
-261.5	128.1	T	I	-4.2	-8.4	11.2	23.7	
-272.7	136.5		J	-4.2	-8.4	11.2	23.7	
457.7	-296.9	SLVx-E~1	I	-1.0	23.1	-30.9	-62.4	
488.6	-320.0		J	-1.0	23.1	-30.9	-62.4	
1067.9	-692.8	SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	
1140.0	-746.7		J	-2.4	53.8	-72.1	-145.6	
605	7	60 Q1-1_2 Max	I	269.4	24.5	22.6	39.1	
6423.9	1494.1		J	269.4	24.5	22.6	39.1	
6431.3	1484.0	Min	I	-1797.6	-16.4	-33.3	-42.8	-
1409.5	-274.5		J	-1797.6	-16.4	-33.3	-42.8	-
1402.4	-269.0	Q1-3_4 Max	I	263.0	26.5	19.8	30.1	
8380.6	1283.5		J	263.0	26.5	19.8	30.1	
8387.4	1271.8	Min	I	-1835.9	-13.2	-33.3	-56.8	
-837.8	-311.9		J	-1835.9	-13.2	-33.3	-56.8	
-830.9	-310.0	Q2a-1_2 Max	I	149.1	13.3	12.3	20.9	
3908.4	848.4		J	149.1	13.3	12.3	20.9	
3910.8	843.3	Min	I	-1062.8	-8.9	-18.2	-22.2	
-794.6	-147.3		J	-1062.8	-8.9	-18.2	-22.2	
-789.7	-143.8	Q2a-3_4 Max	I	143.4	14.3	10.6	15.6	
5143.4	703.5		J	143.4	14.3	10.6	15.6	
5144.5	697.9	Min	I	-1077.9	-6.9	-18.1	-29.2	
-441.2	-166.7		J	-1077.9	-6.9	-18.1	-29.2	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-436.9	-165.2							
1098.4	644.6	Q1-1 Max	I	99.3	8.0	9.6	17.8	
1099.4	641.5		J	99.3	8.0	9.6	17.8	
-762.1	-78.6	Min	I	-649.7	-7.1	-11.6	-7.4	
-756.5	-75.5		J	-649.7	-7.1	-11.6	-7.4	
4018.5	253.7	Q1-3 Max	I	80.5	9.6	5.6	6.8	
4019.7	249.5		J	80.5	9.6	5.6	6.8	
-68.5	-119.4	Min	I	-684.5	-2.8	-11.7	-24.7	
-70.8	-119.8		J	-684.5	-2.8	-11.7	-24.7	
8830.2	-23448.0	SLVx (RS)	I	-690.4	2097.6	1270.9	-1248.6	-1
0077.5	-25513.6		J	-690.4	2097.6	1270.9	-1248.6	-2
1845.3	13899.8	SLVy (RS)	I	-660.1	-1248.6	3055.1	-2802.1	-4
4852.4	15115.6		J	-660.1	-1248.6	3055.1	-2802.1	-4
2821.9	-4081.6	SLVz (RS)	I	1622.9	465.5	-368.5	-1038.8	
2989.8	-4438.3		J	1622.9	465.5	-368.5	-1038.8	
5294.9	1206.5	G1	I	-7338.3	17.0	-18.2	-26.1	
5313.0	1189.5		J	-7611.0	17.0	-18.2	-26.1	
1920.6	437.6	G2	I	-636.2	6.2	-6.6	-9.5	
1927.3	431.4		J	-636.2	6.2	-6.6	-9.5	
-5.6	2.7	pp imp~1	I	0.0	-0.2	0.2	0.5	
-5.9	2.9		J	0.0	-0.2	0.2	0.5	
-1.8	0.9	perm i~1	I	0.0	-0.1	0.1	0.2	
-1.9	0.9		J	0.0	-0.1	0.1	0.2	
7775.7	-2384.0	pp2	I	-4285.5	-6.8	2.0	-18.9	-
7777.7	-2377.2		J	-4285.5	-6.8	2.0	-18.9	-
2971.9	-719.9	perm2	I	-1467.2	-1.8	-0.4	-4.0	-
2971.5	-718.1		J	-1467.2	-1.8	-0.4	-4.0	-
		q3	I	-7.1	36.2	-48.9	-95.5	


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
456.6	-450.7		J	-7.1	36.2	-48.9	-95.5
505.4	-486.9						
2205.0	1345.8	q4-1	I	3.9	-94.9	126.9	258.2
2331.9	1440.7		J	3.9	-94.9	126.9	258.2
-367.4	190.8	q4-2	I	5.2	-13.3	17.7	36.3
-385.1	204.1		J	5.2	-13.3	17.7	36.3
133.4	-97.2	q4-3	I	1.4	7.0	-9.4	-18.9
142.8	-104.2		J	1.4	7.0	-9.4	-18.9
-19.6	28.6	q4-4	I	-1.8	-2.2	2.9	5.7
-22.5	30.8		J	-1.8	-2.2	2.9	5.7
4819.1	2601.5	q5x_pc	I	53.1	-181.2	241.7	495.9
5060.7	2782.7		J	53.1	-181.2	241.7	495.9
-168.2	73.6	q5y_pc	I	-5.9	-3.9	5.1	11.3
-173.2	77.5		J	-5.9	-3.9	5.1	11.3
4199.2	2280.6	q5x_ps	I	45.0	-159.0	212.1	435.0
4411.4	2439.6		J	45.0	-159.0	212.1	435.0
-167.7	74.1	q5y_ps	I	-6.8	-3.8	5.0	11.1
-172.7	77.9		J	-6.8	-3.8	5.0	11.1
50.2	-49.0	q7	I	1.2	3.7	-5.0	-9.9
55.2	-52.7		J	1.2	3.7	-5.0	-9.9
-272.7	136.5	T	I	-4.2	-8.4	11.2	23.7
-283.9	145.0		J	-4.2	-8.4	11.2	23.7
488.6	-320.0	SLVx-E~1	I	-1.0	23.1	-30.9	-62.4
519.5	-343.1		J	-1.0	23.1	-30.9	-62.4
1140.0	-746.7	SLVy-E~1	I	-2.4	53.8	-72.1	-145.6
1212.1	-800.5		J	-2.4	53.8	-72.1	-145.6
606	7	60 Q1-1_2 Max	I	269.4	24.5	22.6	39.1
6431.3	1484.0						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
6438.8	1474.5		J	269.4	24.5	22.6	39.1	
1402.4	-269.0	Min	I	-1797.6	-16.4	-33.3	-42.8	-
1395.9	-263.9		J	-1797.6	-16.4	-33.3	-42.8	-
8387.4	1271.8	Q1-3_4 Max	I	263.0	26.5	19.8	30.1	
8394.4	1260.7		J	263.0	26.5	19.8	30.1	
-830.9	-310.0	Min	I	-1835.9	-13.2	-33.3	-56.8	
-824.5	-308.6		J	-1835.9	-13.2	-33.3	-56.8	
3910.8	843.3	Q2a-1_2 Max	I	149.1	13.3	12.3	20.9	
3913.2	838.6		J	149.1	13.3	12.3	20.9	
-789.7	-143.8	Min	I	-1062.8	-8.9	-18.2	-22.2	
-784.9	-140.5		J	-1062.8	-8.9	-18.2	-22.2	
5144.5	697.9	Q2a-3_4 Max	I	143.4	14.3	10.6	15.6	
5145.8	692.6		J	143.4	14.3	10.6	15.6	
-436.9	-165.2	Min	I	-1077.9	-6.9	-18.1	-29.2	
-432.7	-163.9		J	-1077.9	-6.9	-18.1	-29.2	
1099.4	641.5	Q1-1 Max	I	99.3	8.0	9.6	17.8	
1100.7	638.5		J	99.3	8.0	9.6	17.8	
-756.5	-75.5	Min	I	-649.7	-7.1	-11.6	-7.4	
-751.0	-72.8		J	-649.7	-7.1	-11.6	-7.4	
4019.7	249.5	Q1-3 Max	I	80.5	9.6	5.6	6.8	
4020.9	245.6		J	80.5	9.6	5.6	6.8	
-70.8	-119.8	Min	I	-684.5	-2.8	-11.7	-24.7	
-73.1	-120.4		J	-684.5	-2.8	-11.7	-24.7	
0077.5	-25513.6	SLVx (RS)	I	-693.2	2108.9	1274.6	-1248.6	-2
1330.1	-27590.6		J	-693.2	2108.9	1274.6	-1248.6	-2
4852.4	15115.6	SLVy (RS)	I	-663.3	-1255.2	3069.3	-2802.1	-4
7875.9	16340.2		J	-663.3	-1255.2	3069.3	-2802.1	-4
2989.8	-4438.3	SLVz (RS)	I	1629.9	478.6	-376.3	-1038.8	
3192.7	-4817.0		J	1629.9	478.6	-376.3	-1038.8	

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

5313.0	1189.5	G1	I	-7611.0	17.0	-18.2	-26.1	
			J	-7883.8	17.0	-18.2	-26.1	
5331.2	1172.5							
		G2	I	-636.2	6.2	-6.6	-9.5	
1927.3	431.4		J	-636.2	6.2	-6.6	-9.5	
1933.9	425.2							
		pp imp~1	I	0.0	-0.2	0.2	0.5	
-5.9	2.9		J	0.0	-0.2	0.2	0.5	
-6.1	3.0							
		perm i~1	I	0.0	-0.1	0.1	0.2	
-1.9	0.9		J	0.0	-0.1	0.1	0.2	
-2.0	1.0							
		pp2	I	-4285.5	-6.8	2.0	-18.9	-
7777.7	-2377.2		J	-4285.5	-6.8	2.0	-18.9	-
7779.8	-2370.5							
		perm2	I	-1467.2	-1.8	-0.4	-4.0	-
2971.5	-718.1		J	-1467.2	-1.8	-0.4	-4.0	-
2971.1	-716.3							
		q3	I	-7.1	36.2	-48.9	-95.5	
505.4	-486.9		J	-7.1	36.2	-48.9	-95.5	
554.3	-523.1							
		q4-1	I	3.9	-94.9	126.9	258.2	-
2331.9	1440.7		J	3.9	-94.9	126.9	258.2	-
2458.9	1535.6							
		q4-2	I	5.2	-13.3	17.7	36.3	
-385.1	204.1		J	5.2	-13.3	17.7	36.3	
-402.8	217.4							
		q4-3	I	1.4	7.0	-9.4	-18.9	
142.8	-104.2		J	1.4	7.0	-9.4	-18.9	
152.2	-111.2							
		q4-4	I	-1.8	-2.2	2.9	5.7	
-22.5	30.8		J	-1.8	-2.2	2.9	5.7	
-25.5	32.9							
		q5x_pc	I	53.1	-181.2	241.7	495.9	-
5060.7	2782.7		J	53.1	-181.2	241.7	495.9	-
5302.4	2963.9							
		q5y_pc	I	-5.9	-3.9	5.1	11.3	
-173.2	77.5		J	-5.9	-3.9	5.1	11.3	
-178.3	81.3							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
4411.4	2439.6	q5x_ps	I	45.0	-159.0	212.1	435.0	-
			J	45.0	-159.0	212.1	435.0	-
4623.5	2598.7							
		q5y_ps	I	-6.8	-3.8	5.0	11.1	
-172.7	77.9		J	-6.8	-3.8	5.0	11.1	
-177.7	81.7							
		q7	I	1.2	3.7	-5.0	-9.9	
55.2	-52.7		J	1.2	3.7	-5.0	-9.9	
60.2	-56.4							
		T	I	-4.2	-8.4	11.2	23.7	
-283.9	145.0		J	-4.2	-8.4	11.2	23.7	
-295.1	153.4							
		SLVx-E~1	I	-1.0	23.1	-30.9	-62.4	
519.5	-343.1		J	-1.0	23.1	-30.9	-62.4	
550.4	-366.1							
		SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	
1212.1	-800.5		J	-2.4	53.8	-72.1	-145.6	
1284.2	-854.3							
607	7	60 Q1-1_2 Max	I	269.4	24.5	22.6	39.1	
6438.8	1474.5		J	269.4	24.5	22.6	39.1	
6446.5	1465.7							
		Min	I	-1797.6	-16.4	-33.3	-42.8	-
1395.9	-263.9		J	-1797.6	-16.4	-33.3	-42.8	-
1389.8	-259.1							
		Q1-3_4 Max	I	263.0	26.5	19.8	30.1	
8394.4	1260.7		J	263.0	26.5	19.8	30.1	
8401.7	1250.1							
		Min	I	-1835.9	-13.2	-33.3	-56.8	
-824.5	-308.6		J	-1835.9	-13.2	-33.3	-56.8	
-818.9	-307.7							
		Q2a-1_2 Max	I	149.1	13.3	12.3	20.9	
3913.2	838.6		J	149.1	13.3	12.3	20.9	
3915.7	834.2							
		Min	I	-1062.8	-8.9	-18.2	-22.2	
-784.9	-140.5		J	-1062.8	-8.9	-18.2	-22.2	
-780.3	-137.5							
		Q2a-3_4 Max	I	143.4	14.3	10.6	15.6	
5145.8	692.6		J	143.4	14.3	10.6	15.6	
5147.2	687.5							
		Min	I	-1077.9	-6.9	-18.1	-29.2	
-432.7	-163.9		J	-1077.9	-6.9	-18.1	-29.2	
-429.0	-162.8							


MIDAS

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1100.7	638.5	Q1-1 Max	I	99.3	8.0	9.6	17.8	
			J	99.3	8.0	9.6	17.8	
1102.1	635.6	Min	I	-649.7	-7.1	-11.6	-7.4	
-751.0	-72.8		J	-649.7	-7.1	-11.6	-7.4	
-745.7	-70.4							
4020.9	245.6	Q1-3 Max	I	80.5	9.6	5.6	6.8	
			J	80.5	9.6	5.6	6.8	
4022.2	242.1	Min	I	-684.5	-2.8	-11.7	-24.7	
-73.1	-120.4		J	-684.5	-2.8	-11.7	-24.7	
-75.4	-121.0							
1330.1	-27590.6	SLVx (RS)	I	-694.9	2115.2	1276.9	-1248.6	-2
			J	-694.9	2115.2	1276.9	-1248.6	-2
2586.8	-29675.5							
7875.9	16340.2	SLVy (RS)	I	-665.3	-1258.8	3077.8	-2802.1	-4
			J	-665.3	-1258.8	3077.8	-2802.1	-5
0911.0	17571.1							
3192.7	-4817.0	SLVz (RS)	I	1634.2	486.3	-381.2	-1038.8	
			J	1634.2	486.3	-381.2	-1038.8	
3426.1	-5214.5							
5331.2	1172.5	G1	I	-7883.8	17.0	-18.2	-26.1	
			J	-8156.5	17.0	-18.2	-26.1	
5349.4	1155.5							
1933.9	425.2	G2	I	-636.2	6.2	-6.6	-9.5	
			J	-636.2	6.2	-6.6	-9.5	
1940.5	419.0							
-6.1	3.0	pp imp~1	I	0.0	-0.2	0.2	0.5	
			J	0.0	-0.2	0.2	0.5	
-6.3	3.2							
-2.0	1.0	perm i~1	I	0.0	-0.1	0.1	0.2	
			J	0.0	-0.1	0.1	0.2	
-2.0	1.0							
7779.8	-2370.5	pp2	I	-4285.5	-6.8	2.0	-18.9	-
			J	-4285.5	-6.8	2.0	-18.9	-
7781.8	-2363.7							
2971.1	-716.3	perm2	I	-1467.2	-1.8	-0.4	-4.0	-
			J	-1467.2	-1.8	-0.4	-4.0	-
2970.8	-714.5							
554.3	-523.1	q3	I	-7.1	36.2	-48.9	-95.5	
			J	-7.1	36.2	-48.9	-95.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
603.2	-559.3							
2458.9	1535.6	q4-1	I	3.9	-94.9	126.9	258.2	-
2585.8	1630.5		J	3.9	-94.9	126.9	258.2	-
-402.8	217.4	q4-2	I	5.2	-13.3	17.7	36.3	
-420.4	230.6		J	5.2	-13.3	17.7	36.3	
152.2	-111.2	q4-3	I	1.4	7.0	-9.4	-18.9	
161.6	-118.2		J	1.4	7.0	-9.4	-18.9	
-25.5	32.9	q4-4	I	-1.8	-2.2	2.9	5.7	
-28.4	35.1		J	-1.8	-2.2	2.9	5.7	
5302.4	2963.9	q5x_pc	I	53.1	-181.2	241.7	495.9	-
5544.1	3145.1		J	53.1	-181.2	241.7	495.9	-
-178.3	81.3	q5y_pc	I	-5.9	-3.9	5.1	11.3	
-183.4	85.2		J	-5.9	-3.9	5.1	11.3	
4623.5	2598.7	q5x_ps	I	45.0	-159.0	212.1	435.0	-
4835.6	2757.7		J	45.0	-159.0	212.1	435.0	-
-177.7	81.7	q5y_ps	I	-6.8	-3.8	5.0	11.1	
-182.7	85.5		J	-6.8	-3.8	5.0	11.1	
60.2	-56.4	q7	I	1.2	3.7	-5.0	-9.9	
65.2	-60.1		J	1.2	3.7	-5.0	-9.9	
-295.1	153.4	T	I	-4.2	-8.4	11.2	23.7	
-306.3	161.8		J	-4.2	-8.4	11.2	23.7	
550.4	-366.1	SLVx-E~1	I	-1.0	23.1	-30.9	-62.4	
581.3	-389.2		J	-1.0	23.1	-30.9	-62.4	
1284.2	-854.3	SLVy-E~1	I	-2.4	53.8	-72.1	-145.6	
1356.3	-908.1		J	-2.4	53.8	-72.1	-145.6	
608	7	60 Q1-1_2 Max	I	269.4	24.5	22.6	39.1	
6446.5	1465.7		J	269.4	24.5	22.6	39.1	
6451.2	1460.7							

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1389.8	-259.1		Min	I	-1797.6	-16.4	-33.3	-42.8	-
				J	-1797.6	-16.4	-33.3	-42.8	-
1386.4	-256.5								
8401.7	1250.1	Q1-3_4	Max	I	263.0	26.5	19.8	30.1	
				J	263.0	26.5	19.8	30.1	
8406.2	1244.0								
-818.9	-307.7		Min	I	-1835.9	-13.2	-33.3	-56.8	
				J	-1835.9	-13.2	-33.3	-56.8	
-815.8	-307.4								
3915.7	834.2	Q2a-1_2	Max	I	149.1	13.3	12.3	20.9	
				J	149.1	13.3	12.3	20.9	
3917.3	831.8								
-780.3	-137.5		Min	I	-1062.8	-8.9	-18.2	-22.2	
				J	-1062.8	-8.9	-18.2	-22.2	
-777.6	-135.8								
5147.2	687.5	Q2a-3_4	Max	I	143.4	14.3	10.6	15.6	
				J	143.4	14.3	10.6	15.6	
5148.0	684.6								
-429.0	-162.8		Min	I	-1077.9	-6.9	-18.1	-29.2	
				J	-1077.9	-6.9	-18.1	-29.2	
-426.9	-162.3								
1102.1	635.6	Q1-1	Max	I	99.3	8.0	9.6	17.8	
				J	99.3	8.0	9.6	17.8	
1103.1	634.0								
-745.7	-70.4		Min	I	-649.7	-7.1	-11.6	-7.4	
				J	-649.7	-7.1	-11.6	-7.4	
-742.6	-69.2								
4022.2	242.1	Q1-3	Max	I	80.5	9.6	5.6	6.8	
				J	80.5	9.6	5.6	6.8	
4022.9	240.2								
-75.4	-121.0		Min	I	-684.5	-2.8	-11.7	-24.7	
				J	-684.5	-2.8	-11.7	-24.7	
-76.8	-121.6								
2586.8	-29675.5	SLVx (RS)		I	-695.5	2116.8	1277.5	-1248.6	-2
				J	-695.5	2116.8	1277.5	-1248.6	-2
3342.1	-30928.9								
0911.0	17571.1	SLVy (RS)		I	-665.9	-1259.7	3080.2	-2802.1	-5
				J	-665.9	-1259.7	3080.2	-2802.1	-5
2735.4	18311.7								
3426.1	-5214.5	SLVz (RS)		I	1635.4	488.4	-382.7	-1038.8	
				J	1635.4	488.4	-382.7	-1038.8	
3578.6	-5460.3								
		G1		I	-8156.5	17.0	-18.2	-26.1	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
5349.4	1155.5		J	-8320.2	17.0	-18.2	-26.1	
5360.3	1145.2							
		G2	I	-636.2	6.2	-6.6	-9.5	
1940.5	419.0		J	-636.2	6.2	-6.6	-9.5	
1944.4	415.3							
		pp imp~1	I	0.0	-0.2	0.2	0.5	
-6.3	3.2		J	0.0	-0.2	0.2	0.5	
		perm i~1	I	0.0	-0.1	0.1	0.2	
-6.5	3.3		J	0.0	-0.1	0.1	0.2	
		pp2	I	-4285.5	-6.8	2.0	-18.9	-
-2.0	1.0		J	-4285.5	-6.8	2.0	-18.9	-
-2.1	1.1							
7781.8	-2363.7							
7783.0	-2359.6							
		perm2	I	-1467.2	-1.8	-0.4	-4.0	-
2970.8	-714.5		J	-1467.2	-1.8	-0.4	-4.0	-
2970.5	-713.4							
		q3	I	-7.1	36.2	-48.9	-95.5	
603.2	-559.3		J	-7.1	36.2	-48.9	-95.5	
632.5	-581.0							
		q4-1	I	3.9	-94.9	126.9	258.2	-
2585.8	1630.5		J	3.9	-94.9	126.9	258.2	-
2662.0	1687.5							
		q4-2	I	5.2	-13.3	17.7	36.3	
-420.4	230.6		J	5.2	-13.3	17.7	36.3	
-431.0	238.6							
		q4-3	I	1.4	7.0	-9.4	-18.9	
161.6	-118.2		J	1.4	7.0	-9.4	-18.9	
167.2	-122.4							
		q4-4	I	-1.8	-2.2	2.9	5.7	
-28.4	35.1		J	-1.8	-2.2	2.9	5.7	
-30.2	36.4							
		q5x_pc	I	53.1	-181.2	241.7	495.9	-
5544.1	3145.1		J	53.1	-181.2	241.7	495.9	-
5689.1	3253.8							
		q5y_pc	I	-5.9	-3.9	5.1	11.3	
-183.4	85.2		J	-5.9	-3.9	5.1	11.3	
-186.4	87.5							
		q5x_ps	I	45.0	-159.0	212.1	435.0	-
4835.6	2757.7							

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
4962.9	2853.1			J	45.0	-159.0	212.1	435.0	-
-182.7	85.5	q5y_ps		I	-6.8	-3.8	5.0	11.1	
-185.7	87.7			J	-6.8	-3.8	5.0	11.1	
65.2	-60.1	q7		I	1.2	3.7	-5.0	-9.9	
68.2	-62.3			J	1.2	3.7	-5.0	-9.9	
-306.3	161.8	T		I	-4.2	-8.4	11.2	23.7	
-313.1	166.9			J	-4.2	-8.4	11.2	23.7	
581.3	-389.2	SLVx-E~1		I	-1.0	23.1	-30.9	-62.4	
599.8	-403.0			J	-1.0	23.1	-30.9	-62.4	
1356.3	-908.1	SLVy-E~1		I	-2.4	53.8	-72.1	-145.6	
1399.5	-940.4			J	-2.4	53.8	-72.1	-145.6	
630	3	4 Q1-1_2 Max		I	0.9	44.1	280.4	5847.8	
567.7	5.0			J	0.9	44.1	280.4	5847.8	
1437.0	20.4	Min		I	-2.1	-19.4	-1807.9	-1781.9	-
1000.4	-11.4			J	-2.1	-19.4	-1807.9	-1781.9	
-437.5	-46.4								
385.9	4.1	Q1-3_4 Max		I	0.8	40.0	273.7	4721.5	
1160.8	16.6			J	0.8	40.0	273.7	4721.5	
1425.9	-10.3	Min		I	-1.9	-15.8	-1841.8	-2363.9	-
-579.1	-42.0			J	-1.9	-15.8	-1841.8	-2363.9	
318.9	2.8	Q2a-1_2 Max		I	0.5	24.5	155.1	3253.6	
799.7	11.2			J	0.5	24.5	155.1	3253.6	
-602.6	-6.3	Min		I	-1.2	-10.7	-1068.3	-963.1	
-236.5	-25.7			J	-1.2	-10.7	-1068.3	-963.1	
204.6	2.2	Q2a-3_4 Max		I	0.4	21.7	149.2	2510.2	
617.3	8.9			J	0.4	21.7	149.2	2510.2	
-878.0	-5.6	Min		I	-1.0	-8.5	-1080.4	-1358.9	
-333.1	-22.8			J	-1.0	-8.5	-1080.4	-1358.9	
293.2	2.4	Q1-1 Max		I	0.4	17.1	103.4	2656.7	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
652.7	9.7		J	0.4	17.1	103.4	2656.7
-112.8	-4.4	Min	I	-0.8	-9.2	-657.4	-580.3
-142.9	-18.0		J	-0.8	-9.2	-657.4	-580.3
15.1	1.1	Q1-3 Max	I	0.2	11.9	83.7	570.9
141.1	4.4		J	0.2	11.9	83.7	570.9
-713.6	-3.1	Min	I	-0.6	-4.2	-683.8	-1029.7
-252.1	-12.5		J	-0.6	-4.2	-683.8	-1029.7
-557.8	144.1	SLVx (RS)	I	26.7	-557.6	-183.3	-2172.7
-454.4	586.5		J	26.7	-557.6	-183.3	-2172.7
623.5	-117.2	SLVy (RS)	I	-21.7	453.3	-142.1	2383.0
574.6	-476.9		J	-21.7	453.3	-142.1	2383.0
220.7	-39.4	SLVz (RS)	I	-7.3	152.5	393.0	-871.2
-198.1	-160.4		J	-7.3	152.5	393.0	-871.2
-606.1	-9.0	G1	I	-1.7	34.8	-1763.8	3218.8
793.3	-36.6		J	-1.7	34.8	-1763.8	3218.8
-220.2	-3.3	G2	I	-0.6	12.6	-640.2	1167.3
287.7	-13.3		J	-0.6	12.6	-640.2	1167.3
-0.7	1.5	pp imp~1	I	0.3	-5.9	0.0	0.7
-0.8	6.2		J	0.3	-5.9	0.0	0.7
-0.2	0.5	perm i~1	I	0.1	-1.9	0.0	0.2
-0.2	2.0		J	0.1	-1.9	0.0	0.2
0.3	0.0	pp2	I	0.0	-0.1	0.0	1.3
0.3	0.2		J	0.0	-0.1	0.0	1.3
0.1	0.0	perm2	I	0.0	-0.0	0.0	0.4
0.1	0.0		J	0.0	-0.0	0.0	0.4
78.1	12.6	q3	I	2.3	-48.7	13.6	306.8
67.2	51.3		J	2.3	-48.7	13.6	306.8


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-3.8	1.1	q4-1	I	0.2	-4.1	-1.1	-9.3
			J	0.2	-4.1	-1.1	-9.3
-2.9	4.3						
		q4-2	I	-0.4	8.2	1.1	-4.1
1.2	-2.1		J	-0.4	8.2	1.1	-4.1
0.3	-8.6						
		q4-3	I	1.2	-24.2	5.6	101.9
25.5	6.3		J	1.2	-24.2	5.6	101.9
21.0	25.4						
		q4-4	I	7.0	-145.9	-0.7	478.8
93.2	37.7		J	7.0	-145.9	-0.7	478.8
93.7	153.5						
		q5x_pc	I	2.3	-48.8	44.9	357.2
115.2	12.6		J	2.3	-48.8	44.9	357.2
79.6	51.4						
		q5y_pc	I	-15.3	319.5	-21.2	-1083.6
-230.6	-82.6		J	-15.3	319.5	-21.2	-1083.6
-213.7	-336.1						
		q5x_ps	I	5.2	-107.8	46.2	462.6
132.5	27.9		J	5.2	-107.8	46.2	462.6
95.8	113.4						
		q5y_ps	I	-15.0	312.6	-19.7	-929.4
-192.8	-80.8		J	-15.0	312.6	-19.7	-929.4
-177.1	-328.8						
		q7	I	0.1	-2.9	3.5	28.4
9.3	0.7		J	0.1	-2.9	3.5	28.4
6.5	3.0						
		T	I	1.2	-25.9	-4.4	165.9
32.9	6.7		J	1.2	-25.9	-4.4	165.9
36.4	27.2						
		SLVx-E~1	I	1.3	-27.3	0.4	0.8
-3.9	7.0		J	1.3	-27.3	0.4	0.8
-4.2	28.7						
		SLVy-E~1	I	3.1	-63.6	1.0	2.0
-9.0	16.4		J	3.1	-63.6	1.0	2.0
-9.8	66.9						
646	3	4	Q1-1_2 Max	I	0.0	6.9	0.0
0.0	18.0			J	0.0	6.9	0.0
0.0	9.0						
-0.0	-4.7		Min	I	-0.0	-1.8	-0.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	-2.4		J	-0.0	-1.8	0.0	-0.0
0.0	13.9	Q1-3_4 Max	I	0.0	5.4	0.0	0.0
0.0	7.0		J	0.0	5.4	0.0	0.0
-0.0	-6.2	Min	I	-0.0	-2.4	0.0	-0.0
-0.0	-3.1		J	-0.0	-2.4	0.0	-0.0
0.0	9.9	Q2a-1_2 Max	I	0.0	3.8	0.0	0.0
0.0	5.0		J	0.0	3.8	0.0	0.0
-0.0	-2.5	Min	I	-0.0	-0.9	0.0	-0.0
-0.0	-1.2		J	-0.0	-0.9	0.0	-0.0
0.0	7.3	Q2a-3_4 Max	I	0.0	2.8	0.0	0.0
0.0	3.6		J	0.0	2.8	0.0	0.0
-0.0	-3.4	Min	I	-0.0	-1.3	0.0	-0.0
-0.0	-1.7		J	-0.0	-1.3	0.0	-0.0
0.0	8.3	Q1-1 Max	I	0.0	3.2	0.0	0.0
0.0	4.1		J	0.0	3.2	0.0	0.0
-0.0	-1.2	Min	I	-0.0	-0.5	0.0	-0.0
-0.0	-0.6		J	-0.0	-0.5	0.0	-0.0
0.0	1.1	Q1-3 Max	I	0.0	0.4	0.0	0.0
0.0	0.6		J	0.0	0.4	0.0	0.0
-0.0	-2.6	Min	I	-0.0	-1.0	0.0	-0.0
-0.0	-1.3		J	-0.0	-1.0	0.0	-0.0
-0.0	922.7	SLVx (RS)	I	-127.4	354.9	0.0	0.0
0.0	461.4		J	-127.4	354.9	0.0	0.0
0.0	-1300.8	SLVy (RS)	I	302.9	-500.3	0.0	0.0
-0.0	-650.4		J	302.9	-500.3	0.0	-0.0
-0.0	636.3	SLVz (RS)	I	228.5	244.7	0.0	0.0
0.0	318.1		J	228.5	244.7	0.0	0.0
0.0	10.3	G1	I	0.0	3.9	0.0	0.0
			J	0.0	3.9	0.0	0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	5.1						
		G2	I	0.0	1.4	0.0	0.0
0.0	3.7		J	-0.0	1.4	0.0	-0.0
-0.0	1.9						
		pp imp~1	I	0.0	0.0	0.0	-0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		perm i~1	I	0.0	0.0	0.0	-0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		pp2	I	-923.2	-8.7	0.0	0.0
-0.0	-22.7		J	-923.2	-8.7	0.0	0.0
0.0	-11.3						
		perm2	I	-348.2	-2.4	0.0	0.0
-0.0	-6.1		J	-348.2	-2.4	0.0	0.0
0.0	-3.1						
		q3	I	-0.0	-2.1	0.0	0.0
-0.0	-5.6		J	0.0	-2.1	0.0	0.0
0.0	-2.8						
		q4-1	I	0.0	6.9	0.0	-0.0
0.0	17.9		J	0.0	6.9	0.0	0.0
-0.0	9.0						
		q4-2	I	0.0	1.0	0.0	-0.0
0.0	2.6		J	0.0	1.0	0.0	0.0
-0.0	1.3						
		q4-3	I	-0.0	-0.5	0.0	0.0
-0.0	-1.3		J	0.0	-0.5	0.0	0.0
0.0	-0.6						
		q4-4	I	0.0	0.1	0.0	-0.0
0.0	0.3		J	0.0	0.1	0.0	0.0
0.0	0.2						
		q5x_pc	I	0.0	13.6	0.0	-0.0
0.0	35.3		J	0.0	13.6	0.0	-0.0
-0.0	17.7						
		q5y_pc	I	0.0	0.4	0.0	-0.0
0.0	1.1		J	0.0	0.4	0.0	0.0
-0.0	0.5						
		q5x_ps	I	0.0	11.9	0.0	-0.0
0.0	30.9		J	-0.0	11.9	0.0	0.0
-0.0	15.5						


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


0.0	1.1	q5y_ps	I	0.0	0.4	0.0	-0.0
-0.0	0.5		J	0.0	0.4	0.0	0.0
-0.0	-0.6	q7	I	-0.0	-0.2	0.0	0.0
0.0	-0.3		J	0.0	-0.2	0.0	0.0
0.0	1.9	T	I	0.0	0.7	0.0	-0.0
-0.0	1.0		J	-0.0	0.7	0.0	0.0
-0.0	-4.2	SLVx-E~1	I	-0.0	-1.6	0.0	0.0
0.0	-2.1		J	-0.0	-1.6	0.0	0.0
-0.0	-9.8	SLVy-E~1	I	-0.0	-3.8	0.0	0.0
0.0	-4.9		J	-0.0	-3.8	0.0	0.0
648	1	64 Q1-1_2 Max	I	24.3	40.8	280.4	6079.6
195.0	72.5		J	22.7	40.8	280.8	6023.7
1216.2	53.8	Min	I	-4.7	-18.0	-1807.8	-1846.7
-644.7	-30.8		J	-5.7	-18.0	-1746.3	-1828.5
-131.9	-34.4						
251.8	56.9	Q1-3_4 Max	I	28.4	37.0	273.7	4917.9
1412.3	41.3		J	26.8	37.0	274.1	4876.2
-523.7	-43.5	Min	I	-6.7	-14.6	-1841.7	-2430.5
-87.5	-51.8		J	-7.1	-14.6	-1779.1	-2250.7
105.7	38.8	Q2a-1_2 Max	I	14.8	22.6	155.1	3385.1
738.9	27.6		J	13.8	22.6	155.3	3362.7
-359.5	-15.8	Min	I	-2.4	-9.9	-1068.2	-999.2
-82.6	-17.1		J	-3.2	-9.9	-1034.6	-991.9
145.5	29.1	Q2a-3_4 Max	I	17.3	20.1	149.2	2617.7
862.9	20.4		J	16.3	20.1	149.3	2601.0
-279.4	-23.3	Min	I	-3.6	-7.9	-1080.3	-1399.8
-50.5	-25.5		J	-3.8	-7.9	-1046.5	-1281.4
65.6	33.1	Q1-1 Max	I	7.2	15.9	103.4	2759.8
307.7	23.8		J	6.7	15.9	103.4	2736.2

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-292.0	-7.0	Min	I	-1.3	-8.5	-657.4	-607.9
			J	-2.1	-8.5	-636.2	-608.4
-71.5	-7.0						
109.0	5.5	Q1-3 Max	I	12.2	11.0	83.7	605.9
626.0	7.8		J	11.5	11.0	83.9	608.6
-67.3	-19.0	Min	I	-2.9	-3.9	-683.7	-1056.7
-17.6	-21.7		J	-2.9	-3.9	-662.2	-938.1
-285.3	596.4	SLVx (RS)	I	181.4	-513.6	-183.3	-1196.1
258.9	1042.1		J	181.4	-513.6	-183.3	-1196.1
-415.9	-467.8	SLVy (RS)	I	-162.7	422.0	-142.0	2496.6
-448.3	-833.9		J	-162.7	422.0	-142.0	2496.6
98.0	-164.8	SLVz (RS)	I	-62.0	141.1	362.3	-707.4
-281.9	-287.0		J	-62.0	141.1	362.3	-707.4
-395.9	23.3	G1	I	16.6	32.2	-1685.8	3382.2
1029.5	-4.6		J	15.0	32.2	-1595.4	3382.2
-143.6	8.5	G2	I	6.0	11.7	-611.9	1226.6
373.8	-1.7		J	5.5	11.7	-579.1	1226.6
4.8	5.9	pp imp~1	I	2.2	-5.4	0.1	-13.8
4.8	10.7		J	2.2	-5.4	0.1	-13.8
1.6	1.9	perm i~1	I	0.7	-1.8	0.0	-4.4
1.5	3.4		J	0.7	-1.8	0.0	-4.4
-0.0	0.2	pp2	I	0.1	-0.1	0.0	1.0
-0.0	0.3		J	0.1	-0.1	0.0	1.0
-0.0	0.0	perm2	I	0.0	-0.0	0.0	0.3
-0.0	0.1		J	0.0	-0.0	0.0	0.3
13.2	54.7	q3	I	14.3	-45.1	14.0	183.8
6.4	93.9		J	9.7	-45.1	14.0	172.7
4.4	4.0	q4-1	I	1.6	-3.8	-1.1	-19.7

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
5.4	7.3		J	1.6	-3.8	-1.1	-19.7
-6.4	-8.3	q4-2	I	-3.1	7.6	1.1	16.1
-7.3	-14.9		J	-3.1	7.6	1.1	16.1
9.6	26.2	q4-3	I	9.1	-22.4	5.7	44.4
4.6	45.7		J	9.1	-22.4	5.7	44.4
72.0	155.8	q4-4	I	55.5	64.9	0.3	-101.3
71.7	99.4		J	55.5	64.9	0.3	-101.3
3.4	55.7	q5x_pc	I	17.8	-45.2	45.2	244.7
-35.9	95.0		J	17.8	-45.2	45.2	244.7
-155.4	-336.4	q5y_pc	I	-118.2	281.7	-23.3	-310.8
-136.9	-574.1		J	-114.7	265.3	-23.2	-302.6
43.9	118.2	q5x_ps	I	26.9	-102.7	46.7	206.9
11.2	208.8		J	11.4	-106.0	46.4	208.5
-164.6	-326.9	q5y_ps	I	-115.7	276.0	-21.8	-175.2
-146.2	-560.0		J	-112.4	260.6	-21.7	-172.9
-0.6	3.4	q7	I	-67.0	-26.2	2.3	21.9
-2.6	26.2		J	-67.0	-26.2	2.3	21.9
4.3	29.1	T	I	9.9	-24.0	-4.3	105.7
8.0	49.9		J	9.9	-24.0	-4.3	105.7
22.7	0.5	SLVx-E~1	I	10.4	-25.2	0.6	-66.2
22.2	-8.9		J	10.4	-25.2	0.6	-65.6
53.0	1.1	SLVy-E~1	I	24.2	-58.9	1.4	-154.5
51.8	-20.7		J	24.2	-58.9	1.4	-153.2
649	1	64 Q1-1_2 Max	I	21.5	41.1	280.8	6014.2
1269.5	51.2		J	19.9	41.1	282.3	5953.5
2872.0	54.9	Min	I	-5.4	-18.1	-1746.3	-1828.9
-146.9	-34.1		J	-7.9	-18.1	-1680.5	-1810.2
-367.3	-52.6						


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

1443.5	38.2	Q1-3_4 Max	I	25.3	37.3	274.1	4865.3
			J	23.7	37.3	275.7	4820.4
3066.7	39.0	Min	I	-6.8	-14.7	-1779.1	-2264.1
-105.9	-50.9		J	-7.9	-14.7	-1712.2	-2078.1
-357.6	-70.5						
		Q2a-1_2 Max	I	13.1	22.8	155.3	3357.4
767.4	26.4		J	12.1	22.8	155.9	3333.0
1708.9	30.4	Min	I	-3.1	-10.0	-1034.6	-991.8
-90.6	-16.9		J	-4.8	-10.0	-997.6	-984.3
-202.8	-25.9						
		Q2a-3_4 Max	I	15.5	20.2	149.3	2594.9
877.1	18.9		J	14.4	20.2	150.0	2577.0
1822.7	20.7	Min	I	-3.7	-7.9	-1046.5	-1290.3
-59.6	-25.1		J	-4.4	-7.9	-1009.2	-1167.1
-194.7	-34.5						
		Q1-1 Max	I	6.3	16.0	103.4	2733.3
346.6	22.7		J	5.8	16.0	103.8	2706.4
928.0	25.6	Min	I	-2.0	-8.6	-636.2	-607.9
-73.5	-6.8		J	-3.7	-8.6	-613.0	-607.9
-135.7	-9.7						
		Q1-3 Max	I	10.9	11.1	83.9	604.5
625.0	7.7		J	10.2	11.1	84.5	610.2
1221.6	10.4	Min	I	-2.8	-3.9	-662.2	-947.3
-27.4	-21.4		J	-2.8	-3.9	-638.5	-824.1
-108.5	-29.9						
		SLVx (RS)	I	153.2	-514.2	-182.2	-1197.3
255.7	1041.5		J	153.2	-514.2	-182.2	-1197.3
320.2	1538.4						
		SLVy (RS)	I	-150.7	428.7	-140.1	2502.7
-412.5	-834.2		J	-150.7	428.7	-140.1	2502.7
-483.2	-1247.7						
		SLVz (RS)	I	-62.8	139.7	341.4	-703.5
-291.7	-286.7		J	-62.8	139.7	341.4	-703.5
-614.2	-421.5						
		G1	I	14.1	32.4	-1595.4	3363.2
1089.9	-8.1		J	12.4	32.4	-1494.7	3363.2
2586.8	-39.5						


MIDAS

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
395.7	-2.9	G2	I	5.1	11.8	-579.1	1219.7
			J	4.5	11.8	-542.6	1219.7
939.1	-14.3						
		pp imp~1	I	2.1	-5.5	0.1	-13.9
4.5	10.7		J	2.1	-5.5	0.1	-13.9
4.5	16.0						
		perm i~1	I	0.7	-1.8	0.0	-4.5
1.5	3.4		J	0.7	-1.8	0.0	-4.5
1.4	5.1						
		pp2	I	0.1	-0.1	0.0	1.0
-0.0	0.3		J	0.1	-0.1	0.0	1.0
-0.0	0.4						
		perm2	I	0.0	-0.0	0.0	0.3
-0.0	0.1		J	0.0	-0.0	0.0	0.3
-0.0	0.1						
		q3	I	8.9	-45.3	13.9	172.6
9.5	93.7		J	3.7	-45.3	13.9	160.2
2.0	137.6						
		q4-1	I	1.5	-3.8	-1.1	-19.8
5.0	7.3		J	1.5	-3.8	-1.1	-19.8
6.1	11.0						
		q4-2	I	-3.0	7.6	1.1	16.2
-7.1	-14.9		J	-3.0	7.6	1.1	16.2
-8.1	-22.3						
		q4-3	I	8.7	-22.6	5.7	44.3
5.4	45.7		J	8.7	-22.6	5.7	44.3
-0.2	67.5						
		q4-4	I	56.7	63.9	0.3	-102.5
69.9	99.5		J	56.7	63.9	0.3	-102.5
69.6	37.6						
		q5x_pc	I	17.0	-45.5	45.2	245.4
-31.4	94.8		J	17.0	-45.5	45.2	245.4
-75.2	138.9						
		q5y_pc	I	-109.9	267.4	-23.0	-300.7
-142.5	-573.7		J	-106.4	249.1	-23.0	-291.5
-122.0	-823.9						
		q5x_ps	I	9.6	-106.2	46.3	208.5
15.0	208.6		J	-7.8	-109.6	46.1	209.0
-27.2	313.2						
		q5y_ps	I	-107.8	262.6	-21.5	-170.7

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-149.5	-559.8			J	-104.4	245.3	-21.5 -168.1
-129.1	-805.8						
			q7	I	-67.5	-25.0	2.4 22.0
-2.2	26.2			J	-67.5	-25.0	2.4 22.0
-4.5	50.4						
			T	I	9.5	-24.1	-4.3 105.6
9.9	49.8			J	9.5	-24.1	-4.3 105.6
14.0	73.2						
			SLVx-E~1	I	9.9	-25.4	0.6 -66.0
21.0	-8.8			J	9.9	-25.4	0.6 -65.5
20.5	-19.1						
			SLVy-E~1	I	23.1	-59.3	1.4 -154.1
49.1	-20.5			J	23.1	-59.3	1.4 -152.7
47.7	-44.5						
650	1	64	Q1-1_2 Max	I	20.5	41.4	282.3 5919.8
2930.2	55.0			J	19.0	41.4	284.9 5861.3
4443.6	69.2		Min	I	-7.6	-18.2	-1680.5 -1806.5
-397.5	-52.9			J	-8.8	-18.2	-1614.5 -1790.0
-669.1	-82.3						
			Q1-3_4 Max	I	24.0	37.5	275.7 4786.6
3105.2	39.1			J	22.5	37.5	278.5 4743.9
4640.6	49.5		Min	I	-7.6	-14.8	-1712.2 -2099.7
-387.7	-70.9			J	-8.0	-14.8	-1645.1 -1928.6
-652.8	-102.3						
			Q2a-1_2 Max	I	12.4	23.0	155.9 3314.2
1740.2	30.5			J	11.5	23.0	156.9 3290.7
2628.6	38.8		Min	I	-4.7	-10.0	-997.6 -981.8
-219.6	-26.1			J	-5.4	-10.0	-961.0 -975.2
-369.9	-42.3						
			Q2a-3_4 Max	I	14.6	20.3	150.0 2558.4
1840.9	20.7			J	13.7	20.3	151.1 2541.3
2734.3	26.4		Min	I	-4.2	-8.0	-1009.2 -1182.1
-211.1	-34.7			J	-4.5	-8.0	-972.4 -1067.9
-355.6	-51.6						
			Q1-1 Max	I	6.1	16.1	103.8 2694.1
970.3	25.7			J	5.6	16.1	104.4 2667.2
1518.7	32.8		Min	I	-3.6	-8.7	-613.0 -605.4
-146.5	-9.7						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-246.6	-20.3		J	-4.0	-8.7	-590.1	-605.4
1222.5	10.4	Q1-3 Max	I	10.3	11.1	84.5	600.1
1786.3	13.2		J	9.6	11.1	85.3	608.2
-118.2	-30.0	Min	I	-2.7	-3.9	-638.5	-840.4
-199.3	-39.7		J	-2.7	-3.9	-615.1	-726.2
312.2	1538.4	SLVx (RS)	I	-129.3	-513.4	-181.4	-1199.4
435.6	2033.4		J	-129.3	-513.4	-181.4	-1199.4
-450.3	-1247.5	SLVy (RS)	I	-141.9	436.8	-136.8	2508.9
-544.9	-1666.2		J	-141.9	436.8	-136.8	2508.9
-624.8	-421.4	SLVz (RS)	I	-65.5	135.9	320.9	-694.1
-930.1	-552.1		J	-65.5	135.9	320.9	-694.1
2646.6	-39.9	G1	I	13.2	32.6	-1494.7	3316.3
4045.9	-71.5		J	11.5	32.6	-1393.9	3316.3
960.8	-14.4	G2	I	4.8	11.8	-542.6	1202.6
1468.7	-25.9		J	4.2	11.8	-506.0	1202.6
4.2	16.0	pp imp~1	I	2.0	-5.5	0.1	-14.0
4.1	21.3		J	2.0	-5.5	0.1	-14.0
1.4	5.1	perm i~1	I	0.7	-1.8	0.0	-4.5
1.3	6.9		J	0.7	-1.8	0.0	-4.5
-0.0	0.4	pp2	I	0.1	-0.1	0.0	1.0
-0.0	0.6		J	0.1	-0.1	0.0	1.0
0.0	0.1	perm2	I	0.0	-0.0	0.0	0.3
0.0	0.1		J	0.0	-0.0	0.0	0.3
4.9	137.6	q3	I	2.9	-45.4	13.9	160.1
-2.7	181.6		J	-2.3	-45.4	13.9	147.7
5.7	11.0	q4-1	I	1.4	-3.8	-1.1	-19.9
6.8	14.7		J	1.4	-3.8	-1.1	-19.9


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


-7.8	-22.3	q4-2	I	-2.9	7.7	1.1	16.4
-8.8	-29.8		J	-2.9	7.7	1.1	16.4
0.7	67.5	q4-3	I	8.3	-22.7	5.7	44.3
-4.9	89.5		J	8.3	-22.7	5.7	44.3
67.8	37.6	q4-4	I	57.8	62.9	0.3	-103.7
67.4	-23.3		J	57.8	62.9	0.3	-103.7
-70.7	139.0	q5x_pc	I	16.2	-45.9	45.2	246.7
-114.5	183.4		J	16.2	-45.9	45.2	246.7
-127.4	-823.9	q5y_pc	I	-101.9	250.9	-22.9	-289.2
-106.9	-1058.1		J	-98.6	232.6	-22.9	-280.0
-23.3	313.2	q5x_ps	I	-9.7	-109.4	46.0	209.4
-65.2	420.7		J	-27.1	-112.5	45.7	209.9
-132.4	-805.8	q5y_ps	I	-100.0	247.1	-21.4	-165.7
-112.1	-1036.8		J	-96.9	229.7	-21.4	-163.1
-4.1	50.4	q7	I	-67.9	-23.8	2.4	22.0
-6.4	73.4		J	-67.9	-23.8	2.4	22.0
15.9	73.2	T	I	9.1	-24.3	-4.3	105.3
20.1	96.8		J	9.1	-24.3	-4.3	105.3
19.3	-19.1	SLVx-E~1	I	9.5	-25.6	0.6	-65.8
18.7	-29.2		J	9.5	-25.6	0.6	-65.2
45.0	-44.5	SLVy-E~1	I	22.1	-59.7	1.3	-153.5
43.7	-68.0		J	22.1	-59.7	1.3	-152.2
651	1	64 Q1-1_2 Max	I	19.5	41.7	284.9	5804.3
4503.6	69.2		J	18.2	41.7	288.7	5747.1
5927.3	85.4	Min	I	-8.5	-18.4	-1614.5	-1782.1
-699.2	-83.0		J	-9.6	-18.4	-1549.6	-1767.0
-970.8	-116.5	Q1-3_4 Max	I	22.8	37.8	278.5	4687.7

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
4681.6	49.5		J	21.3	37.8	282.5	4663.9
6127.0	61.5						
		Min	I	-7.2	-14.9	-1645.1	-1957.4
-682.7	-103.0						
			J	-8.0	-14.9	-1579.2	-1799.8
-947.8	-136.9						
		Q2a-1_2 Max	I	11.8	23.1	156.9	3258.6
2661.4	38.8						
			J	11.0	23.1	158.4	3235.8
3496.1	47.9						
		Min	I	-5.3	-10.1	-961.0	-970.2
-386.5	-42.7						
			J	-6.0	-10.1	-924.9	-964.2
-536.8	-61.4						
		Q2a-3_4 Max	I	13.9	20.5	151.1	2510.4
2754.4	26.4						
			J	13.0	20.5	152.7	2506.8
3594.6	32.8						
		Min	I	-4.3	-8.0	-972.4	-1088.3
-372.0	-52.0						
			J	-4.8	-8.0	-936.0	-982.5
-516.5	-70.3						
		Q1-1 Max	I	5.9	16.2	104.4	2645.7
1560.9	32.9						
			J	5.4	16.2	105.4	2618.8
2075.7	40.8						
		Min	I	-3.9	-8.7	-590.1	-601.0
-257.4	-20.4						
			J	-4.3	-8.7	-567.5	-601.0
-357.6	-35.5						
		Q1-3 Max	I	9.7	11.2	85.3	592.0
1788.7	13.2						
			J	9.1	11.2	86.5	621.2
2319.4	16.0						
		Min	I	-2.6	-4.0	-615.1	-749.1
-209.1	-39.9						
			J	-2.6	-4.0	-592.1	-643.3
-290.1	-50.6						
		SLVx (RS)	I	-113.9	-511.4	-180.7	-1202.8
425.7	2033.5						
			J	-113.9	-511.4	-180.7	-1202.8
572.3	2525.1						
		SLVy (RS)	I	-137.4	445.5	-132.4	2515.1
515.8	-1666.1						
			J	-137.4	445.5	-132.4	2515.1
622.0	-2090.1						
		SLVz (RS)	I	-69.6	129.8	302.2	-679.5
-940.9	-552.0						
			J	-69.6	129.8	302.2	-679.5
1225.1	-676.2						
		G1	I	12.2	32.9	-1393.9	3243.3
4104.7	-72.4						
			J	10.5	32.9	-1293.2	3243.3
5406.3	-104.2						
		G2	I	4.4	11.9	-506.0	1176.1
1490.0	-26.2						


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1962.5	-37.8		J	3.8	11.9	-469.4	1176.1
		pp imp~1	I	1.9	-5.6	0.1	-14.0
3.9	21.3		J	1.9	-5.6	0.1	-14.0
3.8	26.7						
		perm i~1	I	0.6	-1.8	0.0	-4.5
1.3	6.9		J	0.6	-1.8	0.0	-4.5
1.2	8.6						
		pp2	I	0.0	-0.1	0.0	1.0
-0.0	0.6		J	0.0	-0.1	0.0	1.0
-0.1	0.7						
		perm2	I	0.0	-0.0	0.0	0.3
0.0	0.1		J	0.0	-0.0	0.0	0.3
0.0	0.2						
		q3	I	-3.1	-45.3	13.9	147.7
0.0	181.6		J	-8.2	-45.3	13.9	135.3
-7.5	225.5						
		q4-1	I	1.4	-3.9	-1.1	-20.0
6.5	14.7		J	1.4	-3.9	-1.1	-20.0
7.6	18.4						
		q4-2	I	-2.7	7.7	1.1	16.5
-8.5	-29.8		J	-2.7	7.7	1.1	16.5
-9.6	-37.3						
		q4-3	I	7.9	-22.9	5.7	44.4
-4.1	89.5		J	7.9	-22.9	5.7	44.4
-9.6	111.7						
		q4-4	I	58.9	61.8	0.3	-104.9
65.6	-23.4		J	58.9	61.8	0.3	-104.9
65.2	-83.2						
		q5x_pc	I	15.4	-46.2	45.2	248.7
-110.0	183.5		J	15.4	-46.2	45.2	248.7
-153.8	228.2						
		q5y_pc	I	-94.4	234.3	-22.8	-277.9
-112.2	-1058.1		J	-91.5	215.9	-22.8	-268.7
-91.6	-1276.2						
		q5x_ps	I	-29.1	-112.0	45.7	211.0
-61.3	420.8		J	-46.5	-114.8	45.4	211.4
-102.8	530.6						
		q5y_ps	I	-92.8	231.4	-21.3	-161.0
-115.3	-1036.8		J	-90.0	214.0	-21.3	-158.3

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-95.1	-1252.6							
			q7	I	-68.3	-22.6	2.4	22.2
-6.0	73.4			J	-68.3	-22.6	2.4	22.2
-8.3	95.2							
			T	I	8.6	-24.5	-4.3	105.0
22.0	96.8			J	8.6	-24.5	-4.3	105.0
26.2	120.5							
			SLVx-E~1	I	9.0	-25.8	0.6	-65.5
17.5	-29.2			J	9.0	-25.8	0.6	-64.9
17.0	-39.1							
			SLVy-E~1	I	21.0	-60.1	1.3	-152.9
40.9	-68.0			J	21.0	-60.1	1.3	-151.5
39.7	-91.2							
652	1	64	Q1-1_2 Max	I	18.7	41.9	288.7	5667.5
5988.4	85.4			J	17.4	41.9	298.0	5611.5
7321.8	102.3		Min	I	-9.3	-18.5	-1549.6	-1755.0
1000.6	-117.6			J	-10.3	-18.5	-1485.9	-1741.1
1272.3	-155.4							
			Q1-3_4 Max	I	21.7	38.0	282.5	4576.7
6169.7	61.6			J	20.3	38.0	296.8	4617.3
7524.6	74.3		Min	I	-7.7	-15.0	-1579.2	-1834.7
-977.4	-138.0			J	-8.4	-15.0	-1514.5	-1721.2
1242.5	-172.5							
			Q2a-1_2 Max	I	11.3	23.3	158.4	3190.8
3529.9	47.9			J	10.5	23.3	163.7	3168.4
4310.6	57.3		Min	I	-5.8	-10.2	-924.9	-956.6
-553.3	-62.0			J	-6.5	-10.2	-890.2	-951.1
-703.6	-84.0							
			Q2a-3_4 Max	I	13.2	20.6	152.7	2456.9
3616.1	32.8			J	12.3	20.6	161.6	2500.9
4402.8	39.6		Min	I	-4.7	-8.1	-936.0	-1007.9
-532.7	-70.9			J	-5.1	-8.1	-901.2	-930.0
-677.2	-89.6							
			Q1-1 Max	I	5.7	16.3	105.4	2588.4
2117.6	40.8			J	5.3	16.3	106.6	2561.5
2598.4	49.1		Min	I	-4.2	-8.8	-567.5	-594.5
-368.3	-35.8			J	-4.6	-8.8	-545.3	-594.5
-468.4	-51.3							

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

2323.1	16.0	Q1-3 Max	I	9.2	11.3	86.5	587.8
			J	8.6	11.3	98.3	689.2
2820.6	18.9	Min	I	-2.5	-4.0	-592.1	-672.2
-299.8	-50.9		J	-2.5	-4.0	-569.4	-578.1
-380.9	-61.7						
		SLVx (RS)	I	-110.5	-508.3	-180.2	-1207.7
561.5	2525.2		J	-110.5	-508.3	-180.2	-1207.7
717.5	3011.9						
		SLVy (RS)	I	-137.7	454.4	-127.2	2521.3
596.6	-2090.0		J	-137.7	454.4	-127.2	2521.3
706.0	-2519.1						
		SLVz (RS)	I	-74.8	121.6	285.5	-659.8
1235.9	-676.2		J	-74.8	121.6	285.5	-659.8
1498.9	-791.8						
		G1	I	11.3	33.1	-1293.2	3145.9
5463.5	-105.5		J	9.5	33.1	-1192.4	3145.9
6667.6	-137.6						
		G2	I	4.1	12.0	-469.4	1140.7
1983.3	-38.2		J	3.5	12.0	-432.9	1140.7
2420.3	-49.9						
		pp imp~1	I	1.8	-5.6	0.1	-14.1
3.6	26.7		J	1.8	-5.6	0.1	-14.1
3.5	32.1						
		perm i~1	I	0.6	-1.8	0.0	-4.5
1.2	8.6		J	0.6	-1.8	0.0	-4.5
1.1	10.3						
		pp2	I	0.0	-0.1	0.0	1.0
-0.0	0.7		J	0.0	-0.1	0.0	1.0
-0.1	0.8						
		perm2	I	0.0	-0.0	0.0	0.3
0.0	0.2		J	0.0	-0.0	0.0	0.3
0.0	0.2						
		q3	I	-9.1	-45.2	13.9	135.4
-5.0	225.5		J	-14.2	-45.2	13.9	123.0
-12.6	269.3						
		q4-1	I	1.3	-3.9	-1.1	-20.1
7.2	18.4		J	1.3	-3.9	-1.1	-20.1
8.3	22.2						
		q4-2	I	-2.6	7.8	1.1	16.7


MIDAS

PROJECT TITLE :


MIDAS	Company		Client		File Name			
	Author		File Name		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-9.3	-37.3		J	-2.6	7.8	1.1	16.7	
-10.3	-44.8							
		q4-3	I	7.5	-23.0	5.7	44.5	
-8.8	111.7		J	7.5	-23.0	5.7	44.5	
-14.3	134.0							
		q4-4	I	60.0	60.7	0.4	-106.1	
63.3	-83.3		J	60.0	60.7	0.4	-106.1	
63.0	-142.1							
		q5x_pc	I	14.5	-46.4	45.1	251.4	
-149.2	228.2		J	14.5	-46.4	45.1	251.4	
-192.9	273.2							
		q5y_pc	I	-87.6	217.5	-22.7	-266.9	
-96.8	-1276.2		J	-85.1	199.0	-22.7	-257.7	
-76.1	-1477.9							
		q5x_ps	I	-48.6	-113.9	45.4	213.1	
-98.8	530.7		J	-66.0	-116.4	45.1	213.5	
-140.0	642.2							
		q5y_ps	I	-86.2	215.6	-21.2	-156.5	
-98.3	-1252.5		J	-83.7	198.1	-21.2	-153.9	
-78.2	-1453.0							
		q7	I	-68.7	-21.3	2.4	22.3	
-7.9	95.2		J	-68.7	-21.3	2.4	22.3	
-10.1	115.9							
		T	I	8.2	-24.6	-4.3	104.5	
28.1	120.5		J	8.2	-24.6	-4.3	104.5	
32.2	144.3							
		SLVx-E~1	I	8.5	-25.9	0.6	-65.2	
15.8	-39.1		J	8.5	-25.9	0.6	-64.6	
15.3	-48.9							
		SLVy-E~1	I	19.9	-60.5	1.3	-152.2	
36.9	-91.2		J	19.9	-60.5	1.3	-150.8	
35.6	-114.0							
653	1	64	Q1-1_2 Max	I	18.0	42.2	298.0	5510.1
7383.3	102.3			J	16.7	42.2	323.7	5455.1
8626.3	119.5		Min	I	-10.0	-18.6	-1485.9	-1725.0
1301.7	-156.7			J	-11.0	-18.6	-1423.5	-1712.1
1573.3	-196.8							
		Q1-3_4 Max	I	20.7	38.2	296.8	4507.2	
7568.4	74.4		J	19.4	38.2	329.4	4544.1	

MIDAS

PROJECT TITLE :


	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
8832.7	87.6								
		Min	I	-8.2	-15.1	-1514.4	-1734.4		-
1271.8	-173.9		J	-9.2	-15.1	-1451.0	-1692.4		-
1536.9	-208.9								
		Q2a-1_2 Max	I	10.9	23.4	163.7	3110.8		
4344.9	57.3		J	10.1	23.4	180.8	3088.8		
5071.5	66.9								
		Min	I	-6.3	-10.2	-890.2	-941.1		
-719.9	-84.8		J	-6.9	-10.2	-855.3	-936.0		
-870.1	-107.2								
		Q2a-3_4 Max	I	12.6	20.7	161.6	2437.9		
4425.2	39.6		J	11.8	20.7	183.8	2478.7		
5158.2	46.6								
		Min	I	-4.9	-8.1	-901.1	-942.0		
-693.2	-90.3		J	-5.6	-8.1	-866.1	-915.2		
-837.7	-109.2								
		Q1-1 Max	I	5.5	16.4	106.6	2522.3		
2639.7	49.1		J	5.2	16.4	114.5	2495.4		
3086.7	57.5								
		Min	I	-4.4	-8.8	-545.3	-586.1		
-479.0	-51.8		J	-4.8	-8.8	-523.3	-586.1		
-579.1	-67.4								
		Q1-3 Max	I	8.7	11.3	98.3	647.3		
2825.2	18.9		J	8.2	11.3	112.4	744.5		
3289.3	21.9								
		Min	I	-2.4	-4.0	-569.4	-608.6		
-390.4	-62.2		J	-2.8	-4.0	-547.1	-565.6		
-471.5	-73.1								
		SLVx (RS)	I	119.6	-504.1	-179.8	-1214.1		
706.1	3012.0		J	119.6	-504.1	-179.8	-1214.1		
866.2	3492.4								
		SLVy (RS)	I	-142.9	463.3	-121.7	2527.5		
683.6	-2519.0		J	-142.9	463.3	-121.7	2527.5		
791.4	-2953.0								
		SLVz (RS)	I	-81.0	111.7	271.5	-635.2		-
1509.5	-791.7		J	-81.0	111.7	271.5	-635.2		-
1751.7	-896.8								
		G1	I	10.2	33.2	-1192.4	3025.8		
6722.9	-139.3		J	8.5	33.2	-1091.7	3025.8		
7829.3	-171.5								
		G2	I	3.7	12.1	-432.9	1097.2		
2440.4	-50.5		J	3.1	12.1	-396.3	1097.2		
2842.0	-62.2								

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


3.3	32.1	pp imp~1	I	1.7	-5.6	0.1	-14.2
			J	1.7	-5.6	0.1	-14.2
3.2	37.6						
1.1	10.3	perm i~1	I	0.6	-1.8	0.0	-4.6
			J	0.6	-1.8	0.0	-4.6
1.0	12.1						
-0.0	0.8	pp2	I	0.0	-0.1	0.0	1.0
			J	0.0	-0.1	0.0	1.0
-0.1	1.0						
0.0	0.2	perm2	I	0.0	-0.0	0.0	0.3
			J	0.0	-0.0	0.0	0.3
0.0	0.2						
-10.3	269.3	q3	I	-15.0	-44.9	13.9	123.2
			J	-20.2	-44.9	13.9	110.8
-17.8	312.8						
7.9	22.2	q4-1	I	1.2	-3.9	-1.1	-20.3
			J	1.2	-3.9	-1.1	-20.3
9.0	26.0						
-10.0	-44.8	q4-2	I	-2.4	7.8	1.1	16.9
			J	-2.4	7.8	1.1	16.9
-11.1	-52.4						
-13.4	134.0	q4-3	I	7.1	-23.1	5.7	44.8
			J	7.1	-23.1	5.7	44.8
-19.0	156.4						
61.0	-142.1	q4-4	I	61.1	59.7	0.4	-107.2
			J	61.1	59.7	0.4	-107.2
60.6	-199.9						
-188.3	273.3	q5x_pc	I	13.7	-46.7	45.1	254.8
			J	13.7	-46.7	45.1	254.8
-232.0	318.6						
-81.1	-1477.9	q5y_pc	I	-81.5	200.5	-22.6	-256.1
			J	-79.2	182.0	-22.6	-246.8
-60.4	-1663.2						
-135.9	642.3	q5x_ps	I	-68.1	-115.2	45.0	215.9
			J	-85.6	-117.3	44.7	216.2
-176.8	754.9						
-81.4	-1453.0	q5y_ps	I	-80.1	199.6	-21.1	-152.3
			J	-78.0	182.1	-21.1	-149.7
-61.2	-1637.9						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-9.7	115.9		q7	I	-69.1	-20.1	2.3	22.5	
				J	-69.1	-20.1	2.3	22.5	
-12.0	135.4								
			T	I	7.7	-24.8	-4.3	103.8	
34.1	144.3			J	7.7	-24.8	-4.3	103.8	
38.3	168.3								
			SLVx-E~1	I	8.1	-26.1	0.6	-64.9	
14.1	-48.9			J	8.1	-26.1	0.6	-64.3	
13.6	-58.5								
			SLVy-E~1	I	18.8	-60.8	1.3	-151.4	
32.9	-114.0			J	18.8	-60.8	1.3	-150.0	
31.6	-136.5								
654	1	64	Q1-1_2 Max	I	17.3	42.4	323.7	5333.0	
8687.5	119.6			J	16.1	42.4	359.4	5278.9	
9839.9	137.2								
			Min	I	-10.7	-18.7	-1423.5	-1691.6	-
1602.3	-198.5			J	-11.7	-18.7	-1362.2	-1679.5	-
1873.9	-239.1								
			Q1-3_4 Max	I	19.8	38.4	329.4	4412.2	
8876.8	87.7			J	18.5	38.4	364.9	4445.6	1
0050.2	101.2								
			Min	I	-9.0	-15.1	-1451.0	-1672.7	-
1565.7	-210.6			J	-10.0	-15.1	-1388.8	-1660.4	-
1830.8	-245.9								
			Q2a-1_2 Max	I	10.5	23.5	180.8	3019.4	
5106.0	67.0			J	9.8	23.5	205.1	2997.7	
5778.3	76.7								
			Min	I	-6.7	-10.3	-855.3	-923.4	
-886.2	-108.2			J	-7.4	-10.3	-821.0	-918.6	-
1036.4	-130.7								
			Q2a-3_4 Max	I	12.0	20.8	183.8	2403.1	
5181.2	46.7			J	11.2	20.8	207.8	2440.8	
5860.3	53.8								
			Min	I	-5.5	-8.2	-866.1	-903.3	
-853.4	-110.1			J	-6.2	-8.2	-831.5	-898.4	
-997.9	-129.2								
			Q1-1 Max	I	5.4	16.5	114.5	2447.6	
3127.0	57.5			J	5.0	16.5	129.4	2420.7	
3540.0	66.0								
			Min	I	-4.7	-8.9	-523.3	-575.7	
-589.5	-68.1			J	-5.1	-8.9	-501.8	-575.7	
-689.6	-83.9								
			Q1-3 Max	I	8.3	11.4	112.4	694.4	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
3294.7	21.9		J	7.7	11.4	126.8	787.5
3725.3	24.9						
		Min	I	-2.7	-4.0	-547.1	-562.9
-480.9	-73.6						
			J	-3.2	-4.0	-525.1	-553.3
		SLVx (RS)	I	138.3	-499.0	-179.4	-1222.1
854.4	3492.5						
			J	138.3	-499.0	-179.4	-1222.1
1016.4	3965.2						
		SLVy (RS)	I	-152.5	472.0	-116.3	2533.8
771.2	-2953.0						
			J	-152.5	472.0	-116.3	2533.8
874.8	-3391.3						
		SLVz (RS)	I	-87.7	100.6	260.4	-606.0
1762.1	-896.7						
			J	-87.7	100.6	260.4	-606.0
1984.7	-989.6						
		G1	I	9.2	33.4	-1091.7	2885.0
7882.2	-173.7						
			J	7.5	33.4	-990.9	2885.0
8891.0	-206.1						
		G2	I	3.3	12.1	-396.3	1046.1
2861.2	-62.9						
			J	2.7	12.1	-359.8	1046.1
3227.5	-74.7						
		pp imp~1	I	1.6	-5.6	0.1	-14.2
3.0	37.6						
			J	1.6	-5.6	0.1	-14.2
2.9	43.0						
		perm i~1	I	0.5	-1.8	0.0	-4.6
1.0	12.1						
			J	0.5	-1.8	0.0	-4.6
0.9	13.9						
		pp2	I	0.0	-0.1	0.0	1.0
-0.1	1.0						
			J	0.0	-0.1	0.0	1.0
-0.1	1.1						
		perm2	I	0.0	-0.0	0.0	0.3
0.0	0.2						
			J	0.0	-0.0	0.0	0.3
0.0	0.3						
		q3	I	-21.0	-44.5	13.9	111.1
-15.7	312.8						
			J	-26.2	-44.5	13.9	98.7
-23.2	356.0						
		q4-1	I	1.2	-3.9	-1.1	-20.4
8.7	26.0						
			J	1.2	-3.9	-1.1	-20.4
9.7	29.8						
		q4-2	I	-2.3	7.9	1.1	17.1
-10.8	-52.4						
			J	-2.3	7.9	1.1	17.1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-11.8	-60.0							
-18.1	156.4	q4-3	I	6.7	-23.3	5.7	45.1	
-23.6	178.9		J	6.7	-23.3	5.7	45.1	
58.6	-200.0	q4-4	I	62.2	58.5	0.4	-108.2	
58.2	-256.7		J	62.2	58.5	0.4	-108.2	
-227.3	318.7	q5x_pc	I	12.8	-47.0	45.1	258.9	
-271.1	364.1		J	12.8	-47.0	45.1	258.9	
-65.3	-1663.2	q5y_pc	I	-75.9	183.4	-22.5	-245.6	
-44.5	-1831.9		J	-74.0	164.9	-22.5	-236.3	
-172.6	755.0	q5x_ps	I	-87.7	-115.8	44.7	219.3	
-213.1	868.0		J	-105.2	-117.6	44.4	219.5	
-64.4	-1637.9	q5y_ps	I	-74.7	183.5	-21.0	-148.4	
-44.3	-1807.2		J	-72.9	166.0	-21.0	-145.7	
-11.5	135.4	q7	I	-69.4	-18.8	2.3	22.7	
-13.8	153.6		J	-69.4	-18.8	2.3	22.7	
40.2	168.3	T	I	7.3	-24.9	-4.3	103.1	
44.4	192.4		J	7.3	-24.9	-4.3	103.1	
12.4	-58.5	SLVx-E~1	I	7.6	-26.2	0.5	-64.5	
11.9	-68.0		J	7.6	-26.2	0.5	-63.9	
28.9	-136.5	SLVy-E~1	I	17.7	-61.1	1.3	-150.6	
27.7	-158.7		J	17.7	-61.1	1.3	-149.1	
655	1	64 Q1-1_2 Max	I	16.7	42.6	359.4	5137.9	
9892.6	137.2		J	15.6	42.6	396.2	5084.5	1
0951.7	155.0	Min	I	-11.3	-18.8	-1362.2	-1654.5	-
1902.4	-241.3		J	-12.3	-18.8	-1302.2	-1643.2	-
2174.0	-282.2							
0094.2	101.3	Q1-3_4 Max	I	18.9	38.6	364.9	4292.5	1
1176.7	115.0		J	17.8	38.6	401.5	4322.4	1
		Min	I	-9.8	-15.2	-1388.8	-1636.2	-


MIDAS

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1859.0	-247.9		J	-10.8	-15.2	-1327.8	-1624.9	-
2124.1	-283.4							
5813.1	76.7	Q2a-1_2 Max	I	10.1	23.6	205.1	2917.5	
6430.0	86.6		J	9.4	23.6	229.7	2896.2	
1052.2	-132.0	Min	I	-7.1	-10.3	-821.0	-903.4	-
1202.4	-154.7		J	-7.7	-10.3	-787.2	-898.9	-
5882.3	53.9	Q2a-3_4 Max	I	11.5	20.9	207.8	2352.9	
6507.5	61.1		J	10.8	20.9	232.2	2387.7	
1013.4	-130.3	Min	I	-6.0	-8.2	-831.5	-883.9	-
1157.9	-149.5		J	-6.7	-8.2	-797.5	-879.4	-
3579.2	66.0	Q1-1 Max	I	5.3	16.5	129.4	2365.9	
3958.1	74.5		J	5.0	16.5	144.5	2339.0	
-699.8	-84.7	Min	I	-4.9	-8.9	-501.8	-563.3	
-799.9	-100.6		J	-5.2	-8.9	-480.6	-563.3	
3731.1	24.9	Q1-3 Max	I	7.9	11.5	126.8	729.7	
4128.4	27.9		J	7.4	11.5	141.6	818.7	
-571.2	-85.3	Min	I	-3.1	-4.1	-525.1	-549.4	
-652.3	-96.4		J	-3.5	-4.1	-503.5	-540.6	
1004.1	3965.4	SLVx (RS)	I	163.0	-493.1	-179.1	-1231.6	
1166.9	4429.0		J	163.0	-493.1	-179.1	-1231.6	
856.5	-3391.3	SLVy (RS)	I	-165.8	480.2	-111.0	2540.0	
954.5	-3833.4		J	-165.8	480.2	-111.0	2540.0	
1994.7	-989.4	SLVz (RS)	I	-94.9	89.0	251.8	-572.4	-
2198.8	-1068.7		J	-94.9	89.0	251.8	-572.4	-
8941.3	-208.6	G1	I	8.2	33.6	-990.9	2725.2	
9852.5	-241.1		J	6.4	33.6	-890.2	2725.2	
3245.7	-75.6	G2	I	3.0	12.2	-359.8	988.1	
3576.5	-87.4		J	2.3	12.2	-323.2	988.1	
		pp imp~1	I	1.5	-5.7	0.1	-14.3	

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2.7	43.0		J	1.5	-5.7	0.1	-14.3
2.6	48.5						
		perm i~1	I	0.5	-1.8	0.0	-4.6
0.9	13.9		J	0.5	-1.8	0.0	-4.6
0.8	15.6						
		pp2	I	0.0	-0.1	0.0	1.0
-0.1	1.1		J	0.0	-0.1	0.0	1.0
-0.1	1.2						
		perm2	I	0.0	-0.0	0.0	0.3
0.0	0.3		J	0.0	-0.0	0.0	0.3
0.0	0.3						
		q3	I	-27.0	-44.1	13.9	99.0
-21.3	356.0		J	-32.1	-44.1	13.9	86.6
-28.8	398.7						
		q4-1	I	1.1	-4.0	-1.1	-20.6
9.4	29.8		J	1.1	-4.0	-1.1	-20.6
10.5	33.6						
		q4-2	I	-2.2	7.9	1.1	17.3
-11.5	-60.0		J	-2.2	7.9	1.1	17.3
-12.6	-67.7						
		q4-3	I	6.2	-23.4	5.7	45.5
-22.8	179.0		J	6.2	-23.4	5.7	45.5
-28.3	201.6						
		q4-4	I	63.2	57.4	0.4	-109.2
56.2	-256.7		J	63.2	57.4	0.4	-109.2
55.8	-312.3						
		q5x_pc	I	12.0	-47.2	45.1	263.7
-266.3	364.2		J	12.0	-47.2	45.1	263.7
-310.0	410.0						
		q5y_pc	I	-71.1	166.2	-22.4	-235.3
-49.3	-1831.9		J	-69.5	147.6	-22.4	-226.0
-28.4	-1983.9						
		q5x_ps	I	-107.3	-115.7	44.3	223.2
-208.9	868.1		J	-124.9	-117.2	44.0	223.5
-249.0	980.9						
		q5y_ps	I	-69.9	167.2	-21.0	-144.8
-47.5	-1807.1		J	-68.4	149.7	-20.9	-142.1
-27.4	-1960.7						
		q7	I	-69.8	-17.6	2.3	22.9
-13.3	153.6						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-15.6	170.7		J	-69.8	-17.6	2.3	22.9	
		T	I	6.9	-25.0	-4.3	102.3	
46.3	192.4		J	6.9	-25.0	-4.3	102.3	
50.5	216.7							
		SLVx-E~1	I	7.1	-26.3	0.5	-64.1	
10.7	-68.0		J	7.1	-26.3	0.5	-63.5	
10.2	-77.4							
		SLVy-E~1	I	16.6	-61.4	1.3	-149.6	
25.0	-158.7		J	16.6	-61.4	1.3	-148.2	
23.7	-180.5							
656	1	64 Q1-1_2 Max	I	16.2	42.8	396.2	4924.6	1
1031.9	155.1		J	15.1	42.8	433.9	4871.8	1
2000.0	173.1							
		Min	I	-11.9	-18.9	-1302.2	-1613.7	-
2201.7	-284.7		J	-12.8	-18.9	-1243.5	-1602.9	-
2473.4	-325.9							
		Q1-3_4 Max	I	18.2	38.8	401.5	4150.5	1
1228.4	115.1		J	17.0	38.8	439.2	4176.9	1
2218.1	128.9							
		Min	I	-10.6	-15.3	-1327.8	-1596.2	-
2151.8	-285.8		J	-11.6	-15.3	-1268.2	-1585.6	-
2416.9	-321.6							
		Q2a-1_2 Max	I	9.8	23.7	229.7	2805.0	
6474.5	86.6		J	9.1	23.7	254.7	2783.8	
7036.9	96.5							
		Min	I	-7.5	-10.4	-787.2	-881.1	-
1217.8	-156.2		J	-8.1	-10.4	-753.9	-876.7	-
1368.1	-179.1							
		Q2a-3_4 Max	I	11.0	21.0	232.2	2288.9	
6540.3	61.2		J	10.3	21.0	257.0	2320.9	
7111.3	68.5							
		Min	I	-6.5	-8.3	-797.5	-862.3	-
1173.0	-150.8		J	-7.1	-8.3	-764.1	-858.1	-
1317.5	-166.4							
		Q1-1 Max	I	5.2	16.6	144.5	2276.5	
3996.0	74.6		J	4.9	16.6	159.9	2249.6	
4340.9	83.2							
		Min	I	-5.1	-9.0	-480.6	-549.1	
-809.9	-101.6		J	-5.4	-9.0	-459.7	-549.1	
-910.0	-117.6							
		Q1-3 Max	I	7.5	11.5	141.6	753.9	
4134.4	27.9		J	7.0	11.5	156.6	839.0	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
4498.2	31.0							
		Min	I	-3.4	-4.1	-503.5	-535.5	
-661.4	-97.1		J	-3.8	-4.1	-482.2	-527.4	
-742.4	-108.2							
		SLVx (RS)	I	190.9	-486.6	-178.6	-1243.0	
1154.1	4429.2		J	190.9	-486.6	-178.6	-1243.0	
1317.1	4882.8							
		SLVy (RS)	I	-182.0	488.1	-106.0	2546.3	
937.5	-3833.4		J	-182.0	488.1	-106.0	2546.3	
1029.2	-4278.6							
		SLVz (RS)	I	-102.4	78.1	244.7	-534.8	-
2208.3	-1068.5		J	-102.4	78.1	244.7	-534.8	-
2395.2	-1133.4							
		G1	I	7.1	33.8	-890.2	2548.2	
9899.7	-244.0		J	5.3	33.8	-789.4	2548.2	1
0713.3	-276.7							
		G2	I	2.6	12.2	-323.2	923.8	
3593.6	-88.4		J	1.9	12.2	-286.6	923.8	
3889.0	-100.3							
		pp imp~1	I	1.4	-5.7	0.1	-14.3	
2.4	48.5		J	1.4	-5.7	0.1	-14.3	
2.3	54.1							
		perm i~1	I	0.5	-1.8	0.0	-4.6	
0.8	15.6		J	0.5	-1.8	0.0	-4.6	
0.7	17.4							
		pp2	I	0.0	-0.1	0.0	1.0	
-0.1	1.2		J	0.0	-0.1	0.0	1.0	
-0.1	1.4							
		perm2	I	0.0	-0.0	0.0	0.3	
0.0	0.3		J	0.0	-0.0	0.0	0.3	
0.0	0.3							
		q3	I	-32.9	-43.5	13.8	87.1	
-27.1	398.7		J	-38.1	-43.5	13.8	74.7	
-34.6	440.8							
		q4-1	I	1.0	-4.0	-1.1	-20.8	
10.1	33.6		J	1.0	-4.0	-1.1	-20.8	
11.2	37.5							
		q4-2	I	-2.0	8.0	1.1	17.5	
-12.3	-67.7		J	-2.0	8.0	1.1	17.5	
-13.3	-75.4							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-27.4	201.6	q4-3	I	5.8	-23.5	5.7	46.0		
			J	5.8	-23.5	5.7	46.0		
-32.9	224.4								
		q4-4	I	64.2	56.3	0.5	-110.2		
53.7	-312.4		J	64.2	56.3	0.5	-110.2		
53.3	-366.9								
		q5x_pc	I	11.1	-47.4	45.1	269.1		
-305.0	410.1		J	11.1	-47.4	45.1	269.1		
-348.7	456.0								
		q5y_pc	I	-66.8	148.8	-22.4	-225.3		
-33.0	-1983.9		J	-65.6	130.2	-22.3	-216.0		
-12.0	-2119.1								
		q5x_ps	I	-127.0	-115.0	44.0	227.8		
-244.7	981.0		J	-144.6	-116.1	43.7	228.0		
-284.5	1093.0								
		q5y_ps	I	-65.7	150.9	-20.9	-141.4		
-30.6	-1960.7		J	-64.6	133.3	-20.9	-138.8		
-10.5	-2098.3								
		q7	I	-70.1	-16.3	2.3	23.1		
-15.1	170.7		J	-70.1	-16.3	2.3	23.1		
-17.3	186.5								
		T	I	6.4	-25.1	-4.3	101.4		
52.4	216.6		J	6.4	-25.1	-4.3	101.4		
56.6	241.0								
		SLVx-E~1	I	6.6	-26.5	0.5	-63.7		
9.0	-77.4		J	6.6	-26.5	0.5	-63.1		
8.5	-86.6								
		SLVy-E~1	I	15.5	-61.7	1.2	-148.6		
21.0	-180.6		J	15.5	-61.7	1.2	-147.1		
19.8	-202.1								
657	1	64	Q1-1_2 Max	I	15.7	43.0	433.9	4694.2	1
2076.8	173.2			J	14.7	43.0	472.7	4641.7	1
2954.1	191.3		Min	I	-12.4	-19.0	-1243.4	-1568.9	-
2500.4	-328.9			J	-13.4	-19.0	-1186.0	-1558.5	-
2772.0	-370.3								
		Q1-3_4 Max	I	17.5	39.0	439.2	3987.6	1	
2278.8	129.1		J	16.4	39.0	478.0	4010.8	1	
3177.3	143.1		Min	I	-11.3	-15.4	-1268.2	-1552.8	-
2443.7	-324.2			J	-12.2	-15.4	-1209.9	-1542.7	-


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2708.8	-360.2							
7079.8	96.6	Q2a-1_2	Max	I	9.5	23.8	254.7	2682.2
7587.8	106.5			J	8.9	23.8	280.1	2661.3
1383.1	-180.9		Min	I	-7.8	-10.4	-753.9	-856.3
1533.3	-203.9			J	-8.4	-10.4	-721.2	-852.2
7142.9	68.6	Q2a-3_4	Max	I	10.6	21.1	257.0	2212.1
7659.8	76.0			J	9.9	21.1	282.2	2241.4
1332.2	-168.0		Min	I	-6.9	-8.3	-764.1	-838.7
1476.7	-188.4			J	-7.6	-8.3	-731.2	-834.6
4377.2	83.3	Q1-1	Max	I	5.1	16.7	159.9	2179.5
4688.3	91.9			J	4.8	16.7	175.5	2152.6
-919.7	-118.7		Min	I	-5.2	-9.0	-459.7	-532.9
1019.8	-134.8			J	-5.6	-9.0	-439.3	-532.9
4504.3	30.9	Q1-3	Max	I	7.2	11.6	156.6	767.7
4834.8	34.0			J	6.7	11.6	171.8	849.0
-751.3	-109.1		Min	I	-3.8	-4.1	-482.2	-521.0
-832.3	-120.3			J	-4.1	-4.1	-461.4	-513.5
1303.8	4883.0	SLVx	(RS)	I	220.5	-479.7	-178.1	-1256.1
1466.6	5325.4			J	220.5	-479.7	-178.1	-1256.1
1013.2	-4278.7	SLVy	(RS)	I	-200.5	495.4	-101.2	2552.7
1098.2	-4726.4			J	-200.5	495.4	-101.2	2552.7
2404.1	-1133.2	SLVz	(RS)	I	-110.0	69.2	237.9	-493.5
2574.5	-1183.1			J	-110.0	69.2	237.9	-493.5
0757.2	-279.9	G1		I	6.0	33.9	-789.4	2355.7
1473.2	-312.7			J	4.2	33.9	-688.7	2355.7
3904.9	-101.4	G2		I	2.2	12.3	-286.6	853.9
4164.9	-113.3			J	1.5	12.3	-250.1	853.9
2.1	54.1	pp imp~1		I	1.3	-5.7	0.1	-14.4
				J	1.3	-5.7	0.1	-14.4

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
2.0	59.6						
		perm i~1	I	0.4	-1.8	0.0	-4.6
0.7	17.4		J	0.4	-1.8	0.0	-4.6
0.6	19.2						
		pp2	I	0.0	-0.1	0.0	1.0
-0.1	1.4		J	0.0	-0.1	0.0	1.0
-0.1	1.5						
		perm2	I	0.0	-0.0	0.0	0.3
0.0	0.3		J	0.0	-0.0	0.0	0.3
0.0	0.4						
		q3	I	-38.8	-42.8	13.8	75.3
-33.1	440.9		J	-44.0	-42.8	13.8	62.9
-40.6	482.3						
		q4-1	I	0.9	-4.0	-1.1	-21.0
10.8	37.5		J	0.9	-4.0	-1.1	-21.0
11.9	41.3						
		q4-2	I	-1.9	8.0	1.1	17.8
-13.0	-75.4		J	-1.9	8.0	1.1	17.8
-14.1	-83.1						
		q4-3	I	5.4	-23.6	5.7	46.5
-32.0	224.4		J	5.4	-23.6	5.7	46.5
-37.5	247.2						
		q4-4	I	65.2	55.1	0.5	-111.1
51.2	-366.9		J	65.2	55.1	0.5	-111.1
50.7	-420.3						
		q5x_pc	I	10.3	-47.6	45.1	275.3
-343.7	456.2		J	10.3	-47.6	45.1	275.3
-387.4	502.3						
		q5y_pc	I	-63.2	131.4	-22.3	-215.5
-16.5	-2119.1		J	-62.3	112.7	-22.3	-206.2
4.6	-2237.3						
		q5x_ps	I	-146.6	-113.5	43.6	233.0
-280.0	1093.1		J	-164.2	-114.4	43.3	233.1
-319.5	1203.5						
		q5y_ps	I	-62.2	134.4	-20.8	-138.4
-13.7	-2098.3		J	-61.3	116.8	-20.8	-135.8
6.4	-2220.0						
		q7	I	-70.3	-15.1	2.3	23.4
-16.9	186.6		J	-70.3	-15.1	2.3	23.4
-19.1	201.2						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


58.4	241.0		T	I	5.9	-25.2	-4.3	100.3	
62.6	265.4			J	5.9	-25.2	-4.3	100.3	
7.3	-86.6		SLVx-E~1	I	6.2	-26.6	0.5	-63.2	
6.8	-95.8			J	6.2	-26.6	0.5	-62.6	
17.1	-202.1		SLVy-E~1	I	14.4	-62.0	1.2	-147.5	
15.9	-223.4			J	14.4	-62.0	1.2	-146.0	
658	1	64	Q1-1_2 Max	I	15.2	43.2	472.7	4449.1	1
3027.2	191.4			J	14.3	43.2	512.4	4397.0	1
3814.0	209.7		Min	I	-13.0	-19.0	-1186.0	-1520.4	-
2798.2	-373.6			J	-13.9	-19.0	-1129.8	-1510.3	-
3069.8	-415.2		Q1-3_4 Max	I	16.8	39.1	478.0	3805.8	1
3234.9	143.3			J	15.8	39.1	517.7	3826.1	1
4042.5	157.3		Min	I	-11.9	-15.4	-1209.9	-1506.7	-
2734.9	-363.1			J	-12.9	-15.4	-1152.9	-1497.1	-
3000.0	-399.2		Q2a-1_2 Max	I	9.2	23.9	280.1	2550.9	
7628.7	106.6			J	8.6	23.9	305.7	2530.1	
8082.5	116.6		Min	I	-8.1	-10.5	-721.2	-829.3	-
1547.8	-205.8			J	-8.7	-10.5	-689.1	-825.2	-
1698.1	-228.9		Q2a-3_4 Max	I	10.2	21.2	282.2	2123.2	
7690.0	76.1			J	9.6	21.2	307.7	2150.2	
8153.0	83.5		Min	I	-7.4	-8.3	-731.2	-813.2	-
1491.0	-190.3			J	-8.0	-8.3	-698.9	-809.3	-
1635.5	-210.7		Q1-1 Max	I	5.0	16.8	175.5	2076.7	
4722.8	92.0			J	4.8	16.8	191.4	2049.8	
5000.3	100.7		Min	I	-5.4	-9.0	-439.3	-515.0	-
1029.1	-136.1			J	-5.7	-9.0	-419.2	-515.0	-
1129.3	-152.3		Q1-3 Max	I	6.8	11.6	171.8	771.9	
4840.7	34.0			J	6.4	11.6	187.3	849.7	
5137.9	37.1		Min	I	-4.1	-4.1	-461.4	-505.9	

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-840.9	-121.2		J	-4.4	-4.1	-440.9	-498.6	
-922.0	-132.4							
		SLVx (RS)	I	250.8	-472.7	-177.6	-1271.3	
1452.7	5325.6		J	250.8	-472.7	-177.6	-1271.3	
1615.1	5755.9							
		SLVy (RS)	I	-220.7	502.2	-96.4	2559.1	
1083.0	-4726.4		J	-220.7	502.2	-96.4	2559.1	
1161.1	-5175.8							
		SLVz (RS)	I	-117.7	64.1	229.9	-448.7	-
2582.8	-1182.9		J	-117.7	64.1	229.9	-448.7	-
2736.8	-1217.9							
		G1	I	4.9	34.0	-688.7	2149.7	1
1513.4	-316.2		J	3.1	34.0	-587.9	2149.7	1
2131.8	-349.2							
		G2	I	1.8	12.3	-250.1	779.1	
4179.5	-114.6		J	1.1	12.3	-213.5	779.1	
4404.1	-126.6							
		pp imp~1	I	1.2	-5.8	0.1	-14.4	
1.8	59.6		J	1.2	-5.8	0.1	-14.4	
1.7	65.2							
		perm i~1	I	0.4	-1.9	0.0	-4.6	
0.6	19.2		J	0.4	-1.9	0.0	-4.6	
0.5	21.0							
		pp2	I	0.0	-0.1	0.0	1.0	
-0.1	1.5		J	0.0	-0.1	0.0	1.0	
-0.1	1.7							
		perm2	I	0.0	-0.0	0.0	0.3	
0.0	0.4		J	0.0	-0.0	0.0	0.3	
0.0	0.4							
		q3	I	-44.8	-42.0	13.8	63.6	
-39.3	482.4		J	-49.9	-42.0	13.8	51.2	
-46.7	523.1							
		q4-1	I	0.9	-4.0	-1.1	-21.2	
11.6	41.3		J	0.9	-4.0	-1.1	-21.2	
12.6	45.2							
		q4-2	I	-1.7	8.0	1.1	18.0	
-13.8	-83.1		J	-1.7	8.0	1.1	18.0	
-14.8	-90.9							
		q4-3	I	5.0	-23.7	5.7	47.2	
-36.6	247.3							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-42.1	270.2		J	5.0	-23.7	5.7	47.2	
48.6	-420.3	q4-4	I	66.2	53.9	0.5	-111.9	
48.1	-472.6		J	66.2	53.9	0.5	-111.9	
-382.2	502.4	q5x_pc	I	9.4	-47.8	45.1	282.2	
-425.9	548.7		J	9.4	-47.8	45.1	282.2	
0.2	-2237.3	q5y_pc	I	-60.3	113.8	-22.3	-206.1	
21.5	-2338.6		J	-59.7	95.2	-22.3	-196.8	
-314.9	1203.6	q5x_ps	I	-166.3	-111.5	43.2	238.7	
-354.0	1311.9		J	-183.9	-112.0	42.9	238.8	
3.2	-2220.1	q5y_ps	I	-59.2	117.9	-20.8	-135.7	
23.3	-2325.8		J	-58.6	100.3	-20.8	-133.1	
-18.6	201.2	q7	I	-70.6	-13.8	2.3	23.8	
-20.8	214.6		J	-70.6	-13.8	2.3	23.8	
64.5	265.4	T	I	5.5	-25.3	-4.3	99.1	
68.7	290.0		J	5.5	-25.3	-4.3	99.1	
5.7	-95.8	SLVx-E~1	I	5.7	-26.7	0.5	-62.7	
5.2	-104.8		J	5.7	-26.7	0.5	-62.1	
13.2	-223.4	SLVy-E~1	I	13.3	-62.2	1.2	-146.3	
12.1	-244.5		J	13.3	-62.2	1.2	-144.8	
659	1	64 Q1-1_2 Max	I	14.8	43.3	512.5	4191.0	1
3882.8	209.8		J	13.9	43.3	553.1	4139.1	1
4579.7	228.2	Min	I	-13.4	-19.1	-1129.8	-1469.0	-
3095.0	-418.8		J	-14.3	-19.1	-1074.9	-1459.2	-
3366.6	-460.6							
4096.6	157.6	Q1-3_4 Max	I	16.2	39.3	517.7	3607.9	1
4813.7	171.7		J	15.2	39.3	558.5	3625.8	1
3025.1	-402.5	Min	I	-12.6	-15.5	-1152.8	-1457.6	-
3290.2	-431.0		J	-13.5	-15.5	-1097.2	-1448.8	-

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
8121.2	116.7	Q2a-1_2 Max	I	9.0	24.0	305.7	2411.6	
			J	8.4	24.0	331.7	2390.9	
8521.3	126.8	Min	I	-8.4	-10.5	-689.1	-800.3	-
1712.0	-231.0		J	-9.0	-10.5	-657.6	-796.3	-
1862.3	-254.2							
		Q2a-3_4 Max	I	9.8	21.3	307.7	2024.2	
8181.5	83.6		J	9.2	21.3	333.5	2049.1	
8590.9	91.1	Min	I	-7.8	-8.4	-698.9	-785.7	-
1649.2	-212.8		J	-8.3	-8.4	-667.3	-782.1	-
1793.7	-233.4							
		Q1-1 Max	I	5.0	16.8	191.4	1968.0	
5032.8	100.8		J	4.7	16.8	207.4	1941.1	
5276.9	109.5	Min	I	-5.5	-9.1	-419.2	-495.7	-
1138.3	-153.7		J	-5.8	-9.1	-399.5	-495.7	-
1238.4	-169.9							
		Q1-3 Max	I	6.6	11.7	187.3	767.5	
5143.6	37.0		J	6.2	11.7	203.1	841.8	
5407.7	40.2	Min	I	-4.3	-4.1	-440.9	-490.1	
-930.3	-133.5		J	-4.7	-4.1	-420.9	-482.9	-
1011.4	-144.7							
		SLVx (RS)	I	281.4	-465.6	-177.1	-1288.4	
1600.5	5756.1		J	281.4	-465.6	-177.1	-1288.4	
1762.2	6173.6							
		SLVy (RS)	I	-242.2	508.5	-91.6	2565.5	
1146.6	-5175.9		J	-242.2	508.5	-91.6	2565.5	
1217.5	-5626.4							
		SLVz (RS)	I	125.4	64.4	219.6	-400.9	-
2744.4	-1217.6		J	125.4	64.4	219.6	-400.9	-
2881.5	-1238.1							
		G1	I	3.7	34.2	-587.9	1931.9	1
2168.3	-352.9		J	2.0	34.2	-487.2	1931.9	1
2689.1	-386.0							
		G2	I	1.4	12.4	-213.5	700.1	
4417.3	-127.9		J	0.7	12.4	-177.0	700.1	
4606.4	-139.9							
		pp imp~1	I	1.1	-5.8	0.1	-14.4	
1.5	65.2		J	1.1	-5.8	0.1	-14.4	
1.4	70.8							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.5	21.0	perm i~1	I	0.4	-1.9	0.0	-4.7
			J	0.4	-1.9	0.0	-4.7
0.5	22.8						
		pp2	I	0.0	-0.1	0.0	1.0
-0.1	1.7		J	0.0	-0.1	0.0	1.0
-0.1	1.8						
		perm2	I	0.0	-0.0	0.0	0.3
0.0	0.4		J	0.0	-0.0	0.0	0.3
0.0	0.4						
		q3	I	-50.7	-41.1	13.8	52.0
-45.6	523.1		J	-55.8	-41.1	13.8	39.5
-53.0	562.9						
		q4-1	I	0.8	-4.0	-1.1	-21.4
12.3	45.2		J	0.8	-4.0	-1.1	-21.4
13.4	49.1						
		q4-2	I	-1.6	8.1	1.1	18.3
-14.5	-90.9		J	-1.6	8.1	1.1	18.3
-15.6	-98.7						
		q4-3	I	4.5	-23.8	5.7	47.9
-41.1	270.2		J	4.5	-23.8	5.7	47.9
-46.6	293.2						
		q4-4	I	67.2	52.7	0.5	-112.8
45.9	-472.6		J	67.2	52.7	0.5	-112.8
45.4	-523.7						
		q5x_pc	I	8.6	-48.0	45.0	289.7
-420.6	548.9		J	8.6	-48.0	45.0	289.7
-464.2	595.4						
		q5y_pc	I	-58.0	96.3	-22.2	-197.0
17.2	-2338.6		J	-57.7	77.6	-22.2	-187.7
38.6	-2422.9						
		q5x_ps	I	-185.9	-108.7	42.9	245.0
-349.2	1312.0		J	-203.5	-108.9	42.6	245.0
-388.0	1417.4						
		q5y_ps	I	-56.8	101.3	-20.7	-133.3
20.1	-2325.8		J	-56.6	83.7	-20.7	-130.6
40.2	-2415.4						
		q7	I	-70.8	-12.6	2.3	24.1
-20.3	214.6		J	-70.8	-12.6	2.3	24.1
-22.5	226.8						
		T	I	5.0	-25.4	-4.3	97.9


MIDAS

PROJECT TITLE :


		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
70.6	290.0			J	5.0	-25.4	-4.3	97.9		
74.8	314.6									
		SLVx-E~1		I	5.2	-26.8	0.5	-62.2		
4.0	-104.8			J	5.2	-26.8	0.5	-61.5		
3.5	-113.7									
		SLVy-E~1		I	12.2	-62.5	1.2	-145.0		
9.4	-244.5			J	12.2	-62.5	1.2	-143.6		
8.3	-265.4									
660	1	64	Q1-1_2 Max	I	14.4	43.5	553.1	3925.6	1	
4643.8	228.4			J	13.5	43.5	594.7	3874.4	1	
5251.3	246.8		Min	I	-13.9	-19.2	-1074.9	-1419.1	-	
3390.8	-464.4			J	-14.8	-19.2	-1021.3	-1409.4	-	
3662.4	-506.4									
			Q1-3_4 Max	I	15.6	39.4	558.5	3394.1	1	
4864.0	172.0			J	14.7	39.4	600.2	3409.9	1	
5491.1	186.2		Min	I	-13.2	-15.5	-1097.2	-1405.3	-	
3314.3	-434.9			J	-14.1	-15.5	-1042.8	-1397.2	-	
3579.4	-473.0									
			Q2a-1_2 Max	I	8.8	24.1	331.7	2266.9		
8557.5	126.9			J	8.2	24.1	358.0	2246.7		
8904.3	137.0		Min	I	-8.7	-10.5	-657.6	-771.0	-	
1875.7	-256.5			J	-9.2	-10.5	-626.7	-767.1	-	
2025.9	-279.8									
			Q2a-3_4 Max	I	9.5	21.4	333.5	1915.1		
8617.5	91.3			J	8.9	21.4	359.7	1938.2		
8973.8	98.8		Min	I	-8.1	-8.4	-667.3	-756.2	-	
1806.9	-235.6			J	-8.7	-8.4	-636.2	-752.9	-	
1951.4	-256.2									
			Q1-1 Max	I	4.9	16.9	207.4	1855.9		
5307.2	109.6			J	4.6	16.9	223.6	1829.0		
5518.2	118.4		Min	I	-5.6	-9.1	-399.5	-476.8	-	
1247.0	-171.3			J	-6.0	-9.1	-380.3	-476.8	-	
1347.1	-187.6									
			Q1-3 Max	I	6.3	11.7	203.1	755.4		
5412.9	40.1			J	5.9	11.7	219.1	826.5		
5644.1	43.3		Min	I	-4.6	-4.1	-420.9	-473.5	-	
1019.3	-145.9			J	-5.0	-4.1	-401.2	-466.2	-	

MIDAS

PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
1100.4	-157.2								
		SLVx (RS)	I	311.8	-458.7	-176.8	-1307.8		
1747.0	6173.8		J	311.8	-458.7	-176.8	-1307.8		
1907.9	6577.7								
		SLVy (RS)	I	-264.6	514.3	-87.1	2571.9		
1203.6	-5626.4		J	-264.6	514.3	-87.1	2571.9		
1267.3	-6077.2								
		SLVz (RS)	I	133.1	69.8	205.8	-350.3	-	
2888.2	-1237.8		J	133.1	69.8	205.8	-350.3	-	
3006.8	-1245.1								
		G1	I	2.6	34.3	-487.2	1704.2	1	
2721.6	-389.9		J	0.8	34.3	-386.4	1704.2	1	
3144.8	-423.1								
		G2	I	1.0	12.4	-176.9	617.4		
4618.2	-141.3		J	0.3	12.4	-140.4	617.4		
4771.9	-153.4								
		pp imp~1	I	1.0	-5.8	0.1	-14.5		
1.2	70.8		J	1.0	-5.8	0.1	-14.5		
1.1	76.4								
		perm i~1	I	0.3	-1.9	0.0	-4.7		
0.4	22.8		J	0.3	-1.9	0.0	-4.7		
0.4	24.6								
		pp2	I	0.0	-0.1	0.0	1.0		
-0.1	1.8		J	0.0	-0.1	0.0	1.0		
-0.1	1.9								
		perm2	I	0.0	-0.0	0.0	0.3		
0.1	0.4		J	0.0	-0.0	0.0	0.3		
0.1	0.5								
		q3	I	-56.6	-40.1	13.8	40.5		
-52.1	562.9		J	-61.7	-40.1	13.8	28.1		
-59.5	601.8								
		q4-1	I	0.7	-4.0	-1.1	-21.7		
13.0	49.1		J	0.7	-4.0	-1.1	-21.7		
14.1	53.0								
		q4-2	I	-1.4	8.1	1.1	18.6		
-15.3	-98.7		J	-1.4	8.1	1.1	18.6		
-16.3	-106.5								
		q4-3	I	4.1	-23.9	5.7	48.7		
-45.6	293.3		J	4.1	-23.9	5.7	48.7		
-51.1	316.4								


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


43.2	-523.7	q4-4	I	68.1	51.5	0.6	-113.5		
			J	68.1	51.5	0.6	-113.5		
42.7	-573.7								
		q5x_pc	I	7.7	-48.1	45.0	298.0		
-458.8	595.6		J	-10.9	-48.1	44.7	297.9		
-492.9	642.2								
		q5y_pc	I	-56.3	78.6	-22.2	-188.2		
34.5	-2422.9		J	-56.4	60.0	-22.2	-178.8		
56.0	-2490.0								
		q5x_ps	I	-205.4	-105.3	42.5	251.9		
-383.1	1417.6		J	-223.1	-105.2	42.2	251.8		
-421.5	1519.5								
		q5y_ps	I	-55.1	84.7	-20.7	-131.2		
37.1	-2415.4		J	-55.2	67.1	-20.7	-128.5		
57.2	-2488.9								
		q7	I	-71.1	-11.3	2.3	24.5		
-22.0	226.8		J	-71.1	-11.3	2.3	24.5		
-24.2	237.7								
		T	I	4.6	-25.5	-4.4	96.5		
76.6	314.6		J	4.6	-25.5	-4.4	96.5		
80.9	339.3								
		SLVx-E~1	I	4.7	-26.9	0.5	-61.6		
2.4	-113.7		J	4.7	-26.9	0.5	-61.0		
1.9	-122.6								
		SLVy-E~1	I	11.1	-62.7	1.2	-143.7		
5.6	-265.4		J	11.1	-62.7	1.2	-142.2		
4.5	-286.0								
661	1	64	Q1-1_2 Max	I	14.0	43.6	594.7	3661.6	1
5310.4	247.0			J	13.2	43.6	637.1	3627.4	1
5829.2	265.5		Min	I	-14.3	-19.2	-1021.3	-1377.8	-
3685.4	-510.4			J	-15.2	-19.2	-969.1	-1369.4	-
3957.0	-552.5								
			Q1-3_4 Max	I	15.1	39.5	600.2	3167.6	1
5537.1	186.6			J	14.2	39.5	642.8	3181.7	1
6074.9	200.8		Min	I	-13.8	-15.6	-1042.8	-1349.9	-
3602.4	-477.0			J	-14.7	-15.6	-989.9	-1342.4	-
3867.5	-515.2								
			Q2a-1_2 Max	I	8.6	24.2	358.0	2120.6	
8937.8	137.1								

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
9231.7	147.3		J	8.0	24.2	384.6	2112.6	
2038.7	-282.1	Min	I	-8.9	-10.6	-626.7	-744.4	-
2189.0	-305.5		J	-9.4	-10.6	-596.4	-741.0	-
8998.2	99.0	Q2a-3_4 Max	I	9.2	21.4	359.7	1798.0	
9301.7	106.5		J	8.7	21.4	386.2	1819.6	
1964.0	-258.6	Min	I	-8.5	-8.4	-636.2	-724.7	-
2108.5	-279.3		J	-9.0	-8.4	-605.8	-721.6	-
5546.3	118.5	Q1-1 Max	I	4.9	16.9	223.6	1743.9	
5724.5	127.3		J	4.6	16.9	240.0	1717.5	
1355.3	-189.1	Min	I	-5.7	-9.1	-380.3	-461.1	-
1455.4	-205.4		J	-6.1	-9.1	-361.4	-461.6	-
5648.8	43.2	Q1-3 Max	I	6.0	11.7	219.1	736.7	
5847.4	46.4		J	5.7	11.7	235.4	804.8	
1108.0	-158.4	Min	I	-4.9	-4.2	-401.2	-456.2	-
1189.1	-169.7		J	-5.2	-4.2	-382.0	-448.7	-
1892.0	6577.9	SLVx (RS)	I	341.8	-452.3	-176.9	-1329.4	
2052.1	6967.7		J	341.8	-452.3	-176.9	-1329.4	
1253.8	-6077.3	SLVy (RS)	I	-287.9	519.7	83.2	2578.3	
1310.3	-6527.7		J	-287.9	519.7	83.2	2578.3	
3012.7	-1244.7	SLVz (RS)	I	140.7	78.9	188.0	-297.6	-
3110.6	-1240.3		J	140.7	78.9	188.0	-297.6	-
3173.1	-427.2	G1	I	1.5	34.4	-386.4	1468.3	1
3498.6	-460.5		J	-0.3	34.4	-285.7	1468.3	1
4782.1	-154.8	G2	I	0.5	12.5	-140.4	531.8	
4900.4	-166.9		J	-0.1	12.5	-103.8	531.8	
0.9	76.4	pp imp~1	I	0.9	-5.8	0.1	-14.5	
0.8	82.0		J	0.9	-5.8	0.1	-14.5	
0.3	24.6	perm i~1	I	0.3	-1.9	0.0	-4.7	

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.3	26.4		J	0.3	-1.9	0.0	-4.7
-0.1	1.9	pp2	I	0.0	-0.1	0.0	1.0
-0.1	2.1		J	0.0	-0.1	0.0	1.0
0.1	0.5	perm2	I	0.0	-0.0	0.0	0.3
0.1	0.5		J	0.0	-0.0	0.0	0.3
-58.8	601.8	q3	I	-62.4	-39.0	13.8	29.1
-66.2	639.6		J	-67.6	-39.0	13.8	16.7
13.7	53.0	q4-1	I	0.7	-4.0	-1.1	-21.9
14.8	56.9		J	0.7	-4.0	-1.1	-21.9
-16.0	-106.5	q4-2	I	-1.3	8.1	1.1	18.9
-17.1	-114.4		J	-1.3	8.1	1.1	18.9
-50.1	316.4	q4-3	I	3.7	-23.9	5.6	49.6
-55.6	339.6		J	3.7	-23.9	5.6	49.6
40.4	-573.7	q4-4	I	69.0	50.3	0.6	-114.2
39.9	-622.4		J	69.0	50.3	0.6	-114.2
-487.3	642.3	q5x_pc	I	-11.8	-47.9	44.7	306.7
-521.1	688.5		J	-30.4	-47.5	44.4	306.5
52.0	-2490.1	q5y_pc	I	-55.3	61.0	-22.2	-179.7
73.7	-2540.1		J	-55.7	42.4	-22.2	-170.3
-416.4	1519.7	q5x_ps	I	-224.9	-101.2	42.2	259.3
-454.5	1617.6		J	-242.5	-100.8	41.9	259.2
54.1	-2489.0	q5y_ps	I	-53.9	68.1	-20.7	-129.4
74.2	-2546.4		J	-54.3	50.4	-20.7	-126.8
-23.7	237.7	q7	I	-71.2	-10.0	2.3	24.9
-25.9	247.4		J	-71.2	-10.0	2.3	24.9
82.7	339.3	T	I	4.1	-25.6	-4.4	95.0
			J	4.1	-25.6	-4.4	95.0


MIDAS

PROJECT TITLE :


		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
86.9	364.1									
			SLVx-E~1	I	4.3	-26.9	0.5	-61.0		
0.8	-122.6			J	4.3	-26.9	0.5	-60.4		
0.3	-131.3									
			SLVy-E~1	I	9.9	-62.9	1.1	-142.3		
1.8	-286.0			J	9.9	-62.9	1.1	-140.8		
0.7	-306.5									
662	1	64	Q1-1_2 Max	I	13.7	43.7	637.1	3395.9	1	
5883.0	265.8			J	12.9	43.7	680.4	3377.3	1	
6313.9	284.3		Min	I	-14.8	-19.3	-969.1	-1339.7	-	
3978.8	-556.6			J	-15.6	-19.3	-918.2	-1334.6	-	
4250.4	-598.9									
			Q1-3_4 Max	I	14.6	39.6	642.8	2930.1	1	
6116.5	201.2			J	13.7	39.6	686.3	2942.6	1	
6565.7	215.6		Min	I	-14.3	-15.6	-989.8	-1313.9	-	
3889.3	-519.4			J	-15.2	-15.6	-938.2	-1284.9	-	
4154.4	-557.8									
			Q2a-1_2 Max	I	8.4	24.3	384.6	1971.9		
9262.3	147.4			J	7.9	24.3	411.3	1974.4		
9504.1	157.6		Min	I	-9.1	-10.6	-596.4	-718.3	-	
2201.0	-307.9			J	-9.7	-10.6	-566.8	-716.2	-	
2351.3	-331.3									
			Q2a-3_4 Max	I	8.9	21.5	386.2	1673.8		
9323.8	106.7			J	8.4	21.5	412.9	1694.0		
9575.2	114.3		Min	I	-8.8	-8.4	-605.8	-701.1	-	
2120.5	-281.8			J	-9.3	-8.4	-576.0	-688.5	-	
2264.9	-302.5									
			Q1-1 Max	I	4.8	17.0	240.0	1630.4		
5750.2	127.4			J	4.5	17.0	256.6	1605.3		
5895.9	136.2		Min	I	-5.9	-9.2	-361.4	-446.4	-	
1463.2	-206.9			J	-6.2	-9.2	-343.0	-448.2	-	
1563.3	-223.3									
			Q1-3 Max	I	5.8	11.8	235.4	712.3		
5851.3	46.3			J	5.5	11.8	251.8	777.8		
6017.6	49.5		Min	I	-5.1	-4.2	-382.0	-453.1	-	
1196.4	-171.0			J	-5.5	-4.2	-363.2	-430.5	-	
1277.5	-182.4									

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2035.4	6967.9	SLVx (RS)	I	371.2	-446.4	-177.2	-1353.4
			J	371.2	-446.4	-177.2	-1353.4
2195.0	7343.1						
		SLVy (RS)	I	-311.8	524.6	80.1	2584.7
1297.2	-6527.7		J	-311.8	524.6	80.1	2584.7
1346.6	-6977.1						
		SLVz (RS)	I	148.4	90.1	166.3	-243.3
3115.5	-1239.9		J	148.4	90.1	166.3	-243.3
3189.9	-1226.1						
		G1	I	0.3	34.5	-285.7	1226.1
3522.6	-464.8		J	-1.5	34.5	-184.9	1226.1
3750.6	-498.2						
		G2	I	0.1	12.5	-103.8	443.9
4909.1	-168.5		J	-0.5	12.5	-67.3	443.9
4992.0	-180.6						
		pp imp~1	I	0.8	-5.8	0.1	-14.5
0.6	82.0		J	0.8	-5.8	0.1	-14.5
0.5	87.6						
		perm i~1	I	0.3	-1.9	0.0	-4.7
0.2	26.4		J	0.3	-1.9	0.0	-4.7
0.2	28.2						
		pp2	I	0.0	-0.1	0.0	1.0
-0.1	2.1		J	0.0	-0.1	0.0	1.0
-0.1	2.2						
		perm2	I	0.0	-0.0	0.0	0.3
0.1	0.5		J	0.0	-0.0	0.0	0.3
0.1	0.6						
		q3	I	-68.3	-37.8	13.7	17.8
-65.7	639.6		J	-73.5	-37.8	13.7	5.4
-73.1	676.3						
		q4-1	I	0.6	-4.1	-1.1	-22.2
14.4	56.9		J	0.6	-4.1	-1.1	-22.2
15.5	60.9						
		q4-2	I	-1.2	8.1	1.1	19.2
-16.8	-114.4		J	-1.2	8.1	1.1	19.2
-17.8	-122.2						
		q4-3	I	3.3	-24.0	5.6	50.6
-54.6	339.6		J	3.3	-24.0	5.6	50.6
-60.1	362.8						
		q4-4	I	69.9	49.1	0.6	-114.9

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
37.6	-622.4			J	69.9	49.1	0.6	-114.9	
37.1	-670.0								
-515.3	688.7	q5x_pc		I	-31.3	-46.9	44.3	315.7	
-548.8	733.8			J	-49.9	-46.2	44.0	315.3	
69.9	-2540.2	q5y_pc		I	-55.0	43.4	-22.2	-171.5	
91.7	-2573.2			J	-55.7	24.7	-22.2	-162.2	
-449.2	1617.7	q5x_ps		I	-244.3	-96.5	41.8	267.2	
-486.9	1710.8			J	-261.9	-95.8	41.5	267.1	
71.1	-2546.4	q5y_ps		I	-53.4	51.4	-20.7	-127.9	
91.2	-2587.7			J	-54.1	33.8	-20.7	-125.3	
-25.3	247.4	q7		I	-71.4	-8.7	2.3	25.4	
-27.5	255.9			J	-71.4	-8.7	2.3	25.4	
88.7	364.1	T		I	3.7	-25.7	-4.4	93.4	
92.9	388.9			J	3.7	-25.7	-4.4	93.4	
-0.8	-131.3	SLVx-E~1		I	3.8	-27.0	0.5	-60.3	
-1.3	-140.0			J	3.8	-27.0	0.5	-59.7	
-1.9	-306.5	SLVy-E~1		I	8.8	-63.0	1.1	-140.8	
-3.0	-326.8			J	8.8	-63.0	1.1	-139.3	
663	1	64	Q1-1_2 Max	I	13.3	43.8	680.4	3134.0	1
6362.1	284.6			J	12.5	43.8	724.5	3120.7	1
6706.2	303.2		Min	I	-15.2	-19.3	-918.2	-1302.4	-
4270.9	-603.2			J	-16.0	-19.3	-868.7	-1300.8	-
4542.5	-645.6								
6602.5	216.0		Q1-3_4 Max	I	14.1	39.7	686.3	2687.3	1
6963.9	230.3			J	13.3	39.7	730.7	2698.6	1
4174.9	-562.0		Min	I	-14.8	-15.7	-938.2	-1308.4	-
4440.0	-600.5			J	-15.7	-15.7	-888.0	-1228.9	-
9531.6	157.7		Q2a-1_2 Max	I	8.2	24.3	411.3	1825.6	
9721.9	168.0			J	7.7	24.3	438.4	1830.9	

MIDAS

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2362.6	-333.8	Min	I	-9.4	-10.6	-566.8	-691.7	-
			J	-9.9	-10.6	-537.8	-691.0	-
2512.9	-357.3							
		Q2a-3_4 Max	I	8.7	21.5	412.9	1545.1	
9594.7	114.5		J	8.1	21.5	439.9	1564.2	
9794.7	122.1							
		Min	I	-9.1	-8.4	-576.0	-705.9	-
2276.2	-305.0		J	-9.6	-8.4	-546.8	-655.6	-
2420.7	-325.9							
		Q1-1 Max	I	4.7	17.0	256.6	1514.8	
5919.2	136.4		J	4.5	17.0	273.4	1491.2	
6032.9	145.2							
		Min	I	-6.0	-9.2	-343.0	-432.1	-
1570.6	-224.8		J	-6.3	-9.2	-325.0	-435.4	-
1670.7	-241.2							
		Q1-3 Max	I	5.6	11.8	251.8	683.6	
6020.8	49.4		J	5.3	11.8	268.4	746.6	
6155.1	52.6							
		Min	I	-5.3	-4.2	-363.2	-466.9	-
1284.3	-183.8		J	-5.7	-4.2	-344.8	-412.8	-
1365.4	-195.2							
		SLVx (RS)	I	400.0	-441.3	-177.9	-1379.8	
2177.5	7343.3		J	400.0	-441.3	-177.9	-1379.8	
2336.5	7703.5							
		SLVy (RS)	I	-336.1	529.2	78.2	2591.1	
1333.8	-6977.2		J	-336.1	529.2	78.2	2591.1	
1376.2	-7424.8							
		SLVz (RS)	I	156.0	101.7	141.9	-188.1	-
3193.8	-1225.6		J	156.0	101.7	141.9	-188.1	-
3241.4	-1205.2							
		G1	I	-0.9	34.6	-184.9	979.5	1
3770.2	-502.5		J	-2.7	34.6	-84.2	979.5	1
3900.6	-536.0							
		G2	I	-0.3	12.5	-67.3	354.3	
4999.1	-182.2		J	-1.0	12.5	-30.7	354.3	
5046.6	-194.3							
		pp imp~1	I	0.7	-5.8	0.1	-14.5	
0.3	87.6		J	0.7	-5.8	0.1	-14.5	
0.3	93.3							
		perm i~1	I	0.2	-1.9	0.0	-4.7	
0.1	28.2		J	0.2	-1.9	0.0	-4.7	
0.1	30.0							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.1	2.2	pp2	I	0.0	-0.1	0.0	1.0
-0.1	2.4		J	0.0	-0.1	0.0	1.0
0.1	0.6	perm2	I	0.0	-0.0	0.0	0.3
0.1	0.6		J	0.0	-0.0	0.0	0.3
-72.8	676.3	q3	I	-74.1	-36.5	13.7	6.7
-80.1	711.6		J	-79.3	-36.5	13.7	-5.7
15.1	60.9	q4-1	I	0.5	-4.1	-1.1	-22.5
16.2	64.8		J	0.5	-4.1	-1.1	-22.5
-17.5	-122.2	q4-2	I	-1.0	8.1	1.1	19.5
-18.6	-130.1		J	-1.0	8.1	1.1	19.5
-59.0	362.8	q4-3	I	2.8	-24.0	5.6	51.6
-64.5	386.1		J	2.8	-24.0	5.6	51.6
34.8	-670.0	q4-4	I	70.8	47.8	0.6	-115.5
34.2	-716.3		J	70.8	47.8	0.6	-115.5
-542.8	734.0	q5x_pc	I	-50.7	-45.3	44.0	325.1
-576.0	777.3		J	-69.4	-44.2	43.7	324.6
88.0	-2573.2	q5y_pc	I	-55.3	25.7	-22.2	-163.7
110.0	-2589.1		J	-56.4	7.1	-22.2	-154.4
-481.5	1711.0	q5x_ps	I	-263.6	-91.1	41.5	275.7
-518.9	1798.7		J	-281.2	-90.0	41.1	275.6
88.1	-2587.7	q5y_ps	I	-53.5	34.8	-20.7	-126.8
108.4	-2612.8		J	-54.6	17.2	-20.7	-124.1
-27.0	255.9	q7	I	-71.6	-7.5	2.2	25.8
-29.2	263.1		J	-71.6	-7.5	2.2	25.8
94.7	388.9	T	I	3.2	-25.7	-4.4	91.7
99.0	413.8		J	3.2	-25.7	-4.4	91.7


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-2.4	-140.0		SLVx-E~1	I	3.3	-27.1	0.5	-59.7		
				J	3.3	-27.1	0.5	-59.1		
-2.8	-148.7									
			SLVy-E~1	I	7.7	-63.2	1.1	-139.3		
-5.6	-326.8			J	7.7	-63.2	1.1	-137.8		
-6.6	-346.9									
664	1	64	Q1-1_2 Max	I	13.0	43.9	724.5	2872.8	1	
6748.6	303.6			J	12.2	43.9	769.3	2861.6	1	
7006.7	322.2		Min	I	-15.6	-19.4	-868.7	-1271.3	-	
4561.6	-649.9			J	-16.4	-19.4	-820.5	-1273.3	-	
4833.2	-692.4									
			Q1-3_4 Max	I	13.7	39.8	730.7	2452.1	1	
6995.7	230.8			J	12.9	39.8	776.0	2462.4	1	
7270.4	245.8		Min	I	-15.4	-15.7	-888.0	-1312.7	-	
4459.1	-604.8			J	-16.2	-15.7	-839.2	-1236.1	-	
4724.2	-643.4									
			Q2a-1_2 Max	I	8.0	24.4	438.4	1679.0		
9746.3	168.1			J	7.5	24.4	465.6	1684.6		
9885.8	178.3		Min	I	-9.6	-10.6	-537.8	-668.6	-	
2523.4	-359.9			J	-10.1	-10.6	-509.4	-669.4	-	
2673.7	-383.4									
			Q2a-3_4 Max	I	8.4	21.6	439.9	1417.8		
9811.6	122.4			J	7.9	21.6	467.1	1436.0		
9960.7	130.4		Min	I	-9.4	-8.5	-546.8	-713.2	-	
2431.2	-328.4			J	-9.9	-8.5	-518.3	-661.8	-	
2575.6	-349.3									
			Q1-1 Max	I	4.7	17.0	273.4	1399.3		
6053.6	145.4			J	4.4	17.0	290.2	1377.2		
6135.9	154.3		Min	I	-6.1	-9.2	-325.0	-422.5	-	
1677.4	-242.7			J	-6.4	-9.2	-307.4	-427.4	-	
1777.5	-259.2									
			Q1-3 Max	I	5.4	11.8	268.4	651.8		
6157.3	52.5			J	5.1	11.8	285.3	712.6		
6260.0	56.4		Min	I	-5.6	-4.2	-344.8	-484.6	-	
1371.9	-196.6			J	-5.9	-4.2	-326.8	-431.4	-	
1453.0	-208.0									
			SLVx (RS)	I	428.0	-437.1	-178.8	-1408.9		
2318.1	7703.8									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2476.9	8048.9		J	428.0	-437.1	-178.8	-1408.9	
1363.8	-7424.9	SLVy (RS)	I	-360.8	533.4	77.6	2597.4	
1399.7	-7870.3		J	-360.8	533.4	77.6	2597.4	
3244.3	-1204.7	SLVz (RS)	I	163.6	112.9	117.8	-133.4	-
3261.8	-1181.0		J	163.6	112.9	117.8	-133.4	-
3915.7	-540.5	G1	I	-2.1	34.6	-84.2	730.2	1
3948.5	-574.0		J	-3.9	34.6	16.6	730.2	1
5052.0	-195.9	G2	I	-0.7	12.5	-30.7	263.8	
5064.1	-208.1		J	-1.4	12.5	5.9	263.8	
0.0	93.3	pp imp~1	I	0.6	-5.9	0.0	-14.5	
-0.0	99.0		J	0.6	-5.9	0.0	-14.5	
0.0	30.0	perm i~1	I	0.2	-1.9	0.0	-4.7	
-0.0	31.9		J	0.2	-1.9	0.0	-4.7	
-0.1	2.4	pp2	I	0.0	-0.1	0.0	1.0	
-0.1	2.5		J	0.0	-0.1	0.0	1.0	
0.1	0.6	perm2	I	0.0	-0.0	0.0	0.3	
0.1	0.6		J	0.0	-0.0	0.0	0.3	
-80.0	711.6	q3	I	-79.9	-35.1	13.7	-4.3	
-87.3	745.6		J	-85.1	-35.1	13.7	-16.7	
15.8	64.8	q4-1	I	0.4	-4.1	-1.1	-22.8	
16.9	68.7		J	0.4	-4.1	-1.1	-22.8	
-18.3	-130.1	q4-2	I	-0.9	8.2	1.1	19.9	
-19.3	-138.0		J	-0.9	8.2	1.1	19.9	
-63.4	386.2	q4-3	I	2.4	-24.1	5.6	52.8	
-68.9	409.5		J	2.4	-24.1	5.6	52.8	
31.9	-716.3	q4-4	I	71.6	46.5	0.6	-116.1	
			J	71.6	46.5	0.6	-116.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
31.3	-761.4							
-569.8	777.5	q5x_pc	I	-70.1	-42.9	43.6	334.8	
-602.6	818.4		J	-88.7	-41.5	43.3	334.1	
106.4	-2589.1	q5y_pc	I	-56.2	8.1	-22.2	-156.2	
128.7	-2588.0		J	-57.6	-10.5	-22.2	-146.9	
-513.3	1798.9	q5x_ps	I	-282.8	-85.0	41.1	284.8	
-550.3	1880.6		J	-300.3	-83.6	40.8	284.6	
105.3	-2612.9	q5y_ps	I	-54.2	18.1	-20.7	-126.0	
125.6	-2621.9		J	-55.6	0.6	-20.7	-123.3	
-28.6	263.1	q7	I	-71.7	-6.2	2.2	26.3	
-30.8	269.1		J	-71.7	-6.2	2.2	26.3	
100.7	413.8	T	I	2.7	-25.8	-4.4	89.9	
105.0	438.8		J	2.7	-25.8	-4.4	89.9	
-4.0	-148.7	SLVx-E~1	I	2.8	-27.1	0.5	-59.0	
-4.4	-157.3		J	2.8	-27.1	0.5	-58.4	
-9.2	-346.9	SLVy-E~1	I	6.5	-63.3	1.1	-137.6	
-10.3	-367.0		J	6.5	-63.3	1.1	-136.2	
665	1	64 Q1-1_2 Max	I	12.7	44.0	769.3	2609.1	1
7043.1	322.6		J	11.9	44.0	814.9	2600.5	1
7216.5	341.4	Min	I	-16.0	-19.4	-820.5	-1346.6	-
4850.7	-696.7		J	-16.8	-19.4	-773.7	-1352.5	-
5122.3	-739.3	Q1-3_4 Max	I	13.2	39.9	776.0	2227.1	1
7297.1	246.3		J	12.4	39.9	822.0	2238.0	1
7486.0	261.5	Min	I	-15.9	-15.7	-839.2	-1327.3	-
4741.9	-647.8		J	-16.7	-15.7	-791.7	-1252.1	-
5006.9	-686.4	Q2a-1_2 Max	I	7.8	24.4	465.6	1529.6	
9906.9	178.5		J	7.4	24.4	493.0	1535.8	
9996.5	188.8	Min	I	-9.8	-10.7	-509.4	-724.3	-
2683.4	-385.9							

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2833.7	-409.5		J	-10.3	-10.7	-481.7	-726.6	-
9974.9	130.7	Q2a-3_4 Max	I	8.2	21.6	467.1	1293.3	
0074.1	138.9		J	7.7	21.6	494.6	1311.3	1
2585.3	-351.8	Min	I	-9.6	-8.5	-518.3	-725.4	-
2729.8	-372.7		J	-10.1	-8.5	-490.5	-675.2	-
6154.0	154.5	Q1-1 Max	I	4.6	17.1	290.2	1283.4	
6205.3	163.4		J	4.3	17.1	307.2	1263.0	
1783.7	-260.6	Min	I	-6.2	-9.2	-307.4	-492.9	-
1883.8	-277.1		J	-6.5	-9.2	-290.3	-499.3	-
6261.4	56.3	Q1-3 Max	I	5.2	11.8	285.3	618.4	
6332.9	60.3		J	4.9	11.8	302.3	677.2	
1458.9	-209.6	Min	I	-5.8	-4.2	-326.8	-506.3	-
1540.0	-221.0		J	-6.1	-4.2	-309.2	-453.6	-
2457.7	8049.2	SLVx (RS)	I	455.2	-434.2	-179.9	-1440.5	
2616.3	8378.9		J	455.2	-434.2	-179.9	-1440.5	
1387.6	-7870.4	SLVy (RS)	I	-385.8	537.4	78.1	2603.6	
1417.4	-8313.0		J	-385.8	537.4	78.1	2603.6	
3263.7	-1180.5	SLVz (RS)	I	171.1	122.8	-100.6	-82.9	-
3248.1	-1157.1		J	171.1	122.8	-100.6	-82.9	-
3959.1	-578.5	G1	I	-3.3	34.7	16.6	480.0	1
3894.3	-612.1		J	-5.1	34.7	117.3	480.0	1
5067.9	-209.7	G2	I	-1.2	12.6	5.9	173.0	
5044.5	-221.9		J	-1.8	12.6	42.4	173.0	
-0.2	99.0	pp imp~1	I	0.5	-5.9	0.0	-14.5	
-0.3	104.7		J	0.5	-5.9	0.0	-14.5	
-0.1	31.9	perm i~1	I	0.2	-1.9	0.0	-4.7	
-0.1	33.7		J	0.2	-1.9	0.0	-4.7	
		pp2	I	0.0	-0.1	0.0	1.0	

MIDAS

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.1	2.5		J	0.0	-0.1	0.0	1.0
-0.1	2.6						
		perm2	I	0.0	-0.0	0.0	0.3
0.1	0.6		J	0.0	-0.0	0.0	0.3
0.1	0.7						
		q3	I	-85.7	-33.5	13.7	-15.1
-87.4	745.6		J	-90.9	-33.5	13.7	-27.5
-94.7	778.1						
		q4-1	I	0.4	-4.1	-1.1	-23.1
16.6	68.7		J	0.4	-4.1	-1.1	-23.1
17.7	72.7						
		q4-2	I	-0.7	8.2	1.1	20.2
-19.0	-138.0		J	-0.7	8.2	1.1	20.2
-20.1	-145.9						
		q4-3	I	2.0	-24.1	5.6	54.0
-67.8	409.5		J	2.0	-24.1	5.6	54.0
-73.2	432.9						
		q4-4	I	72.4	45.2	0.6	-116.6
28.9	-761.4		J	72.4	45.2	0.6	-116.6
28.3	-805.2						
		q5x_pc	I	-89.5	-39.9	43.3	344.8
-596.3	818.6		J	-108.0	-38.2	43.0	343.9
-628.8	856.5						
		q5y_pc	I	-57.8	-9.4	-22.2	-149.1
125.2	-2588.1		J	-59.6	-28.0	-22.3	-139.8
147.6	-2569.9						
		q5x_ps	I	-301.8	-78.3	40.8	294.3
-544.5	1880.8		J	-319.3	-76.6	40.4	294.1
-581.2	1955.8						
		q5y_ps	I	-55.6	1.6	-20.7	-125.5
122.5	-2622.0		J	-57.2	-16.0	-20.8	-122.8
142.8	-2615.0						
		q7	I	-71.8	-4.9	2.2	26.9
-30.2	269.1		J	-71.8	-4.9	2.2	26.9
-32.4	273.9						
		T	I	2.3	-25.8	-4.4	88.0
106.7	438.7		J	2.3	-25.8	-4.4	88.0
111.0	463.8						
		SLVx-E~1	I	2.3	-27.2	0.5	-58.3
-5.5	-157.3						

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-5.9	-165.8			J	2.3	-27.2	0.5	-57.6		
			SLVy-E~1	I	5.4	-63.4	1.1	-136.0		
-12.8	-367.0			J	5.4	-63.4	1.1	-134.5		
-13.9	-386.9									
666	1	64	Q1-1_2 Max	I	12.3	44.1	814.9	2345.0	1	
7246.9	341.8			J	11.6	44.1	861.2	2339.4	1	
7338.7	360.6		Min	I	-16.4	-19.4	-773.7	-1428.9	-	
5138.2	-743.6			J	-17.2	-19.4	-728.3	-1438.6	-	
5409.8	-786.3									
			Q1-3_4 Max	I	12.8	39.9	822.0	2007.1	1	
7507.5	262.0			J	12.0	39.9	868.8	2020.9	1	
7611.8	277.2		Min	I	-16.3	-15.7	-791.7	-1353.4	-	
5023.0	-690.9			J	-17.2	-15.7	-745.6	-1279.4	-	
5288.1	-729.5									
			Q2a-1_2 Max	I	7.7	24.4	493.0	1378.6	1	
0014.3	189.0			J	7.2	24.4	520.5	1385.8	1	
0056.5	199.3		Min	I	-10.0	-10.7	-481.7	-784.2	-	
2842.5	-412.0			J	-10.5	-10.7	-454.7	-788.1	-	
2992.8	-435.6									
			Q2a-3_4 Max	I	7.9	21.6	494.6	1169.9	1	
0085.4	139.2			J	7.5	21.6	522.2	1188.8	1	
0135.4	147.4		Min	I	-9.9	-8.5	-490.5	-742.8	-	
2738.6	-375.3			J	-10.4	-8.5	-463.3	-693.4	-	
2883.1	-396.3									
			Q1-1 Max	I	4.5	17.1	307.2	1168.1		
6220.8	163.6			J	4.3	17.1	324.3	1149.3		
6243.3	172.6		Min	I	-6.3	-9.2	-290.3	-568.6	-	
1889.4	-278.5			J	-6.6	-9.2	-273.6	-576.6	-	
1989.5	-295.0									
			Q1-3 Max	I	5.1	11.8	302.3	586.0		
6333.3	60.2			J	4.8	11.8	319.5	643.2		
6374.1	64.3		Min	I	-6.0	-4.2	-309.2	-532.9	-	
1545.5	-222.6			J	-6.3	-4.2	-292.1	-480.4	-	
1626.6	-234.0									
			SLVx(RS)	I	481.5	-432.7	-181.0	-1474.8		
2596.1	8379.2			J	481.5	-432.7	-181.0	-1474.8		
2754.8	8693.8									

MIDAS


PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

1405.7	-8313.1	SLVy (RS)	I	-410.9	541.2	79.3	2609.7	
			J	-410.9	541.2	79.3	2609.7	
1430.2	-8752.4							
		SLVz (RS)	I	178.6	131.1	-100.1	-52.0	-
3249.0	-1156.5		J	178.6	131.1	-100.1	-52.0	-
3198.4	-1137.2							
		G1	I	-4.5	34.7	117.3	230.9	1
3900.4	-616.6		J	-6.3	34.7	218.1	230.9	1
3738.0	-650.2							
		G2	I	-1.6	12.6	42.4	82.5	
5046.8	-223.5		J	-2.3	12.6	79.0	82.5	
4988.0	-235.7							
		pp imp~1	I	0.4	-5.9	0.0	-14.5	
-0.5	104.7		J	0.4	-5.9	0.0	-14.5	
-0.6	110.3							
		perm i~1	I	0.1	-1.9	0.0	-4.7	
-0.2	33.7		J	0.1	-1.9	0.0	-4.7	
-0.2	35.5							
		pp2	I	0.0	-0.1	0.0	1.0	
-0.1	2.6		J	0.0	-0.1	0.0	1.0	
-0.2	2.8							
		perm2	I	0.0	-0.0	0.0	0.3	
0.1	0.7		J	0.0	-0.0	0.0	0.3	
0.1	0.7							
		q3	I	-91.5	-31.9	13.7	-25.9	
-94.9	778.1		J	-96.6	-31.9	13.7	-38.3	
-102.3	809.0							
		q4-1	I	0.3	-4.1	-1.1	-23.4	
17.3	72.7		J	0.3	-4.1	-1.1	-23.4	
18.4	76.6							
		q4-2	I	-0.6	8.2	1.1	20.6	
-19.7	-145.9		J	-0.6	8.2	1.1	20.6	
-20.8	-153.8							
		q4-3	I	1.5	-24.2	5.6	55.3	
-72.1	432.9		J	1.5	-24.2	5.6	55.3	
-77.5	456.3							
		q4-4	I	73.2	43.9	0.7	-117.0	
26.0	-805.2		J	73.2	43.9	0.7	-117.0	
25.3	-847.8							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-622.2	856.7	q5x_pc	I	-108.7	-36.3	42.9	355.1	
			J	-127.2	-34.2	42.6	354.1	
-654.4	890.8							
144.2	-2570.0	q5y_pc	I	-60.1	-26.9	-22.3	-142.4	
166.9	-2534.9		J	-62.1	-45.4	-22.3	-133.1	
-575.2	1956.0	q5x_ps	I	-320.7	-70.9	40.4	304.4	
-611.6	2023.7		J	-338.2	-68.9	40.1	304.1	
139.8	-2615.0	q5y_ps	I	-57.5	-15.0	-20.8	-125.3	
160.2	-2592.1		J	-59.5	-32.5	-20.8	-122.7	
-31.8	273.9	q7	I	-71.9	-3.6	2.2	27.4	
-34.0	277.4		J	-71.9	-3.6	2.2	27.4	
112.7	463.7	T	I	1.8	-25.9	-4.4	86.0	
116.9	488.8		J	1.8	-25.9	-4.4	86.0	
-7.0	-165.8	SLVx-E~1	I	1.8	-27.2	0.4	-57.5	
-7.5	-174.3		J	1.8	-27.2	0.4	-56.9	
-16.4	-386.9	SLVy-E~1	I	4.3	-63.5	1.0	-134.2	
-17.4	-406.7		J	4.3	-63.5	1.0	-132.8	
667	1	64 Q1-1_2 Max	I	12.0	44.1	861.2	2082.9	1
7360.9	361.1		J	11.3	44.1	908.1	2080.4	1
7373.3	379.9							
5424.1	-790.5	Min	I	-16.8	-19.4	-728.3	-1515.2	-
5695.7	-833.2		J	-17.6	-19.4	-684.3	-1528.7	-
7628.0	277.8	Q1-3_4 Max	I	12.4	40.0	868.8	1790.8	1
7650.2	293.1		J	11.6	40.0	916.3	1807.7	1
5302.5	-734.0	Min	I	-16.8	-15.8	-745.6	-1406.0	-
5567.6	-772.7		J	-17.7	-15.8	-701.0	-1332.9	-
0069.3	199.5	Q2a-1_2 Max	I	7.5	24.5	520.5	1227.7	1
0065.6	209.9		J	7.0	24.5	548.3	1235.9	1
3000.7	-438.0	Min	I	-10.2	-10.7	-454.7	-846.2	-
3150.9	-461.7		J	-10.7	-10.7	-428.4	-851.5	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			

0143.9	147.7	Q2a-3_4 Max	I	7.7	21.7	522.2	1047.6	1
			J	7.2	21.7	550.1	1067.5	1
0146.7	155.9	Min	I	-10.1	-8.5	-463.3	-780.4	-
2891.0	-398.8		J	-10.6	-8.5	-436.8	-731.6	-
3035.5	-419.8							
6254.5	172.8	Q1-1 Max	I	4.4	17.1	324.4	1054.1	
			J	4.2	17.1	341.6	1036.9	
6249.4	181.8	Min	I	-6.4	-9.2	-273.6	-647.4	-
1994.5	-296.4		J	-6.7	-9.2	-257.4	-657.1	-
2094.6	-313.0							
6373.5	64.2	Q1-3 Max	I	4.9	11.9	319.5	551.3	
			J	4.6	11.9	336.8	607.1	
6384.1	68.2	Min	I	-6.1	-4.2	-292.1	-559.4	-
1631.6	-235.7		J	-6.5	-4.2	-275.5	-506.7	-
1712.7	-247.2							
2733.8	8694.1	SLVx (RS)	I	506.8	-432.7	-182.2	-1511.9	
			J	506.8	-432.7	-182.2	-1511.9	
2892.7	8993.5							
1418.9	-8752.5	SLVy (RS)	I	-436.3	-544.9	80.9	2615.6	
			J	-436.3	-544.9	80.9	2615.6	
1438.6	-9188.1							
3198.2	-1136.6	SLVz (RS)	I	186.0	137.4	-119.6	71.6	-
			J	186.0	137.4	-119.6	71.6	-
3111.5	-1124.7							
3739.7	-654.6	G1	I	-5.6	34.8	218.1	-15.4	1
			J	-7.5	34.8	318.8	-15.4	1
3479.6	-688.3							
4988.6	-237.3	G2	I	-2.0	12.6	79.0	-6.9	
			J	-2.7	12.6	115.5	-6.9	
4894.3	-249.5							
-0.8	110.3	pp imp~1	I	0.3	-5.9	0.0	-14.5	
			J	0.3	-5.9	0.0	-14.5	
-0.8	116.0							
-0.3	35.5	perm i~1	I	0.1	-1.9	0.0	-4.7	
			J	0.1	-1.9	0.0	-4.7	
-0.3	37.4							
-0.1	2.8	pp2	I	0.0	-0.1	0.0	1.0	
			J	0.0	-0.1	0.0	1.0	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.2	2.9						
0.1	0.7	perm2	I	0.0	-0.0	0.0	0.3
0.1	0.7		J	0.0	-0.0	0.0	0.3
-102.7	809.1	q3	I	-97.2	-30.2	13.7	-36.4
-110.0	838.3		J	-102.3	-30.2	13.7	-48.8
18.0	76.6	q4-1	I	0.2	-4.1	-1.1	-23.7
19.1	80.6		J	0.2	-4.1	-1.1	-23.7
-20.5	-153.8	q4-2	I	-0.4	8.2	1.1	20.9
-21.6	-161.8		J	-0.4	8.2	1.1	20.9
-76.4	456.4	q4-3	I	1.1	-24.2	5.6	56.6
-81.8	479.8		J	1.1	-24.2	5.6	56.6
22.9	-847.8	q4-4	I	74.0	42.6	0.7	-117.5
22.3	-889.0		J	74.0	42.6	0.7	-117.5
-647.6	891.0	q5x_pc	I	-127.8	-31.9	42.6	365.7
-679.5	920.7		J	-146.3	-29.5	42.3	364.5
163.7	-2535.0	q5y_pc	I	-62.9	-44.3	-22.3	-136.0
186.5	-2483.1		J	-65.4	-62.8	-22.4	-126.8
-605.4	2023.9	q5x_ps	I	-339.4	-62.8	40.1	314.9
-641.4	2083.6		J	-356.9	-60.6	39.7	314.6
157.1	-2592.1	q5y_ps	I	-60.0	-31.4	-20.8	-125.5
177.7	-2553.2		J	-62.3	-48.9	-20.9	-122.8
-33.4	277.4	q7	I	-71.9	-2.3	2.2	28.0
-35.6	279.6		J	-71.9	-2.3	2.2	28.0
118.6	488.7	T	I	1.4	-25.9	-4.4	83.9
122.9	513.8		J	1.4	-25.9	-4.4	83.9
-8.5	-174.3	SLVx-E~1	I	1.3	-27.2	0.4	-56.7
-9.0	-182.8		J	1.3	-27.2	0.4	-56.1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			

-19.9	-406.7	SLVy-E~1	I	3.1	-63.6	1.0	-132.4	
-20.9	-426.5		J	3.1	-63.6	1.0	-130.9	
668	1	64 Q1-1_2 Max	I	11.7	44.1	908.1	1826.8	1
7386.5	380.5		J	10.9	44.1	955.7	1827.3	1
7328.9	399.3	Min	I	-17.2	-19.4	-684.3	-1606.4	-
5708.1	-837.4		J	-18.0	-19.4	-641.6	-1623.1	-
5979.7	-880.1							
		Q1-3_4 Max	I	12.0	40.0	916.3	1579.3	1
7659.7	293.7		J	11.3	40.0	964.5	1599.6	1
7607.5	309.0	Min	I	-17.3	-15.8	-701.0	-1493.9	-
5580.3	-777.1		J	-18.2	-15.8	-657.7	-1421.3	-
5845.3	-815.9							
		Q2a-1_2 Max	I	7.3	24.5	548.3	1079.0	1
0072.9	210.1		J	6.8	24.5	576.1	1088.2	1
0030.4	220.5	Min	I	-10.4	-10.7	-428.4	-910.1	-
3157.8	-464.0		J	-10.9	-10.7	-402.7	-916.8	-
3308.0	-487.7							
		Q2a-3_4 Max	I	7.5	21.7	550.1	927.4	1
0151.3	156.3		J	7.0	21.7	578.0	928.9	1
0112.6	164.5	Min	I	-10.4	-8.5	-436.8	-845.6	-
3042.5	-422.4		J	-10.9	-8.5	-411.0	-797.1	-
3187.0	-443.4							
		Q1-1 Max	I	4.4	17.1	341.6	942.4	
6255.8	182.0		J	4.1	17.1	358.9	926.8	
6227.7	191.0	Min	I	-6.5	-9.2	-257.4	-728.6	-
2098.9	-314.3		J	-6.8	-9.2	-241.6	-739.9	-
2199.0	-330.9							
		Q1-3 Max	I	4.7	11.9	336.8	514.1	
6382.5	68.1		J	4.4	11.9	354.3	568.8	
6363.4	72.2	Min	I	-6.3	-4.2	-275.5	-584.2	-
1717.2	-248.9		J	-6.7	-4.2	-259.2	-531.0	-
1798.2	-260.3							
		SLVx (RS)	I	531.1	-434.5	-183.5	-1551.9	
2870.6	8993.8		J	531.1	-434.5	-183.5	-1551.9	
3029.9	9278.4							
		SLVy (RS)	I	-461.6	-548.6	82.5	2621.2	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1427.7	-9188.2		J	-461.6	-548.6	82.5	2621.2
1443.2	-9619.7						
		SLVz (RS)	I	193.2	141.3	-151.9	117.0
3110.3	-1124.1		J	193.2	141.3	-151.9	117.0
2987.9	-1122.3						
		G1	I	-6.8	34.8	318.8	-257.0
3477.0	-692.7		J	-8.7	34.8	419.6	-257.0
3119.3	-726.4						
		G2	I	-2.5	12.6	115.5	-94.6
4893.3	-251.1		J	-3.1	12.6	152.1	-94.6
4763.7	-263.3						
		pp imp~1	I	0.2	-5.9	0.0	-14.5
-1.0	116.0		J	0.2	-5.9	0.0	-14.5
-1.1	121.7						
		perm i~1	I	0.1	-1.9	0.0	-4.7
-0.3	37.4		J	0.1	-1.9	0.0	-4.7
-0.3	39.2						
		pp2	I	0.0	-0.1	0.0	1.0
-0.1	2.9		J	0.0	-0.1	0.0	1.0
-0.2	3.1						
		perm2	I	0.0	-0.0	0.0	0.3
0.1	0.7		J	0.0	-0.0	0.0	0.3
0.1	0.8						
		q3	I	-102.9	-28.3	13.7	-46.9
-110.6	838.3		J	-108.0	-28.3	13.7	-59.3
-117.9	865.8						
		q4-1	I	0.1	-4.1	-1.1	-24.0
18.7	80.6		J	0.1	-4.1	-1.1	-24.0
19.8	84.6						
		q4-2	I	-0.3	8.2	1.1	21.3
-21.2	-161.8		J	-0.3	8.2	1.1	21.3
-22.3	-169.7						
		q4-3	I	0.7	-24.2	5.6	58.1
-80.6	479.8		J	0.7	-24.2	5.6	58.1
-86.0	503.3						
		q4-4	I	74.8	41.3	0.7	-117.8
19.9	-889.1		J	74.8	41.3	0.7	-117.8
19.2	-929.0						
		q5x_pc	I	-146.8	-26.9	42.2	376.6
-672.6	921.0						

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-704.1	945.7		J	-165.3	-24.1	41.9	375.2	
183.4	-2483.2	q5y_pc	I	-66.5	-61.6	-22.4	-130.1	
206.5	-2414.5		J	-69.2	-80.1	-22.4	-120.8	
-635.0	2083.9	q5x_ps	I	-357.9	-54.2	39.7	326.0	
-670.7	2135.1		J	-375.3	-51.6	39.4	325.6	
174.6	-2553.3	q5y_ps	I	-63.2	-47.8	-20.9	-125.9	
195.3	-2498.6		J	-65.8	-65.2	-20.9	-123.3	
-35.0	279.6	q7	I	-71.9	-1.0	2.2	28.7	
-37.1	280.6		J	-71.9	-1.0	2.2	28.7	
124.6	513.8	T	I	0.9	-25.9	-4.4	81.6	
128.8	538.9		J	0.9	-25.9	-4.4	81.6	
-10.0	-182.8	SLVx-E~1	I	0.8	-27.3	0.4	-55.9	
-10.4	-191.2		J	0.8	-27.3	0.4	-55.3	
-23.4	-426.5	SLVy-E~1	I	2.0	-63.6	1.0	-130.5	
-24.4	-446.2		J	2.0	-63.6	1.0	-129.1	
669	1	64 Q1-1_2 Max	I	11.3	44.2	955.7	1582.1	1
7333.2	399.9		J	10.6	44.2	1003.9	1585.7	1
7209.0	418.7	Min	I	-17.6	-19.5	-641.6	-1704.7	-
5990.3	-884.1		J	-18.5	-19.5	-600.4	-1724.6	-
6261.9	-926.9	Q1-3_4 Max	I	11.6	40.0	964.5	1374.6	1
7613.4	309.7		J	10.9	40.0	1013.4	1368.9	1
7491.5	324.9	Min	I	-17.7	-15.8	-657.7	-1578.9	-
5856.2	-820.3		J	-18.6	-15.8	-615.9	-1506.3	-
6121.2	-859.0	Q2a-1_2 Max	I	7.1	24.5	576.1	935.0	1
0032.2	220.7		J	6.6	24.5	604.0	945.5	
9953.5	231.1	Min	I	-10.6	-10.7	-402.7	-976.6	-
3313.9	-490.0		J	-11.1	-10.7	-377.8	-984.6	-
3464.2	-513.7	Q2a-3_4 Max	I	7.3	21.7	578.0	810.6	1

MIDAS

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0115.7	164.9		J	6.8	21.7	606.1	835.2	1
0039.0	173.1							
		Min	I	-10.6	-8.5	-411.0	-910.1	-
3192.9	-445.9							
			J	-11.1	-8.5	-385.9	-861.6	-
3337.4	-466.9							
		Q1-1 Max	I	4.2	17.1	358.9	833.6	
6228.7	191.3							
			J	4.0	17.1	376.2	819.7	
6178.5	200.2							
		Min	I	-6.6	-9.2	-241.6	-811.4	-
2202.6	-332.1							
			J	-6.9	-9.2	-226.3	-824.4	-
2302.7	-348.7							
		Q1-3 Max	I	4.6	11.9	354.3	475.1	
6367.1	72.1							
			J	4.3	11.9	371.9	529.0	
6321.4	76.2							
		Min	I	-6.5	-4.2	-259.2	-606.5	-
1802.1	-262.1							
			J	-6.8	-4.2	-243.5	-552.6	-
1883.2	-273.5							
		SLVx (RS)	I	554.4	-438.4	-184.7	-1594.6	
3006.8	9278.6							
			J	554.4	-438.4	-184.7	-1594.6	
3166.6	9548.8							
		SLVy (RS)	I	-487.0	-552.2	84.0	2626.7	
1432.8	-9619.7							
			J	-487.0	-552.2	84.0	2626.7	
1444.7	-10046.8							
		SLVz (RS)	I	200.2	142.9	-189.1	166.3	-
2985.7	-1121.7							
			J	200.2	142.9	-189.1	166.3	-
2829.4	-1131.3							
		G1	I	-8.0	34.8	419.6	-492.1	1
3112.3	-730.6							
			J	-9.9	34.8	520.3	-492.1	1
2657.0	-764.3							
		G2	I	-2.9	12.6	152.1	-180.0	
4761.1	-264.8							
			J	-3.6	12.6	188.7	-180.0	
4596.1	-277.1							
		pp imp~1	I	0.1	-5.9	0.0	-14.5	
-1.3	121.7							
			J	0.1	-5.9	0.0	-14.5	
-1.3	127.4							
		perm i~1	I	0.0	-1.9	0.0	-4.7	
-0.4	39.2							
			J	0.0	-1.9	0.0	-4.7	
-0.4	41.0							
		pp2	I	0.0	-0.1	0.0	1.0	
-0.1	3.1							
			J	0.0	-0.1	0.0	1.0	
-0.2	3.2							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.1	0.8	perm2	I	0.0	-0.0	0.0	0.3
			J	0.0	-0.0	0.0	0.3
0.1	0.8						
		q3	I	-108.5	-26.4	13.7	-57.2
-118.6	865.8		J	-113.7	-26.4	13.7	-69.6
-125.9	891.4						
		q4-1	I	0.1	-4.1	-1.1	-24.4
19.4	84.6		J	0.1	-4.1	-1.1	-24.4
20.5	88.5						
		q4-2	I	-0.1	8.2	1.1	21.7
-22.0	-169.7		J	-0.1	8.2	1.1	21.7
-23.0	-177.7						
		q4-3	I	0.2	-24.2	5.6	59.6
-84.8	503.3		J	0.2	-24.2	5.6	59.6
-90.2	526.8						
		q4-4	I	75.5	39.9	0.7	-118.1
16.8	-929.0		J	75.5	39.9	0.7	-118.1
16.1	-967.7						
		q5x_pc	I	-165.7	-21.2	41.9	387.8
-697.0	945.9		J	-184.1	-18.1	41.6	386.3
-728.2	964.9						
		q5y_pc	I	-70.7	-78.8	-22.5	-124.5
203.5	-2414.6		J	-73.7	-97.2	-22.5	-115.3
226.9	-2329.3						
		q5x_ps	I	-376.2	-44.8	39.4	337.6
-664.1	2135.3		J	-393.6	-41.9	39.1	337.1
-699.5	2177.3						
		q5y_ps	I	-66.9	-64.0	-20.9	-126.8
192.2	-2498.6		J	-69.9	-81.4	-21.0	-124.2
213.0	-2428.2						
		q7	I	-71.9	0.3	2.2	29.3
-36.5	280.6		J	-71.9	0.3	2.2	29.3
-38.7	280.4						
		T	I	0.4	-25.9	-4.4	79.3
130.5	538.8		J	0.4	-25.9	-4.4	79.3
134.7	563.9						
		SLVx-E~1	I	0.4	-27.3	0.4	-55.1
-11.5	-191.2		J	0.4	-27.3	0.4	-54.5
-11.9	-199.7						
		SLVy-E~1	I	0.8	-63.6	1.0	-128.6


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-26.8	-446.2			J	0.8	-63.6	1.0	-127.1		
-27.8	-465.9									
670	1	64	Q1-1_2 Max	I	10.9	44.2	1003.9	1349.2	1	
7204.6	419.3			J	10.2	44.2	1052.6	1356.2	1	
7003.9	438.2		Min	I	-18.0	-19.5	-600.4	-1845.8	-	
6270.5	-930.8			J	-18.9	-19.5	-560.5	-1842.9	-	
6542.0	-973.6									
			Q1-3_4 Max	I	11.2	40.0	1013.4	1141.7	1	
7490.5	325.7			J	10.5	40.0	1062.9	1213.7	1	
7289.7	340.9		Min	I	-18.2	-15.8	-615.9	-1659.2	-	
6130.2	-863.4			J	-19.1	-15.8	-575.4	-1645.7	-	
6395.2	-902.1									
			Q2a-1_2 Max	I	6.9	24.5	604.0	796.6		
9950.0	231.3			J	6.4	24.5	632.0	808.4		
9827.5	241.7		Min	I	-10.8	-10.7	-377.8	-1073.1	-	
3468.9	-515.9			J	-11.4	-10.7	-353.6	-1062.9	-	
3619.2	-539.6									
			Q2a-3_4 Max	I	7.0	21.7	606.1	695.3	1	
0038.1	173.5			J	6.6	21.7	634.4	743.7		
9916.6	181.7		Min	I	-10.9	-8.5	-385.9	-972.6	-	
3342.3	-469.4			J	-11.4	-8.5	-361.6	-923.8	-	
3486.8	-490.4									
			Q1-1 Max	I	4.1	17.1	376.2	728.5		
6174.8	200.5			J	3.9	17.1	393.7	716.2		
6098.3	209.5		Min	I	-6.8	-9.2	-226.3	-894.9	-	
2305.6	-350.0			J	-7.1	-9.2	-211.4	-909.5	-	
2405.7	-366.6									
			Q1-3 Max	I	4.4	11.9	371.9	435.0		
6324.2	76.1			J	4.2	11.9	389.7	488.5		
6249.5	80.1		Min	I	-6.7	-4.2	-243.4	-625.6	-	
1886.5	-275.3			J	-7.0	-4.2	-228.1	-570.6	-	
1967.6	-286.7									
			SLVx (RS)	I	576.6	-444.5	-186.0	-1640.2		
3142.5	9549.1			J	576.6	-444.5	-186.0	-1640.2		
3302.8	9805.5									
			SLVy (RS)	I	-512.4	-555.8	85.3	2631.8		
1434.8	-10046.8			J	-512.4	-555.8	85.3	2631.8		

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1443.5	-10469.2							
		SLVz (RS)	I	206.9	142.0	-226.4	214.5	-
2826.4	-1130.7		J	206.9	142.0	-226.4	214.5	-
2639.4	-1151.7							
		G1	I	-9.2	34.8	520.3	-718.9	1
2645.9	-768.4		J	-11.1	34.8	621.1	-718.9	1
2093.0	-802.2							
		G2	I	-3.4	12.6	188.7	-262.3	
4592.0	-278.5		J	-4.0	12.6	225.2	-262.3	
4391.5	-290.8							
		pp imp~1	I	-0.0	-5.9	0.0	-14.5	
-1.6	127.4		J	-0.0	-5.9	0.0	-14.5	
-1.6	133.1							
		perm i~1	I	-0.0	-1.9	0.0	-4.7	
-0.5	41.0		J	-0.0	-1.9	0.0	-4.7	
-0.5	42.9							
		pp2	I	-0.0	-0.1	0.0	1.0	
-0.1	3.2		J	-0.0	-0.1	0.0	1.0	
-0.2	3.4							
		perm2	I	-0.0	-0.0	0.0	0.3	
0.1	0.8		J	-0.0	-0.0	0.0	0.3	
0.1	0.8							
		q3	I	-114.1	-24.4	13.6	-67.3	
-126.8	891.4		J	-119.3	-24.4	13.6	-79.7	
-134.1	915.0							
		q4-1	I	0.0	-4.1	-1.1	-24.8	
20.0	88.5		J	0.0	-4.1	-1.1	-24.8	
21.2	92.5							
		q4-2	I	0.0	8.2	1.1	22.1	
-22.7	-177.6		J	0.0	8.2	1.1	22.1	
-23.8	-185.6							
		q4-3	I	-0.2	-24.2	5.6	61.2	
-89.0	526.8		J	-0.2	-24.2	5.6	61.2	
-94.4	550.3							
		q4-4	I	76.2	38.6	0.7	-118.4	
13.7	-967.7		J	76.2	38.6	0.7	-118.4	
13.0	-1005.1							
		q5x_pc	I	-184.4	-14.8	41.6	399.2	
-720.8	965.2		J	-202.7	-11.4	41.2	397.5	
-751.8	977.8							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


224.0	-2329.4	q5y_pc	I	-75.5	-95.9	-22.6	-119.3	
247.6	-2227.7		J	-78.9	-114.2	-22.6	-110.2	
-692.6	2177.5	q5x_ps	I	-394.3	-34.9	39.1	349.6	
-727.7	2209.8		J	-411.6	-31.7	38.7	349.1	
209.9	-2428.3	q5y_ps	I	-71.3	-80.1	-21.0	-128.0	
230.8	-2342.3		J	-74.5	-97.5	-21.1	-125.4	
-38.1	280.4	q7	I	-71.9	1.6	2.2	30.0	
-40.2	278.9		J	-71.9	1.6	2.2	30.0	
136.3	563.9	T	I	-0.0	-25.9	-4.4	76.9	
140.6	589.0		J	-0.0	-25.9	-4.4	76.9	
-12.9	-199.7	SLVx-E~1	I	-0.1	-27.3	0.4	-54.3	
-13.3	-208.1		J	-0.1	-27.3	0.4	-53.6	
-30.2	-465.9	SLVy-E~1	I	-0.3	-63.7	1.0	-126.6	
-31.1	-485.6		J	-0.3	-63.7	1.0	-125.1	
671	1	64 Q1-1_2 Max	I	10.6	44.1	1052.7	1147.6	1
6991.1	438.8		J	9.8	44.1	1101.9	1140.0	1
6715.1	457.7	Min	I	-18.5	-19.5	-560.5	-2004.9	-
6548.6	-977.3		J	-19.4	-19.5	-522.0	-2004.7	-
6820.1	-1020.0							
7283.5	341.7	Q1-3_4 Max	I	10.8	40.0	1062.9	989.7	1
7003.8	357.0		J	10.1	40.0	1113.0	1062.5	1
6402.1	-906.2	Min	I	-18.7	-15.8	-575.4	-1785.7	-
6667.2	-945.0		J	-19.6	-15.8	-536.4	-1766.1	-
9819.0	242.0	Q2a-1_2 Max	I	6.7	24.5	632.0	678.3	
9653.8	252.3		J	6.2	24.5	660.1	678.0	
3622.8	-541.6	Min	I	-11.1	-10.7	-353.6	-1181.3	-
3773.0	-565.3		J	-11.6	-10.7	-330.0	-1171.9	-
9912.9	182.1	Q2a-3_4 Max	I	6.8	21.7	634.4	606.4	
			J	6.4	21.7	662.7	655.3	

MIDAS

PROJECT TITLE :


MIDAS	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
9746.5	190.4								
		Min	I	-11.1	-8.5	-361.6	-1031.7		-
3490.6	-492.7		J	-11.7	-8.5	-337.9	-1023.0		-
3635.1	-513.7								
		Q1-1 Max	I	4.0	17.1	393.7	627.7		
6090.2	209.8		J	3.7	17.1	411.1	617.1		
5988.0	218.7								
		Min	I	-6.9	-9.2	-211.4	-978.5		-
2407.8	-367.7		J	-7.2	-9.2	-197.0	-994.7		-
2507.9	-384.3								
		Q1-3 Max	I	4.3	11.9	389.7	394.8		
6251.4	80.0		J	4.0	11.9	407.5	448.0		
6148.2	84.1								
		Min	I	-6.9	-4.2	-228.1	-640.9		-
1970.3	-288.4		J	-7.2	-4.2	-213.2	-584.7		-
2051.4	-299.8								
		SLVx (RS)	I	597.7	-453.0	-187.5	-1688.7		
3277.6	9805.8		J	597.7	-453.0	-187.5	-1688.7		
3438.6	10049.3								
		SLVy (RS)	I	-537.7	-559.5	86.4	2636.6		
1434.4	-10469.2		J	-537.7	-559.5	86.4	2636.6		
1440.2	-10886.7								
		SLVz (RS)	I	213.4	138.6	-260.8	260.0		-
2635.5	-1151.2		J	213.4	138.6	-260.8	260.0		-
2422.4	-1182.0								
		G1	I	-10.4	34.8	621.1	-935.5		1
2077.9	-806.1		J	-12.3	34.8	721.8	-935.5		1
1427.4	-839.8								
		G2	I	-3.8	12.6	225.2	-341.0		
4386.0	-292.2		J	-4.4	12.6	261.8	-341.0		
4150.1	-304.4								
		pp imp~1	I	-0.1	-5.9	0.0	-14.4		
-1.8	133.1		J	-0.1	-5.9	0.0	-14.4		
-1.8	138.8								
		perm i~1	I	-0.0	-1.9	0.0	-4.6		
-0.6	42.9		J	-0.0	-1.9	0.0	-4.6		
-0.6	44.7								
		pp2	I	-0.0	-0.1	0.0	1.0		
-0.2	3.4		J	-0.0	-0.1	0.0	1.0		
-0.2	3.5								
		perm2	I	-0.0	-0.0	0.0	0.3		
0.1	0.8								

PROJECT TITLE :

		Company		Client			
		Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.1	0.9		J	-0.0	-0.0	0.0	0.3
-135.2	915.1	q3	I	-119.7	-22.2	13.6	-77.3
-142.5	936.6		J	-124.9	-22.2	13.6	-89.7
20.7	92.5	q4-1	I	-0.1	-4.1	-1.1	-25.1
21.8	96.5		J	-0.1	-4.1	-1.1	-25.1
-23.4	-185.6	q4-2	I	0.2	8.2	1.1	22.6
-24.5	-193.5		J	0.2	8.2	1.1	22.6
-93.1	550.3	q4-3	I	-0.6	-24.2	5.6	62.9
-98.5	573.8		J	-0.6	-24.2	5.6	62.9
10.5	-1005.1	q4-4	I	76.9	37.2	0.7	-118.6
9.8	-1041.1		J	76.9	37.2	0.7	-118.6
-744.2	978.1	q5x_pc	I	-202.9	-7.8	41.2	410.9
-774.9	983.8		J	-221.1	-4.0	40.9	409.1
244.9	-2227.7	q5y_pc	I	-80.9	-112.7	-22.7	-114.6
268.7	-2109.7		J	-84.6	-131.0	-22.7	-105.4
-720.6	2210.0	q5x_ps	I	-412.1	-24.3	38.7	362.1
-755.4	2231.8		J	-429.4	-20.8	38.4	361.6
227.7	-2342.3	q5y_ps	I	-76.3	-96.1	-21.1	-129.5
248.8	-2240.9		J	-79.8	-113.4	-21.2	-126.9
-39.6	278.9	q7	I	-71.9	2.8	2.2	30.7
-41.7	276.1		J	-71.9	2.8	2.2	30.7
142.2	588.9	T	I	-0.5	-25.9	-4.4	74.3
146.5	614.0		J	-0.5	-25.9	-4.4	74.3
-14.4	-208.1	SLVx-E~1	I	-0.6	-27.3	0.4	-53.4
-14.7	-216.6		J	-0.6	-27.3	0.4	-52.8
-33.5	-485.6	SLVy-E~1	I	-1.4	-63.6	0.9	-124.6
			J	-1.4	-63.6	0.9	-123.1


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-34.4	-505.3									
672	1	64	Q1-1_2	Max	I	10.2	44.1	1101.9	970.9	1
6696.3	458.4				J	9.4	44.1	1151.7	958.4	1
6344.5	477.2									
				Min	I	-19.0	-19.4	-522.0	-2164.9	-
6824.5	-1023.6				J	-19.9	-19.4	-485.0	-2167.2	-
7096.1	-1066.3									
			Q1-3_4	Max	I	10.4	40.0	1113.1	844.0	1
6992.5	357.8				J	9.7	40.0	1163.7	918.0	1
6635.3	373.1									
				Min	I	-19.2	-15.8	-536.4	-1901.0	-
6672.0	-948.9				J	-20.1	-15.8	-498.7	-1884.1	-
6937.0	-987.6									
			Q2a-1_2	Max	I	6.4	24.5	660.1	575.0	
9641.9	252.6				J	6.0	24.5	688.2	570.0	
9433.6	263.0									
				Min	I	-11.3	-10.7	-330.0	-1288.2	-
3775.5	-567.2				J	-11.9	-10.7	-307.2	-1279.6	-
3925.7	-590.9									
			Q2a-3_4	Max	I	6.6	21.7	662.7	522.0	
9740.1	190.8				J	6.2	21.7	691.1	571.7	
9529.9	199.0									
				Min	I	-11.4	-8.5	-337.9	-1123.5	-
3637.8	-515.9				J	-11.9	-8.5	-314.9	-1103.2	-
3782.2	-536.9									
			Q1-1	Max	I	3.9	17.1	411.1	532.2	
5977.2	219.1				J	3.6	17.1	428.7	523.1	
5848.4	228.0									
				Min	I	-7.1	-9.2	-197.0	-1061.6	-
2509.3	-385.4				J	-7.4	-9.2	-183.1	-1079.4	-
2609.4	-402.0									
			Q1-3	Max	I	4.1	11.9	407.5	355.1	
6149.2	84.0				J	3.9	11.9	425.5	408.5	
6018.3	88.1									
				Min	I	-7.0	-4.2	-213.2	-652.0	-
2053.4	-301.4				J	-7.3	-4.2	-198.8	-594.4	-
2134.5	-312.8									
			SLVx (RS)		I	617.7	-464.0	-189.2	-1740.1	
3412.3	10049.5				J	617.7	-464.0	-189.2	-1740.1	
3574.0	10281.2									
			SLVy (RS)		I	-562.8	-563.3	87.4	2641.0	
1431.8	-10886.7				J	-562.8	-563.3	87.4	2641.0	
1435.1	-11299.0									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2417.7	-1181.5	SLVz (RS)	I	219.4	132.9	-290.7	301.8	-
			J	219.4	132.9	-290.7	301.8	-
2183.9	-1219.5							
		G1	I	-11.6	34.8	721.8	-1140.2	1
1408.5	-843.5		J	-13.4	34.8	822.6	-1140.2	1
0660.4	-877.2							
		G2	I	-4.2	12.6	261.8	-415.3	
4143.2	-305.7		J	-4.9	12.6	298.3	-415.3	
3871.9	-318.0							
		pp imp~1	I	-0.2	-5.9	0.0	-14.4	
-2.1	138.8		J	-0.2	-5.9	0.0	-14.4	
-2.1	144.5							
		perm i~1	I	-0.1	-1.9	0.0	-4.6	
-0.7	44.7		J	-0.1	-1.9	0.0	-4.6	
-0.7	46.5							
		pp2	I	-0.0	-0.1	0.0	1.0	
-0.2	3.5		J	-0.0	-0.1	0.0	1.0	
-0.2	3.6							
		perm2	I	-0.0	-0.0	0.0	0.3	
0.1	0.9		J	-0.0	-0.0	0.0	0.3	
0.1	0.9							
		q3	I	-125.3	-20.0	13.6	-87.1	
-143.8	936.6		J	-130.4	-20.0	13.6	-99.5	
-151.1	956.0							
		q4-1	I	-0.1	-4.1	-1.1	-25.5	
21.4	96.5		J	-0.1	-4.1	-1.1	-25.5	
22.5	100.4							
		q4-2	I	0.3	8.2	1.1	23.0	
-24.2	-193.5		J	0.3	8.2	1.1	23.0	
-25.3	-201.5							
		q4-3	I	-1.1	-24.2	5.6	64.7	
-97.2	573.8		J	-1.1	-24.2	5.6	64.7	
-102.5	597.2							
		q4-4	I	77.5	35.8	0.7	-118.8	
7.4	-1041.1		J	77.5	35.8	0.7	-118.8	
6.7	-1075.8							
		q5x_pc	I	-221.2	-0.1	40.9	422.9	
-767.1	984.0		J	-239.4	4.0	40.6	420.9	
-797.5	982.1							
		q5y_pc	I	-87.0	-129.5	-22.8	-110.2	

MIDAS


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
266.1	-2109.7			J	-91.0	-147.7	-22.8	-101.1	
290.3	-1975.5								
-748.1	2232.1		q5x_ps	I	-429.7	-13.1	38.4	375.1	
-782.6	2242.9			J	-446.9	-9.2	38.1	374.5	
245.7	-2240.9		q5y_ps	I	-81.8	-111.9	-21.2	-131.3	
266.9	-2124.2			J	-85.7	-129.1	-21.3	-128.7	
-41.1	276.2		q7	I	-71.8	4.1	2.2	31.5	
-43.3	272.2			J	-71.8	4.1	2.2	31.5	
148.0	614.0		T	I	-1.0	-25.9	-4.5	71.7	
152.3	639.1			J	-1.0	-25.9	-4.5	71.7	
-15.8	-216.5		SLVx-E~1	I	-1.1	-27.3	0.4	-52.5	
-16.1	-225.0			J	-1.1	-27.3	0.4	-51.9	
-36.8	-505.3		SLVy-E~1	I	-2.6	-63.6	0.9	-122.5	
-37.7	-525.0			J	-2.6	-63.6	0.9	-121.0	
673	1	64	Q1-1_2 Max	I	9.8	44.1	1151.7	817.5	1
6320.0	477.9			J	9.0	44.1	1201.9	808.6	1
5894.1	496.7		Min	I	-19.5	-19.4	-484.9	-2326.4	-
7098.3	-1069.7			J	-20.4	-19.4	-449.3	-2331.3	-
7369.8	-1112.4								
6619.0	374.0		Q1-3_4 Max	I	10.0	40.0	1163.7	714.5	1
6186.2	389.2			J	9.3	40.0	1214.9	790.0	1
6939.6	-991.3		Min	I	-19.7	-15.7	-498.7	-2017.5	-
7204.7	-1030.0			J	-20.6	-15.7	-462.5	-2003.1	-
9418.6	263.3		Q2a-1_2 Max	I	6.2	24.4	688.2	484.8	
9168.4	273.6			J	5.8	24.4	716.3	481.2	
3926.9	-592.8		Min	I	-11.6	-10.7	-307.2	-1393.9	-
4077.2	-616.4			J	-12.1	-10.7	-285.2	-1385.9	-
9520.8	199.5		Q2a-3_4 Max	I	6.4	21.7	691.1	446.4	
9268.2	207.7			J	5.9	21.7	719.6	497.2	
			Min	I	-11.7	-8.5	-314.9	-1201.9	-

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
3783.7	-539.0		J	-12.2	-8.5	-292.6	-1182.3	-
3928.2	-560.0							
5835.1	228.3	Q1-1 Max	I	3.7	17.1	428.7	444.2	
5680.4	237.3		J	3.4	17.1	446.2	436.6	
2609.9	-403.0	Min	I	-7.2	-9.2	-183.1	-1144.7	-
2710.0	-419.6		J	-7.6	-9.2	-169.7	-1163.9	-
6018.4	88.0	Q1-3 Max	I	4.0	11.9	425.5	319.5	
5860.3	92.1		J	3.7	11.9	443.5	373.2	
2135.9	-314.3	Min	I	-7.2	-4.2	-198.8	-660.9	-
2217.0	-325.7		J	-7.5	-4.2	-184.9	-601.8	-
3546.6	10281.3	SLVx (RS)	I	636.5	-477.7	-191.2	-1794.3	
3709.3	10502.5		J	636.5	-477.7	-191.2	-1794.3	
1427.6	-11299.1	SLVy (RS)	I	-587.7	-567.2	88.5	2645.0	
1428.6	-11706.2		J	-587.7	-567.2	88.5	2645.0	
2178.6	-1219.1	SLVz (RS)	I	224.9	125.1	-315.5	339.3	-
1930.4	-1261.1		J	224.9	125.1	-315.5	339.3	-
0638.0	-880.6	G1	I	-12.8	34.7	822.6	-1331.2	1
9792.2	-914.3		J	-14.6	34.7	923.3	-1331.2	
3863.7	-319.2	G2	I	-4.6	12.6	298.3	-484.7	
3557.0	-331.4		J	-5.3	12.6	334.9	-484.7	
-2.3	144.5	pp imp~1	I	-0.3	-5.9	0.0	-14.3	
-2.3	150.2		J	-0.3	-5.9	0.0	-14.3	
-0.7	46.5	perm i~1	I	-0.1	-1.9	0.0	-4.6	
-0.8	48.4		J	-0.1	-1.9	0.0	-4.6	
-0.2	3.6	pp2	I	-0.0	-0.1	0.0	1.0	
-0.2	3.8		J	-0.0	-0.1	0.0	1.0	
0.1	0.9	perm2	I	-0.0	-0.0	0.0	0.3	
0.1	0.9		J	-0.0	-0.0	0.0	0.3	


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


-152.5	956.0	q3	I	-130.8	-17.6	13.6	-96.8
			J	-135.9	-17.6	13.6	-109.2
-159.8	973.1						
		q4-1	I	-0.2	-4.1	-1.1	-25.9
22.1	100.4		J	-0.2	-4.1	-1.1	-25.9
23.2	104.4						
		q4-2	I	0.5	8.2	1.1	23.4
-24.9	-201.5		J	0.5	8.2	1.1	23.4
-26.0	-209.4						
		q4-3	I	-1.5	-24.2	5.6	66.5
-101.2	597.3		J	-1.5	-24.2	5.6	66.5
-106.5	620.7						
		q4-4	I	78.2	34.4	0.8	-118.9
4.2	-1075.8		J	78.2	34.4	0.8	-118.9
3.4	-1109.1						
		q5x_pc	I	-239.2	8.3	40.6	435.1
-789.5	982.4		J	-257.4	12.7	40.3	432.9
-819.6	972.3						
		q5y_pc	I	-93.7	-146.0	-22.9	-106.4
287.8	-1975.6		J	-98.1	-164.1	-23.0	-97.3
312.2	-1825.3						
		q5x_ps	I	-447.0	-1.2	38.1	388.5
-775.0	2243.1		J	-464.1	2.9	37.8	387.9
-809.2	2242.3						
		q5y_ps	I	-88.0	-127.6	-21.3	-133.5
263.8	-2124.3		J	-92.1	-144.7	-21.4	-131.0
285.2	-1992.4						
		q7	I	-71.7	5.4	2.2	32.3
-42.6	272.2		J	-71.7	5.4	2.2	32.3
-44.8	266.9						
		T	I	-1.4	-25.9	-4.5	69.0
153.8	639.0		J	-1.4	-25.9	-4.5	69.0
158.1	664.1						
		SLVx-E~1	I	-1.6	-27.2	0.4	-51.6
-17.1	-225.0		J	-1.6	-27.2	0.4	-50.9
-17.5	-233.5						
		SLVy-E~1	I	-3.7	-63.5	0.9	-120.3
-40.0	-525.0		J	-3.7	-63.5	0.9	-118.8
-40.9	-544.8						

MIDAS

PROJECT TITLE :


	Company				Client				
	Author				File Name				
674	1	64	Q1-1_2 Max	I	9.3	44.0	1201.9	727.8	1
5864.0	497.5			J	8.6	44.0	1252.6	722.3	1
5365.9	516.3		Min	I	-20.0	-19.4	-449.3	-2532.8	-
7369.7	-1115.6			J	-20.9	-19.4	-415.0	-2540.0	-
7641.2	-1158.2								
			Q1-3_4 Max	I	9.7	39.9	1214.9	631.8	1
6165.1	390.1			J	9.0	39.9	1266.6	709.3	1
5658.2	405.3		Min	I	-20.2	-15.7	-462.5	-2180.6	-
7205.0	-1033.4			J	-21.1	-15.7	-427.7	-2168.4	-
7470.1	-1072.0								
			Q2a-1_2 Max	I	5.9	24.4	716.3	422.0	
9150.4	273.9			J	5.5	24.4	744.5	419.8	
8859.7	284.3		Min	I	-11.9	-10.7	-285.2	-1515.1	-
4077.1	-618.1			J	-12.4	-10.7	-263.8	-1507.7	-
4227.3	-641.8								
			Q2a-3_4 Max	I	6.1	21.6	719.6	392.7	
9256.7	208.2			J	5.7	21.6	748.1	444.7	
8962.8	216.4		Min	I	-11.9	-8.5	-292.6	-1297.2	-
3928.4	-561.9			J	-12.5	-8.5	-271.1	-1278.1	-
4072.9	-582.8								
			Q1-1 Max	I	3.5	17.1	446.2	381.7	
5664.7	237.6			J	3.3	17.1	463.7	375.5	
5484.9	246.6		Min	I	-7.4	-9.2	-169.7	-1244.3	-
2709.6	-420.6			J	-7.8	-9.2	-156.7	-1265.0	-
2809.7	-437.1								
			Q1-3 Max	I	3.9	11.8	443.5	292.6	
5859.7	92.0			J	3.6	11.8	461.7	346.9	
5675.2	96.0		Min	I	-7.3	-4.2	-184.9	-671.2	-
2217.6	-327.0			J	-7.7	-4.2	-171.4	-610.4	-
2298.7	-338.5								
			SLVx (RS)	I	654.1	-494.1	-193.5	-1851.4	
3680.7	10502.6			J	654.1	-494.1	-193.5	-1851.4	
3844.5	10714.8								
			SLVy (RS)	I	-612.5	-571.2	89.8	2648.5	
1422.0	-11706.2			J	-612.5	-571.2	89.8	2648.5	
1421.1	-12108.0								
			SLVz (RS)	I	229.9	115.4	-335.1	372.0	-
1924.6	-1260.7								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1669.5	-1303.1		J	229.9	115.4	-335.1	372.0	-
		G1	I	-14.0	34.7	923.3	-1506.5	
9766.5	-917.4		J	-15.8	34.7	1024.1	-1506.5	
8823.2	-951.0							
		G2	I	-5.1	12.6	334.9	-548.4	
3547.6	-332.5		J	-5.7	12.6	371.5	-548.4	
3205.5	-344.7							
		pp imp~1	I	-0.4	-5.9	0.0	-14.3	
-2.5	150.2		J	-0.4	-5.9	0.0	-14.3	
-2.6	155.9							
		perm i~1	I	-0.1	-1.9	0.0	-4.6	
-0.8	48.4		J	-0.1	-1.9	0.0	-4.6	
-0.8	50.2							
		pp2	I	-0.0	-0.1	0.0	1.0	
-0.2	3.8		J	-0.0	-0.1	0.0	1.0	
-0.2	3.9							
		perm2	I	-0.0	-0.0	0.0	0.3	
0.1	0.9		J	-0.0	-0.0	0.0	0.3	
0.1	1.0							
		q3	I	-136.2	-15.2	13.6	-106.3	
-161.4	973.2		J	-141.4	-15.2	13.6	-118.7	
-168.6	987.9							
		q4-1	I	-0.3	-4.1	-1.1	-26.3	
22.8	104.4		J	-0.3	-4.1	-1.1	-26.3	
23.9	108.3							
		q4-2	I	0.6	8.2	1.1	23.9	
-25.6	-209.4		J	0.6	8.2	1.1	23.9	
-26.7	-217.3							
		q4-3	I	-1.9	-24.1	5.5	68.4	
-105.1	620.7		J	-1.9	-24.1	5.5	68.4	
-110.5	644.1							
		q4-4	I	78.8	33.0	0.8	-119.0	
1.0	-1109.1		J	78.8	33.0	0.8	-119.0	
0.2	-1141.1							
		q5x_pc	I	-257.1	17.3	40.3	447.6	
-811.4	972.5		J	-275.1	22.0	39.9	445.2	
-841.2	953.5							
		q5y_pc	I	-101.0	-162.3	-23.0	-102.9	
309.8	-1825.4		J	-105.7	-180.4	-23.1	-93.9	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
334.5	-1659.4							
-801.4	2242.5	q5x_ps	I	-464.0	11.2	37.8	402.3	
-835.4	2229.5		J	-481.0	15.7	37.5	401.7	
282.1	-1992.5	q5y_ps	I	-94.7	-143.0	-21.4	-136.1	
303.6	-1845.7		J	-99.1	-160.1	-21.5	-133.5	
-44.1	266.9	q7	I	-71.6	6.7	2.2	33.1	
-46.3	260.5		J	-71.6	6.7	2.2	33.1	
159.5	664.0	T	I	-1.9	-25.8	-4.5	66.1	
163.8	689.1		J	-1.9	-25.8	-4.5	66.1	
-18.5	-233.5	SLVx-E~1	I	-2.1	-27.2	0.4	-50.6	
-18.9	-242.0		J	-2.1	-27.2	0.4	-50.0	
-43.2	-544.8	SLVy-E~1	I	-4.9	-63.5	0.9	-118.1	
-44.0	-564.7		J	-4.9	-63.5	0.9	-116.6	
675	1	64 Q1-1_2 Max	I	8.9	44.0	1252.6	696.8	1
5330.5	517.1		J	8.2	44.0	1303.6	694.5	1
4762.0	535.9	Min	I	-20.6	-19.4	-415.0	-2760.1	-
7638.6	-1161.1		J	-21.5	-19.4	-382.1	-2772.1	-
7910.2	-1203.7	Q1-3_4 Max	I	9.3	39.8	1266.6	604.3	1
5632.5	406.3		J	8.6	39.8	1318.7	683.7	1
5053.4	421.5	Min	I	-20.7	-15.7	-427.7	-2374.5	-
7468.1	-1075.2		J	-21.6	-15.7	-394.2	-2362.6	-
7733.1	-1113.8	Q2a-1_2 Max	I	5.7	24.4	744.5	391.1	
8838.9	284.6		J	5.2	24.4	772.6	390.2	
8509.1	294.9	Min	I	-12.2	-10.7	-263.8	-1642.5	-
4225.9	-643.3		J	-12.8	-10.7	-243.2	-1637.6	-
4376.1	-666.9	Q2a-3_4 Max	I	5.9	21.6	748.1	364.4	
8948.9	216.9		J	5.5	21.6	776.6	417.8	
8615.2	225.1	Min	I	-12.2	-8.5	-271.1	-1402.6	-
4071.8	-584.6		J	-12.8	-8.5	-250.3	-1383.2	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
4216.3	-605.5							
		Q1-1 Max	I	3.4	17.1	463.7	332.1	
5467.0	247.0		J	3.1	17.1	481.2	327.2	
5263.1	255.9	Min	I	-7.6	-9.2	-156.7	-1348.0	-
2808.5	-438.0		J	-8.0	-9.2	-144.2	-1370.0	-
2908.6	-454.5							
		Q1-3 Max	I	3.7	11.8	461.7	282.2	
5673.9	96.0		J	3.5	11.8	479.9	337.5	
5463.7	100.0	Min	I	-7.5	-4.2	-171.3	-689.6	-
2298.7	-339.7		J	-7.8	-4.2	-158.3	-627.0	-
2379.8	-351.2							
		SLVx (RS)	I	670.6	-513.1	-196.0	-1911.4	
3814.7	10714.9		J	670.6	-513.1	-196.0	-1911.4	
3979.8	10920.2							
		SLVy (RS)	I	-637.0	-575.3	91.6	2651.6	
1415.6	-12108.0		J	-637.0	-575.3	91.6	2651.6	
1413.1	-12504.5							
		SLVz (RS)	I	234.3	-104.3	-350.2	399.5	-
1663.3	-1302.8		J	234.3	-104.3	-350.2	399.5	-
1410.4	-1342.3							
		G1	I	-15.2	34.7	1024.1	-1664.4	
8794.4	-953.8		J	-17.0	34.7	1124.8	-1664.4	
7753.5	-987.4							
		G2	I	-5.5	12.6	371.5	-605.8	
3195.0	-345.7		J	-6.2	12.6	408.0	-605.8	
2817.4	-357.9							
		pp imp~1	I	-0.6	-5.9	0.0	-14.2	
-2.8	155.9		J	-0.6	-5.9	0.0	-14.2	
-2.8	161.6							
		perm i~1	I	-0.2	-1.9	0.0	-4.6	
-0.9	50.2		J	-0.2	-1.9	0.0	-4.6	
-0.9	52.0							
		pp2	I	-0.0	-0.1	0.0	1.0	
-0.2	3.9		J	-0.0	-0.1	0.0	1.0	
-0.2	4.1							
		perm2	I	-0.0	-0.0	0.0	0.3	
0.1	1.0		J	-0.0	-0.0	0.0	0.3	
0.1	1.0							
		q3	I	-141.6	-12.7	13.6	-115.6	


MIDAS

PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-170.4	988.0		J	-146.8	-12.7	13.6	-128.0		
-177.7	1000.3								
		q4-1	I	-0.4	-4.1	-1.1	-26.7		
23.4	108.3		J	-0.4	-4.1	-1.1	-26.7		
24.5	112.3								
		q4-2	I	0.8	8.2	1.1	24.4		
-26.4	-217.3		J	0.8	8.2	1.1	24.4		
-27.4	-225.2								
		q4-3	I	-2.4	-24.1	5.5	70.4		
-109.1	644.1		J	-2.4	-24.1	5.5	70.4		
-114.4	667.5								
		q4-4	I	79.4	31.6	0.8	-119.0		
-2.3	-1141.1		J	79.4	31.6	0.8	-119.0		
-3.0	-1171.7								
		q5x_pc	I	-274.7	26.9	40.0	460.2		
-832.8	953.8		J	-292.7	31.9	39.6	457.7		
-862.4	925.3								
		q5y_pc	I	-108.9	-178.5	-23.2	-99.9		
332.2	-1659.5		J	-114.0	-196.4	-23.2	-90.9		
357.2	-1477.9								
		q5x_ps	I	-480.7	24.3	37.5	416.6		
-827.3	2229.7		J	-497.6	29.1	37.2	415.9		
-861.0	2203.9								
		q5y_ps	I	-102.0	-158.3	-21.6	-139.0		
300.6	-1845.8		J	-106.8	-175.2	-21.7	-136.4		
322.2	-1684.2								
		q7	I	-71.5	8.0	2.2	33.9		
-45.6	260.5		J	-71.5	8.0	2.2	33.9		
-47.7	252.7								
		T	I	-2.4	-25.8	-4.5	63.2		
165.2	689.0		J	-2.4	-25.8	-4.5	63.2		
169.6	714.0								
		SLVx-E~1	I	-2.6	-27.2	0.4	-49.6		
-19.8	-242.0		J	-2.6	-27.2	0.4	-49.0		
-20.2	-250.6								
		SLVy-E~1	I	-6.0	-63.4	0.9	-115.8		
-46.3	-564.6		J	-6.0	-63.4	0.9	-114.4		
-47.1	-584.6								
676	1	64	Q1-1_2 Max	I	8.4	43.9	1303.6	692.9	1
4721.5	536.7								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
4084.7	555.5		J	7.7	43.9	1354.9	693.7	1
		Min	I	-21.2	-19.3	-382.1	-2986.7	-
7905.1	-1206.4		J	-22.1	-19.3	-350.6	-3011.3	-
8176.7	-1248.8							
		Q1-3_4 Max	I	8.9	39.8	1318.7	644.6	1
5023.5	422.5		J	8.2	39.8	1371.3	726.1	1
4374.0	437.7	Min	I	-21.2	-15.7	-394.2	-2575.1	-
7728.7	-1116.7		J	-22.2	-15.7	-362.2	-2562.4	-
7993.7	-1155.3							
		Q2a-1_2 Max	I	5.4	24.3	772.6	375.2	
8485.5	295.3		J	4.9	24.3	800.6	375.6	
8118.2	305.6	Min	I	-12.5	-10.6	-243.2	-1766.7	-
4373.3	-668.3		J	-13.1	-10.6	-223.3	-1770.2	-
4523.6	-691.9							
		Q2a-3_4 Max	I	5.7	21.6	776.6	377.7	
8599.1	225.7		J	5.2	21.6	805.1	432.6	
8226.9	233.9	Min	I	-12.5	-8.5	-250.3	-1508.0	-
4213.9	-607.2		J	-13.1	-8.5	-230.2	-1487.8	-
4358.4	-628.0							
		Q1-1 Max	I	3.2	17.0	481.2	291.5	
5243.0	256.3		J	2.9	17.0	498.7	287.8	
5015.8	265.2	Min	I	-7.9	-9.2	-144.2	-1449.2	-
2906.5	-455.3		J	-8.2	-9.2	-132.2	-1472.4	-
3006.6	-471.8							
		Q1-3 Max	I	3.6	11.8	479.9	284.1	
5461.8	99.9		J	3.4	11.8	498.1	340.6	
5226.8	104.0	Min	I	-7.7	-4.2	-158.3	-710.6	-
2378.9	-352.3		J	-8.0	-4.2	-145.7	-646.3	-
2460.0	-363.7							
		SLVx (RS)	I	685.9	-534.7	-198.8	-1974.3	
3948.8	10920.2		J	685.9	-534.7	-198.8	-1974.3	
4115.4	11120.7							
		SLVy (RS)	I	-661.2	-579.4	-94.0	2654.1	
1408.7	-12504.4		J	-661.2	-579.4	-94.0	2654.1	
1405.1	-12895.5							
		SLVz (RS)	I	238.1	-92.4	-361.8	421.5	-
1404.3	-1342.0		J	238.1	-92.4	-361.8	421.5	-
1166.9	-1375.6							


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


7722.1	-989.8	G1	I	-16.3	34.6	1124.8	-1803.2
			J	-18.1	34.6	1225.6	-1803.2
6583.5	-1023.3						
		G2	I	-5.9	12.5	408.0	-656.2
2806.0	-358.8		J	-6.6	12.5	444.6	-656.2
2393.0	-370.9						
		pp imp~1	I	-0.7	-5.8	0.0	-14.2
-3.0	161.6		J	-0.7	-5.8	0.0	-14.2
-3.0	167.2						
		perm i~1	I	-0.2	-1.9	0.0	-4.6
-1.0	52.0		J	-0.2	-1.9	0.0	-4.6
-1.0	53.9						
		pp2	I	-0.0	-0.1	0.0	1.0
-0.2	4.1		J	-0.0	-0.1	0.0	1.0
-0.2	4.2						
		perm2	I	-0.0	-0.0	0.0	0.3
0.1	1.0		J	-0.0	-0.0	0.0	0.3
0.1	1.1						
		q3	I	-147.0	-10.0	13.6	-124.8
-179.6	1000.3		J	-152.2	-10.0	13.6	-137.2
-186.9	1010.1						
		q4-1	I	-0.4	-4.1	-1.1	-27.2
24.1	112.3		J	-0.4	-4.1	-1.1	-27.2
25.2	116.2						
		q4-2	I	0.9	8.2	1.1	24.8
-27.1	-225.2		J	0.9	8.2	1.1	24.8
-28.2	-233.1						
		q4-3	I	-2.8	-24.1	5.5	72.4
-112.9	667.5		J	-2.8	-24.1	5.5	72.4
-118.3	690.9						
		q4-4	I	79.9	30.2	0.8	-118.9
-5.5	-1171.7		J	79.9	30.2	0.8	-118.9
-6.3	-1200.9						
		q5x_pc	I	-292.0	37.1	39.6	473.1
-853.7	925.6		J	-309.9	42.5	39.3	470.4
-883.0	887.0						
		q5y_pc	I	-117.5	-194.3	-23.3	-97.4
355.0	-1478.0		J	-122.8	-212.2	-23.4	-88.4
380.3	-1281.1						

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-852.7	2204.2	q5x_ps	I	-497.0	38.0	37.3	431.3	
			J	-513.9	43.0	36.9	430.6	
-886.1	2164.9							
		q5y_ps	I	-109.9	-173.3	-21.7	-142.2	
319.2	-1684.3		J	-115.0	-190.2	-21.8	-139.7	
341.0	-1508.2							
		q7	I	-71.3	9.3	2.2	34.7	
-47.1	252.7		J	-71.3	9.3	2.2	34.7	
-49.2	243.8							
		T	I	-2.8	-25.8	-4.5	60.2	
170.9	714.0		J	-2.8	-25.8	-4.5	60.2	
175.3	738.9							
		SLVx-E~1	I	-3.1	-27.1	0.4	-48.7	
-21.1	-250.5		J	-3.1	-27.1	0.4	-48.0	
-21.5	-259.1							
		SLVy-E~1	I	-7.1	-63.3	0.8	-113.5	
-49.3	-584.6		J	-7.1	-63.3	0.8	-112.1	
-50.2	-604.7							
677	1	64 Q1-1_2 Max	I	7.9	43.8	1355.0	707.9	1
4039.4	556.6		J	7.2	43.8	1406.6	711.6	1
3336.2	575.2							
		Min	I	-21.8	-19.3	-350.6	-3205.0	-
8169.0	-1251.3		J	-22.8	-19.3	-320.4	-3243.8	-
8440.6	-1293.6							
		Q1-3_4 Max	I	8.5	39.7	1371.3	717.4	1
4340.1	438.7		J	7.8	39.7	1424.2	801.4	1
3622.1	453.9							
		Min	I	-21.8	-15.6	-362.2	-2773.0	-
7986.7	-1157.9		J	-22.8	-15.6	-331.5	-2759.5	-
8251.8	-1196.3							
		Q2a-1_2 Max	I	5.1	24.3	800.6	370.0	
8092.1	306.2		J	4.6	24.3	828.6	371.5	
7688.8	316.4							
		Min	I	-12.9	-10.6	-223.3	-1884.4	-
4519.3	-693.1		J	-13.5	-10.6	-204.2	-1897.4	-
4669.6	-716.6							
		Q2a-3_4 Max	I	5.4	21.5	805.1	411.4	
8208.8	234.4		J	5.0	21.5	833.6	468.1	
7799.7	242.6							
		Min	I	-12.8	-8.4	-230.2	-1609.6	-
4354.7	-629.5		J	-13.4	-8.4	-210.8	-1588.5	-
4499.1	-650.3							


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
4993.7	265.7	Q1-1 Max	I	3.0	17.0	498.7	260.1	
			J	2.7	17.0	516.2	257.5	
4744.3	274.5	Min	I	-8.1	-9.2	-132.2	-1546.9	-
3003.5	-472.5		J	-8.5	-9.2	-120.7	-1571.2	-
3103.6	-489.0							
		Q1-3 Max	I	3.5	11.8	498.1	292.6	
5224.4	103.9		J	3.2	11.8	516.4	350.6	
4965.2	107.9	Min	I	-7.8	-4.2	-145.7	-727.7	-
2458.4	-364.7		J	-8.1	-4.2	-133.6	-661.5	-
2539.5	-376.1							
		SLVx (RS)	I	700.0	-558.6	-201.7	-2040.0	
4083.2	11120.7		J	700.0	-558.6	-201.7	-2040.0	
4251.5	11319.1							
		SLVy (RS)	I	-685.2	-583.6	97.2	2656.0	
1402.0	-12895.4		J	-685.2	-583.6	97.2	2656.0	
1398.0	-13281.1							
		SLVz (RS)	I	241.2	-80.5	-371.4	437.7	-
1161.1	-1375.4		J	241.2	-80.5	-371.4	437.7	
-962.0	-1400.4							
		G1	I	-17.5	34.5	1225.6	-1920.9	
6549.8	-1025.4		J	-19.3	34.5	1326.3	-1920.9	
5313.6	-1058.8							
		G2	I	-6.3	12.5	444.6	-699.0	
2380.7	-371.7		J	-7.0	12.5	481.1	-699.0	
1932.3	-383.8							
		pp imp~1	I	-0.8	-5.8	0.0	-14.1	
-3.2	167.2		J	-0.8	-5.8	0.0	-14.1	
-3.3	172.9							
		perm i~1	I	-0.2	-1.9	0.0	-4.5	
-1.0	53.9		J	-0.2	-1.9	0.0	-4.5	
-1.0	55.7							
		pp2	I	-0.0	-0.1	0.0	1.0	
-0.2	4.2		J	-0.0	-0.1	0.0	1.0	
-0.2	4.3							
		perm2	I	-0.0	-0.0	0.0	0.3	
0.1	1.1		J	-0.0	-0.0	0.0	0.3	
0.1	1.1							
		q3	I	-152.3	-7.3	13.6	-133.8	
-189.0	1010.1		J	-157.5	-7.3	13.6	-146.2	

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-196.3	1017.2								
		q4-1	I	-0.5	-4.1	-1.1	-27.6		
24.8	116.2		J	-0.5	-4.1	-1.1	-27.6		
25.9	120.2								
		q4-2	I	1.0	8.1	1.1	25.3		
-27.8	-233.1		J	1.0	8.1	1.1	25.3		
-28.9	-241.0								
		q4-3	I	-3.2	-24.0	5.5	74.6		
-116.7	690.9		J	-3.2	-24.0	5.5	74.6		
-122.1	714.2								
		q4-4	I	80.4	28.7	0.8	-118.8		
-8.8	-1200.9		J	80.4	28.7	0.8	-118.8		
-9.6	-1228.7								
		q5x_pc	I	-309.1	48.0	39.4	486.2		
-874.2	887.2		J	-326.8	53.7	39.0	483.4		
-903.3	837.9								
		q5y_pc	I	-126.6	-210.0	-23.5	-95.3		
378.3	-1281.2		J	-132.3	-227.7	-23.6	-86.4		
403.9	-1069.2								
		q5x_ps	I	-513.1	52.2	37.0	446.5		
-877.5	2165.2		J	-529.9	57.6	36.7	445.7		
-910.7	2112.0								
		q5y_ps	I	-118.3	-188.1	-21.9	-145.9		
338.0	-1508.3		J	-123.7	-204.9	-22.0	-143.3		
360.0	-1318.0								
		q7	I	-71.2	10.5	2.3	35.6		
-48.5	243.8		J	-71.2	10.5	2.3	35.6		
-50.7	233.6								
		T	I	-3.3	-25.7	-4.5	57.1		
176.5	738.9		J	-3.3	-25.7	-4.5	57.1		
180.9	763.7								
		SLVx-E~1	I	-3.5	-27.1	0.3	-47.6		
-22.4	-259.1		J	-3.5	-27.1	0.3	-47.0		
-22.8	-267.8								
		SLVy-E~1	I	-8.3	-63.1	0.8	-111.2		
-52.4	-604.7		J	-8.3	-63.1	0.8	-109.7		
-53.1	-624.9								
678	1	64	Q1-1_2 Max	I	7.4	43.7	1406.6	796.6	1
3290.8	576.7			J	6.7	43.7	1458.6	803.0	1
2525.7	595.3								

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
8430.3	-1295.8	Min	I	-22.5	-19.2	-320.4	-3420.2	-
			J	-23.5	-19.2	-291.7	-3468.7	-
8701.9	-1338.0							
		Q1-3_4 Max	I	8.1	39.6	1424.2	805.3	1
3590.5	455.0		J	7.4	39.6	1477.5	892.1	1
2809.0	470.1							
		Min	I	-22.4	-15.6	-331.5	-2963.9	-
8242.2	-1198.6		J	-23.4	-15.6	-302.2	-2949.5	-
8507.3	-1237.0							
		Q2a-1_2 Max	I	4.8	24.2	828.6	416.9	
7662.0	317.2		J	4.3	24.2	856.5	419.5	
7224.9	327.4							
		Min	I	-13.3	-10.6	-204.2	-1999.8	-
4663.9	-717.7		J	-13.9	-10.6	-185.8	-2019.1	-
4814.1	-741.2							
		Q2a-3_4 Max	I	5.2	21.5	833.6	453.6	
7782.3	243.2		J	4.7	21.5	862.0	512.1	
7338.8	251.3							
		Min	I	-13.1	-8.4	-210.8	-1705.4	-
4494.0	-651.6		J	-13.7	-8.4	-192.2	-1683.4	-
4638.4	-672.4							
		Q1-1 Max	I	2.8	17.0	516.2	279.4	
4720.2	275.0		J	2.5	17.0	533.6	277.9	
4449.6	283.9							
		Min	I	-8.4	-9.1	-120.7	-1641.5	-
3099.5	-489.6		J	-8.8	-9.1	-109.7	-1666.9	-
3199.6	-506.0							
		Q1-3 Max	I	3.3	11.7	516.4	307.3	
4962.4	107.9		J	3.1	11.7	534.7	367.0	
4679.9	111.9							
		Min	I	-8.0	-4.2	-133.6	-739.5	-
2537.1	-377.0		J	-8.3	-4.2	-121.9	-671.6	-
2618.2	-388.3							
		SLVx (RS)	I	712.9	-584.8	-204.6	-2108.4	
4218.0	11319.1		J	712.9	-584.8	-204.6	-2108.4	
4388.3	11518.2							
		SLVy (RS)	I	-708.9	-587.7	101.2	2657.3	
1396.3	-13281.0		J	-708.9	-587.7	101.2	2657.3	
1392.6	-13661.2							
		SLVz (RS)	I	243.7	-69.9	-380.3	447.9	
-957.4	-1400.3		J	243.7	-69.9	-380.3	447.9	
-835.3	-1414.9							
		G1	I	-18.6	34.4	1326.3	-2015.9	

MIDAS

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
5278.0	-1060.4		J	-20.4	34.4	1427.1	-2015.9
3944.2	-1093.8						
		G2	I	-6.7	12.5	481.2	-733.5
1919.3	-384.4		J	-7.4	12.5	517.7	-733.5
1435.4	-396.5						
		pp imp~1	I	-0.9	-5.8	0.0	-14.1
-3.5	172.9		J	-0.9	-5.8	0.0	-14.1
		perm i~1	I	-0.3	-1.9	0.0	-4.5
-1.1	55.7		J	-0.3	-1.9	0.0	-4.5
		pp2	I	-0.0	-0.1	0.0	1.0
-0.2	4.3		J	-0.0	-0.1	0.0	1.0
		perm2	I	-0.0	-0.0	0.0	0.3
0.1	1.1		J	-0.0	-0.0	0.0	0.3
		q3	I	-157.6	-4.5	13.6	-142.6
-198.5	1017.3		J	-162.8	-4.5	13.6	-155.0
		q4-1	I	-0.6	-4.1	-1.1	-28.1
25.4	120.1		J	-0.6	-4.1	-1.1	-28.1
		q4-2	I	1.2	8.1	1.1	25.8
-28.5	-241.0		J	1.2	8.1	1.1	25.8
		q4-3	I	-3.7	-24.0	5.5	76.8
-120.5	714.2		J	-3.7	-24.0	5.5	76.8
		q4-4	I	80.9	27.3	0.8	-118.7
-12.1	-1228.7		J	80.9	27.3	0.8	-118.7
		q5x_pc	I	-325.8	59.6	39.1	499.5
-894.2	838.2		J	-343.5	65.6	38.8	496.5
		q5y_pc	I	-136.3	-225.3	-23.6	-93.7
402.0	-1069.4		J	-142.3	-243.0	-23.7	-84.8
		q5x_ps	I	-528.7	67.1	36.7	462.0
-901.9	2112.3						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-934.8	2044.5			J	-545.4	72.7	36.4	461.2	
357.0	-1318.1	q5y_ps		I	-127.4	-202.6	-22.0	-149.8	
379.2	-1113.7			J	-133.0	-219.3	-22.1	-147.3	
-50.0	233.6	q7		I	-71.0	11.8	2.3	36.5	
-52.2	222.2			J	-71.0	11.8	2.3	36.5	
182.1	763.7	T		I	-3.7	-25.6	-4.5	53.8	
186.5	788.5			J	-3.7	-25.6	-4.5	53.8	
-23.7	-267.8	SLVx-E~1		I	-4.0	-27.0	0.3	-46.6	
-24.0	-276.5			J	-4.0	-27.0	0.3	-46.0	
-55.3	-624.9	SLVy-E~1		I	-9.4	-63.0	0.8	-108.8	
-56.1	-645.2			J	-9.4	-63.0	0.8	-107.3	
679	1	64	Q1-1_2 Max	I	6.9	43.6	1458.6	930.3	1
2486.1	596.8			J	6.2	43.6	1510.8	939.1	1
1658.6	615.4		Min	I	-23.2	-19.2	-291.7	-3633.4	-
8688.8	-1339.9			J	-24.2	-19.2	-264.3	-3684.3	-
8960.4	-1382.0								
2781.6	471.2		Q1-3_4 Max	I	7.7	39.5	1477.5	930.4	1
1935.3	486.3			J	7.0	39.5	1531.1	997.2	1
8495.0	-1238.9		Min	I	-23.0	-15.6	-302.2	-3142.3	-
8760.1	-1277.2			J	-24.0	-15.6	-274.2	-3126.9	-
7201.9	328.3		Q2a-1_2 Max	I	4.5	24.2	856.5	494.2	
6731.7	338.5			J	4.0	24.2	884.3	497.8	
4806.9	-742.1		Min	I	-13.7	-10.6	-185.8	-2113.9	-
4957.1	-765.5			J	-14.3	-10.6	-168.1	-2134.3	-
7324.3	251.9		Q2a-3_4 Max	I	4.9	21.4	862.0	503.8	
6846.5	260.0			J	4.5	21.4	890.4	564.5	
4631.8	-673.4		Min	I	-13.5	-8.4	-192.2	-1792.8	-
4776.3	-694.2			J	-14.0	-8.4	-174.3	-1769.8	-
4423.7	284.3		Q1-1 Max	I	2.5	16.9	533.6	327.8	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
4132.9	293.1		J	2.2	16.9	551.0	327.1	
3194.5	-506.6	Min	I	-8.7	-9.1	-109.7	-1731.9	-
3294.6	-522.9		J	-9.1	-9.1	-99.1	-1758.1	-
4676.9	111.8	Q1-3 Max	I	3.2	11.7	534.7	328.5	
4372.0	115.8		J	3.0	11.7	553.0	390.1	
2615.0	-389.1	Min	I	-8.1	-4.1	-121.9	-745.4	-
2696.1	-400.4		J	-8.5	-4.1	-110.7	-675.6	-
4353.6	11518.1	SLVx (RS)	I	724.7	-613.0	-207.4	-2179.7	
4525.9	11721.3		J	724.7	-613.0	-207.4	-2179.7	
1392.4	-13661.1	SLVy (RS)	I	-732.3	-591.7	105.8	2657.9	
1390.2	-14036.0		J	-732.3	-591.7	105.8	2657.9	
-833.1	-1414.8	SLVz (RS)	I	245.4	-62.4	-389.8	452.0	
833.7	-1417.5		J	245.4	-62.4	-389.8	452.0	
3907.1	-1094.9	G1	I	-19.7	34.3	1427.1	-2086.3	
2475.7	-1128.2		J	-21.5	34.3	1527.8	-2086.3	
1421.9	-396.9	G2	I	-7.2	12.4	517.7	-759.1	
902.7	-409.0		J	-7.8	12.4	554.3	-759.1	
-3.7	178.5	pp imp~1	I	-1.0	-5.8	0.0	-14.0	
-3.7	184.1		J	-1.0	-5.8	0.0	-14.0	
-1.2	57.5	perm i~1	I	-0.3	-1.9	0.0	-4.5	
-1.2	59.3		J	-0.3	-1.9	0.0	-4.5	
-0.2	4.5	pp2	I	-0.0	-0.1	0.0	1.0	
-0.2	4.6		J	-0.0	-0.1	0.0	1.0	
0.1	1.1	perm2	I	-0.0	-0.0	0.0	0.3	
0.1	1.2		J	-0.0	-0.0	0.0	0.3	
-208.2	1021.7	q3	I	-162.8	-1.6	13.6	-151.2	
-215.5	1023.3		J	-168.0	-1.6	13.6	-163.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
26.1	124.1	q4-1	I	-0.7	-4.0	-1.2	-28.5	
			J	-0.7	-4.0	-1.2	-28.5	
27.2	128.0							
		q4-2	I	1.3	8.1	1.1	26.4	
-29.2	-248.8		J	1.3	8.1	1.1	26.4	
-30.3	-256.7							
		q4-3	I	-4.1	-23.9	5.5	79.1	
-124.2	737.4		J	-4.1	-23.9	5.5	79.1	
-129.5	760.6							
		q4-4	I	81.4	25.8	0.8	-118.5	
-15.4	-1255.1		J	81.4	25.8	0.8	-118.5	
-16.1	-1280.1							
		q5x_pc	I	-342.3	71.7	38.8	513.0	
-913.8	777.9		J	-359.8	78.0	38.5	509.9	
-942.4	705.4							
		q5y_pc	I	-146.7	-240.4	-23.8	-92.5	
426.0	-842.7		J	-153.0	-257.9	-23.9	-83.7	
452.3	-601.3							
		q5x_ps	I	-544.0	82.5	36.5	477.9	
-925.7	2044.8		J	-560.6	88.5	36.2	477.0	
-958.4	1962.0							
		q5y_ps	I	-136.9	-216.9	-22.2	-154.1	
376.1	-1113.8		J	-142.9	-233.5	-22.3	-151.6	
398.6	-895.7							
		q7	I	-70.7	13.1	2.3	37.5	
-51.4	222.2		J	-70.7	13.1	2.3	37.5	
-53.6	209.5							
		T	I	-4.2	-25.6	-4.5	50.5	
187.7	788.5		J	-4.2	-25.6	-4.5	50.5	
192.1	813.2							
		SLVx-E~1	I	-4.5	-26.9	0.3	-45.6	
-24.9	-276.5		J	-4.5	-26.9	0.3	-44.9	
-25.3	-285.3							
		SLVy-E~1	I	-10.5	-62.8	0.8	-106.3	
-58.2	-645.2		J	-10.5	-62.8	0.8	-104.9	
-59.0	-665.7							
680	1	64 Q1-1_2 Max	I	6.4	43.4	1510.8	1074.7	1
1616.4	616.9		J	5.7	43.4	1563.1	1085.5	1
0728.7	635.4							
		Min	I	-23.9	-19.1	-264.3	-3834.5	-
8944.5	-1383.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
9216.2	-1425.6		J	-25.0	-19.1	-238.2	-3887.4	-
1906.2	487.4	Q1-3_4 Max	I	7.3	39.4	1531.1	1064.1	1
0997.3	502.5		J	6.6	39.4	1585.0	1116.3	1
8745.0	-1278.8	Min	I	-23.6	-15.5	-274.2	-3305.2	-
9010.2	-1316.9		J	-24.7	-15.5	-247.6	-3288.9	-
6707.4	339.3	Q2a-1_2 Max	I	4.1	24.1	884.3	576.6	
6205.7	349.5		J	3.7	24.1	912.0	580.9	
4948.3	-766.2	Min	I	-14.1	-10.5	-168.1	-2219.8	-
5098.6	-789.5		J	-14.7	-10.5	-151.2	-2241.0	-
6831.2	260.7	Q2a-3_4 Max	I	4.7	21.3	890.4	575.9	
6320.7	268.8		J	4.2	21.3	918.7	625.2	
4768.1	-695.0	Min	I	-13.8	-8.4	-174.3	-1870.6	-
4912.7	-715.7		J	-14.4	-8.4	-157.1	-1846.6	-
4105.3	293.6	Q1-1 Max	I	2.3	16.9	551.0	379.8	
3795.4	302.4		J	2.0	16.9	568.3	379.8	
3288.5	-523.4	Min	I	-9.0	-9.1	-99.1	-1817.0	-
3388.7	-539.7		J	-9.4	-9.1	-89.0	-1843.9	-
4368.9	115.8	Q1-3 Max	I	3.1	11.7	553.0	356.2	
4042.2	119.8		J	2.8	11.7	571.4	420.0	
2692.0	-401.0	Min	I	-8.3	-4.1	-110.7	-744.7	-
2773.1	-412.3		J	-8.6	-4.1	-99.9	-673.3	-
4489.9	11721.2	SLVx (RS)	I	735.3	-642.9	-210.2	-2253.7	
4664.5	11932.0		J	735.3	-642.9	-210.2	-2253.7	
1391.6	-14035.8	SLVy (RS)	I	-755.4	-595.5	110.7	2657.8	
1392.1	-14405.2		J	-755.4	-595.5	110.7	2657.8	
834.9	-1417.5	SLVz (RS)	I	246.4	-59.9	-400.8	449.8	
967.9	-1407.3		J	246.4	-59.9	-400.8	449.8	
2437.6	-1128.9	G1	I	-20.8	34.2	1527.9	-2130.4	
			J	-22.6	34.2	1628.6	-2130.4	

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
908.6	-1162.0						
		G2	I	-7.6	12.4	554.3	-775.2
888.8	-409.2		J	-8.2	12.4	590.8	-775.2
334.1	-421.2						
		pp imp~1	I	-1.1	-5.8	0.0	-13.9
-3.9	184.2		J	-1.1	-5.8	0.0	-13.9
-3.9	189.8						
		perm i~1	I	-0.3	-1.9	0.0	-4.5
-1.2	59.3		J	-0.3	-1.9	0.0	-4.5
-1.3	61.1						
		pp2	I	-0.0	-0.1	0.0	1.0
-0.2	4.6		J	-0.0	-0.1	0.0	1.0
-0.2	4.8						
		perm2	I	-0.0	-0.0	0.0	0.3
0.2	1.2		J	-0.0	-0.0	0.0	0.3
0.2	1.2						
		q3	I	-168.0	1.4	13.6	-159.7
-218.1	1023.3		J	-173.1	1.4	13.6	-172.1
-225.3	1022.0						
		q4-1	I	-0.7	-4.0	-1.2	-29.0
26.7	128.0		J	-0.7	-4.0	-1.2	-29.0
27.8	131.9						
		q4-2	I	1.5	8.1	1.1	26.9
-29.9	-256.6		J	1.5	8.1	1.1	26.9
-31.0	-264.5						
		q4-3	I	-4.5	-23.8	5.5	81.4
-127.9	760.6		J	-4.5	-23.8	5.5	81.4
-133.2	783.7						
		q4-4	I	81.9	24.4	0.8	-118.3
-18.7	-1280.1		J	81.9	24.4	0.8	-118.3
-19.5	-1303.7						
		q5x_pc	I	-358.3	84.4	38.5	526.7
-932.9	705.6		J	-375.8	91.0	38.2	523.4
-961.4	620.6						
		q5y_pc	I	-157.6	-255.1	-24.0	-91.9
450.6	-601.4		J	-164.2	-272.6	-24.1	-83.2
477.2	-345.8						
		q5x_ps	I	-559.0	98.5	36.2	494.2
-949.1	1962.3		J	-575.4	104.7	35.9	493.3
-981.6	1863.8						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


395.5	-895.8		q5y_ps	I	-147.1	-230.9	-22.4	-158.8	
418.1	-664.1			J	-153.3	-247.4	-22.5	-156.3	
-52.9	209.5		q7	I	-70.5	14.3	2.3	38.4	
-55.1	195.6			J	-70.5	14.3	2.3	38.4	
193.2	813.2		T	I	-4.7	-25.5	-4.5	47.1	
197.6	837.8			J	-4.7	-25.5	-4.5	47.1	
-26.2	-285.3		SLVx-E~1	I	-5.0	-26.8	0.3	-44.5	
-26.5	-294.2			J	-5.0	-26.8	0.3	-43.9	
-61.0	-665.7		SLVy-E~1	I	-11.6	-62.6	0.8	-103.8	
-61.8	-686.5			J	-11.6	-62.6	0.8	-102.4	
681	1	64	Q1-1_2 Max	I	5.9	43.3	1563.1	1231.4	1
0684.5	637.0			J	5.8	43.3	1615.7	1242.6	
9738.9	655.4		Min	I	-24.7	-19.1	-238.2	-4026.2	-
9197.4	-1426.8			J	-25.8	-19.1	-213.5	-4079.4	-
9469.7	-1468.6								
0966.8	503.7		Q1-3_4 Max	I	6.9	39.2	1585.0	1208.8	1
9997.6	518.6			J	6.3	39.2	1639.0	1249.5	
8992.3	-1318.2		Min	I	-24.3	-15.5	-247.6	-3450.7	-
9257.9	-1356.2			J	-25.3	-15.5	-222.4	-3433.6	-
6180.4	350.3		Q2a-1_2 Max	I	3.8	24.0	912.0	664.6	
5649.0	360.5			J	3.5	24.0	939.5	669.1	
5088.2	-790.1		Min	I	-14.5	-10.5	-151.2	-2319.1	-
5238.8	-813.3			J	-15.2	-10.5	-135.1	-2340.4	-
6304.8	269.4		Q2a-3_4 Max	I	4.4	21.3	918.7	652.0	
5763.3	277.5			J	4.0	21.3	946.9	694.3	
4902.9	-716.4		Min	I	-14.2	-8.3	-157.1	-1937.7	-
5047.6	-737.0			J	-14.8	-8.3	-140.7	-1912.8	-
3766.3	302.9		Q1-1 Max	I	2.1	16.8	568.3	436.1	
3438.5	311.7			J	2.1	16.8	585.5	436.1	

MIDAS

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
3381.5	-540.0	Min	I	-9.3	-9.1	-89.0	-1898.5	-
			J	-9.7	-9.1	-79.4	-1925.4	-
3481.8	-556.2							
4039.2	119.7	Q1-3 Max	I	3.0	11.6	571.4	390.8	
			J	2.7	11.6	589.7	456.9	
3691.8	123.7							
2768.2	-412.8	Min	I	-8.4	-4.1	-99.9	-737.2	-
			J	-8.8	-4.1	-89.6	-664.1	-
2849.3	-424.0							
4627.1	11931.8	SLVx (RS)	I	744.8	-674.4	-212.8	-2330.4	
			J	744.8	-674.4	-212.8	-2330.4	
4804.1	12154.0							
1395.1	-14405.1	SLVy (RS)	I	-778.3	-599.2	115.8	2657.1	
			J	-778.3	-599.2	115.8	2657.1	
1399.7	-14769.0							
971.8	-1407.4	SLVz (RS)	I	246.8	-63.2	-413.7	441.0	
			J	246.8	-63.2	-413.7	441.0	
1202.8	-1384.2							
869.9	-1162.2	G1	I	-21.9	34.1	1628.6	-2146.5	
			J	-23.7	34.1	1729.3	-2146.5	
-756.7	-1195.2							
320.0	-421.3	G2	I	-7.9	12.4	590.8	-781.1	
			J	-8.6	12.4	627.4	-781.1	
-270.1	-433.2							
-4.1	189.8	pp imp~1	I	-1.2	-5.8	0.0	-13.8	
			J	-1.2	-5.8	0.0	-13.8	
-4.1	195.3							
-1.3	61.1	perm i~1	I	-0.4	-1.9	0.0	-4.5	
			J	-0.4	-1.9	0.0	-4.5	
-1.3	62.9							
-0.2	4.8	pp2	I	-0.0	-0.1	0.0	1.0	
			J	-0.0	-0.1	0.0	1.0	
-0.2	4.9							
0.2	1.2	perm2	I	-0.0	-0.0	0.0	0.3	
			J	-0.0	-0.0	0.0	0.3	
0.2	1.2							
-228.1	1022.0	q3	I	-173.1	4.5	13.7	-168.0	
			J	-178.2	4.5	13.7	-180.4	
-235.4	1017.7							
27.3	131.9	q4-1	I	-0.8	-4.0	-1.2	-29.5	

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
28.4	135.8		J	-0.8	-4.0	-1.2	-29.5
-30.6	-264.4	q4-2	I	1.6	8.0	1.1	27.4
-31.7	-272.2		J	1.6	8.0	1.1	27.4
-131.5	783.7	q4-3	I	-5.0	-23.7	5.5	83.8
-136.8	806.7		J	-5.0	-23.7	5.5	83.8
-22.0	-1303.7	q4-4	I	82.3	22.9	0.8	-118.0
-22.8	-1325.9		J	82.3	22.9	0.8	-118.0
-951.6	620.9	q5x_pc	I	-374.1	97.8	38.3	540.6
-979.9	522.8		J	-391.4	104.7	38.0	537.1
475.5	-346.0	q5y_pc	I	-169.1	-269.6	-24.2	-91.7
502.5	-76.4		J	-176.0	-286.9	-24.3	-83.1
-972.0	1864.1	q5x_ps	I	-573.5	115.0	36.0	510.9
1004.3	1749.5		J	-589.8	121.6	35.7	509.9
415.1	-664.2	q5y_ps	I	-157.7	-244.6	-22.5	-163.9
437.9	-419.4		J	-164.3	-260.9	-22.6	-161.4
-54.3	195.6	q7	I	-70.2	15.6	2.3	39.4
-56.5	180.5		J	-70.2	15.6	2.3	39.4
198.6	837.8	T	I	-5.1	-25.4	-4.5	43.6
203.0	862.4		J	-5.1	-25.4	-4.5	43.6
-27.3	-294.2	SLVx-E~1	I	-5.5	-26.7	0.3	-43.4
-27.7	-303.2		J	-5.5	-26.7	0.3	-42.8
-63.8	-686.4	SLVy-E~1	I	-12.8	-62.4	0.7	-101.3
-64.5	-707.4		J	-12.8	-62.4	0.7	-99.8
682	1	64 Q1-1_2 Max	I	6.1	43.1	1615.7	1398.8
9693.1	657.1		J	5.8	43.1	1668.3	1410.5
8694.0	675.4	Min	I	-25.6	-19.0	-213.5	-4203.4
9448.0	-1469.5		J	-26.7	-19.0	-190.2	-4257.1
9728.7	-1511.2						

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

9966.2	519.9	Q1-3_4 Max	I	6.5	39.1	1639.1	1364.4	
			J	5.9	39.1	1693.3	1428.0	
8942.5	534.8	Min	I	-25.0	-15.4	-222.4	-3577.1	-
9237.2	-1357.0		J	-26.0	-15.4	-198.5	-3559.1	-
9508.0	-1394.9							
		Q2a-1_2 Max	I	3.7	23.9	939.6	757.5	
5622.8	361.3		J	3.6	23.9	966.9	762.2	
5064.2	371.4	Min	I	-15.0	-10.4	-135.1	-2408.7	-
5226.7	-813.7		J	-15.7	-10.4	-119.6	-2430.2	-
5380.6	-836.9							
		Q2a-3_4 Max	I	4.1	21.2	946.9	734.7	
5747.1	278.2		J	3.7	21.2	975.0	772.0	
5177.6	286.2	Min	I	-14.5	-8.3	-140.7	-1993.3	-
5036.4	-737.5		J	-15.1	-8.3	-125.0	-1967.4	-
5183.1	-758.0							
		Q1-1 Max	I	2.2	16.7	585.5	496.0	
3408.1	312.2		J	2.2	16.7	602.5	496.0	
3066.5	320.9	Min	I	-9.7	-9.0	-79.4	-1973.8	-
3473.6	-556.5		J	-10.1	-9.0	-70.3	-2000.7	-
3577.3	-572.7							
		Q1-3 Max	I	2.8	11.6	589.7	432.7	
3689.0	123.7		J	2.6	11.6	608.1	501.3	
3321.6	127.7	Min	I	-8.6	-4.1	-89.6	-722.4	-
2843.4	-424.3		J	-8.9	-4.1	-79.8	-647.8	-
2924.5	-435.6							
		SLVx (RS)	I	753.2	-707.1	-215.4	-2409.8	
4765.4	12153.7		J	753.2	-707.1	-215.4	-2409.8	
4944.7	12391.3							
		SLVy (RS)	I	-800.8	-602.5	120.7	2655.6	
1404.4	-14768.8		J	-800.8	-602.5	120.7	2655.6	
1414.3	-15127.1							
		SLVz (RS)	I	246.6	-71.4	-428.2	425.5	
1208.2	-1384.4		J	246.6	-71.4	-428.2	425.5	
1501.5	-1348.4							
		G1	I	-23.0	34.0	1729.4	-2132.6	
-795.5	-1194.8		J	-24.7	34.0	1830.1	-2132.6	-
2519.7	-1227.7							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-284.2	-433.1	G2	I	-8.3	12.3	627.4	-776.2
			J	-9.0	12.3	664.0	-776.2
-909.7	-445.0						
		pp imp~1	I	-1.3	-5.7	0.0	-13.7
-4.3	195.3		J	-1.3	-5.7	0.0	-13.7
-4.3	200.9						
		perm i~1	I	-0.4	-1.8	0.0	-4.4
-1.4	62.9		J	-0.4	-1.8	0.0	-4.4
-1.4	64.7						
		pp2	I	-0.0	-0.1	0.0	1.0
-0.2	4.9		J	-0.0	-0.1	0.0	1.0
-0.2	5.1						
		perm2	I	-0.0	-0.0	0.0	0.3
0.2	1.2		J	-0.0	-0.0	0.0	0.3
0.2	1.3						
		q3	I	-178.1	7.7	13.7	-176.1
-238.2	1017.8		J	-183.3	7.7	13.7	-188.5
-245.5	1010.3						
		q4-1	I	-0.9	-4.0	-1.2	-30.0
28.0	135.8		J	-0.9	-4.0	-1.2	-30.0
29.1	139.6						
		q4-2	I	1.8	8.0	1.1	28.0
-31.3	-272.2		J	1.8	8.0	1.1	28.0
-32.4	-280.0						
		q4-3	I	-5.4	-23.6	5.5	86.3
-135.0	806.8		J	-5.4	-23.6	5.5	86.3
-140.3	829.7						
		q4-4	I	82.7	21.4	0.8	-117.6
-25.3	-1325.9		J	82.7	21.4	0.8	-117.6
-26.1	-1346.6						
		q5x_pc	I	-389.4	111.7	38.0	554.6
-969.9	523.1		J	-406.6	118.9	37.7	551.0
-998.0	411.4						
		q5y_pc	I	-181.1	-283.7	-24.4	-92.1
500.9	-76.6		J	-188.4	-300.8	-24.5	-83.5
528.2	206.6						
		q5x_ps	I	-587.6	132.1	35.8	528.0
-994.5	1749.8		J	-603.8	139.0	35.5	526.9
1026.6	1618.4						-
		q5y_ps	I	-169.0	-257.9	-22.7	-169.2

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
434.8	-419.5		J	-175.8	-274.2	-22.8	-166.8	
457.9	-161.7							
		q7	I	-69.9	16.9	2.3	40.5	
-55.8	180.5		J	-69.9	16.9	2.3	40.5	
-58.0	164.2							
		T	I	-5.6	-25.3	-4.5	40.0	
204.1	862.3		J	-5.6	-25.3	-4.5	40.0	
208.4	886.8							
		SLVx-E~1	I	-5.9	-26.6	0.3	-42.3	
-28.5	-303.2		J	-5.9	-26.6	0.3	-41.7	
-28.8	-312.2							
		SLVy-E~1	I	-13.9	-62.1	0.7	-98.7	
-66.5	-707.4		J	-13.9	-62.1	0.7	-97.3	
-67.2	-728.5							
683	1	64 Q1-1_2 Max	I	6.2	42.9	1668.4	1575.1	
8647.5	677.1		J	5.9	42.9	1721.1	1587.3	
7622.6	695.3							
		Min	I	-26.4	-18.9	-190.2	-4364.6	-
9706.5	-1511.7		J	-27.6	-18.9	-168.1	-4418.9	-1
0048.3	-1553.3							
		Q1-3_4 Max	I	6.1	38.9	1693.3	1531.1	
8911.7	536.0		J	5.5	38.9	1747.8	1597.5	
7855.5	550.9							
		Min	I	-25.7	-15.3	-198.5	-3683.9	-
9485.7	-1395.4		J	-26.8	-15.3	-175.9	-3665.1	-
9809.0	-1433.1							
		Q2a-1_2 Max	I	3.8	23.8	966.9	854.7	
5037.8	372.3		J	3.7	23.8	994.1	859.6	
4463.7	382.4							
		Min	I	-15.5	-10.4	-119.6	-2488.6	-
5367.9	-837.1		J	-16.2	-10.4	-105.0	-2510.3	-
5546.3	-860.1							
		Q2a-3_4 Max	I	3.9	21.1	975.0	823.9	
5161.7	286.9		J	3.5	21.1	1002.9	869.5	
4573.8	294.9							
		Min	I	-14.9	-8.3	-125.0	-2037.1	-
5170.8	-758.2		J	-15.5	-8.3	-110.0	-2010.3	-
5338.6	-778.7							
		Q1-1 Max	I	2.4	16.7	602.6	558.7	
3036.0	321.4		J	2.4	16.7	619.5	558.7	
2701.7	330.1							
		Min	I	-10.0	-9.0	-70.3	-2042.8	-
3569.0	-572.8							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
3695.9	-588.9		J	-10.5	-9.0	-61.7	-2069.7	-
3319.2	127.6	Q1-3 Max	I	2.7	11.5	608.1	482.0	
2932.8	131.6		J	2.5	11.5	626.4	553.4	
2917.7	-435.7	Min	I	-8.7	-4.1	-79.8	-700.1	-
2998.8	-446.9		J	-9.1	-4.1	-70.4	-624.1	-
4904.7	12391.0	SLVx (RS)	I	760.5	-740.9	-217.8	-2491.9	
5086.5	12648.0		J	760.5	-740.9	-217.8	-2491.9	
1420.7	-15126.9	SLVy (RS)	I	-823.1	-605.5	-125.4	2653.3	
1437.1	-15479.6		J	-823.1	-605.5	-125.4	2653.3	
1507.5	-1348.6	SLVz (RS)	I	245.8	-82.7	-443.8	403.2	
1842.4	-1300.7		J	245.8	-82.7	-443.8	403.2	
2557.9	-1226.8	G1	I	-24.0	33.8	1830.1	-2087.2	-
4379.7	-1259.6		J	-25.8	33.8	1930.8	-2087.2	-
-923.7	-444.7	G2	I	-8.7	12.3	664.0	-759.8	
1584.6	-456.6		J	-9.4	12.3	700.5	-759.8	-
-4.5	200.9	pp imp~1	I	-1.4	-5.7	0.0	-13.6	
-4.5	206.4		J	-1.4	-5.7	0.0	-13.6	
-1.4	64.7	perm i~1	I	-0.4	-1.8	0.0	-4.4	
-1.4	66.5		J	-0.4	-1.8	0.0	-4.4	
-0.2	5.1	pp2	I	-0.0	-0.1	0.0	1.0	
-0.2	5.2		J	-0.0	-0.1	0.0	1.0	
0.2	1.3	perm2	I	-0.0	-0.0	0.0	0.2	
0.2	1.3		J	-0.0	-0.0	0.0	0.2	
-248.6	1010.4	q3	I	-183.1	11.0	13.7	-184.0	
-255.9	999.7		J	-188.3	11.0	13.7	-196.4	
28.6	139.6	q4-1	I	-0.9	-4.0	-1.2	-30.5	
29.7	143.5		J	-0.9	-4.0	-1.2	-30.5	


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-32.0	-280.0	q4-2	I	1.9	8.0	1.1	28.5	
-33.1	-287.7		J	1.9	8.0	1.1	28.5	
-138.5	829.7	q4-3	I	-5.8	-23.5	5.5	88.9	
-143.8	852.5		J	-5.8	-23.5	5.5	88.9	
-28.6	-1346.6	q4-4	I	83.0	19.9	0.8	-117.2	
-29.4	-1365.9		J	83.0	19.9	0.8	-117.2	
-987.9	411.7	q5x_pc	I	-404.4	126.2	37.8	568.9	
1015.8	285.8		J	-421.5	133.7	37.5	565.1	-
526.7	206.4	q5y_pc	I	-193.7	-297.4	-24.6	-92.9	
554.4	502.8		J	-201.3	-314.5	-24.7	-84.4	
1016.4	1618.7	q5x_ps	I	-601.2	149.8	35.6	545.4	-
1048.4	1470.2		J	-617.3	156.9	35.3	544.3	-
454.8	-161.9	q5y_ps	I	-180.7	-271.0	-22.9	-175.0	
478.1	108.5		J	-187.8	-287.1	-23.0	-172.6	
-57.2	164.2	q7	I	-69.6	18.1	2.3	41.5	
-59.4	146.7		J	-69.6	18.1	2.3	41.5	
209.4	886.7	T	I	-6.0	-25.2	-4.5	36.3	
213.8	911.1		J	-6.0	-25.2	-4.5	36.3	
-29.7	-312.2	SLVx-E~1	I	-6.4	-26.5	0.3	-41.2	
-29.9	-321.4		J	-6.4	-26.5	0.3	-40.6	
-69.2	-728.5	SLVy-E~1	I	-15.0	-61.9	0.7	-96.1	
-69.9	-749.9		J	-15.0	-61.9	0.7	-94.7	
684	1	64 Q1-1_2 Max	I	6.3	42.7	1721.1	1759.0	
7579.0	697.1		J	6.0	42.7	1773.9	1771.8	
6608.6	715.2	Min	I	-27.3	-18.8	-168.1	-4506.7	-1
0030.2	-1553.4		J	-28.5	-18.8	-147.4	-4561.6	-1
0478.9	-1594.8	Q1-3_4 Max	I	5.7	38.7	1747.8	1709.0	

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
7827.6	552.2		J	5.3	38.7	1802.4	1778.4	
6811.6	567.0		J					
9790.1	-1433.2	Min	I	-26.4	-15.3	-175.9	-3769.2	-
0227.1	-1470.7		J	-27.5	-15.3	-154.5	-3749.7	-1
4438.5	383.3	Q2a-1_2 Max	I	3.9	23.7	994.1	955.6	
3882.0	393.3		J	3.7	23.7	1021.1	960.7	
5534.7	-860.1	Min	I	-16.0	-10.4	-105.0	-2556.8	-
5755.8	-883.1		J	-16.7	-10.4	-91.0	-2578.8	-
4559.3	295.6	Q2a-3_4 Max	I	3.6	21.0	1002.9	919.9	
3982.7	303.6		J	3.4	21.0	1030.7	967.2	
5327.1	-778.7	Min	I	-15.3	-8.2	-110.0	-2068.1	-
5540.4	-799.1		J	-16.0	-8.2	-95.7	-2040.3	-
2672.9	330.7	Q1-1 Max	I	2.6	16.6	619.5	623.6	
2355.5	339.3		J	2.6	16.6	636.4	623.6	
3689.0	-588.9	Min	I	-10.4	-8.9	-61.7	-2104.1	-
3847.8	-605.0		J	-10.9	-8.9	-53.5	-2131.0	-
2930.9	131.5	Q1-3 Max	I	2.6	11.5	626.4	539.2	
2549.0	135.5		J	2.4	11.5	644.7	613.4	
2991.1	-446.9	Min	I	-8.9	-4.1	-70.4	-670.1	-
3094.8	-458.0		J	-9.2	-4.1	-61.4	-593.0	-
5045.1	12647.6	SLVx (RS)	I	766.7	-775.6	-220.2	-2576.6	
5229.3	12928.3		J	766.7	-775.6	-220.2	-2576.6	
1445.2	-15479.3	SLVy (RS)	I	-845.1	-608.1	-129.8	2650.3	
1469.1	-15826.2		J	-845.1	-608.1	-129.8	2650.3	
1848.3	-1301.0	SLVz (RS)	I	244.5	-95.4	-459.7	373.9	
2214.1	-1242.7		J	244.5	-95.4	-459.7	373.9	
4416.8	-1258.0	G1	I	-25.0	33.7	1930.9	-2008.4	-
6336.2	-1290.6		J	-26.8	33.7	2031.6	-2008.4	-
1598.1	-456.0	G2	I	-9.1	12.2	700.5	-731.3	-

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2294.5	-467.8		J	-9.7	12.2	737.1	-731.3	-
-4.7	206.4	pp imp~1	I	-1.5	-5.7	0.0	-13.5	
-4.7	212.0		J	-1.5	-5.7	0.0	-13.5	
-1.5	66.5	perm i~1	I	-0.5	-1.8	0.0	-4.4	
-1.5	68.3		J	-0.5	-1.8	0.0	-4.4	
-0.2	5.2	pp2	I	-0.0	-0.1	0.0	1.0	
-0.2	5.3		J	-0.0	-0.1	0.0	1.0	
0.2	1.3	perm2	I	-0.0	-0.0	0.0	0.2	
0.2	1.3		J	-0.0	-0.0	0.0	0.2	
-259.0	999.8	q3	I	-188.1	14.4	13.7	-191.7	
-266.4	985.9		J	-193.2	14.4	13.7	-204.1	
29.2	143.5	q4-1	I	-1.0	-4.0	-1.2	-31.0	
30.3	147.3		J	-1.0	-4.0	-1.2	-31.0	
-32.7	-287.7	q4-2	I	2.1	7.9	1.1	29.1	
-33.8	-295.4		J	2.1	7.9	1.1	29.1	
-141.9	852.5	q4-3	I	-6.2	-23.4	5.5	91.5	
-147.2	875.2		J	-6.2	-23.4	5.5	91.5	
-31.9	-1365.9	q4-4	I	83.4	18.4	0.8	-116.8	
-32.7	-1383.7		J	83.4	18.4	0.8	-116.8	
1005.4	286.1	q5x_pc	I	-419.0	141.3	37.6	583.2	-
1033.2	145.4		J	-435.9	149.1	37.3	579.3	-
552.9	502.6	q5y_pc	I	-206.9	-310.8	-24.8	-94.3	
581.0	811.9		J	-214.7	-327.7	-25.0	-85.8	
1038.0	1470.4	q5x_ps	I	-614.4	167.9	35.4	563.1	-
1069.8	1304.1		J	-630.4	175.4	35.1	562.0	-
475.0	108.3	q5y_ps	I	-192.9	-283.7	-23.1	-181.1	
			J	-200.4	-299.7	-23.2	-178.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
498.6	390.9							
			q7	I	-69.3	19.4	2.3	42.6
-58.6	146.7			J	-69.3	19.4	2.3	42.6
-60.9	127.9							
			T	I	-6.5	-25.1	-4.5	32.6
214.7	911.1			J	-6.5	-25.1	-4.5	32.6
219.1	935.4							
			SLVx-E~1	I	-6.9	-26.4	0.3	-40.1
-30.8	-321.4			J	-6.9	-26.4	0.3	-39.4
-31.1	-330.7							
			SLVy-E~1	I	-16.1	-61.6	0.7	-93.5
-71.8	-749.9			J	-16.1	-61.6	0.7	-92.0
-72.5	-771.6							
685	1	64	Q1-1_2 Max	I	6.4	42.5	1773.9	1949.7
6569.8	717.0			J	6.2	42.5	1826.8	1963.4
5681.6	735.1		Min	I	-28.3	-18.7	-147.4	-4628.4
0464.7	-1594.6			J	-29.5	-18.7	-127.9	-4684.0
1039.3	-1635.8							
			Q1-3_4 Max	I	5.6	38.5	1802.4	1898.4
6788.6	568.3			J	5.3	38.5	1857.1	1970.7
5862.1	583.0		Min	I	-27.2	-15.2	-154.5	-3833.1
0212.0	-1470.4			J	-28.3	-15.2	-134.5	-3812.9
0782.2	-1507.8							
			Q2a-1_2 Max	I	3.9	23.6	1021.2	1059.9
3858.8	394.2			J	3.8	23.6	1047.9	1065.3
3331.7	404.2		Min	I	-16.6	-10.3	-91.0	-2613.0
5745.3	-882.9			J	-17.3	-10.3	-77.8	-2635.3
6016.8	-905.8							
			Q2a-3_4 Max	I	3.5	20.9	1030.7	1022.8
3970.5	304.3			J	3.3	20.9	1058.3	1071.9
3425.6	312.2		Min	I	-15.8	-8.2	-95.7	-2086.5
5530.0	-798.9			J	-16.4	-8.2	-82.1	-2057.8
5796.6	-819.1							
			Q1-1 Max	I	2.7	16.5	636.4	690.4
2328.4	339.9			J	2.7	16.5	653.1	690.4
2028.1	348.5		Min	I	-10.9	-8.9	-53.5	-2157.0
3842.2	-604.9			J	-11.3	-8.9	-45.8	-2183.9
4031.9	-620.8							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

2548.5	135.4	Q1-3 Max	I	2.5	11.4	644.7	604.6	
			J	2.3	11.4	662.9	681.8	
2191.3	139.4	Min	I	-9.0	-4.0	-61.4	-632.6	-
3086.8	-457.9		J	-9.3	-4.0	-52.9	-554.4	-
3232.4	-469.0							
5186.5	12927.9	SLVx (RS)	I	771.9	-811.0	-222.4	-2664.0	
			J	771.9	-811.0	-222.4	-2664.0	
5373.2	13236.3							
1478.8	-15825.9	SLVy (RS)	I	-866.9	-610.4	-134.0	2646.5	
			J	-866.9	-610.4	-134.0	2646.5	
1510.7	16166.8							
2219.8	-1243.1	SLVz (RS)	I	242.8	-108.1	-474.8	337.5	
			J	242.8	-108.1	-474.8	337.5	
2610.5	-1176.6							
6371.6	-1288.5	G1	I	-26.0	33.5	2031.6	-1894.6	-
			J	-27.8	33.5	2132.4	-1894.6	-
8388.6	-1321.0							
2307.4	-467.1	G2	I	-9.4	12.1	737.1	-690.1	-
			J	-10.1	12.1	773.6	-690.1	-
3039.2	-478.8							
-4.9	212.0	pp imp~1	I	-1.6	-5.7	0.0	-13.4	
			J	-1.6	-5.7	0.0	-13.4	
-4.9	217.5							
-1.6	68.3	perm i~1	I	-0.5	-1.8	0.0	-4.3	
			J	-0.5	-1.8	0.0	-4.3	
-1.6	70.0							
-0.2	5.3	pp2	I	-0.0	-0.1	0.0	1.1	
			J	-0.0	-0.1	0.0	1.1	
-0.2	5.5							
0.2	1.3	perm2	I	-0.0	-0.0	0.0	0.2	
			J	-0.0	-0.0	0.0	0.2	
0.2	1.4							
-269.7	986.0	q3	I	-192.9	17.8	13.7	-199.2	
			J	-198.1	17.8	13.7	-211.6	
-277.0	968.8							
29.8	147.3	q4-1	I	-1.1	-3.9	-1.2	-31.6	
			J	-1.1	-3.9	-1.2	-31.6	
30.9	151.1							
		q4-2	I	2.2	7.9	1.1	29.7	


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-33.4	-295.4		J	2.2	7.9	1.1	29.7	
-34.5	-303.0							
		q4-3	I	-6.6	-23.3	5.5	94.2	
-145.3	875.3		J	-6.6	-23.3	5.5	94.2	
-150.6	897.9							
		q4-4	I	83.7	16.9	0.8	-116.3	
-35.2	-1383.7		J	83.7	16.9	0.8	-116.3	
-36.0	-1400.1							
		q5x_pc	I	-433.2	156.9	37.3	597.7	-
1022.6	145.7		J	-449.9	165.1	37.1	593.6	-
1050.3	-10.3							
		q5y_pc	I	-220.6	-323.8	-25.0	-96.1	
579.6	811.8		J	-228.7	-340.6	-25.2	-87.8	
608.0	1133.6							
		q5x_ps	I	-627.2	186.6	35.3	581.2	-
1059.1	1304.4		J	-643.0	194.3	35.0	580.0	-
1090.8	1119.9							
		q5y_ps	I	-205.7	-296.0	-23.3	-187.6	
495.4	390.8		J	-213.4	-311.9	-23.5	-185.2	
519.2	685.2							
		q7	I	-68.9	20.6	2.3	43.7	
-60.1	127.9		J	-68.9	20.6	2.3	43.7	
-62.3	108.0							
		T	I	-6.9	-25.0	-4.6	28.7	
220.0	935.3		J	-6.9	-25.0	-4.6	28.7	
224.4	959.5							
		SLVx-E~1	I	-7.4	-26.3	0.3	-38.9	
-31.9	-330.7		J	-7.4	-26.3	0.3	-38.3	
-32.1	-340.1							
		SLVy-E~1	I	-17.2	-61.3	0.7	-90.8	
-74.3	-771.6		J	-17.2	-61.3	0.7	-89.4	
-75.0	-793.6							
686	1	64 Q1-1_2 Max	I	6.6	42.3	1826.8	2147.3	
5646.9	736.9		J	6.3	42.3	1879.6	2161.7	
4834.8	754.9							
		Min	I	-29.3	-18.6	-127.9	-4728.7	-1
1027.9	-1635.2		J	-30.5	-18.6	-109.7	-4785.2	-1
1720.7	-1676.2							
		Q1-3_4 Max	I	5.6	38.3	1857.1	2099.5	
5843.5	584.4		J	5.2	38.3	1911.8	2174.8	

MIDAS

PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
4997.2	599.0								
		Min	I	-28.0	-15.1	-134.5	-3873.8	-1	
0769.5	-1507.1		J	-29.1	-15.1	-115.7	-3853.2	-1	
1464.7	-1544.2								
		Q2a-1_2 Max	I	4.0	23.5	1047.9	1167.6		
3310.4	405.1		J	3.8	23.5	1074.5	1173.4		
2811.1	415.0								
		Min	I	-17.2	-10.3	-77.8	-2656.9	-	
6006.9	-905.4		J	-17.9	-10.3	-65.3	-2679.5	-	
6325.6	-928.1								
		Q2a-3_4 Max	I	3.5	20.8	1058.4	1132.5		
3415.6	312.9		J	3.3	20.8	1085.8	1174.3		
2899.7	320.8								
		Min	I	-16.2	-8.2	-82.1	-2091.1	-	
5786.7	-818.8		J	-16.8	-8.2	-69.3	-2061.7	-	
6103.2	-838.9								
		Q1-1 Max	I	2.9	16.4	653.1	759.0		
2002.6	349.0		J	2.9	16.4	669.7	759.0		
1718.8	357.6								
		Min	I	-11.3	-8.9	-45.8	-2201.5	-	
4027.3	-620.6		J	-11.8	-8.9	-38.6	-2228.4	-	
4246.1	-636.5								
		Q1-3 Max	I	2.4	11.4	662.9	678.5		
2192.1	139.3		J	2.1	11.4	681.1	758.8		
1856.7	143.2								
		Min	I	-9.2	-4.0	-52.9	-587.4	-	
3223.8	-468.7		J	-9.5	-4.0	-44.9	-508.5	-	
3407.6	-479.7								
		SLVx (RS)	I	776.1	-846.9	-224.6	-2753.9		
5329.0	13235.8		J	776.1	-846.9	-224.6	-2753.9		
5518.2	13576.0								
		SLVy (RS)	I	-888.3	-612.2	-138.0	2641.9		
1521.9	16166.5		J	-888.3	-612.2	-138.0	2641.9		
1562.5	16501.2								
		SLVz (RS)	I	240.7	-120.3	-488.6	294.0		
2615.6	-1177.0		J	240.7	-120.3	-488.6	294.0		
3027.4	-1105.1								
		G1	I	-27.0	33.3	2132.4	-1744.1	-	
8421.7	-1318.2		J	-28.7	33.3	2233.1	-1744.1	-1	
0536.3	-1350.5								
		G2	I	-9.8	12.1	773.6	-635.5	-	
3051.2	-477.8		J	-10.4	12.1	810.2	-635.5	-	
3818.4	-489.5								


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

-5.0	217.5	pp imp~1	I	-1.7	-5.6	0.0	-13.3	
			J	-1.7	-5.6	0.0	-13.3	
-5.1	222.9							
		perm i~1	I	-0.5	-1.8	0.0	-4.3	
-1.6	70.0		J	-0.5	-1.8	0.0	-4.3	
-1.6	71.8							
		pp2	I	-0.0	-0.1	0.0	1.1	
-0.2	5.5		J	-0.0	-0.1	0.0	1.1	
-0.2	5.6							
		perm2	I	-0.0	-0.0	0.0	0.2	
0.2	1.4		J	-0.0	-0.0	0.0	0.2	
0.2	1.4							
		q3	I	-197.8	21.4	13.8	-206.5	
-280.5	968.9		J	-202.9	21.4	13.8	-218.9	
-287.9	948.2							
		q4-1	I	-1.2	-3.9	-1.2	-32.1	
30.4	151.1		J	-1.2	-3.9	-1.2	-32.1	
31.5	154.9							
		q4-2	I	2.3	7.9	1.2	30.3	
-34.0	-303.0		J	2.3	7.9	1.2	30.3	
-35.1	-310.6							
		q4-3	I	-7.1	-23.2	5.5	97.0	
-148.6	897.9		J	-7.1	-23.2	5.5	97.0	
-153.8	920.4							
		q4-4	I	84.0	15.4	0.8	-115.7	
-38.5	-1400.1		J	84.0	15.4	0.8	-115.7	
-39.3	-1415.0							
		q5x_pc	I	-446.9	173.1	37.1	612.4	-
1039.5	-10.0		J	-463.5	181.5	36.9	608.1	-
1067.0	-181.8							
		q5y_pc	I	-234.8	-336.4	-25.3	-98.5	
606.7	1133.4		J	-243.3	-353.0	-25.4	-90.2	
635.5	1467.4							
		q5x_ps	I	-639.4	205.8	35.1	599.6	-
1079.9	1120.2		J	-655.1	213.8	34.8	598.4	-
1111.4	916.9							
		q5y_ps	I	-219.0	-308.0	-23.5	-194.4	
516.0	685.1		J	-227.0	-323.7	-23.7	-192.1	
540.1	991.1							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-61.5	108.0		q7	I	-68.6	21.8	2.3	44.8	
				J	-68.6	21.8	2.3	44.8	
-63.8	86.9								
			T	I	-7.4	-24.8	-4.6	24.8	
225.2	959.4			J	-7.4	-24.8	-4.6	24.8	
229.6	983.4								
			SLVx-E~1	I	-7.8	-26.1	0.3	-37.7	
-32.9	-340.1			J	-7.8	-26.1	0.3	-37.1	
-33.2	-349.6								
			SLVy-E~1	I	-18.3	-61.0	0.6	-88.1	
-76.8	-793.5			J	-18.3	-61.0	0.6	-86.7	
-77.4	-815.8								
687	1	64	Q1-1_2 Max	I	6.7	42.1	1879.6	2351.6	
4803.6	756.7			J	6.5	42.1	1932.3	2367.0	
4100.9	774.6								
			Min	I	-30.3	-18.5	-109.7	-4805.4	-1
1710.9	-1675.3			J	-31.6	-18.5	-92.8	-4862.9	-1
2514.2	-1716.1								
			Q1-3_4 Max	I	5.5	38.1	1911.8	2312.5	
4982.3	600.4			J	5.2	38.1	1966.6	2390.7	
4209.6	615.0								
			Min	I	-28.8	-15.0	-115.7	-3891.4	-1
1453.3	-1543.2			J	-29.9	-15.0	-98.2	-3870.4	-1
2265.1	-1580.1								
			Q2a-1_2 Max	I	4.1	23.3	1074.5	1278.6	
2791.5	416.0			J	3.9	23.3	1100.8	1284.8	
2318.4	425.9								
			Min	I	-17.8	-10.2	-65.3	-2686.8	-
6315.9	-927.6			J	-18.5	-10.2	-53.6	-2709.8	-
6678.8	-950.2								
			Q2a-3_4 Max	I	3.5	20.7	1085.8	1249.3	
2891.6	321.6			J	3.3	20.7	1113.0	1299.0	
2402.6	329.4								
			Min	I	-16.6	-8.1	-69.3	-2082.2	-
6093.4	-838.4			J	-17.3	-8.1	-57.1	-2052.1	-
6456.6	-858.4								
			Q1-1 Max	I	3.1	16.3	669.7	829.2	
1694.7	358.2			J	3.1	16.3	686.1	829.2	
1426.6	366.7								
			Min	I	-11.8	-8.8	-38.6	-2236.3	-
4242.2	-636.2			J	-12.3	-8.8	-31.9	-2263.2	-
4488.2	-652.0								
			Q1-3 Max	I	2.2	11.3	681.1	761.2	


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1858.7	143.2		J	2.0	11.3	699.2	844.8	
1543.4	147.1							
		Min	I	-9.3	-4.0	-44.9	-534.8	-
3398.0	-479.3							
			J	-9.6	-4.0	-37.3	-455.3	-
3617.4	-490.2							
		SLVx (RS)	I	779.3	-883.2	-226.7	-2846.5	
5472.5	13575.4							
			J	779.3	-883.2	-226.7	-2846.5	
5664.1	13951.0							
		SLVy (RS)	I	-909.4	-613.8	-141.7	2636.5	
1574.9	16500.9							
			J	-909.4	-613.8	-141.7	2636.5	
1624.4	16829.2							
		SLVz (RS)	I	238.3	-131.3	-500.8	243.8	
3031.7	-1105.6							
			J	238.3	-131.3	-500.8	243.8	
3461.2	-1032.1							
		G1	I	-27.9	33.2	2233.1	-1555.1	-1
0566.3	-1347.0							
			J	-29.7	33.2	2333.9	-1555.1	-1
2778.5	-1379.2							
		G2	I	-10.1	12.0	810.2	-567.0	-
3829.4	-488.3							
			J	-10.8	12.0	846.8	-567.0	-
4632.0	-499.9							
		pp imp~1	I	-1.8	-5.6	0.0	-13.2	
-5.2	222.9							
			J	-1.8	-5.6	0.0	-13.2	
-5.2	228.3							
		perm i~1	I	-0.6	-1.8	0.0	-4.3	
-1.7	71.8							
			J	-0.6	-1.8	0.0	-4.3	
-1.7	73.5							
		pp2	I	-0.0	-0.1	0.0	1.1	
-0.2	5.6							
			J	-0.0	-0.1	0.0	1.1	
-0.2	5.7							
		perm2	I	-0.0	-0.0	-0.0	0.2	
0.2	1.4							
			J	-0.0	-0.0	-0.0	0.2	
0.2	1.4							
		q3	I	-202.5	25.0	13.8	-213.6	
-291.5	948.3							
			J	-207.7	25.0	13.8	-226.0	
-298.9	924.1							
		q4-1	I	-1.2	-3.9	-1.2	-32.6	
31.0	154.9							
			J	-1.2	-3.9	-1.2	-32.6	
32.1	158.7							
		q4-2	I	2.5	7.8	1.2	30.9	
-34.7	-310.6							
			J	2.5	7.8	1.2	30.9	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-35.8	-318.2							
		q4-3	I	-7.5	-23.1	5.4	99.8	
-151.8	920.4		J	-7.5	-23.1	5.4	99.8	
-157.1	942.8							
		q4-4	I	84.3	13.9	0.8	-115.2	
-41.8	-1415.0		J	84.3	13.9	0.8	-115.2	
-42.5	-1428.5							
		q5x_pc	I	-460.2	189.8	37.0	627.2	-
1056.0	-181.5		J	-476.7	198.6	36.7	622.8	-
1083.4	-369.6							
		q5y_pc	I	-249.6	-348.6	-25.5	-101.5	
634.2	1467.2		J	-258.3	-365.1	-25.7	-93.2	
663.3	1812.9							
		q5x_ps	I	-651.2	225.5	35.0	618.3	-
1100.2	917.2		J	-666.8	233.8	34.7	617.1	-
1131.6	694.7							
		q5y_ps	I	-232.8	-319.6	-23.7	-201.6	
536.9	990.9		J	-241.0	-335.2	-23.9	-199.3	
561.2	1308.1							
		q7	I	-68.1	23.1	2.4	45.9	
-62.9	86.9		J	-68.1	23.1	2.4	45.9	
-65.2	64.5							
		T	I	-7.8	-24.7	-4.6	20.7	
230.3	983.4		J	-7.8	-24.7	-4.6	20.7	
234.7	1007.3							
		SLVx-E~1	I	-8.3	-26.0	0.3	-36.6	
-34.0	-349.6		J	-8.3	-26.0	0.3	-36.0	
-34.2	-359.3							
		SLVy-E~1	I	-19.4	-60.6	0.6	-85.3	
-79.2	-815.8		J	-19.4	-60.6	0.6	-83.9	
-79.9	-838.4							
688	1	64	Q1-1_2 Max	I	6.9	41.8	1932.4	2562.9
4033.5	776.6			J	6.7	41.8	1985.0	2579.3
3548.1	794.3		Min	I	-31.4	-18.4	-92.8	-4860.3
2504.8	-1714.8			J	-32.6	-18.4	-84.7	-4918.7
3411.4	-1755.3							
			Q1-3_4 Max	I	5.5	37.9	1966.6	2537.5
4197.9	616.4			J	5.5	37.9	2021.3	2614.3
3579.6	630.9		Min	I	-29.6	-14.9	-98.2	-3884.6


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2253.7	-1578.7			J	-30.8	-14.9	-85.9	-3863.5	-1
3174.8	-1615.4								
2300.4	426.9	Q2a-1_2	Max	I	4.2	23.2	1100.8	1393.1	
1966.2	436.7			J	4.0	23.2	1126.9	1399.6	
6668.7	-949.5		Min	I	-18.4	-10.1	-53.6	-2704.3	-
7072.9	-972.0			J	-19.1	-10.1	-47.4	-2727.7	-
2396.5	330.2	Q2a-3_4	Max	I	3.4	20.5	1113.0	1373.2	
1969.3	338.0			J	3.2	20.5	1140.1	1434.1	
6446.2	-857.6		Min	I	-17.1	-8.1	-57.1	-2059.2	-
6853.1	-877.5			J	-17.7	-8.1	-47.9	-2028.4	-
1403.8	367.3	Q1-1	Max	I	3.3	16.2	686.1	900.9	
1254.1	375.8			J	3.3	16.2	702.4	900.9	
4484.6	-651.6		Min	I	-12.3	-8.8	-31.9	-2262.6	-
4756.2	-667.3			J	-12.8	-8.8	-30.6	-2289.5	-
1546.5	147.1	Q1-3	Max	I	2.1	11.2	699.2	853.3	
1249.9	150.9			J	1.9	11.2	717.3	940.1	
3606.6	-489.7		Min	I	-9.4	-4.0	-37.3	-475.0	-
3859.2	-500.6			J	-9.7	-4.0	-30.1	-395.2	-
5617.0	13950.4	SLVx (RS)		I	781.5	-919.8	-228.6	-2941.5	
5811.0	14365.0			J	781.5	-919.8	-228.6	-2941.5	
1638.0	16828.8	SLVy (RS)		I	-930.2	-615.0	-145.2	2630.3	
1696.3	17150.4			J	-930.2	-615.0	-145.2	2630.3	
3464.5	-1032.6	SLVz (RS)		I	235.8	-140.7	-511.2	187.8	
3909.1	-961.9			J	235.8	-140.7	-511.2	187.8	
2804.8	-1375.1	G1		I	-28.8	33.0	2333.9	-1325.9	-1
5114.6	-1407.0			J	-30.6	33.0	2434.6	-1325.9	-1
4641.6	-498.4	G2		I	-10.5	11.9	846.8	-483.9	-
5479.6	-510.0			J	-11.1	11.9	883.3	-483.9	-
		pp imp~1		I	-1.9	-5.6	0.0	-13.1	


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-5.4	228.3		J	-1.9	-5.6	0.0	-13.1	
-5.4	233.7							
		perm i~1	I	-0.6	-1.8	0.0	-4.2	
-1.7	73.5		J	-0.6	-1.8	0.0	-4.2	
-1.7	75.3							
		pp2	I	-0.0	-0.1	0.0	1.1	
-0.2	5.7		J	-0.0	-0.1	0.0	1.1	
-0.2	5.9							
		perm2	I	-0.0	-0.0	-0.0	0.2	
0.2	1.4		J	-0.0	-0.0	-0.0	0.2	
0.2	1.5							
		q3	I	-207.2	28.7	13.8	-220.5	
-302.6	924.2		J	-212.3	28.7	13.8	-232.9	
-310.0	896.4							
		q4-1	I	-1.3	-3.9	-1.2	-33.2	
31.6	158.7		J	-1.3	-3.9	-1.2	-33.2	
32.7	162.5							
		q4-2	I	2.6	7.8	1.2	31.5	
-35.3	-318.2		J	2.6	7.8	1.2	31.5	
-36.5	-325.7							
		q4-3	I	-7.9	-22.9	5.4	102.7	
-155.0	942.8		J	-7.9	-22.9	5.4	102.7	
-160.2	965.0							
		q4-4	I	84.5	12.4	0.8	-114.5	
-45.0	-1428.4		J	84.5	12.4	0.8	-114.5	
-45.8	-1440.4							
		q5x_pc	I	-473.0	207.1	36.8	642.1	-
1072.2	-369.4		J	-489.3	216.1	36.5	637.5	-
1099.5	-574.3							
		q5y_pc	I	-264.8	-360.4	-25.7	-104.9	
662.1	1812.7		J	-273.9	-376.7	-25.9	-96.8	
691.7	2169.7							
		q5x_ps	I	-662.5	245.7	34.8	637.3	-
1120.1	695.0		J	-677.9	254.3	34.6	636.0	-
1151.4	452.8							
		q5y_ps	I	-247.0	-330.8	-24.0	-209.2	
557.9	1307.9		J	-255.6	-346.2	-24.1	-206.9	
582.5	1635.8							
		q7	I	-67.7	24.3	2.4	47.1	
-64.4	64.6							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-66.7	41.0		J	-67.7	24.3	2.4	47.1	
235.4	1007.2	T	I	-8.3	-24.5	-4.6	16.6	
239.8	1031.0		J	-8.3	-24.5	-4.6	16.6	
-35.0	-359.3	SLVx-E~1	I	-8.8	-25.8	0.3	-35.4	
-35.2	-369.2		J	-8.8	-25.8	0.3	-34.8	
-81.6	-838.4	SLVy-E~1	I	-20.5	-60.3	0.6	-82.6	
-82.2	-861.4		J	-20.5	-60.3	0.6	-81.2	
689	1	64 Q1-1_2 Max	I	7.1	41.6	1985.0	2781.4	
3531.5	796.3		J	6.8	41.6	2037.6	2799.3	
3420.7	814.0	Min	I	-32.4	-18.3	-84.7	-4890.1	-1
3401.4	-1753.7		J	-33.7	-18.3	-82.7	-4950.1	-1
4404.8	-1794.0	Q1-3_4 Max	I	5.8	37.7	2021.4	2774.8	
3569.6	632.4		J	5.7	37.7	2076.1	2879.1	
3371.7	646.7	Min	I	-30.4	-14.8	-85.9	-3853.3	-1
3162.3	-1613.5		J	-31.6	-14.8	-81.4	-3834.2	-1
4185.8	-1650.0	Q2a-1_2 Max	I	4.2	23.0	1126.9	1511.0	
1957.7	437.7		J	4.1	23.0	1152.6	1518.2	
1906.8	447.4	Min	I	-19.0	-10.1	-47.4	-2707.2	-
7062.0	-971.1		J	-19.7	-10.1	-46.4	-2731.2	-
7505.0	-993.4	Q2a-3_4 Max	I	3.5	20.4	1140.1	1504.2	
1952.1	338.8		J	3.4	20.4	1166.8	1579.8	
1852.6	346.5	Min	I	-17.5	-8.0	-47.9	-2021.8	-
6841.8	-876.5		J	-18.2	-8.0	-45.0	-1991.9	-
7289.7	-896.3	Q1-1 Max	I	3.5	16.1	702.4	974.2	
1247.1	376.4		J	3.5	16.1	718.4	974.2	
1245.8	384.8	Min	I	-12.8	-8.7	-30.6	-2278.5	-
4752.6	-666.8		J	-13.2	-8.7	-30.3	-2305.4	-
5048.1	-682.4	Q1-3 Max	I	2.0	11.2	717.3	955.1	
1254.0	150.9		J	1.9	11.2	735.3	1045.2	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
1082.3	154.7		Min	I	-9.5	-4.0	-30.1	-408.3	-
3846.9	-499.8			J	-9.8	-4.0	-26.2	-330.7	-
4130.6	-510.6								
5762.4	14364.2		SLVx (RS)	I	782.7	-956.6	-230.4	-3039.1	
5958.7	14820.8			J	782.7	-956.6	-230.4	-3039.1	
1710.7	17150.0		SLVy (RS)	I	-950.6	-616.1	-148.2	2623.5	
1777.7	17464.7			J	-950.6	-616.1	-148.2	2623.5	
3911.3	-962.5		SLVz (RS)	I	233.3	-148.3	-520.3	129.9	
4368.6	-899.9			J	233.3	-148.3	-520.3	129.9	
5136.4	-1402.2		G1	I	-29.7	32.8	2434.6	-1054.9	-1
7543.9	-1434.0			J	-31.4	32.8	2535.4	-1054.9	-1
5487.6	-508.3		G2	I	-10.8	11.9	883.3	-385.7	-
6361.1	-519.8			J	-11.4	11.9	919.9	-385.7	-
-5.6	233.7		pp imp~1	I	-2.0	-5.5	0.0	-13.0	
-5.6	239.1			J	-2.0	-5.5	0.0	-13.0	
-1.8	75.3		perm i~1	I	-0.6	-1.8	0.0	-4.2	
-1.8	77.0			J	-0.6	-1.8	0.0	-4.2	
-0.2	5.9		pp2	I	-0.1	-0.1	0.0	1.1	
-0.2	6.0			J	-0.1	-0.1	0.0	1.1	
0.2	1.5		perm2	I	-0.0	-0.0	-0.0	0.2	
0.2	1.5			J	-0.0	-0.0	-0.0	0.2	
-313.9	896.5		q3	I	-211.8	32.5	13.8	-227.3	
-321.3	865.0			J	-217.0	32.5	13.8	-239.7	
32.1	162.5		q4-1	I	-1.4	-3.9	-1.2	-33.8	
33.3	166.2			J	-1.4	-3.9	-1.2	-33.8	
-36.0	-325.7		q4-2	I	2.8	7.7	1.2	32.1	
-37.1	-333.2			J	2.8	7.7	1.2	32.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-158.1	965.1	q4-3	I	-8.3	-22.8	5.4	105.6	
			J	-8.3	-22.8	5.4	105.6	
-163.4	987.1	q4-4	I	84.7	10.9	0.8	-113.8	
			J	84.7	10.9	0.8	-113.8	
-48.3	-1440.4							
-49.1	-1451.0							
1088.1	-574.1	q5x_pc	I	-485.4	224.8	36.6	657.1	-
			J	-501.5	234.2	36.3	652.4	-
1115.4	-796.4							
690.5	2169.5	q5y_pc	I	-280.6	-371.7	-26.0	-109.0	
			J	-289.9	-387.8	-26.1	-100.9	
720.4	2537.5							
1139.7	453.1	q5x_ps	I	-673.2	266.4	34.7	656.6	-
			J	-688.5	275.2	34.5	655.3	-
1170.9	190.7							
579.2	1635.7	q5y_ps	I	-261.7	-341.5	-24.2	-217.1	
			J	-270.5	-356.8	-24.3	-214.8	
604.1	1974.0							
		q7	I	-67.3	25.5	2.4	48.3	
-65.8	41.1		J	-67.3	25.5	2.4	48.3	
-68.1	16.4							
		T	I	-8.7	-24.4	-4.6	12.4	
240.4	1030.9		J	-8.7	-24.4	-4.6	12.4	
244.8	1054.5							
		SLVx-E~1	I	-9.2	-25.7	0.3	-34.2	
-36.0	-369.1		J	-9.2	-25.7	0.3	-33.6	
-36.2	-379.1							
		SLVy-E~1	I	-21.5	-59.9	0.6	-79.8	
-83.9	-861.3		J	-21.5	-59.9	0.6	-78.4	
-84.5	-884.7							
690	1	64 Q1-1_2 Max	I	7.3	41.3	2037.6	3007.8	
3404.2	816.0		J	7.1	41.3	2090.0	3027.8	
3400.8	833.6	Min	I	-33.5	-18.2	-82.7	-4896.5	-1
4393.1	-1792.1		J	-34.7	-18.2	-81.8	-4958.5	-1
5487.7	-1832.1							
		Q1-3_4 Max	I	6.0	37.4	2076.1	3016.9	
3355.8	648.3		J	5.9	37.4	2130.7	3164.2	
3344.0	662.5	Min	I	-31.3	-14.7	-81.4	-3799.4	-1
4171.2	-1647.8		J	-32.4	-14.7	-80.4	-3837.0	-1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
5291.0	-1684.0							
		Q2a-1_2	Max	I	4.3	22.9	1152.6	1632.8
1897.9	448.5			J	4.2	22.9	1178.1	1640.8
1909.4	458.1							
			Min	I	-19.6	-10.0	-46.4	-2696.6
7492.9	-992.4			J	-20.3	-10.0	-46.0	-2721.4
7972.3	-1014.5							
		Q2a-3_4	Max	I	3.6	20.3	1166.8	1643.2
1844.1	347.3			J	3.5	20.3	1193.4	1736.5
1851.4	355.0							
			Min	I	-18.0	-8.0	-45.0	-1971.7
7277.0	-895.1			J	-18.6	-8.0	-44.6	-1983.9
7763.4	-914.7							
		Q1-1	Max	I	3.7	16.0	718.4	1049.0
1239.3	385.4			J	3.7	16.0	734.3	1049.0
1250.4	393.8							
			Min	I	-13.3	-8.6	-30.3	-2284.9
5044.3	-681.8			J	-13.7	-8.6	-30.1	-2311.8
5362.3	-697.3							
		Q1-3	Max	I	1.9	11.1	735.3	1067.2
1078.6	154.7			J	1.8	11.1	753.2	1160.6
1071.8	158.5							
			Min	I	-9.6	-3.9	-26.2	-337.7
4116.5	-509.8			J	-9.9	-3.9	-25.8	-324.0
4429.5	-520.5							
		SLVx (RS)		I	783.1	-993.5	-231.9	-3139.2
5908.6	14820.0			J	783.1	-993.5	-231.9	-3139.2
6107.2	15321.3							
		SLVy (RS)		I	-970.7	-617.0	-150.6	2615.9
1792.9	17464.3			J	-970.7	-617.0	-150.6	2615.9
1868.1	17771.7							
		SLVz (RS)		I	230.7	-154.0	-528.8	87.6
4369.5	-900.5			J	230.7	-154.0	-528.8	87.6
4837.6	-851.7							
		G1		I	-30.6	32.5	2535.4	-740.4
7560.4	-1428.5			J	-32.3	32.5	2636.1	-740.4
0065.4	-1460.1							
		G2		I	-11.1	11.8	919.9	-271.7
6367.1	-517.8			J	-11.7	11.8	956.5	-271.7
7276.0	-529.2							
		pp imp~1		I	-2.1	-5.5	0.0	-12.9
-5.7	239.1			J	-2.1	-5.5	0.0	-12.9

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-5.7	244.4							
		perm i~1	I	-0.7	-1.8	0.0	-4.1	
-1.8	77.0		J	-0.7	-1.8	0.0	-4.1	
-1.8	78.7							
		pp2	I	-0.1	-0.1	0.0	1.1	
-0.2	6.0		J	-0.1	-0.1	0.0	1.1	
-0.2	6.1							
		perm2	I	-0.0	-0.0	-0.0	0.2	
0.2	1.5		J	-0.0	-0.0	-0.0	0.2	
0.2	1.5							
		q3	I	-216.3	36.4	13.9	-233.8	
-325.3	865.1		J	-221.5	36.4	13.9	-246.2	
-332.8	829.9							
		q4-1	I	-1.4	-3.8	-1.2	-34.3	
32.7	166.2		J	-1.4	-3.8	-1.2	-34.3	
33.8	169.9							
		q4-2	I	2.9	7.7	1.2	32.7	
-36.6	-333.2		J	2.9	7.7	1.2	32.7	
-37.8	-340.6							
		q4-3	I	-8.7	-22.6	5.4	108.6	
-161.1	987.2		J	-8.7	-22.6	5.4	108.6	
-166.4	1009.1							
		q4-4	I	84.9	9.4	0.8	-113.1	
-51.5	-1450.9		J	84.9	9.4	0.8	-113.1	
-52.3	-1460.0							
		q5x_pc	I	-497.2	243.1	36.5	672.2	-
1103.8	-796.1		J	-513.2	252.7	36.2	667.4	-
1131.0	-1036.3							
		q5y_pc	I	-296.8	-382.6	-26.2	-113.5	
719.2	2537.2		J	-306.4	-398.6	-26.4	-105.5	
749.5	2915.6							
		q5x_ps	I	-683.4	287.5	34.6	676.2	-
1158.9	191.0		J	-698.5	296.6	34.4	674.8	-
1190.0	-91.9							
		q5y_ps	I	-276.9	-351.9	-24.4	-225.4	
600.7	1973.8		J	-286.0	-367.0	-24.6	-223.2	
625.8	2322.0							
		q7	I	-66.8	26.7	2.4	49.5	
-67.2	16.4		J	-66.8	26.7	2.4	49.5	
-69.5	-9.5							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


245.3	1054.5		T	I	-9.1	-24.2	-4.6	8.1	
249.8	1077.9			J	-9.1	-24.2	-4.6	8.1	
-36.9	-379.1		SLVx-E~1	I	-9.7	-25.5	0.2	-33.0	
-37.2	-389.3			J	-9.7	-25.5	0.2	-32.4	
-86.1	-884.6		SLVy-E~1	I	-22.6	-59.5	0.6	-77.0	
-86.7	-908.3			J	-22.6	-59.5	0.6	-75.6	
691	1	64	Q1-1_2 Max	I	8.4	40.3	2090.0	3733.6	
3344.3	840.4			J	8.3	40.3	2162.6	3762.9	
3416.8	864.0		Min	I	-34.2	-17.8	-81.8	-4700.6	-1
5422.8	-1824.7			J	-35.9	-17.8	-81.4	-4787.9	-1
7071.8	-1878.4		Q1-3_4 Max	I	7.1	36.5	2130.7	3686.5	
3288.9	667.7			J	6.8	36.5	2205.7	3877.9	
3354.2	686.9		Min	I	-31.4	-14.4	-80.4	-3657.9	-1
5214.8	-1675.5			J	-32.9	-14.4	-80.0	-3723.0	-1
6906.0	-1724.2		Q2a-1_2 Max	I	5.0	22.3	1178.1	2027.0	
1877.9	461.7			J	4.9	22.3	1213.2	2038.7	
1924.7	474.7		Min	I	-20.0	-9.8	-46.0	-2562.1	-
7917.9	-1010.5			J	-21.0	-9.8	-45.9	-2597.0	-
8634.8	-1040.3		Q2a-3_4 Max	I	4.2	19.8	1193.4	1987.0	
1821.0	357.7			J	4.0	19.8	1229.5	2103.1	
1863.8	368.1		Min	I	-18.0	-7.8	-44.6	-1885.2	-
7706.9	-910.3			J	-18.8	-7.8	-44.5	-1911.2	-
8436.4	-936.7		Q1-1 Max	I	4.4	15.6	734.3	1298.1	
1228.6	396.0			J	4.4	15.6	756.4	1297.5	
1263.3	407.2		Min	I	-13.8	-8.4	-30.1	-2212.9	-
5341.9	-695.0			J	-14.5	-8.4	-30.1	-2249.5	-
5816.0	-715.9		Q1-3 Max	I	2.1	10.8	753.2	1258.2	
1056.6	158.6			J	1.8	10.8	777.2	1389.3	
1071.2	163.7		Min	I	-9.2	-3.8	-25.8	-351.5	-

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
4371.3	-517.3		J	-9.6	-3.8	-25.6	-347.9	-
4845.4	-531.7							
5930.3	15318.6	SLVx (RS)	I	753.8	-1058.3	-234.0	-3473.6	
6208.6	16091.8		J	753.8	-1058.3	-234.0	-3473.6	
1922.2	17770.2	SLVy (RS)	I	-998.6	-611.0	-152.6	2587.1	
2037.3	18150.8		J	-998.6	-611.0	-152.6	2587.1	
4830.0	-854.0	SLVz (RS)	I	226.5	-160.0	-539.2	-277.3	
5490.8	-816.5		J	226.5	-160.0	-539.2	-277.3	
0075.7	-1440.2	G1	I	-29.3	31.8	2636.2	441.5	-2
3686.7	-1482.6		J	-31.6	31.8	2775.0	441.5	-2
7279.9	-522.0	G2	I	-10.6	11.5	956.5	156.9	-
8590.1	-537.4		J	-11.5	11.5	1006.8	156.9	-
-6.2	244.5	pp imp~1	I	-2.4	-5.4	-0.0	-12.4	
-6.2	251.6		J	-2.4	-5.4	-0.0	-12.4	
-2.0	78.7	perm i~1	I	-0.8	-1.7	-0.0	-4.0	
-2.0	81.0		J	-0.8	-1.7	-0.0	-4.0	
-0.2	6.1	pp2	I	-0.1	-0.1	0.0	1.1	
-0.2	6.3		J	-0.1	-0.1	0.0	1.1	
0.2	1.5	perm2	I	-0.0	-0.0	-0.0	0.2	
0.2	1.6		J	-0.0	-0.0	-0.0	0.2	
-345.9	830.3	q3	I	-219.0	49.3	14.0	-225.8	
-356.4	764.5		J	-226.1	49.3	14.0	-242.9	
31.9	169.9	q4-1	I	-1.7	-3.7	-1.2	-36.2	
33.5	174.9		J	-1.7	-3.7	-1.2	-36.2	
-36.1	-340.6	q4-2	I	3.3	7.5	1.2	34.7	
-37.7	-350.6		J	3.3	7.5	1.2	34.7	
-158.7	1009.2	q4-3	I	-10.0	-22.1	5.4	118.6	

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-165.9	1038.7		J	-10.0	-22.1	5.4	118.6	
-60.3	-1459.9	q4-4	I	85.3	4.4	0.8	-110.3	
-61.3	-1465.7		J	85.3	4.4	0.8	-110.3	
1090.8	-1035.5	q5x_pc	I	-497.4	282.5	36.7	732.4	-
1128.9	-1422.2		J	-518.6	297.0	36.3	725.2	-
744.9	2914.9	q5y_pc	I	-329.4	-379.8	-26.6	-148.4	
787.9	3436.0		J	-343.9	-401.0	-26.9	-137.8	
1148.4	-91.0	q5x_ps	I	-679.8	337.1	34.9	743.7	-
1191.8	-550.2		J	-699.9	350.9	34.6	741.6	-
613.9	2321.5	q5y_ps	I	-307.1	-349.5	-24.8	-258.8	
649.2	2801.4		J	-320.9	-369.5	-25.0	-255.7	
-66.5	-9.4	q7	I	-65.1	30.6	2.5	53.5	
-69.8	-50.2		J	-65.1	30.6	2.5	53.5	
250.9	1077.7	T	I	-10.5	-23.6	-4.6	-6.2	
257.0	1109.2		J	-10.5	-23.6	-4.6	-6.2	
-39.4	-389.2	SLVx-E~1	I	-11.2	-24.9	0.2	-30.3	
-39.7	-404.1		J	-11.2	-24.9	0.2	-29.5	
-91.9	-908.2	SLVy-E~1	I	-26.1	-58.1	0.5	-70.7	
-92.6	-942.8		J	-26.1	-58.1	0.5	-68.8	
694	1	64 Q1-1_2 Max	I	122.3	84.3	274.6	4851.5	
3540.3	971.4		J	121.7	84.3	274.9	4785.4	
3283.8	916.2	Min	I	-82.2	-78.9	-2179.1	-3532.3	-1
7160.4	-1552.2		J	-82.3	-78.9	-2124.3	-3509.5	-1
5404.4	-1531.8							
3464.0	766.1	Q1-3_4 Max	I	116.5	83.2	267.7	3636.8	
3217.1	723.5		J	115.9	83.2	268.0	3587.3	
7025.2	-1573.9	Min	I	-86.5	-83.2	-2226.8	-3770.3	-1
5227.8	-1534.2		J	-86.6	-83.2	-2169.7	-3604.3	-1

MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
1994.2	539.7	Q2a-1_2 Max	I	63.2	44.4	154.7	2680.0	
			J	63.0	44.4	154.8	2653.6	
1846.8	509.0							
		Min	I	-45.4	-43.1	-1219.2	-1889.8	-
8694.9	-840.1		J	-45.4	-43.1	-1192.6	-1880.7	-
7779.4	-832.8							
		Q2a-3_4 Max	I	59.5	44.0	148.6	1895.0	
1924.0	405.2		J	59.3	44.0	148.7	1875.3	
1783.7	383.8							
		Min	I	-47.3	-44.4	-1237.6	-2042.3	-
8512.9	-823.5		J	-47.3	-44.4	-1210.0	-1937.8	-
7582.5	-808.0							
		Q1-1 Max	I	45.0	29.3	102.6	2322.3	
1315.3	422.0		J	44.9	29.3	102.6	2294.9	
1215.6	405.2							
		Min	I	-26.2	-26.4	-757.8	-1195.4	-
5833.3	-543.6		J	-26.2	-26.4	-741.2	-1195.8	-
5255.6	-541.6							
		Q1-3 Max	I	29.0	25.8	83.5	177.2	
1094.4	241.1		J	28.8	25.8	83.6	179.3	
1020.3	216.8							
		Min	I	-31.6	-29.4	-787.8	-1386.3	-
4927.7	-537.2		J	-31.7	-29.4	-769.2	-1281.6	-
4331.4	-522.1							
		SLVx (RS)	I	694.5	1089.9	-142.2	3960.0	
6020.7	12989.9		J	694.5	1089.9	-142.2	3960.0	
5925.4	12450.0							
		SLVy (RS)	I	-649.2	-874.2	224.8	2283.9	
2959.5	18879.7		J	-649.2	-874.2	224.8	2283.9	
2775.0	18624.3							
		SLVz (RS)	I	-206.4	-145.1	553.9	103.1	
5452.4	-934.9		J	-206.4	-145.1	553.9	103.1	
4947.9	-879.5							
		G1	I	61.1	2.2	-2594.7	-743.7	-2
3692.8	-1159.9		J	59.5	2.2	-2490.7	-743.7	-2
1149.9	-1162.0							
		G2	I	22.2	0.8	-941.4	-269.2	-
8592.3	-419.9		J	21.6	0.8	-903.7	-269.2	-
7669.7	-420.7							
		pp imp~1	I	-2.8	2.7	-0.1	4.0	
-7.0	188.0		J	-2.8	2.7	-0.1	4.0	
-6.9	185.4							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-2.3	60.6	perm i~1	I	-0.9	0.9	-0.0	1.3
			J	-0.9	0.9	-0.0	1.3
-2.2	59.7						
		pp2	I	0.6	-2.1	0.0	-3.4
1.1	5.9		J	0.6	-2.1	0.0	-3.4
1.0	8.0						
		perm2	I	0.2	-0.6	0.0	-0.9
0.6	1.5		J	0.2	-0.6	0.0	-0.9
0.5	2.0						
		q3	I	57.4	92.8	24.3	373.8
232.2	2056.8		J	52.1	92.8	24.3	361.0
214.0	1964.0						
		q4-1	I	25.6	33.6	3.3	23.5
89.2	375.1		J	25.6	33.6	3.3	23.5
85.9	341.5						
		q4-2	I	28.0	-18.3	4.2	31.2
13.9	-439.2		J	28.0	-18.3	4.2	31.2
9.7	-420.8						
		q4-3	I	-0.9	40.6	-4.6	-108.3
-146.0	1059.6		J	-0.9	40.6	-4.6	-108.3
-141.4	1018.9						
		q4-4	I	54.6	-7.0	-5.3	-60.7
-123.9	-1233.6		J	54.6	-7.0	-5.3	-60.7
-118.7	-1226.6						
		q5x_pc	I	-8.1	-447.7	45.7	64.8
-67.7	-903.4		J	-24.0	-436.7	45.4	59.3
-105.3	-461.2						
		q5y_pc	I	93.3	343.3	74.6	717.8
1680.5	4456.9		J	82.3	327.5	74.4	725.7
1611.5	4121.5						
		q5x_ps	I	-126.4	-430.8	42.4	-76.6
-3.1	201.1		J	-141.3	-420.5	42.2	-78.2
-43.2	626.8						
		q5y_ps	I	72.0	300.6	63.1	700.4
1453.7	3736.8		J	61.6	285.7	62.9	702.7
1392.2	3443.7						
		q7	I	-52.9	-27.3	0.0	-25.3
-44.2	-79.3		J	-52.9	-27.3	0.0	-25.3
-44.2	-52.0						
		T	I	-281.8	-155.0	1.7	-168.7


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-296.9	412.5			J	-281.8	-155.0	1.7	-168.7	
-298.6	567.6								
		SLVx-E~1		I	12.6	-24.2	1.3	-6.4	
9.5	12.4			J	12.6	-24.2	1.3	-5.8	
8.2	0.6								
		SLVy-E~1		I	29.3	-56.5	3.1	-14.9	
22.3	28.9			J	29.3	-56.5	3.1	-13.5	
19.2	1.4								
695	1	64	Q1-1_2 Max	I	122.9	82.4	274.9	4966.3	
3270.0	917.2			J	122.5	82.4	275.7	4901.8	
3053.7	866.8		Min	I	-83.5	-77.2	-2124.3	-3332.1	-1
5344.6	-1528.9			J	-83.8	-77.2	-2069.2	-3311.0	-1
4038.5	-1511.1								
		Q1-3_4 Max		I	117.0	81.4	268.0	3775.8	
3203.2	724.6			J	116.6	81.4	268.9	3728.1	
2999.3	686.4		Min	I	-87.8	-81.6	-2169.7	-3484.0	-1
5190.2	-1530.7			J	-88.1	-81.6	-2112.5	-3333.6	-1
3886.2	-1492.2								
		Q2a-1_2 Max		I	63.5	43.5	154.8	2752.6	
1838.9	509.3			J	63.3	43.5	155.1	2726.8	
1707.6	480.9		Min	I	-46.1	-42.1	-1192.6	-1777.1	-
7741.5	-831.3			J	-46.2	-42.1	-1165.6	-1768.7	-
7134.8	-824.8								
		Q2a-3_4 Max		I	59.8	43.2	148.7	1978.5	
1775.9	384.3			J	59.6	43.2	149.1	1959.4	
1652.8	365.0		Min	I	-48.0	-43.4	-1210.0	-1878.2	-
7558.7	-806.3			J	-48.1	-43.4	-1182.0	-1777.0	-
6968.0	-791.0								
		Q1-1 Max		I	45.3	28.6	102.6	2359.8	
1210.9	405.7			J	45.2	28.6	102.8	2332.0	
1120.5	390.5		Min	I	-26.6	-25.8	-741.2	-1131.6	-
5220.2	-540.7			J	-26.6	-25.8	-724.4	-1131.6	-
4813.1	-539.2								
		Q1-3 Max		I	29.0	25.5	83.7	233.2	
1015.1	216.4			J	28.9	25.5	84.0	237.5	
955.2	192.8		Min	I	-32.1	-28.8	-769.2	-1258.9	-
4337.7	-520.9			J	-32.2	-28.8	-750.4	-1157.7	-

MIDAS

PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
3973.5	-505.8								
		SLVx (RS)	I	723.2	1059.9	-141.7	3837.0		
6007.0	12449.4		J	723.2	1059.9	-141.7	3837.0		
5913.2	11976.2								
		SLVy (RS)	I	-656.7	-869.4	223.4	2230.9		
2820.2	18623.9		J	-656.7	-869.4	223.4	2230.9		
2642.6	18386.6								
		SLVz (RS)	I	-206.2	-144.1	542.1	-97.6		
4947.8	-880.3		J	-206.2	-144.1	542.1	-97.6		
4454.3	-839.5								
		G1	I	60.0	1.8	-2490.7	-300.4	-2	
1161.2	-1155.1		J	58.3	1.8	-2386.7	-300.4	-1	
8722.3	-1156.8								
		G2	I	21.7	0.7	-903.7	-108.5	-	
7673.8	-418.2		J	21.1	0.7	-865.9	-108.5	-	
6788.9	-418.9								
		pp imp~1	I	-2.7	2.7	-0.1	4.1		
-6.8	185.4		J	-2.7	2.7	-0.1	4.1		
-6.7	182.7								
		perm i~1	I	-0.9	0.9	-0.0	1.3		
-2.2	59.7		J	-0.9	0.9	-0.0	1.3		
-2.2	58.8								
		pp2	I	0.5	-2.1	0.0	-3.4		
1.0	8.0		J	0.5	-2.1	0.0	-3.4		
0.9	10.1								
		perm2	I	0.1	-0.6	0.0	-1.0		
0.5	2.0		J	0.1	-0.6	0.0	-1.0		
0.5	2.6								
		q3	I	54.0	91.6	24.4	356.1		
222.2	1964.0		J	48.7	91.6	24.4	343.3		
203.9	1872.4								
		q4-1	I	26.3	33.1	3.3	21.7		
86.4	341.5		J	26.3	33.1	3.3	21.7		
83.1	308.4								
		q4-2	I	27.6	-18.9	4.2	31.0		
10.2	-420.8		J	27.6	-18.9	4.2	31.0		
6.0	-401.9								
		q4-3	I	-0.1	40.6	-4.6	-105.5		
-143.3	1019.0		J	-0.1	40.6	-4.6	-105.5		
-138.7	978.3								


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-120.3	-1226.5	q4-4	I	54.4	-8.2	-5.3	-58.0		
			J	54.4	-8.2	-5.3	-58.0		
-115.0	-1218.3								
		q5x_pc	I	-33.1	-436.1	45.3	61.6		
-104.2	-461.2		J	-48.7	-424.8	45.0	56.0		
-141.6	-30.7								
		q5y_pc	I	89.1	325.7	74.6	691.0		
1627.7	4121.1		J	77.8	310.1	74.4	698.8		
1558.8	3803.2								
		q5x_ps	I	-150.1	-417.4	42.0	-77.4		
-44.6	626.8		J	-164.9	-406.7	41.8	-79.0		
-84.3	1038.9								
		q5y_ps	I	67.6	284.3	63.1	672.7		
1407.7	3443.3		J	56.9	269.6	62.9	674.9		
1346.4	3166.3								
		q7	I	-53.4	-26.2	0.0	-24.3		
-44.7	-52.0		J	-53.4	-26.2	0.0	-24.3		
-44.7	-25.8								
		T	I	-285.0	-149.1	1.6	-162.5		
-301.9	567.7		J	-285.0	-149.1	1.6	-162.5		
-303.5	716.8								
		SLVx-E~1	I	12.1	-24.5	1.3	-6.0		
8.1	0.6		J	12.1	-24.5	1.3	-5.4		
6.8	-10.9								
		SLVy-E~1	I	28.1	-57.1	3.1	-13.9		
18.9	1.4		J	28.1	-57.1	3.1	-12.6		
15.9	-25.5								
696	1	64	Q1-1_2 Max	I	123.6	80.5	275.7	5052.6	
3039.7	867.7			J	123.3	80.5	277.1	4990.4	
2907.7	823.8		Min	I	-84.9	-75.5	-2069.2	-3139.6	-1
4042.0	-1508.4			J	-85.3	-75.5	-2014.0	-3120.8	-1
2939.5	-1494.6								
		Q1-3_4 Max	I	117.6	79.7	268.9	3886.1		
2985.1	687.4		J	117.3	79.7	270.4	3868.9		
2944.3	655.0		Min	I	-89.3	-79.9	-2112.5	-3220.0	-1
3894.1	-1489.0			J	-89.7	-79.9	-2055.2	-3114.9	-1
2764.0	-1453.3								
		Q2a-1_2 Max	I	63.9	42.5	155.1	2809.2		
1699.4	481.2								

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1616.0	456.0		J	63.7	42.5	155.7	2784.3	
		Min	I	-46.8	-41.2	-1165.6	-1668.1	-
7145.2	-823.4		J	-47.0	-41.2	-1138.3	-1660.6	-
6661.3	-818.3							
		Q2a-3_4 Max	I	60.0	42.3	149.1	2046.2	
1644.7	365.4		J	59.9	42.3	149.7	2049.4	
1614.7	349.0	Min	I	-48.7	-42.4	-1182.0	-1726.0	-
6979.4	-789.4		J	-48.9	-42.4	-1153.7	-1649.4	-
6487.6	-768.4							
		Q1-1 Max	I	45.6	27.8	102.8	2385.2	
1115.9	390.9		J	45.6	27.8	103.1	2357.5	
1035.8	378.2	Min	I	-27.0	-25.3	-724.4	-1068.1	-
4813.9	-538.4		J	-27.1	-25.3	-707.3	-1068.1	-
4494.5	-538.1							
		Q1-3 Max	I	29.0	25.3	84.0	284.9	
949.2	192.6		J	28.9	25.3	84.5	323.5	
1035.6	170.0	Min	I	-32.6	-28.2	-750.4	-1143.1	-
3989.8	-504.7		J	-32.7	-28.2	-731.6	-1045.4	-
3670.5	-489.9							
		SLVx (RS)	I	751.1	1029.5	-140.9	3714.2	
5992.1	11975.7		J	751.1	1029.5	-140.9	3714.2	
5899.6	11569.7							
		SLVy (RS)	I	-664.0	-864.5	221.2	2180.0	
2687.2	18386.2		J	-664.0	-864.5	221.2	2180.0	
2517.2	18166.6							
		SLVz (RS)	I	-206.3	-141.3	530.6	-162.7	
4452.3	-840.2		J	-206.3	-141.3	530.6	-162.7	
3970.1	-814.8							
		G1	I	58.8	1.3	-2386.7	91.9	-1
8724.9	-1150.5		J	57.1	1.3	-2282.7	91.9	-1
6390.0	-1151.8							
		G2	I	21.3	0.5	-865.9	33.8	-
6789.8	-416.6		J	20.7	0.5	-828.2	33.8	-
5942.7	-417.1							
		pp imp~1	I	-2.7	2.8	-0.1	4.2	
-6.6	182.7		J	-2.7	2.8	-0.1	4.2	
-6.5	179.9							
		perm i~1	I	-0.9	0.9	-0.0	1.3	
-2.1	58.8							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-2.1	57.9		J	-0.9	0.9	-0.0	1.3
		pp2	I	0.5	-2.1	0.0	-3.4
0.8	10.1		J	0.5	-2.1	0.0	-3.4
0.8	12.2						
		perm2	I	0.1	-0.6	0.0	-1.0
0.5	2.6		J	0.1	-0.6	0.0	-1.0
0.4	3.1						
		q3	I	50.6	90.6	24.4	338.6
211.7	1872.4		J	45.2	90.6	24.4	325.8
193.5	1781.8						
		q4-1	I	27.0	32.5	3.3	19.9
83.7	308.4		J	27.0	32.5	3.3	19.9
80.3	275.9						
		q4-2	I	27.2	-19.5	4.2	31.0
6.5	-401.9		J	27.2	-19.5	4.2	31.0
2.3	-382.4						
		q4-3	I	0.8	40.6	-4.6	-102.8
-140.5	978.4		J	0.8	40.6	-4.6	-102.8
-135.9	937.7						
		q4-4	I	54.2	-9.3	-5.3	-55.3
-116.6	-1218.3		J	54.2	-9.3	-5.3	-55.3
-111.4	-1209.0						
		q5x_pc	I	-57.6	-423.7	44.9	58.9
-140.4	-30.6		J	-72.9	-412.1	44.6	53.1
-177.4	387.3						
		q5y_pc	I	84.3	308.4	74.5	665.3
1574.4	3802.7		J	72.7	293.0	74.3	673.0
1505.8	3502.0						
		q5x_ps	I	-173.3	-403.2	41.6	-77.4
-85.6	1038.9		J	-187.9	-392.2	41.4	-79.0
-124.9	1436.7						
		q5y_ps	I	62.5	268.3	63.0	646.0
1361.3	3166.0		J	51.6	253.8	62.8	648.2
1300.0	2904.9						
		q7	I	-54.0	-25.1	-0.0	-23.4
-45.3	-25.8		J	-54.0	-25.1	-0.0	-23.4
-45.3	-0.7						
		T	I	-288.1	-143.1	1.5	-156.2
-306.6	716.9		J	-288.1	-143.1	1.5	-156.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-308.1	860.0							
		SLVx-E~1	I	11.5	-24.7	1.3	-5.5	
6.7	-10.9		J	11.5	-24.7	1.3	-4.9	
5.4	-22.2							
		SLVy-E~1	I	26.9	-57.7	3.0	-12.9	
15.6	-25.5		J	26.9	-57.7	3.0	-11.5	
12.5	-51.8							
697	1	64 Q1-1_2 Max	I	124.4	78.6	277.1	5109.5	
2899.0	824.5		J	124.2	78.6	279.2	5049.0	
3222.1	795.8							
		Min	I	-86.5	-73.9	-2014.0	-2953.7	-1
2939.8	-1492.0		J	-87.0	-73.9	-1958.6	-2936.6	-1
1925.8	-1489.3							
		Q1-3_4 Max	I	118.3	77.9	270.4	3966.0	
2927.7	655.8		J	118.1	77.9	272.6	3987.6	
3380.8	630.1							
		Min	I	-90.8	-78.3	-2055.2	-2975.9	-1
2768.2	-1450.4		J	-91.4	-78.3	-1997.8	-2906.9	-1
1731.7	-1406.3							
		Q2a-1_2 Max	I	64.2	41.5	155.7	2849.0	
1611.4	456.2		J	64.2	41.5	156.5	2824.8	
1870.6	438.2							
		Min	I	-47.6	-40.2	-1138.3	-1562.6	-
6669.8	-817.0		J	-47.8	-40.2	-1110.6	-1555.8	-
6221.3	-816.2							
		Q2a-3_4 Max	I	60.3	41.4	149.7	2097.1	
1602.3	349.4		J	60.3	41.4	150.6	2128.7	
1969.0	336.2							
		Min	I	-49.6	-41.4	-1153.7	-1585.1	-
6496.9	-766.9		J	-49.8	-41.4	-1125.2	-1527.5	-
6042.5	-761.5							
		Q1-1 Max	I	45.9	27.1	103.1	2398.5	
1031.5	378.5		J	45.9	27.1	103.6	2370.8	
1121.4	371.0							
		Min	I	-27.5	-24.7	-707.3	-1005.4	-
4494.6	-537.3		J	-27.6	-24.7	-690.0	-1005.4	-
4197.1	-540.9							
		Q1-3 Max	I	29.1	25.1	84.5	330.8	
1026.0	169.8		J	29.1	25.1	85.1	412.9	
1277.6	149.2							
		Min	I	-33.2	-27.6	-731.6	-1038.1	-
3684.5	-488.8		J	-33.3	-27.6	-712.7	-943.8	-
3393.8	-474.6							


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
5975.8	11569.3	SLVx (RS)	I	778.0	998.9	-139.9	3591.8	
			J	778.0	998.9	-139.9	3591.8	
5884.5	11230.0							
		SLVy (RS)	I	-671.1	859.6	218.2	2131.1	
2561.1	18166.2		J	-671.1	859.6	218.2	2131.1	
2399.2	17963.7							
		SLVz (RS)	I	-206.7	-137.1	519.1	-236.2	
3966.3	-815.4		J	-206.7	-137.1	519.1	-236.2	
3496.3	-804.2							
		G1	I	57.5	0.9	-2282.7	435.3	-1
6384.9	-1146.2		J	55.8	0.9	-2178.7	435.3	-1
4154.0	-1147.1							
		G2	I	20.8	0.4	-828.2	158.3	-
5940.8	-415.1		J	20.2	0.4	-790.4	158.3	-
5131.4	-415.4							
		pp imp~1	I	-2.6	2.8	-0.1	4.3	
-6.4	179.9		J	-2.6	2.8	-0.1	4.3	
-6.3	177.1							
		perm i~1	I	-0.8	0.9	-0.0	1.4	
-2.1	57.9		J	-0.8	0.9	-0.0	1.4	
-2.0	57.0							
		pp2	I	0.4	-2.1	0.0	-3.5	
0.7	12.2		J	0.4	-2.1	0.0	-3.5	
0.7	14.3							
		perm2	I	0.1	-0.6	0.0	-1.0	
0.4	3.1		J	0.1	-0.6	0.0	-1.0	
0.4	3.7							
		q3	I	47.1	89.6	24.4	321.4	
200.8	1781.8		J	41.8	89.6	24.4	308.6	
182.5	1692.1							
		q4-1	I	27.7	31.9	3.4	18.1	
80.8	275.9		J	27.7	31.9	3.4	18.1	
77.5	243.9							
		q4-2	I	26.8	-20.1	4.2	31.0	
2.8	-382.4		J	26.8	-20.1	4.2	31.0	
-1.4	-362.3							
		q4-3	I	1.6	40.6	-4.6	-100.1	
-137.7	937.8		J	1.6	40.6	-4.6	-100.1	
-133.1	897.1							
		q4-4	I	54.0	-10.5	-5.3	-52.8	


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-112.9	-1209.0		J	54.0	-10.5	-5.3	-52.8	
-107.7	-1198.5							
		q5x_pc	I	-81.6	-410.5	44.5	56.7	
-176.1	387.4		J	-96.7	-398.5	44.2	50.8	
-212.9	792.0							
		q5y_pc	I	78.8	291.4	74.4	640.7	
1520.7	3501.6		J	66.8	276.3	74.2	648.3	
1452.4	3217.7							
		q5x_ps	I	-196.0	-388.2	41.2	-76.6	
-126.0	1436.7		J	-210.3	-376.9	41.0	-78.3	
-165.0	1819.3							
		q5y_ps	I	56.8	252.6	62.9	620.3	
1314.3	2904.6		J	45.6	238.4	62.7	622.5	
1253.2	2659.1							
		q7	I	-54.5	-23.9	-0.0	-22.4	
-45.7	-0.7		J	-54.5	-23.9	-0.0	-22.4	
-45.7	23.3							
		T	I	-291.0	-137.1	1.4	-149.9	
-311.0	860.1		J	-291.0	-137.1	1.4	-149.9	
-312.5	997.1							
		SLVx-E~1	I	11.0	-25.0	1.3	-5.1	
5.3	-22.2		J	11.0	-25.0	1.3	-4.5	
4.0	-33.2							
		SLVy-E~1	I	25.7	-58.3	3.0	-11.8	
12.3	-51.8		J	25.7	-58.3	3.0	-10.4	
9.2	-77.5							
698	1	64	Q1-1_2 Max	I	125.2	76.7	279.2	5136.8
3235.3	796.9			J	125.2	76.7	281.9	5077.5
3796.6	795.7		Min	I	-88.1	-72.2	-1958.6	-2773.4 -1
1924.1	-1487.1			J	-88.8	-72.2	-1903.2	-2757.5 -1
1001.4	-1491.9							
		Q1-3_4 Max	I	119.0	76.2	272.6	4050.6	
3376.8	630.7		J	119.0	76.2	275.4	4076.6	
3969.0	618.6		Min	I	-92.5	-76.6	-1997.8	-2794.2 -1
1733.5	-1403.7			J	-93.2	-76.6	-1940.5	-2709.3 -1
0793.6	-1399.9							
		Q2a-1_2 Max	I	64.6	40.6	156.5	2872.1	
1882.9	438.7		J	64.6	40.6	157.6	2848.4	
2274.8	438.4							

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
6228.3	-815.0	Min	I	-48.5	-39.3	-1110.6	-1459.9	-
			J	-48.7	-39.3	-1082.7	-1453.6	-
5816.3	-817.0							
		Q2a-3_4 Max	I	60.7	40.6	150.6	2157.2	
1969.1	336.5		J	60.7	40.6	151.7	2191.5	
2378.7	329.8							
		Min	I	-50.4	-40.4	-1125.2	-1469.6	-
6050.3	-760.1		J	-50.7	-40.4	-1096.5	-1412.1	-
5634.4	-758.4							
		Q1-1 Max	I	46.3	26.4	103.6	2399.8	
1139.6	371.2		J	46.3	26.4	104.3	2372.0	
1349.6	367.4							
		Min	I	-27.9	-24.2	-690.0	-943.4	-
4196.8	-540.2		J	-28.1	-24.2	-672.5	-943.4	-
3921.8	-545.9							
		Q1-3 Max	I	29.2	24.8	85.2	407.3	
1269.3	149.0		J	29.2	24.8	86.0	494.3	
1534.6	133.9							
		Min	I	-33.7	-26.9	-712.7	-943.1	-
3405.8	-473.6		J	-33.9	-26.9	-693.7	-852.1	-
3144.6	-462.5							
		SLVx (RS)	I	804.0	968.1	-138.6	3469.7	
5957.9	11229.7		J	804.0	968.1	-138.6	3469.7	
5867.6	10955.4							
		SLVy (RS)	I	-678.0	854.7	214.7	2084.1	
2442.4	17963.3		J	-678.0	854.7	214.7	2084.1	
2288.9	17777.3							
		SLVz (RS)	I	-207.2	-131.8	507.2	-304.0	
3491.0	-804.7		J	-207.2	-131.8	507.2	-304.0	
3034.7	-805.1							
		G1	I	56.2	0.5	-2178.7	731.7	-1
4142.2	-1142.2		J	54.5	0.5	-2074.7	731.7	-1
2015.3	-1142.6							
		G2	I	20.4	0.2	-790.4	265.7	-
5127.1	-413.6		J	19.7	0.2	-752.7	265.7	-
4355.5	-413.8							
		pp imp~1	I	-2.5	2.9	-0.1	4.4	
-6.2	177.1		J	-2.5	2.9	-0.1	4.4	
-6.1	174.2							
		perm i~1	I	-0.8	0.9	-0.0	1.4	
-2.0	57.0		J	-0.8	0.9	-0.0	1.4	
-2.0	56.1							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


		pp2	I	0.4	-2.1	0.0	-3.5
0.6	14.3		J	0.4	-2.1	0.0	-3.5
0.6	16.5						
		perm2	I	0.1	-0.6	0.0	-1.0
0.4	3.7		J	0.1	-0.6	0.0	-1.0
0.3	4.3						
		q3	I	43.7	88.7	24.5	304.4
189.5	1692.1		J	38.3	88.7	24.5	291.6
171.2	1603.4						
		q4-1	I	28.3	31.3	3.4	16.5
77.9	243.9		J	28.3	31.3	3.4	16.5
74.5	212.6						
		q4-2	I	26.4	-20.6	4.2	31.1
-0.8	-362.3		J	26.4	-20.6	4.2	31.1
-5.0	-341.7						
		q4-3	I	2.5	40.6	-4.6	-97.4
-134.9	897.2		J	2.5	40.6	-4.6	-97.4
-130.3	856.6						
		q4-4	I	53.8	-11.6	-5.2	-50.3
-109.2	-1198.5		J	53.8	-11.6	-5.2	-50.3
-103.9	-1186.9						
		q5x_pc	I	-105.0	-396.5	44.1	55.1
-211.6	792.0		J	-119.8	-384.2	43.8	49.0
-248.1	1182.4						
		q5y_pc	I	72.6	274.8	74.3	617.2
1466.7	3217.3		J	60.3	260.0	74.1	624.6
1398.6	2949.9						
		q5x_ps	I	-218.2	-372.5	40.8	-75.2
-166.0	1819.4		J	-232.2	-360.9	40.6	-76.9
-204.5	2186.1						
		q5y_ps	I	50.5	237.3	62.8	595.6
1266.8	2658.7		J	38.9	223.3	62.6	597.7
1205.9	2428.4						
		q7	I	-55.0	-22.8	-0.0	-21.5
-46.2	23.3		J	-55.0	-22.8	-0.0	-21.5
-46.1	46.1						
		T	I	-293.8	-130.9	1.3	-143.5
-315.2	997.2		J	-293.8	-130.9	1.3	-143.5
-316.5	1128.1						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
3.9	-33.2		SLVx-E~1	I	10.5	-25.2	1.3	-4.5	
				J	10.5	-25.2	1.3	-3.9	
2.6	-44.0								
			SLVy-E~1	I	24.5	-58.8	3.0	-10.6	
9.0	-77.5			J	24.5	-58.8	3.0	-9.2	
6.0	-102.7								
699	1	64	Q1-1_2 Max	I	126.1	74.8	281.9	5135.3	
3814.4	796.5			J	126.1	74.8	285.2	5077.1	
4423.4	799.2		Min	I	-89.9	-70.5	-1903.2	-2597.8	-1
0998.8	-1489.8			J	-90.6	-70.5	-1847.7	-2582.9	-1
0169.5	-1496.0								
			Q1-3_4 Max	I	119.9	74.4	275.5	4108.9	
3968.6	619.3			J	119.9	74.4	279.0	4134.7	
4611.7	626.2		Min	I	-94.3	-74.9	-1940.5	-2603.4	-1
0794.0	-1397.8			J	-95.1	-74.9	-1883.3	-2521.5	-
9952.7	-1408.0								
			Q2a-1_2 Max	I	65.1	39.6	157.6	2879.1	
2289.9	438.6			J	65.1	39.6	158.9	2855.9	
2698.3	440.3		Min	I	-49.3	-38.3	-1082.7	-1360.0	-
5822.4	-815.9			J	-49.6	-38.3	-1054.6	-1354.0	-
5447.8	-818.2								
			Q2a-3_4 Max	I	61.0	39.7	151.7	2203.1	
2381.0	330.1			J	61.0	39.7	153.1	2236.9	
2808.0	332.4		Min	I	-51.3	-39.4	-1096.5	-1358.9	-
5641.1	-757.2			J	-51.6	-39.4	-1067.6	-1303.2	-
5264.8	-760.9								
			Q1-1 Max	I	46.6	25.6	104.3	2390.1	
1370.6	367.5			J	46.6	25.6	105.1	2362.3	
1589.7	365.0		Min	I	-28.4	-23.7	-672.5	-882.2	-
3921.5	-545.2			J	-28.6	-23.7	-654.9	-882.2	-
3669.6	-550.9								
			Q1-3 Max	I	29.3	24.6	86.0	480.3	
1527.6	133.9			J	29.3	24.6	87.1	567.0	
1806.3	124.6		Min	I	-34.3	-26.3	-693.7	-857.5	-
3154.9	-461.7			J	-34.5	-26.3	-674.6	-769.9	-
2923.7	-452.6								
			SLVx (RS)	I	828.9	937.1	-137.1	3348.1	
5938.4	10955.2								


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
5849.0	10743.0		J	828.9	937.1	-137.1	3348.1	
2331.3	17777.0	SLVy (RS)	I	-684.8	849.8	210.9	2039.1	
2186.3	17606.9		J	-684.8	849.8	210.9	2039.1	
3028.1	-805.5	SLVz (RS)	I	-207.8	-125.9	494.8	-363.6	
2587.6	-813.8		J	-207.8	-125.9	494.8	-363.6	
1997.7	-1138.3	G1	I	54.8	0.1	-2074.7	983.3	-1
9974.9	-1138.4		J	53.0	0.1	-1970.7	983.3	-
4349.1	-412.3	G2	I	19.9	0.1	-752.7	357.0	-
3615.2	-412.3		J	19.2	0.1	-715.0	357.0	-
-6.0	174.2	pp imp~1	I	-2.5	2.9	-0.1	4.5	
-5.9	171.3		J	-2.5	2.9	-0.1	4.5	
-1.9	56.1	perm i~1	I	-0.8	0.9	-0.0	1.4	
-1.9	55.2		J	-0.8	0.9	-0.0	1.4	
0.5	16.5	pp2	I	0.3	-2.1	0.0	-3.5	
0.5	18.6		J	0.3	-2.1	0.0	-3.5	
0.3	4.3	perm2	I	0.1	-0.6	0.0	-1.0	
0.3	4.8		J	0.1	-0.6	0.0	-1.0	
177.8	1603.4	q3	I	40.2	87.9	24.5	287.7	
159.4	1515.5		J	34.8	87.9	24.5	274.9	
74.9	212.5	q4-1	I	29.0	30.7	3.4	14.9	
71.6	181.8		J	29.0	30.7	3.4	14.9	
-4.5	-341.7	q4-2	I	26.0	-21.2	4.2	31.2	
-8.7	-320.5		J	26.0	-21.2	4.2	31.2	
-132.0	856.6	q4-3	I	3.3	40.5	-4.6	-94.8	
-127.5	816.1		J	3.3	40.5	-4.6	-94.8	
-105.4	-1186.9	q4-4	I	53.5	-12.7	-5.2	-47.9	
			J	53.5	-12.7	-5.2	-47.9	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-100.1	-1174.2							
-246.6	1182.5	q5x_pc	I	-127.9	-381.6	43.7	53.9	
-282.8	1557.9		J	-142.4	-369.1	43.4	47.7	
1412.4	2949.5	q5y_pc	I	65.8	258.6	74.2	594.7	
1344.5	2698.1		J	53.2	244.1	74.0	602.0	
-205.4	2186.2	q5x_ps	I	-239.7	-355.9	40.4	-73.0	
-243.6	2536.2		J	-253.5	-344.1	40.2	-74.7	
1218.9	2428.1	q5y_ps	I	43.6	222.4	62.7	572.0	
1158.1	2212.5		J	31.7	208.6	62.5	574.0	
-46.5	46.1	q7	I	-55.4	-21.6	-0.1	-20.5	
-46.5	67.8		J	-55.4	-21.6	-0.1	-20.5	
-319.0	1128.2	T	I	-296.5	-124.7	1.2	-137.0	
-320.3	1253.0		J	-296.5	-124.7	1.2	-137.0	
2.5	-44.0	SLVx-E~1	I	10.0	-25.4	1.3	-4.0	
1.2	-54.6		J	10.0	-25.4	1.3	-3.4	
5.8	-102.7	SLVy-E~1	I	23.3	-59.3	3.0	-9.3	
2.8	-127.4		J	23.3	-59.3	3.0	-7.9	
700	1	64 Q1-1_2 Max	I	127.0	72.9	285.3	5105.8	
4445.9	799.5		J	127.0	72.9	289.3	5048.5	
5101.8	806.7	Min	I	-91.6	-68.9	-1847.8	-2426.6	-1
0167.2	-1493.9		J	-92.3	-68.9	-1792.4	-2412.7	-
9432.5	-1502.5	Q1-3_4 Max	I	120.7	72.6	279.1	4138.6	
4615.4	626.6		J	120.7	72.6	283.4	4164.1	
5308.4	638.5	Min	I	-96.1	-73.2	-1883.3	-2422.1	-
9953.1	-1405.9		J	-96.9	-73.2	-1826.2	-2351.1	-
9211.8	-1416.8	Q2a-1_2 Max	I	65.5	38.6	158.9	2870.4	
2716.1	440.3		J	65.5	38.6	160.6	2847.5	
3139.9	444.2	Min	I	-50.2	-37.3	-1054.6	-1262.5	-
5453.3	-817.1							


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
5116.6	-820.2		J	-50.5	-37.3	-1026.2	-1256.9	-
2812.7	332.6	Q2a-3_4 Max	I	61.4	38.8	153.2	2233.1	
3256.0	338.1		J	61.4	38.8	154.9	2266.1	
5270.8	-759.7	Min	I	-52.2	-38.4	-1067.6	-1254.5	-
4934.4	-763.5		J	-52.5	-38.4	-1038.5	-1206.4	-
1613.2	365.0	Q1-1 Max	I	46.9	24.9	105.1	2369.5	
1841.2	363.8		J	46.9	24.9	106.1	2341.8	
3669.5	-550.2	Min	I	-28.9	-23.1	-654.9	-821.8	-
3441.0	-555.8		J	-29.1	-23.1	-637.2	-821.8	-
1800.8	124.6	Q1-3 Max	I	29.5	24.3	87.1	544.7	
2092.1	119.0		J	29.5	24.3	88.4	630.8	
2932.8	-451.9	Min	I	-34.9	-25.6	-674.6	-781.0	-
2731.9	-443.4		J	-35.1	-25.6	-655.6	-705.5	-
5917.0	10742.9	SLVx (RS)	I	852.6	905.9	-135.5	3226.9	
5828.4	10588.5		J	852.6	905.9	-135.5	3226.9	
2228.0	17606.6	SLVy (RS)	I	-691.4	844.9	207.0	1996.0	
2091.5	17451.7		J	-691.4	844.9	207.0	1996.0	
2579.9	-814.1	SLVz (RS)	I	-208.5	-119.8	481.6	-414.3	
2158.2	-826.4		J	-208.5	-119.8	481.6	-414.3	
9952.5	-1134.7	G1	I	53.3	-0.4	-1970.7	1192.2	-
8033.6	-1134.4		J	51.6	-0.4	-1866.7	1192.2	-
3607.1	-411.0	G2	I	19.3	-0.1	-715.0	432.6	-
2910.9	-410.9		J	18.7	-0.1	-677.2	432.6	-
-5.8	171.3	pp imp~1	I	-2.4	3.0	-0.1	4.6	
-5.7	168.3		J	-2.4	3.0	-0.1	4.6	
-1.9	55.2	perm i~1	I	-0.8	1.0	-0.0	1.5	
-1.8	54.2		J	-0.8	1.0	-0.0	1.5	
		pp2	I	0.3	-2.2	0.0	-3.5	

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.4	18.6		J	0.3	-2.2	0.0	-3.5
0.3	20.8						
		perm2	I	0.1	-0.6	0.0	-1.0
0.2	4.8		J	0.1	-0.6	0.0	-1.0
0.2	5.4						
		q3	I	36.7	87.1	24.5	271.3
165.7	1515.5		J	31.3	87.1	24.5	258.5
147.3	1428.4						
		q4-1	I	29.6	30.1	3.4	13.3
71.9	181.8		J	29.6	30.1	3.4	13.3
68.5	151.7						
		q4-2	I	25.5	-21.7	4.2	31.4
-8.1	-320.5		J	25.5	-21.7	4.2	31.4
-12.3	-298.8						
		q4-3	I	4.2	40.4	-4.5	-92.2
-129.2	816.2		J	4.2	40.4	-4.5	-92.2
-124.6	775.7						
		q4-4	I	53.3	-13.8	-5.2	-45.7
-101.5	-1174.2		J	53.3	-13.8	-5.2	-45.7
-96.3	-1160.3						
		q5x_pc	I	-150.1	-366.0	43.3	53.3
-281.2	1558.0		J	-164.5	-353.1	43.0	46.9
-317.2	1917.6						
		q5y_pc	I	58.3	242.9	74.1	573.3
1357.8	2697.7		J	45.4	228.5	73.9	580.5
1290.2	2462.0						
		q5x_ps	I	-260.7	-338.7	40.0	-70.0
-244.2	2536.3		J	-274.2	-326.5	39.8	-71.8
-282.1	2868.9						
		q5y_ps	I	36.1	207.9	62.6	549.3
1170.7	2212.2		J	23.9	194.3	62.4	551.4
1110.0	2011.1						
		q7	I	-55.9	-20.5	-0.1	-19.5
-46.9	67.8		J	-55.9	-20.5	-0.1	-19.5
-46.8	88.3						
		T	I	-299.0	-118.5	1.1	-130.5
-322.6	1253.1		J	-299.0	-118.5	1.1	-130.5
-323.8	1371.6						
		SLVx-E~1	I	9.4	-25.6	1.3	-3.4
1.1	-54.6						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.2	-65.0			J	9.4	-25.6	1.3	-2.8	
			SLVy-E~1	I	22.0	-59.8	3.0	-7.9	
2.5	-127.4			J	22.0	-59.8	3.0	-6.5	
-0.4	-151.7								
701	1	64	Q1-1_2 Max	I	127.9	71.1	289.3	5048.4	
5128.9	806.7			J	127.9	71.1	294.8	4991.9	
5829.7	818.5		Min	I	-93.3	-67.3	-1792.4	-2259.6	-
9431.5	-1500.5			J	-94.0	-67.3	-1737.1	-2246.5	-
8791.3	-1511.5								
			Q1-3_4 Max	I	121.4	70.9	283.4	4139.6	
5316.4	638.7			J	121.4	70.9	294.5	4164.5	
6056.9	654.7		Min	I	-97.9	-71.4	-1826.2	-2250.1	-
9213.0	-1414.7			J	-98.7	-71.4	-1769.2	-2189.5	-
8571.5	-1427.2								
			Q2a-1_2 Max	I	65.9	37.6	160.6	2845.9	
3160.1	444.0			J	65.9	37.6	163.0	2823.3	
3598.0	450.2		Min	I	-51.0	-36.4	-1026.2	-1167.5	-
5122.0	-819.0			J	-51.3	-36.4	-997.6	-1162.3	-
4823.1	-823.0								
			Q2a-3_4 Max	I	61.7	37.7	154.9	2246.7	
3263.0	338.1			J	61.7	37.7	161.5	2278.9	
3720.9	345.8		Min	I	-53.1	-37.4	-1038.5	-1156.2	-
4940.3	-762.3			J	-53.3	-37.4	-1009.2	-1115.5	-
4643.9	-766.5								
			Q1-1 Max	I	47.2	24.1	106.2	2338.0	
1866.8	363.6			J	47.2	24.1	107.4	2310.2	
2103.2	363.7		Min	I	-29.4	-22.6	-637.2	-762.3	-
3441.4	-555.1			J	-29.6	-22.6	-619.3	-762.3	-
3236.4	-560.6								
			Q1-3 Max	I	29.6	24.0	88.4	600.1	
2088.1	119.0			J	29.6	24.0	96.8	685.6	
2391.1	116.8		Min	I	-35.5	-25.0	-655.6	-713.0	-
2739.9	-442.7			J	-35.7	-25.0	-636.5	-649.1	-
2569.3	-436.4								
			SLVx(RS)	I	875.2	874.8	-133.7	3106.2	
5893.6	10588.5			J	875.2	874.8	-133.7	3106.2	
5805.6	10486.9								

MIDAS


PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

2132.2	17451.4	SLVy (RS)	I	-697.9	840.0	203.2	1954.9	
			J	-697.9	840.0	203.2	1954.9	
2004.2	17311.0							
		SLVz (RS)	I	-209.1	-114.3	467.7	-455.8	
2149.7	-826.6		J	-209.1	-114.3	467.7	-455.8	
1751.6	-839.4							
		G1	I	51.8	-0.8	-1866.7	1360.3	-
8007.3	-1131.4		J	50.1	-0.8	-1762.7	1360.3	-
6192.4	-1130.6							
		G2	I	18.8	-0.2	-677.2	493.6	-
2901.4	-409.8		J	18.1	-0.2	-639.5	493.6	-
2242.9	-409.6							
		pp imp~1	I	-2.4	3.0	-0.1	4.7	
-5.6	168.3		J	-2.4	3.0	-0.1	4.7	
-5.5	165.3							
		perm i~1	I	-0.8	1.0	-0.0	1.5	
-1.8	54.2		J	-0.8	1.0	-0.0	1.5	
-1.8	53.2							
		pp2	I	0.2	-2.2	0.0	-3.5	
0.3	20.8		J	0.2	-2.2	0.0	-3.5	
0.2	22.9							
		perm2	I	0.1	-0.6	0.0	-1.0	
0.2	5.4		J	0.1	-0.6	0.0	-1.0	
0.2	6.0							
		q3	I	33.1	86.4	24.6	255.1	
153.1	1428.3		J	27.8	86.4	24.6	242.3	
134.7	1341.9							
		q4-1	I	30.2	29.5	3.4	11.9	
68.8	151.6		J	30.2	29.5	3.4	11.9	
65.4	122.1							
		q4-2	I	25.0	-22.2	4.2	31.7	
-11.8	-298.8		J	25.0	-22.2	4.2	31.7	
-16.0	-276.6							
		q4-3	I	5.0	40.3	-4.5	-89.7	
-126.2	775.8		J	5.0	40.3	-4.5	-89.7	
-121.7	735.4							
		q4-4	I	53.0	-14.9	-5.2	-43.5	
-97.6	-1160.3		J	53.0	-14.9	-5.2	-43.5	
-92.4	-1145.4							

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-315.5	1917.7	q5x_pc	I	-171.8	-349.6	42.9	53.3	
			J	-185.9	-336.5	42.6	46.7	
-351.2	2260.8							
		q5y_pc	I	50.2	227.5	74.0	553.0	
1302.9	2461.6		J	37.0	213.5	73.8	560.0	
1235.6	2241.1							
		q5x_ps	I	-281.0	-320.7	39.6	-66.3	
-282.5	2869.0		J	-294.3	-308.3	39.4	-68.2	
-320.1	3183.5							
		q5y_ps	I	28.0	193.8	62.4	527.7	
1122.0	2010.8		J	15.5	180.5	62.2	529.7	
1061.5	1823.6							
		q7	I	-56.3	-19.3	-0.1	-18.6	
-47.2	88.3		J	-56.3	-19.3	-0.1	-18.6	
-47.1	107.6							
		T	I	-301.4	-112.2	1.1	-123.9	
-326.0	1371.7		J	-301.4	-112.2	1.1	-123.9	
-327.0	1483.9							
		SLVx-E~1	I	8.9	-25.8	1.3	-2.8	
-0.3	-65.0		J	8.9	-25.8	1.3	-2.2	
-1.5	-75.2							
		SLVy-E~1	I	20.7	-60.2	3.0	-6.5	
-0.6	-151.7		J	20.7	-60.2	3.0	-5.1	
-3.6	-175.5							
702	1	64	Q1-1_2 Max	I	128.7	69.2	294.8	4965.2
5861.1	818.2			J	128.7	69.2	307.7	4909.5
6602.4	833.6		Min	I	-95.0	-65.7	-1737.1	-2096.6
8792.5	-1509.5			J	-95.7	-65.7	-1682.0	-2084.3
8245.2	-1521.9							
			Q1-3_4 Max	I	122.2	68.8	294.5	4113.5
6069.7	654.5			J	122.2	68.8	310.2	4137.7
6853.1	673.5		Min	I	-99.7	-69.7	-1769.3	-2087.3
8574.6	-1425.2			J	-100.4	-69.7	-1712.6	-2032.1
8031.0	-1439.2							
			Q2a-1_2 Max	I	66.2	36.7	163.0	2807.0
3620.2	449.9			J	66.2	36.7	170.8	2784.7
4069.5	457.9		Min	I	-51.9	-35.5	-997.6	-1074.9
4828.8	-821.9			J	-52.2	-35.5	-968.9	-1069.9
4567.0	-826.2							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


3730.2	345.6	Q2a-3_4 Max	I	62.0	37.1	161.5	2244.9	
			J	62.0	37.1	171.2	2276.3	
4200.1	354.7	Min	I	-53.9	-36.4	-1009.3	-1064.0	-
4649.9	-765.4		J	-54.2	-36.4	-979.9	-1027.0	-
4392.6	-770.0							
		Q1-1 Max	I	47.5	23.4	107.4	2296.8	
2130.2	363.4		J	47.5	23.4	108.8	2269.0	
2373.5	364.6	Min	I	-29.9	-22.1	-619.3	-703.8	-
3237.5	-559.9		J	-30.1	-22.1	-601.3	-703.8	-
3055.6	-565.1							
		Q1-3 Max	I	29.7	23.7	96.8	646.7	
2388.7	116.8		J	29.7	23.7	106.8	731.2	
2701.8	117.1	Min	I	-36.1	-24.3	-636.5	-653.1	-
2576.6	-435.7		J	-36.3	-24.3	-617.4	-595.1	-
2435.4	-431.8							
		SLVx (RS)	I	896.5	843.7	-132.0	2986.1	
5868.0	10487.0		J	896.5	843.7	-132.0	2986.1	
5780.4	10431.9							
		SLVy (RS)	I	-704.3	835.4	199.7	1915.7	
2043.8	17310.7		J	-704.3	835.4	199.7	1915.7	
1924.2	17183.9							
		SLVz (RS)	I	-209.7	-109.9	453.4	-488.3	
1742.8	-839.5		J	-209.7	-109.9	453.4	-488.3	
1376.9	-850.1							
		G1	I	50.3	-1.2	-1762.7	1489.8	-
6163.0	-1128.2		J	48.5	-1.2	-1658.7	1489.8	-
4452.1	-1127.0							
		G2	I	18.2	-0.4	-639.5	540.5	-
2232.3	-408.7		J	17.6	-0.4	-601.7	540.5	-
1611.6	-408.3							
		pp imp~1	I	-2.3	3.1	-0.1	4.8	
-5.3	165.3		J	-2.3	3.1	-0.1	4.8	
-5.3	162.2							
		perm i~1	I	-0.7	1.0	-0.0	1.5	
-1.7	53.2		J	-0.7	1.0	-0.0	1.5	
-1.7	52.2							
		pp2	I	0.2	-2.2	0.0	-3.5	
0.2	22.9		J	0.2	-2.2	0.0	-3.5	

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.1	25.1						
0.1	6.0	perm2	I	0.1	-0.6	0.0	-1.0
0.1	6.6		J	0.1	-0.6	0.0	-1.0
140.2	1341.9	q3	I	29.6	85.8	24.6	239.3
121.7	1256.0		J	24.3	85.8	24.6	226.5
65.7	122.1	q4-1	I	30.8	28.9	3.4	10.5
62.3	93.3		J	30.8	28.9	3.4	10.5
-15.4	-276.6	q4-2	I	24.6	-22.8	4.2	32.1
-19.6	-253.8		J	24.6	-22.8	4.2	32.1
-123.3	735.5	q4-3	I	5.9	40.2	-4.5	-87.2
-118.8	695.2		J	5.9	40.2	-4.5	-87.2
-93.7	-1145.3	q4-4	I	52.6	-16.0	-5.2	-41.4
-88.4	-1129.3		J	52.6	-16.0	-5.2	-41.4
-349.4	2260.9	q5x_pc	I	-192.9	-332.5	42.5	53.7
-384.8	2586.8		J	-206.7	-319.1	42.3	47.0
1247.9	2240.7	q5y_pc	I	41.5	212.6	73.9	533.7
1180.8	2035.0		J	28.0	198.9	73.6	540.6
-320.3	3183.7	q5x_ps	I	-300.6	-302.1	39.3	-61.9
-357.5	3479.4		J	-313.7	-289.4	39.1	-63.8
1073.0	1823.3	q5y_ps	I	19.3	180.1	62.3	507.1
1012.8	1649.7		J	6.6	167.1	62.1	509.1
-47.4	107.6	q7	I	-56.7	-18.1	-0.1	-17.6
-47.4	125.7		J	-56.7	-18.1	-0.1	-17.6
-329.0	1484.0	T	I	-303.7	-105.9	1.0	-117.2
-330.0	1589.9		J	-303.7	-105.9	1.0	-117.2
-1.6	-75.2	SLVx-E~1	I	8.3	-26.0	1.3	-2.1
-2.9	-85.2		J	8.3	-26.0	1.3	-1.5

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

-3.8	-175.5	SLVy-E~1	I	19.5	-60.6	2.9	-5.0
-6.7	-198.8		J	19.5	-60.6	2.9	-3.5
703	1	64 Q1-1_2 Max	I	129.4	67.4	307.8	4857.6
6638.2	832.8		J	129.4	67.4	327.3	4802.5
7413.6	851.3	Min	I	-96.7	-64.2	-1682.0	-1937.8
8249.3	-1520.0		J	-97.4	-64.2	-1627.0	-1926.2
7791.1	-1533.3						
		Q1-3_4 Max	I	122.8	67.5	310.2	4061.4
6870.7	672.9		J	122.8	67.5	335.8	4084.8
7690.4	703.2	Min	I	-101.4	-67.9	-1712.6	-1933.4
8036.8	-1437.2		J	-102.1	-67.9	-1656.2	-1878.6
7586.9	-1452.2						
		Q2a-1_2 Max	I	66.6	35.7	170.8	2754.2
4093.7	457.3		J	66.6	35.7	183.2	2732.2
4551.2	466.8	Min	I	-52.7	-34.6	-969.0	-984.7
4573.4	-825.0		J	-53.0	-34.6	-940.1	-980.0
4347.2	-829.4						
		Q2a-3_4 Max	I	62.3	36.4	171.2	2228.4
4211.8	354.3		J	62.3	36.4	188.0	2258.8
4690.4	371.2	Min	I	-54.7	-35.3	-979.9	-977.8
4399.2	-768.8		J	-55.0	-35.3	-950.5	-940.9
4179.5	-773.6						
		Q1-1 Max	I	47.8	22.7	108.8	2246.1
2402.0	364.2		J	47.8	22.7	114.6	2218.3
2650.2	366.4	Min	I	-30.4	-21.6	-601.3	-646.4
3057.7	-564.4		J	-30.6	-21.6	-583.3	-646.4
2897.9	-569.2						
		Q1-3 Max	I	29.8	23.4	106.8	684.4
2700.8	117.1		J	29.8	23.4	117.3	767.7
3021.7	129.1	Min	I	-36.7	-23.6	-617.4	-600.9
2442.3	-431.1		J	-36.9	-23.6	-598.3	-543.4
2329.1	-428.9						
		SLVx (RS)	I	916.5	812.8	-130.4	2866.7
5840.2	10432.1		J	916.5	812.8	-130.4	2866.7
5752.8	10417.0						
		SLVy (RS)	I	-710.4	830.9	196.5	1878.5


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
1962.5	17183.7		J	-710.4	830.9	196.5	1878.5	
1851.2	17069.7							
		SLVz (RS)	I	-210.1	-107.1	438.7	-511.9	
1368.2	-850.2		J	-210.1	-107.1	438.7	-511.9	
1052.7	-856.8							
		G1	I	48.7	-1.6	-1658.7	1582.9	-
4420.4	-1125.2		J	46.9	-1.6	-1554.7	1582.9	-
2813.5	-1123.6							
		G2	I	17.6	-0.5	-601.7	574.1	-
1600.1	-407.7		J	17.0	-0.5	-564.0	574.1	-
1017.1	-407.1							
		pp imp~1	I	-2.2	3.1	-0.1	4.8	
-5.1	162.2		J	-2.2	3.1	-0.1	4.8	
-5.1	159.1							
		perm i~1	I	-0.7	1.0	-0.0	1.6	
-1.7	52.2		J	-0.7	1.0	-0.0	1.6	
-1.6	51.2							
		pp2	I	0.2	-2.2	0.0	-3.5	
0.1	25.1		J	0.2	-2.2	0.0	-3.5	
0.0	27.3							
		perm2	I	0.1	-0.6	0.0	-1.0	
0.1	6.6		J	0.1	-0.6	0.0	-1.0	
0.0	7.1							
		q3	I	26.1	85.3	24.6	223.7	
126.9	1256.0		J	20.7	85.3	24.6	210.9	
108.4	1170.7							
		q4-1	I	31.4	28.2	3.4	9.2	
62.5	93.2		J	31.4	28.2	3.4	9.2	
59.1	65.0							
		q4-2	I	24.1	-23.3	4.2	32.5	
-19.0	-253.8		J	24.1	-23.3	4.2	32.5	
-23.1	-230.5							
		q4-3	I	6.7	40.1	-4.5	-84.8	
-120.3	695.3		J	6.7	40.1	-4.5	-84.8	
-115.9	655.2							
		q4-4	I	52.3	-17.1	-5.2	-39.4	
-89.7	-1129.3		J	52.3	-17.1	-5.2	-39.4	
-84.4	-1112.2							
		q5x_pc	I	-213.3	-314.7	42.1	54.7	
-382.9	2586.9							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-418.1	2894.7		J	-226.8	-300.9	41.9	47.8
1192.6	2034.6	q5y_pc	I	32.2	198.2	73.7	515.5
1125.9	1843.1		J	18.4	184.7	73.5	522.2
-357.5	3479.5	q5x_ps	I	-319.7	-282.7	38.9	-56.8
-394.4	3755.8		J	-332.4	-269.7	38.7	-58.7
1023.8	1649.4	q5y_ps	I	10.1	166.9	62.1	487.5
963.7	1488.8		J	-2.9	154.1	61.9	489.4
-47.7	125.7	q7	I	-57.0	-16.9	-0.1	-16.6
-47.6	142.7		J	-57.0	-16.9	-0.1	-16.6
-331.8	1590.0	T	I	-305.9	-99.5	0.9	-110.5
-332.7	1689.6		J	-305.9	-99.5	0.9	-110.5
-2.9	-85.2	SLVx-E~1	I	7.8	-26.2	1.3	-1.4
-4.2	-95.1		J	7.8	-26.2	1.3	-0.8
-6.8	-198.8	SLVy-E~1	I	18.2	-61.0	2.9	-3.4
-9.8	-221.8		J	18.2	-61.0	2.9	-1.9
704	1	64 Q1-1_2 Max	I	130.1	65.6	327.4	4725.9
7453.7	850.0		J	130.1	65.6	354.0	4671.4
8247.0	870.5	Min	I	-98.3	-62.7	-1627.1	-1784.8
7798.5	-1531.4		J	-99.1	-62.7	-1572.4	-1773.7
7416.7	-1544.8						
7712.7	702.1	Q1-3_4 Max	I	123.4	66.3	335.8	3983.9
8553.8	734.4		J	123.4	66.3	362.8	4006.5
7595.8	-1450.1	Min	I	-103.1	-66.2	-1656.2	-1788.1
7226.8	-1465.3		J	-103.8	-66.2	-1600.2	-1741.1
4577.1	466.0	Q2a-1_2 Max	I	66.9	34.8	183.2	2687.6
5035.6	476.6		J	66.9	34.8	200.7	2665.8
4354.4	-828.3	Min	I	-53.5	-33.7	-940.1	-898.1
4158.8	-832.5		J	-53.8	-33.7	-911.2	-893.7
		Q2a-3_4 Max	I	62.5	35.7	188.0	2197.2


MIDAS

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
4704.2	370.6		J	62.5	35.7	205.6	2226.7	
5184.9	388.5	Min	I	-55.6	-34.3	-950.6	-897.4	-
4186.8	-772.4		J	-55.9	-34.3	-921.1	-866.0	-
3999.4	-777.0							
		Q1-1 Max	I	48.1	21.9	114.6	2186.0	
2679.9	365.7		J	48.1	21.9	125.2	2158.2	
2930.4	368.8	Min	I	-30.9	-21.1	-583.3	-590.3	-
2901.0	-568.5		J	-31.1	-21.1	-565.3	-590.3	-
2761.7	-572.8							
		Q1-3 Max	I	29.8	23.1	117.3	713.3	
3022.2	128.9		J	29.8	23.1	128.2	795.3	
3345.8	142.6	Min	I	-37.2	-22.9	-598.3	-556.1	-
2335.6	-428.3		J	-37.4	-22.9	-579.3	-506.9	-
2246.1	-427.0							
		SLVx (RS)	I	935.2	-782.2	128.9	2747.9	
5809.8	10417.3		J	935.2	-782.2	128.9	2747.9	
5722.5	10435.3							
		SLVy (RS)	I	-716.5	826.7	193.7	1843.3	
1888.0	17069.5		J	-716.5	826.7	193.7	1843.3	
1785.1	16967.6							
		SLVz (RS)	I	-210.3	-106.3	423.9	-526.9	
1045.2	-856.8		J	-210.3	-106.3	423.9	-526.9	
819.4	858.8							
		G1	I	47.0	-2.0	-1554.7	1641.6	-
2780.2	-1122.4		J	45.2	-2.0	-1450.7	1641.6	-
1277.3	-1120.3							
		G2	I	17.1	-0.7	-564.0	595.4	-
1005.0	-406.7		J	16.4	-0.7	-526.3	595.4	
-459.8	-406.0							
		pp imp~1	I	-2.2	3.2	-0.0	4.9	
-4.9	159.1		J	-2.2	3.2	-0.0	4.9	
-4.9	156.0							
		perm i~1	I	-0.7	1.0	-0.0	1.6	
-1.6	51.2		J	-0.7	1.0	-0.0	1.6	
-1.6	50.2							
		pp2	I	0.1	-2.2	0.0	-3.5	
-0.0	27.3		J	0.1	-2.2	0.0	-3.5	
-0.1	29.4							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	7.1	perm2	I	0.0	-0.6	0.0	-1.0
			J	0.0	-0.6	0.0	-1.0
-0.0	7.7						
		q3	I	22.5	84.8	24.7	208.5
113.2	1170.7		J	17.2	84.8	24.7	195.7
94.6	1085.9						
		q4-1	I	32.0	27.5	3.5	7.9
59.3	65.0		J	32.0	27.5	3.5	7.9
55.8	37.5						
		q4-2	I	23.6	-23.8	4.2	33.0
-22.5	-230.5		J	23.6	-23.8	4.2	33.0
-26.7	-206.7						
		q4-3	I	7.6	39.9	-4.5	-82.4
-117.4	655.2		J	7.6	39.9	-4.5	-82.4
-112.9	615.3						
		q4-4	I	51.9	-18.2	-5.2	-37.4
-85.6	-1112.1		J	51.9	-18.2	-5.2	-37.4
-80.4	-1093.9						
		q5x_pc	I	-233.0	-296.1	41.7	56.2
-416.0	2894.9		J	-246.2	-282.1	41.5	49.2
-451.0	3184.1						
		q5y_pc	I	22.3	184.3	73.5	498.3
1137.3	1842.8		J	8.3	171.1	73.3	504.9
1070.8	1665.1						
		q5x_ps	I	-338.0	-262.7	38.6	-50.9
-394.2	3755.9		J	-350.5	-249.5	38.3	-52.9
-430.8	4012.1						
		q5y_ps	I	0.3	154.2	62.0	469.0
974.3	1488.5		J	-13.0	141.7	61.7	470.8
914.4	1340.6						
		q7	I	-57.4	-15.7	-0.1	-15.6
-47.8	142.7		J	-57.4	-15.7	-0.1	-15.6
-47.7	158.4						
		T	I	-307.9	-93.1	0.8	-103.7
-334.3	1689.7		J	-307.9	-93.1	0.8	-103.7
-335.2	1782.8						
		SLVx-E~1	I	7.3	-26.3	1.2	-0.7
-4.2	-95.1		J	7.3	-26.3	1.2	-0.1
-5.5	-104.7						
		SLVy-E~1	I	16.9	-61.4	2.9	-1.7

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-9.9	-221.8			J	16.9	-61.4	2.9	-0.2
-12.8	-244.4							
705	1	64	Q1-1_2 Max	I	130.8	63.8	354.0	4574.3
8290.7	868.8			J	130.8	63.8	382.0	4520.2
9078.6	890.9		Min	I	-100.0	-61.2	-1572.4	-1677.4
7427.4	-1542.8			J	-100.7	-61.2	-1518.1	-1666.7
7105.4	-1556.0							
			Q1-3_4 Max	I	124.0	65.0	362.8	3883.5
8580.1	732.8			J	124.0	65.0	391.1	3905.3
9402.2	765.4		Min	I	-104.7	-64.4	-1600.2	-1678.5
7238.8	-1463.2			J	-105.5	-64.4	-1544.5	-1648.1
6930.7	-1477.7							
			Q2a-1_2 Max	I	67.2	33.8	200.7	2609.5
5063.0	475.6			J	67.2	33.8	218.9	2587.8
5512.5	487.1		Min	I	-54.3	-32.8	-911.3	-844.6
4166.7	-831.4			J	-54.6	-32.8	-882.3	-840.3
3995.0	-835.4							
			Q2a-3_4 Max	I	62.7	35.0	205.6	2153.0
5200.4	387.6			J	62.7	35.0	223.9	2181.5
5666.4	405.7		Min	I	-56.4	-33.2	-921.1	-843.1
4007.4	-775.9			J	-56.7	-33.2	-891.7	-823.8
3844.4	-780.0							
			Q1-1 Max	I	48.3	21.2	125.2	2118.4
2961.2	368.1			J	48.3	21.2	136.2	2090.7
3211.5	372.0		Min	I	-31.3	-20.6	-565.3	-546.6
2765.9	-572.1			J	-31.5	-20.6	-547.2	-546.6
2645.6	-576.2							
			Q1-3 Max	I	29.9	22.8	128.2	733.6
3347.4	142.2			J	29.9	22.8	139.6	814.2
3658.3	156.1		Min	I	-37.8	-22.2	-579.3	-518.2
2252.3	-426.4			J	-38.0	-22.2	-560.3	-487.1
2171.8	-425.6							
			SLVx (RS)	I	952.5	-752.0	127.8	2630.1
5776.9	10435.7			J	952.5	-752.0	127.8	2630.1
5689.5	10479.7							
			SLVy (RS)	I	-722.4	822.8	191.3	1810.2
1820.2	16967.5			J	-722.4	822.8	191.3	1810.2


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1725.5	16876.8							
		SLVz (RS)	I	-210.2	-107.5	409.1	-533.4	
815.2	858.8		J	-210.2	-107.5	409.1	-533.4	
-742.7	856.1							
		G1	I	45.3	-2.5	-1450.7	1668.1	-
1243.1	-1119.7		J	43.5	-2.5	-1346.7	1668.1	
155.7	-1117.2							
		G2	I	16.4	-0.9	-526.3	604.9	
-447.4	-405.8		J	15.8	-0.9	-488.5	604.9	
60.0	-404.9							
		pp imp~1	I	-2.1	3.2	-0.0	5.0	
-4.7	156.0		J	-2.1	3.2	-0.0	5.0	
-4.7	152.7							
		perm i~1	I	-0.7	1.0	-0.0	1.6	
-1.5	50.2		J	-0.7	1.0	-0.0	1.6	
-1.5	49.2							
		pp2	I	0.1	-2.2	0.0	-3.5	
-0.1	29.4		J	0.1	-2.2	0.0	-3.5	
-0.2	31.6							
		perm2	I	0.0	-0.6	0.0	-1.0	
-0.0	7.7		J	0.0	-0.6	0.0	-1.0	
-0.1	8.3							
		q3	I	19.0	84.4	24.7	193.5	
99.1	1085.8		J	13.6	84.4	24.7	180.7	
80.5	1001.4							
		q4-1	I	32.6	26.9	3.5	6.8	
56.0	37.5		J	32.6	26.9	3.5	6.8	
52.5	10.6							
		q4-2	I	23.1	-24.3	4.2	33.6	
-26.1	-206.7		J	23.1	-24.3	4.2	33.6	
-30.2	-182.5							
		q4-3	I	8.4	39.8	-4.5	-80.1	
-114.4	615.3		J	8.4	39.8	-4.5	-80.1	
-109.9	575.5							
		q4-4	I	51.5	-19.3	-5.2	-35.6	
-81.6	-1093.9		J	51.5	-19.3	-5.2	-35.6	
-76.3	-1074.6							
		q5x_pc	I	-252.1	-276.9	41.4	58.3	
-448.7	3184.2		J	-265.0	-262.6	41.2	51.1	
-483.6	3454.0							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


1081.8	1664.8	q5y_pc	I	11.8	170.8	73.4	482.2	
			J	-2.5	157.9	73.1	488.6	
1015.7	1500.4							
		q5x_ps	I	-355.6	-242.1	38.2	-44.3	
-430.4	4012.2		J	-367.8	-228.6	38.0	-46.3	
-466.6	4247.6							
		q5y_ps	I	-10.0	141.9	61.8	451.4	
924.5	1340.3		J	-23.5	129.7	61.6	453.3	
864.9	1204.5							
		q7	I	-57.7	-14.5	-0.1	-14.6	
-48.0	158.4		J	-57.7	-14.5	-0.1	-14.6	
-47.8	173.0							
		T	I	-309.8	-86.6	0.8	-96.8	
-336.6	1782.9		J	-309.8	-86.6	0.8	-96.8	
-337.4	1869.5							
		SLVx-E~1	I	6.7	-26.5	1.2	0.0	
-5.5	-104.7		J	6.7	-26.5	1.2	0.7	
-6.8	-114.3							
		SLVy-E~1	I	15.6	-61.7	2.9	0.1	
-12.9	-244.4		J	15.6	-61.7	2.9	1.5	
-15.8	-266.6							
706	1	64 Q1-1_2 Max	I	131.4	62.0	382.0	4404.8	
9124.8	888.8		J	131.4	62.0	411.3	4351.0	
9990.4	911.7							
		Min	I	-101.5	-59.7	-1518.1	-1604.7	-
7120.9	-1553.9		J	-102.3	-59.7	-1464.2	-1594.3	-
6970.3	-1566.3							
		Q1-3_4 Max	I	124.5	63.8	391.1	3760.4	
9430.9	763.5		J	124.5	63.8	420.8	3781.3	1
0319.9	795.9							
		Min	I	-106.4	-62.6	-1544.5	-1590.9	-
6946.3	-1475.6		J	-107.2	-62.6	-1489.3	-1570.9	-
6811.1	-1489.1							
		Q2a-1_2 Max	I	67.4	32.9	218.9	2520.7	
5540.7	485.8		J	67.4	32.9	237.8	2499.1	
6013.7	498.0							
		Min	I	-55.0	-31.9	-882.3	-815.6	-
4004.4	-834.3		J	-55.3	-31.9	-853.4	-811.4	-
3901.3	-837.7							
		Q2a-3_4 Max	I	62.9	34.3	223.9	2095.6	
5682.9	404.6		J	62.9	34.3	242.9	2123.2	

MIDAS

PROJECT TITLE :


	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
6168.0	422.5								
		Min	I	-57.1	-32.2	-891.7	-804.8	-	
3853.4	-778.8		J	-57.4	-32.2	-862.3	-793.1	-	
3759.5	-782.3								
		Q1-1 Max	I	48.5	20.5	136.3	2044.1		
3243.8	371.1		J	48.5	20.5	147.8	2016.3		
3527.1	375.7								
		Min	I	-31.8	-20.1	-547.2	-527.8	-	
2651.5	-575.4		J	-32.0	-20.1	-529.1	-527.8	-	
2584.2	-578.9								
		Q1-3 Max	I	30.0	22.5	139.6	745.6		
3660.2	155.5		J	30.0	22.5	151.4	824.7		
3977.2	169.2								
		Min	I	-38.3	-21.5	-560.3	-486.9	-	
2177.1	-424.9		J	-38.5	-21.5	-541.4	-467.0	-	
2125.2	-424.2								
		SLVx (RS)	I	968.5	-722.3	126.8	2513.1		
5741.1	-10480.2		J	968.5	-722.3	126.8	2513.1		
5653.5	-10543.6								
		SLVy (RS)	I	-728.1	819.4	189.2	1779.3		
1758.8	16876.6		J	-728.1	819.4	189.2	1779.3		
1672.3	16796.5								
		SLVz (RS)	I	-209.9	-110.5	394.2	-531.8		
-743.8	856.1		J	-209.9	-110.5	394.2	-531.8		
-845.1	850.0								
		G1	I	43.6	-2.9	-1346.7	1664.6		
190.2	-1117.1		J	41.8	-2.9	-1242.7	1664.6		
1485.0	-1114.2								
		G2	I	15.8	-1.0	-488.5	603.6		
72.5	-404.9		J	15.1	-1.0	-450.8	603.6		
542.2	-403.9								
		pp imp~1	I	-2.0	3.3	-0.0	5.1		
-4.5	152.7		J	-2.0	3.3	-0.0	5.1		
-4.4	149.5								
		perm i~1	I	-0.7	1.0	-0.0	1.6		
-1.4	49.2		J	-0.7	1.0	-0.0	1.6		
-1.4	48.1								
		pp2	I	0.0	-2.2	0.0	-3.5		
-0.2	31.6		J	0.0	-2.2	0.0	-3.5		
-0.3	33.8								
		perm2	I	0.0	-0.6	0.0	-1.0		
-0.1	8.3								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.1	8.9		J	0.0	-0.6	0.0	-1.0
84.6	1001.4	q3	I	15.4	84.1	24.7	178.9
66.0	917.2		J	10.1	84.1	24.7	166.1
52.6	10.6	q4-1	I	33.1	26.2	3.5	5.7
49.2	-15.6		J	33.1	26.2	3.5	5.7
-29.6	-182.4	q4-2	I	22.6	-24.7	4.2	34.3
-33.8	-157.7		J	22.6	-24.7	4.2	34.3
-111.3	575.5	q4-3	I	9.2	39.6	-4.4	-77.9
-106.9	535.9		J	9.2	39.6	-4.4	-77.9
-77.4	-1074.6	q4-4	I	51.1	-20.4	-5.2	-33.9
-72.2	-1054.2		J	51.1	-20.4	-5.2	-33.9
-481.1	3454.2	q5x_pc	I	-270.4	-257.0	41.0	60.9
-515.8	3704.0		J	-283.0	-242.5	40.8	53.6
1026.3	1500.0	q5y_pc	I	0.8	157.9	73.2	467.1
960.5	1348.4		J	-13.7	145.3	72.9	473.4
-466.0	4247.7	q5x_ps	I	-372.5	-220.9	37.9	-37.0
-501.9	4461.7		J	-384.4	-207.1	37.7	-39.1
874.6	1204.2	q5y_ps	I	-20.8	130.1	61.6	434.9
815.2	1080.0		J	-34.6	118.2	61.4	436.7
-48.1	173.0	q7	I	-58.0	-13.3	-0.1	-13.7
-47.9	186.3		J	-58.0	-13.3	-0.1	-13.7
-338.6	1869.6	T	I	-311.5	-80.1	0.7	-89.9
-339.3	1949.7		J	-311.5	-80.1	0.7	-89.9
-6.8	-114.3	SLVx-E~1	I	6.1	-26.6	1.2	0.8
-8.0	-123.7		J	6.1	-26.6	1.2	1.4
-15.8	-266.6	SLVy-E~1	I	14.3	-62.0	2.9	1.9
			J	14.3	-62.0	2.9	3.4

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-18.7	-288.6									
707	1	64	Q1-1_2	Max	I	131.9	60.4	411.3	4219.7	1
0046.3	909.1				J	131.9	60.4	442.1	4166.2	1
0867.1	932.5									
				Min	I	-103.1	-58.2	-1464.2	-1535.1	-
6996.4	-1564.2				J	-105.7	-58.2	-1410.7	-1525.0	-
6874.7	-1575.4									
			Q1-3_4	Max	I	125.0	62.5	420.8	3616.4	1
0359.6	793.4				J	125.0	62.5	451.9	3636.4	1
1207.6	825.2									
				Min	I	-108.0	-60.9	-1489.4	-1508.2	-
6837.5	-1487.0				J	-110.8	-60.9	-1434.7	-1492.9	-
6726.9	-1499.2									
			Q2a-1_2	Max	I	67.7	32.0	237.8	2422.0	
6045.6	496.4				J	67.7	32.0	257.4	2400.6	
6492.7	508.9									
				Min	I	-55.8	-31.0	-853.4	-786.8	-
3914.3	-836.5				J	-57.5	-31.0	-824.4	-782.8	-
3822.8	-839.2									
			Q2a-3_4	Max	I	63.1	33.6	242.9	2026.1	
6188.8	421.1				J	63.1	33.6	262.7	2052.7	
6649.2	438.7									
				Min	I	-57.9	-31.1	-862.3	-769.6	-
3772.4	-781.2				J	-59.8	-31.1	-833.0	-761.0	-
3688.3	-783.9									
			Q1-1	Max	I	48.7	19.9	147.8	1963.6	
3561.8	374.7				J	48.7	19.9	159.8	1935.9	
3832.6	379.8									
				Min	I	-32.3	-19.7	-529.1	-509.5	-
2592.9	-578.2				J	-33.1	-19.7	-511.0	-509.5	-
2534.1	-581.1									
			Q1-3	Max	I	30.0	22.2	151.4	749.8	
3982.4	168.4				J	30.0	22.2	163.7	827.2	
4283.4	181.8									
				Min	I	-38.8	-20.8	-541.4	-461.7	-
2132.6	-423.5				J	-40.0	-20.8	-522.6	-446.4	-
2087.8	-422.8									
			SLVx (RS)		I	983.1	-693.5	125.9	2397.1	
5702.5	-10544.2				J	983.1	-693.5	125.9	2397.1	
5614.6	-10620.5									
			SLVy (RS)		I	-733.7	816.5	187.4	1750.7	
1703.5	16796.4				J	-733.7	816.5	187.4	1750.7	
1625.5	16726.0									


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-850.9	850.0	SLVz (RS)	I	-209.3	-114.7	378.8	-522.4	
			J	-209.3	-114.7	378.8	-522.4	-
1060.1	842.2							
		G1	I	41.8	-3.3	-1242.7	1633.2	
1519.2	-1114.6		J	40.0	-3.3	-1138.7	1633.2	
2710.0	-1111.3							
		G2	I	15.2	-1.2	-450.8	592.1	
554.6	-404.0		J	14.5	-1.2	-413.0	592.1	
986.6	-402.9							
		pp imp~1	I	-2.0	3.3	-0.0	5.2	
-4.3	149.5		J	-2.0	3.3	-0.0	5.2	
-4.2	146.2							
		perm i~1	I	-0.6	1.1	-0.0	1.7	
-1.4	48.1		J	-0.6	1.1	-0.0	1.7	
-1.4	47.1							
		pp2	I	-0.0	-2.2	0.0	-3.5	
-0.3	33.8		J	-0.0	-2.2	0.0	-3.5	
-0.4	36.0							
		perm2	I	0.0	-0.6	0.0	-1.0	
-0.1	8.9		J	0.0	-0.6	0.0	-1.0	
-0.2	9.5							
		q3	I	11.8	83.9	24.8	164.6	
69.8	917.2		J	6.5	83.9	24.8	151.8	
51.2	833.3							
		q4-1	I	33.7	25.5	3.5	4.6	
49.3	-15.6		J	33.7	25.5	3.5	4.6	
45.8	-41.1							
		q4-2	I	22.1	-25.2	4.1	35.0	
-33.1	-157.7		J	22.1	-25.2	4.1	35.0	
-37.2	-132.5							
		q4-3	I	10.1	39.4	-4.4	-75.7	
-108.3	536.0		J	10.1	39.4	-4.4	-75.7	
-103.9	496.6							
		q4-4	I	50.7	-21.4	-5.2	-32.3	
-73.3	-1054.2		J	50.7	-21.4	-5.2	-32.3	
-68.0	-1032.7							
		q5x_pc	I	-288.0	-236.5	40.7	64.0	
-513.2	3704.2		J	-300.3	-221.7	40.5	56.6	
-547.6	3933.3							
		q5y_pc	I	-10.7	145.6	73.0	453.1	

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
970.7	1348.1			J	-25.5	133.3	72.7	459.2	
905.3	1208.6								
		q5x_ps		I	-388.7	-199.0	37.6	-29.0	
-501.0	4461.9			J	-400.3	-185.0	37.4	-31.1	
-536.7	4653.9								
		q5y_ps		I	-32.1	118.9	61.4	419.5	
824.5	1079.8			J	-46.1	107.3	61.2	421.2	
765.4	966.6								
		q7		I	-58.3	-12.1	-0.2	-12.7	
-48.1	186.3			J	-58.3	-12.1	-0.2	-12.7	
-48.0	198.4								
		T		I	-313.1	-73.6	0.6	-83.0	
-340.4	1949.8			J	-313.1	-73.6	0.6	-83.0	
-341.1	2023.4								
		SLVx-E~1		I	5.6	-26.7	1.2	1.6	
-8.0	-123.7			J	5.6	-26.7	1.2	2.3	
-9.2	-133.0								
		SLVy-E~1		I	13.0	-62.3	2.8	3.8	
-18.7	-288.6			J	13.0	-62.3	2.8	5.3	
-21.6	-310.2								
708	1	64	Q1-1_2 Max	I	132.4	59.0	442.1	4022.9	1
0921.0	929.5			J	132.4	59.0	474.1	3970.0	1
1676.9	953.0		Min	I	-106.3	-56.8	-1410.7	-1469.8	-
6899.5	-1573.3			J	-109.3	-56.8	-1357.7	-1460.3	-
6782.9	-1583.0								
		Q1-3_4 Max		I	125.4	61.2	451.9	3454.7	1
1246.3	822.4			J	125.4	61.2	484.3	3473.7	1
2028.1	853.2		Min	I	-111.6	-59.1	-1434.7	-1430.6	-
6751.2	-1497.1			J	-114.5	-59.1	-1380.6	-1414.3	-
6643.2	-1507.8								
		Q2a-1_2 Max		I	67.9	31.3	257.4	2315.7	
6523.5	507.1			J	67.9	31.3	277.8	2294.5	
6936.0	519.8		Min	I	-57.8	-30.2	-824.5	-758.7	-
3834.8	-838.1			J	-59.8	-30.2	-795.6	-754.9	-
3745.3	-839.9								
		Q2a-3_4 Max		I	63.2	32.9	262.7	1946.2	
6669.5	437.1			J	63.2	32.9	283.1	1971.9	
7094.7	454.2		Min	I	-60.2	-30.1	-833.0	-737.3	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
3699.9	-782.8			J	-62.1	-30.1	-803.7	-727.8	-
3616.9	-784.7								
3866.2	378.6	Q1-1 Max	I		48.9	19.4	159.8	1878.5	
4117.4	384.2		J		48.9	19.4	172.2	1851.0	
2542.4	-580.4	Min	I		-33.2	-19.2	-511.0	-492.3	-
2485.6	-582.6		J		-34.5	-19.2	-492.9	-492.5	-
4288.5	180.8	Q1-3 Max	I		30.0	21.8	163.7	746.5	
4565.8	193.7		J		30.0	21.8	176.4	822.3	
2094.3	-422.1	Min	I		-40.3	-20.0	-522.6	-442.5	-
2049.5	-421.2		J		-41.5	-20.0	-503.9	-425.3	-
5660.9	-10621.2	SLVx (RS)	I		996.2	-665.6	125.0	2282.3	
5572.5	-10704.5		J		996.2	-665.6	125.0	2282.3	
1654.4	16725.9	SLVy (RS)	I		-739.1	814.2	186.0	1724.4	
1584.8	16664.8		J		-739.1	814.2	186.0	1724.4	-
1068.2	842.3	SLVz (RS)	I		-208.4	-119.6	362.6	-505.6	-
1320.3	835.3		J		-208.4	-119.6	362.6	-505.6	-
2743.2	-1112.2	G1	I		40.0	-3.7	-1138.7	1576.2	
3830.0	-1108.5		J		38.2	-3.7	-1034.7	1576.2	
998.6	-403.2	G2	I		14.5	-1.3	-413.0	571.4	
1392.8	-401.9		J		13.8	-1.3	-375.3	571.4	
-4.1	146.2	pp imp~1	I		-1.9	3.3	-0.0	5.2	
-4.0	142.8		J		-1.9	3.3	-0.0	5.2	
-1.3	47.1	perm i~1	I		-0.6	1.1	-0.0	1.7	
-1.3	46.0		J		-0.6	1.1	-0.0	1.7	
-0.4	36.0	pp2	I		-0.1	-2.2	0.0	-3.5	
-0.5	38.1		J		-0.1	-2.2	0.0	-3.5	
-0.2	9.5	perm2	I		-0.0	-0.6	0.0	-1.0	
-0.2	10.0		J		-0.0	-0.6	0.0	-1.0	


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


54.6	833.3	q3	I	8.2	83.7	24.8	150.6
36.0	749.6		J	2.9	83.7	24.8	137.8
45.8	-41.1	q4-1	I	34.2	24.8	3.5	3.7
42.3	-65.8		J	34.2	24.8	3.5	3.7
-36.5	-132.4	q4-2	I	21.5	-25.7	4.1	35.8
-40.7	-106.8		J	21.5	-25.7	4.1	35.8
-105.3	496.6	q4-3	I	10.9	39.2	-4.4	-73.5
-100.8	457.4		J	10.9	39.2	-4.4	-73.5
-69.1	-1032.7	q4-4	I	50.2	-22.5	-5.2	-30.8
-63.8	-1010.2		J	50.2	-22.5	-5.2	-30.8
-544.9	3933.5	q5x_pc	I	-304.9	-215.4	40.4	67.7
-579.2	4141.4		J	-316.9	-200.3	40.2	60.2
915.1	1208.4	q5y_pc	I	-22.7	133.7	72.7	440.0
850.0	1080.6		J	-37.8	121.8	72.5	446.0
-535.5	4654.1	q5x_ps	I	-404.1	-176.6	37.2	-20.3
-571.0	4823.6		J	-415.4	-162.3	37.0	-22.4
774.4	966.4	q5y_ps	I	-43.8	108.2	61.2	405.0
715.4	863.8		J	-58.1	96.9	60.9	406.7
-48.2	198.4	q7	I	-58.5	-10.9	-0.2	-11.7
-48.0	209.3		J	-58.5	-10.9	-0.2	-11.7
-342.0	2023.5	T	I	-314.6	-67.0	0.6	-76.0
-342.6	2090.5		J	-314.6	-67.0	0.6	-76.0
-9.2	-132.9	SLVx-E~1	I	5.0	-26.8	1.2	2.5
-10.4	-142.1		J	5.0	-26.8	1.2	3.1
-21.6	-310.2	SLVy-E~1	I	11.7	-62.6	2.8	5.7
-24.4	-331.6		J	11.7	-62.6	2.8	7.2

MIDAS

PROJECT TITLE :


	Company				Client				
	Author				File Name				
709	1	64	Q1-1_2 Max	I	132.8	57.6	474.1	3814.9	1
1727.9	949.7			J	132.8	57.6	507.5	3764.4	1
2416.2	973.0		Min	I	-109.9	-55.4	-1357.8	-1407.4	-
6805.0	-1580.9			J	-112.8	-55.4	-1305.3	-1400.4	-
6688.9	-1589.2								
			Q1-3_4 Max	I	125.8	59.9	484.3	3277.3	1
2064.8	850.0			J	125.8	59.9	518.1	3295.5	1
2777.1	879.7		Min	I	-115.2	-57.3	-1380.6	-1359.5	-
6664.9	-1505.6			J	-118.1	-57.3	-1327.1	-1336.9	-
6557.6	-1514.7								
			Q2a-1_2 Max	I	68.0	30.6	277.8	2202.3	
6965.1	517.8			J	68.0	30.6	298.7	2182.1	
7341.4	530.5		Min	I	-60.1	-29.3	-795.6	-730.8	-
3755.8	-838.8			J	-62.0	-29.3	-766.8	-728.0	-
3666.6	-839.9								
			Q2a-3_4 Max	I	63.4	32.2	283.1	1856.6	
7114.0	452.4			J	63.4	32.2	304.1	1881.5	
7502.1	468.8		Min	I	-62.5	-29.0	-803.7	-708.5	-
3627.1	-783.6			J	-64.3	-29.0	-774.6	-694.1	-
3544.3	-784.6								
			Q1-1 Max	I	49.1	19.0	172.2	1789.5	
4149.2	382.9			J	49.1	19.0	185.0	1762.8	
4378.2	388.8		Min	I	-34.7	-18.8	-492.9	-475.7	-
2492.9	-581.9			J	-35.9	-18.8	-475.0	-476.8	-
2436.3	-583.5								
			Q1-3 Max	I	30.0	21.5	176.4	736.5	
4570.7	192.6			J	30.0	21.5	189.5	810.5	
4823.7	204.8		Min	I	-41.8	-19.3	-503.9	-428.7	-
2055.1	-420.6			J	-42.9	-19.3	-485.3	-403.8	-
2010.4	-419.4								
			SLVx (RS)	I	1007.8	639.0	124.0	2168.7	
5616.3	-10705.3			J	1007.8	639.0	124.0	2168.7	
5527.3	-10790.4								
			SLVy (RS)	I	-744.3	812.5	185.0	1700.5	-
1611.2	16664.7			J	-744.3	812.5	185.0	1700.5	-
1550.3	16612.2								
			SLVz (RS)	I	-207.2	-124.7	345.1	-481.7	-
1329.2	835.4								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1591.5	832.2		J	-207.2	-124.7	345.1	-481.7	-
3861.7	-1109.8	G1	I	38.2	-4.1	-1034.7	1495.8	
4844.5	-1105.7		J	36.3	-4.1	-930.7	1495.8	
1404.3	-402.4	G2	I	13.8	-1.5	-375.3	542.1	
1760.8	-400.9		J	13.2	-1.5	-337.6	542.1	
		pp imp~1	I	-1.8	3.4	-0.0	5.3	
-3.9	142.8		J	-1.8	3.4	-0.0	5.3	
-3.8	139.5							
		perm i~1	I	-0.6	1.1	-0.0	1.7	
-1.2	46.0		J	-0.6	1.1	-0.0	1.7	
-1.2	44.9							
		pp2	I	-0.1	-2.2	0.0	-3.5	
-0.5	38.1		J	-0.1	-2.2	0.0	-3.5	
-0.6	40.3							
		perm2	I	-0.0	-0.6	0.0	-1.0	
-0.2	10.0		J	-0.0	-0.6	0.0	-1.0	
-0.3	10.6							
		q3	I	4.7	83.6	24.8	136.9	
39.1	749.6		J	-0.7	83.6	24.8	124.1	
20.4	665.9							
		q4-1	I	34.7	24.0	3.5	2.8	
42.4	-65.9		J	34.7	24.0	3.5	2.8	
38.9	-89.9							
		q4-2	I	21.0	-26.1	4.1	36.6	
-40.0	-106.8		J	21.0	-26.1	4.1	36.6	
-44.1	-80.6							
		q4-3	I	11.7	38.9	-4.4	-71.4	
-102.2	457.5		J	11.7	38.9	-4.4	-71.4	
-97.8	418.5							
		q4-4	I	49.7	-23.5	-5.3	-29.3	
-64.8	-1010.2		J	49.7	-23.5	-5.3	-29.3	
-59.6	-986.6							
		q5x_pc	I	-321.0	-193.6	40.1	72.0	
-576.2	4141.6		J	-332.7	-178.3	39.9	64.3	
-610.4	4327.6							
		q5y_pc	I	-35.2	122.5	72.5	428.0	
859.6	1080.3		J	-50.5	110.9	72.2	433.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
794.9	963.6							
-569.6	4823.8	q5x_ps	I	-418.7	-153.6	37.0	-10.8	
-604.8	4970.2		J	-429.7	-139.1	36.8	-13.0	
724.1	863.6	q5y_ps	I	-56.1	98.1	61.0	391.5	
665.4	771.0		J	-70.5	87.0	60.7	393.2	
-48.1	209.3	q7	I	-58.7	-9.7	-0.2	-10.7	
-48.0	219.0		J	-58.7	-9.7	-0.2	-10.7	
-343.3	2090.7	T	I	-315.9	-60.4	0.5	-69.0	
-343.9	2151.1		J	-315.9	-60.4	0.5	-69.0	
-10.4	-142.1	SLVx-E~1	I	4.5	-26.9	1.2	3.3	
-11.6	-151.2		J	4.5	-26.9	1.2	4.0	
-24.3	-331.6	SLVy-E~1	I	10.4	-62.8	2.8	7.8	
-27.1	-352.8		J	10.4	-62.8	2.8	9.3	
710	1	64 Q1-1_2 Max	I	133.2	56.2	507.5	3596.3	1
2463.7	969.4		J	133.2	56.2	542.2	3548.6	1
3082.8	992.3	Min	I	-113.4	-54.1	-1305.3	-1348.0	-
6708.1	-1587.0		J	-116.2	-54.1	-1253.5	-1343.7	-
6592.2	-1593.8	Q1-3_4 Max	I	126.1	58.6	518.1	3088.7	1
2811.2	876.0		J	126.1	58.6	553.1	3106.1	1
3452.4	904.4	Min	I	-118.7	-55.6	-1327.1	-1297.1	-
6576.4	-1512.5		J	-121.4	-55.6	-1274.2	-1263.2	-
6469.2	-1519.9	Q2a-1_2 Max	I	68.2	30.0	298.7	2081.9	
7368.7	528.4		J	68.2	30.0	320.4	2062.8	
7707.7	540.9	Min	I	-62.3	-28.5	-766.8	-703.0	-
3675.5	-838.7		J	-64.1	-28.5	-738.1	-701.3	-
3586.2	-839.0	Q2a-3_4 Max	I	63.4	31.5	304.1	1759.6	
7520.0	466.8		J	63.4	31.5	325.8	1783.7	
7870.0	482.5	Min	I	-64.7	-28.0	-774.6	-684.0	-
3552.9	-783.5		J	-66.4	-28.0	-745.7	-661.0	-


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3470.2	-783.6						
4407.9	387.4	Q1-1 Max	I	49.2	18.5	185.0	1696.0
4614.0	393.5		J	49.2	18.5	198.3	1670.5
2442.5	-582.8	Min	I	-36.0	-18.4	-475.0	-459.6
2386.0	-583.8		J	-37.1	-18.4	-457.1	-461.8
4828.2	203.6	Q1-3 Max	I	30.0	21.1	189.5	720.3
5056.3	215.1		J	30.0	21.1	203.0	792.6
2015.1	-418.7	Min	I	-43.2	-18.6	-485.3	-420.3
1970.4	-417.2		J	-44.2	-18.6	-466.9	-382.0
5568.5	-10791.2	SLVx (RS)	I	1018.0	613.9	122.8	2056.5
5478.8	-10873.2		J	1018.0	613.9	122.8	2056.5
1573.9	16612.1	SLVy (RS)	I	-749.3	811.3	184.5	1679.1
1521.9	16567.8		J	-749.3	811.3	184.5	1679.1
1600.4	832.3	SLVz (RS)	I	-205.7	-129.3	325.8	-451.2
1857.4	835.8		J	-205.7	-129.3	325.8	-451.2
4874.4	-1107.4	G1	I	36.3	-4.5	-930.7	1394.1
5753.2	-1102.8		J	34.4	-4.5	-826.7	1394.1
1771.6	-401.5	G2	I	13.2	-1.6	-337.6	505.2
2090.4	-399.9		J	12.5	-1.6	-299.8	505.2
-3.7	139.5	pp imp~1	I	-1.8	3.4	-0.0	5.4
-3.6	136.0		J	-1.8	3.4	-0.0	5.4
-1.2	44.9	perm i~1	I	-0.6	1.1	-0.0	1.7
-1.2	43.8		J	-0.6	1.1	-0.0	1.7
-0.6	40.3	pp2	I	-0.2	-2.2	0.0	-3.5
-0.7	42.5		J	-0.2	-2.2	0.0	-3.5
-0.3	10.6	perm2	I	-0.0	-0.6	0.0	-1.0
-0.3	11.2		J	-0.0	-0.6	0.0	-1.0
		q3	I	1.1	83.6	24.9	123.6


MIDAS

PROJECT TITLE :


	Company		Client						
	Author		File Name		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
23.2	665.9		J	-4.2	83.6	24.9	110.8		
4.5	582.3								
		q4-1	I	35.2	23.3	3.5	2.0		
38.9	-89.9		J	35.2	23.3	3.5	2.0		
35.3	-113.2								
		q4-2	I	20.4	-26.6	4.1	37.5		
-43.4	-80.6		J	20.4	-26.6	4.1	37.5		
-47.5	-54.1								
		q4-3	I	12.5	38.7	-4.4	-69.4		
-99.1	418.6		J	12.5	38.7	-4.4	-69.4		
-94.7	379.9								
		q4-4	I	49.2	-24.6	-5.3	-28.0		
-60.6	-986.6		J	49.2	-24.6	-5.3	-28.0		
-55.3	-962.1								
		q5x_pc	I	-336.3	-171.3	39.8	76.7		
-607.3	4327.8		J	-347.6	-155.8	39.6	68.9		
-641.3	4491.4								
		q5y_pc	I	-48.2	111.9	72.3	417.0		
804.1	963.3		J	-63.8	100.5	72.0	422.7		
739.8	857.1								
		q5x_ps	I	-432.5	-130.1	36.7	-0.7		
-603.0	4970.4		J	-443.3	-115.4	36.5	-2.9		
-638.0	5093.2								
		q5y_ps	I	-68.7	88.5	60.7	379.1		
673.8	770.8		J	-83.4	77.8	60.5	380.7		
615.4	687.7								
		q7	I	-58.9	-8.4	-0.2	-9.7		
-48.1	219.0		J	-58.9	-8.4	-0.2	-9.7		
-47.9	227.4								
		T	I	-317.1	-53.8	0.5	-62.0		
-344.4	2151.2		J	-317.1	-53.8	0.5	-62.0		
-344.9	2204.9								
		SLVx-E~1	I	3.9	-27.0	1.2	4.2		
-11.6	-151.2		J	3.9	-27.0	1.2	4.9		
-12.8	-160.2								
		SLVy-E~1	I	9.1	-63.0	2.8	9.9		
-27.1	-352.7		J	9.1	-63.0	2.8	11.4		
-29.8	-373.7								
711	1	64	Q1-1_2 Max	I	133.5	54.8	542.2	3370.1	1
3126.5	988.3								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3675.3	1010.5		J	133.5	54.8	578.2	3325.2	1
		Min	I	-116.7	-52.8	-1253.5	-1292.7	-
6608.5	-1591.6		J	-119.3	-52.8	-1202.3	-1291.2	-
6492.7	-1596.6							
		Q1-3_4 Max	I	126.3	57.4	553.1	2894.0	1
3483.4	900.4		J	126.3	57.4	589.5	2910.6	1
4052.3	927.3							
		Min	I	-122.0	-54.1	-1274.2	-1246.0	-
6485.2	-1517.6		J	-124.6	-54.1	-1222.1	-1196.4	-
6378.0	-1523.1							
		Q2a-1_2 Max	I	68.3	29.3	320.4	1956.1	
7732.9	538.6		J	68.3	29.3	342.7	1938.2	
8033.8	550.8							
		Min	I	-64.4	-27.7	-738.2	-675.9	-
3593.6	-837.8		J	-66.1	-27.7	-709.6	-675.3	-
3504.4	-837.2							
		Q2a-3_4 Max	I	63.5	30.7	325.8	1657.4	
7886.3	480.3		J	63.5	30.7	348.2	1680.8	
8197.2	495.2							
		Min	I	-66.8	-27.1	-745.7	-656.4	-
3477.2	-782.4		J	-68.4	-27.1	-716.9	-629.7	-
3394.5	-781.6							
		Q1-1 Max	I	49.3	18.1	198.3	1599.1	
4641.5	392.0		J	49.3	18.1	212.0	1574.6	
4824.0	398.2							
		Min	I	-37.3	-18.1	-457.1	-444.2	-
2391.2	-583.1		J	-38.3	-18.1	-439.3	-447.5	-
2334.6	-583.5							
		Q1-3 Max	I	30.0	20.8	203.0	699.3	
5060.3	213.7		J	30.0	20.8	216.9	769.9	
5263.1	224.6							
		Min	I	-44.5	-18.0	-466.9	-417.4	-
1974.2	-416.6		J	-45.4	-18.0	-448.6	-360.4	-
1929.5	-414.8							
		SLVx (RS)	I	1026.6	590.9	121.5	1945.8	
5517.4	-10874.1		J	1026.6	590.9	121.5	1945.8	
5426.8	-10949.0							
		SLVy (RS)	I	-754.1	810.7	184.4	1660.4	-
1542.6	16567.8		J	-754.1	810.7	184.4	1660.4	-
1500.0	16531.3							
		SLVz (RS)	I	-204.1	-133.2	304.3	-414.6	-
1865.8	836.1		J	-204.1	-133.2	304.3	-414.6	-
2108.9	848.8							


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

5780.7	-1104.9	G1	I	34.4	-5.0	-826.7	1273.4
			J	32.5	-5.0	-722.7	1273.4
6555.5	-1100.0						
		G2	I	12.5	-1.8	-299.8	461.3
2100.3	-400.7		J	11.8	-1.8	-262.1	461.3
2381.3	-398.9						
		pp imp~1	I	-1.7	3.5	-0.0	5.5
-3.5	136.1		J	-1.7	3.5	-0.0	5.5
-3.4	132.6						
		perm i~1	I	-0.5	1.1	-0.0	1.8
-1.1	43.8		J	-0.5	1.1	-0.0	1.8
-1.1	42.7						
		pp2	I	-0.2	-2.2	0.0	-3.5
-0.7	42.5		J	-0.2	-2.2	0.0	-3.5
-0.8	44.6						
		perm2	I	-0.0	-0.6	0.0	-1.0
-0.3	11.2		J	-0.0	-0.6	0.0	-1.0
-0.4	11.8						
		q3	I	-2.5	83.7	24.9	110.7
7.0	582.3		J	-7.8	83.7	24.9	97.9
-11.7	498.6						
		q4-1	I	35.7	22.6	3.5	1.2
35.3	-113.2		J	35.7	22.6	3.5	1.2
31.8	-135.8						
		q4-2	I	19.9	-27.0	4.1	38.5
-46.7	-54.0		J	19.9	-27.0	4.1	38.5
-50.8	-27.1						
		q4-3	I	13.3	38.4	-4.4	-67.4
-96.0	379.9		J	13.3	38.4	-4.4	-67.4
-91.6	341.5						
		q4-4	I	48.7	-25.6	-5.3	-26.8
-56.2	-962.0		J	48.7	-25.6	-5.3	-26.8
-51.0	-936.4						
		q5x_pc	I	-350.8	-148.5	39.5	82.1
-638.0	4491.6		J	-361.8	-132.7	39.3	74.2
-671.9	4632.2						
		q5y_pc	I	-61.7	101.8	72.0	407.1
748.8	856.9		J	-77.5	90.8	71.8	412.6
684.8	760.6						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-636.0	5093.4	q5x_ps	I	-445.6	-106.1	36.4	10.1	
			J	-456.0	-91.2	36.2	7.9	
-670.8	5192.1							
		q5y_ps	I	-81.8	79.5	60.5	367.7	
623.5	687.5		J	-96.7	69.1	60.2	369.3	
565.4	613.2							
		q7	I	-59.1	-7.2	-0.2	-8.7	
-48.0	227.5		J	-59.1	-7.2	-0.2	-8.7	
-47.8	234.6							
		T	I	-318.2	-47.1	0.5	-54.9	
-345.3	2205.1		J	-318.2	-47.1	0.5	-54.9	
-345.8	2252.2							
		SLVx-E~1	I	3.3	-27.1	1.2	5.1	
-12.7	-160.2		J	3.3	-27.1	1.2	5.8	
-13.9	-169.1							
		SLVy-E~1	I	7.8	-63.2	2.7	12.0	
-29.7	-373.7		J	7.8	-63.2	2.7	13.5	
-32.5	-394.5							
712	1	64 Q1-1_2 Max	I	133.8	53.5	578.2	3143.5	1
3714.8	1006.2		J	133.8	53.5	615.4	3101.6	1
4192.3	1027.7							
		Min	I	-119.8	-51.6	-1202.3	-1286.7	-
6506.1	-1594.5		J	-122.2	-51.6	-1151.8	-1288.3	-
6390.3	-1597.6							
		Q1-3_4 Max	I	126.5	56.1	589.5	2702.8	1
4079.9	923.0		J	126.5	56.1	627.1	2718.7	1
4575.4	948.3							
		Min	I	-125.2	-52.9	-1222.1	-1200.2	-
6391.2	-1520.9		J	-127.6	-52.9	-1170.7	-1161.7	-
6284.1	-1524.4							
		Q2a-1_2 Max	I	68.4	28.6	342.7	1828.2	
8056.7	548.3		J	68.4	28.6	365.6	1811.4	
8318.6	560.2							
		Min	I	-66.3	-27.0	-709.7	-681.5	-
3510.2	-836.0		J	-67.9	-27.0	-681.3	-682.2	-
3421.0	-834.3							
		Q2a-3_4 Max	I	63.5	30.0	348.2	1554.4	
8211.8	492.8		J	63.5	30.0	371.1	1577.1	
8482.9	506.8							
		Min	I	-68.7	-26.5	-716.9	-656.0	-
3400.1	-780.5		J	-70.2	-26.5	-688.3	-616.6	-
3317.4	-778.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
4849.0	396.6	Q1-1 Max	I	49.4	17.7	212.0	1499.3	
			J	49.4	17.7	226.1	1476.2	
5007.6	402.8	Min	I	-38.5	-17.7	-439.3	-459.6	-
2338.8	-582.7		J	-39.5	-17.7	-421.6	-464.2	-
2282.3	-582.3							
5266.4	223.1	Q1-3 Max	I	30.0	20.4	216.9	680.5	
			J	30.0	20.4	231.2	749.5	
5443.5	233.2	Min	I	-45.7	-17.6	-448.6	-426.2	-
1932.4	-414.1		J	-46.6	-17.6	-430.5	-365.9	-
1887.7	-411.9							
5462.8	-10949.9	SLVx (RS)	I	1033.7	570.3	120.4	1836.9	
			J	1033.7	570.3	120.4	1836.9	
5371.1	-11014.2							
1517.5	16531.3	SLVy (RS)	I	-758.6	810.6	184.9	1644.4	-
			J	-758.6	810.6	184.9	1644.4	-
1484.8	16502.4							
2116.6	849.1	SLVz (RS)	I	-202.3	-136.0	280.1	-372.3	-
			J	-202.3	-136.0	280.1	-372.3	-
2339.8	872.7							
6580.3	-1102.4	G1	I	32.5	-5.4	-722.7	1135.9	
			J	30.6	-5.4	-618.7	1135.9	
7251.1	-1097.0							
2390.3	-399.8	G2	I	11.8	-1.9	-262.1	411.4	
			J	11.1	-1.9	-224.4	411.4	
2633.6	-397.9							
-3.2	132.6	pp imp~1	I	-1.6	3.5	-0.0	5.5	
			J	-1.6	3.5	-0.0	5.5	
-3.2	129.1							
-1.0	42.7	perm i~1	I	-0.5	1.1	-0.0	1.8	
			J	-0.5	1.1	-0.0	1.8	
-1.0	41.6							
-0.8	44.6	pp2	I	-0.3	-2.2	0.0	-3.5	
			J	-0.3	-2.2	0.0	-3.5	
-0.9	46.8							
-0.4	11.8	perm2	I	-0.1	-0.6	0.0	-1.0	
			J	-0.1	-0.6	0.0	-1.0	
-0.4	12.4							
-9.5	498.6	q3	I	-6.1	83.8	24.9	98.1	
			J	-11.4	83.8	24.9	85.3	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-28.3	414.8								
			q4-1	I	36.2	21.8	3.6	0.6	
31.8	-135.8			J	36.2	21.8	3.6	0.6	
28.2	-157.6								
			q4-2	I	19.3	-27.4	4.1	39.6	
-50.0	-27.0			J	19.3	-27.4	4.1	39.6	
-54.1	0.4								
			q4-3	I	14.1	38.1	-4.4	-65.5	
-92.9	341.5			J	14.1	38.1	-4.4	-65.5	
-88.5	303.4								
			q4-4	I	48.2	-26.6	-5.3	-25.6	
-51.9	-936.4			J	48.2	-26.6	-5.3	-25.6	
-46.6	-909.8								
			q5x_pc	I	-364.5	-125.1	39.2	87.9	
-668.5	4632.4			J	-375.2	-109.0	39.0	79.9	
-702.3	4749.5								
			q5y_pc	I	-75.5	92.4	71.8	398.1	
693.5	760.3			J	-91.6	81.7	71.5	403.4	
629.9	673.3								
			q5x_ps	I	-457.8	-81.6	36.2	21.6	
-668.5	5192.3			J	-467.9	-66.5	36.0	19.3	
-703.1	5266.4								
			q5y_ps	I	-95.3	71.1	60.3	357.3	
573.2	613.0			J	-110.4	61.0	60.0	358.8	
515.3	547.0								
			q7	I	-59.2	-5.9	-0.2	-7.7	
-47.9	234.7			J	-59.2	-5.9	-0.2	-7.7	
-47.7	240.6								
			T	I	-319.1	-40.4	0.4	-47.8	
-346.0	2252.3			J	-319.1	-40.4	0.4	-47.8	
-346.4	2292.8								
			SLVx-E~1	I	2.8	-27.2	1.2	6.1	
-13.9	-169.0			J	2.8	-27.2	1.2	6.7	
-15.0	-177.9								
			SLVy-E~1	I	6.4	-63.4	2.7	14.2	
-32.3	-394.4			J	6.4	-63.4	2.7	15.7	
-35.1	-415.1								
713	1	64	Q1-1_2 Max	I	134.0	52.2	615.4	2932.0	1
4227.2	1023.1			J	134.0	52.2	653.8	2893.3	1
4632.9	1043.6								


MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
6400.9	-1595.4	Min	I	-122.7	-50.4	-1151.8	-1342.5	-
			J	-125.0	-50.4	-1102.0	-1347.3	-
6285.1	-1596.7							
		Q1-3_4 Max	I	126.7	54.8	627.1	2534.7	1
4599.3	943.7		J	126.7	54.8	665.9	2550.2	1
5020.6	967.4							
		Min	I	-128.1	-51.8	-1170.7	-1216.3	-
6294.5	-1522.2		J	-130.3	-51.8	-1120.1	-1166.9	-
6187.4	-1523.8							
		Q2a-1_2 Max	I	68.5	28.0	365.6	1704.8	
8339.0	557.6		J	68.5	28.0	389.0	1689.3	
8561.7	569.0							
		Min	I	-68.1	-26.2	-681.3	-724.7	-
3425.2	-833.2		J	-69.6	-26.2	-653.2	-726.6	-
3336.1	-830.5							
		Q2a-3_4 Max	I	63.6	29.3	371.1	1458.6	
8495.5	504.2		J	63.6	29.3	394.7	1480.8	
8726.2	517.4							
		Min	I	-70.5	-25.9	-688.3	-669.0	-
3321.5	-777.5		J	-71.9	-25.9	-660.0	-611.4	-
3238.8	-774.7							
		Q1-1 Max	I	49.5	17.3	226.1	1401.5	
5030.0	401.1		J	49.5	17.3	240.6	1379.7	
5164.7	407.3							
		Min	I	-39.6	-17.4	-421.6	-509.0	-
2285.5	-581.6		J	-40.5	-17.4	-404.1	-515.0	-
2228.9	-580.5							
		Q1-3 Max	I	30.0	20.0	231.2	663.9	
5446.0	231.6		J	30.0	20.0	245.8	731.2	
5597.1	240.9							
		Min	I	-46.8	-17.3	-430.5	-445.2	-
1889.8	-411.2		J	-47.6	-17.3	-412.6	-385.5	-
1845.1	-408.7							
		SLVx (RS)	I	1039.3	552.5	119.5	1729.9	
5404.7	-11015.2		J	1039.3	552.5	119.5	1729.9	
5311.7	-11065.9							
		SLVy (RS)	I	-762.9	811.0	185.7	1631.2	-
1499.0	16502.4		J	-762.9	811.0	185.7	1631.2	-
1476.8	16480.8							
		SLVz (RS)	I	-200.4	-137.3	253.2	-325.2	-
2346.7	873.1		J	-200.4	-137.3	253.2	-325.2	-
2545.3	908.0							
		G1	I	30.5	-5.8	-618.7	983.9	

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
7272.8	-1099.7		J	28.6	-5.8	-514.7	983.9
7839.6	-1093.9						
		G2	I	11.1	-2.0	-224.4	356.1
2641.4	-398.9		J	10.4	-2.0	-186.6	356.1
2846.9	-396.8						
		pp imp~1	I	-1.5	3.5	-0.0	5.6
-3.0	129.1		J	-1.5	3.5	-0.0	5.6
-3.0	125.6						
		perm i~1	I	-0.5	1.1	-0.0	1.8
-1.0	41.6		J	-0.5	1.1	-0.0	1.8
-1.0	40.4						
		pp2	I	-0.3	-2.2	0.0	-3.4
-0.9	46.8		J	-0.3	-2.2	0.0	-3.4
-0.9	49.0						
		perm2	I	-0.1	-0.6	0.0	-1.0
-0.4	12.4		J	-0.1	-0.6	0.0	-1.0
-0.5	12.9						
		q3	I	-9.7	84.0	25.0	85.8
-26.4	414.8		J	-15.0	84.0	25.0	73.0
-45.2	330.7						
		q4-1	I	36.6	21.0	3.6	0.0
28.2	-157.6		J	36.6	21.0	3.6	0.0
24.6	-178.6						
		q4-2	I	18.7	-27.8	4.1	40.7
-53.3	0.4		J	18.7	-27.8	4.1	40.7
-57.4	28.2						
		q4-3	I	14.9	37.8	-4.3	-63.7
-89.8	303.4		J	14.9	37.8	-4.3	-63.7
-85.4	265.6						
		q4-4	I	47.6	-27.6	-5.3	-24.6
-47.5	-909.8		J	47.6	-27.6	-5.3	-24.6
-42.2	-882.2						
		q5x_pc	I	-377.4	-101.2	39.0	94.4
-698.7	4749.8		J	-387.7	-84.9	38.8	86.2
-732.4	4842.8						
		q5y_pc	I	-89.8	83.6	71.5	390.1
638.5	673.0		J	-106.1	73.3	71.2	395.3
575.2	594.6						
		q5x_ps	I	-469.2	-56.7	35.9	33.8
-700.6	5266.6						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-735.0	5315.6			J	-478.9	-41.3	35.8	31.5	
522.9	546.8	q5y_ps		I	-109.1	63.2	60.0	347.9	
465.4	488.4			J	-124.5	53.5	59.7	349.4	
-47.8	240.6	q7		I	-59.3	-4.7	-0.2	-6.7	
-47.6	245.3			J	-59.3	-4.7	-0.2	-6.7	
-346.5	2292.9	T		I	-319.9	-33.7	0.4	-40.6	
-346.9	2326.6			J	-319.9	-33.7	0.4	-40.6	
-14.9	-177.9	SLVx-E~1		I	2.2	-27.2	1.2	7.1	
-16.1	-186.7			J	2.2	-27.2	1.2	7.7	
-34.9	-415.1	SLVy-E~1		I	5.1	-63.5	2.7	16.5	
-37.6	-435.6			J	5.1	-63.5	2.7	18.0	
714	1	64	Q1-1_2 Max	I	134.2	51.0	653.8	2743.7	1
4662.5	1038.8			J	134.2	51.0	693.5	2708.4	1
4995.7	1058.3		Min	I	-125.4	-49.2	-1102.0	-1434.4	-
6293.0	-1594.5			J	-127.6	-49.2	-1053.0	-1442.4	-
6177.2	-1594.0								
5040.4	962.4		Q1-3_4 Max	I	126.8	53.5	665.9	2386.5	1
5386.8	984.3			J	126.8	53.5	706.0	2404.0	1
6195.0	-1521.6		Min	I	-130.9	-50.7	-1120.1	-1249.3	-
6087.9	-1521.2			J	-132.9	-50.7	-1070.3	-1204.8	-
8578.9	566.2		Q2a-1_2 Max	I	68.5	27.4	389.0	1589.5	
8761.9	577.1			J	68.5	27.4	413.1	1575.4	
3338.8	-829.4		Min	I	-69.8	-25.5	-653.2	-783.8	-
3249.7	-825.8			J	-71.1	-25.5	-625.4	-787.0	-
8736.6	514.6		Q2a-3_4 Max	I	63.5	28.6	394.7	1369.0	
8926.4	526.8			J	63.5	28.6	418.8	1391.7	
3241.4	-773.5		Min	I	-72.2	-25.3	-660.0	-689.6	-
3158.8	-769.7			J	-73.5	-25.3	-632.0	-632.9	-
5183.8	405.5		Q1-1 Max	I	49.5	17.0	240.6	1313.3	


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
5294.3	411.6		J	49.5	17.0	255.4	1292.9	
2231.1	-579.7	Min	I	-40.6	-17.1	-404.1	-575.4	-
2174.6	-577.9		J	-41.5	-17.1	-386.8	-582.7	-
5598.6	239.1	Q1-3 Max	I	29.9	19.7	245.8	643.3	
5723.3	247.7		J	29.9	19.7	260.9	709.1	
1846.4	-408.0	Min	I	-47.8	-17.0	-412.6	-467.4	-
1801.7	-405.1		J	-48.6	-17.0	-394.9	-407.9	-
5342.8	-11066.8	SLVx (RS)	I	1043.3	538.0	119.1	1625.0	
5248.5	-11101.7		J	1043.3	538.0	119.1	1625.0	
1487.6	16480.9	SLVy (RS)	I	-766.9	811.8	186.7	1620.9	-
1476.6	16466.5		J	-766.9	811.8	186.7	1620.9	-
2551.2	908.4	SLVz (RS)	I	-198.5	-137.2	223.7	-273.8	-
2721.2	953.6		J	-198.5	-137.2	223.7	-273.8	-
7858.1	-1096.9	G1	I	28.5	-6.2	-514.7	819.6	
8320.8	-1090.7		J	26.6	-6.2	-410.7	819.6	
2853.6	-397.9	G2	I	10.3	-2.2	-186.6	296.5	
3021.4	-395.7		J	9.7	-2.2	-148.9	296.5	
-2.8	125.6	pp imp~1	I	-1.5	3.6	-0.0	5.6	
-2.8	122.0		J	-1.5	3.6	-0.0	5.6	
-0.9	40.4	perm i~1	I	-0.5	1.1	-0.0	1.8	
-0.9	39.3		J	-0.5	1.1	-0.0	1.8	
-1.0	49.0	pp2	I	-0.3	-2.1	0.0	-3.4	
-1.0	51.1		J	-0.3	-2.1	0.0	-3.4	
-0.5	12.9	perm2	I	-0.1	-0.6	0.0	-1.0	
-0.5	13.5		J	-0.1	-0.6	0.0	-1.0	
-43.5	330.8	q3	I	-13.2	84.3	25.0	73.9	
-62.4	246.4		J	-18.6	84.3	25.0	61.1	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
24.5	-178.7		q4-1	I	37.0	20.3	3.6	-0.5	
				J	37.0	20.3	3.6	-0.5	
20.9	-198.9								
			q4-2	I	18.1	-28.2	4.1	41.9	
-56.5	28.2			J	18.1	-28.2	4.1	41.9	
-60.6	56.4								
			q4-3	I	15.7	37.5	-4.3	-61.9	
-86.7	265.6			J	15.7	37.5	-4.3	-61.9	
-82.3	228.1								
			q4-4	I	47.0	-28.6	-5.3	-23.7	
-43.0	-882.2			J	47.0	-28.6	-5.3	-23.7	
-37.7	-853.6								
			q5x_pc	I	-389.4	-76.8	38.7	101.4	
-728.6	4843.1			J	-399.4	-60.3	38.6	93.1	
-762.3	4911.7								
			q5y_pc	I	-104.5	75.4	71.3	383.1	
583.6	594.4			J	-121.0	65.4	71.0	388.1	
520.7	524.0								
			q5x_ps	I	-479.7	-31.3	35.7	46.6	
-732.1	5315.9			J	-489.1	-15.7	35.6	44.3	
-766.4	5339.4								
			q5y_ps	I	-123.3	56.0	59.7	339.6	
472.8	488.3			J	-138.9	46.6	59.5	341.0	
415.5	436.9								
			q7	I	-59.4	-3.5	-0.2	-5.7	
-47.6	245.3			J	-59.4	-3.5	-0.2	-5.7	
-47.4	248.8								
			T	I	-320.5	-27.0	0.4	-33.4	
-346.8	2326.8			J	-320.5	-27.0	0.4	-33.4	
-347.2	2353.8								
			SLVx-E~1	I	1.6	-27.2	1.1	8.1	
-16.0	-186.7			J	1.6	-27.2	1.1	8.7	
-17.2	-195.4								
			SLVy-E~1	I	3.8	-63.6	2.7	18.8	
-37.4	-435.5			J	3.8	-63.6	2.7	20.3	
-40.0	-456.0								
715	1	64	Q1-1_2 Max	I	134.3	49.8	693.5	2555.4	1
5019.6	1053.1			J	134.3	49.8	734.3	2523.7	1
5279.8	1071.5								
6182.3	-1591.8		Min	I	-128.0	-48.4	-1053.0	-1535.5	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
6066.6	-1589.4		J	-129.9	-48.4	-1004.9	-1547.0	-
5402.4	979.1	Q1-3_4 Max	I	126.8	52.3	706.0	2236.2	1
5673.2	999.2		J	126.8	52.3	747.3	2256.3	1
6092.9	-1519.0	Min	I	-133.4	-49.6	-1070.3	-1308.9	-
5985.8	-1516.7		J	-135.3	-49.6	-1021.5	-1279.4	-
8775.8	574.2	Q2a-1_2 Max	I	68.5	26.8	413.1	1473.3	
8918.6	584.5		J	68.5	26.8	437.6	1460.7	
3251.0	-824.7	Min	I	-71.3	-25.0	-625.4	-847.6	-
3161.8	-820.1		J	-72.5	-25.0	-597.9	-852.1	-
8934.4	523.9	Q2a-3_4 Max	I	63.5	27.8	418.8	1277.2	
9082.8	535.0		J	63.5	27.8	443.4	1300.7	
3160.0	-768.6	Min	I	-73.7	-24.8	-632.0	-728.5	-
3077.3	-763.8		J	-74.9	-24.8	-604.3	-672.5	-
5309.9	409.8	Q1-1 Max	I	49.6	16.6	255.4	1224.8	
5396.0	415.6		J	49.6	16.6	270.6	1205.8	
2175.8	-577.2	Min	I	-41.6	-16.9	-386.8	-647.1	-
2119.3	-574.7		J	-42.3	-16.9	-369.7	-655.9	-
5723.9	245.8	Q1-3 Max	I	29.9	19.3	260.9	619.7	
5822.0	253.6		J	29.9	19.3	276.2	684.1	
1802.2	-404.4	Min	I	-48.8	-16.7	-394.9	-492.4	-
1757.5	-401.0		J	-49.5	-16.7	-377.4	-433.0	-
5277.2	-11102.6	SLVx (RS)	I	1045.8	527.2	119.4	1522.6	
5181.3	-11119.8		J	1045.8	527.2	119.4	1522.6	
1483.8	16466.6	SLVy (RS)	I	-770.5	812.9	187.5	1613.5	-
1484.3	16459.3		J	-770.5	812.9	187.5	1613.5	-
2726.0	954.1	SLVz (RS)	I	-196.7	-135.5	192.6	-219.1	-
2863.9	1007.7		J	-196.7	-135.5	192.6	-219.1	-
8335.8	-1093.8	G1	I	26.5	-6.6	-410.7	645.2	
			J	24.6	-6.6	-306.7	645.2	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
8694.5	-1087.2						
		G2	I	9.6	-2.3	-148.9	233.2
3026.8	-396.8		J	8.9	-2.3	-111.1	233.2
3156.8	-394.5						
		pp imp~1	I	-1.4	3.6	-0.0	5.7
-2.6	122.0		J	-1.4	3.6	-0.0	5.7
-2.6	118.5						
		perm i~1	I	-0.4	1.2	-0.0	1.8
-0.8	39.3		J	-0.4	1.2	-0.0	1.8
-0.8	38.1						
		pp2	I	-0.4	-2.1	0.0	-3.4
-1.1	51.1		J	-0.4	-2.1	0.0	-3.4
-1.1	53.2						
		perm2	I	-0.1	-0.6	0.0	-1.0
-0.5	13.5		J	-0.1	-0.6	0.0	-1.0
-0.6	14.1						
		q3	I	-16.8	84.7	25.0	62.4
-61.0	246.5		J	-22.1	84.7	25.0	49.6
-79.9	161.8						
		q4-1	I	37.5	19.5	3.6	-0.9
20.9	-198.9		J	37.5	19.5	3.6	-0.9
17.3	-218.4						
		q4-2	I	17.5	-28.5	4.1	43.2
-59.7	56.4		J	17.5	-28.5	4.1	43.2
-63.7	84.9						
		q4-3	I	16.5	37.2	-4.3	-60.1
-83.5	228.1		J	16.5	37.2	-4.3	-60.1
-79.2	190.9						
		q4-4	I	46.4	-29.6	-5.3	-22.9
-38.5	-853.6		J	46.4	-29.6	-5.3	-22.9
-33.2	-824.0						
		q5x_pc	I	-400.6	-52.0	38.5	108.9
-758.3	4912.0		J	-410.2	-35.3	38.4	100.6
-791.9	4955.6						
		q5y_pc	I	-119.6	67.9	71.0	377.1
528.9	523.8		J	-136.2	58.3	70.7	381.9
466.4	460.7						
		q5x_ps	I	-489.4	-5.5	35.5	60.1
-763.3	5339.7		J	-498.5	10.3	35.4	57.8
-797.4	5337.3						

MIDAS

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


422.7	436.8	q5y_ps	I	-137.9	49.5	59.5	332.2	
365.7	391.8		J	-153.6	40.4	59.2	333.6	
-47.4	248.8	q7	I	-59.5	-2.2	-0.2	-4.8	
-47.2	251.0		J	-59.5	-2.2	-0.2	-4.8	
-346.9	2353.9	T	I	-321.0	-20.3	0.4	-26.2	
-347.3	2374.3		J	-321.0	-20.3	0.4	-26.2	
-17.0	-195.4	SLVx-E~1	I	1.1	-27.3	1.1	9.1	
-18.2	-204.1		J	1.1	-27.3	1.1	9.7	
-39.8	-455.9	SLVy-E~1	I	2.5	-63.6	2.7	21.2	
-42.4	-476.3		J	2.5	-63.6	2.7	22.7	
716	1	64 Q1-1_2 Max	I	134.4	48.6	734.3	2368.2	1
5297.8	1066.2		J	134.4	48.6	776.2	2340.0	1
5484.4	1083.2	Min	I	-130.3	-48.0	-1004.9	-1644.7	-
6069.0	-1587.2		J	-132.1	-48.0	-957.6	-1659.5	-
5953.3	-1582.7	Q1-3_4 Max	I	126.8	51.0	747.3	2084.7	1
5684.4	993.8		J	126.8	51.0	789.7	2107.6	1
5879.6	1012.0	Min	I	-135.7	-48.7	-1021.5	-1405.6	-
5988.1	-1514.5		J	-137.5	-48.7	-973.5	-1405.7	-
5881.1	-1518.9	Q2a-1_2 Max	I	68.5	26.2	437.6	1357.0	
8929.1	581.4		J	68.5	26.2	462.7	1345.9	
9031.3	591.0	Min	I	-72.7	-24.8	-597.9	-915.4	-
3161.8	-819.0		J	-73.8	-24.8	-570.6	-921.3	-
3072.6	-813.4	Q2a-3_4 Max	I	63.4	27.1	443.4	1184.1	
9088.5	531.9		J	63.4	27.1	468.5	1208.5	
9195.3	542.1	Min	I	-75.1	-24.4	-604.3	-793.7	-
3077.2	-762.7		J	-76.1	-24.4	-576.9	-761.6	-
2994.5	-763.5	Q1-1 Max	I	49.6	16.3	270.6	1135.9	
5408.0	413.8		J	49.6	16.3	286.1	1118.5	
5469.5	419.4							

MIDAS

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2119.6	-574.0	Min	I	-42.4	-16.7	-369.7	-723.1	-
			J	-43.1	-16.7	-352.7	-733.4	-
2063.1	-570.8							
		Q1-3 Max	I	29.8	18.9	276.2	594.2	
5821.5	251.6		J	29.8	18.9	292.0	657.4	
5892.7	258.5							
		Min	I	-49.6	-16.5	-377.4	-520.2	-
1757.2	-400.4		J	-50.3	-16.5	-360.1	-460.6	-
1712.5	-406.6							
		SLVx (RS)	I	1046.7	520.4	120.4	1422.9	
5207.6	-11120.8		J	1046.7	520.4	120.4	1422.9	
5110.2	-11119.1							
		SLVy (RS)	I	-773.9	814.3	188.0	1609.3	-
1487.9	16459.4		J	-773.9	814.3	188.0	1609.3	-
1500.2	16459.3							
		SLVz (RS)	I	-195.0	-132.1	161.7	-162.3	-
2867.5	1008.3		J	-195.0	-132.1	161.7	-162.3	-
2970.3	1067.6							
		G1	I	24.5	-7.0	-306.7	463.0	
8705.7	-1090.5		J	22.6	-7.0	-202.7	463.0	
8960.5	-1083.6							
		G2	I	8.9	-2.5	-111.1	167.0	
3160.9	-395.7		J	8.2	-2.5	-73.4	167.0	
3253.1	-393.2							
		pp imp~1	I	-1.3	3.6	-0.0	5.7	
-2.4	118.5		J	-1.3	3.6	-0.0	5.7	
-2.4	114.8							
		perm i~1	I	-0.4	1.2	-0.0	1.8	
-0.8	38.1		J	-0.4	1.2	-0.0	1.8	
-0.8	37.0							
		pp2	I	-0.4	-2.1	0.0	-3.4	
-1.2	53.2		J	-0.4	-2.1	0.0	-3.4	
-1.2	55.4							
		perm2	I	-0.1	-0.6	0.0	-0.9	
-0.6	14.1		J	-0.1	-0.6	0.0	-0.9	
-0.6	14.7							
		q3	I	-20.3	85.1	25.1	51.3	
-78.8	161.8		J	-25.7	85.1	25.1	38.5	
-97.8	76.7							
		q4-1	I	37.9	18.7	3.6	-1.3	
17.2	-218.4							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
13.6	-237.1		J	37.9	18.7	3.6	-1.3	
-62.8	85.0	q4-2	I	16.9	-28.9	4.1	44.5	
-66.9	113.9		J	16.9	-28.9	4.1	44.5	
-80.4	191.0	q4-3	I	17.3	36.8	-4.3	-58.5	
-76.1	154.1		J	17.3	36.8	-4.3	-58.5	
-34.0	-824.0	q4-4	I	45.8	-30.5	-5.3	-22.1	
-28.7	-793.4		J	45.8	-30.5	-5.3	-22.1	
-787.7	4955.9	q5x_pc	I	-410.9	-26.7	38.3	117.0	
-821.3	4974.3		J	-420.2	-9.9	38.2	108.5	
474.4	460.5	q5y_pc	I	-135.0	61.1	70.7	372.1	
412.3	404.0		J	-151.9	51.8	70.4	376.7	
-794.0	5337.6	q5x_ps	I	-498.2	20.7	35.4	74.3	
-827.9	5308.9		J	-506.9	36.6	35.2	71.9	
372.8	391.7	q5y_ps	I	-152.7	43.5	59.2	325.8	
316.1	352.6		J	-168.7	34.8	58.9	327.1	
-47.2	251.0	q7	I	-59.5	-1.0	-0.2	-3.8	
-47.0	252.0		J	-59.5	-1.0	-0.2	-3.8	
-346.8	2374.4	T	I	-321.4	-13.6	0.3	-19.0	
-347.2	2388.0		J	-321.4	-13.6	0.3	-19.0	
-18.1	-204.1	SLVx-E~1	I	0.5	-27.3	1.1	10.1	
-19.2	-212.8		J	0.5	-27.3	1.1	10.8	
-42.1	-476.3	SLVy-E~1	I	1.1	-63.7	2.6	23.6	
-44.8	-496.6		J	1.1	-63.7	2.6	25.1	
717	1	64 Q1-1_2 Max	I	134.4	47.5	776.2	2183.9	1
5496.4	1077.8		J	134.4	47.5	819.3	2158.2	1
5609.1	1093.4	Min	I	-132.4	-47.8	-957.7	-1761.8	-
5953.1	-1580.6		J	-134.0	-47.8	-911.3	-1779.5	-
5837.3	-1574.1							


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			

5885.9	1006.4	Q1-3_4 Max	I	126.8	49.8	789.7	1934.7	1
			J	126.8	49.8	833.3	1960.7	1
6005.4	1022.6	Min	I	-137.8	-48.1	-973.5	-1577.2	-
5880.8	-1516.8		J	-139.4	-48.1	-926.6	-1541.9	-
5773.7	-1524.2							
9038.3	587.9	Q2a-1_2 Max	I	68.4	25.6	462.7	1241.8	
			J	68.4	25.6	488.2	1231.5	
9099.7	596.8	Min	I	-74.0	-24.7	-570.6	-987.2	-
3071.2	-812.3		J	-74.9	-24.7	-543.7	-994.3	-
2982.0	-805.7							
9198.3	538.9	Q2a-3_4 Max	I	63.3	26.4	468.5	1091.0	
			J	63.3	26.4	494.2	1116.5	
9263.7	548.0	Min	I	-76.3	-24.1	-576.9	-865.0	-
2993.1	-762.4		J	-77.2	-24.1	-549.8	-847.2	-
2910.4	-765.9							
5477.8	417.5	Q1-1 Max	I	49.6	16.0	286.1	1047.2	
			J	49.6	16.0	301.9	1031.3	
5514.5	422.8	Min	I	-43.2	-16.5	-352.7	-803.2	-
2062.5	-570.1		J	-43.8	-16.5	-336.0	-815.0	-
2005.9	-566.0							
5891.1	256.5	Q1-3 Max	I	29.7	18.5	292.0	569.1	
			J	29.7	18.5	308.0	631.2	
5935.4	262.6	Min	I	-50.4	-16.5	-360.1	-551.9	-
1711.5	-406.0		J	-51.0	-16.5	-343.2	-491.8	-
1666.8	-417.3							
5134.1	-11120.0	SLVx (RS)	I	1046.1	517.7	122.2	1326.3	
			J	1046.1	517.7	122.2	1326.3	
5035.2	-11098.9							
1500.1	16459.4	SLVy (RS)	I	-776.9	816.1	188.0	1608.2	-
			J	-776.9	816.1	188.0	1608.2	-
1523.8	16466.3							
2972.6	1068.3	SLVz (RS)	I	-193.6	-127.3	134.7	-106.1	-
			J	-193.6	-127.3	134.7	-106.1	-
3038.0	1130.6							
8967.8	-1087.0	G1	I	22.5	-7.4	-202.7	275.3	
			J	20.6	-7.4	-98.7	275.3	
9118.5	-1079.6							

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3255.8	-394.4	G2	I	8.1	-2.6	-73.4	98.9
			J	7.5	-2.6	-35.7	98.9
3310.3	-391.8	pp imp~1	I	-1.2	3.6	-0.0	5.8
-2.2	114.8		J	-1.2	3.6	-0.0	5.8
-2.2	111.2	perm i~1	I	-0.4	1.2	-0.0	1.9
-0.7	37.0		J	-0.4	1.2	-0.0	1.9
-0.7	35.8	pp2	I	-0.5	-2.1	0.0	-3.4
-1.2	55.4		J	-0.5	-2.1	0.0	-3.4
-1.3	57.5	perm2	I	-0.1	-0.6	0.0	-0.9
-0.6	14.7		J	-0.1	-0.6	0.0	-0.9
-0.6	15.2	q3	I	-23.9	85.6	25.1	40.5
-96.9	76.7		J	-29.2	85.6	25.1	27.7
-115.9	-8.9	q4-1	I	38.2	17.9	3.6	-1.6
13.5	-237.1		J	38.2	17.9	3.6	-1.6
9.9	-255.0	q4-2	I	16.3	-29.3	4.1	45.9
-65.9	113.9		J	16.3	-29.3	4.1	45.9
-69.9	143.2	q4-3	I	18.0	36.5	-4.3	-56.9
-77.2	154.2		J	18.0	36.5	-4.3	-56.9
-73.0	117.7	q4-4	I	45.1	-31.5	-5.3	-21.5
-29.5	-793.4		J	45.1	-31.5	-5.3	-21.5
-24.2	-761.9	q5x_pc	I	-420.3	-1.1	38.2	125.6
-817.0	4974.6		J	-429.2	16.0	38.0	117.1
-850.6	4967.1	q5y_pc	I	-150.7	55.0	70.4	368.0
420.3	403.9		J	-167.8	46.0	70.1	372.5
358.5	353.4	q5x_ps	I	-506.1	47.2	35.2	89.1
-824.2	5309.3		J	-514.5	63.3	35.1	86.7
-858.1	5254.0	q5y_ps	I	-167.9	38.3	58.9	320.4

MIDAS


PROJECT TITLE :

MIDAS	Company		Client					
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
323.0	352.4		J	-184.0	29.8	58.6	321.7	
266.7	318.4							
		q7	I	-59.5	0.3	-0.2	-2.8	
-47.0	252.0		J	-59.5	0.3	-0.2	-2.8	
-46.8	251.8							
		T	I	-321.6	-6.9	0.3	-11.8	
-346.6	2388.1		J	-321.6	-6.9	0.3	-11.8	
-346.9	2395.0							
		SLVx-E~1	I	-0.1	-27.3	1.1	11.2	
-19.0	-212.8		J	-0.1	-27.3	1.1	11.8	
-20.1	-221.5							
		SLVy-E~1	I	-0.2	-63.7	2.6	26.1	
-44.4	-496.6		J	-0.2	-63.7	2.6	27.6	
-47.0	-516.9							
718	1	64 Q1-1_2 Max	I	134.3	46.4	819.3	2004.2	1
5614.9	1087.8		J	134.3	46.4	863.4	1981.4	1
5654.2	1102.0							
		Min	I	-134.3	-47.6	-911.3	-1884.7	-
5834.5	-1572.0		J	-135.7	-47.6	-866.0	-1905.4	-
5766.5	-1575.2							
		Q1-3_4 Max	I	126.7	48.6	833.3	1786.0	1
6006.4	1016.8		J	126.7	48.6	878.0	1815.3	1
6050.7	1031.2							
		Min	I	-139.7	-47.5	-926.6	-1716.5	-
5770.9	-1522.1		J	-141.1	-47.5	-880.6	-1684.8	-
5701.8	-1527.3							
		Q2a-1_2 Max	I	68.4	25.0	488.2	1128.8	
9103.1	593.6		J	68.4	25.0	514.2	1119.7	
9124.0	601.7							
		Min	I	-75.1	-24.7	-543.7	-1061.6	-
2979.3	-804.6		J	-75.9	-24.7	-517.2	-1069.8	-
2925.9	-805.6							
		Q2a-3_4 Max	I	63.2	25.7	494.2	998.2	
9263.5	544.6		J	63.2	25.7	520.3	1025.0	
9287.8	552.7							
		Min	I	-77.4	-23.9	-549.9	-938.9	-
2907.6	-764.8		J	-78.2	-23.9	-523.2	-936.6	-
2853.4	-767.2							
		Q1-1 Max	I	49.6	15.7	301.9	959.4	
5519.0	420.9		J	49.6	15.7	318.0	945.0	
5531.6	425.9							
		Min	I	-43.9	-16.4	-336.0	-886.1	-
2004.4	-565.3							

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1973.3	-560.5		J	-44.4	-16.4	-319.6	-899.4	-
5932.7	260.4	Q1-3 Max	I	29.6	18.1	308.0	542.2	
5949.9	265.7		J	29.6	18.1	324.4	603.3	
1665.0	-416.8	Min	I	-51.1	-16.5	-343.2	-583.8	-
1631.6	-427.6		J	-51.6	-16.5	-326.5	-523.1	-
5056.7	-11099.8	SLVx (RS)	I	1043.9	519.3	124.6	1233.2	
4956.4	-11059.0		J	1043.9	519.3	124.6	1233.2	
1520.2	16466.5	SLVy (RS)	I	-779.5	818.0	187.6	1610.3	-
1554.6	16480.5		J	-779.5	818.0	187.6	1610.3	-
3039.0	1131.2	SLVz (RS)	I	-192.3	-121.1	117.1	-59.7	-
3065.7	1193.6		J	-192.3	-121.1	117.1	-59.7	-
9121.9	-1083.1	G1	I	20.4	-7.8	-98.7	84.3	
9168.6	-1075.3		J	18.5	-7.8	5.3	84.3	
3311.5	-393.1	G2	I	7.4	-2.8	-35.7	29.5	
3328.3	-390.3		J	6.7	-2.8	2.1	29.5	
-2.0	111.2	pp imp~1	I	-1.2	3.7	-0.0	5.8	
-2.0	107.6		J	-1.2	3.7	-0.0	5.8	
-0.7	35.8	perm i~1	I	-0.4	1.2	-0.0	1.9	
-0.6	34.6		J	-0.4	1.2	-0.0	1.9	
-1.3	57.5	pp2	I	-0.5	-2.1	0.0	-3.3	
-1.3	59.6		J	-0.5	-2.1	0.0	-3.3	
-0.7	15.2	perm2	I	-0.1	-0.6	0.0	-0.9	
-0.7	15.8		J	-0.1	-0.6	0.0	-0.9	
-115.3	-8.9	q3	I	-27.4	86.2	25.1	30.1	
-134.3	-95.1		J	-32.7	86.2	25.1	17.3	
9.7	-255.0	q4-1	I	38.6	17.1	3.6	-1.8	
6.1	-272.1		J	38.6	17.1	3.6	-1.8	


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


-68.9	143.2	q4-2	I	15.7	-29.6	4.0	47.3	
-72.9	172.8		J	15.7	-29.6	4.0	47.3	
-74.1	117.7	q4-3	I	18.8	36.1	-4.3	-55.3	
-69.8	81.6		J	18.8	36.1	-4.3	-55.3	
-24.9	-761.9	q4-4	I	44.5	-32.4	-5.3	-21.0	
-19.6	-729.5		J	44.5	-32.4	-5.3	-21.0	
-846.1	4967.5	q5x_pc	I	-428.8	24.9	38.0	134.8	
-879.7	4933.9		J	-437.4	42.2	37.8	126.2	
366.4	353.3	q5y_pc	I	-166.8	49.5	70.1	364.9	
305.0	308.0		J	-184.0	40.9	69.8	369.2	
-854.1	5254.3	q5x_ps	I	-513.1	74.1	35.1	104.6	
-887.9	5172.0		J	-521.2	90.4	34.9	102.1	
273.5	318.3	q5y_ps	I	-183.4	33.6	58.6	316.0	
217.4	288.7		J	-199.7	25.5	58.3	317.3	
-46.7	251.8	q7	I	-59.5	1.5	-0.2	-1.8	
-46.5	250.3		J	-59.5	1.5	-0.2	-1.8	
-346.2	2395.1	T	I	-321.7	-0.1	0.3	-4.6	
-346.5	2395.3		J	-321.7	-0.1	0.3	-4.6	
-20.0	-221.5	SLVx-E~1	I	-0.7	-27.3	1.1	12.2	
-21.1	-230.2		J	-0.7	-27.3	1.1	12.9	
-46.6	-516.8	SLVy-E~1	I	-1.5	-63.7	2.6	28.6	
-49.2	-537.1		J	-1.5	-63.7	2.6	30.1	
719	1	64 Q1-1_2 Max	I	134.2	45.4	863.4	1872.5	1
5653.5	1096.4		J	134.2	45.4	908.5	1852.7	1
5627.9	1109.2	Min	I	-136.0	-47.5	-866.0	-2032.4	-
5772.1	-1573.1		J	-137.2	-47.5	-821.6	-2055.9	-
5907.2	-1574.5	Q1-3_4 Max	I	126.5	47.4	878.0	1639.4	1

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
6050.0	1025.2		J	126.5	47.4	923.7	1672.1	1
6019.6	1037.5	Min	I	-141.4	-47.5	-880.6	-1860.0	-
5707.2	-1525.2		J	-142.6	-47.5	-835.7	-1831.6	-
5832.8	-1528.3							
		Q2a-1_2 Max	I	68.3	24.5	514.2	1050.2	
9123.5	598.4		J	68.3	24.5	540.6	1042.2	
9110.3	605.8	Min	I	-76.0	-24.7	-517.2	-1152.9	-
2930.1	-804.6		J	-76.6	-24.7	-491.1	-1162.4	-
3029.0	-804.8							
		Q2a-3_4 Max	I	63.1	25.0	520.3	906.6	
9287.4	549.2		J	63.1	25.0	546.8	914.2	
9270.8	556.1	Min	I	-78.3	-24.1	-523.2	-1054.9	-
2857.5	-766.2		J	-79.0	-24.1	-497.0	-1028.5	-
2949.3	-767.5							
		Q1-1 Max	I	49.5	15.4	318.0	873.0	
5531.7	423.9		J	49.5	15.4	334.4	860.2	
5523.5	428.7	Min	I	-44.5	-16.3	-319.6	-971.1	-
1975.9	-559.8		J	-44.9	-16.3	-303.4	-986.0	-
2039.3	-554.3							
		Q1-3 Max	I	29.5	17.7	324.4	512.6	
5949.3	263.4		J	29.5	17.7	341.0	572.9	
5937.4	267.9	Min	I	-51.7	-16.5	-326.5	-613.7	-
1633.8	-427.0		J	-52.1	-16.5	-310.0	-552.2	-
1683.1	-437.4							
		SLVx (RS)	I	1040.2	525.0	127.7	1144.1	
4975.7	-11059.9		J	1040.2	525.0	127.7	1144.1	
4874.1	-10999.8							
		SLVy (RS)	I	-781.8	820.2	187.1	1615.7	-
1547.5	16480.6		J	-781.8	820.2	187.1	1615.7	-
1591.7	16501.9							
		SLVz (RS)	I	-191.4	-113.9	-115.1	61.6	-
3065.4	1194.3		J	-191.4	-113.9	-115.1	61.6	-
3052.8	1254.2							
		G1	I	18.4	-8.1	5.3	-107.7	
9168.0	-1078.8		J	16.5	-8.1	109.3	-107.7	
9110.7	-1070.7							
		G2	I	6.7	-2.9	2.1	-40.2	
3328.0	-391.6							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
3307.1	-388.7		J	6.0	-2.9	39.8	-40.2
-1.8	107.6	pp imp~1	I	-1.1	3.7	-0.0	5.9
-1.8	103.9		J	-1.1	3.7	-0.0	5.9
-0.6	34.6	perm i~1	I	-0.3	1.2	-0.0	1.9
-0.6	33.4		J	-0.3	1.2	-0.0	1.9
-1.4	59.6	pp2	I	-0.6	-2.1	0.0	-3.3
-1.4	61.7		J	-0.6	-2.1	0.0	-3.3
-0.7	15.8	perm2	I	-0.1	-0.6	0.0	-0.9
-0.7	16.4		J	-0.1	-0.6	0.0	-0.9
-133.9	-95.0	q3	I	-30.9	86.9	25.2	20.1
-152.9	-181.9		J	-36.3	86.9	25.2	7.3
6.0	-272.1	q4-1	I	39.0	16.3	3.6	-1.9
2.4	-288.4		J	39.0	16.3	3.6	-1.9
-71.9	172.8	q4-2	I	15.1	-29.9	4.0	48.8
-75.9	202.8		J	15.1	-29.9	4.0	48.8
-70.9	81.7	q4-3	I	19.5	35.7	-4.3	-53.9
-66.7	46.0		J	19.5	35.7	-4.3	-53.9
-20.3	-729.5	q4-4	I	43.8	-33.3	-5.3	-20.6
-14.9	-696.1		J	43.8	-33.3	-5.3	-20.6
-875.0	4934.2	q5x_pc	I	-436.4	51.3	37.9	144.6
-908.7	4874.2		J	-444.6	68.7	37.7	135.9
312.8	307.9	q5y_pc	I	-183.1	44.7	69.8	362.7
251.8	267.3		J	-200.5	36.5	69.5	366.8
-883.6	5172.4	q5x_ps	I	-519.2	101.3	35.0	120.7
-917.4	5062.9		J	-526.9	117.7	34.8	118.2
224.1	288.6	q5y_ps	I	-199.1	29.7	58.4	312.6
			J	-215.5	21.9	58.1	313.8

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
168.4	262.8									
			q7	I	-59.4	2.8	-0.2	-0.8		
-46.5	250.3			J	-59.4	2.8	-0.2	-0.8		
-46.3	247.5									
			T	I	-321.6	6.6	0.3	2.7		
-345.6	2395.4			J	-321.6	6.6	0.3	2.7		
-345.9	2388.8									
			SLVx-E~1	I	-1.2	-27.3	1.1	13.3		
-20.9	-230.2			J	-1.2	-27.3	1.1	14.0		
-22.0	-238.9									
			SLVy-E~1	I	-2.9	-63.6	2.6	31.1		
-48.8	-537.1			J	-2.9	-63.6	2.6	32.6		
-51.3	-557.5									
720	1	64	Q1-1_2 Max	I	134.1	44.4	908.5	1747.3	1	
5621.2	1103.5			J	134.1	44.4	954.6	1730.4	1	
5522.5	1114.9		Min	I	-137.4	-47.5	-821.6	-2211.6	-	
5910.3	-1572.4			J	-138.4	-47.5	-778.3	-2236.8	-	
6045.4	-1571.9									
			Q1-3_4 Max	I	126.3	46.3	923.7	1497.0	1	
6017.8	1031.6			J	126.3	46.3	970.5	1533.3	1	
5912.7	1041.9		Min	I	-142.8	-47.5	-835.7	-2005.4	-	
5835.7	-1526.2			J	-143.9	-47.5	-791.8	-1980.3	-	
5961.3	-1527.2									
			Q2a-1_2 Max	I	68.1	24.0	540.6	974.8		
9106.4	602.5			J	68.1	24.0	567.5	968.1		
9053.0	609.1		Min	I	-76.8	-24.7	-491.1	-1266.5	-	
3031.9	-803.8			J	-77.3	-24.7	-465.5	-1276.1	-	
3130.8	-803.0									
			Q2a-3_4 Max	I	62.9	24.3	546.8	817.6		
9270.5	552.7			J	62.9	24.3	573.7	840.3		
9213.2	558.5		Min	I	-79.1	-24.3	-497.0	-1146.6	-	
2952.1	-766.4			J	-79.6	-24.3	-471.3	-1121.4	-	
3044.0	-766.7									
			Q1-1 Max	I	49.5	15.2	334.4	788.8		
5518.7	426.7			J	49.5	15.2	351.1	777.5		
5486.8	431.2		Min	I	-45.0	-16.2	-303.4	-1057.6	-	
2041.1	-553.7			J	-45.3	-16.2	-287.5	-1074.0	-	
2104.5	-547.4									

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

5939.8	265.6	Q1-3 Max	I	29.4	17.4	341.0	480.8	
			J	29.4	17.4	357.9	540.5	
5900.7	269.2	Min	I	-52.1	-16.5	-310.0	-641.1	-
1684.6	-436.8		J	-52.5	-16.5	-293.9	-578.6	-
1734.0	-446.7							
4891.1	-11000.7	SLVx (RS)	I	1035.0	534.3	131.0	1059.6	
			J	1035.0	534.3	131.0	1059.6	
4788.5	-10922.4							
1581.2	16502.0	SLVy (RS)	I	-783.6	822.7	186.7	1624.3	-
			J	-783.6	822.7	186.7	1624.3	-
1634.1	16530.5							
3051.2	1254.8	SLVz (RS)	I	-190.7	-106.2	-129.0	109.4	-
			J	-190.7	-106.2	-129.0	109.4	-
2999.8	1310.0							
9106.0	-1074.1	G1	I	16.3	-8.5	109.2	-298.4	
			J	14.4	-8.5	213.2	-298.4	
8944.8	-1065.6							
3305.4	-389.9	G2	I	5.9	-3.1	39.8	-109.4	
			J	5.2	-3.1	77.5	-109.4	
3246.7	-386.9							
-1.6	103.9	pp imp~1	I	-1.0	3.7	-0.0	5.9	
			J	-1.0	3.7	-0.0	5.9	
-1.6	100.2							
-0.5	33.4	perm i~1	I	-0.3	1.2	-0.0	1.9	
			J	-0.3	1.2	-0.0	1.9	
-0.5	32.3							
-1.5	61.7	pp2	I	-0.6	-2.1	0.0	-3.3	
			J	-0.6	-2.1	0.0	-3.3	
-1.5	63.8							
-0.8	16.4	perm2	I	-0.2	-0.6	0.0	-0.9	
			J	-0.2	-0.6	0.0	-0.9	
-0.8	16.9							
-152.8	-181.9	q3	I	-34.4	87.6	25.2	10.5	
			J	-39.8	87.6	25.2	-2.3	
-171.9	-269.5							
2.2	-288.4	q4-1	I	39.3	15.5	3.6	-1.9	
			J	39.3	15.5	3.6	-1.9	
-1.4	-303.8							
		q4-2	I	14.5	-30.2	4.0	50.4	


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-74.8	202.8		J	14.5	-30.2	4.0	50.4		
-78.8	233.0								
		q4-3	I	20.3	35.3	-4.2	-52.5		
-67.8	46.0		J	20.3	35.3	-4.2	-52.5		
-63.5	10.8								
		q4-4	I	43.1	-34.3	-5.4	-20.3		
-15.6	-696.1		J	43.1	-34.3	-5.4	-20.3		
-10.3	-661.9								
		q5x_pc	I	-443.1	78.0	37.7	154.9		
-903.8	4874.6		J	-450.9	95.6	37.6	146.1		
-937.5	4787.8								
		q5y_pc	I	-199.7	40.7	69.5	361.5		
259.6	267.2		J	-217.3	32.8	69.2	365.4		
199.0	230.4								
		q5x_ps	I	-524.4	128.7	34.9	137.4		
-912.8	5063.2		J	-531.8	145.3	34.8	134.9		
-946.5	4926.2								
		q5y_ps	I	-215.0	26.4	58.1	310.2		
175.0	262.8		J	-231.7	19.0	57.8	311.3		
119.6	240.1								
		q7	I	-59.4	4.0	-0.2	0.1		
-46.2	247.5		J	-59.4	4.0	-0.2	0.1		
-46.0	243.5								
		T	I	-321.4	13.3	0.3	9.9		
-344.9	2388.9		J	-321.4	13.3	0.3	9.9		
-345.2	2375.6								
		SLVx-E~1	I	-1.8	-27.2	1.1	14.4		
-21.8	-238.9		J	-1.8	-27.2	1.1	15.1		
-22.9	-247.7								
		SLVy-E~1	I	-4.2	-63.6	2.5	33.7		
-50.8	-557.5		J	-4.2	-63.6	2.5	35.2		
-53.4	-577.9								
721	1	64	Q1-1_2 Max	I	133.8	43.5	954.6	1628.5	1
5509.6	1109.2			J	133.8	43.5	1001.7	1614.6	1
5337.0	1119.1		Min	I	-138.6	-47.6	-778.3	-2395.4	-
6045.8	-1569.8			J	-139.4	-47.6	-736.1	-2422.4	-
6180.9	-1567.3								
			Q1-3_4 Max	I	126.2	45.2	970.5	1362.4	1
5905.4	1036.0			J	126.2	45.2	1018.2	1375.4	1

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
5724.7	1044.5		Min	I	-144.0	-47.5	-791.9	-2153.5	-
5961.6	-1525.1			J	-144.9	-47.5	-749.1	-2131.4	-
6087.2	-1539.5								
		Q2a-1_2	Max	I	68.0	23.5	567.5	902.5	
9045.5	605.8			J	68.0	23.5	594.6	896.9	
8951.2	611.6		Min	I	-77.4	-24.8	-465.5	-1382.1	-
3132.3	-802.0			J	-77.7	-24.8	-440.3	-1392.1	-
3231.3	-800.1								
		Q2a-3_4	Max	I	62.8	23.6	573.7	715.1	
9209.8	555.1			J	62.8	23.6	601.1	770.5	
9111.0	559.8		Min	I	-79.7	-24.5	-471.3	-1239.2	-
3045.4	-765.6			J	-80.0	-24.5	-446.0	-1215.1	-
3137.3	-776.4								
		Q1-1	Max	I	49.4	14.9	351.1	707.8	
5478.3	429.2			J	49.4	14.9	368.0	698.0	
5421.6	433.3		Min	I	-45.4	-16.3	-287.5	-1144.9	-
2105.4	-546.8			J	-45.6	-16.3	-271.9	-1162.8	-
2168.8	-539.8								
		Q1-3	Max	I	29.5	17.0	357.9	450.7	
5902.0	267.1			J	29.5	17.0	375.1	510.0	
5836.0	269.9		Min	I	-52.5	-16.5	-293.9	-668.5	-
1734.7	-446.1			J	-52.8	-16.5	-278.1	-604.9	-
1784.1	-455.6								
		SLVx (RS)		I	1028.4	547.1	134.6	980.5	
4803.4	-10923.2			J	1028.4	547.1	134.6	980.5	
4699.9	-10827.9								
		SLVy (RS)		I	-785.1	825.5	186.8	1636.2	-
1620.4	16530.6			J	-785.1	825.5	186.8	1636.2	-
1681.3	16566.4								
		SLVz (RS)		I	-190.4	-98.4	-153.2	166.5	-
2996.9	1310.6			J	-190.4	-98.4	-153.2	166.5	-
2908.0	1359.2								
		G1		I	14.2	-8.9	213.2	-485.7	
8936.2	-1069.0			J	12.3	-8.9	317.2	-485.7	
8670.9	-1060.1								
		G2		I	5.2	-3.2	77.5	-177.4	
3243.5	-388.1			J	4.5	-3.2	115.3	-177.4	
3147.1	-384.9								


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

-1.4	100.2	pp imp~1	I	-0.9	3.7	-0.0	5.9
-1.4	96.4		J	-0.9	3.7	-0.0	5.9
-0.5	32.3	perm i~1	I	-0.3	1.2	-0.0	1.9
-0.5	31.1		J	-0.3	1.2	-0.0	1.9
-1.5	63.8	pp2	I	-0.7	-2.1	0.0	-3.2
-1.6	65.9		J	-0.7	-2.1	0.0	-3.2
-0.8	16.9	perm2	I	-0.2	-0.6	0.0	-0.9
-0.8	17.5		J	-0.2	-0.6	0.0	-0.9
-172.0	-269.4	q3	I	-37.9	88.4	25.2	1.3
-191.1	-357.8		J	-43.2	88.4	25.2	-11.5
-1.5	-303.8	q4-1	I	39.6	14.6	3.6	-1.9
-5.2	-318.5		J	39.6	14.6	3.6	-1.9
-77.6	233.1	q4-2	I	13.8	-30.5	4.0	52.1
-81.6	263.6		J	13.8	-30.5	4.0	52.1
-64.6	10.8	q4-3	I	21.0	34.8	-4.2	-51.1
-60.4	-24.1		J	21.0	34.8	-4.2	-51.1
-10.9	-661.9	q4-4	I	42.3	-35.1	-5.4	-20.1
-5.6	-626.7		J	42.3	-35.1	-5.4	-20.1
-932.4	4788.1	q5x_pc	I	-448.8	105.0	37.6	165.8
-966.3	4674.3		J	-456.3	122.7	37.5	156.9
206.7	230.4	q5y_pc	I	-216.6	37.3	69.2	361.1
146.5	196.7		J	-234.3	29.9	68.9	364.9
-941.6	4926.5	q5x_ps	I	-528.6	156.4	34.8	154.8
-975.3	4761.7		J	-535.7	173.2	34.7	152.3
126.2	240.0	q5y_ps	I	-231.2	23.8	57.8	308.7
71.1	219.8		J	-248.0	16.7	57.5	309.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-45.9	243.5	q7	I	-59.3	5.3	-0.2	1.1	
-45.6	238.3		J	-59.3	5.3	-0.2	1.1	
-344.0	2375.7	T	I	-321.0	20.1	0.3	17.2	
-344.4	2355.6		J	-321.0	20.1	0.3	17.2	
-22.6	-247.7	SLVx-E~1	I	-2.4	-27.2	1.1	15.6	
-23.7	-256.5		J	-2.4	-27.2	1.1	16.2	
-52.8	-577.9	SLVy-E~1	I	-5.5	-63.5	2.5	36.3	
-55.4	-598.4		J	-5.5	-63.5	2.5	37.9	
722	1	64 Q1-1_2 Max	I	133.6	42.7	1001.7	1516.8	1
5318.1	1113.6		J	133.6	42.7	1049.7	1506.4	1
5071.7	1122.1	Min	I	-139.6	-47.9	-736.1	-2579.6	-
6178.7	-1565.2		J	-140.3	-47.9	-695.0	-2610.9	-
6313.8	-1560.8	Q1-3_4 Max	I	126.2	44.1	1018.2	1198.4	1
5712.4	1038.7		J	126.2	44.1	1066.9	1280.7	1
5455.9	1045.2	Min	I	-145.0	-47.7	-749.1	-2302.9	-
6084.9	-1537.2		J	-145.8	-47.7	-707.5	-2283.6	-
6210.5	-1549.7	Q2a-1_2 Max	I	67.8	23.0	594.6	833.8	
8940.2	608.3		J	67.8	23.0	622.2	829.6	
8805.2	613.3	Min	I	-77.8	-25.0	-440.3	-1497.2	-
3231.4	-799.1		J	-78.1	-25.0	-415.5	-1509.2	-
3330.4	-796.2	Q2a-3_4 Max	I	62.8	23.0	601.1	650.3	
9104.7	556.5		J	62.8	23.0	628.7	706.3	
8964.4	560.1	Min	I	-80.1	-24.8	-446.0	-1331.9	-
3137.4	-775.2		J	-80.4	-24.8	-421.2	-1308.7	-
3229.3	-785.0	Q1-1 Max	I	49.3	14.7	368.0	630.7	
5409.3	431.3		J	49.3	14.7	385.1	622.4	
5327.9	435.0	Min	I	-45.7	-16.3	-271.9	-1232.4	-
2168.7	-539.1		J	-45.9	-16.3	-256.6	-1251.8	-
2232.2	-531.4	Q1-3 Max	I	29.7	16.6	375.1	423.6	


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
5836.1	267.8		J	29.7	16.6	392.6	482.7
5743.2	269.8						
1784.1	-454.9	Min	I	-52.8	-16.5	-278.1	-695.9
1833.4	-464.0		J	-53.0	-16.5	-262.6	-630.9
4712.7	-10828.8	SLVx (RS)	I	1020.3	562.7	138.1	907.7
4608.8	-10718.5		J	1020.3	562.7	138.1	907.7
1664.4	16566.6	SLVy (RS)	I	-786.1	828.7	187.4	1651.5
1732.5	16610.0		J	-786.1	828.7	187.4	1651.5
2903.8	1359.8	SLVz (RS)	I	-190.3	-91.4	-181.7	224.2
2779.2	1400.3		J	-190.3	-91.4	-181.7	224.2
8658.4	-1063.4	G1	I	12.2	-9.3	317.2	-667.1
8289.1	-1054.1		J	10.3	-9.3	421.2	-667.1
3142.6	-386.1	G2	I	4.4	-3.3	115.3	-243.2
3008.4	-382.8		J	3.7	-3.3	153.0	-243.2
-1.3	96.4	pp imp~1	I	-0.8	3.7	-0.0	6.0
-1.2	92.7		J	-0.8	3.7	-0.0	6.0
-0.4	31.1	perm i~1	I	-0.3	1.2	-0.0	1.9
-0.4	29.8		J	-0.3	1.2	-0.0	1.9
-1.6	65.9	pp2	I	-0.7	-2.1	0.0	-3.2
-1.6	67.9		J	-0.7	-2.1	0.0	-3.2
-0.8	17.5	perm2	I	-0.2	-0.6	0.0	-0.8
-0.9	18.0		J	-0.2	-0.6	0.0	-0.8
-191.4	-357.7	q3	I	-41.4	89.3	25.3	-7.5
-210.6	-447.0		J	-46.7	89.3	25.3	-20.3
-5.3	-318.5	q4-1	I	39.9	13.8	3.6	-1.8
-8.9	-332.3		J	39.9	13.8	3.6	-1.8
-80.4	263.6	q4-2	I	13.2	-30.8	4.0	53.8
			J	13.2	-30.8	4.0	53.8


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-84.4	294.4							
-61.4	-24.0	q4-3	I	21.7	34.4	-4.2	-49.8	
-57.2	-58.4		J	21.7	34.4	-4.2	-49.8	
-6.2	-626.7	q4-4	I	41.6	-36.0	-5.4	-19.9	
-0.8	-590.7		J	41.6	-36.0	-5.4	-19.9	
-961.0	4674.6	q5x_pc	I	-453.6	132.2	37.6	177.2	
-995.0	4533.4		J	-460.7	150.1	37.4	168.2	
154.2	196.7	q5y_pc	I	-233.6	34.7	68.9	361.7	
94.4	165.5		J	-251.5	27.6	68.6	365.3	
-970.1	4762.0	q5x_ps	I	-532.0	184.4	34.8	172.7	
1003.8	4569.2		J	-538.7	201.3	34.7	170.2	-
77.6	219.7	q5y_ps	I	-247.6	21.9	57.5	308.3	
22.8	201.2		J	-264.5	15.2	57.2	309.3	
-45.5	238.3	q7	I	-59.2	6.5	-0.2	2.1	
-45.3	231.8		J	-59.2	6.5	-0.2	2.1	
-343.0	2355.8	T	I	-320.5	26.8	0.4	24.4	
-343.4	2329.0		J	-320.5	26.8	0.4	24.4	
-23.5	-256.5	SLVx-E~1	I	-2.9	-27.1	1.1	16.7	
-24.5	-265.3		J	-2.9	-27.1	1.1	17.4	
-54.8	-598.4	SLVy-E~1	I	-6.9	-63.3	2.5	39.0	
-57.3	-619.0		J	-6.9	-63.3	2.5	40.5	
723	1	64 Q1-1_2 Max	I	133.3	42.0	1049.7	1413.4	1
5046.8	1116.6		J	133.3	42.0	1098.5	1406.3	1
4727.2	1123.9	Min	I	-140.4	-48.3	-695.0	-2764.1	-
6308.8	-1558.7		J	-141.1	-48.3	-655.0	-2800.5	-
6443.9	-1552.3							
5439.2	1039.7	Q1-3_4 Max	I	126.1	43.2	1066.9	1189.3	1
5106.9	1044.3		J	126.1	43.2	1116.5	1239.6	1
		Min	I	-145.9	-47.9	-707.6	-2451.2	-

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
6205.5	-1547.4							
6331.2	-1557.9		J	-146.6	-47.9	-667.1	-2434.5	-
8790.7	610.1	Q2a-1_2 Max	I	67.6	22.6	622.2	769.1	
8615.3	614.5		J	67.6	22.6	650.0	766.3	
3329.0	-795.2	Min	I	-78.2	-25.3	-415.5	-1611.7	-
3428.0	-791.3		J	-78.5	-25.3	-391.4	-1626.2	-
8955.7	557.0	Q2a-3_4 Max	I	62.8	22.4	628.8	624.1	
8773.7	559.5		J	62.8	22.4	656.8	680.8	
3228.0	-783.9	Min	I	-80.4	-25.0	-421.2	-1423.3	-
3319.9	-792.6		J	-80.8	-25.0	-396.9	-1400.8	-
5312.0	433.0	Q1-1 Max	I	49.2	14.5	385.1	557.9	
5206.0	436.5		J	49.2	14.5	402.4	551.1	
2231.1	-530.8	Min	I	-45.9	-16.5	-256.6	-1319.5	-
2294.6	-522.2		J	-46.1	-16.5	-241.7	-1340.4	-
5742.2	267.9	Q1-3 Max	I	29.9	16.3	392.6	398.8	
5622.6	269.1		J	29.9	16.3	410.2	458.0	
1832.6	-463.3	Min	I	-53.0	-16.5	-262.6	-721.3	-
1881.9	-472.0		J	-53.3	-16.5	-247.5	-654.8	-
4619.4	-10719.3	SLVx (RS)	I	1010.8	580.6	141.6	842.1	
4515.5	-10596.5		J	1010.8	580.6	141.6	842.1	
1712.7	16610.1	SLVy (RS)	I	-786.7	832.3	188.7	1670.0	-
1787.6	16661.2		J	-786.7	832.3	188.7	1670.0	-
2773.8	1400.8	SLVz (RS)	I	-190.5	-85.7	-211.2	280.1	-
2615.9	1432.3		J	-190.5	-85.7	-211.2	280.1	-
8273.0	-1057.2	G1	I	10.1	-9.7	421.2	-840.6	
7799.7	-1047.5		J	8.2	-9.7	525.2	-840.6	
3002.5	-383.9	G2	I	3.7	-3.5	153.0	-306.2	
2830.6	-380.4		J	3.0	-3.5	190.8	-306.2	
		pp imp~1	I	-0.8	3.8	-0.0	6.0	

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-1.1	92.7		J	-0.8	3.8	-0.0	6.0
-1.0	88.9						
		perm i~1	I	-0.2	1.2	-0.0	1.9
-0.3	29.8		J	-0.2	1.2	-0.0	1.9
-0.3	28.6						
		pp2	I	-0.7	-2.0	0.0	-3.2
-1.7	67.9		J	-0.7	-2.0	0.0	-3.2
-1.7	70.0						
		perm2	I	-0.2	-0.6	0.0	-0.8
-0.9	18.0		J	-0.2	-0.6	0.0	-0.8
-0.9	18.6						
		q3	I	-44.8	90.2	25.3	-15.9
-211.1	-447.0		J	-50.2	90.2	25.3	-28.7
-230.3	-537.2						
		q4-1	I	40.2	13.0	3.6	-1.6
-9.1	-332.3		J	40.2	13.0	3.6	-1.6
-12.7	-345.2						
		q4-2	I	12.5	-31.1	4.0	55.5
-83.2	294.5		J	12.5	-31.1	4.0	55.5
-87.2	325.6						
		q4-3	I	22.5	33.9	-4.2	-48.6
-58.3	-58.4		J	22.5	33.9	-4.2	-48.6
-54.1	-92.3						
		q4-4	I	40.8	-36.9	-5.4	-19.9
-1.5	-590.7		J	40.8	-36.9	-5.4	-19.9
3.9	-553.8						
		q5x_pc	I	-457.5	159.7	37.5	189.1
-989.5	4533.8		J	-464.2	177.8	37.4	180.1
1023.6	4365.1						-
		q5y_pc	I	-250.9	32.9	68.6	363.2
102.1	165.4		J	-268.9	26.1	68.3	366.6
42.6	135.9						
		q5x_ps	I	-534.3	212.5	34.7	191.3
-998.3	4569.6		J	-540.7	229.6	34.6	188.8
1032.0	4348.5						-
		q5y_ps	I	-264.1	20.7	57.2	308.7
29.4	201.2		J	-281.2	14.3	56.9	309.7
-25.1	183.6						
		q7	I	-59.0	7.7	-0.2	3.0
-45.2	231.8						

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-45.0	224.1			J	-59.0	7.7	-0.2	3.0		
			T	I	-319.9	33.5	0.4	31.7		
-341.9	2329.1			J	-319.9	33.5	0.4	31.7		
-342.3	2295.6									
			SLVx-E~1	I	-3.5	-27.1	1.1	17.9		
-24.3	-265.3			J	-3.5	-27.1	1.1	18.5		
-25.3	-274.2									
			SLVy-E~1	I	-8.2	-63.2	2.5	41.7		
-56.6	-619.0			J	-8.2	-63.2	2.5	43.2		
-59.1	-639.8									
724	1	64	Q1-1_2 Max	I	133.1	41.4	1098.5	1321.2	1	
4696.6	1118.7			J	133.1	41.4	1148.2	1317.4	1	
4304.1	1124.6									
			Min	I	-141.1	-48.8	-655.0	-2951.6	-	
6436.1	-1550.4			J	-141.9	-48.8	-616.2	-2991.3	-	
6571.2	-1550.9									
			Q1-3_4 Max	I	126.0	42.7	1116.5	1154.2	1	
5085.9	1039.1			J	126.0	42.7	1167.0	1208.4	1	
4678.3	1041.8									
			Min	I	-146.6	-48.3	-667.2	-2600.5	-	
6323.4	-1555.6			J	-147.4	-48.3	-628.0	-2584.9	-	
6449.0	-1564.0									
			Q2a-1_2 Max	I	67.5	22.3	650.0	710.0		
8597.5	611.4			J	67.5	22.3	678.1	708.5		
8382.2	614.9									
			Min	I	-78.5	-25.6	-391.4	-1726.9	-	
3425.2	-790.3			J	-78.8	-25.6	-367.7	-1742.7	-	
3524.2	-792.0									
			Q2a-3_4 Max	I	62.7	22.0	656.8	613.6		
8762.8	556.5			J	62.7	22.0	685.1	660.8		
8539.6	558.0									
			Min	I	-80.7	-25.4	-396.9	-1513.8	-	
3317.1	-791.4			J	-81.1	-25.4	-373.2	-1491.4	-	
3409.0	-799.1									
			Q1-1 Max	I	49.0	14.4	402.4	491.7		
5186.6	434.6			J	49.0	14.4	419.9	486.3		
5056.4	437.7									
			Min	I	-46.1	-16.7	-241.7	-1407.4	-	
2292.5	-521.7			J	-46.3	-16.7	-227.1	-1429.7	-	
2356.0	-519.0									
			Q1-3 Max	I	30.1	16.1	410.3	376.5		
5620.7	267.3			J	30.1	16.1	428.1	436.1		

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

5474.5	267.8							
		Min	I	-53.3	-16.7	-247.5	-743.7	-
1880.3	-471.3		J	-53.5	-16.7	-232.7	-675.7	-
1929.7	-479.6							
		SLVx (RS)	I	1000.0	600.4	144.9	785.1	
4524.0	-10597.3		J	1000.0	600.4	144.9	785.1	
4420.4	-10464.9							
		SLVy (RS)	I	-786.8	836.5	190.5	1691.9	-
1765.1	16661.4		J	-786.8	836.5	190.5	1691.9	-
1846.5	16720.5							
		SLVz (RS)	I	-191.0	-82.2	-240.0	333.0	-
2609.4	1432.9		J	-191.0	-82.2	-240.0	333.0	-
2421.0	1454.8							
		G1	I	8.0	-10.0	525.2	-1003.7	
7780.0	-1050.4		J	6.1	-10.0	629.2	-1003.7	
7202.7	-1040.4							
		G2	I	2.9	-3.6	190.8	-365.4	
2823.4	-381.5		J	2.2	-3.6	228.5	-365.4	
2613.8	-377.9							
		pp imp~1	I	-0.7	3.8	-0.0	6.0	
-0.9	88.9		J	-0.7	3.8	-0.0	6.0	
-0.9	85.1							
		perm i~1	I	-0.2	1.2	-0.0	1.9	
-0.3	28.6		J	-0.2	1.2	-0.0	1.9	
-0.3	27.4							
		pp2	I	-0.8	-2.0	0.0	-3.1	
-1.7	70.0		J	-0.8	-2.0	0.0	-3.1	
-1.8	72.0							
		perm2	I	-0.2	-0.5	0.0	-0.8	
-0.9	18.6		J	-0.2	-0.5	0.0	-0.8	
-1.0	19.1							
		q3	I	-48.3	91.2	25.3	-23.9	
-231.0	-537.1		J	-53.6	91.2	25.3	-36.7	
-250.2	-628.4							
		q4-1	I	40.4	12.1	3.6	-1.4	
-12.9	-345.2		J	40.4	12.1	3.6	-1.4	
-16.5	-357.3							
		q4-2	I	11.9	-31.3	4.0	57.4	
-85.9	325.6		J	11.9	-31.3	4.0	57.4	
-89.8	356.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-55.1	-92.3	q4-3	I	23.2	33.4	-4.2	-47.5	
			J	23.2	33.4	-4.2	-47.5	
-50.9	-125.7							
3.3	-553.8	q4-4	I	40.0	-37.7	-5.4	-20.0	
8.7	-516.1		J	40.0	-37.7	-5.4	-20.0	
1017.9	4365.4	q5x_pc	I	-460.4	187.4	37.5	201.7	-
1052.2	4168.9		J	-466.8	205.6	37.4	192.6	-
50.3	135.9	q5y_pc	I	-268.3	31.7	68.3	365.6	
-8.7	107.3		J	-286.5	25.4	68.0	368.8	
1026.2	4348.9	q5x_ps	I	-535.8	240.8	34.7	210.5	-
1060.0	4099.4		J	-541.8	258.0	34.6	207.9	-
-18.6	183.6	q5y_ps	I	-280.8	20.2	56.9	310.1	
-72.7	166.5		J	-298.0	14.2	56.6	311.0	
-44.8	224.1	q7	I	-58.8	9.0	-0.2	4.0	
-44.6	215.1		J	-58.8	9.0	-0.2	4.0	
-340.7	2295.8	T	I	-319.1	40.2	0.4	38.9	
-341.1	2255.6		J	-319.1	40.2	0.4	38.9	
-25.0	-274.2	SLVx-E~1	I	-4.1	-27.0	1.0	19.0	
-26.1	-283.2		J	-4.1	-27.0	1.0	19.7	
-58.4	-639.8	SLVy-E~1	I	-9.5	-63.0	2.4	44.4	
-60.9	-660.8		J	-9.5	-63.0	2.4	45.9	
725	1	64 Q1-1_2 Max	I	132.9	41.0	1148.2	1279.2	1
4268.1	1119.6		J	132.9	41.0	1198.6	1278.6	1
3803.5	1124.0	Min	I	-141.8	-49.5	-616.3	-3175.7	-
6560.6	-1548.5		J	-142.6	-49.5	-578.7	-3218.5	-
6695.7	-1552.4							
4653.3	1036.9	Q1-3_4 Max	I	125.8	42.8	1167.0	1171.3	1
4171.1	1037.6		J	125.8	42.8	1218.3	1205.3	1
6438.5	-1561.7	Min	I	-147.3	-49.1	-628.0	-2789.0	-
			J	-148.1	-49.1	-590.0	-2772.7	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
6564.1	-1568.0							
8361.2	612.0	Q2a-1_2 Max	I	67.4	22.0	678.1	672.9	
8106.4	614.7		J	67.4	22.0	706.4	672.6	
3519.8	-790.7	Min	I	-78.7	-26.0	-367.7	-1855.6	-
3618.8	-795.3		J	-79.0	-26.0	-344.6	-1872.7	-
8526.4	555.2	Q2a-3_4 Max	I	62.7	22.0	685.1	618.8	
8262.5	555.6		J	62.7	22.0	713.6	653.0	
3404.8	-797.8	Min	I	-81.0	-25.9	-373.2	-1618.3	-
3496.7	-804.4		J	-81.3	-25.9	-350.1	-1595.3	-
5033.6	435.9	Q1-1 Max	I	48.9	14.3	419.9	446.3	
4879.4	438.6		J	48.9	14.3	437.6	442.1	
2352.9	-518.2	Min	I	-46.3	-16.8	-227.1	-1508.1	-
2416.4	-518.7		J	-46.5	-16.8	-212.9	-1531.8	-
5471.6	266.2	Q1-3 Max	I	30.2	15.9	428.2	362.4	
5299.2	265.9		J	30.2	15.9	446.3	420.0	
1927.2	-478.9	Min	I	-53.4	-16.9	-232.7	-764.9	-
1976.6	-486.7		J	-53.7	-16.9	-218.3	-695.3	-
4426.9	-10465.6	SLVx (RS)	I	987.8	621.7	148.0	737.8	
4323.9	-10327.0		J	987.8	621.7	148.0	737.8	
1821.4	16720.7	SLVy (RS)	I	-786.5	841.2	192.9	1716.9	-
1909.5	16788.1		J	-786.5	841.2	192.9	1716.9	-
2413.5	1455.3	SLVz (RS)	I	-191.6	-81.4	-267.3	381.9	-
2197.5	1467.7		J	-191.6	-81.4	-267.3	381.9	-
7179.7	-1043.1	G1	I	6.0	-10.4	629.2	-1154.4	
6498.4	-1032.7		J	4.1	-10.4	733.2	-1154.4	
2605.4	-378.9	G2	I	2.2	-3.7	228.5	-420.1	
2358.0	-375.1		J	1.5	-3.7	266.2	-420.1	
-0.7	85.1	pp imp~1	I	-0.6	3.8	-0.0	6.0	
			J	-0.6	3.8	-0.0	6.0	

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.7	81.3							
		perm i~1	I	-0.2	1.2	-0.0	1.9	
-0.2	27.4		J	-0.2	1.2	-0.0	1.9	
-0.2	26.2							
		pp2	I	-0.8	-2.0	0.0	-3.1	
-1.8	72.0		J	-0.8	-2.0	0.0	-3.1	
-1.8	74.0							
		perm2	I	-0.2	-0.5	0.0	-0.8	
-1.0	19.1		J	-0.2	-0.5	0.0	-0.8	
-1.0	19.7							
		q3	I	-51.7	92.3	25.4	-31.4	
-251.2	-628.3		J	-57.0	92.3	25.4	-44.2	
-270.4	-720.6							
		q4-1	I	40.7	11.3	3.6	-1.1	
-16.7	-357.3		J	40.7	11.3	3.6	-1.1	
-20.3	-368.6							
		q4-2	I	11.2	-31.6	4.0	59.2	
-88.5	357.0		J	11.2	-31.6	4.0	59.2	
-92.4	388.6							
		q4-3	I	23.9	33.0	-4.2	-46.4	
-52.0	-125.7		J	23.9	33.0	-4.2	-46.4	
-47.8	-158.7							
		q4-4	I	39.2	-38.6	-5.4	-20.2	
8.1	-516.1		J	39.2	-38.6	-5.4	-20.2	
13.5	-477.5							
		q5x_pc	I	-462.3	215.3	37.5	214.8	-
1046.4	4169.3		J	-468.3	233.6	37.4	205.6	-
1080.8	3944.8							
		q5y_pc	I	-285.9	31.4	68.0	368.9	
-1.0	107.3		J	-304.2	25.4	67.7	371.9	
-59.7	78.9							
		q5x_ps	I	-536.3	269.3	34.8	230.2	-
1053.8	4099.8		J	-541.9	286.6	34.7	227.6	-
1087.7	3821.9							
		q5y_ps	I	-297.6	20.4	56.6	312.5	
-66.1	166.5		J	-314.9	14.8	56.3	313.4	
-120.0	148.9							
		q7	I	-58.6	10.2	-0.2	4.9	
-44.5	215.1		J	-58.6	10.2	-0.2	4.9	
-44.3	204.9							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


-339.4	2255.7		T	I	-318.2	46.9	0.4	46.2	
-339.8	2208.8			J	-318.2	46.9	0.4	46.2	
-25.8	-283.2		SLVx-E~1	I	-4.6	-26.9	1.0	20.2	
-26.8	-292.3			J	-4.6	-26.9	1.0	20.9	
-60.1	-660.8		SLVy-E~1	I	-10.8	-62.8	2.4	47.2	
-62.5	-682.0			J	-10.8	-62.8	2.4	48.7	
726	1	64	Q1-1_2 Max	I	132.7	40.8	1198.6	1315.5	1
3762.8	1119.4			J	132.7	40.8	1249.8	1317.9	1
3226.5	1122.6		Min	I	-142.4	-50.3	-578.7	-3407.2	-
6682.2	-1550.0			J	-143.2	-50.3	-542.4	-3453.1	-
6817.3	-1552.0		Q1-3_4 Max	I	125.6	42.9	1218.3	1234.8	1
4142.3	1033.1			J	125.6	42.9	1270.4	1264.3	1
3586.3	1032.1		Min	I	-148.0	-49.9	-590.0	-2991.7	-
6550.7	-1565.7			J	-148.8	-49.9	-553.3	-2974.6	-
6676.3	-1570.1		Q2a-1_2 Max	I	67.3	21.8	706.4	688.1	
8082.8	612.0			J	67.3	21.8	734.9	689.1	
7788.7	614.0		Min	I	-79.0	-26.4	-344.6	-1985.7	-
3612.9	-794.1			J	-79.3	-26.4	-322.2	-2004.1	-
3711.9	-797.7		Q2a-3_4 Max	I	62.5	22.0	713.6	649.7	
8247.4	553.0			J	62.5	22.0	742.4	669.7	
7943.4	552.3		Min	I	-81.2	-26.4	-350.1	-1726.4	-
3491.0	-803.2			J	-81.6	-26.4	-327.6	-1702.8	-
3582.9	-808.7		Q1-1 Max	I	48.7	14.2	437.6	449.4	
4853.8	436.8			J	48.7	14.2	455.4	446.5	
4675.5	439.3		Min	I	-46.5	-17.1	-212.9	-1607.5	-
2412.2	-517.8			J	-46.7	-17.1	-199.1	-1632.3	-
2475.7	-517.6		Q1-3 Max	I	30.3	15.8	446.3	384.1	
5295.6	264.3			J	30.3	15.8	464.5	418.2	
5097.2	263.3		Min	I	-53.6	-17.1	-218.3	-792.3	-

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1973.3	-486.0		J	-53.8	-17.1	-204.3	-720.9	-
2022.6	-493.5							
4328.4	-10327.6	SLVx (RS)	I	974.4	644.0	151.1	701.4	
4226.6	-10186.7		J	974.4	644.0	151.1	701.4	
1881.9	16788.3	SLVy (RS)	I	-785.7	846.6	195.5	1745.2	-
1976.7	16864.6		J	-785.7	846.6	195.5	1745.2	-
2189.1	1468.1	SLVz (RS)	I	-192.5	-83.3	-292.8	426.0	-
1949.4	1471.2		J	-192.5	-83.3	-292.8	426.0	-
6472.4	-1035.0	G1	I	3.9	-10.8	733.2	-1290.3	
5687.1	-1024.3		J	2.0	-10.8	837.2	-1290.3	
2348.5	-376.0	G2	I	1.4	-3.9	266.2	-469.4	
2063.4	-372.1		J	0.7	-3.9	304.0	-469.4	
-0.5	81.3	pp imp~1	I	-0.5	3.8	-0.0	6.1	
-0.5	77.5		J	-0.5	3.8	-0.0	6.1	
-0.2	26.2	perm i~1	I	-0.2	1.2	-0.0	1.9	
-0.2	25.0		J	-0.2	1.2	-0.0	1.9	
-1.9	74.0	pp2	I	-0.9	-2.0	0.0	-3.1	
-1.9	76.0		J	-0.9	-2.0	0.0	-3.1	
-1.0	19.7	perm2	I	-0.2	-0.5	0.0	-0.8	
-1.0	20.2		J	-0.2	-0.5	0.0	-0.8	
-271.6	-720.5	q3	I	-55.1	93.5	25.4	-38.6	
-290.9	-814.0		J	-60.4	93.5	25.4	-51.4	
-20.5	-368.6	q4-1	I	40.9	10.4	3.6	-0.6	
-24.1	-379.0		J	40.9	10.4	3.6	-0.6	
-91.0	388.6	q4-2	I	10.6	-31.8	3.9	61.2	
-95.0	420.4		J	10.6	-31.8	3.9	61.2	
-48.8	-158.6	q4-3	I	24.5	32.4	-4.2	-45.4	

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-44.6	-191.1		J	24.5	32.4	-4.2	-45.4	
12.9	-477.5	q4-4	I	38.4	-39.4	-5.4	-20.5	
18.4	-438.2		J	38.4	-39.4	-5.4	-20.5	
1074.8	3945.2	q5x_pc	I	-463.3	243.4	37.5	228.4	-
1109.4	3692.6		J	-468.9	261.8	37.4	219.2	-
-51.8	78.9	q5y_pc	I	-303.6	31.7	67.7	373.1	
-110.2	50.0		J	-322.0	26.1	67.4	375.9	
1081.2	3822.2	q5x_ps	I	-535.8	297.9	34.8	250.6	-
1115.2	3515.6		J	-541.0	315.3	34.7	247.9	-
-113.4	148.9	q5y_ps	I	-314.5	21.3	56.3	315.8	
-166.9	130.2		J	-332.0	16.1	56.0	316.6	
-44.1	205.0	q7	I	-58.4	11.4	-0.2	5.8	
-43.9	193.5		J	-58.4	11.4	-0.2	5.8	
-337.9	2209.0	T	I	-317.2	53.5	0.5	53.4	
-338.4	2155.5		J	-317.2	53.5	0.5	53.4	
-26.5	-292.3	SLVx-E~1	I	-5.2	-26.8	1.0	21.4	
-27.5	-301.5		J	-5.2	-26.8	1.0	22.1	
-61.8	-682.0	SLVy-E~1	I	-12.1	-62.5	2.4	49.9	
-64.2	-703.4		J	-12.1	-62.5	2.4	51.5	
727	1	64 Q1-1_2 Max	I	132.4	40.7	1249.8	1371.9	1
3181.5	1118.3		J	132.4	40.7	1301.6	1377.2	1
2574.3	1120.2	Min	I	-143.0	-51.5	-542.4	-3634.4	-
6800.8	-1549.7		J	-143.7	-51.5	-507.3	-3683.1	-
6935.9	-1549.9	Q1-3_4 Max	I	125.3	43.2	1270.4	1307.5	1
3554.1	1027.9		J	125.3	43.2	1323.2	1321.1	1
2925.2	1025.0	Min	I	-148.6	-50.8	-553.3	-3192.6	-
6660.0	-1567.8		J	-149.3	-50.8	-517.9	-3174.7	-
6785.7	-1570.3							

MIDAS

PROJECT TITLE :


MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
7762.8	611.5	Q2a-1_2 Max	I	67.2	21.7	734.9	715.6	
			J	67.2	21.7	763.6	717.7	
7430.2	612.7							
		Min	I	-79.2	-27.1	-322.2	-2112.2	-
3704.4	-796.4		J	-79.5	-27.1	-300.3	-2131.7	-
3803.4	-799.0							
		Q2a-3_4 Max	I	62.4	22.0	742.4	683.3	
7926.4	550.0		J	62.4	22.0	771.4	691.3	
7583.0	548.3							
		Min	I	-81.4	-27.0	-327.6	-1831.7	-
3575.6	-807.5		J	-81.8	-27.0	-305.6	-1807.3	-
3667.5	-812.0							
		Q1-1 Max	I	48.5	14.3	455.4	464.6	
4647.6	437.7		J	48.5	14.3	473.3	462.9	
4445.4	439.7							
		Min	I	-46.6	-17.6	-199.1	-1704.1	-
2470.5	-516.8		J	-46.8	-17.6	-185.6	-1730.1	-
2534.0	-515.8							
		Q1-3 Max	I	30.5	15.7	464.5	406.8	
5092.9	261.9		J	30.5	15.7	483.0	422.2	
4869.0	260.2							
		Min	I	-53.7	-17.4	-204.3	-816.2	-
2018.4	-492.7		J	-54.0	-17.4	-190.7	-743.1	-
2067.8	-499.9							
		SLVx (RS)	I	959.7	667.1	154.0	677.1	
4229.2	-10187.3		J	959.7	667.1	154.0	677.1	
4129.0	-10048.6							
		SLVy (RS)	I	-784.4	852.7	198.3	1776.5	-
1946.9	16864.8		J	-784.4	852.7	198.3	1776.5	-
2048.5	16950.5							
		SLVz (RS)	I	-193.6	-87.3	-316.7	464.7	-
1940.3	1471.6		J	-193.6	-87.3	-316.7	464.7	-
1681.6	1466.3							
		G1	I	1.9	-11.1	837.2	-1409.1	
5658.5	-1026.3		J	-0.0	-11.1	941.2	-1409.1	
4769.2	-1015.2							
		G2	I	0.7	-4.0	304.0	-512.5	
2053.0	-372.9		J	0.0	-4.0	341.7	-512.5	
1730.1	-368.9							
		pp imp~1	I	-0.5	3.8	-0.0	6.1	
-0.3	77.5		J	-0.5	3.8	-0.0	6.1	
-0.3	73.7							

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.1	25.0	perm i~1	I	-0.1	1.2	-0.0	2.0	
-0.1	23.7		J	-0.1	1.2	-0.0	2.0	
-1.9	76.0	pp2	I	-0.9	-2.0	0.0	-3.0	
-1.9	78.0		J	-0.9	-2.0	0.0	-3.0	
-1.0	20.2	perm2	I	-0.2	-0.5	0.0	-0.7	
-1.1	20.8		J	-0.2	-0.5	0.0	-0.7	
-292.2	-813.9	q3	I	-58.4	94.7	25.4	-45.4	
-311.5	-908.7		J	-63.7	94.7	25.4	-58.2	
-24.3	-379.0	q4-1	I	41.1	9.5	3.6	-0.2	
-27.9	-388.5		J	41.1	9.5	3.6	-0.2	
-93.5	420.5	q4-2	I	9.9	-32.0	3.9	63.2	
-97.5	452.5		J	9.9	-32.0	3.9	63.2	
-45.6	-191.1	q4-3	I	25.2	31.9	-4.2	-44.5	
-41.5	-223.0		J	25.2	31.9	-4.2	-44.5	
17.8	-438.2	q4-4	I	37.6	-40.2	-5.5	-20.9	
23.2	-398.0		J	37.6	-40.2	-5.5	-20.9	
1103.2	3693.0	q5x_pc	I	-463.3	271.5	37.5	242.6	-
1138.0	3412.1		J	-468.5	290.1	37.4	233.3	-
-102.2	50.0	q5y_pc	I	-321.4	32.9	67.4	378.1	
-160.2	19.8		J	-339.9	27.7	67.1	380.7	
1108.5	3516.0	q5x_ps	I	-534.3	326.5	34.9	271.4	-
1142.5	3180.7		J	-539.2	344.1	34.8	268.8	-
-160.2	130.3	q5y_ps	I	-331.5	23.0	56.0	320.0	
-213.5	109.7		J	-349.1	18.1	55.7	320.8	
-43.7	193.6	q7	I	-58.2	12.6	-0.2	6.8	
-43.5	180.9		J	-58.2	12.6	-0.2	6.8	
		T	I	-316.0	60.1	0.5	60.6	


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-336.4	2155.6			J	-316.0	60.1	0.5	60.6		
-336.9	2095.4									
		SLVx-E~1		I	-5.8	-26.7	1.0	22.6		
-27.1	-301.5			J	-5.8	-26.7	1.0	23.3		
-28.2	-310.8									
		SLVy-E~1		I	-13.4	-62.3	2.4	52.7		
-63.3	-703.4			J	-13.4	-62.3	2.4	54.3		
-65.7	-725.1									
728	1	64	Q1-1_2 Max	I	132.0	40.7	1301.6	1432.2	1	
2525.5	1116.3			J	132.0	40.7	1354.0	1440.1	1	
1848.6	1117.1		Min	I	-143.5	-52.8	-507.3	-3853.3	-	
6916.4	-1547.5			J	-144.2	-52.8	-473.5	-3904.7	-	
7051.6	-1546.0									
			Q1-3_4 Max	I	125.0	43.5	1323.2	1386.1	1	
2889.9	1021.2			J	125.0	43.5	1376.7	1393.3	1	
2189.3	1016.7		Min	I	-149.1	-51.7	-517.9	-3386.4	-	
6766.5	-1567.9			J	-149.8	-51.7	-483.8	-3367.6	-	
6892.2	-1568.6									
			Q2a-1_2 Max	I	67.0	21.6	763.6	743.7		
7402.2	610.4			J	67.0	21.6	792.5	746.9		
7031.8	611.0		Min	I	-79.3	-27.9	-300.3	-2232.9	-	
3794.2	-797.7			J	-79.6	-27.9	-279.1	-2253.5	-	
3893.2	-799.3									
			Q2a-3_4 Max	I	62.2	22.1	771.4	718.4		
7564.4	546.1			J	62.2	22.1	800.6	721.3		
7182.4	543.4		Min	I	-81.6	-27.5	-305.6	-1931.5	-	
3658.7	-810.8			J	-81.9	-27.5	-284.4	-1906.2	-	
3750.6	-814.3									
			Q1-1 Max	I	48.3	14.3	473.3	480.7		
4415.2	438.2			J	48.3	14.3	491.3	480.0		
4189.8	440.0		Min	I	-46.8	-18.1	-185.6	-1797.3	-	
2527.7	-514.9			J	-46.9	-18.1	-172.6	-1824.4	-	
2591.2	-513.2									
			Q1-3 Max	I	30.6	15.6	483.0	429.4		
4864.1	259.0			J	30.6	15.6	501.6	436.7		
4615.2	256.6		Min	I	-53.9	-17.6	-190.7	-834.8	-	
2062.7	-499.1			J	-54.1	-17.6	-177.4	-759.8	-	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2112.1	-506.0						
4129.6	-10049.2	SLVx (RS)	I	943.8	690.7	156.8	665.3
4031.5	-9917.5		J	943.8	690.7	156.8	665.3
2016.6	16950.7	SLVy (RS)	I	-782.6	859.6	201.2	1810.9
2125.1	17046.5		J	-782.6	859.6	201.2	1810.9
1672.0	1466.6	SLVz (RS)	I	-194.8	-92.8	-338.7	497.5
1401.6	1453.8		J	-194.8	-92.8	-338.7	497.5
4738.3	-1016.9	G1	I	-0.2	-11.5	941.2	-1508.7
3745.0	-1005.4		J	-2.0	-11.5	1045.2	-1508.7
1718.9	-369.5	G2	I	-0.1	-4.1	341.7	-548.6
1358.2	-365.4		J	-0.7	-4.1	379.4	-548.6
-0.2	73.7	pp imp~1	I	-0.4	3.8	-0.0	6.1
-0.1	69.9		J	-0.4	3.8	-0.0	6.1
-0.1	23.7	perm i~1	I	-0.1	1.2	-0.0	2.0
-0.0	22.5		J	-0.1	1.2	-0.0	2.0
-2.0	78.0	pp2	I	-0.9	-2.0	0.0	-3.0
-2.0	80.0		J	-0.9	-2.0	0.0	-3.0
-1.1	20.8	perm2	I	-0.2	-0.5	0.0	-0.7
-1.1	21.3		J	-0.2	-0.5	0.0	-0.7
-313.0	-908.5	q3	I	-61.7	96.0	25.5	-51.7
-332.4	-1004.6		J	-67.1	96.0	25.5	-64.5
-28.0	-388.5	q4-1	I	41.3	8.7	3.6	0.4
-31.7	-397.2		J	41.3	8.7	3.6	0.4
-95.9	452.5	q4-2	I	9.2	-32.2	3.9	65.2
-99.9	484.8		J	9.2	-32.2	3.9	65.2
-42.5	-223.0	q4-3	I	25.9	31.4	-4.1	-43.6
-38.3	-254.4		J	25.9	31.4	-4.1	-43.6

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
22.6	-398.0	q4-4	I	36.7	-40.9	-5.5	-21.5	
28.1	-357.1		J	36.7	-40.9	-5.5	-21.5	
1131.6	3412.5	q5x_pc	I	-462.3	299.8	37.6	257.3	-
1166.7	3103.4		J	-467.1	318.4	37.5	248.0	-
-152.2	19.8	q5y_pc	I	-339.3	34.7	67.1	384.0	
-209.8	-12.5		J	-357.9	29.9	66.8	386.4	
1135.5	3181.1	q5x_ps	I	-531.9	355.3	34.9	292.9	-
1169.7	2817.0		J	-536.5	372.9	34.9	290.3	-
-206.7	109.8	q5y_ps	I	-348.6	25.3	55.8	325.2	
-259.6	86.7		J	-366.2	20.8	55.4	325.9	
-43.3	180.9	q7	I	-57.9	13.9	-0.2	7.7	
-43.2	167.1		J	-57.9	13.9	-0.2	7.7	
-334.8	2095.6	T	I	-314.7	66.7	0.6	67.8	
-335.4	2028.8		J	-314.7	66.7	0.6	67.8	
-27.8	-310.8	SLVx-E~1	I	-6.3	-26.6	1.0	23.8	
-28.8	-320.2		J	-6.3	-26.6	1.0	24.5	
-64.8	-725.1	SLVy-E~1	I	-14.7	-62.0	2.3	55.6	
-67.2	-747.1		J	-14.7	-62.0	2.3	57.1	
729	1	64 Q1-1_2 Max	I	131.6	40.8	1354.1	1496.5	1
1796.3	1113.6		J	131.6	40.8	1407.1	1506.2	1
1051.0	1113.5	Min	I	-143.9	-54.1	-473.6	-4062.7	-
7029.1	-1543.6		J	-144.7	-54.1	-441.1	-4115.8	-
7164.7	-1540.5							
2151.3	1013.4	Q1-3_4 Max	I	124.6	43.8	1376.7	1467.9	1
1380.5	1007.5		J	124.6	43.8	1430.8	1475.6	1
6870.0	-1566.2	Min	I	-149.5	-52.6	-483.8	-3568.1	-
6996.2	-1565.3		J	-150.3	-52.6	-451.0	-3548.4	-
7001.9	609.0	Q2a-1_2 Max	I	66.8	21.6	792.5	772.4	

MIDAS

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
6594.8	609.0		J	66.8	21.6	821.4	776.3	
3882.4	-798.0	Min	I	-79.4	-28.6	-279.1	-2347.2	-
3981.6	-798.8		J	-79.7	-28.6	-258.5	-2368.4	-
7162.4	541.6	Q2a-3_4 Max	I	62.1	22.1	800.6	753.9	
6742.9	538.0		J	62.1	22.1	829.9	757.0	
3740.2	-813.0	Min	I	-81.7	-28.1	-284.4	-2023.4	-
3832.3	-815.7		J	-82.0	-28.1	-263.7	-1997.2	-
4157.5	438.7	Q1-1 Max	I	48.1	14.4	491.3	497.9	
3909.5	440.1		J	48.1	14.4	509.4	497.9	
2583.8	-512.3	Min	I	-46.9	-18.7	-172.6	-1886.6	-
2647.5	-509.8		J	-47.1	-18.7	-160.1	-1914.4	-
4609.9	255.5	Q1-3 Max	I	30.7	15.5	501.6	451.6	
4336.4	252.6		J	30.7	15.5	520.4	458.8	
2106.1	-505.2	Min	I	-53.9	-17.9	-177.4	-847.0	-
2155.4	-511.9		J	-54.2	-17.9	-164.6	-770.3	-
4030.2	-9918.0	SLVx (RS)	I	926.7	714.7	159.5	-665.9	
3934.7	-9798.9		J	926.7	714.7	159.5	-665.9	
2091.2	17046.7	SLVy (RS)	I	-780.3	867.2	204.2	1848.3	-
2206.7	17153.3		J	-780.3	867.2	204.2	1848.3	-
1391.8	1454.1	SLVz (RS)	I	-196.1	-99.1	-359.0	523.7	-
1122.8	1435.2		J	-196.1	-99.1	-359.0	523.7	-
3712.2	-1006.7	G1	I	-2.2	-11.8	1045.2	-1586.9	
2614.9	-994.9		J	-4.0	-11.8	1149.2	-1586.9	
1346.3	-365.9	G2	I	-0.8	-4.2	379.4	-577.0	
948.0	-361.6		J	-1.5	-4.2	417.2	-577.0	
0.0	69.9	pp imp~1	I	-0.3	3.8	-0.0	6.1	
0.0	66.1		J	-0.3	3.8	-0.0	6.1	
0.0	22.5	perm i~1	I	-0.1	1.2	-0.0	2.0	

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	21.3		J	-0.1	1.2	-0.0	2.0	
-2.0	80.0	pp2	I	-1.0	-1.9	0.0	-2.9	
-2.1	81.9		J	-1.0	-1.9	0.0	-2.9	
-1.1	21.3	perm2	I	-0.3	-0.5	0.0	-0.7	
-1.1	21.8		J	-0.3	-0.5	0.0	-0.7	
-334.0	-1004.5	q3	I	-65.1	97.4	25.5	-57.6	
-353.4	-1101.9		J	-70.4	97.4	25.5	-70.4	
-31.8	-397.2	q4-1	I	41.5	7.8	3.6	1.0	
-35.5	-405.0		J	41.5	7.8	3.6	1.0	
-98.3	484.8	q4-2	I	8.5	-32.4	3.9	67.3	
-102.2	517.2		J	8.5	-32.4	3.9	67.3	
-39.3	-254.4	q4-3	I	26.5	30.8	-4.1	-42.8	
-35.2	-285.2		J	26.5	30.8	-4.1	-42.8	
27.5	-357.1	q4-4	I	35.9	-41.7	-5.5	-22.1	
33.0	-315.4		J	35.9	-41.7	-5.5	-22.1	
1160.1	3103.8	q5x_pc	I	-460.4	328.1	37.6	272.6	-
1195.5	2766.2		J	-464.8	346.9	37.5	263.2	-
-201.7	-12.5	q5y_pc	I	-357.2	37.4	66.8	390.7	
-259.0	-47.7		J	-375.9	33.0	66.5	392.9	
1162.3	2817.4	q5x_ps	I	-528.5	384.0	35.0	314.9	-
1196.7	2424.5		J	-532.7	401.7	35.0	312.2	-
-252.7	86.8	q5y_ps	I	-365.7	28.4	55.5	331.2	
-305.4	60.4		J	-383.4	24.3	55.2	331.9	
-42.9	167.1	q7	I	-57.6	15.1	-0.1	8.6	
-42.8	152.0		J	-57.6	15.1	-0.1	8.6	
-333.1	2028.9	T	I	-313.2	73.3	0.6	74.9	
			J	-313.2	73.3	0.6	74.9	

MIDAS

PROJECT TITLE :


		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-333.7	1955.6									
		SLVx-E~1	I	-6.9	-26.4	1.0	25.0			
-28.4	-320.2		J	-6.9	-26.4	1.0	25.7			
-29.4	-329.8									
		SLVy-E~1	I	-16.0	-61.7	2.3	58.4			
-66.2	-747.1		J	-16.0	-61.7	2.3	59.9			
-68.6	-769.5									
730	1	64 Q1-1_2 Max	I	131.2	41.0	1407.1	1566.8	1		
0995.7	1110.5		J	131.2	41.0	1460.6	1576.7	1		
0184.3	1109.7									
		Min	I	-144.3	-55.5	-441.1	-4263.9	-		
7139.3	-1538.2		J	-145.0	-55.5	-410.0	-4317.3	-		
7278.5	-1534.0									
		Q1-3_4 Max	I	124.4	44.5	1430.9	1550.2	1		
1340.3	1004.6		J	124.4	44.5	1485.6	1558.5	1		
0502.2	997.5									
		Min	I	-149.9	-53.6	-451.0	-3733.4	-		
6971.2	-1563.0		J	-150.6	-53.6	-419.5	-3712.8	-		
7099.5	-1560.7									
		Q2a-1_2 Max	I	66.6	21.7	821.4	802.6			
6563.4	607.2		J	66.6	21.7	850.4	806.5			
6121.0	606.7									
		Min	I	-79.5	-29.4	-258.5	-2455.7	-		
3969.2	-797.5		J	-79.8	-29.4	-238.6	-2477.0	-		
4069.7	-797.5									
		Q2a-3_4 Max	I	62.1	22.4	829.9	788.7			
6721.8	536.4		J	62.1	22.4	859.3	792.0			
6266.3	532.1									
		Min	I	-81.8	-28.7	-263.7	-2105.5	-		
3820.2	-814.4		J	-82.1	-28.7	-243.8	-2078.4	-		
3913.2	-816.3									
		Q1-1 Max	I	47.8	14.6	509.4	516.9			
3875.3	439.0		J	47.8	14.6	527.5	516.9			
3606.8	440.1									
		Min	I	-47.0	-19.2	-160.1	-1973.4	-		
2639.0	-508.9		J	-47.1	-19.2	-147.9	-2001.2	-		
2704.1	-505.7									
		Q1-3 Max	I	30.8	15.6	520.4	473.3			
4330.8	251.7		J	30.8	15.6	539.2	480.6			
4033.3	248.5									
		Min	I	-54.0	-18.2	-164.6	-852.4	-		
2148.5	-511.1		J	-54.2	-18.2	-152.2	-773.9	-		
2197.9	-517.7									

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3931.5	-9799.3	SLVx (RS)	I	908.5	738.8	162.0	-678.2
			J	908.5	738.8	162.0	-678.2
3839.2	9698.4						
2171.0	17153.5	SLVy (RS)	I	-777.5	875.6	207.4	1888.6
			J	-777.5	875.6	207.4	1888.6
2293.5	17271.9						
1113.4	1435.4	SLVz (RS)	I	-197.5	-105.4	-377.4	542.9
			J	-197.5	-105.4	-377.4	542.9
-873.9	1412.0						
2580.7	-995.7	G1	I	-4.2	-12.1	1149.2	-1641.4
			J	-6.0	-12.1	1253.2	-1641.4
1379.4	-983.6						
935.5	-361.9	G2	I	-1.5	-4.4	417.2	-596.7
			J	-2.2	-4.4	454.9	-596.7
499.4	-357.5						
		pp imp~1	I	-0.2	3.8	-0.0	6.1
0.2	66.1		J	-0.2	3.8	-0.0	6.1
0.2	62.2						
		perm i~1	I	-0.1	1.2	-0.0	2.0
0.1	21.3		J	-0.1	1.2	-0.0	2.0
0.1	20.0						
		pp2	I	-1.0	-1.9	0.0	-2.9
-2.1	81.9		J	-1.0	-1.9	0.0	-2.9
-2.1	83.8						
		perm2	I	-0.3	-0.5	0.0	-0.7
-1.1	21.8		J	-0.3	-0.5	0.0	-0.7
-1.2	22.3						
		q3	I	-68.3	98.9	25.6	-63.1
-355.2	-1101.8		J	-73.7	98.9	25.6	-75.9
-374.7	-1200.6						
		q4-1	I	41.6	6.9	3.6	1.7
-35.6	-405.0		J	41.6	6.9	3.6	1.7
-39.2	-411.9						
		q4-2	I	7.9	-32.6	3.9	69.5
-100.6	517.2		J	7.9	-32.6	3.9	69.5
-104.5	549.8						
		q4-3	I	27.2	30.3	-4.1	-42.1
-36.2	-285.2		J	27.2	30.3	-4.1	-42.1
-32.1	-315.5						
		q4-4	I	35.0	-42.4	-5.5	-22.8


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
32.4	-315.4			J	35.0	-42.4	-5.5	-22.8	
38.0	-273.0								
1188.7	2766.7	q5x_pc		I	-457.4	356.5	37.7	288.5	-
1224.4	2400.7			J	-461.4	375.4	37.6	279.0	-
-250.7	-47.6	q5y_pc		I	-375.1	40.8	66.5	398.2	
-307.7	-86.4			J	-394.0	36.8	66.2	400.2	
1189.0	2424.9	q5x_ps		I	-524.2	412.8	35.2	337.4	-
1223.5	2003.2			J	-528.0	430.6	35.1	334.8	-
-298.4	60.5	q5y_ps		I	-382.8	32.3	55.2	338.2	
-350.8	30.1			J	-400.6	28.5	54.9	338.8	
-42.5	152.0	q7		I	-57.2	16.3	-0.1	9.5	
-42.4	135.8			J	-57.2	16.3	-0.1	9.5	
-331.4	1955.7	T		I	-311.6	79.9	0.7	82.1	
-332.0	1875.9			J	-311.6	79.9	0.7	82.1	
-29.0	-329.8	SLVx-E~1		I	-7.4	-26.3	1.0	26.2	
-30.0	-339.5			J	-7.4	-26.3	1.0	26.9	
-67.6	-769.4	SLVy-E~1		I	-17.3	-61.3	2.3	61.2	
-69.9	-792.1			J	-17.3	-61.3	2.3	62.7	
731	1	64	Q1-1_2 Max	I	130.7	42.0	1460.6	1641.8	1
0126.8	1107.2			J	130.7	42.0	1514.6	1652.0	
9256.2	1105.6		Min	I	-144.6	-56.9	-410.0	-4453.2	-
7251.5	-1531.6			J	-145.3	-56.9	-380.2	-4506.7	-
7409.0	-1525.7								
0460.9	995.1		Q1-3_4 Max	I	124.2	45.3	1485.6	1631.9	1
9563.4	986.6			J	124.2	45.3	1540.8	1641.0	
7072.1	-1558.4		Min	I	-150.2	-54.7	-419.5	-3880.6	-
7212.2	-1554.4			J	-150.9	-54.7	-389.4	-3859.0	-
6088.3	605.2		Q2a-1_2 Max	I	66.4	22.3	850.4	833.6	
5613.8	604.3			J	66.4	22.3	879.5	837.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
4056.2	-796.2	Min	I	-79.6	-30.2	-238.6	-2556.2	-
			J	-79.9	-30.2	-219.5	-2577.6	-
4164.1	-795.3							
6244.6	530.7	Q2a-3_4 Max	I	62.1	22.9	859.3	822.3	
			J	62.1	22.9	888.8	825.9	
5756.9	525.6							
3899.8	-815.0	Min	I	-81.9	-29.3	-243.8	-2177.0	-
			J	-82.2	-29.3	-224.5	-2148.9	-
3997.5	-808.9							
3571.5	439.1	Q1-1 Max	I	47.5	14.8	527.5	537.2	
			J	47.5	14.8	545.7	537.2	
3288.4	440.1							
2695.1	-504.8	Min	I	-47.0	-19.8	-147.9	-2055.3	-
			J	-47.2	-19.8	-136.2	-2083.0	-
2766.8	-500.8							
4027.6	247.7	Q1-3 Max	I	30.9	15.8	539.2	494.6	
			J	30.9	15.8	558.2	502.0	
3707.7	244.0							
2190.1	-517.0	Min	I	-54.0	-18.5	-152.2	-850.1	-
			J	-54.3	-18.5	-140.2	-769.9	-
2240.4	-523.4							
3834.2	9698.8	SLVx (RS)	I	-889.3	763.1	164.3	-700.8	
			J	-889.3	763.1	164.3	-700.8	
3745.7	9622.2							
2256.1	17272.0	SLVy (RS)	I	-774.2	884.7	210.9	1931.7	-
			J	-774.2	884.7	210.9	1931.7	-
2385.7	17403.1							
-866.3	1412.1	SLVz (RS)	I	-199.1	111.2	-394.0	554.6	
			J	-199.1	111.2	-394.0	554.6	
-719.0	1385.7							
1344.4	-983.9	G1	I	-6.2	-12.5	1253.2	-1670.0	
			J	-8.0	-12.5	1357.1	-1670.0	
39.1	-971.4							
486.7	-357.7	G2	I	-2.2	-4.5	454.9	-607.1	
			J	-2.9	-4.5	492.7	-607.1	
12.9	-353.2							
0.3	62.2	pp imp~1	I	-0.1	3.8	-0.0	6.1	
			J	-0.1	3.8	-0.0	6.1	
0.4	58.4							
0.1	20.0	perm i~1	I	-0.0	1.2	-0.0	2.0	
			J	-0.0	1.2	-0.0	2.0	
0.1	18.8							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

-2.1	83.8	pp2	I	-1.1	-1.9	0.0	-2.8	
-2.2	85.7		J	-1.1	-1.9	0.0	-2.8	
-1.2	22.3	perm2	I	-0.3	-0.5	0.0	-0.6	
-1.2	22.8		J	-0.3	-0.5	0.0	-0.6	
-376.6	-1200.5	q3	I	-71.6	100.4	25.6	-68.1	
-396.1	-1300.9		J	-76.9	100.4	25.6	-80.9	
-39.3	-411.9	q4-1	I	41.8	6.1	3.6	2.5	
-42.9	-417.9		J	41.8	6.1	3.6	2.5	
-102.8	549.9	q4-2	I	7.2	-32.8	3.9	71.7	
-106.7	582.6		J	7.2	-32.8	3.9	71.7	
-33.1	-315.5	q4-3	I	27.8	29.7	-4.1	-41.5	
-28.9	-345.2		J	27.8	29.7	-4.1	-41.5	
37.4	-273.0	q4-4	I	34.1	-43.2	-5.5	-23.6	
42.9	-229.8		J	34.1	-43.2	-5.5	-23.6	
1217.4	2401.1	q5x_pc	I	-453.5	384.9	37.8	304.8	-
1253.4	2006.7		J	-457.1	403.8	37.8	295.4	-
-299.3	-86.4	q5y_pc	I	-393.1	45.0	66.2	406.6	
-355.9	-129.6		J	-412.0	41.4	65.9	408.4	
1215.5	2003.6	q5x_ps	I	-518.8	441.5	35.3	360.5	-
1250.3	1553.1		J	-522.3	459.4	35.2	357.8	-
-343.6	30.2	q5y_ps	I	-399.9	36.8	54.9	346.0	
-395.7	-4.9		J	-417.8	33.4	54.6	346.5	
-42.1	135.8	q7	I	-56.9	17.5	-0.1	10.4	
-42.0	118.3		J	-56.9	17.5	-0.1	10.4	
-329.6	1876.0	T	I	-309.9	86.4	0.7	89.2	
-330.3	1789.6		J	-309.9	86.4	0.7	89.2	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-29.5	-339.5		SLVx-E~1	I	-8.0	-26.1	1.0	27.5
				J	-8.0	-26.1	1.0	28.1
-30.5	-349.4							
			SLVy-E~1	I	-18.6	-60.9	2.3	64.1
-68.9	-792.1			J	-18.6	-60.9	2.3	65.6
-71.1	-815.2							
732	1	64	Q1-1_2 Max	I	130.1	43.1	1514.6	1726.3
9200.7	1103.5			J	130.1	43.1	1569.0	1736.8
8406.4	1101.0		Min	I	-144.8	-58.4	-380.2	-4626.2
7384.7	-1523.3			J	-145.5	-58.4	-351.8	-4680.2
7701.3	-1515.8							
			Q1-3_4 Max	I	123.9	46.2	1540.8	1712.9
9529.4	984.6			J	123.9	46.2	1596.5	1723.1
8703.6	974.4		Min	I	-150.4	-56.1	-389.4	-4006.7
7187.3	-1552.1			J	-151.2	-56.1	-360.6	-3984.2
7491.3	-1546.3							
			Q2a-1_2 Max	I	66.1	22.9	879.5	869.8
5581.7	603.1			J	66.1	22.9	908.6	874.0
5130.0	601.6		Min	I	-79.6	-31.0	-219.5	-2646.6
4151.1	-794.0			J	-79.9	-31.0	-201.0	-2668.2
4322.6	-792.1							
			Q2a-3_4 Max	I	62.0	23.3	888.8	854.7
5738.1	524.5			J	62.0	23.3	918.4	858.9
5271.1	518.3		Min	I	-81.9	-30.0	-224.5	-2236.3
3984.5	-807.7			J	-82.2	-30.0	-205.9	-2207.2
4147.7	-812.7							
			Q1-1 Max	I	47.2	15.1	545.7	563.0
3253.0	439.3			J	47.2	15.1	563.9	563.0
2996.2	440.0		Min	I	-47.1	-20.4	-136.2	-2130.8
2758.1	-499.9			J	-47.3	-20.4	-125.0	-2158.5
2876.6	-495.2							
			Q1-3 Max	I	30.9	16.0	558.2	515.4
3705.0	243.4			J	30.9	16.0	577.2	523.5
3395.8	239.2		Min	I	-54.1	-18.7	-140.2	-839.9
2234.5	-522.7			J	-54.3	-18.7	-128.7	-758.0
2318.3	-529.1							
			SLVx (RS)	I	-869.0	787.5	166.6	-732.0
3738.9	9622.5							


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3654.7	9576.6		J	-869.0	787.5	166.6	-732.0
2346.8	17403.3	SLVy (RS)	I	-770.4	894.7	214.7	1977.5
2483.5	17548.2		J	-770.4	894.7	214.7	1977.5
-715.9	1385.7	SLVz (RS)	I	-200.6	116.2	-409.0	558.6
748.0	1357.9		J	-200.6	116.2	-409.0	558.6
3.8	-971.3	G1	I	-8.1	-12.8	1357.1	-1670.6
1405.5	-958.5		J	-9.9	-12.8	1461.1	-1670.6
0.0	-353.1	G2	I	-2.9	-4.6	492.7	-607.3
-511.6	-348.5		J	-3.6	-4.6	530.4	-607.3
0.5	58.4	pp imp~1	I	-0.1	3.8	-0.0	6.1
0.5	54.6		J	-0.1	3.8	-0.0	6.1
0.2	18.8	perm i~1	I	-0.0	1.2	-0.0	2.0
0.2	17.6		J	-0.0	1.2	-0.0	2.0
-2.2	85.7	pp2	I	-1.1	-1.9	0.0	-2.8
-2.2	87.6		J	-1.1	-1.9	0.0	-2.8
-1.2	22.8	perm2	I	-0.3	-0.5	0.0	-0.6
-1.2	23.3		J	-0.3	-0.5	0.0	-0.6
-398.2	-1300.7	q3	I	-74.8	101.9	25.7	-72.7
-417.7	-1402.7		J	-80.1	101.9	25.7	-85.5
-43.0	-417.9	q4-1	I	41.9	5.2	3.6	3.4
-46.7	-423.1		J	41.9	5.2	3.6	3.4
-104.9	582.7	q4-2	I	6.5	-32.9	3.9	74.0
-108.8	615.6		J	6.5	-32.9	3.9	74.0
-29.9	-345.2	q4-3	I	28.4	29.1	-4.1	-40.9
-25.8	-374.3		J	28.4	29.1	-4.1	-40.9
42.3	-229.8	q4-4	I	33.2	-43.9	-5.6	-24.5
			J	33.2	-43.9	-5.6	-24.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
47.9	-186.0							
1246.2	2007.1	q5x_pc	I	-448.5	413.3	38.0	321.8	-
1282.5	1584.3		J	-451.8	432.3	37.9	312.3	-
-347.3	-129.5	q5y_pc	I	-411.0	50.0	66.0	415.7	
-403.6	-177.9		J	-430.0	46.8	65.6	417.3	
1242.0	1553.5	q5x_ps	I	-512.5	470.2	35.5	384.1	-
1276.9	1074.2		J	-515.6	488.2	35.4	381.4	-
-388.4	-4.8	q5y_ps	I	-417.0	42.1	54.7	354.7	
-440.2	-45.4		J	-435.0	39.1	54.4	355.2	
-41.7	118.3	q7	I	-56.5	18.7	-0.1	11.3	
-41.6	99.7		J	-56.5	18.7	-0.1	11.3	
-327.7	1789.7	T	I	-308.0	92.8	0.8	96.2	
-328.5	1696.9		J	-308.0	92.8	0.8	96.2	
-30.0	-349.3	SLVx-E~1	I	-8.5	-25.9	1.0	28.7	
-31.0	-359.4		J	-8.5	-25.9	1.0	29.3	
-70.0	-815.1	SLVy-E~1	I	-19.9	-60.5	2.3	67.0	
-72.3	-838.6		J	-19.9	-60.5	2.3	68.4	
733	1	64 Q1-1_2 Max	I	129.5	44.3	1569.0	1862.6	
8360.9	1099.4		J	129.5	44.3	1623.8	1873.5	
7558.1	1096.3	Min	I	-144.9	-60.0	-351.8	-4781.6	-
7688.9	-1513.4		J	-145.7	-60.0	-324.8	-4835.9	-
8071.7	-1504.7	Q1-3_4 Max	I	123.6	47.2	1596.6	1828.8	
8675.8	973.0		J	123.6	47.2	1652.7	1855.5	
7825.5	961.6	Min	I	-150.6	-57.5	-360.7	-4110.4	-
7477.8	-1544.0		J	-151.3	-57.5	-333.3	-4086.9	-
7846.0	-1532.1	Q2a-1_2 Max	I	65.8	23.6	908.6	943.5	
5101.8	600.6		J	65.8	23.6	937.6	947.8	
4639.6	598.7	Min	I	-79.6	-31.8	-201.0	-2726.7	-
4313.8	-790.8							


MIDAS

PROJECT TITLE :


		Company		Client				
		Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
4511.9	-788.2		J	-79.9	-31.8	-183.3	-2748.4	-
5254.8	517.5	Q2a-3_4 Max	I	61.9	23.8	918.4	912.7	
4770.7	510.7		J	61.9	23.8	947.9	929.0	
4138.9	-811.5	Min	I	-81.9	-30.7	-205.9	-2282.6	-
4327.8	-816.2		J	-82.2	-30.7	-188.1	-2252.5	-
2964.5	439.3	Q1-1 Max	I	46.9	15.4	563.9	620.3	
2710.4	439.9		J	46.9	15.4	582.0	620.3	
2871.8	-494.3	Min	I	-47.1	-21.1	-125.0	-2199.9	-
3012.5	-488.9		J	-47.3	-21.1	-114.3	-2227.7	-
3393.8	238.8	Q1-3 Max	I	31.0	16.2	577.2	535.9	
3068.4	234.4		J	31.0	16.2	596.3	562.2	
2311.8	-528.4	Min	I	-54.1	-19.0	-128.7	-821.1	-
2401.5	-534.8		J	-54.3	-19.0	-117.6	-737.8	-
3646.1	9576.8	SLVx (RS)	I	-847.8	811.8	168.8	-770.3	
3566.9	9567.8		J	-847.8	811.8	168.8	-770.3	
2443.2	17548.3	SLVy (RS)	I	-766.0	905.4	218.9	2026.0	-
2587.2	17708.2		J	-766.0	905.4	218.9	2026.0	-
751.1	1357.9	SLVz (RS)	I	-202.3	120.2	-422.4	554.5	
961.6	1330.2		J	-202.3	120.2	-422.4	554.5	
1440.5	-957.8	G1	I	-10.0	-13.1	1461.1	-1640.9	-
2953.8	-944.6		J	-11.8	-13.1	1565.1	-1640.9	-
-524.3	-348.3	G2	I	-3.6	-4.7	530.4	-596.4	
1073.6	-343.5		J	-4.3	-4.7	568.1	-596.4	-
0.7	54.6	pp imp~1	I	0.0	3.8	-0.0	6.1	
0.7	50.7		J	0.0	3.8	-0.0	6.1	
0.2	17.6	perm i~1	I	0.0	1.2	-0.0	2.0	
0.2	16.3		J	0.0	1.2	-0.0	2.0	
		pp2	I	-1.1	-1.8	0.0	-2.7	

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-2.2	87.6		J	-1.1	-1.8	0.0	-2.7
-2.2	89.4						
		perm2	I	-0.3	-0.5	0.0	-0.6
-1.2	23.3		J	-0.3	-0.5	0.0	-0.6
-1.3	23.8						
		q3	I	-78.0	103.6	25.7	-76.9
-419.9	-1402.5		J	-83.3	103.6	25.7	-89.7
-439.5	-1506.1						
		q4-1	I	42.0	4.3	3.6	4.3
-46.7	-423.1		J	42.0	4.3	3.6	4.3
-50.4	-427.4						
		q4-2	I	5.8	-33.0	3.9	76.3
-107.0	615.6		J	5.8	-33.0	3.9	76.3
-110.9	648.6						
		q4-3	I	29.0	28.5	-4.1	-40.4
-26.8	-374.3		J	29.0	28.5	-4.1	-40.4
-22.7	-402.8						
		q4-4	I	32.3	-44.5	-5.6	-25.5
47.3	-186.0		J	32.3	-44.5	-5.6	-25.5
52.9	-141.4						
		q5x_pc	I	-442.6	441.6	38.1	339.2
1275.1	1584.7		J	-445.4	460.7	38.1	329.7
1311.8	1133.5						
		q5y_pc	I	-428.9	55.7	65.7	425.7
-394.9	-177.8		J	-448.0	52.9	65.4	427.1
-450.9	-232.1						
		q5x_ps	I	-505.2	498.9	35.7	408.1
1268.3	1074.7		J	-507.9	516.9	35.6	405.4
1303.5	566.7						
		q5y_ps	I	-434.0	48.1	54.4	364.3
-432.7	-45.3		J	-452.0	45.5	54.1	364.7
-484.3	-92.1						
		q7	I	-56.1	19.8	-0.1	12.2
-41.3	99.7		J	-56.1	19.8	-0.1	12.2
-41.2	79.9						
		T	I	-306.0	99.3	0.9	103.3
-325.8	1697.0		J	-306.0	99.3	0.9	103.3
-326.7	1597.7						
		SLVx-E~1	I	-9.1	-25.8	1.0	29.9
-30.5	-359.4						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-31.5	-369.6			J	-9.1	-25.8	1.0	30.6	
			SLVy-E~1	I	-21.1	-60.1	2.2	69.9	
-71.2	-838.6			J	-21.1	-60.1	2.2	71.3	
-73.4	-862.5								
734	1	64	Q1-1_2 Max	I	128.9	45.5	1623.8	2023.5	
7516.2	1095.2			J	128.9	45.5	1678.8	2034.9	
6726.0	1091.4		Min	I	-145.0	-61.6	-324.8	-4915.6	-
8062.6	-1502.4			J	-145.7	-61.6	-299.3	-4970.4	-
8517.8	-1492.1								
			Q1-3_4 Max	I	123.2	48.2	1652.7	1979.9	
7801.5	960.6			J	123.2	48.2	1709.2	2006.6	
6966.9	948.1		Min	I	-150.7	-58.9	-333.3	-4191.0	-
7835.5	-1530.0			J	-151.4	-58.9	-307.3	-4166.4	-
8280.9	-1536.2								
			Q2a-1_2 Max	I	65.5	24.4	937.6	1034.6	
4612.7	598.0			J	65.5	24.4	966.6	1039.2	
4149.0	595.7		Min	I	-79.5	-32.7	-183.3	-2794.5	-
4503.9	-786.9			J	-79.8	-32.7	-166.5	-2816.4	-
4730.8	-783.4								
			Q2a-3_4 Max	I	61.8	24.3	948.0	996.4	
4756.0	510.1			J	61.8	24.3	977.5	1012.4	
4271.3	502.5		Min	I	-81.8	-31.5	-188.1	-2315.7	-
4319.7	-815.0			J	-82.1	-31.5	-171.0	-2284.6	-
4539.5	-819.7								
			Q1-1 Max	I	46.6	15.7	582.0	679.4	
2679.9	439.4			J	46.6	15.7	600.1	679.4	
2427.2	439.9		Min	I	-47.1	-21.7	-114.3	-2260.7	-
3008.8	-488.1			J	-47.3	-21.7	-104.2	-2288.5	-
3169.5	-482.0								
			Q1-3 Max	I	31.0	16.4	596.3	582.0	
3067.4	234.1			J	31.0	16.4	615.5	608.0	
2742.6	230.0		Min	I	-54.0	-19.3	-117.6	-793.6	-
2394.5	-534.1			J	-54.2	-19.3	-107.0	-708.8	-
2506.1	-541.0								
			SLVx(RS)	I	-825.6	-836.1	170.8	-814.1	
3556.6	9568.0			J	-825.6	-836.1	170.8	-814.1	
3483.2	-9602.0								


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

2545.6	17708.3	SLVy (RS)	I	-761.2	916.8	223.5	2077.2	-
			J	-761.2	916.8	223.5	2077.2	-
2697.2	17884.5							
		SLVz (RS)	I	-203.9	122.9	-434.5	542.0	
968.9	1330.1		J	-203.9	122.9	-434.5	542.0	
1281.3	1303.7							
		G1	I	-11.9	-13.4	1565.1	-1578.8	-
2987.9	-943.4		J	-13.7	-13.4	1669.1	-1578.8	-
4605.2	-929.9							
		G2	I	-4.3	-4.8	568.1	-573.9	-
1086.0	-343.1		J	-5.0	-4.8	605.9	-573.9	-
1673.0	-338.3							
		pp imp~1	I	0.1	3.8	-0.0	6.1	
0.8	50.7		J	0.1	3.8	-0.0	6.1	
0.8	46.9							
		perm i~1	I	0.0	1.2	-0.0	2.0	
0.3	16.3		J	0.0	1.2	-0.0	2.0	
0.3	15.1							
		pp2	I	-1.2	-1.8	0.0	-2.6	
-2.3	89.4		J	-1.2	-1.8	0.0	-2.6	
-2.3	91.3							
		perm2	I	-0.3	-0.5	0.0	-0.6	
-1.3	23.8		J	-0.3	-0.5	0.0	-0.6	
-1.3	24.3							
		q3	I	-81.1	105.3	25.8	-80.7	
-441.8	-1505.9		J	-86.4	105.3	25.8	-93.5	
-461.5	-1611.3							
		q4-1	I	42.1	3.4	3.6	5.3	
-50.4	-427.4		J	42.1	3.4	3.6	5.3	
-54.1	-430.8							
		q4-2	I	5.1	-33.1	3.8	78.7	
-109.0	648.7		J	5.1	-33.1	3.8	78.7	
-112.9	681.8							
		q4-3	I	29.6	27.9	-4.1	-39.9	
-23.7	-402.8		J	29.6	27.9	-4.1	-39.9	
-19.6	-430.7							
		q4-4	I	31.3	-45.2	-5.6	-26.6	
52.3	-141.4		J	31.3	-45.2	-5.6	-26.6	
57.9	-96.2							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1304.1	1134.0	q5x_pc	I	-435.7	469.9	38.3	357.2	-
			J	-438.1	489.0	38.2	347.7	-
1341.2	654.5							
		q5y_pc	I	-446.8	62.2	65.5	436.4	
-441.9	-232.0		J	-465.9	59.8	65.1	437.6	
-497.7	-293.0							
		q5x_ps	I	-497.0	527.4	35.9	432.7	-
1294.5	567.2		J	-499.3	545.4	35.8	430.0	-
1330.0	30.7							
		q5y_ps	I	-451.0	54.9	54.2	374.8	
-476.6	-92.0		J	-469.0	52.6	53.9	375.1	
-527.9	-145.7							
		q7	I	-55.7	21.0	-0.1	13.0	
-41.0	79.9		J	-55.7	21.0	-0.1	13.0	
-40.9	58.9							
		T	I	-303.8	105.6	0.9	110.3	
-323.8	1597.8		J	-303.8	105.6	0.9	110.3	
-324.8	1492.2							
		SLVx-E~1	I	-9.6	-25.6	1.0	31.2	
-30.9	-369.6		J	-9.6	-25.6	1.0	31.8	
-31.9	-380.1							
		SLVy-E~1	I	-22.4	-59.6	2.2	72.7	
-72.2	-862.5		J	-22.4	-59.6	2.2	74.2	
-74.4	-886.8							
735	1	64	Q1-1_2 Max	I	128.2	46.8	1678.9	2188.8
6688.5	1090.8			J	128.2	46.8	1734.2	2200.9
5929.9	1086.0		Min	I	-145.0	-63.2	-299.3	-5025.1
8512.1	-1489.8			J	-145.8	-63.2	-286.2	-5080.6
9055.3	-1477.8							
			Q1-3_4 Max	I	122.8	49.2	1709.3	2139.9
6947.7	947.7			J	122.8	49.2	1766.1	2166.8
6146.7	934.9		Min	I	-150.7	-60.5	-307.3	-4246.1
8273.6	-1534.1			J	-151.4	-60.5	-286.4	-4220.5
8811.3	-1542.8							
			Q2a-1_2 Max	I	65.1	25.2	966.6	1128.4
4124.0	595.3			J	65.1	25.2	995.5	1133.2
3667.2	592.5		Min	I	-79.4	-33.6	-166.5	-2848.1
4723.6	-782.1			J	-79.7	-33.6	-158.6	-2870.3
4985.8	-777.7							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

4258.8	502.2	Q2a-3_4 Max	I	61.6	24.9	977.5	1086.0	
			J	61.6	24.9	1007.0	1101.8	
3781.5	494.3							
		Min	I	-81.7	-32.3	-171.0	-2334.1	-
4532.0	-818.5		J	-82.0	-32.3	-157.4	-2301.8	-
4788.8	-824.0							
		Q1-1 Max	I	46.3	16.1	600.1	739.7	
2398.0	439.7		J	46.3	16.1	618.2	739.7	
2149.6	440.1							
		Min	I	-47.1	-22.4	-104.2	-2311.9	-
3166.8	-481.1		J	-47.3	-22.4	-102.8	-2339.7	-
3349.5	-474.4							
		Q1-3 Max	I	31.0	16.7	615.5	635.1	
2743.1	229.8		J	31.0	16.7	634.7	661.1	
2425.0	226.5							
		Min	I	-54.0	-19.5	-107.0	-756.9	-
2498.9	-540.3		J	-54.2	-19.5	-96.8	-671.0	-
2637.9	-548.4							
		SLVx (RS)	I	-802.5	-860.2	172.8	-862.1	
3471.2	-9602.2		J	-802.5	-860.2	172.8	-862.1	
3404.1	-9684.6							
		SLVy (RS)	I	-755.7	928.9	228.2	2130.9	-
2654.3	17884.6		J	-755.7	928.9	228.2	2130.9	-
2813.6	18078.4							
		SLVz (RS)	I	-205.5	124.5	-445.5	520.9	
1290.2	1303.5		J	-205.5	124.5	-445.5	520.9	
1653.7	1279.4							
		G1	I	-13.8	-13.8	1669.1	-1482.1	-
4637.6	-928.1		J	-15.6	-13.8	1773.1	-1482.1	-
6358.9	-914.3							
		G2	I	-5.0	-5.0	605.9	-538.8	-
1684.8	-337.6		J	-5.6	-5.0	643.6	-538.8	-
2309.6	-332.6							
		pp imp~1	I	0.2	3.8	-0.0	6.1	
1.0	46.9		J	0.2	3.8	-0.0	6.1	
1.0	43.0							
		perm i~1	I	0.1	1.2	-0.0	1.9	
0.3	15.1		J	0.1	1.2	-0.0	1.9	
0.3	13.9							
		pp2	I	-1.2	-1.8	0.0	-2.6	
-2.3	91.3		J	-1.2	-1.8	0.0	-2.6	


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-2.3	93.1							
		perm2	I	-0.3	-0.5	0.0	-0.5	
-1.3	24.3		J	-0.3	-0.5	0.0	-0.5	
-1.3	24.8							
		q3	I	-84.2	107.1	25.8	-84.0	
-463.9	-1611.1		J	-89.5	107.1	25.8	-96.8	
-483.6	-1718.2							
		q4-1	I	42.1	2.5	3.6	6.4	
-54.1	-430.8		J	42.1	2.5	3.6	6.4	
-57.7	-433.3							
		q4-2	I	4.4	-33.2	3.8	81.1	
-110.9	681.8		J	4.4	-33.2	3.8	81.1	
-114.8	715.1							
		q4-3	I	30.2	27.3	-4.1	-39.6	
-20.6	-430.7		J	30.2	27.3	-4.1	-39.6	
-16.5	-458.0							
		q4-4	I	30.4	-45.8	-5.6	-27.9	
57.3	-96.2		J	30.4	-45.8	-5.6	-27.9	
62.9	-50.4							
		q5x_pc	I	-427.8	498.0	38.5	375.8	-
1333.4	654.9		J	-429.8	517.2	38.4	366.2	-
1370.8	147.3							
		q5y_pc	I	-464.5	69.5	65.2	447.9	
-488.5	-292.9		J	-483.6	67.5	64.9	448.9	
-544.0	-361.4							
		q5x_ps	I	-487.8	555.7	36.1	457.8	-
1320.7	31.1		J	-489.7	573.8	36.0	455.0	-
1356.5	-533.7							
		q5y_ps	I	-467.8	62.4	54.0	386.1	
-520.0	-145.6		J	-485.9	60.5	53.7	386.4	
-571.1	-207.0							
		q7	I	-55.2	22.2	-0.1	13.9	
-40.6	58.9		J	-55.2	22.2	-0.1	13.9	
-40.5	36.7							
		T	I	-301.5	112.0	1.0	117.2	
-321.9	1492.3		J	-301.5	112.0	1.0	117.2	
-322.9	1380.3							
		SLVx-E~1	I	-10.1	-25.4	0.9	32.4	
-31.4	-380.1		J	-10.1	-25.4	0.9	33.0	
-32.3	-390.7							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

-73.2	-886.8	SLVy-E~1	I	-23.6	-59.2	2.2	75.6	
			J	-23.6	-59.2	2.2	77.1	
-75.4	-911.6							
736	1	64 Q1-1_2 Max	I	127.4	48.2	1734.2	2358.3	
5897.1	1085.9		J	127.4	48.2	1789.7	2371.2	
5177.7	1080.4							
		Min	I	-145.0	-64.9	-286.2	-5111.1	-
9052.6	-1475.5		J	-145.7	-64.9	-277.8	-5167.4	-
9688.3	-1461.9							
		Q1-3_4 Max	I	122.3	50.8	1766.1	2304.2	
6132.6	934.9		J	122.3	50.8	1823.2	2336.3	
5373.3	922.0							
		Min	I	-150.6	-62.0	-286.4	-4275.4	-
8806.9	-1540.6		J	-151.3	-62.0	-274.0	-4249.0	-
9442.2	-1553.1							
		Q2a-1_2 Max	I	64.8	26.0	995.5	1224.7	
3644.2	592.3		J	64.8	26.0	1024.2	1229.8	
3198.1	589.1							
		Min	I	-79.3	-34.5	-158.6	-2888.8	-
4979.2	-776.4		J	-79.6	-34.5	-154.0	-2911.3	-
5278.4	-771.1							
		Q2a-3_4 Max	I	61.5	25.8	1007.0	1178.1	
3771.4	494.3		J	61.5	25.8	1036.4	1197.5	
3305.3	486.0							
		Min	I	-81.5	-33.1	-157.4	-2337.8	-
4781.9	-822.8		J	-81.8	-33.1	-149.9	-2304.6	-
5077.7	-829.5							
		Q1-1 Max	I	45.9	16.5	618.2	801.2	
2121.9	440.0		J	45.9	16.5	636.2	801.2	
1879.9	440.3							
		Min	I	-47.0	-23.1	-102.8	-2354.4	-
3347.8	-473.6		J	-47.2	-23.1	-101.5	-2382.2	-
3553.6	-466.2							
		Q1-3 Max	I	31.1	17.3	634.7	690.4	
2427.1	226.4		J	31.1	17.3	653.9	722.2	
2118.6	224.5							
		Min	I	-53.9	-19.8	-96.8	-711.1	-
2630.2	-547.6		J	-54.1	-19.8	-87.1	-624.1	-
2798.6	-557.3							
		SLVx (RS)	I	-778.7	-884.1	174.5	-913.2	
3390.5	-9684.7		J	-778.7	-884.1	174.5	-913.2	
3330.6	-9820.4							
		SLVy (RS)	I	-749.7	941.7	232.9	2187.1	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2769.7	18078.4		J	-749.7	941.7	232.9	2187.1	-
2936.8	18291.2							
1663.1	1279.0	SLVz (RS)	I	-207.1	124.9	-456.0	491.1	
2055.5	1257.7		J	-207.1	124.9	-456.0	491.1	
6388.8	-911.9	G1	I	-15.6	-14.1	1773.1	-1348.7	-
8214.1	-897.8		J	-17.4	-14.1	1877.1	-1348.7	-
2320.5	-331.7	G2	I	-5.7	-5.1	643.6	-490.3	-
2983.0	-326.7		J	-6.3	-5.1	681.3	-490.3	-
1.1	43.0	pp imp~1	I	0.3	3.8	-0.0	6.0	
1.1	39.2		J	0.3	3.8	-0.0	6.0	
0.4	13.9	perm i~1	I	0.1	1.2	-0.0	1.9	
0.4	12.6		J	0.1	1.2	-0.0	1.9	
-2.3	93.1	pp2	I	-1.3	-1.8	0.0	-2.5	
-2.4	94.8		J	-1.3	-1.8	0.0	-2.5	
-1.3	24.8	perm2	I	-0.3	-0.5	0.0	-0.5	
-1.4	25.3		J	-0.3	-0.5	0.0	-0.5	
-486.1	-1718.0	q3	I	-87.3	108.9	25.9	-86.9	
-505.8	-1826.9		J	-92.6	108.9	25.9	-99.7	
-57.7	-433.3	q4-1	I	42.2	1.7	3.6	7.5	
-61.3	-435.0		J	42.2	1.7	3.6	7.5	
-112.8	715.1	q4-2	I	3.7	-33.3	3.8	83.6	
-116.6	748.5		J	3.7	-33.3	3.8	83.6	
-17.5	-458.0	q4-3	I	30.8	26.7	-4.1	-39.3	
-13.4	-484.6		J	30.8	26.7	-4.1	-39.3	
62.3	-50.4	q4-4	I	29.4	-46.5	-5.6	-29.2	
67.9	-3.9		J	29.4	-46.5	-5.6	-29.2	
1362.8	147.7	q5x_pc	I	-418.9	526.0	38.7	394.8	-

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1400.7	-388.0		J	-420.5	545.2	38.7	385.2	-
-534.6	-361.2	q5y_pc	I	-482.1	77.6	65.0	460.2	
-589.8	-438.0		J	-501.3	75.9	64.6	461.0	
1346.9	-533.3	q5x_ps	I	-477.5	584.0	36.3	483.3	-
1382.9	-1126.4		J	-479.1	602.1	36.3	480.6	-
-563.0	-206.9	q5y_ps	I	-484.5	70.6	53.7	398.2	
-613.8	-276.7		J	-502.7	69.1	53.4	398.5	
-40.2	36.7	q7	I	-54.8	23.3	-0.1	14.8	
-40.1	13.4		J	-54.8	23.3	-0.1	14.8	
-319.9	1380.4	T	I	-299.1	118.3	1.1	124.1	
-320.9	1262.1		J	-299.1	118.3	1.1	124.1	
-31.8	-390.7	SLVx-E~1	I	-10.7	-25.1	0.9	33.6	
-32.7	-401.5		J	-10.7	-25.1	0.9	34.3	
-74.1	-911.6	SLVy-E~1	I	-24.9	-58.7	2.2	78.5	
-76.3	-936.9		J	-24.9	-58.7	2.2	79.9	
737	1	64 Q1-1_2 Max	I	126.6	49.7	1789.7	2532.0	
5149.6	1080.9		J	126.6	49.7	1845.3	2545.7	
4474.5	1075.3	Min	I	-144.9	-66.6	-277.8	-5170.0	-
9688.1	-1459.7		J	-145.6	-66.6	-273.7	-5227.1	-1
0418.9	-1444.9							
5364.2	922.5	Q1-3_4 Max	I	121.8	52.5	1823.2	2472.7	
4651.9	908.4		J	121.8	52.5	1880.6	2515.1	
9439.8	-1550.9	Min	I	-150.5	-63.7	-274.0	-4276.8	-
0175.5	-1562.1		J	-151.2	-63.7	-268.3	-4249.8	-1
3177.3	589.3	Q2a-1_2 Max	I	64.4	26.8	1024.2	1323.4	
2744.5	586.0		J	64.4	26.8	1052.8	1328.9	
5272.1	-769.8	Min	I	-79.1	-35.4	-154.1	-2914.0	-
5609.3	-763.8		J	-79.4	-35.4	-152.4	-2936.8	-
		Q2a-3_4 Max	I	61.3	26.8	1036.4	1272.7	

MIDAS

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
3297.7	486.3		J	61.3	26.8	1065.7	1299.4	
2845.6	477.4	Min	I	-81.4	-34.0	-149.9	-2325.7	-
5071.1	-828.3		J	-81.7	-34.0	-147.2	-2291.6	-
5407.0	-834.3							
1853.7	440.4	Q1-1 Max	I	45.5	17.0	636.2	863.8	
1619.8	440.9		J	45.5	17.0	654.1	863.8	
3552.6	-465.4	Min	I	-47.0	-23.8	-101.5	-2386.3	-
3782.0	-457.4		J	-47.2	-23.8	-100.5	-2414.1	-
2122.3	224.5	Q1-3 Max	I	31.1	18.0	653.9	748.2	
1825.2	221.9		J	31.1	18.0	673.0	791.5	
2790.2	-556.5	Min	I	-53.8	-20.0	-87.1	-656.0	-
2988.9	-565.8		J	-54.0	-20.0	-84.3	-568.1	-
3315.4	-9820.5	SLVx (RS)	I	-754.1	-907.8	176.2	-966.4	
3263.3	-10013.2		J	-754.1	-907.8	176.2	-966.4	
2891.9	18291.2	SLVy (RS)	I	-743.2	955.1	237.4	2245.9	-
3066.9	18524.3		J	-743.2	955.1	237.4	2245.9	-
2064.6	1257.2	SLVz (RS)	I	-208.7	124.3	-466.3	452.4	
2476.2	1238.7		J	-208.7	124.3	-466.3	452.4	
8240.9	-894.7	G1	I	-17.4	-14.4	1877.1	-1176.6	-
0170.2	-880.3		J	-19.2	-14.4	1981.1	-1176.6	-1
2992.8	-325.5	G2	I	-6.3	-5.2	681.3	-427.8	-
3693.0	-320.4		J	-6.9	-5.2	719.1	-427.8	-
1.3	39.2	pp imp~1	I	0.4	3.8	-0.0	6.0	
1.3	35.4		J	0.4	3.8	-0.0	6.0	
0.4	12.6	perm i~1	I	0.1	1.2	-0.0	1.9	
0.4	11.4		J	0.1	1.2	-0.0	1.9	
-2.4	94.8	pp2	I	-1.3	-1.7	0.0	-2.5	
-2.4	96.6		J	-1.3	-1.7	0.0	-2.5	

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-1.4	25.3	perm2	I	-0.3	-0.5	0.0	-0.5	
			J	-0.3	-0.5	0.0	-0.5	
-1.4	25.8							
		q3	I	-90.3	110.8	25.9	-89.3	
-508.5	-1826.7		J	-95.6	110.8	25.9	-102.1	
-528.2	-1937.6							
		q4-1	I	42.2	0.8	3.6	8.8	
-61.3	-434.9		J	42.2	0.8	3.6	8.8	
-64.9	-435.7							
		q4-2	I	3.0	-33.4	3.8	86.2	
-114.6	748.5		J	3.0	-33.4	3.8	86.2	
-118.4	781.9							
		q4-3	I	31.3	26.0	-4.1	-39.0	
-14.4	-484.6		J	31.3	26.0	-4.1	-39.0	
-10.3	-510.6							
		q4-4	I	28.4	-47.1	-5.7	-30.6	
67.3	-4.0		J	28.4	-47.1	-5.7	-30.6	
73.0	43.1							
		q5x_pc	I	-409.0	553.9	38.9	414.4	-
1392.4	-387.5		J	-410.2	573.1	38.9	404.8	-
1430.7	-951.1							
		q5y_pc	I	-499.6	86.4	64.7	473.2	
-580.2	-437.9		J	-518.8	85.2	64.4	473.8	
-635.2	-523.6							
		q5x_ps	I	-466.4	612.0	36.6	509.3	-
1373.0	-1126.0		J	-467.5	630.1	36.5	506.5	-
1409.4	-1747.1							
		q5y_ps	I	-501.1	79.6	53.5	411.2	
-605.5	-276.6		J	-519.3	78.4	53.2	411.4	
-656.1	-355.6							
		q7	I	-54.3	24.5	-0.0	15.6	
-39.8	13.4		J	-54.3	24.5	-0.0	15.6	
-39.8	-11.0							
		T	I	-296.6	124.5	1.2	131.0	
-317.8	1262.2		J	-296.6	124.5	1.2	131.0	
-319.0	1137.7							
		SLVx-E~1	I	-11.2	-24.9	0.9	34.9	
-32.1	-401.5		J	-11.2	-24.9	0.9	35.5	
-33.0	-412.6							
		SLVy-E~1	I	-26.1	-58.1	2.2	81.4	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-74.9	-936.9			J	-26.1	-58.1	2.2	82.8	
-77.1	-962.8								
738	1	64	Q1-1_2 Max	I	125.7	51.2	1845.3	2710.0	
4450.8	1076.3			J	125.7	51.2	1901.0	2724.7	
3823.1	1071.2		Min	I	-144.6	-68.4	-273.7	-5201.2	-1
0420.1	-1442.6			J	-145.3	-68.4	-270.3	-5259.2	-1
1246.5	-1427.4								
			Q1-3_4 Max	I	121.2	54.2	1880.6	2645.7	
4647.5	909.4			J	121.2	54.2	1938.1	2703.6	
3985.0	897.0		Min	I	-150.3	-65.4	-268.3	-4249.7	-1
0174.2	-1559.9			J	-151.0	-65.4	-264.7	-4222.3	-1
1010.8	-1569.8								
			Q2a-1_2 Max	I	64.0	27.7	1052.8	1424.8	
2725.9	586.5			J	64.0	27.7	1081.2	1430.6	
2308.6	583.3		Min	I	-78.9	-36.3	-152.4	-2923.5	-
5603.1	-762.4			J	-79.2	-36.3	-151.0	-2946.8	-
5978.5	-741.2								
			Q2a-3_4 Max	I	61.1	27.9	1065.7	1369.8	
2840.4	477.9			J	61.1	27.9	1094.8	1407.6	
2404.3	470.4		Min	I	-81.1	-34.8	-147.2	-2297.4	-
5400.3	-833.0			J	-81.4	-34.8	-145.8	-2262.5	-
5776.6	-838.2								
			Q1-1 Max	I	45.1	17.4	654.1	927.3	
1595.3	441.2			J	45.1	17.4	671.8	927.3	
1370.5	441.8		Min	I	-46.9	-24.5	-100.5	-2407.4	-
3781.6	-456.5			J	-47.1	-24.5	-99.7	-2435.2	-
4034.6	-447.9								
			Q1-3 Max	I	31.0	18.7	673.1	808.8	
1830.5	222.1			J	31.0	18.7	692.2	869.4	
1546.0	222.0		Min	I	-53.6	-20.2	-84.3	-591.6	-
2979.6	-565.0			J	-53.8	-20.2	-83.2	-503.2	-
3208.9	-573.9								
			SLVx (RS)	I	-728.9	-931.1	177.7	-1021.2	
3246.5	-10013.2			J	-728.9	-931.1	177.7	-1021.2	
3203.0	-10265.5								
			SLVy (RS)	I	-736.0	969.2	241.5	2307.1	-
3021.1	18524.3			J	-736.0	969.2	241.5	2307.1	-

MIDAS

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

3203.9	-18779.1							
		SLVz (RS)	I	-210.1	122.8	-476.9	405.0	
2484.7	1238.2		J	-210.1	122.8	-476.9	405.0	
2910.8	1222.2							
		G1	I	-19.2	-14.7	1981.1	-963.5	-1
0192.9	-876.6		J	-20.9	-14.7	2085.1	-963.5	-1
2226.2	-861.9							
		G2	I	-7.0	-5.3	719.1	-350.4	-
3701.3	-319.0		J	-7.6	-5.3	756.8	-350.4	-
4439.3	-313.7							
		pp imp~1	I	0.4	3.8	-0.0	6.0	
1.4	35.4		J	0.4	3.8	-0.0	6.0	
1.4	31.6							
		perm i~1	I	0.1	1.2	-0.0	1.9	
0.5	11.4		J	0.1	1.2	-0.0	1.9	
0.5	10.2							
		pp2	I	-1.3	-1.7	0.0	-2.4	
-2.4	96.6		J	-1.3	-1.7	0.0	-2.4	
-2.4	98.3							
		perm2	I	-0.3	-0.5	0.0	-0.4	
-1.4	25.8		J	-0.3	-0.5	0.0	-0.4	
-1.4	26.2							
		q3	I	-93.3	112.8	26.0	-91.3	
-531.0	-1937.4		J	-98.6	112.8	26.0	-104.1	
-550.8	-2050.2							
		q4-1	I	42.2	-0.1	3.6	10.1	
-64.9	-435.7		J	42.2	-0.1	3.6	10.1	
-68.5	-435.6							
		q4-2	I	2.3	-33.5	3.8	88.7	
-116.3	781.9		J	2.3	-33.5	3.8	88.7	
-120.1	815.4							
		q4-3	I	31.8	25.3	-4.1	-38.9	
-11.3	-510.6		J	31.8	25.3	-4.1	-38.9	
-7.2	-536.0							
		q4-4	I	27.4	-47.7	-5.7	-32.1	
72.3	43.1		J	27.4	-47.7	-5.7	-32.1	
78.0	90.8							
		q5x_pc	I	-398.1	581.6	39.1	434.6	-
1422.3	-950.7		J	-399.0	600.8	39.1	424.9	-
1461.0	-1541.9							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


-625.3	-523.5	q5y_pc	I	-516.9	96.0	64.5	486.9	
			J	-536.1	95.2	64.2	487.3	
-680.1	-619.1							
1399.1	-1746.7	q5x_ps	I	-454.2	639.8	36.8	535.7	-
1435.8	-2395.6		J	-455.0	658.0	36.8	533.0	-
-647.5	-355.4	q5y_ps	I	-517.5	89.2	53.3	425.0	
-698.0	-444.2		J	-535.7	88.5	53.0	425.1	
-39.4	-11.0	q7	I	-53.7	25.6	-0.0	16.4	
-39.4	-36.6		J	-53.7	25.6	-0.0	16.4	
-315.8	1137.8	T	I	-293.9	130.7	1.3	137.8	
-317.1	1007.1		J	-293.9	130.7	1.3	137.8	
-32.4	-412.6	SLVx-E~1	I	-11.7	-24.7	0.9	36.1	
-33.4	-423.9		J	-11.7	-24.7	0.9	36.7	
-75.7	-962.8	SLVy-E~1	I	-27.3	-57.6	2.2	84.2	
-77.8	-989.2		J	-27.3	-57.6	2.2	85.6	
739	1	64 Q1-1_2 Max	I	124.8	52.7	1901.0	2892.6	
3804.2	1072.7		J	124.8	52.7	1956.7	2908.4	
3224.7	1068.8							
1248.0	-1425.1	Min	I	-144.4	-70.1	-270.3	-5204.9	-1
2169.1	-1410.3		J	-145.1	-70.1	-267.6	-5264.1	-1
3985.0	898.2	Q1-3_4 Max	I	120.6	56.0	1938.1	2823.4	
3373.9	892.4		J	120.6	56.0	1995.7	2902.0	
1009.6	-1567.6	Min	I	-150.0	-67.1	-264.7	-4193.2	-1
1946.3	-1576.3		J	-150.7	-67.1	-261.8	-4165.6	-1
2292.7	584.1	Q2a-1_2 Max	I	63.5	28.6	1081.2	1528.7	
1891.7	581.3		J	63.5	28.6	1109.3	1535.0	
5971.7	-739.8	Min	I	-78.7	-37.2	-151.1	-2917.9	-
6385.1	-738.5		J	-79.0	-37.2	-150.0	-2941.5	-
2401.6	471.1	Q2a-3_4 Max	I	60.8	28.9	1094.8	1469.5	
			J	60.8	28.9	1123.8	1522.4	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
1982.7	468.8								
		Min	I	-80.9	-35.7	-145.8	-2252.5	-	
5769.4	-837.0		J	-81.2	-35.7	-144.6	-2216.9	-	
6185.7	-841.5								
		Q1-1 Max	I	44.7	17.9	671.8	991.9		
1348.5	442.2		J	44.7	17.9	689.4	991.9		
1132.9	442.9								
		Min	I	-46.8	-25.3	-99.7	-2418.2	-	
4034.4	-447.1		J	-47.0	-25.3	-99.0	-2445.9	-	
4310.9	-438.0								
		Q1-3 Max	I	31.0	19.3	692.2	872.7		
1552.7	222.0		J	31.0	19.3	711.3	956.5		
1281.6	230.0								
		Min	I	-53.4	-20.5	-83.2	-518.2	-	
3198.3	-573.1		J	-53.7	-20.5	-82.3	-429.4	-	
3458.1	-581.7								
		SLVx (RS)	I	-703.2	-954.0	179.1	-1076.9		
3184.7	-10265.5		J	-703.2	-954.0	179.1	-1076.9		
3150.4	-10578.7								
		SLVy (RS)	I	-728.2	983.9	245.0	2370.7	-	
3157.1	-18779.1		J	-728.2	983.9	245.0	2370.7	-	
3347.5	-19057.1								
		SLVz (RS)	I	-211.5	120.6	-488.0	349.0		
2918.3	1221.6		J	-211.5	120.6	-488.0	349.0		
3356.7	1207.6								
		G1	I	-20.9	-14.9	2085.1	-707.4	-1	
2244.0	-857.6		J	-22.6	-14.9	2189.1	-707.4	-1	
4381.2	-842.6								
		G2	I	-7.6	-5.4	756.8	-257.4	-	
4445.8	-312.2		J	-8.2	-5.4	794.6	-257.4	-	
5221.5	-306.8								
		pp imp~1	I	0.5	3.8	-0.0	6.0		
1.6	31.6		J	0.5	3.8	-0.0	6.0		
1.6	27.7								
		perm i~1	I	0.2	1.2	-0.0	1.9		
0.5	10.2		J	0.2	1.2	-0.0	1.9		
0.5	8.9								
		pp2	I	-1.4	-1.7	0.0	-2.3		
-2.4	98.3		J	-1.4	-1.7	0.0	-2.3		
-2.5	100.0								
		perm2	I	-0.4	-0.5	0.0	-0.4		
-1.4	26.2								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-1.5	26.7		J	-0.4	-0.5	0.0	-0.4	
-553.6	-2050.0	q3	I	-96.2	114.8	26.0	-92.8	
-573.4	-2164.8		J	-101.5	114.8	26.0	-105.6	
-68.4	-435.6	q4-1	I	42.2	-1.0	3.6	11.4	
-72.0	-434.6		J	42.2	-1.0	3.6	11.4	
-117.9	815.4	q4-2	I	1.6	-33.5	3.8	91.3	
-121.7	848.9		J	1.6	-33.5	3.8	91.3	
-8.2	-536.0	q4-3	I	32.4	24.7	-4.1	-38.8	
-4.1	-560.6		J	32.4	24.7	-4.1	-38.8	
77.3	90.7	q4-4	I	26.4	-48.2	-5.7	-33.7	
83.0	139.0		J	26.4	-48.2	-5.7	-33.7	
1452.3	-1541.5	q5x_pc	I	-386.3	609.0	39.4	455.2	-
1491.5	-2160.2		J	-386.7	628.3	39.4	445.6	-
-669.9	-618.9	q5y_pc	I	-534.0	106.4	64.3	501.4	
-724.5	-725.1		J	-553.2	105.9	64.0	501.6	
1425.1	-2395.2	q5x_ps	I	-441.1	667.3	37.1	562.5	-
1462.2	-3071.7		J	-441.5	685.5	37.1	559.8	-
-689.1	-444.1	q5y_ps	I	-533.7	99.6	53.1	439.5	
-739.3	-543.5		J	-551.9	99.2	52.8	439.6	
-39.1	-36.6	q7	I	-53.2	26.7	-0.0	17.2	
-39.1	-63.3		J	-53.2	26.7	-0.0	17.2	
-313.8	1007.2	T	I	-291.1	136.8	1.4	144.6	
-315.1	870.4		J	-291.1	136.8	1.4	144.6	
-32.7	-423.9	SLVx-E~1	I	-12.2	-24.4	0.9	37.3	
-33.6	-435.5		J	-12.2	-24.4	0.9	37.9	
-76.4	-989.2	SLVy-E~1	I	-28.5	-57.0	2.1	87.1	
			J	-28.5	-57.0	2.1	88.5	

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

-78.5	-1016.2								
740	1	64	Q1-1_2 Max	I	124.0	54.3	1956.8	3080.1	
3210.5	1070.7			J	124.0	54.3	2012.4	3097.0	
2791.5	1068.0								
2170.0	-1408.0		Min	I	-144.0	-71.9	-267.6	-5178.6	-1
3183.8	-1393.0			J	-144.7	-71.9	-265.5	-5238.9	-1
			Q1-3_4 Max	I	119.9	57.7	1995.7	3021.4	
3377.7	894.1			J	119.9	57.7	2053.3	3110.8	
2818.3	888.0								
1943.9	-1574.1		Min	I	-149.6	-68.8	-261.8	-4106.3	-1
2978.7	-1581.8			J	-150.3	-68.8	-259.6	-4098.4	-1
			Q2a-1_2 Max	I	63.1	29.5	1109.3	1635.3	
1878.7	582.3			J	63.1	29.5	1137.2	1642.1	
1557.0	580.1								
6377.3	-737.1		Min	I	-78.4	-38.1	-150.0	-2895.1	-
6827.8	-736.7			J	-78.7	-38.1	-149.2	-2919.3	-
			Q2a-3_4 Max	I	60.6	29.9	1123.8	1583.4	
1982.4	469.6			J	60.6	29.9	1152.5	1643.8	
1581.7	467.2								
6177.3	-840.2		Min	I	-80.6	-36.5	-144.6	-2190.4	-
6632.9	-844.1			J	-80.9	-36.5	-143.8	-2169.1	-
			Q1-1 Max	I	44.3	18.5	689.4	1057.3	
1113.6	443.6			J	44.3	18.5	706.9	1057.3	
972.6	444.5								
4310.7	-437.2		Min	I	-46.7	-26.0	-99.0	-2417.0	-
4610.0	-427.6			J	-46.8	-26.0	-98.5	-2444.8	-
			Q1-3 Max	I	31.0	20.0	711.3	957.5	
1289.8	230.1			J	31.0	20.0	730.4	1053.3	
1032.3	237.9								
3445.9	-580.9		Min	I	-53.3	-20.7	-82.3	-435.9	-
3735.6	-589.0			J	-53.5	-20.7	-81.6	-369.2	-
			SLVx (RS)	I	-676.9	-976.4	180.4	-1133.3	
3130.8	-10578.7			J	-676.9	-976.4	180.4	-1133.3	
3106.3	-10953.0								
			SLVy (RS)	I	-719.8	999.2	247.8	2436.9	-
3299.9	-19057.1			J	-719.8	999.2	247.8	2436.9	-
3497.4	-19359.8								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3363.0	1206.9	SLVz (RS)	I	-212.7	118.0	-499.8	285.1	
			J	-212.7	118.0	-499.8	285.1	
3812.7	1193.9							
4393.2	-837.6	G1	I	-22.6	-15.2	2189.1	-406.2	-1
			J	-24.3	-15.2	2293.1	-406.2	-1
6634.5	-822.3							
5225.9	-304.9	G2	I	-8.2	-5.5	794.6	-148.1	-
			J	-8.8	-5.5	832.3	-148.1	-
6039.4	-299.5							
1.7	27.7	pp imp~1	I	0.6	3.8	-0.0	5.9	
			J	0.6	3.8	-0.0	5.9	
1.7	23.9							
0.5	8.9	perm i~1	I	0.2	1.2	-0.0	1.9	
			J	0.2	1.2	-0.0	1.9	
0.5	7.7							
-2.5	100.0	pp2	I	-1.4	-1.7	0.0	-2.3	
			J	-1.4	-1.7	0.0	-2.3	
-2.5	101.7							
-1.5	26.7	perm2	I	-0.4	-0.5	0.0	-0.4	
			J	-0.4	-0.5	0.0	-0.4	
-1.5	27.2							
-576.3	-2164.6	q3	I	-99.1	116.9	26.1	-94.0	
			J	-104.4	116.9	26.1	-106.8	
-596.2	-2281.6							
-71.9	-434.5	q4-1	I	42.2	-1.9	3.6	12.9	
			J	42.2	-1.9	3.6	12.9	
-75.5	-432.6							
-119.4	849.0	q4-2	I	0.9	-33.5	3.8	94.0	
			J	0.9	-33.5	3.8	94.0	
-123.2	882.5							
-5.1	-560.6	q4-3	I	32.9	24.0	-4.1	-38.8	
			J	32.9	24.0	-4.1	-38.8	
-1.1	-584.6							
82.4	138.9	q4-4	I	25.4	-48.8	-5.7	-35.4	
			J	25.4	-48.8	-5.7	-35.4	
88.1	187.7							
1482.6	-2159.7	q5x_pc	I	-373.5	636.2	39.7	476.4	-
			J	-373.5	655.5	39.7	466.8	-
1522.3	-2805.6							
		q5y_pc	I	-550.9	117.5	64.1	516.5	

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-714.0	-724.9			J	-570.1	117.4	63.8	516.6	
-768.4	-842.4								
1451.2	-3071.3		q5x_ps	I	-427.1	694.6	37.4	589.8	-
1488.7	-3775.1			J	-427.1	712.8	37.4	587.1	-
-730.2	-543.3		q5y_ps	I	-549.7	110.8	53.0	454.9	
-780.3	-654.1			J	-567.9	110.7	52.7	454.9	
-38.7	-63.3		q7	I	-52.6	27.8	0.0	18.0	
-38.7	-91.1			J	-52.6	27.8	0.0	18.0	
-311.7	870.4		T	I	-288.2	142.9	1.5	151.3	
-313.2	727.6			J	-288.2	142.9	1.5	151.3	
-33.0	-435.5		SLVx-E~1	I	-12.7	-24.2	0.9	38.6	
-33.9	-447.3			J	-12.7	-24.2	0.9	39.1	
-77.0	-1016.2		SLVy-E~1	I	-29.7	-56.4	2.1	90.0	
-79.1	-1043.8			J	-29.7	-56.4	2.1	91.3	
741	1	64	Q1-1_2 Max	I	123.1	56.0	2012.5	3272.7	
2800.4	1070.4			J	123.1	56.0	2068.0	3291.3	
2880.1	1067.9		Min	I	-143.6	-73.7	-265.6	-5122.4	-1
3182.7	-1390.7			J	-144.3	-73.7	-264.2	-5184.4	-1
4286.7	-1363.4		Q1-3_4 Max	I	119.2	59.4	2053.3	3237.5	
2833.4	890.1			J	119.2	59.4	2111.0	3324.6	
2837.0	883.5		Min	I	-149.2	-70.6	-259.7	-3988.8	-1
2973.9	-1579.5			J	-149.9	-70.6	-258.1	-4021.9	-1
4104.1	-1586.2		Q2a-1_2 Max	I	62.7	30.4	1137.2	1744.8	
1561.7	581.4			J	62.7	30.4	1164.8	1752.2	
1609.4	579.3		Min	I	-78.1	-39.0	-149.2	-2855.7	-
6818.6	-735.4			J	-78.3	-39.0	-148.6	-2880.5	-
7305.1	-734.5		Q2a-3_4 Max	I	60.3	31.0	1152.5	1709.7	
1589.6	468.2			J	60.3	31.0	1181.0	1774.1	
1562.7	465.5		Min	I	-80.3	-37.4	-143.8	-2111.2	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
6623.0	-842.7			J	-80.5	-37.4	-143.2	-2120.0	-
7116.7	-845.9								
		Q1-1 Max	I		44.0	19.0	706.9	1123.6	
977.0	445.4			J	44.0	19.0	724.1	1123.6	
1051.8	446.8	Min	I		-46.5	-26.7	-98.6	-2404.2	-
4609.4	-426.8			J	-46.7	-26.7	-98.2	-2431.9	-
4931.0	-416.7								
		Q1-3 Max	I		30.9	20.7	730.4	1060.8	
1041.9	238.0			J	30.9	20.7	749.4	1160.2	
911.1	245.5	Min	I		-53.0	-20.9	-81.6	-345.3	-
3721.5	-588.2			J	-53.2	-20.9	-81.1	-324.4	-
4040.2	-596.0								
		SLVx (RS)	I		-650.3	-998.2	181.5	-1190.0	
3085.4	-10953.0			J	-650.3	-998.2	181.5	-1190.0	
3071.4	11387.5								
		SLVy (RS)	I		-710.8	1015.0	250.0	2505.5	-
3449.0	-19359.7			J	-710.8	1015.0	250.0	2505.5	-
3653.1	-19688.3								
		SLVz (RS)	I		-213.8	115.2	-512.3	215.3	
3817.6	1193.2			J	-213.8	115.2	-512.3	215.3	
4278.5	1180.3								
		G1	I		-24.2	-15.5	2293.1	-58.0	-1
6639.6	-816.6			J	-25.9	-15.5	2397.1	-58.0	-1
8984.9	-801.1								
		G2	I		-8.8	-5.6	832.3	-21.6	-
6041.3	-297.4			J	-9.4	-5.6	870.0	-21.6	-
6892.5	-291.8								
		pp imp~1	I		0.7	3.8	-0.0	5.9	
1.8	23.9			J	0.7	3.8	-0.0	5.9	
1.8	20.2								
		perm i~1	I		0.2	1.2	-0.0	1.9	
0.6	7.7			J	0.2	1.2	-0.0	1.9	
0.6	6.5								
		pp2	I		-1.4	-1.6	0.0	-2.2	
-2.5	101.7			J	-1.4	-1.6	0.0	-2.2	
-2.5	103.3								
		perm2	I		-0.4	-0.4	0.0	-0.3	
-1.5	27.2			J	-0.4	-0.4	0.0	-0.3	
-1.5	27.6								


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


-599.1	-2281.3	q3	I	-102.0	119.1	26.1	-94.6	
			J	-107.3	119.1	26.1	-107.4	
-619.1	-2400.4							
		q4-1	I	42.1	-2.8	3.6	14.4	
-75.4	-432.6		J	42.1	-2.8	3.6	14.4	
-78.9	-429.9							
		q4-2	I	0.2	-33.5	3.8	96.7	
-120.9	882.5		J	0.2	-33.5	3.8	96.7	
-124.7	916.1							
		q4-3	I	33.4	23.3	-4.1	-38.9	
-2.1	-584.6		J	33.4	23.3	-4.1	-38.9	
2.0	-607.9							
		q4-4	I	24.4	-49.3	-5.7	-37.2	
87.4	187.7		J	24.4	-49.3	-5.7	-37.2	
93.1	237.0							
		q5x_pc	I	-359.7	663.1	40.0	498.1	-
1513.1	-2805.2		J	-359.3	682.4	40.0	488.4	-
1553.3	-3478.0							
		q5y_pc	I	-567.5	129.3	64.0	532.4	
-757.7	-842.2		J	-586.8	129.7	63.6	532.2	
-811.9	-971.7							
		q5x_ps	I	-412.1	721.6	37.7	617.5	-
1477.3	-3774.7		J	-411.7	739.8	37.7	614.8	-
1515.1	-4505.4							
		q5y_ps	I	-565.4	122.6	52.8	471.0	
-770.8	-653.9		J	-583.6	122.9	52.5	471.0	
-820.7	-776.7							
		q7	I	-52.0	28.9	0.0	18.8	
-38.4	-91.1		J	-52.0	28.9	0.0	18.8	
-38.4	-120.0							
		T	I	-285.1	148.9	1.6	157.9	
-309.7	727.6		J	-285.1	148.9	1.6	157.9	
-311.2	578.7							
		SLVx-E~1	I	-13.2	-23.9	0.9	39.8	
-33.2	-447.3		J	-13.2	-23.9	0.9	40.4	
-34.1	-459.4							
		SLVy-E~1	I	-30.9	-55.7	2.1	92.8	
-77.5	-1043.8		J	-30.9	-55.7	2.1	94.2	
-79.6	-1072.0							

MIDAS

PROJECT TITLE :


	Company				Client				
	Author				File Name		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
742	1	64	Q1-1_2 Max	I	122.2	57.7	2068.0	3471.3	
2894.8	1070.8			J	122.2	57.7	2123.5	3492.3	
3097.4	1068.4		Min	I	-143.1	-75.6	-264.2	-5036.5	-1
4282.5	-1361.0			J	-143.8	-75.6	-263.4	-5100.9	-1
5473.5	-1359.3								
			Q1-3_4 Max	I	118.4	61.2	2111.0	3464.8	
2852.2	885.9			J	118.4	61.2	2168.5	3595.2	
3042.8	882.3		Min	I	-148.7	-72.3	-258.2	-3868.0	-1
4095.7	-1583.8			J	-149.4	-72.3	-257.3	-3915.6	-1
5317.9	-1590.4								
			Q2a-1_2 Max	I	62.3	31.4	1164.8	1857.4	
1617.9	580.8			J	62.3	31.4	1192.1	1865.8	
1741.9	578.8		Min	I	-77.7	-40.0	-148.6	-2799.7	-
7294.0	-733.1			J	-78.0	-40.0	-148.3	-2825.5	-
7815.3	-731.5								
			Q2a-3_4 Max	I	59.9	32.0	1181.1	1842.9	
1571.4	466.7			J	59.9	32.0	1209.3	1930.1	
1687.6	465.4		Min	I	-79.9	-38.3	-143.2	-2035.4	-
7104.7	-844.6			J	-80.2	-38.3	-142.8	-2054.4	-
7635.2	-847.5								
			Q1-1 Max	I	43.7	19.5	724.1	1190.7	
1056.6	447.8			J	43.7	19.5	741.1	1190.7	
1142.0	449.5		Min	I	-46.3	-27.5	-98.2	-2379.6	-
4929.7	-415.9			J	-46.5	-27.5	-98.0	-2407.4	-
5272.7	-405.3								
			Q1-3 Max	I	30.9	21.3	749.4	1174.9	
917.7	245.7			J	30.9	21.3	768.3	1277.9	
973.5	253.7		Min	I	-52.8	-21.1	-81.1	-278.3	-
4023.8	-595.2			J	-53.0	-21.1	-80.8	-273.8	-
4370.7	-602.7								
			SLVx (RS)	I	-623.5	-1019.3	182.5	-1246.8	
3049.2	11387.4			J	-623.5	-1019.3	182.5	-1246.8	
3046.2	11880.3								
			SLVy (RS)	I	-701.1	1031.3	251.5	2576.6	-
3603.8	-19688.3			J	-701.1	1031.3	251.5	2576.6	-
3813.9	-20044.3								
			SLVz (RS)	I	-214.7	112.6	-525.2	147.0	
4281.7	1179.5								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
4754.0	1165.9		J	-214.7	112.6	-525.2	147.0	
8982.2	-794.7	G1	I	-25.8	-15.8	2397.1	339.5	-1
1431.5	-779.0		J	-27.5	-15.8	2501.1	339.5	-2
6891.5	-289.5	G2	I	-9.4	-5.7	870.0	122.6	-
7780.5	-283.8		J	-10.0	-5.7	907.8	122.6	-
		pp imp~1	I	0.7	3.8	-0.0	5.9	
2.0	20.2		J	0.7	3.8	-0.0	5.9	
2.0	16.4							
		perm i~1	I	0.2	1.2	-0.0	1.9	
0.6	6.5		J	0.2	1.2	-0.0	1.9	
0.6	5.3							
		pp2	I	-1.5	-1.6	0.0	-2.1	
-2.5	103.3		J	-1.5	-1.6	0.0	-2.1	
-2.5	104.9							
		perm2	I	-0.4	-0.4	0.0	-0.3	
-1.5	27.6		J	-0.4	-0.4	0.0	-0.3	
-1.5	28.0							
		q3	I	-104.8	121.3	26.2	-94.9	
-622.0	-2400.2		J	-110.1	121.3	26.2	-107.7	
-642.1	-2521.5							
		q4-1	I	42.1	-3.7	3.6	15.9	
-78.8	-429.8		J	42.1	-3.7	3.6	15.9	
-82.3	-426.2							
		q4-2	I	-0.5	-33.5	3.7	99.5	
-122.3	916.1		J	-0.5	-33.5	3.7	99.5	
-126.1	949.6							
		q4-3	I	33.8	22.6	-4.1	-39.0	
1.0	-607.9		J	33.8	22.6	-4.1	-39.0	
5.0	-630.5							
		q4-4	I	23.3	-49.8	-5.8	-39.1	
92.4	237.0		J	23.3	-49.8	-5.8	-39.1	
98.2	286.7							
		q5x_pc	I	-344.9	689.7	40.3	520.3	-
1543.9	-3477.5		J	-344.1	709.0	40.3	510.6	-
1584.6	-4176.9							
		q5y_pc	I	-583.9	142.0	63.8	548.9	
-800.9	-971.6		J	-603.2	142.7	63.5	548.5	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-854.9	-1113.9							
1503.5	-4505.0	q5x_ps	I	-396.1	748.2	38.1	645.6	-
1541.7	-5262.4		J	-395.4	766.4	38.1	642.9	-
-810.9	-776.5	q5y_ps	I	-580.9	135.1	52.7	487.9	
-860.7	-912.0		J	-599.1	135.9	52.4	487.8	
-38.0	-120.0	q7	I	-51.4	30.0	0.0	19.6	
-38.1	-150.0		J	-51.4	30.0	0.0	19.6	
-307.7	578.8	T	I	-281.9	154.8	1.7	164.5	
-309.3	424.0		J	-281.9	154.8	1.7	164.5	
-33.4	-459.4	SLVx-E~1	I	-13.7	-23.6	0.9	41.0	
-34.3	-471.8		J	-13.7	-23.6	0.9	41.6	
-78.0	-1072.0	SLVy-E~1	I	-32.0	-55.1	2.1	95.6	
-80.1	-1100.9		J	-32.0	-55.1	2.1	97.0	
743	1	64 Q1-1_2 Max	I	121.1	59.9	2123.5	3719.9	
3115.4	1072.5		J	121.1	59.9	2179.1	3742.6	
3361.5	1069.9	Min	I	-142.2	-77.9	-263.4	-4879.6	-1
5462.2	-1356.3		J	-142.9	-77.9	-263.2	-4945.9	-1
7131.9	-1353.0	Q1-3_4 Max	I	117.4	63.3	2168.6	3747.7	
3061.1	885.5		J	117.4	63.3	2226.4	3916.9	
3298.2	896.5	Min	I	-147.8	-74.5	-257.3	-3687.8	-1
5300.8	-1587.3		J	-148.5	-74.5	-257.0	-3737.4	-1
6983.6	-1596.0	Q2a-1_2 Max	I	61.8	32.6	1192.1	1998.5	
1752.2	581.0		J	61.8	32.6	1219.2	2007.6	
1893.8	579.0	Min	I	-77.2	-41.1	-148.3	-2704.1	-
7798.2	-729.8		J	-77.4	-41.1	-148.2	-2730.6	-
8646.7	-727.2	Q2a-3_4 Max	I	59.5	33.3	1209.3	2005.7	
1697.9	467.0		J	59.5	33.3	1237.4	2112.6	
1832.9	472.8	Min	I	-79.3	-39.4	-142.8	-1929.5	-
7616.8	-845.8		J	-79.6	-39.4	-142.7	-1949.3	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
8459.1	-849.2							
		Q1-1 Max	I	43.2	20.2	741.1	1274.2	
1148.1	451.0		J	43.2	20.2	758.1	1273.8	
1244.0	453.1	Min	I	-46.1	-28.4	-98.1	-2327.6	-
5269.5	-404.3		J	-46.2	-28.4	-98.0	-2355.1	-
5818.7	-392.9							
		Q1-3 Max	I	30.8	22.1	768.3	1305.8	
980.7	253.8		J	30.8	22.1	787.1	1412.9	
1051.7	265.7	Min	I	-52.4	-21.4	-80.8	-208.4	-
4347.1	-601.6		J	-52.6	-21.4	-80.7	-206.2	-
4873.4	-608.8							
		SLVx (RS)	I	-593.0	-1041.9	183.3	-1316.6	
3017.2	11880.2		J	-593.0	-1041.9	183.3	-1316.6	-
3025.8	12432.6							
		SLVy (RS)	I	-687.6	1050.2	252.7	2667.0	-
3752.0	-20044.1		J	-687.6	1050.2	252.7	2667.0	-
3969.1	-20430.8							
		SLVz (RS)	I	-215.5	110.2	-538.5	-113.3	
4755.2	1164.8		J	-215.5	110.2	-538.5	-113.3	
5242.3	1148.9							
		G1	I	-27.3	-16.1	2501.1	890.7	-2
1416.0	-770.3		J	-29.0	-16.1	2605.7	890.7	-2
3985.4	-754.1							
		G2	I	-9.9	-5.8	907.8	322.8	-
7774.9	-280.7		J	-10.5	-5.8	945.7	322.8	-
8707.5	-274.8							
		pp imp~1	I	0.8	3.7	0.0	5.8	
2.1	16.4		J	0.8	3.7	0.0	5.8	
2.1	12.6							
		perm i~1	I	0.3	1.2	0.0	1.9	
0.7	5.3		J	0.3	1.2	0.0	1.9	
0.7	4.1							
		pp2	I	-1.5	-1.6	0.0	-2.0	
-2.6	104.9		J	-1.5	-1.6	0.0	-2.0	
-2.6	106.5							
		perm2	I	-0.4	-0.4	0.0	-0.2	
-1.5	28.0		J	-0.4	-0.4	0.0	-0.2	
-1.6	28.5							
		q3	I	-106.9	124.1	26.3	-91.7	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-645.7	-2521.2		J	-112.3	124.1	26.3	-104.5	
-666.0	-2646.1							
		q4-1	I	42.0	-4.7	3.6	18.0	
-82.1	-426.1		J	42.0	-4.7	3.6	18.0	
-85.7	-421.4							
		q4-2	I	-1.3	-33.5	3.7	102.9	
-123.1	949.7		J	-1.3	-33.5	3.7	102.9	
-126.8	983.4							
		q4-3	I	34.4	21.7	-4.1	-39.3	
3.8	-630.5		J	34.4	21.7	-4.1	-39.3	
7.9	-652.4							
		q4-4	I	22.1	-50.4	-5.8	-41.6	
97.3	286.7		J	22.1	-50.4	-5.8	-41.6	
103.1	337.4							
		q5x_pc	I	-325.8	717.6	40.6	550.3	-
1572.6	-4176.4		J	-324.5	736.9	40.7	540.7	-
1614.2	-4908.2							
		q5y_pc	I	-599.3	158.2	63.7	570.1	
-841.0	-1113.7		J	-599.3	158.2	63.7	570.1	
-905.1	-1272.9							
		q5x_ps	I	-375.5	776.3	38.5	681.2	-
1526.8	-5262.0		J	-374.3	794.6	38.5	678.4	-
1565.7	-6052.4							
		q5y_ps	I	-595.4	151.2	52.6	509.6	
-848.3	-911.8		J	-613.7	152.4	52.3	509.4	
-898.3	-1064.6							
		q7	I	-50.6	31.3	0.1	20.6	
-37.6	-150.0		J	-50.6	31.3	0.1	20.6	
-37.7	-181.5							
		T	I	-277.9	162.0	1.8	172.5	
-304.8	424.1		J	-277.9	162.0	1.8	172.5	
-306.6	261.0							
		SLVx-E~1	I	-14.3	-23.2	0.9	42.3	
-33.4	-471.8		J	-14.3	-23.2	0.9	42.9	
-34.3	-484.7							
		SLVy-E~1	I	-33.4	-54.2	2.1	98.8	
-78.0	-1100.9		J	-33.4	-54.2	2.1	100.1	
-80.1	-1130.9							
746	1	64	Q1-1_2 Max	I	34.2	26.1	76.0	5051.0
3263.1	1162.6							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3208.0	1136.8		J	33.7	26.1	76.2	4985.6	
		Min	I	-6.0	-35.0	-2167.9	-3444.3	-1
7030.0	-1574.1		J	-6.1	-35.0	-2115.1	-3421.8	-1
5791.2	-1539.4							
		Q1-3_4 Max	I	37.9	20.8	74.8	3937.1	
3214.9	926.2		J	37.4	20.8	75.1	3888.1	
3163.3	905.6							
		Min	I	-4.5	-40.8	-2210.9	-3632.7	-1
6888.6	-1826.3		J	-4.6	-40.8	-2155.7	-3469.2	-1
5617.3	-1785.9							
		Q2a-1_2 Max	I	18.4	14.2	42.8	2752.3	
1838.4	631.6		J	18.2	14.2	42.9	2726.1	
1804.1	617.6							
		Min	I	-3.4	-18.9	-1215.1	-1868.6	-
8588.7	-851.1		J	-3.5	-18.9	-1190.0	-1859.6	-
8052.3	-832.4							
		Q2a-3_4 Max	I	20.5	10.9	41.6	2024.0	
1787.4	484.9		J	20.2	10.9	41.7	2004.4	
1755.2	474.1							
		Min	I	-2.4	-21.8	-1231.6	-1993.0	-
8403.7	-975.1		J	-2.5	-21.8	-1205.2	-1890.2	-
7857.4	-953.5							
		Q1-1 Max	I	10.3	11.4	28.0	2337.0	
1200.5	512.2		J	10.2	11.4	28.0	2309.9	
1176.6	500.9							
		Min	I	-2.9	-10.2	-758.3	-1194.3	-
5775.3	-470.1		J	-2.9	-10.2	-742.7	-1194.7	-
5421.1	-460.0							
		Q1-3 Max	I	14.2	4.5	24.2	357.7	
1038.3	203.9		J	14.0	4.5	24.3	359.7	
1023.7	199.4							
		Min	I	-1.4	-15.5	-777.3	-1336.2	-
4853.2	-690.6		J	-1.4	-15.5	-759.3	-1233.2	-
4496.2	-675.2							
		SLVx (RS)	I	791.3	665.0	-196.8	3080.6	
3569.8	-9722.5		J	791.3	665.0	-196.8	3080.6	
3401.4	-9662.5							
		SLVy (RS)	I	978.8	-585.5	-199.5	-2381.4	-
3129.0	13390.0		J	978.8	-585.5	-199.5	-2381.4	-
3002.0	13597.5							
		SLVz (RS)	I	-303.0	126.0	520.4	129.7	
5290.6	1318.1		J	-303.0	126.0	520.4	129.7	
4841.1	1246.0							

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			

4003.7	-1091.5	G1	I	45.4	-23.9	-2788.9	361.2	-2
1292.2	-1067.8		J	44.0	-23.9	-2685.9	361.2	-2
8714.2	-396.9	G2	I	16.5	-8.7	-1012.1	129.0	-
7730.1	-388.3		J	16.0	-8.7	-974.8	129.0	-
0.1	13.5	pp imp~1	I	-0.1	0.3	-0.0	-1.7	
0.2	13.2		J	-0.1	0.3	-0.0	-1.7	
0.0	4.4	perm i~1	I	-0.0	0.1	-0.0	-0.5	
0.1	4.3		J	-0.0	0.1	-0.0	-0.5	
-1.6	145.9	pp2	I	-1.1	3.2	0.0	6.6	
-1.6	142.7		J	-1.1	3.2	0.0	6.6	
-1.3	38.9	perm2	I	-0.3	0.8	0.0	3.3	
-1.3	38.1		J	-0.3	0.8	0.0	3.3	
37.0	-1378.2	q3	I	226.7	30.7	7.3	227.0	
35.8	-1408.6		J	221.5	30.7	7.3	214.3	
21.0	-333.7	q4-1	I	94.1	23.5	-2.6	56.1	
23.5	-356.9		J	94.1	23.5	-2.6	56.1	
-142.1	1018.0	q4-2	I	-7.3	22.3	-5.3	-116.4	
-136.8	995.9		J	-7.3	22.3	-5.3	-116.4	
-54.6	-537.5	q4-3	I	3.9	-11.7	-1.4	-36.6	
-53.3	-525.9		J	3.9	-11.7	-1.4	-36.6	
56.6	166.1	q4-4	I	-1.2	3.6	1.8	44.3	
54.9	162.5		J	-1.2	3.6	1.8	44.3	
1307.9	-2866.3	q5x_pc	I	-182.5	-532.7	-55.6	-793.3	-
1253.8	-2348.0		J	-180.6	-513.7	-55.5	-802.8	-
315.6	301.8	q5y_pc	I	-2.3	6.6	5.9	20.5	
309.8	295.3		J	-2.3	6.6	5.9	20.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1128.0	-3656.0	q5x_ps	I	-165.7	-524.3	-47.2	-902.6	-
			J	-164.0	-506.4	-47.2	-905.3	-
1081.5	-3145.5							
		q5y_ps	I	-2.3	6.5	6.8	31.6	
353.2	298.2		J	-2.3	6.5	6.8	31.6	
346.4	291.7							
		q7	I	-65.4	-31.3	-2.1	-54.6	
-67.4	-130.3		J	-65.4	-31.3	-2.1	-54.6	
-65.3	-99.3							
		T	I	-4.8	14.3	4.2	-2.4	
253.7	653.4		J	-4.8	14.3	4.2	-2.4	
249.6	639.3							
		SLVx-E~1	I	12.8	-38.6	1.2	-31.2	
22.4	-195.9		J	12.8	-38.6	1.2	-30.7	
21.2	-193.3							
		SLVy-E~1	I	29.9	-90.1	2.8	-72.8	
52.3	-457.1		J	29.9	-90.1	2.8	-71.7	
49.5	-451.1							
747	1	64 Q1-1_2 Max	I	33.1	26.2	76.2	5092.2	
3225.5	1139.1		J	32.6	26.2	76.9	5028.2	
3214.8	1113.1							
		Min	I	-5.7	-35.2	-2115.1	-3194.8	-1
5808.3	-1537.4		J	-5.8	-35.2	-2062.2	-3173.8	-1
4654.8	-1502.5							
		Q1-3_4 Max	I	36.7	21.0	75.1	3977.2	
3180.4	907.6		J	36.2	21.0	75.8	3930.0	
3176.3	886.9							
		Min	I	-4.2	-41.0	-2155.7	-3303.6	-1
5638.1	-1783.8		J	-4.3	-41.0	-2100.3	-3174.9	-1
4457.1	-1743.1							
		Q2a-1_2 Max	I	18.0	14.3	42.9	2790.8	
1813.8	618.8		J	17.7	14.3	43.2	2765.2	
1797.3	604.7							
		Min	I	-3.2	-19.0	-1190.0	-1735.3	-
8068.2	-831.2		J	-3.3	-19.0	-1164.5	-1726.9	-
7565.9	-812.4							
		Q2a-3_4 Max	I	19.9	11.0	41.7	2055.7	
1764.7	475.1		J	19.7	11.0	42.0	2036.8	
1751.5	464.2							
		Min	I	-2.3	-21.9	-1205.2	-1812.0	-
7874.0	-952.3		J	-2.3	-21.9	-1178.5	-1723.2	-
7363.8	-930.6							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1183.2	501.7	Q1-1 Max	I	10.1	11.5	28.0	2351.0
			J	10.0	11.5	28.1	2323.5
1169.7	490.3	Min	I	-2.7	-10.2	-742.7	-1114.6
5426.3	-459.4		J	-2.7	-10.2	-726.9	-1114.6
5093.2	-449.3						
		Q1-3 Max	I	13.8	4.5	24.3	369.3
1028.7	199.6		J	13.6	4.5	24.6	373.5
1029.5	195.1	Min	I	-1.3	-15.6	-759.3	-1199.6
4514.4	-674.4		J	-1.3	-15.6	-741.1	-1100.0
4185.0	-658.9						
		SLVx (RS)	I	783.9	643.4	-195.8	3019.8
3455.0	-9662.7		J	783.9	643.4	-195.8	3019.8
3290.2	-9626.1						
		SLVy (RS)	I	964.3	-569.0	-197.6	-2329.4
3040.1	13598.1		J	964.3	-569.0	-197.6	-2329.4
2921.1	13788.3						
		SLVz (RS)	I	-305.0	129.1	507.1	-96.4
4842.1	1245.3		J	-305.0	129.1	507.1	-96.4
4406.4	1171.7						
		G1	I	43.5	-24.1	-2685.9	770.6
1281.6	-1062.3		J	42.1	-24.1	-2582.9	770.6
8672.1	-1038.5						
		G2	I	15.8	-8.8	-974.8	277.6
7726.3	-386.3		J	15.3	-8.8	-937.4	277.6
6779.3	-377.6						
		pp imp~1	I	-0.1	0.3	-0.0	-1.7
0.1	13.2		J	-0.1	0.3	-0.0	-1.7
0.2	12.9						
		perm i~1	I	-0.0	0.1	-0.0	-0.5
0.0	4.3		J	-0.0	0.1	-0.0	-0.5
0.1	4.2						
		pp2	I	-1.0	3.2	0.0	6.7
-1.4	142.7		J	-1.0	3.2	0.0	6.7
-1.4	139.5						
		perm2	I	-0.3	0.9	0.0	3.3
-1.2	38.1		J	-0.3	0.9	0.0	3.3
-1.2	37.2						
		q3	I	222.0	26.4	7.3	213.6
39.6	-1408.6		J	216.7	26.4	7.3	200.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
38.4	-1434.8							
			q4-1	I	94.6	21.7	-2.6	55.6
24.5	-356.9			J	94.6	21.7	-2.6	55.6
27.1	-378.4							
			q4-2	I	-6.9	22.4	-5.3	-113.7
-138.8	996.0			J	-6.9	22.4	-5.3	-113.7
-133.5	973.8							
			q4-3	I	3.7	-11.8	-1.4	-35.6
-54.1	-525.9			J	3.7	-11.8	-1.4	-35.6
-52.7	-514.2							
			q4-4	I	-1.2	3.6	1.8	43.2
55.8	162.5			J	-1.2	3.6	1.8	43.2
54.0	158.9							
			q5x_pc	I	-190.5	-510.1	-55.7	-778.5
1269.6	-2347.7			J	-188.2	-491.2	-55.6	-788.0
1215.6	-1851.8							
			q5y_pc	I	-2.1	6.6	5.9	14.5
310.2	295.2			J	-2.1	6.6	5.9	14.5
304.3	288.7							
			q5x_ps	I	-173.7	-503.1	-47.3	-884.3
1099.5	-3145.2			J	-171.6	-485.2	-47.3	-887.0
1053.0	-2655.7							
			q5y_ps	I	-2.1	6.5	6.8	24.9
347.1	291.6			J	-2.1	6.5	6.8	24.9
340.3	285.2							
			q7	I	-66.0	-30.0	-2.1	-53.3
-66.4	-99.3			J	-66.0	-30.0	-2.1	-53.3
-64.3	-69.6							
			T	I	-4.5	14.4	4.2	-7.2
249.7	639.2			J	-4.5	14.4	4.2	-7.2
245.6	625.0							
			SLVx-E~1	I	12.1	-38.8	1.2	-31.1
20.6	-193.3			J	12.1	-38.8	1.2	-30.6
19.4	-190.5							
			SLVy-E~1	I	28.2	-90.6	2.8	-72.6
48.0	-451.1			J	28.2	-90.6	2.8	-71.5
45.2	-444.5							
748	1	64	Q1-1_2 Max	I	32.1	26.4	76.9	5105.2
3232.4	1115.4			J	31.5	26.4	78.1	5043.6
3271.5	1089.2							


MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
4668.4	-1500.9	Min	I	-5.3	-35.4	-2062.2	-2953.8	-1
			J	-5.4	-35.4	-2009.0	-2935.1	-1
3605.7	-1465.8							
		Q1-3_4 Max	I	35.5	21.1	75.8	4011.5	
3193.3	888.8		J	35.0	21.1	78.9	3982.4	
3305.4	867.9							
		Min	I	-4.0	-41.3	-2100.3	-2997.8	-1
4473.9	-1741.4		J	-4.0	-41.3	-2044.8	-2908.1	-1
3388.8	-1700.5							
		Q2a-1_2 Max	I	17.5	14.3	43.2	2813.1	
1806.9	605.9		J	17.3	14.3	43.6	2788.5	
1810.2	591.7							
		Min	I	-3.0	-19.1	-1164.5	-1606.0	-
7579.8	-811.5		J	-3.1	-19.1	-1138.6	-1598.6	-
7113.8	-792.6							
		Q2a-3_4 Max	I	19.4	11.0	42.0	2087.9	
1760.7	465.3		J	19.1	11.0	43.8	2082.0	
1816.0	454.3							
		Min	I	-2.2	-22.1	-1178.5	-1643.3	-
7378.3	-929.7		J	-2.2	-22.1	-1151.5	-1575.2	-
6906.4	-907.8							
		Q1-1 Max	I	9.8	11.6	28.1	2352.9	
1176.5	491.1		J	9.7	11.6	28.4	2325.4	
1174.8	479.7							
		Min	I	-2.5	-10.3	-726.9	-1035.9	-
5097.7	-448.8		J	-2.6	-10.3	-710.8	-1035.9	-
4786.9	-438.6							
		Q1-3 Max	I	13.4	4.6	24.6	399.9	
1033.8	195.3		J	13.2	4.6	26.9	424.5	
1122.7	190.8							
		Min	I	-1.3	-15.7	-741.1	-1074.4	-
4200.8	-658.3		J	-1.3	-15.7	-722.9	-978.3	-
3900.7	-642.7							
		SLVx (RS)	I	775.8	622.7	-194.5	2960.5	
3343.2	-9626.2		J	775.8	622.7	-194.5	2960.5	
3182.3	-9609.0							
		SLVy (RS)	I	949.3	-553.0	-194.4	-2278.4	-
2958.7	13788.8		J	949.3	-553.0	-194.4	-2278.4	-
2848.0	13960.8							
		SLVz (RS)	I	-306.7	132.0	493.5	-130.2	
4405.7	1171.1		J	-306.7	132.0	493.5	-130.2	
3983.5	1097.3							
		G1	I	41.6	-24.2	-2582.9	1129.4	-1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
8654.1	-1033.7		J	40.2	-24.2	-2479.9	1129.4	-1
6146.7	-1009.7							
		G2	I	15.1	-8.8	-937.4	407.9	-
6772.8	-375.8		J	14.6	-8.8	-900.0	407.9	-
5862.8	-367.1							
		pp imp~1	I	-0.1	0.3	-0.0	-1.7	
0.1	12.9		J	-0.1	0.3	-0.0	-1.7	
0.2	12.6							
		perm i~1	I	-0.0	0.1	-0.0	-0.5	
0.0	4.2		J	-0.0	0.1	-0.0	-0.5	
0.1	4.1							
		pp2	I	-0.9	3.2	0.0	6.7	
-1.3	139.5		J	-0.9	3.2	0.0	6.7	
-1.3	136.4							
		perm2	I	-0.2	0.9	0.0	3.3	
-1.1	37.2		J	-0.2	0.9	0.0	3.3	
-1.2	36.4							
		q3	I	217.2	22.2	7.3	200.1	
41.9	-1434.8		J	211.9	22.2	7.3	187.4	
40.7	-1456.8							
		q4-1	I	95.0	19.8	-2.6	55.1	
28.1	-378.4		J	95.0	19.8	-2.6	55.1	
30.6	-398.0							
		q4-2	I	-6.5	22.5	-5.3	-111.2	
-135.4	973.8		J	-6.5	22.5	-5.3	-111.2	
-130.2	951.5							
		q4-3	I	3.5	-11.9	-1.4	-34.6	
-53.5	-514.2		J	3.5	-11.9	-1.4	-34.6	
-52.2	-502.4							
		q4-4	I	-1.1	3.7	1.8	42.2	
54.9	158.9		J	-1.1	3.7	1.8	42.2	
53.2	155.3							
		q5x_pc	I	-197.6	-487.5	-55.8	-764.5	-
1231.0	-1851.4		J	-195.1	-468.6	-55.7	-773.9	-
1177.1	-1377.9							
		q5y_pc	I	-2.0	6.7	5.9	8.7	
304.6	288.6		J	-2.0	6.7	5.9	8.7	
298.8	282.0							
		q5x_ps	I	-180.9	-481.8	-47.4	-866.6	-
1070.5	-2655.5							

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1024.0	-2187.0			J	-178.4	-464.0	-47.4	-869.3	-
		q5y_ps		I	-2.0	6.6	6.8	18.4	
340.8	285.1			J	-2.0	6.6	6.8	18.4	
334.1	278.6								
		q7		I	-66.6	-28.7	-2.1	-52.1	
-65.3	-69.5			J	-66.6	-28.7	-2.1	-52.1	
-63.2	-41.1								
		T		I	-4.2	14.4	4.2	-11.9	
245.5	625.0			J	-4.2	14.4	4.2	-11.9	
241.4	610.7								
		SLVx-E~1		I	11.3	-39.1	1.2	-31.0	
18.7	-190.5			J	11.3	-39.1	1.2	-30.5	
17.6	-187.5								
		SLVy-E~1		I	26.4	-91.2	2.8	-72.4	
43.7	-444.5			J	26.4	-91.2	2.8	-71.3	
41.0	-437.4								
749	1	64	Q1-1_2 Max	I	31.1	26.5	78.1	5091.3	
3289.8	1091.4			J	30.5	26.5	84.4	5031.4	
3693.5	1065.1		Min	I	-5.0	-35.6	-2009.0	-2721.5	-1
3616.8	-1464.6			J	-5.1	-35.6	-1955.7	-2704.6	-1
2650.7	-1429.3								
			Q1-3_4 Max	I	34.3	21.2	78.9	4019.6	
3315.4	869.8			J	33.7	21.2	89.4	4034.2	
3842.5	848.8		Min	I	-3.8	-41.5	-2044.8	-2741.3	-1
3402.6	-1699.2			J	-3.8	-41.5	-1989.2	-2654.7	-1
2419.6	-1658.1								
			Q2a-1_2 Max	I	17.0	14.4	43.6	2819.8	
1819.9	592.9			J	16.8	14.4	48.4	2795.8	
2098.3	578.6		Min	I	-2.9	-19.2	-1138.6	-1480.9	-
7126.0	-791.8			J	-2.9	-19.2	-1112.5	-1474.2	-
6698.7	-772.8								
			Q2a-3_4 Max	I	18.8	11.1	43.8	2105.5	
1819.7	455.3			J	18.5	11.1	51.7	2131.8	
2184.9	444.3		Min	I	-2.0	-22.2	-1151.5	-1486.3	-
6919.1	-907.1			J	-2.0	-22.2	-1124.3	-1434.8	-
6488.1	-885.1								
			Q1-1 Max	I	9.6	11.6	28.4	2343.4	
1182.0	480.4								


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1283.0	468.9		J	9.5	11.6	28.8	2315.9	
4790.9	-438.2	Min	I	-2.4	-10.4	-710.8	-958.8	-
4504.0	-427.9		J	-2.4	-10.4	-694.5	-958.8	-
1118.1	190.9	Q1-3 Max	I	13.0	4.6	26.9	425.6	
1410.4	186.4		J	12.8	4.6	34.0	499.3	
3914.4	-642.2	Min	I	-1.2	-15.8	-722.9	-960.2	-
3645.3	-626.5		J	-1.2	-15.8	-704.6	-867.6	-
3234.6	-9609.2	SLVx (RS)	I	766.9	602.7	-192.8	2902.6	
3077.8	-9607.8		J	766.9	602.7	-192.8	2902.6	
2884.9	13961.3	SLVy (RS)	I	933.8	-537.4	-190.0	-2228.2	-
2782.4	14114.3		J	933.8	-537.4	-190.0	-2228.2	-
3981.3	1096.8	SLVz (RS)	I	-308.0	134.6	479.4	-188.9	
3572.2	1024.4		J	-308.0	134.6	479.4	-188.9	
6122.3	-1005.6	G1	I	39.7	-24.4	-2479.9	1439.7	-1
3716.9	-981.4		J	38.4	-24.4	-2376.9	1439.7	-1
5854.0	-365.6	G2	I	14.4	-8.9	-900.0	520.5	-
4981.0	-356.9		J	13.9	-8.9	-862.6	520.5	-
0.1	12.6	pp imp~1	I	-0.1	0.3	-0.0	-1.7	
0.2	12.3		J	-0.1	0.3	-0.0	-1.7	
0.0	4.1	perm i~1	I	-0.0	0.1	-0.0	-0.5	
0.1	4.0		J	-0.0	0.1	-0.0	-0.5	
-1.1	136.4	pp2	I	-0.9	3.2	0.0	6.7	
-1.1	133.2		J	-0.9	3.2	0.0	6.7	
-1.1	36.4	perm2	I	-0.2	0.9	0.0	3.4	
-1.1	35.5		J	-0.2	0.9	0.0	3.4	
43.9	-1456.8	q3	I	212.3	18.2	7.3	186.6	
42.7	-1474.8		J	207.0	18.2	7.3	173.9	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
31.6	-398.1	q4-1	I	95.3	18.0	-2.6	54.5	
34.2	-415.9		J	95.3	18.0	-2.6	54.5	
-132.0	951.5	q4-2	I	-6.0	22.6	-5.3	-108.6	
-126.8	929.1		J	-6.0	22.6	-5.3	-108.6	
-53.0	-502.4	q4-3	I	3.2	-11.9	-1.4	-33.6	
-51.6	-490.6		J	3.2	-11.9	-1.4	-33.6	
54.0	155.3	q4-4	I	-1.0	3.7	1.8	41.1	
52.3	151.6		J	-1.0	3.7	1.8	41.1	
1192.1	-1377.6	q5x_pc	I	-204.0	-464.7	-55.8	-751.2	-
1138.3	-926.6		J	-201.1	-445.9	-55.8	-760.6	-
299.0	281.9	q5y_pc	I	-1.9	6.7	5.9	2.9	
293.1	275.3		J	-1.9	6.7	5.9	2.9	
1041.0	-2186.8	q5x_ps	I	-187.3	-460.4	-47.5	-849.5	-
-994.4	-1739.5		J	-184.5	-442.6	-47.5	-852.2	
334.5	278.5	q5y_ps	I	-1.9	6.6	6.8	11.9	
327.7	271.9		J	-1.9	6.6	6.8	11.9	
-64.2	-41.1	q7	I	-67.1	-27.4	-2.1	-50.9	
-62.2	-13.9		J	-67.1	-27.4	-2.1	-50.9	
241.3	610.6	T	I	-4.0	14.5	4.2	-16.6	
237.2	596.2		J	-4.0	14.5	4.2	-16.6	
16.9	-187.5	SLVx-E~1	I	10.6	-39.3	1.2	-30.9	
15.8	-184.2		J	10.6	-39.3	1.2	-30.4	
39.5	-437.4	SLVy-E~1	I	24.7	-91.6	2.8	-72.0	
36.8	-429.9		J	24.7	-91.6	2.8	-70.9	
750	1	64 Q1-1_2 Max	I	30.1	26.7	84.4	5051.8	
3762.6	1067.2		J	29.5	26.7	100.2	4993.1	
4445.7	1040.7	Min	I	-4.7	-35.8	-1955.7	-2497.4	-1
2660.5	-1428.5							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1797.5	-1393.0		J	-4.7	-35.8	-1902.2	-2481.7	-1
3888.6	850.7	Q1-3_4 Max	I	33.0	21.3	89.4	4033.6	
4607.5	829.6		J	32.4	21.3	106.5	4058.3	
2431.7	-1657.1	Min	I	-3.6	-41.7	-1989.2	-2497.7	-1
1557.6	-1615.8		J	-3.6	-41.7	-1933.5	-2414.2	-1
2117.4	579.8	Q2a-1_2 Max	I	16.6	14.5	48.4	2811.9	
2584.4	565.4		J	16.4	14.5	59.4	2788.4	
6709.8	-772.3	Min	I	-2.7	-19.3	-1112.5	-1359.7	-
6323.7	-753.2		J	-2.7	-19.3	-1086.1	-1353.4	-
2191.4	445.3	Q2a-3_4 Max	I	18.2	11.2	51.7	2132.1	
2674.8	434.2		J	18.0	11.2	63.6	2165.4	
6499.5	-884.6	Min	I	-1.9	-22.3	-1124.3	-1358.4	-
6112.0	-862.5		J	-1.9	-22.3	-1096.8	-1302.0	-
1307.1	469.6	Q1-1 Max	I	9.3	11.7	28.8	2323.7	
1571.5	458.0		J	9.2	11.7	34.6	2296.3	
4507.9	-427.6	Min	I	-2.2	-10.4	-694.5	-883.2	-
4246.5	-417.3		J	-2.2	-10.4	-678.1	-883.2	-
1407.0	186.5	Q1-3 Max	I	12.5	4.6	34.0	481.9	
1717.8	182.0		J	12.3	4.6	41.5	566.8	
3657.2	-626.2	Min	I	-1.1	-15.9	-704.6	-856.4	-
3421.1	-610.4		J	-1.1	-15.9	-686.2	-767.2	-
3129.5	-9608.0	SLVx (RS)	I	757.4	583.5	-190.9	2846.1	
2977.2	-9619.0		J	757.4	583.5	-190.9	2846.1	
2818.5	14114.8	SLVy (RS)	I	917.6	522.1	-184.6	-2179.0	-
2723.9	14248.1		J	917.6	522.1	-184.6	-2179.0	-
3568.7	1023.9	SLVz (RS)	I	-308.9	136.6	465.1	-248.6	
3172.1	954.7		J	-308.9	136.6	465.1	-248.6	
3686.9	-977.9	G1	I	37.8	-24.5	-2376.9	1703.1	-1
			J	36.5	-24.5	-2273.9	1703.1	-1

MIDAS

PROJECT TITLE :

MIDAS	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
1383.5	-953.7								
		G2	I	13.7	-8.9	-862.6	616.2	-	
4970.1	-355.6		J	13.2	-8.9	-825.3	616.2	-	
4134.2	-346.8								
		pp imp~1	I	-0.1	0.3	-0.0	-1.7		
0.2	12.3		J	-0.1	0.3	-0.0	-1.7		
0.2	12.0								
		perm i~1	I	-0.0	0.1	-0.0	-0.5		
0.0	4.0		J	-0.0	0.1	-0.0	-0.5		
0.1	3.9								
		pp2	I	-0.8	3.3	0.0	6.7		
-1.0	133.2		J	-0.8	3.3	0.0	6.7		
-1.0	129.9								
		perm2	I	-0.2	0.9	0.0	3.4		
-1.0	35.5		J	-0.2	0.9	0.0	3.4		
-1.0	34.7								
		q3	I	207.3	14.2	7.3	173.0		
45.6	-1474.8		J	202.1	14.2	7.3	160.4		
44.4	-1488.9								
		q4-1	I	95.7	16.2	-2.6	53.8		
35.1	-415.9		J	95.7	16.2	-2.6	53.8		
37.7	-431.9								
		q4-2	I	-5.6	22.8	-5.3	-106.1		
-128.6	929.1		J	-5.6	22.8	-5.3	-106.1		
-123.4	906.6								
		q4-3	I	3.0	-12.0	-1.4	-32.6		
-52.3	-490.6		J	3.0	-12.0	-1.4	-32.6		
-51.0	-478.7								
		q4-4	I	-0.9	3.7	1.8	40.1		
53.1	151.6		J	-0.9	3.7	1.8	40.1		
51.3	148.0								
		q5x_pc	I	-209.6	-441.9	-55.9	-738.6	-	
1153.0	-926.3		J	-206.3	-423.2	-55.9	-748.0	-	
1099.3	-497.8								
		q5y_pc	I	-1.8	6.7	5.9	-2.7		
293.2	275.2		J	-1.8	6.7	5.9	-2.7		
287.4	268.5								
		q5x_ps	I	-193.0	-439.0	-47.6	-832.9	-	
1011.1	-1739.2		J	-189.9	-421.2	-47.5	-835.6	-	
-964.5	-1313.2								


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

328.0	271.8	q5y_ps	I	-1.7	6.6	6.8	5.6	
321.3	265.2		J	-1.7	6.6	6.8	5.6	
-63.1	-13.9	q7	I	-67.6	-26.2	-2.1	-49.7	
-61.0	12.0		J	-67.6	-26.2	-2.1	-49.7	
237.0	596.1	T	I	-3.7	14.6	4.2	-21.1	
232.9	581.7		J	-3.7	14.6	4.2	-21.1	
15.1	-184.2	SLVx-E~1	I	9.8	-39.5	1.2	-30.7	
14.0	-180.8		J	9.8	-39.5	1.2	-30.2	
35.3	-429.9	SLVy-E~1	I	22.9	-92.1	2.7	-71.6	
32.6	-421.8		J	22.9	-92.1	2.7	-70.5	
751	1	64 Q1-1_2 Max	I	29.0	26.8	100.2	4985.3	
4478.9	1042.7		J	28.5	26.8	117.8	4927.6	
5271.0	1016.2	Min	I	-4.3	-35.9	-1902.2	-2280.7	-1
1807.2	-1392.5		J	-4.4	-35.9	-1848.7	-2266.0	-1
1054.5	-1356.9	Q1-3_4 Max	I	31.8	21.4	106.5	4031.4	
4623.2	831.4		J	31.2	21.4	124.8	4056.0	
5448.5	810.2	Min	I	-3.3	-41.9	-1933.5	-2266.8	-1
1569.1	-1615.3		J	-3.3	-41.9	-1877.9	-2186.5	-1
0811.5	-1573.8	Q2a-1_2 Max	I	16.1	14.6	59.4	2788.2	
2605.4	566.5		J	15.9	14.6	71.6	2765.2	
3099.1	552.1	Min	I	-2.5	-19.4	-1086.1	-1242.1	-
6334.2	-752.8		J	-2.5	-19.4	-1059.3	-1236.2	-
5992.2	-733.6	Q2a-3_4 Max	I	17.6	11.2	63.6	2151.2	
2683.4	435.1		J	17.4	11.2	76.2	2183.9	
3193.8	424.0	Min	I	-1.7	-22.4	-1096.8	-1231.1	-
6122.7	-862.2		J	-1.7	-22.4	-1069.1	-1176.6	-
5781.8	-840.0	Q1-1 Max	I	9.1	11.7	34.6	2292.8	
1597.0	458.7		J	9.0	11.7	41.5	2265.3	
1877.9	447.1							


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
4250.5	-417.1	Min	I	-2.0	-10.5	-678.1	-809.2	-
			J	-2.0	-10.5	-661.4	-809.2	-
4016.5	-406.8							
		Q1-3 Max	I	12.0	4.6	41.5	541.9	
1715.6	182.1		J	11.8	4.6	49.5	626.5	
2046.2	177.6							
		Min	I	-1.1	-16.0	-686.2	-762.5	-
3431.6	-610.2		J	-1.1	-16.0	-667.7	-676.7	-
3230.8	-594.4							
		SLVx (RS)	I	747.2	565.0	-188.8	2791.1	
3028.3	-9619.2		J	747.2	565.0	-188.8	2791.1	
2880.7	-9639.4							
		SLVy (RS)	I	900.9	507.1	-178.6	-2130.6	-
2759.2	14248.6		J	900.9	507.1	-178.6	-2130.6	-
2671.6	14361.3							
		SLVz (RS)	I	-309.4	138.0	451.1	-303.7	
3167.4	954.3		J	-309.4	138.0	451.1	-303.7	
2782.2	890.3							
		G1	I	35.9	-24.6	-2273.9	1921.7	-1
1348.9	-950.8		J	34.6	-24.6	-2170.9	1921.7	-
9147.6	-926.5							
		G2	I	13.0	-8.9	-825.3	695.5	-
4121.7	-345.7		J	12.5	-8.9	-787.9	695.5	-
3322.7	-336.9							
		pp imp~1	I	-0.1	0.3	-0.0	-1.7	
0.2	12.0		J	-0.1	0.3	-0.0	-1.7	
0.2	11.7							
		perm i~1	I	-0.0	0.1	-0.0	-0.5	
0.1	3.9		J	-0.0	0.1	-0.0	-0.5	
0.1	3.8							
		pp2	I	-0.7	3.3	0.0	6.8	
-0.8	129.9		J	-0.7	3.3	0.0	6.8	
-0.9	126.7							
		perm2	I	-0.2	0.9	0.0	3.4	
-1.0	34.7		J	-0.2	0.9	0.0	3.4	
-1.0	33.8							
		q3	I	202.3	10.3	7.3	159.4	
47.1	-1488.9		J	197.0	10.3	7.3	146.8	
45.9	-1499.1							
		q4-1	I	96.0	14.3	-2.6	53.0	
38.6	-431.9							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
41.2	-446.2		J	96.0	14.3	-2.6	53.0	
-125.1	906.6	q4-2	I	-5.2	22.9	-5.3	-103.7	
-119.9	884.0		J	-5.2	22.9	-5.3	-103.7	
-51.7	-478.7	q4-3	I	2.8	-12.0	-1.4	-31.6	
-50.3	-466.8		J	2.8	-12.0	-1.4	-31.6	
52.1	147.9	q4-4	I	-0.9	3.7	1.8	39.1	
50.4	144.3		J	-0.9	3.7	1.8	39.1	
1113.6	-497.5	q5x_pc	I	-214.4	-419.1	-56.0	-726.7	-
1060.0	-91.7		J	-210.7	-400.4	-55.9	-736.1	-
287.3	268.4	q5y_pc	I	-1.6	6.8	5.9	-8.2	
281.5	261.7		J	-1.6	6.8	5.9	-8.2	
-980.7	-1312.9	q5x_ps	I	-197.9	-417.5	-47.6	-816.9	
-934.1	-908.2		J	-194.4	-399.8	-47.6	-819.6	
321.4	265.2	q5y_ps	I	-1.6	6.7	6.8	-0.5	
314.7	258.5		J	-1.6	6.7	6.8	-0.5	
-62.0	12.1	q7	I	-68.1	-24.8	-2.1	-48.5	
-59.9	36.7		J	-68.1	-24.8	-2.1	-48.5	
232.6	581.6	T	I	-3.4	14.7	4.2	-25.6	
228.4	567.1		J	-3.4	14.7	4.2	-25.6	
13.3	-180.8	SLVx-E~1	I	9.1	-39.7	1.2	-30.5	
12.2	-177.2		J	9.1	-39.7	1.2	-30.0	
31.1	-421.8	SLVy-E~1	I	21.1	-92.5	2.7	-71.1	
28.4	-413.4		J	21.1	-92.5	2.7	-70.0	
752	1	64 Q1-1_2 Max	I	28.0	26.9	117.8	4894.2	
5308.0	1018.1		J	27.4	26.9	136.8	4837.5	
6175.6	991.5	Min	I	-3.9	-36.1	-1848.7	-2071.1	-1
1065.4	-1356.7		J	-4.0	-36.1	-1795.1	-2057.4	-1
0430.9	-1321.0							


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

5468.4	811.9	Q1-3_4 Max	I	30.5	21.5	124.8	4002.6	
			J	29.9	21.5	144.5	4026.7	
6372.4	790.6	Min	I	-3.1	-42.1	-1877.9	-2048.5	-1
0823.9	-1573.6		J	-3.1	-42.1	-1822.3	-1976.6	-1
0191.1	-1531.9							
		Q2a-1_2 Max	I	15.7	14.6	71.6	2750.5	
3122.0	553.1		J	15.4	14.6	84.5	2727.8	
3643.9	538.7	Min	I	-2.2	-19.5	-1059.3	-1128.0	-
6002.6	-733.5		J	-2.3	-19.5	-1032.4	-1122.5	-
5707.9	-714.2							
		Q2a-3_4 Max	I	17.0	11.3	76.2	2154.6	
3204.6	424.9		J	16.7	11.3	89.6	2186.5	
3743.8	413.8	Min	I	-1.6	-22.5	-1069.1	-1111.3	-
5792.2	-839.9		J	-1.6	-22.5	-1041.1	-1062.5	-
5501.3	-817.7							
		Q1-1 Max	I	8.8	11.8	41.5	2252.4	
1905.0	447.7		J	8.7	11.8	48.9	2224.9	
2203.1	436.1	Min	I	-1.8	-10.5	-661.4	-736.9	-
4021.1	-406.7		J	-1.9	-10.5	-644.6	-736.9	-
3816.5	-396.3							
		Q1-3 Max	I	11.6	4.6	49.5	594.2	
2045.4	177.7		J	11.3	4.6	57.9	678.2	
2397.3	173.1	Min	I	-1.0	-16.0	-667.7	-678.3	-
3240.1	-594.3		J	-1.0	-16.0	-649.2	-601.6	-
3077.0	-578.4							
		SLVx (RS)	I	736.2	547.2	-186.6	2737.4	
2931.1	-9639.6		J	736.2	547.2	-186.6	2737.4	
2788.5	-9666.0							
		SLVy (RS)	I	883.6	492.3	-172.2	-2083.2	-
2706.0	14361.8		J	883.6	492.3	-172.2	-2083.2	-
2624.6	14453.4							
		SLVz (RS)	I	-309.6	138.6	438.2	-352.3	
2776.6	890.0		J	-309.6	138.6	438.2	-352.3	
2401.7	833.4							
		G1	I	34.0	-24.7	-2170.9	2097.2	-
9109.2	-924.2		J	32.7	-24.7	-2067.9	2097.2	-
7009.9	-899.7							


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
3308.8	-336.0	G2	I	12.4	-9.0	-787.9	759.3	-
			J	11.9	-9.0	-750.5	759.3	-
2546.9	-327.2							
		pp imp~1	I	-0.1	0.3	-0.0	-1.7	
0.2	11.7		J	-0.1	0.3	-0.0	-1.7	
0.2	11.4							
		perm i~1	I	-0.0	0.1	-0.0	-0.5	
0.1	3.8		J	-0.0	0.1	-0.0	-0.5	
0.1	3.7							
		pp2	I	-0.7	3.3	0.0	6.8	
-0.7	126.7		J	-0.7	3.3	0.0	6.8	
-0.7	123.4							
		perm2	I	-0.2	0.9	0.0	3.4	
-0.9	33.8		J	-0.2	0.9	0.0	3.4	
-0.9	32.9							
		q3	I	197.2	6.5	7.3	145.8	
48.4	-1499.1		J	191.9	6.5	7.3	133.1	
47.2	-1505.6							
		q4-1	I	96.2	12.5	-2.6	52.2	
42.1	-446.2		J	96.2	12.5	-2.6	52.2	
44.6	-458.5							
		q4-2	I	-4.7	23.0	-5.3	-101.4	
-121.6	884.0		J	-4.7	23.0	-5.3	-101.4	
-116.4	861.3							
		q4-3	I	2.5	-12.1	-1.4	-30.6	
-51.1	-466.8		J	2.5	-12.1	-1.4	-30.6	
-49.7	-454.8							
		q4-4	I	-0.8	3.7	1.8	38.2	
51.2	144.3		J	-0.8	3.7	1.8	38.2	
49.4	140.6							
		q5x_pc	I	-218.4	-396.3	-56.0	-715.5	-
1074.0	-91.4		J	-214.4	-377.6	-56.0	-724.9	-
1020.5	291.9							
		q5y_pc	I	-1.5	6.8	5.9	-13.6	
281.3	261.7		J	-1.5	6.8	5.9	-13.6	
275.5	254.9							
		q5x_ps	I	-202.1	-396.0	-47.7	-801.5	
-949.9	-907.9		J	-198.3	-378.3	-47.6	-804.1	
-903.2	-524.4							
		q5y_ps	I	-1.5	6.7	6.8	-6.6	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
314.7	258.5			J	-1.5	6.7	6.8	-6.6	
307.9	251.8								
			q7	I	-68.6	-23.5	-2.1	-47.3	
-60.8	36.7			J	-68.6	-23.5	-2.1	-47.3	
-58.7	60.0								
			T	I	-3.1	14.7	4.2	-30.0	
228.0	567.1			J	-3.1	14.7	4.2	-30.0	
223.9	552.5								
			SLVx-E~1	I	8.3	-39.8	1.2	-30.2	
11.6	-177.2			J	8.3	-39.8	1.2	-29.8	
10.4	-173.4								
			SLVy-E~1	I	19.4	-92.9	2.7	-70.6	
27.0	-413.4			J	19.4	-92.9	2.7	-69.5	
24.3	-404.6								
753	1	64	Q1-1_2 Max	I	26.9	27.0	136.8	4777.8	
6217.1	993.3			J	26.3	27.0	157.1	4721.8	
7166.7	966.5								
			Min	I	-3.6	-36.2	-1795.1	-1868.6	-1
0444.4	-1321.2			J	-3.6	-36.2	-1741.5	-1855.7	-
9936.9	-1285.3								
			Q1-3_4 Max	I	29.2	21.6	144.5	3949.2	
6397.0	792.3			J	28.5	21.6	165.5	3972.8	
7386.9	770.9								
			Min	I	-2.8	-42.2	-1822.3	-1842.7	-1
0205.7	-1532.0			J	-2.8	-42.2	-1766.7	-1779.5	-
9707.0	-1490.2								
			Q2a-1_2 Max	I	15.2	14.7	84.5	2697.9	
3668.9	539.7			J	14.9	14.7	98.1	2675.6	
4220.6	525.2								
			Min	I	-2.0	-19.6	-1032.4	-1017.4	-
5718.8	-714.2			J	-2.1	-19.6	-1005.1	-1012.3	-
5474.9	-694.8								
			Q2a-3_4 Max	I	16.4	11.3	89.6	2143.9	
3757.0	414.7			J	16.1	11.3	103.7	2174.9	
4327.0	403.5								
			Min	I	-1.5	-22.6	-1041.2	-998.9	-
5512.1	-817.7			J	-1.5	-22.6	-1013.0	-956.3	-
5274.8	-795.4								
			Q1-1 Max	I	8.6	11.8	48.9	2201.7	
2231.9	436.7			J	8.5	11.8	56.8	2174.2	
2548.4	425.0								
			Min	I	-1.6	-10.5	-644.6	-666.3	-
3822.0	-396.3								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3649.0	-385.9		J	-1.7	-10.5	-627.6	-666.3	-
2398.0	173.3	Q1-3 Max	I	11.1	4.7	57.9	638.4	
2772.8	168.6		J	10.8	4.7	66.8	721.5	
3085.6	-578.5	Min	I	-0.9	-16.1	-649.2	-603.3	-
2962.9	-562.5		J	-0.9	-16.1	-630.6	-536.3	-
2838.2	-9666.2	SLVx (RS)	I	724.6	530.0	-184.2	2685.1	
2700.9	-9696.1		J	724.6	530.0	-184.2	2685.1	
2658.0	14454.0	SLVy (RS)	I	865.7	477.8	-165.8	-2036.7	-
2581.6	14523.7		J	865.7	477.8	-165.8	-2036.7	-
2395.3	833.1	SLVz (RS)	I	-309.4	138.4	427.0	-394.0	
2029.7	786.2		J	-309.4	138.4	427.0	-394.0	
6968.5	-898.0	G1	I	32.1	-24.8	-2067.9	2231.5	-
4971.2	-873.5		J	30.7	-24.8	-1964.9	2231.5	-
2531.9	-326.5	G2	I	11.7	-9.0	-750.5	808.1	-
1807.0	-317.6		J	11.2	-9.0	-713.1	808.1	-
0.2	11.4	pp imp~1	I	-0.1	0.3	-0.0	-1.7	
0.2	11.1		J	-0.1	0.3	-0.0	-1.7	
0.1	3.7	perm i~1	I	-0.0	0.1	-0.0	-0.5	
0.1	3.6		J	-0.0	0.1	-0.0	-0.5	
-0.6	123.4	pp2	I	-0.6	3.3	0.0	6.8	
-0.6	120.2		J	-0.6	3.3	0.0	6.8	
-0.9	32.9	perm2	I	-0.2	0.9	0.0	3.5	
-0.9	32.1		J	-0.2	0.9	0.0	3.5	
49.3	-1505.6	q3	I	192.0	2.8	7.3	132.1	
48.1	-1508.4		J	186.7	2.8	7.3	119.5	
45.5	-458.5	q4-1	I	96.4	10.6	-2.6	51.4	
48.1	-469.1		J	96.4	10.6	-2.6	51.4	


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


-118.1	861.3	q4-2	I	-4.3	23.1	-5.3	-99.1	
			J	-4.3	23.1	-5.3	-99.1	
-112.9	838.5							
		q4-3	I	2.3	-12.1	-1.4	-29.7	
-50.4	-454.8		J	2.3	-12.1	-1.4	-29.7	
-49.0	-442.7							
		q4-4	I	-0.7	3.7	1.8	37.2	
50.2	140.5		J	-0.7	3.7	1.8	37.2	
48.4	136.8							
		q5x_pc	I	-221.6	-373.4	-56.1	-705.1	-
1034.2	292.2		J	-217.2	-354.9	-56.0	-714.4	
-980.9	652.9							
		q5y_pc	I	-1.4	6.8	5.9	-18.9	
275.2	254.9		J	-1.4	6.8	5.9	-18.9	
269.4	248.1							
		q5x_ps	I	-205.5	-374.4	-47.7	-786.6	
-918.7	-524.2		J	-201.4	-356.9	-47.7	-789.3	
-872.1	-161.9							
		q5y_ps	I	-1.4	6.7	6.8	-12.5	
307.8	251.7		J	-1.4	6.7	6.8	-12.5	
301.1	245.1							
		q7	I	-69.0	-22.2	-2.1	-46.2	
-59.6	60.0		J	-69.0	-22.2	-2.1	-46.2	
-57.5	82.0							
		T	I	-2.8	14.8	4.2	-34.2	
223.4	552.4		J	-2.8	14.8	4.2	-34.2	
219.3	537.8							
		SLVx-E~1	I	7.5	-40.0	1.1	-30.0	
9.8	-173.4		J	7.5	-40.0	1.1	-29.5	
8.7	-169.4							
		SLVy-E~1	I	17.6	-93.3	2.7	-69.9	
22.8	-404.6		J	17.6	-93.3	2.7	-68.8	
20.2	-395.4							
754	1	64	Q1-1_2 Max	I	25.9	27.1	157.1	4638.4
7213.6	968.3			J	25.3	27.1	178.8	4583.2
8242.7	941.5		Min	I	-3.2	-36.4	-1741.5	-1673.2
9954.7	-1285.8			J	-3.3	-36.4	-1687.9	-1661.0
9574.4	-1249.8							
		Q1-3_4 Max	I	27.9	21.7	165.5	3870.4	

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
7417.3	772.5		J	27.2	21.7	187.9	3893.3	
8485.1	751.1	Min	I	-2.6	-42.4	-1766.7	-1649.0	-
9725.5	-1490.7		J	-2.6	-42.4	-1711.2	-1589.6	-
9361.8	-1448.7							
4248.0	526.2	Q2a-1_2 Max	I	14.7	14.7	98.1	2632.1	
4827.7	511.6		J	14.4	14.7	112.6	2610.0	
5486.9	-695.1	Min	I	-1.8	-19.6	-1005.1	-910.4	-
5293.9	-675.6		J	-1.9	-19.6	-977.7	-905.5	-
4342.9	404.3	Q2a-3_4 Max	I	15.8	11.3	103.7	2118.1	
4939.7	393.1		J	15.4	11.3	118.5	2148.2	
5286.6	-795.6	Min	I	-1.4	-22.6	-1013.0	-893.7	-
5103.3	-773.2		J	-1.4	-22.6	-984.7	-853.5	-
2579.1	425.6	Q1-1 Max	I	8.4	11.9	56.8	2141.7	
2915.0	413.8		J	8.3	11.9	65.2	2114.2	
3655.8	-386.0	Min	I	-1.5	-10.6	-627.6	-597.6	-
3516.8	-375.5		J	-1.5	-10.6	-610.5	-597.6	-
2775.2	168.8	Q1-3 Max	I	10.6	4.7	66.8	674.4	
3168.7	164.2		J	10.3	4.7	76.2	756.4	
2971.2	-562.7	Min	I	-0.9	-16.2	-630.6	-537.1	-
2885.5	-546.7		J	-0.9	-16.2	-612.0	-474.1	-
2749.8	-9696.3	SLVx (RS)	I	712.3	513.4	-181.7	2634.1	
2618.0	-9727.2		J	712.3	513.4	-181.7	2634.1	
2614.1	14524.2	SLVy (RS)	I	847.2	-463.7	-159.7	-1991.2	-
2541.5	14571.4		J	847.2	-463.7	-159.7	-1991.2	-
2022.7	785.9	SLVz (RS)	I	-308.8	137.4	418.0	-428.5	
1666.7	750.2		J	-308.8	137.4	418.0	-428.5	
4927.6	-872.3	G1	I	30.2	-24.9	-1964.9	2326.7	-
3032.3	-847.7		J	28.8	-24.9	-1861.9	2326.7	-
1791.2	-317.2	G2	I	11.0	-9.0	-713.1	842.7	-

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1103.4	-308.2		J	10.5	-9.0	-675.7	842.7	-
		pp imp~1	I	-0.1	0.3	-0.0	-1.7	
0.2	11.1		J	-0.1	0.3	-0.0	-1.7	
0.2	10.8							
		perm i~1	I	-0.0	0.1	-0.0	-0.5	
0.1	3.6		J	-0.0	0.1	-0.0	-0.5	
0.1	3.5							
		pp2	I	-0.6	3.3	0.0	6.8	
-0.4	120.2		J	-0.6	3.3	0.0	6.8	
-0.4	116.9							
		perm2	I	-0.1	0.9	0.0	3.5	
-0.8	32.1		J	-0.1	0.9	0.0	3.5	
-0.8	31.2							
		q3	I	186.7	-0.8	7.3	118.5	
50.0	-1508.4		J	181.4	-0.8	7.3	105.8	
48.8	-1507.6							
		q4-1	I	96.6	8.8	-2.6	50.4	
48.9	-469.1		J	96.6	8.8	-2.6	50.4	
51.5	-477.8							
		q4-2	I	-3.8	23.1	-5.3	-96.9	
-114.5	838.5		J	-3.8	23.1	-5.3	-96.9	
-109.3	815.6							
		q4-3	I	2.1	-12.2	-1.4	-28.8	
-49.7	-442.7		J	2.1	-12.2	-1.4	-28.8	
-48.3	-430.6							
		q4-4	I	-0.7	3.8	1.8	36.3	
49.2	136.8		J	-0.7	3.8	1.8	36.3	
47.4	133.1							
		q5x_pc	I	-224.0	-350.6	-56.1	-695.4	
-994.3	653.2		J	-219.2	-332.1	-56.0	-704.6	
-941.2	991.3							
		q5y_pc	I	-1.2	6.8	5.9	-24.1	
269.0	248.1		J	-1.2	6.8	5.9	-24.1	
263.2	241.3							
		q5x_ps	I	-208.2	-353.0	-47.7	-772.4	
-887.1	-161.7		J	-203.7	-335.5	-47.7	-775.0	
-840.5	179.3							
		q5y_ps	I	-1.2	6.8	6.8	-18.3	
300.8	245.0		J	-1.2	6.8	6.8	-18.3	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
294.1	238.3							
			q7	I	-69.4	-20.9	-2.1	-45.1
-58.3	82.0			J	-69.4	-20.9	-2.1	-45.1
-56.2	102.7							
			T	I	-2.6	14.8	4.2	-38.4
218.7	537.7			J	-2.6	14.8	4.2	-38.4
214.6	523.1							
			SLVx-E~1	I	6.8	-40.1	1.1	-29.7
8.1	-169.4			J	6.8	-40.1	1.1	-29.2
6.9	-165.4							
			SLVy-E~1	I	15.8	-93.6	2.6	-69.2
18.8	-395.4			J	15.8	-93.6	2.6	-68.1
16.2	-385.9							
755	1	64	Q1-1_2 Max	I	24.8	27.2	178.8	4477.0
8295.2	943.2			J	24.2	27.2	201.8	4422.4
9334.1	916.3		Min	I	-2.9	-36.5	-1687.9	-1485.2
9597.5	-1250.6			J	-2.9	-36.5	-1634.3	-1473.6
9313.2	-1214.5							
			Q1-3_4 Max	I	26.5	21.7	187.9	3768.9
8520.6	752.7			J	25.8	21.7	211.6	3791.0
9582.9	731.2		Min	I	-2.4	-42.5	-1711.2	-1467.2
9385.2	-1449.5			J	-2.5	-42.5	-1655.9	-1406.6
9113.6	-1407.4							
			Q2a-1_2 Max	I	14.2	14.8	112.6	2553.1
4857.4	512.5			J	13.9	14.8	127.8	2531.3
5436.5	497.9		Min	I	-1.6	-19.7	-977.7	-806.9
5307.5	-676.0			J	-1.7	-19.7	-950.0	-802.3
5152.8	-656.5							
			Q2a-3_4 Max	I	15.1	11.4	118.5	2078.9
4957.9	393.9			J	14.8	11.4	134.1	2108.1
5547.3	382.7		Min	I	-1.3	-22.7	-984.7	-795.7
5116.6	-773.6			J	-1.3	-22.7	-956.2	-754.1
4970.2	-751.1							
			Q1-1 Max	I	8.2	11.9	65.2	2073.1
2947.8	414.4			J	8.0	11.9	74.1	2045.6
3301.7	402.6		Min	I	-1.3	-10.6	-610.5	-531.0
3525.4	-375.8			J	-1.3	-10.6	-593.3	-531.0
3420.0	-365.3							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

3172.4	164.3	Q1-3 Max	I	10.0	4.7	76.2	702.1	
			J	9.8	4.7	86.1	782.8	
3552.5	159.7	Min	I	-0.8	-16.2	-612.0	-479.5	-
2893.3	-547.0		J	-0.8	-16.2	-593.3	-414.6	-
2813.6	-530.9							
		SLVx (RS)	I	699.2	497.2	-179.1	2584.5	
2666.1	-9727.4		J	699.2	497.2	-179.1	2584.5	
2540.0	-9757.0							
		SLVy (RS)	I	828.0	-450.3	-154.0	-1946.8	-
2573.0	14571.9		J	828.0	-450.3	-154.0	-1946.8	-
2503.3	14595.9							
		SLVz (RS)	I	-307.9	135.5	411.4	-455.8	
1659.5	750.0		J	-307.9	135.5	411.4	-455.8	
1316.2	726.4							
		G1	I	28.3	-24.9	-1861.9	2384.5	-
2987.2	-847.0		J	26.9	-24.9	-1758.9	2384.5	-
1194.0	-822.3							
		G2	I	10.3	-9.1	-675.8	863.7	-
1087.0	-308.0		J	9.8	-9.1	-638.4	863.7	
-436.2	-299.0							
		pp imp~1	I	-0.0	0.3	-0.0	-1.7	
0.2	10.8		J	-0.0	0.3	-0.0	-1.7	
0.2	10.5							
		perm i~1	I	-0.0	0.1	-0.0	-0.5	
0.1	3.5		J	-0.0	0.1	-0.0	-0.5	
0.1	3.4							
		pp2	I	-0.5	3.3	0.0	6.8	
-0.3	116.9		J	-0.5	3.3	0.0	6.8	
-0.3	113.6							
		perm2	I	-0.1	0.9	0.0	3.5	
-0.8	31.2		J	-0.1	0.9	0.0	3.5	
-0.8	30.3							
		q3	I	181.4	-4.3	7.3	104.8	
50.5	-1507.6		J	176.1	-4.3	7.3	92.1	
49.3	-1503.4							
		q4-1	I	96.8	6.9	-2.6	49.4	
52.3	-477.8		J	96.8	6.9	-2.6	49.4	
54.9	-484.7							
		q4-2	I	-3.4	23.2	-5.3	-94.7	


MIDAS

PROJECT TITLE :


MIDAS	Company		Client					
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-111.0	815.6		J	-3.4	23.2	-5.3	-94.7	
-105.7	792.6							
		q4-3	I	1.8	-12.2	-1.4	-27.8	
-49.0	-430.6		J	1.8	-12.2	-1.4	-27.8	
-47.6	-418.5							
		q4-4	I	-0.6	3.8	1.8	35.4	
48.1	133.1		J	-0.6	3.8	1.8	35.4	
46.4	129.4							
		q5x_pc	I	-225.6	-327.8	-56.1	-686.3	
-954.3	991.6		J	-220.5	-309.5	-56.0	-695.5	
-901.3	1307.2							
		q5y_pc	I	-1.1	6.9	5.9	-29.1	
262.7	241.2		J	-1.1	6.9	5.9	-29.1	
256.9	234.4							
		q5x_ps	I	-210.1	-331.5	-47.8	-758.7	
-855.2	179.5		J	-205.3	-314.1	-47.7	-761.3	
-808.7	499.3							
		q5y_ps	I	-1.1	6.8	6.8	-23.9	
293.8	238.2		J	-1.1	6.8	6.8	-23.9	
287.0	231.5							
		q7	I	-69.8	-19.5	-2.1	-44.0	
-57.0	102.7		J	-69.8	-19.5	-2.1	-44.0	
-54.9	122.1							
		T	I	-2.3	14.9	4.2	-42.5	
213.9	523.0		J	-2.3	14.9	4.2	-42.5	
209.8	508.3							
		SLVx-E~1	I	6.0	-40.2	1.1	-29.3	
6.3	-165.4		J	6.0	-40.2	1.1	-28.9	
5.2	-161.2							
		SLVy-E~1	I	14.0	-93.9	2.6	-68.4	
14.8	-385.9		J	14.0	-93.9	2.6	-67.3	
12.2	-376.1							
756	1	64	Q1-1_2 Max	I	23.6	27.3	201.8	4295.3
9386.8	918.0			J	23.0	27.3	226.2	4241.3
0374.0	891.0		Min	I	-2.6	-36.6	-1634.3	-1305.6
9338.1	-1215.6			J	-2.8	-36.6	-1580.9	-1294.6
9071.2	-1179.4							
		Q1-3_4 Max	I	25.1	21.8	211.6	3644.0	
9620.2	732.7		J	24.4	21.8	236.7	3665.2	1

MIDAS

PROJECT TITLE :


	Company			Client						
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT					
0630.7	711.1									
		Min	I	-2.2	-42.6	-1655.9	-1297.4			
9137.4	-1408.6		J	-2.3	-42.6	-1600.7	-1232.2			
8876.9	-1366.4									
		Q2a-1_2 Max	I	13.6	14.8	127.8	2461.8			
5466.3	498.9		J	13.3	14.8	143.8	2440.3			
6019.1	484.2									
		Min	I	-1.5	-19.7	-950.0	-707.6			
5166.6	-657.1		J	-1.6	-19.7	-922.2	-703.2			
5018.9	-637.6									
		Q2a-3_4 Max	I	14.4	11.4	134.1	2025.8			
5566.5	383.5		J	14.0	11.4	150.5	2053.9			
6129.1	372.2									
		Min	I	-1.3	-22.8	-956.2	-704.7			
4983.1	-751.8		J	-1.3	-22.8	-927.6	-659.5			
4841.1	-729.2									
		Q1-1 Max	I	7.9	12.0	74.1	1996.0			
3335.4	403.2		J	7.8	12.0	83.5	1968.5			
3679.4	391.4									
		Min	I	-1.2	-10.6	-593.3	-466.9			
3429.5	-365.6		J	-1.2	-10.6	-575.9	-466.9			
3331.1	-355.1									
		Q1-3 Max	I	9.5	4.7	86.1	721.7			
3556.7	159.8		J	9.2	4.7	96.4	800.9			
3916.6	155.1									
		Min	I	-0.7	-16.2	-593.3	-430.1			
2820.4	-531.3		J	-0.7	-16.2	-574.6	-359.5			
2740.7	-515.2									
		SLVx (RS)	I	685.4	481.5	-176.3	2536.2			
2587.3	-9757.2		J	685.4	481.5	-176.3	2536.2			
2466.9	-9783.4									
		SLVy (RS)	I	808.2	-437.6	-148.9	-1903.4			
2533.6	14596.4		J	808.2	-437.6	-148.9	-1903.4			
2465.7	14596.4									
		SLVz (RS)	I	-306.6	133.0	406.7	-475.9			
1309.2	726.3		J	-306.6	133.0	406.7	-475.9			
989.4	714.9									
		G1	I	26.3	-25.0	-1758.9	2407.0			
1148.1	-822.1		J	25.0	-25.0	-1655.9	2407.0			
543.1	-797.3									
		G2	I	9.6	-9.1	-638.4	871.9			
-419.6	-298.9		J	9.1	-9.1	-601.0	871.9			
194.2	-289.9									

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.2	10.5	pp imp~1	I	-0.0	0.3	-0.0	-1.7
0.2	10.2		J	-0.0	0.3	-0.0	-1.7
0.1	3.4	perm i~1	I	-0.0	0.1	-0.0	-0.5
0.1	3.3		J	-0.0	0.1	-0.0	-0.5
-0.1	113.6	pp2	I	-0.4	3.3	0.0	6.8
-0.2	110.3		J	-0.4	3.3	0.0	6.8
-0.7	30.3	perm2	I	-0.1	0.9	0.0	3.5
-0.7	29.4		J	-0.1	0.9	0.0	3.5
50.7	-1503.4	q3	I	176.0	-7.7	7.3	91.1
49.5	-1495.8		J	170.7	-7.7	7.3	78.4
55.7	-484.7	q4-1	I	96.9	5.1	-2.6	48.3
58.3	-489.7		J	96.9	5.1	-2.6	48.3
-107.3	792.7	q4-2	I	-2.9	23.3	-5.3	-92.6
-102.1	769.6		J	-2.9	23.3	-5.3	-92.6
-48.2	-418.5	q4-3	I	1.6	-12.3	-1.4	-26.9
-46.8	-406.4		J	1.6	-12.3	-1.4	-26.9
47.1	129.3	q4-4	I	-0.5	3.8	1.8	34.5
45.3	125.6		J	-0.5	3.8	1.8	34.5
-914.2	1307.5	q5x_pc	I	-226.4	-305.2	-56.1	-678.0
-861.4	1600.7		J	-220.9	-286.9	-56.0	-687.1
256.3	234.4	q5y_pc	I	-1.0	6.9	5.9	-34.1
250.5	227.5		J	-1.0	6.9	5.9	-34.1
-823.0	499.5	q5x_ps	I	-211.3	-310.1	-47.8	-745.6
-776.5	798.2		J	-206.2	-292.8	-47.7	-748.1
286.6	231.5	q5y_ps	I	-1.0	6.8	6.8	-29.4
279.8	224.7		J	-1.0	6.8	6.8	-29.4

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-55.7	122.1	q7	I	-70.2	-18.2	-2.1	-42.9		
			J	-70.2	-18.2	-2.1	-42.9		
-53.6	140.1								
		T	I	-2.0	14.9	4.2	-46.5		
209.1	508.2		J	-2.0	14.9	4.2	-46.5		
204.9	493.5								
		SLVx-E~1	I	5.2	-40.3	1.1	-29.0		
4.6	-161.2		J	5.2	-40.3	1.1	-28.5		
3.5	-156.9								
		SLVy-E~1	I	12.2	-94.1	2.6	-67.6		
10.8	-376.1		J	12.2	-94.1	2.6	-66.5		
8.2	-366.0								
757	1	64	Q1-1_2 Max	I	22.5	27.3	226.2	4097.6	1
0425.0	892.6			J	21.9	27.3	252.0	4044.1	1
1353.1	865.5		Min	I	-2.7	-36.7	-1580.9	-1136.2	-
9092.7	-1180.8			J	-2.9	-36.7	-1527.5	-1125.7	-
8825.8	-1144.5								
		Q1-3_4 Max	I	23.7	21.8	236.7	3498.7		1
0667.1	712.6		J	23.0	21.8	263.2	3519.0		1
1615.6	691.0		Min	I	-2.3	-42.7	-1600.7	-1139.3	-
8897.4	-1367.8		J	-2.4	-42.7	-1545.8	-1077.0		-
8637.0	-1325.5								
		Q2a-1_2 Max	I	13.1	14.9	143.8	2360.6		
6048.1	485.1		J	12.8	14.9	160.6	2339.2		
6571.1	470.4		Min	I	-1.6	-19.8	-922.2	-613.1	-
5030.8	-638.3		J	-1.7	-19.8	-894.1	-608.9		-
4883.2	-618.7								
		Q2a-3_4 Max	I	13.7	11.4	150.5	1960.5		
6148.1	373.0		J	13.3	11.4	167.7	1987.6		
6679.1	361.7		Min	I	-1.3	-22.8	-927.6	-620.8	-
4852.3	-730.0		J	-1.4	-22.8	-898.9	-577.3		-
4710.2	-707.4								
		Q1-1 Max	I	7.7	12.0	83.5	1912.9		
3711.6	391.9		J	7.5	12.0	93.4	1885.4		
4037.6	380.1		Min	I	-1.1	-10.7	-575.9	-406.2	-
3339.3	-355.5		J	-1.2	-10.7	-558.4	-406.2		-
3240.9	-344.9								
		Q1-3 Max	I	8.9	4.7	96.4	733.4		


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
3921.1	155.3		J	8.7	4.7	107.2	810.9	
4259.7	150.6	Min	I	-0.7	-16.3	-574.6	-388.6	-
2746.4	-515.8		J	-0.7	-16.3	-555.9	-320.6	-
2666.7	-499.6							
		SLVx (RS)	I	670.9	466.1	-173.0	2489.3	
2513.3	-9783.6		J	670.9	466.1	-173.0	2489.3	
2398.8	-9804.4							
		SLVy (RS)	I	787.7	-426.1	-144.3	-1861.3	-
2494.9	14596.8		J	787.7	-426.1	-144.3	-1861.3	-
2427.8	14572.2							
		SLVz (RS)	I	-304.9	130.0	403.1	-488.6	
983.2	714.9		J	-304.9	130.0	403.1	-488.6	
719.0	714.5							
		G1	I	24.4	-25.1	-1655.9	2396.1	
589.1	-797.6		J	23.1	-25.1	-1552.9	2396.1	
2178.2	-772.8							
		G2	I	8.9	-9.1	-601.0	868.0	
210.9	-290.0		J	8.4	-9.1	-563.6	868.0	
787.7	-281.0							
		pp imp~1	I	-0.0	0.3	-0.0	-1.7	
0.2	10.2		J	-0.0	0.3	-0.0	-1.7	
0.2	9.9							
		perm i~1	I	-0.0	0.1	-0.0	-0.5	
0.1	3.3		J	-0.0	0.1	-0.0	-0.5	
0.1	3.2							
		pp2	I	-0.4	3.3	0.0	6.8	
0.0	110.3		J	-0.4	3.3	0.0	6.8	
-0.0	107.0							
		perm2	I	-0.1	0.9	0.0	3.5	
-0.6	29.4		J	-0.1	0.9	0.0	3.5	
-0.7	28.6							
		q3	I	170.5	-10.9	7.3	77.3	
50.6	-1495.8		J	165.3	-10.9	7.3	64.6	
49.5	-1485.0							
		q4-1	I	97.0	3.2	-2.6	47.1	
59.1	-489.7		J	97.0	3.2	-2.6	47.1	
61.7	-492.9							
		q4-2	I	-2.5	23.3	-5.3	-90.6	
-103.7	769.7		J	-2.5	23.3	-5.3	-90.6	


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-98.5	746.6								
-47.4	-406.4	q4-3	I	1.4	-12.3	-1.4	-26.1		
-46.0	-394.2		J	1.4	-12.3	-1.4	-26.1		
46.0	125.6	q4-4	I	-0.4	3.8	1.8	33.6		
44.3	121.8		J	-0.4	3.8	1.8	33.6		
-874.0	1601.0	q5x_pc	I	-226.4	-282.6	-56.1	-670.4		
-821.4	1871.9		J	-220.6	-264.4	-56.0	-679.4		
249.8	227.5	q5y_pc	I	-0.8	6.9	5.9	-38.9		
244.0	220.6		J	-0.8	6.9	5.9	-38.9		
-790.6	798.4	q5x_ps	I	-211.8	-288.8	-47.8	-733.0		
-744.1	1076.0		J	-206.3	-271.6	-47.7	-735.6		
279.3	224.7	q5y_ps	I	-0.8	6.8	6.8	-34.8		
272.6	217.9		J	-0.8	6.8	6.8	-34.8		
-54.4	140.1	q7	I	-70.5	-16.8	-2.1	-41.9		
-52.3	156.8		J	-70.5	-16.8	-2.1	-41.9		
204.1	493.4	T	I	-1.7	14.9	4.2	-50.4		
200.0	478.6		J	-1.7	14.9	4.2	-50.4		
2.9	-156.9	SLVx-E~1	I	4.4	-40.4	1.1	-28.6		
1.8	-152.5		J	4.4	-40.4	1.1	-28.1		
6.9	-366.0	SLVy-E~1	I	10.3	-94.3	2.6	-66.7		
4.3	-355.8		J	10.3	-94.3	2.6	-65.6		
758	1	64	Q1-1_2 Max	I	21.4	27.4	252.0	3885.4	1
1403.1	867.1			J	20.7	27.4	279.3	3832.3	1
2276.7	840.0		Min	I	-2.8	-36.7	-1527.5	-978.8	-
8844.1	-1146.2			J	-3.1	-36.7	-1474.4	-968.8	-
8577.2	-1109.8								
1650.0	692.5		Q1-3_4 Max	I	22.3	21.9	263.2	3332.7	1
2541.6	670.8			J	21.6	21.9	291.1	3352.0	1
			Min	I	-2.5	-42.8	-1545.8	-969.0	-

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
8654.3	-1327.3		J	-2.8	-42.8	-1491.1	-933.2	-
8393.8	-1284.9							
6600.5	471.3	Q2a-1_2 Max	I	12.5	14.9	160.6	2249.5	
7094.3	456.5		J	12.2	14.9	178.1	2228.3	
4893.2	-619.6	Min	I	-1.7	-19.8	-894.2	-524.1	-
4745.6	-600.0		J	-1.9	-19.8	-866.0	-520.1	-
6697.7	362.4	Q2a-3_4 Max	I	13.0	11.4	167.7	1882.6	
7198.6	351.1		J	12.6	11.4	185.6	1908.6	
4719.6	-708.4	Min	I	-1.5	-22.9	-898.9	-542.4	-
4577.6	-685.7		J	-1.7	-22.9	-870.0	-502.1	-
4068.3	380.6	Q1-1 Max	I	7.4	12.0	93.4	1823.3	
4375.1	368.7		J	7.2	12.0	103.8	1795.9	
3247.9	-345.5	Min	I	-1.2	-10.7	-558.4	-349.5	-
3149.5	-334.9		J	-1.3	-10.7	-540.9	-349.6	-
4264.3	150.7	Q1-3 Max	I	8.4	4.7	107.2	737.4	
4580.7	146.1		J	8.2	4.7	118.5	813.1	
2671.5	-500.3	Min	I	-0.8	-16.3	-555.9	-354.7	-
2591.8	-484.1		J	-0.9	-16.3	-537.2	-289.1	-
2444.2	-9804.6	SLVx (RS)	I	655.7	451.1	-169.3	2443.8	
2335.4	-9818.1		J	655.7	451.1	-169.3	2443.8	
2455.9	14572.7	SLVy (RS)	I	766.5	-416.0	-140.3	-1820.4	-
2388.8	14522.7		J	766.5	-416.0	-140.3	-1820.4	-
715.2	714.5	SLVz (RS)	I	-302.8	126.7	399.2	-494.1	
-588.3	723.2		J	-302.8	126.7	399.2	-494.1	
2223.7	-773.5	G1	I	22.5	-25.1	-1552.9	2353.7	
3710.9	-748.6		J	21.2	-25.1	-1449.9	2353.7	
804.2	-281.2	G2	I	8.2	-9.1	-563.6	852.7	
1343.9	-272.2		J	7.7	-9.1	-526.2	852.7	
		pp imp~1	I	-0.0	0.3	-0.0	-1.7	

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.2	9.9		J	-0.0	0.3	-0.0	-1.7
0.2	9.6						
		perm i~1	I	-0.0	0.1	-0.0	-0.5
0.1	3.2		J	-0.0	0.1	-0.0	-0.5
0.1	3.1						
		pp2	I	-0.3	3.3	0.0	6.8
0.1	107.0		J	-0.3	3.3	0.0	6.8
0.1	103.7						
		perm2	I	-0.1	0.9	0.0	3.5
-0.6	28.6		J	-0.1	0.9	0.0	3.5
-0.6	27.7						
		q3	I	165.0	-14.1	7.3	63.6
50.3	-1485.0		J	159.7	-14.1	7.3	50.9
49.2	-1471.0						
		q4-1	I	97.0	1.3	-2.6	45.9
62.4	-492.9		J	97.0	1.3	-2.6	45.9
65.0	-494.2						
		q4-2	I	-2.0	23.4	-5.3	-88.7
-100.0	746.6		J	-2.0	23.4	-5.3	-88.7
-94.8	723.5						
		q4-3	I	1.1	-12.3	-1.4	-25.2
-46.6	-394.2		J	1.1	-12.3	-1.4	-25.2
-45.2	-382.0						
		q4-4	I	-0.4	3.8	1.8	32.7
44.9	121.8		J	-0.4	3.8	1.8	32.7
43.2	118.1						
		q5x_pc	I	-225.7	-260.1	-56.0	-663.4
-833.9	1872.1		J	-219.5	-242.1	-56.0	-672.4
-781.5	2120.8						
		q5y_pc	I	-0.7	6.9	5.9	-43.5
243.2	220.6		J	-0.7	6.9	5.9	-43.5
237.4	213.7						
		q5x_ps	I	-211.5	-267.6	-47.7	-721.1
-757.9	1076.2		J	-205.6	-250.5	-47.7	-723.7
-711.5	1332.8						
		q5y_ps	I	-0.7	6.8	6.8	-40.0
271.9	217.8		J	-0.7	6.8	6.8	-40.0
265.1	211.1						
		q7	I	-70.8	-15.5	-2.1	-40.8
-53.1	156.8						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-51.0	172.2		J	-70.8	-15.5	-2.1	-40.8	
199.1	478.6	T	I	-1.4	15.0	4.2	-54.2	
194.9	463.7		J	-1.4	15.0	4.2	-54.2	
1.3	-152.5	SLVx-E~1	I	3.7	-40.5	1.1	-28.1	
0.2	-148.0		J	3.7	-40.5	1.1	-27.7	
3.0	-355.8	SLVy-E~1	I	8.5	-94.5	2.5	-65.7	
0.5	-345.3		J	8.5	-94.5	2.5	-64.6	
759	1	64 Q1-1_2 Max	I	20.2	27.4	279.3	3660.6	1
2337.7	841.5		J	19.5	27.4	307.9	3610.0	1
3147.9	814.4	Min	I	-3.1	-36.8	-1474.4	-832.8	-
8592.2	-1111.8		J	-3.4	-36.8	-1421.4	-825.2	-
8325.3	-1075.3							
2589.0	672.2	Q1-3_4 Max	I	20.9	21.9	291.1	3149.1	1
3414.4	650.5		J	20.2	21.9	320.5	3167.4	1
8407.9	-1286.9	Min	I	-2.9	-42.9	-1491.1	-853.7	-
8147.4	-1244.4		J	-3.2	-42.9	-1436.6	-801.2	-
7128.7	457.4	Q2a-1_2 Max	I	11.9	14.9	178.1	2130.1	
7589.3	442.6		J	11.5	14.9	196.5	2109.8	
4753.9	-601.0	Min	I	-1.9	-19.9	-866.0	-440.4	-
4606.2	-581.4		J	-2.1	-19.9	-837.7	-437.4	-
7223.5	351.8	Q2a-3_4 Max	I	12.2	11.5	185.6	1793.9	
7689.8	340.4		J	11.9	11.5	204.3	1818.9	
4585.3	-686.8	Min	I	-1.8	-22.9	-870.0	-484.6	-
4443.3	-664.2		J	-2.0	-22.9	-841.1	-433.7	-
4403.9	369.2	Q1-1 Max	I	7.1	12.0	103.8	1728.9	
4690.4	357.3		J	6.9	12.0	114.7	1702.4	
3155.3	-335.5	Min	I	-1.3	-10.7	-540.9	-296.8	-
3057.0	-324.9		J	-1.4	-10.7	-523.2	-297.8	-
4585.3	146.2	Q1-3 Max	I	7.9	4.7	118.5	734.0	
			J	7.6	4.7	130.2	807.9	


MIDAS

PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
4878.6	141.5								
		Min	I	-1.0	-16.3	-537.2	-328.1	-	
2595.6	-484.8		J	-1.1	-16.3	-518.5	-264.7	-	
2515.8	-468.7								
		SLVx (RS)	I	639.7	436.5	-165.0	2399.7		
2379.7	-9818.4		J	639.7	436.5	-165.0	2399.7		
2276.3	-9822.8								
		SLVy (RS)	I	744.6	-407.6	-137.1	-1780.8	-	
2415.8	14523.2		J	744.6	-407.6	-137.1	-1780.8	-	
2347.7	14447.4								
		SLVz (RS)	I	-300.3	123.2	393.4	-492.4		
-589.7	723.2		J	-300.3	123.2	393.4	-492.4		
-679.6	738.8								
		G1	I	20.6	-25.2	-1449.9	2281.9		
3755.3	-749.6		J	19.2	-25.2	-1346.9	2281.9		
5140.4	-724.7								
		G2	I	7.5	-9.1	-526.2	826.7		
1360.0	-272.6		J	7.0	-9.1	-488.9	826.7		
1862.8	-263.5								
		pp imp~1	I	-0.0	0.3	-0.0	-1.7		
0.2	9.6		J	-0.0	0.3	-0.0	-1.7		
0.2	9.3								
		perm i~1	I	-0.0	0.1	-0.0	-0.5		
0.1	3.1		J	-0.0	0.1	-0.0	-0.5		
0.1	3.0								
		pp2	I	-0.2	3.3	0.0	6.9		
0.3	103.7		J	-0.2	3.3	0.0	6.9		
0.2	100.4								
		perm2	I	-0.1	0.9	0.0	3.5		
-0.5	27.7		J	-0.1	0.9	0.0	3.5		
-0.6	26.8								
		q3	I	159.4	-17.2	7.3	49.9		
49.8	-1471.0		J	154.2	-17.2	7.3	37.2		
48.7	-1454.0								
		q4-1	I	97.0	-0.5	-2.6	44.6		
65.8	-494.3		J	97.0	-0.5	-2.6	44.6		
68.4	-493.7								
		q4-2	I	-1.6	23.4	-5.2	-86.8		
-96.3	723.5		J	-1.6	23.4	-5.2	-86.8		
-91.1	700.3								


MIDAS

PROJECT TITLE :


		Company	Client						
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT					
-45.8	-382.0	q4-3	I	0.9	-12.3	-1.4	-24.3		
			J	0.9	-12.3	-1.4	-24.3		
-44.4	-369.8								
		q4-4	I	-0.3	3.8	1.8	31.9		
43.8	118.1		J	-0.3	3.8	1.8	31.9		
42.1	114.3								
		q5x_pc	I	-224.1	-237.8	-56.0	-657.2		
-793.7	2121.0		J	-217.6	-219.8	-55.9	-666.1		
-741.5	2347.7								
		q5y_pc	I	-0.6	6.9	5.9	-48.1		
236.6	213.7		J	-0.6	6.9	5.9	-48.1		
230.7	206.8								
		q5x_ps	I	-210.4	-246.5	-47.7	-709.8		
-724.9	1333.1		J	-204.3	-229.6	-47.6	-712.3		
-678.6	1568.9								
		q5y_ps	I	-0.6	6.8	6.8	-45.1		
264.4	211.0		J	-0.6	6.8	6.8	-45.1		
257.6	204.3								
		q7	I	-71.1	-14.1	-2.1	-39.8		
-51.7	172.2		J	-71.1	-14.1	-2.1	-39.8		
-49.6	186.2								
		T	I	-1.1	15.0	4.2	-57.9		
194.0	463.7		J	-1.1	15.0	4.2	-57.9		
189.8	448.8								
		SLVx-E~1	I	2.9	-40.6	1.1	-27.7		
-0.4	-148.0		J	2.9	-40.6	1.1	-27.2		
-1.4	-143.5								
		SLVy-E~1	I	6.7	-94.7	2.5	-64.6		
-0.9	-345.3		J	6.7	-94.7	2.5	-63.5		
-3.4	-334.7								
760	1	64	Q1-1_2 Max	I	19.0	27.5	307.9	3424.1	1
3204.3	815.9			J	18.4	27.5	338.0	3376.2	1
3948.8	788.7		Min	I	-3.5	-36.8	-1421.4	-697.9	-
8337.2	-1077.5			J	-3.8	-36.8	-1368.6	-693.0	-
8070.4	-1041.1								
			Q1-3_4 Max	I	19.6	21.9	320.5	2949.7	1
3458.2	651.9			J	18.9	21.9	351.3	2967.1	1
4215.3	630.1		Min	I	-3.4	-42.9	-1436.6	-753.2	-
8158.5	-1246.7			J	-3.7	-42.9	-1382.5	-665.2	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
7898.1	-1204.2							
		Q2a-1_2 Max	I	11.3	14.9	196.5	2002.7	
7621.4	443.5		J	10.9	14.9	215.6	1983.6	
8047.1	428.7							
		Min	I	-2.2	-19.9	-837.7	-361.9	-
4612.8	-582.5		J	-2.4	-19.9	-809.2	-360.0	-
4465.1	-562.9							
		Q2a-3_4 Max	I	11.5	11.5	204.3	1695.1	
7713.0	341.1		J	11.1	11.5	223.7	1719.1	
8143.0	329.8							
		Min	I	-2.1	-22.9	-841.1	-435.4	-
4449.3	-665.4		J	-2.3	-22.9	-812.1	-375.1	-
4307.3	-642.7							
		Q1-1 Max	I	6.8	12.0	114.7	1629.3	
4717.2	357.8		J	6.6	12.0	126.1	1603.8	
4982.3	345.9							
		Min	I	-1.4	-10.7	-523.2	-248.0	-
3061.6	-325.6		J	-1.5	-10.7	-505.5	-250.0	-
2963.3	-315.0							
		Q1-3 Max	I	7.3	4.7	130.2	723.8	
4882.9	141.6		J	7.1	4.7	142.5	795.7	
5152.2	136.9							
		Min	I	-1.3	-16.4	-518.5	-308.5	-
2518.7	-469.5		J	-1.4	-16.4	-499.9	-247.0	-
2439.0	-453.3							
		SLVx (RS)	I	623.0	422.3	-160.2	2357.0	
2319.5	-9823.1		J	623.0	422.3	-160.2	2357.0	
2220.9	-9816.9							
		SLVy (RS)	I	722.0	-401.2	-134.9	-1742.5	-
2373.6	14447.8		J	722.0	-401.2	-134.9	-1742.5	-
2304.0	14345.5							
		SLVz (RS)	I	-297.3	119.8	384.3	-483.8	
-685.8	738.8		J	-297.3	119.8	384.3	-483.8	
-922.2	-758.8							
		G1	I	18.7	-25.2	-1346.9	2182.5	
5183.1	-726.2		J	17.3	-25.2	-1243.9	2182.5	
6466.3	-701.2							
		G2	I	6.8	-9.2	-488.9	790.7	
1878.2	-264.0		J	6.3	-9.2	-451.5	790.7	
2344.0	-255.0							
		pp imp~1	I	-0.0	0.3	-0.0	-1.7	
0.2	9.3		J	-0.0	0.3	-0.0	-1.7	

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.2	9.0						
		perm i~1	I	-0.0	0.1	-0.0	-0.5
0.1	3.0		J	-0.0	0.1	-0.0	-0.5
0.1	2.9						
		pp2	I	-0.2	3.3	0.0	6.9
0.4	100.4		J	-0.2	3.3	0.0	6.9
0.4	97.1						
		perm2	I	-0.0	0.9	0.0	3.6
-0.5	26.8		J	-0.0	0.9	0.0	3.6
-0.5	25.9						
		q3	I	153.8	-20.2	7.3	36.2
49.0	-1454.0		J	148.5	-20.2	7.3	23.5
47.9	-1434.0						
		q4-1	I	97.0	-2.4	-2.6	43.3
69.1	-493.7		J	97.0	-2.4	-2.6	43.3
71.7	-491.4						
		q4-2	I	-1.1	23.4	-5.2	-85.0
-92.6	700.3		J	-1.1	23.4	-5.2	-85.0
-87.4	677.1						
		q4-3	I	0.7	-12.3	-1.4	-23.5
-45.0	-369.8		J	0.7	-12.3	-1.4	-23.5
-43.6	-357.5						
		q4-4	I	-0.2	3.8	1.8	31.1
42.7	114.3		J	-0.2	3.8	1.8	31.1
41.0	110.5						
		q5x_pc	I	-221.8	-215.6	-56.0	-651.6
-753.6	2347.9		J	-215.0	-197.8	-55.9	-660.5
-701.6	2552.7						
		q5y_pc	I	-0.4	6.9	5.9	-52.5
229.8	206.8		J	-0.4	6.9	5.9	-52.5
223.9	199.9						
		q5x_ps	I	-208.7	-225.6	-47.7	-699.0
-691.8	1569.1		J	-202.2	-208.8	-47.6	-701.6
-645.6	1784.2						
		q5y_ps	I	-0.4	6.8	6.8	-50.0
256.8	204.2		J	-0.4	6.8	6.8	-50.0
250.0	197.4						
		q7	I	-71.4	-12.7	-2.1	-38.9
-50.3	186.2		J	-71.4	-12.7	-2.1	-38.9
-48.2	198.8						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


188.8	448.8		T	I	-0.8	15.0	4.2	-61.6	
184.6	433.9			J	-0.8	15.0	4.2	-61.6	
-2.0	-143.5		SLVx-E~1	I	2.1	-40.6	1.1	-27.2	
-3.1	-138.9			J	2.1	-40.6	1.1	-26.7	
-4.7	-334.7		SLVy-E~1	I	4.9	-94.8	2.5	-63.5	
-7.1	-324.0			J	4.9	-94.8	2.5	-62.4	
761	1	64	Q1-1_2 Max	I	18.0	27.5	338.0	3176.7	1
4000.3	790.1			J	17.3	27.5	369.6	3134.6	1
4676.7	762.9		Min	I	-3.9	-36.9	-1368.7	-670.5	-
8079.2	-1043.5			J	-4.3	-36.9	-1316.2	-668.6	-
7812.4	-1007.0		Q1-3_4 Max	I	18.3	22.0	351.3	2739.4	1
4255.0	631.4			J	17.6	22.0	383.5	2755.7	1
4941.5	609.7		Min	I	-4.0	-43.0	-1382.5	-668.1	-
7906.2	-1206.7			J	-4.3	-43.0	-1328.7	-582.9	-
7645.7	-1164.2		Q2a-1_2 Max	I	10.6	14.9	215.6	1867.5	
8076.7	429.5			J	10.3	14.9	235.6	1851.7	
8465.6	414.7		Min	I	-2.5	-19.9	-809.2	-360.8	-
4470.0	-564.2			J	-2.7	-19.9	-780.7	-360.0	-
4322.4	-544.5		Q2a-3_4 Max	I	10.8	11.5	223.7	1588.3	
8164.1	330.5			J	10.4	11.5	243.9	1611.3	
8556.2	319.1		Min	I	-2.5	-22.9	-812.1	-395.0	-
4311.7	-644.1			J	-2.7	-22.9	-783.0	-336.7	-
4169.7	-621.4		Q1-1 Max	I	6.5	12.0	126.1	1524.7	
5006.9	346.4			J	6.3	12.0	138.0	1500.3	
5249.4	334.5		Min	I	-1.5	-10.7	-505.5	-275.1	-
2966.8	-315.8			J	-1.7	-10.7	-487.7	-278.2	-
2868.5	-305.2		Q1-3 Max	I	6.8	4.7	142.5	707.4	
5156.2	137.1			J	6.6	4.7	155.2	777.4	
5400.5	132.4		Min	I	-1.5	-16.4	-499.9	-295.8	-

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2440.9	-454.2		J	-1.7	-16.4	-481.2	-235.9	-
2361.2	-438.0							
		SLVx (RS)	I	605.6	408.7	-155.2	2315.8	
2262.8	-9817.2		J	605.6	408.7	-155.2	2315.8	
2168.4	-9798.8							
		SLVy (RS)	I	698.6	-397.2	-133.9	-1705.7	-
2328.8	14345.9		J	698.6	-397.2	-133.9	-1705.7	-
2257.1	14216.8							
		SLVz (RS)	I	-293.9	116.8	370.5	-468.3	
-930.2	-758.8		J	-293.9	116.8	370.5	-468.3	-
1218.8	-781.2							
		G1	I	16.8	-25.2	-1243.9	2057.8	
6506.8	-703.0		J	15.4	-25.2	-1140.9	2057.8	
7687.9	-678.0							
		G2	I	6.1	-9.2	-451.5	745.5	
2358.7	-255.6		J	5.6	-9.2	-414.1	745.5	
2787.4	-246.5							
		pp imp~1	I	-0.0	0.3	-0.0	-1.7	
0.2	9.0		J	-0.0	0.3	-0.0	-1.7	
0.3	8.7							
		perm i~1	I	-0.0	0.1	-0.0	-0.5	
0.1	2.9		J	-0.0	0.1	-0.0	-0.5	
0.1	2.8							
		pp2	I	-0.1	3.4	0.0	6.8	
0.5	97.1		J	-0.1	3.4	0.0	6.8	
0.5	93.7							
		perm2	I	-0.0	0.9	0.0	3.6	
-0.4	25.9		J	-0.0	0.9	0.0	3.6	
-0.4	25.0							
		q3	I	148.1	-23.0	7.2	22.5	
48.0	-1434.1		J	142.8	-23.0	7.2	9.8	
46.9	-1411.3							
		q4-1	I	96.9	-4.3	-2.6	41.9	
72.4	-491.4		J	96.9	-4.3	-2.6	41.9	
75.0	-487.2							
		q4-2	I	-0.7	23.4	-5.2	-83.2	
-88.8	677.2		J	-0.7	23.4	-5.2	-83.2	
-83.7	653.9							
		q4-3	I	0.4	-12.3	-1.4	-22.7	
-44.1	-357.5							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-42.7	-345.3		J	0.4	-12.3	-1.4	-22.7	
41.6	110.5	q4-4	I	-0.1	3.8	1.8	30.3	
39.8	106.7		J	-0.1	3.8	1.8	30.3	
-713.6	2552.9	q5x_pc	I	-218.7	-193.6	-55.9	-646.7	
-661.8	2735.9		J	-211.6	-176.0	-55.8	-655.5	
222.9	199.9	q5y_pc	I	-0.3	6.9	5.9	-56.8	
217.0	193.0		J	-0.3	6.9	5.9	-56.8	
-658.5	1784.4	q5x_ps	I	-206.2	-204.8	-47.6	-688.9	
-612.4	1979.1		J	-199.4	-188.1	-47.5	-691.4	
249.1	197.4	q5y_ps	I	-0.3	6.8	6.8	-54.8	
242.3	190.6		J	-0.3	6.8	6.8	-54.8	
-48.9	198.8	q7	I	-71.6	-11.4	-2.1	-37.9	
-46.8	210.1		J	-71.6	-11.4	-2.1	-37.9	
183.5	433.9	T	I	-0.5	15.0	4.2	-65.1	
179.3	419.0		J	-0.5	15.0	4.2	-65.1	
-3.6	-138.9	SLVx-E~1	I	1.3	-40.7	1.1	-26.7	
-4.7	-134.2		J	1.3	-40.7	1.1	-26.2	
-8.4	-324.0	SLVy-E~1	I	3.1	-94.9	2.5	-62.3	
-10.9	-313.2		J	3.1	-94.9	2.5	-61.2	
762	1	64 Q1-1_2 Max	I	16.9	27.5	369.6	2923.3	1
4722.9	764.2		J	16.3	27.5	402.6	2895.7	1
5328.9	737.0	Min	I	-4.5	-36.9	-1316.2	-663.8	-
7818.3	-1009.6		J	-4.9	-36.9	-1264.0	-665.2	-
7551.4	-973.1	Q1-3_4 Max	I	17.2	22.0	383.5	2524.4	1
4976.7	610.9		J	16.5	22.0	417.2	2539.9	1
5590.6	589.2	Min	I	-4.6	-43.0	-1328.7	-602.8	-
7651.0	-1167.0		J	-5.1	-43.0	-1275.4	-520.0	-
7390.5	-1124.4							

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
8492.4	415.5	Q2a-1_2 Max	I	10.1	14.9	235.6	1727.7	
			J	9.7	14.9	256.3	1721.6	
8842.8	400.7	Min	I	-2.9	-19.9	-780.7	-371.4	-
4325.6	-545.9		J	-3.1	-19.9	-752.1	-372.0	-
4178.0	-526.2							
		Q2a-3_4 Max	I	10.1	11.5	243.9	1476.8	
8575.1	319.7		J	9.8	11.5	264.9	1498.9	
8927.6	308.4	Min	I	-2.9	-23.0	-783.0	-366.0	-
4172.5	-623.0		J	-3.2	-23.0	-754.0	-309.4	-
4030.5	-600.2							
		Q1-1 Max	I	6.2	12.0	138.0	1417.5	
5271.8	335.0		J	6.0	12.0	150.5	1394.4	
5490.6	323.0	Min	I	-1.7	-10.7	-487.7	-312.4	-
2870.9	-306.1		J	-1.9	-10.7	-469.9	-316.9	-
2772.6	-295.5							
		Q1-3 Max	I	6.3	4.7	155.2	685.9	
5404.0	132.5		J	6.1	4.7	168.4	753.9	
5622.5	127.8	Min	I	-1.9	-16.4	-481.2	-289.9	-
2362.2	-439.0		J	-2.0	-16.4	-462.7	-231.5	-
2282.5	-422.8							
		SLVx (RS)	I	587.4	395.9	-150.1	2276.1	
2209.0	-9799.1		J	587.4	395.9	-150.1	2276.1	
2117.8	-9767.1							
		SLVy (RS)	I	674.5	-395.7	-134.3	-1670.5	-
2280.9	14217.2		J	674.5	-395.7	-134.3	-1670.5	-
2207.0	14060.7							
		SLVz (RS)	I	-289.9	114.2	351.4	-446.3	-
1227.1	-781.1		J	-289.9	114.2	351.4	-446.3	-
1525.1	-804.3							
		G1	I	14.9	-25.2	-1140.9	1909.5	
7725.9	-680.0		J	13.6	-25.2	-1037.9	1909.5	
8805.0	-655.1							
		G2	I	5.4	-9.2	-414.1	691.7	
2801.1	-247.3		J	4.9	-9.2	-376.7	691.7	
3192.8	-238.2							
		pp imp~1	I	-0.0	0.3	-0.0	-1.7	
0.2	8.7		J	-0.0	0.3	-0.0	-1.7	
0.3	8.4							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.1	2.8	perm i~1	I	-0.0	0.1	-0.0	-0.5
0.1	2.7		J	-0.0	0.1	-0.0	-0.5
0.7	93.7	pp2	I	-0.0	3.4	0.0	6.8
0.6	90.4		J	-0.0	3.4	0.0	6.8
-0.4	25.0	perm2	I	-0.0	0.9	0.0	3.6
-0.4	24.1		J	-0.0	0.9	0.0	3.6
46.7	-1411.3	q3	I	142.4	-25.8	7.2	8.8
45.6	-1385.8		J	137.1	-25.8	7.2	-3.9
75.6	-487.2	q4-1	I	96.8	-6.1	-2.6	40.4
78.3	-481.1		J	96.8	-6.1	-2.6	40.4
-85.1	654.0	q4-2	I	-0.2	23.5	-5.2	-81.5
-79.9	630.7		J	-0.2	23.5	-5.2	-81.5
-43.2	-345.3	q4-3	I	0.2	-12.4	-1.4	-21.9
-41.8	-333.0		J	0.2	-12.4	-1.4	-21.9
40.4	106.7	q4-4	I	-0.1	3.8	1.8	29.6
38.7	102.9		J	-0.1	3.8	1.8	29.6
-673.6	2736.2	q5x_pc	I	-214.9	-171.9	-55.8	-642.5
-622.1	2897.7		J	-207.4	-154.3	-55.8	-651.2
216.0	192.9	q5y_pc	I	-0.2	6.9	5.9	-60.9
210.1	186.1		J	-0.2	6.9	5.9	-60.9
-625.1	1979.3	q5x_ps	I	-203.0	-184.3	-47.6	-679.3
-579.1	2153.6		J	-195.9	-167.7	-47.5	-681.8
241.3	190.5	q5y_ps	I	-0.2	6.8	6.8	-59.4
234.5	183.7		J	-0.2	6.8	6.8	-59.4
-47.4	210.1	q7	I	-71.8	-10.0	-2.1	-37.0
-45.3	220.0		J	-71.8	-10.0	-2.1	-37.0
		T	I	-0.3	15.0	4.2	-68.5


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
178.1	418.9			J	-0.3	15.0	4.2	-68.5		
174.0	404.1									
		SLVx-E~1		I	0.5	-40.7	1.0	-26.1		
-5.2	-134.2			J	0.5	-40.7	1.0	-25.7		
-6.2	-129.6									
		SLVy-E~1		I	1.2	-94.9	2.4	-61.0		
-12.1	-313.2			J	1.2	-94.9	2.4	-59.9		
-14.5	-302.4									
763	1	64	Q1-1_2 Max	I	15.9	27.5	402.6	2669.2	1	
5369.5	738.3			J	15.3	27.5	437.1	2654.3	1	
5902.9	711.1		Min	I	-5.2	-36.9	-1264.1	-683.2	-	
7554.5	-975.9			J	-5.6	-36.9	-1212.3	-688.0	-	
7287.7	-939.4									
		Q1-3_4 Max		I	16.0	22.0	417.2	2313.0	1	
5621.0	590.4			J	15.4	22.0	452.4	2327.7	1	
6160.1	568.6		Min	I	-5.4	-43.0	-1275.4	-614.8	-	
7393.0	-1127.4			J	-5.8	-43.0	-1222.4	-533.8	-	
7132.5	-1084.8									
		Q2a-1_2 Max		I	9.5	14.9	256.3	1584.9		
8866.6	401.4			J	9.1	14.9	277.8	1587.0		
9176.9	386.6		Min	I	-3.3	-19.9	-752.1	-396.2	-	
4179.7	-527.8			J	-3.6	-19.9	-723.5	-398.1	-	
4032.1	-508.1									
		Q2a-3_4 Max		I	9.5	11.5	264.9	1363.6		
8944.1	309.0			J	9.1	11.5	286.7	1385.0		
9255.5	297.6		Min	I	-3.4	-23.0	-754.0	-387.0	-	
4031.8	-601.9			J	-3.7	-23.0	-724.9	-331.8	-	
3889.8	-579.2									
		Q1-1 Max		I	5.9	12.1	150.5	1306.9		
5510.6	323.5			J	5.7	12.1	163.4	1285.2		
5704.7	311.5		Min	I	-1.9	-10.7	-469.9	-360.1	-	
2774.0	-296.4			J	-2.1	-10.7	-452.0	-365.9	-	
2675.6	-285.8									
		Q1-3 Max		I	5.8	4.7	168.4	664.5		
5625.3	127.9			J	5.6	4.7	182.1	730.6		
5817.2	123.2		Min	I	-2.2	-16.4	-462.7	-295.2	-	
2282.7	-423.9			J	-2.4	-16.4	-444.1	-237.9	-	


MIDAS

PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
2203.0	-407.7								
2157.1	-9767.3	SLVx (RS)	I	568.4	384.0	-145.4	2237.9		
2068.3	-9720.3		J	568.4	384.0	-145.4	2237.9		
2229.7	14061.1	SLVy (RS)	I	649.6	-396.7	-136.2	-1636.7	-	
2153.7	13877.0		J	649.6	-396.7	-136.2	-1636.7	-	
1533.1	-804.2	SLVz (RS)	I	-285.5	112.2	326.5	-418.2	-	
1821.2	-827.0		J	-285.5	112.2	326.5	-418.2	-	
8839.9	-657.4	G1	I	13.0	-25.2	-1037.9	1739.8		
9816.9	-632.4		J	11.7	-25.2	-934.9	1739.8		
3205.5	-239.0	G2	I	4.7	-9.2	-376.7	630.2		
3560.1	-229.9		J	4.2	-9.2	-339.4	630.2		
0.2	8.4	pp imp~1	I	0.0	0.3	-0.0	-1.7		
0.3	8.1		J	0.0	0.3	-0.0	-1.7		
0.1	2.7	perm i~1	I	0.0	0.1	-0.0	-0.6		
0.1	2.6		J	0.0	0.1	-0.0	-0.6		
0.8	90.4	pp2	I	0.0	3.4	0.0	6.8		
0.8	87.1		J	0.0	3.4	0.0	6.8		
-0.3	24.1	perm2	I	0.0	0.9	0.0	3.6		
-0.3	23.3		J	0.0	0.9	0.0	3.6		
45.2	-1385.8	q3	I	136.6	-28.4	7.2	-4.9		
44.2	-1357.7		J	131.3	-28.4	7.2	-17.6		
78.9	-481.2	q4-1	I	96.7	-8.0	-2.6	38.8		
81.5	-473.3		J	96.7	-8.0	-2.6	38.8		
-81.3	630.8	q4-2	I	0.2	23.5	-5.2	-79.9		
-76.1	607.5		J	0.2	23.5	-5.2	-79.9		
-42.3	-333.0	q4-3	I	-0.1	-12.4	-1.4	-21.1		
-40.9	-320.8		J	-0.1	-12.4	-1.4	-21.1		

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


39.2	102.9	q4-4	I	-0.0	3.8	1.8	28.8	
			J	-0.0	3.8	1.8	28.8	
37.5	99.2							
-633.8	2897.9	q5x_pc	I	-210.3	-150.3	-55.8	-638.9	
			J	-202.5	-132.9	-55.7	-647.6	
-582.6	3038.2							
208.9	186.0	q5y_pc	I	-0.0	6.9	5.9	-64.9	
			J	-0.0	6.9	5.9	-64.9	
203.1	179.2							
-591.6	2153.8	q5x_ps	I	-199.0	-163.9	-47.5	-670.4	
			J	-191.6	-147.5	-47.4	-672.8	
-545.7	2308.0							
233.4	183.7	q5y_ps	I	-0.0	6.9	6.8	-63.9	
			J	-0.0	6.9	6.8	-63.9	
226.7	176.9							
-46.0	220.0	q7	I	-72.0	-8.6	-2.1	-36.1	
			J	-72.0	-8.6	-2.1	-36.1	
-43.9	228.5							
172.7	404.0	T	I	0.0	15.0	4.2	-71.8	
			J	0.0	15.0	4.2	-71.8	
168.5	389.1							
-6.8	-129.6	SLVx-E~1	I	-0.3	-40.7	1.0	-25.6	
			J	-0.3	-40.7	1.0	-25.1	
-7.8	-125.0							
-15.8	-302.4	SLVy-E~1	I	-0.6	-94.9	2.4	-59.7	
			J	-0.6	-94.9	2.4	-58.6	
-18.1	-291.6							
764	1	64 Q1-1_2 Max	I	15.0	27.5	437.1	2432.5	1
5937.5	712.3		J	14.3	27.5	473.1	2428.3	1
6396.1	685.1	Min	I	-5.9	-36.9	-1212.3	-761.6	-
7288.0	-942.4		J	-6.4	-36.9	-1160.9	-770.1	-
7021.2	-905.9							
6185.3	569.8	Q1-3_4 Max	I	15.0	22.0	452.4	2128.1	1
			J	14.3	22.0	489.0	2144.4	1
6647.6	548.0	Min	I	-6.2	-43.0	-1222.4	-686.7	-
7132.3	-1088.0		J	-6.7	-43.0	-1170.0	-607.8	-
6871.9	-1045.4							
9197.5	387.3	Q2a-1_2 Max	I	8.9	14.9	277.8	1446.7	

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
9466.1	372.5		J	8.5	14.9	300.0	1455.6	
4032.2	-509.8	Min	I	-3.8	-19.9	-723.5	-454.0	-
3884.6	-490.1		J	-4.1	-19.9	-694.8	-457.4	-
9269.4	298.2	Q2a-3_4 Max	I	8.8	11.5	286.7	1258.5	
9538.1	286.8		J	8.5	11.5	309.2	1280.0	
3889.7	-581.0	Min	I	-4.0	-23.0	-724.9	-436.0	-
3747.7	-558.3		J	-4.3	-23.0	-695.8	-382.2	-
5722.0	312.0	Q1-1 Max	I	5.6	12.0	163.4	1196.9	
5890.5	300.0		J	5.4	12.0	176.9	1176.8	
2676.1	-286.8	Min	I	-2.2	-10.7	-452.0	-419.7	-
2577.7	-276.2		J	-2.4	-10.7	-434.2	-427.0	-
5819.2	123.3	Q1-3 Max	I	5.3	4.7	182.1	652.2	
5983.7	118.6		J	5.1	4.7	196.3	716.4	
2202.3	-408.9	Min	I	-2.5	-16.4	-444.1	-319.5	-
2122.6	-392.7		J	-2.7	-16.4	-425.7	-262.9	-
2106.2	-9720.5	SLVx (RS)	I	548.8	373.2	141.2	2201.2	
2018.9	-9657.2		J	548.8	373.2	141.2	2201.2	
2175.4	13877.4	SLVy (RS)	I	623.9	400.4	139.1	-1604.6	-
2097.6	13665.6		J	623.9	400.4	139.1	-1604.6	-
1828.7	-826.9	SLVz (RS)	I	-280.5	110.8	296.2	-384.5	-
2095.8	-848.6		J	-280.5	110.8	296.2	-384.5	-
9848.4	-634.9	G1	I	11.1	-25.2	-934.9	1550.7	
0723.4	-609.9		J	9.8	-25.2	-831.9	1550.7	1
3571.5	-230.9	G2	I	4.0	-9.2	-339.4	561.6	
3889.2	-221.8		J	3.6	-9.2	-302.0	561.6	
0.2	8.1	pp imp~1	I	0.0	0.3	-0.0	-1.7	
0.3	7.8		J	0.0	0.3	-0.0	-1.7	
0.1	2.6	perm i~1	I	0.0	0.1	-0.0	-0.6	

PROJECT TITLE :


		Company		Client			
		Author		File Name		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.1	2.5		J	0.0	0.1	-0.0	-0.6
0.9	87.1	pp2	I	0.1	3.4	0.0	6.8
0.9	83.8		J	0.1	3.4	0.0	6.8
-0.3	23.3	perm2	I	0.0	0.9	0.0	3.6
-0.3	22.4		J	0.0	0.9	0.0	3.6
43.5	-1357.7	q3	I	130.7	-30.9	7.2	-18.5
42.4	-1327.1		J	125.4	-30.9	7.2	-31.2
82.1	-473.3	q4-1	I	96.5	-9.8	-2.7	37.2
84.8	-463.5		J	96.5	-9.8	-2.7	37.2
-77.5	607.5	q4-2	I	0.7	23.4	-5.2	-78.4
-72.3	584.3		J	0.7	23.4	-5.2	-78.4
-41.4	-320.8	q4-3	I	-0.3	-12.4	-1.4	-20.3
-40.0	-308.6		J	-0.3	-12.4	-1.4	-20.3
38.1	99.2	q4-4	I	0.1	3.8	1.8	28.1
36.3	95.4		J	0.1	3.8	1.8	28.1
-594.2	3038.4	q5x_pc	I	-205.0	-129.0	-55.7	-636.0
-543.1	3157.6		J	-196.8	-111.8	-55.6	-644.6
201.8	179.1	q5y_pc	I	0.1	6.9	5.9	-68.8
196.0	172.2		J	0.1	6.9	5.9	-68.8
-558.0	2308.2	q5x_ps	I	-194.4	-143.7	-47.4	-662.0
-512.2	2442.5		J	-186.7	-127.5	-47.3	-664.5
225.4	176.9	q5y_ps	I	0.1	6.8	6.8	-68.2
218.7	170.1		J	0.1	6.8	6.8	-68.2
-44.5	228.5	q7	I	-72.1	-7.2	-2.1	-35.2
-42.4	235.7		J	-72.1	-7.2	-2.1	-35.2
167.2	389.1	T	I	0.3	15.0	4.2	-75.0
			J	0.3	15.0	4.2	-75.0

MIDAS

PROJECT TITLE :


		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
163.0	374.2									
		SLVx-E~1	I	-1.0	-40.7	1.0	-25.0			
-8.3	-125.0		J	-1.0	-40.7	1.0	-24.5			
-9.3	-120.3									
		SLVy-E~1	I	-2.4	-94.9	2.4	-58.3			
-19.3	-291.6		J	-2.4	-94.9	2.4	-57.2			
-21.7	-280.8									
765	1	64 Q1-1_2 Max	I	14.0	27.5	473.1	2255.2	1		
6424.4	686.3		J	13.4	27.5	510.6	2254.8	1		
6806.3	659.1									
		Min	I	-6.8	-36.8	-1160.9	-920.3	-		
7018.9	-909.1		J	-7.3	-36.8	-1109.9	-932.7	-		
6752.0	-872.6									
		Q1-3_4 Max	I	13.9	21.9	489.0	1995.1	1		
6667.5	549.1		J	13.3	21.9	527.2	2014.1	1		
7051.0	527.4									
		Min	I	-7.1	-42.9	-1170.0	-807.4	-		
6869.1	-1048.8		J	-7.7	-42.9	-1118.0	-730.2	-		
6608.6	-1006.3									
		Q2a-1_2 Max	I	8.3	14.9	300.0	1332.4			
9483.3	373.2		J	7.9	14.9	323.1	1342.8			
9708.5	358.4									
		Min	I	-4.3	-19.9	-694.8	-548.7	-		
3883.3	-491.8		J	-4.6	-19.9	-666.1	-553.6	-		
3735.7	-472.2									
		Q2a-3_4 Max	I	8.2	11.5	309.2	1171.9			
9549.1	287.4		J	7.8	11.5	332.5	1194.1			
9773.8	276.0									
		Min	I	-4.5	-22.9	-695.8	-508.0	-		
3746.1	-560.2		J	-4.8	-22.9	-666.7	-455.4	-		
3604.1	-537.5									
		Q1-1 Max	I	5.3	12.0	176.9	1105.6			
5905.1	300.5		J	5.1	12.0	190.8	1087.0			
6046.8	288.5									
		Min	I	-2.5	-10.7	-434.2	-508.2	-		
2577.2	-277.2		J	-2.6	-10.7	-416.3	-517.1	-		
2478.8	-266.6									
		Q1-3 Max	I	4.8	4.7	196.3	639.8			
5984.8	118.7		J	4.6	4.7	211.0	702.3			
6121.0	114.0									
		Min	I	-2.9	-16.4	-425.7	-352.4	-		
2121.2	-394.0		J	-3.1	-16.4	-407.3	-296.3	-		
2041.5	-377.8									

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2055.4	-9657.4	SLVx (RS)	I	528.5	363.9	137.7	2166.2
			J	528.5	363.9	137.7	2166.2
1968.8	-9576.5						
		SLVy (RS)	I	597.5	406.6	142.6	-1574.2
2118.3	13665.9		J	597.5	406.6	142.6	-1574.2
2039.5	13426.3						
		SLVz (RS)	I	-275.0	110.0	261.7	-345.9
2102.6	-848.5		J	-275.0	110.0	261.7	-345.9
2341.2	-868.8						
		G1	I	9.3	-25.2	-831.9	1344.1
0751.1	-612.6		J	8.0	-25.2	-728.9	1344.1
1524.1	-587.7						
		G2	I	3.4	-9.2	-302.0	486.7
3899.2	-222.8		J	2.9	-9.2	-264.6	486.7
4179.8	-213.7						
		pp imp~1	I	0.0	0.3	-0.0	-1.7
0.2	7.8		J	0.0	0.3	-0.0	-1.7
0.3	7.4						
		perm i~1	I	0.0	0.1	-0.0	-0.6
0.1	2.5		J	0.0	0.1	-0.0	-0.6
0.1	2.4						
		pp2	I	0.1	3.4	0.0	6.8
1.0	83.8		J	0.1	3.4	0.0	6.8
1.0	80.5						
		perm2	I	0.0	0.9	0.0	3.6
-0.2	22.4		J	0.0	0.9	0.0	3.6
-0.2	21.5						
		q3	I	124.8	-33.3	7.2	-32.2
41.5	-1327.1		J	119.5	-33.3	7.2	-44.8
40.5	-1294.1						
		q4-1	I	96.3	-11.7	-2.7	35.5
85.4	-463.6		J	96.3	-11.7	-2.7	35.5
88.0	-452.0						
		q4-2	I	1.1	23.4	-5.2	-77.0
-73.7	584.3		J	1.1	23.4	-5.2	-77.0
-68.5	561.1						
		q4-3	I	-0.5	-12.3	-1.4	-19.6
-40.4	-308.5		J	-0.5	-12.3	-1.4	-19.6
-39.0	-296.3						
		q4-4	I	0.1	3.8	1.8	27.4


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
36.9	95.4			J	0.1	3.8	1.8	27.4	
35.1	91.6								
-554.7	3157.8		q5x_pc	I	-198.9	-108.0	-55.6	-633.8	
-503.9	3256.3			J	-190.4	-90.9	-55.5	-642.3	
194.6	172.2		q5y_pc	I	0.2	6.9	5.9	-72.5	
188.8	165.3			J	0.2	6.9	5.9	-72.5	
-524.3	2442.7		q5x_ps	I	-189.1	-123.8	-47.3	-654.3	
-478.6	2557.3			J	-181.0	-107.7	-47.2	-656.7	
217.4	170.0		q5y_ps	I	0.2	6.8	6.8	-72.4	
210.6	163.2			J	0.2	6.8	6.8	-72.4	
-43.0	235.7		q7	I	-72.3	-5.8	-2.1	-34.4	
-40.9	241.5			J	-72.3	-5.8	-2.1	-34.4	
161.7	374.2		T	I	0.6	15.0	4.2	-78.0	
157.5	359.3			J	0.6	15.0	4.2	-78.0	
-9.8	-120.3		SLVx-E~1	I	-1.8	-40.6	1.0	-24.4	
-10.8	-115.7			J	-1.8	-40.6	1.0	-23.9	
-22.9	-280.8		SLVy-E~1	I	-4.2	-94.8	2.4	-56.8	
-25.2	-270.1			J	-4.2	-94.8	2.4	-55.8	
766	1	64	Q1-1_2 Max	I	13.1	27.4	510.6	2080.8	1
6828.0	660.3			J	12.5	27.4	549.5	2083.3	1
7131.8	633.1		Min	I	-7.7	-36.8	-1109.9	-1100.5	-
6747.2	-875.9			J	-8.2	-36.8	-1059.4	-1116.8	-
6480.4	-839.5								
7065.2	528.4		Q1-3_4 Max	I	12.9	21.9	527.2	1864.7	1
7368.1	506.7			J	12.3	21.9	566.8	1886.7	1
6603.4	-1009.8		Min	I	-8.1	-42.9	-1118.0	-950.7	-
6342.9	-967.3			J	-8.7	-42.9	-1066.6	-921.3	-
9722.2	359.0		Q2a-1_2 Max	I	7.7	14.9	323.1	1217.5	
9903.2	344.3			J	7.3	14.9	346.9	1228.8	

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
3733.0	-474.0	Min	I	-4.8	-19.9	-666.1	-654.5	-	
			J	-5.2	-19.9	-637.4	-661.0	-	
3585.4	-454.4								
		Q2a-3_4 Max	I	7.5	11.5	332.5	1084.5		
9781.8	276.5		J	7.2	11.5	356.6	1097.9		
9960.9	265.2								
		Min	I	-5.1	-22.9	-666.7	-592.1	-	
3601.2	-539.6		J	-5.4	-22.9	-637.7	-540.5	-	
3459.2	-516.9								
		Q1-1 Max	I	5.0	12.0	190.8	1015.4		
6058.6	288.9		J	4.7	12.0	205.3	998.5		
6173.3	277.0								
		Min	I	-2.7	-10.7	-416.3	-605.5	-	
2477.3	-267.7		J	-3.0	-10.7	-398.4	-616.0	-	
2379.0	-257.1								
		Q1-3 Max	I	4.4	4.7	211.0	625.9		
6121.1	114.1		J	4.1	4.7	226.2	686.8		
6228.3	109.4								
		Min	I	-3.3	-16.3	-407.3	-391.2	-	
2039.3	-379.1		J	-3.5	-16.3	-389.0	-335.3	-	
1959.5	-362.9								
		SLVx (RS)	I	507.5	356.1	134.8	2132.7		
2003.9	-9576.8		J	507.5	356.1	134.8	2132.7		
1917.4	-9477.3								
		SLVy (RS)	I	570.3	415.1	146.0	-1545.4	-	
2059.2	13426.6		J	570.3	415.1	146.0	-1545.4	-	
1980.1	13159.2								
		SLVz (RS)	I	-269.0	109.8	224.7	-303.0	-	
2347.2	-868.7		J	-269.0	109.8	224.7	-303.0	-	
2552.0	-887.6								
		G1	I	7.4	-25.2	-728.9	1122.3	1	
1547.7	-590.6		J	6.1	-25.2	-625.9	1122.3	1	
2218.6	-565.6								
		G2	I	2.7	-9.2	-264.6	406.2		
4188.3	-214.7		J	2.2	-9.2	-227.2	406.2		
4431.9	-205.7								
		pp imp~1	I	0.0	0.3	-0.0	-1.7		
0.2	7.4		J	0.0	0.3	-0.0	-1.7		
0.3	7.1								
		perm i~1	I	0.0	0.1	-0.0	-0.6		
0.1	2.4		J	0.0	0.1	-0.0	-0.6		
0.1	2.3								

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1.2	80.5	pp2	I	0.2	3.3	0.0	6.8
1.1	77.1		J	0.2	3.3	0.0	6.8
-0.2	21.5	perm2	I	0.1	0.9	0.0	3.6
-0.2	20.6		J	0.1	0.9	0.0	3.6
39.3	-1294.1	q3	I	118.9	-35.6	7.1	-45.7
38.3	-1258.8		J	113.6	-35.6	7.1	-58.4
88.6	-452.0	q4-1	I	96.1	-13.5	-2.7	33.8
91.2	-438.6		J	96.1	-13.5	-2.7	33.8
-69.8	561.2	q4-2	I	1.6	23.4	-5.2	-75.6
-64.7	538.0		J	1.6	23.4	-5.2	-75.6
-39.4	-296.3	q4-3	I	-0.8	-12.3	-1.4	-18.9
-38.0	-284.1		J	-0.8	-12.3	-1.4	-18.9
35.6	91.6	q4-4	I	0.2	3.8	1.8	26.7
33.9	87.8		J	0.2	3.8	1.8	26.7
-515.4	3256.5	q5x_pc	I	-192.1	-87.2	-55.5	-632.2
-464.9	3334.5		J	-183.3	-70.3	-55.4	-640.6
187.4	165.3	q5y_pc	I	0.4	6.9	5.9	-76.1
181.5	158.4		J	0.4	6.9	5.9	-76.1
-490.6	2557.5	q5x_ps	I	-183.1	-104.2	-47.3	-647.1
-445.1	2652.8		J	-174.7	-88.2	-47.1	-649.5
209.2	163.2	q5y_ps	I	0.4	6.8	6.8	-76.4
202.5	156.4		J	0.4	6.8	6.8	-76.4
-41.5	241.5	q7	I	-72.4	-4.4	-2.1	-33.6
-39.5	245.9		J	-72.4	-4.4	-2.1	-33.6
156.0	359.3	T	I	0.9	15.0	4.2	-81.0
151.9	344.4		J	0.9	15.0	4.2	-81.0

MIDAS

PROJECT TITLE :


		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-11.3	-115.7		SLVx-E~1	I	-2.6	-40.6	1.0	-23.7		
				J	-2.6	-40.6	1.0	-23.3		
-12.3	-111.2									
			SLVy-E~1	I	-6.1	-94.7	2.4	-55.3		
-26.4	-270.0			J	-6.1	-94.7	2.4	-54.3		
-28.7	-259.4									
767	1	64	Q1-1_2 Max	I	12.2	27.4	549.5	1906.1	1	
7146.1	634.2			J	11.6	27.4	589.9	1911.5	1	
7371.3	607.1									
			Min	I	-8.6	-36.7	-1059.4	-1309.9	-	
6473.1	-842.9			J	-9.2	-36.7	-1009.4	-1320.6	-	
6206.3	-806.5									
			Q1-3_4 Max	I	11.9	21.9	566.8	1734.5	1	
7376.5	507.7			J	11.3	21.9	607.9	1758.0	1	
7596.9	486.0									
			Min	I	-9.1	-42.8	-1066.6	-1111.3	-	
6335.2	-971.0			J	-9.7	-42.8	-1015.8	-1116.0	-	
6074.8	-928.6									
			Q2a-1_2 Max	I	7.1	14.9	346.9	1100.7		
9912.6	344.9			J	6.8	14.9	371.5	1112.8	1	
0049.0	330.1									
			Min	I	-5.4	-19.8	-637.4	-778.5	-	
3581.3	-456.4			J	-5.7	-19.8	-608.8	-779.6	-	
3433.7	-436.7									
			Q2a-3_4 Max	I	6.9	11.5	356.6	981.3		
9965.9	265.7			J	6.6	11.5	381.4	1034.4	1	
0098.1	254.4									
			Min	I	-5.7	-22.9	-637.7	-685.5	-	
3455.0	-519.0			J	-6.0	-22.9	-608.8	-659.1	-	
3313.0	-496.4									
			Q1-1 Max	I	4.7	12.0	205.3	924.3		
6181.6	277.4			J	4.4	12.0	220.3	909.1		
6269.4	265.5									
			Min	I	-3.1	-10.7	-398.5	-709.7	-	
2376.6	-258.3			J	-3.3	-10.7	-380.6	-722.0	-	
2278.3	-247.7									
			Q1-3 Max	I	3.9	4.7	226.2	610.9		
6227.4	109.5			J	3.7	4.7	241.9	670.4		
6304.8	104.8									
			Min	I	-3.7	-16.3	-389.0	-434.9	-	
1956.6	-364.4			J	-3.9	-16.3	-370.8	-378.9	-	
1876.9	-348.2									
			SLVx (RS)	I	485.9	350.2	132.4	2101.0		
1951.1	-9477.6									

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
1864.1	-9358.6		J	485.9	350.2	132.4	2101.0	
1998.9	13159.5	SLVy (RS)	I	542.5	425.6	148.7	-1518.3	-
1920.5	12864.5		J	542.5	425.6	148.7	-1518.3	-
2557.2	-887.4	SLVz (RS)	I	-262.5	109.9	188.5	-256.9	-
2724.9	-905.2		J	-262.5	109.9	188.5	-256.9	-
2237.8	-568.6	G1	I	5.6	-25.1	-625.9	887.1	1
2806.7	-543.7		J	4.3	-25.1	-522.9	887.1	1
4438.8	-206.8	G2	I	2.0	-9.1	-227.2	320.9	
4645.4	-197.7		J	1.6	-9.1	-189.8	320.9	
0.2	7.1	pp imp~1	I	0.0	0.3	-0.0	-1.7	
0.3	6.8		J	0.0	0.3	-0.0	-1.7	
0.1	2.3	perm i~1	I	0.0	0.1	-0.0	-0.6	
0.1	2.2		J	0.0	0.1	-0.0	-0.6	
1.3	77.1	pp2	I	0.3	3.3	0.0	6.8	
1.2	73.8		J	0.3	3.3	0.0	6.8	
-0.1	20.6	perm2	I	0.1	0.9	0.0	3.6	
-0.1	19.7		J	0.1	0.9	0.0	3.6	
36.9	-1258.8	q3	I	112.9	-37.8	7.1	-59.3	
35.9	-1221.4		J	107.6	-37.8	7.1	-71.9	
91.7	-438.6	q4-1	I	95.8	-15.4	-2.7	32.0	
94.4	-423.4		J	95.8	-15.4	-2.7	32.0	
-66.0	538.0	q4-2	I	2.0	23.4	-5.2	-74.3	
-60.8	514.8		J	2.0	23.4	-5.2	-74.3	
-38.4	-284.1	q4-3	I	-1.0	-12.3	-1.4	-18.2	
-37.0	-271.9		J	-1.0	-12.3	-1.4	-18.2	
34.4	87.8	q4-4	I	0.3	3.8	1.8	26.1	
			J	0.3	3.8	1.8	26.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
32.6	84.1							
-476.3	3334.7	q5x_pc	I	-184.6	-66.8	-55.4	-631.3	
-426.1	3392.5		J	-175.4	-50.0	-55.3	-639.6	
180.0	158.4	q5y_pc	I	0.5	6.9	5.9	-79.6	
174.2	151.6		J	0.5	6.9	5.9	-79.6	
-456.8	2653.0	q5x_ps	I	-176.4	-84.8	-47.2	-640.6	
-411.5	2729.2		J	-167.7	-69.0	-47.0	-643.0	
201.0	156.4	q5y_ps	I	0.5	6.8	6.8	-80.3	
194.3	149.6		J	0.5	6.8	6.8	-80.3	
-40.0	245.9	q7	I	-72.4	-3.0	-2.1	-32.8	
-38.0	248.9		J	-72.4	-3.0	-2.1	-32.8	
150.3	344.4	T	I	1.2	15.0	4.2	-83.9	
146.2	329.5		J	1.2	15.0	4.2	-83.9	
-12.8	-111.2	SLVx-E~1	I	-3.4	-40.5	1.0	-23.0	
-13.8	-106.7		J	-3.4	-40.5	1.0	-22.6	
-29.8	-259.4	SLVy-E~1	I	-7.9	-94.6	2.3	-53.8	
-32.1	-248.9		J	-7.9	-94.6	2.3	-52.7	
768	1	64 Q1-1_2 Max	I	11.3	27.3	589.9	1759.6	1
7376.4	608.1		J	10.8	27.3	631.8	1741.4	1
7521.4	581.0	Min	I	-9.6	-36.7	-1009.5	-1552.1	-
6196.7	-810.1		J	-10.2	-36.7	-960.0	-1553.4	-
5929.8	-773.8	Q1-3_4 Max	I	11.0	21.9	607.9	1592.9	1
7599.3	486.9		J	10.4	21.9	650.6	1672.2	1
7737.5	465.3	Min	I	-10.2	-42.8	-1015.8	-1349.9	-
6064.8	-932.2		J	-10.8	-42.8	-965.5	-1323.4	-
5804.4	-889.9	Q2a-1_2 Max	I	6.6	14.9	371.5	1003.0	1
0053.0	330.7		J	6.2	14.9	396.8	996.2	1
0143.6	316.0	Min	I	-6.0	-19.8	-608.8	-923.5	-
3428.4	-438.8							


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3280.8	-419.2		J	-6.3	-19.8	-580.2	-916.3	-
0100.0	254.8	Q2a-3_4 Max	I	6.3	11.4	381.4	914.9	1
0185.4	243.5		J	6.0	11.4	407.0	967.6	1
3307.5	-498.5	Min	I	-6.3	-22.8	-608.8	-783.5	-
3165.5	-475.9		J	-6.7	-22.8	-580.0	-777.5	-
6273.1	265.9	Q1-1 Max	I	4.3	12.0	220.3	833.0	
6333.2	254.0		J	4.1	12.0	235.7	819.6	
2275.0	-248.9	Min	I	-3.4	-10.7	-380.6	-819.3	-
2176.7	-238.3		J	-3.6	-10.7	-362.8	-833.4	-
6302.8	104.9	Q1-3 Max	I	3.5	4.7	241.9	592.0	
6349.6	100.2		J	3.3	4.7	258.0	650.3	
1873.2	-349.6	Min	I	-4.1	-16.3	-370.8	-479.3	-
1793.5	-333.4		J	-4.4	-16.3	-352.7	-422.8	-
1896.5	-9358.8	SLVx (RS)	I	463.7	-346.3	130.4	2070.9	
1808.4	-9219.3		J	463.7	-346.3	130.4	2070.9	
1938.2	12864.8	SLVy (RS)	I	514.0	437.9	150.3	-1493.0	-
1861.1	12542.4		J	514.0	437.9	150.3	-1493.0	-
2729.1	-905.0	SLVz (RS)	I	-255.5	110.2	158.0	-208.6	-
2858.3	-921.9		J	-255.5	110.2	158.0	-208.6	-
2821.3	-546.8	G1	I	3.8	-25.1	-522.9	640.6	1
3288.2	-522.0		J	2.5	-25.1	-419.9	640.6	1
4650.7	-198.8	G2	I	1.4	-9.1	-189.8	231.5	
4820.2	-189.8		J	0.9	-9.1	-152.5	231.5	
0.2	6.8	pp imp~1	I	0.0	0.3	-0.0	-1.7	
0.3	6.5		J	0.0	0.3	-0.0	-1.7	
0.1	2.2	perm i~1	I	0.0	0.1	-0.0	-0.6	
0.1	2.1		J	0.0	0.1	-0.0	-0.6	
		pp2	I	0.3	3.3	0.0	6.8	

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1.4	73.8		J	0.3	3.3	0.0	6.8
1.4	70.5						
-0.1	19.7	perm2	I	0.1	0.9	0.0	3.6
-0.1	18.8		J	0.1	0.9	0.0	3.6
34.2	-1221.4	q3	I	106.9	-39.9	7.1	-72.7
33.2	-1181.9		J	101.6	-39.9	7.1	-85.4
94.9	-423.4	q4-1	I	95.5	-17.2	-2.7	30.1
97.6	-406.3		J	95.5	-17.2	-2.7	30.1
-62.1	514.9	q4-2	I	2.5	23.3	-5.2	-73.0
-57.0	491.7		J	2.5	23.3	-5.2	-73.0
-37.4	-271.9	q4-3	I	-1.2	-12.3	-1.4	-17.5
-36.0	-259.7		J	-1.2	-12.3	-1.4	-17.5
33.2	84.0	q4-4	I	0.4	3.8	1.8	25.5
31.4	80.3		J	0.4	3.8	1.8	25.5
-437.6	3392.7	q5x_pc	I	-176.4	-46.6	-55.3	-630.9
-387.6	3430.7		J	-166.9	-30.1	-55.1	-639.2
172.6	151.5	q5y_pc	I	0.6	6.9	5.9	-82.9
166.8	144.7		J	0.6	6.9	5.9	-82.9
-423.1	2729.3	q5x_ps	I	-169.0	-65.8	-47.0	-634.7
-377.9	2786.7		J	-160.1	-50.1	-46.9	-637.0
192.7	149.6	q5y_ps	I	0.6	6.8	6.8	-84.0
186.0	142.8		J	0.6	6.8	6.8	-84.0
-38.5	248.9	q7	I	-72.5	-1.7	-2.1	-32.0
-36.4	250.6		J	-72.5	-1.7	-2.1	-32.0
144.6	329.5	T	I	1.5	15.0	4.2	-86.7
140.4	314.7		J	1.5	15.0	4.2	-86.7
-14.2	-106.7	SLVx-E~1	I	-4.2	-40.5	1.0	-22.3

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-15.2	-102.2			J	-4.2	-40.5	1.0	-21.9		
			SLVy-E~1	I	-9.7	-94.4	2.3	-52.1		
-33.2	-248.9			J	-9.7	-94.4	2.3	-51.1		
-35.5	-238.6									
769	1	64	Q1-1_2 Max	I	10.5	27.3	631.8	1647.7	1	
7517.2	582.0			J	10.0	27.3	675.2	1631.5	1	
7591.2	554.9		Min	I	-10.6	-36.6	-960.0	-1807.6	-	
5918.0	-777.4			J	-11.2	-36.6	-911.2	-1806.3	-	
5651.2	-741.2									
			Q1-3_4 Max	I	10.1	21.8	650.6	1501.7	1	
7733.1	466.2			J	9.6	21.8	694.7	1580.9	1	
7797.3	444.6		Min	I	-11.3	-42.7	-965.6	-1563.3	-	
5792.2	-893.5			J	-12.0	-42.7	-916.0	-1540.9	-	
5531.8	-851.2									
			Q2a-1_2 Max	I	6.0	14.8	396.8	929.1	1	
0141.9	316.5			J	5.7	14.8	423.0	922.6	1	
0193.6	301.8		Min	I	-6.6	-19.8	-580.2	-1074.8	-	
3274.2	-421.3			J	-6.9	-19.8	-551.7	-1064.5	-	
3126.6	-401.7									
			Q2a-3_4 Max	I	5.7	11.4	407.0	845.7	1	
0183.5	244.0			J	5.4	11.4	433.4	898.4	1	
0228.4	232.7		Min	I	-7.0	-22.8	-580.0	-924.3	-	
3158.9	-478.0			J	-7.3	-22.8	-551.3	-901.4	-	
3016.9	-455.4									
			Q1-1 Max	I	4.0	12.0	235.7	742.3		
6332.1	254.4			J	3.8	12.0	251.7	730.7		
6367.9	242.5		Min	I	-3.7	-10.7	-362.9	-933.2	-	
2172.6	-239.6			J	-4.0	-10.7	-345.1	-949.0	-	
2074.3	-229.0									
			Q1-3 Max	I	3.1	4.7	258.0	569.2		
6347.9	100.3			J	2.9	4.7	274.6	626.6		
6366.6	95.7		Min	I	-4.6	-16.3	-352.7	-523.0	-	
1789.2	-334.7			J	-4.8	-16.3	-334.8	-465.8	-	
1709.5	-318.6									
			SLVx(RS)	I	441.0	-344.5	128.7	2042.4		
1839.5	-9219.5			J	441.0	-344.5	128.7	2042.4		
1749.8	-9058.9									

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			

1877.9	12542.7	SLVy (RS)	I	484.9	451.6	150.8	-1469.4	-
			J	484.9	451.6	150.8	-1469.4	-
1802.5	12193.3							
		SLVz (RS)	I	-248.0	110.4	139.6	-160.0	-
2861.5	-921.6		J	-248.0	110.4	139.6	-160.0	-
2952.7	-937.9							
		G1	I	2.0	-25.0	-419.9	384.9	1
3297.9	-525.1		J	0.8	-25.0	-316.9	384.9	1
3662.8	-500.3							
		G2	I	0.7	-9.1	-152.5	138.8	
4823.7	-190.9		J	0.3	-9.1	-115.1	138.8	
4956.2	-181.9							
		pp imp~1	I	0.0	0.3	-0.0	-1.7	
0.2	6.5		J	0.0	0.3	-0.0	-1.7	
0.3	6.2							
		perm i~1	I	0.0	0.1	-0.0	-0.6	
0.1	2.1		J	0.0	0.1	-0.0	-0.6	
0.1	2.0							
		pp2	I	0.4	3.3	0.0	6.8	
1.5	70.5		J	0.4	3.3	0.0	6.8	
1.5	67.2							
		perm2	I	0.1	0.9	0.0	3.6	
-0.0	18.8		J	0.1	0.9	0.0	3.6	
-0.0	18.0							
		q3	I	100.8	-41.8	7.1	-86.2	
31.3	-1181.9		J	95.5	-41.8	7.1	-98.8	
30.4	-1140.5							
		q4-1	I	95.1	-19.1	-2.7	28.2	
98.1	-406.4		J	95.1	-19.1	-2.7	28.2	
100.8	-387.5							
		q4-2	I	2.9	23.3	-5.2	-71.9	
-58.3	491.8		J	2.9	23.3	-5.2	-71.9	
-53.1	468.7							
		q4-3	I	-1.5	-12.3	-1.4	-16.8	
-36.4	-259.7		J	-1.5	-12.3	-1.4	-16.8	
-35.0	-247.5							
		q4-4	I	0.4	3.8	1.8	24.9	
31.9	80.3		J	0.4	3.8	1.8	24.9	
30.1	76.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-399.0	3430.9	q5x_pc	I	-167.4	-26.9	-55.1	-631.3	
			J	-157.6	-10.5	-55.0	-639.5	
-349.4	3449.4							
165.2	144.7	q5y_pc	I	0.8	6.9	5.9	-86.1	
159.3	137.8		J	0.8	6.9	5.9	-86.1	
-389.5	2786.9	q5x_ps	I	-161.0	-47.0	-46.9	-629.3	
-344.4	2825.8		J	-151.7	-31.6	-46.8	-631.6	
184.3	142.8	q5y_ps	I	0.7	6.8	6.8	-87.5	
177.6	136.1		J	0.7	6.8	6.8	-87.5	
-37.0	250.6	q7	I	-72.5	-0.3	-2.1	-31.3	
-34.9	250.8		J	-72.5	-0.3	-2.1	-31.3	
138.8	314.7	T	I	1.8	14.9	4.2	-89.3	
134.6	299.9		J	1.8	14.9	4.2	-89.3	
-15.6	-102.2	SLVx-E~1	I	-4.9	-40.4	1.0	-21.6	
-16.6	-97.9		J	-4.9	-40.4	1.0	-21.2	
-36.5	-238.5	SLVy-E~1	I	-11.5	-94.2	2.3	-50.5	
-38.8	-228.4		J	-11.5	-94.2	2.3	-49.5	
770	1	64 Q1-1_2 Max	I	9.7	27.2	675.2	1541.8	1
7577.5	555.8		J	9.2	27.2	720.1	1529.1	1
7578.8	528.9	Min	I	-11.7	-36.5	-911.2	-2074.9	-
5637.2	-744.8		J	-12.3	-36.5	-863.0	-2076.9	-
5370.4	-708.7							
7788.0	445.4	Q1-3_4 Max	I	9.3	21.8	694.7	1406.6	1
7774.3	423.8		J	8.8	21.8	740.3	1486.3	1
5517.6	-854.8	Min	I	-12.5	-42.6	-916.0	-1785.0	-
5257.1	-812.7		J	-13.1	-42.6	-867.1	-1766.4	-
0186.2	302.3	Q2a-1_2 Max	I	5.5	14.8	423.0	857.1	1
0197.6	287.7		J	5.1	14.8	449.8	852.1	1
3118.8	-403.9	Min	I	-7.2	-19.7	-551.7	-1231.5	-
2971.2	-384.4		J	-7.6	-19.7	-523.3	-1222.3	-


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			


0224.1	233.1	Q2a-3_4 Max	I	5.2	11.4	433.4	775.2	1
			J	4.9	11.4	460.5	828.1	1
0225.6	221.8							
		Min	I	-7.6	-22.7	-551.3	-1050.8	-
3009.1	-457.5		J	-8.0	-22.7	-522.7	-1029.3	-
2867.1	-435.0							
		Q1-1 Max	I	3.7	11.9	251.7	653.1	
6361.1	242.8		J	3.5	11.9	268.1	643.3	
6373.7	231.0							
		Min	I	-4.1	-10.6	-345.1	-1050.6	-
2069.4	-230.3		J	-4.3	-10.6	-327.5	-1068.3	-
1971.1	-219.8							
		Q1-3 Max	I	2.7	4.7	274.6	543.4	
6369.2	95.7		J	2.5	4.7	291.7	600.2	
6356.7	91.1							
		Min	I	-5.0	-16.2	-334.8	-565.2	-
1704.5	-319.9		J	-5.2	-16.2	-317.0	-506.8	-
1624.8	-303.9							
		SLVx (RS)	I	417.9	-344.9	127.4	2015.7	
1779.6	-9059.0		J	417.9	-344.9	127.4	2015.7	
1687.9	-8876.4							
		SLVy (RS)	I	455.3	466.4	150.0	-1447.6	-
1818.3	12193.6		J	455.3	466.4	150.0	-1447.6	-
1744.7	11817.8							
		SLVz (RS)	I	-240.2	110.5	138.3	-114.7	-
2954.9	-937.6		J	-240.2	110.5	138.3	-114.7	-
3010.3	-953.6							
		G1	I	0.3	-25.0	-316.9	122.1	1
3667.6	-503.5		J	-1.0	-25.0	-213.9	122.1	1
3930.4	-478.8							
		G2	I	0.1	-9.1	-115.1	43.4	
4957.9	-183.1		J	-0.4	-9.1	-77.7	43.4	
5053.4	-174.1							
		pp imp~1	I	0.0	0.3	-0.0	-1.7	
0.2	6.2		J	0.0	0.3	-0.0	-1.7	
0.3	5.9							
		perm i~1	I	0.0	0.1	-0.0	-0.6	
0.1	2.0		J	0.0	0.1	-0.0	-0.6	
0.1	1.9							
		pp2	I	0.5	3.3	0.0	6.7	
1.6	67.2		J	0.5	3.3	0.0	6.7	

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
1.6	63.9						
		perm2	I	0.1	0.9	0.0	3.6
0.0	18.0		J	0.1	0.9	0.0	3.6
0.0	17.1						
		q3	I	94.7	-43.6	7.1	-99.5
28.2	-1140.5		J	89.4	-43.6	7.1	-112.2
27.3	-1097.3						
		q4-1	I	94.7	-20.9	-2.7	26.2
101.2	-387.5		J	94.7	-20.9	-2.7	26.2
103.9	-366.8						
		q4-2	I	3.3	23.2	-5.2	-70.8
-54.4	468.7		J	3.3	23.2	-5.2	-70.8
-49.3	445.7						
		q4-3	I	-1.7	-12.2	-1.4	-16.2
-35.4	-247.5		J	-1.7	-12.2	-1.4	-16.2
-33.9	-235.4						
		q4-4	I	0.5	3.8	1.8	24.3
30.6	76.5		J	0.5	3.8	1.8	24.3
28.9	72.8						
		q5x_pc	I	-157.8	-7.5	-55.0	-632.2
-360.8	3449.6		J	-147.7	8.7	-54.9	-640.3
-311.5	3449.0						
		q5y_pc	I	0.9	6.9	5.9	-89.1
157.6	137.8		J	0.9	6.9	5.9	-89.1
151.8	131.0						
		q5x_ps	I	-152.3	-28.6	-46.8	-624.6
-355.9	2826.0		J	-142.7	-13.4	-46.7	-626.9
-311.0	2846.8						
		q5y_ps	I	0.9	6.8	6.8	-90.9
175.9	136.0		J	0.9	6.8	6.8	-90.9
169.1	129.3						
		q7	I	-72.5	1.1	-2.1	-30.6
-35.5	250.8		J	-72.5	1.1	-2.1	-30.6
-33.4	249.7						
		T	I	2.1	14.9	4.2	-91.8
132.9	299.9		J	2.1	14.9	4.2	-91.8
128.7	285.1						
		SLVx-E~1	I	-5.7	-40.3	1.0	-20.9
-17.0	-97.9		J	-5.7	-40.3	1.0	-20.5
-18.0	-93.6						

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-39.8	-228.4	SLVy-E~1	I	-13.3	-94.0	2.3	-48.7		
-42.0	-218.5		J	-13.3	-94.0	2.3	-47.7		
771	1	64 Q1-1_2 Max	I	9.0	27.1	720.1	1443.4	1	
7555.4	529.7		J	8.5	27.1	766.5	1434.7	1	
7473.2	502.8	Min	I	-12.8	-36.4	-863.0	-2352.1	-	
5354.3	-712.3		J	-13.4	-36.4	-815.4	-2357.3	-	
5087.5	-676.2								
7757.1	424.6	Q1-3_4 Max	I	8.5	21.7	740.3	1347.1	1	
7657.6	403.1		J	8.0	21.7	787.5	1427.6	1	
5240.9	-816.2	Min	I	-13.7	-42.4	-867.2	-2013.2	-	
4980.5	-774.2		J	-14.3	-42.4	-819.0	-1998.2	-	
0184.3	288.2	Q2a-1_2 Max	I	4.9	14.8	449.8	788.2	1	
0147.5	273.6		J	4.6	14.8	477.4	784.7	1	
2962.3	-386.5	Min	I	-7.8	-19.7	-523.3	-1392.0	-	
2814.7	-367.0		J	-8.2	-19.7	-495.0	-1384.0	-	
0216.7	222.2	Q2a-3_4 Max	I	4.6	11.3	460.5	732.7	1	
0168.8	211.0		J	4.3	11.3	488.3	786.1	1	
2858.2	-437.0	Min	I	-8.3	-22.7	-522.7	-1180.6	-	
2716.2	-414.5		J	-8.7	-22.7	-494.3	-1160.2	-	
6361.8	231.3	Q1-1 Max	I	3.4	11.9	268.1	566.3		
6345.3	219.5		J	3.2	11.9	285.1	558.3		
1965.5	-221.1	Min	I	-4.5	-10.6	-327.5	-1170.7	-	
1867.2	-210.6		J	-4.7	-10.6	-309.9	-1190.2	-	
6358.1	91.1	Q1-3 Max	I	2.4	4.7	291.7	515.2		
6313.7	86.5		J	2.2	4.7	309.3	571.8		
1619.1	-305.1	Min	I	-5.5	-16.2	-317.0	-604.9	-	
1539.4	-289.1		J	-5.7	-16.2	-299.3	-545.1	-	
1716.4	-8876.6	SLVx (RS)	I	394.5	-347.6	126.7	1990.7		
1622.1	-8671.4		J	394.5	-347.6	126.7	1990.7		
		SLVy (RS)	I	425.3	481.9	148.4	-1427.5	-	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1759.5	11818.0		J	425.3	481.9	148.4	-1427.5	-
1687.4	11416.3							
		SLVz (RS)	I	-231.9	110.1	151.9	-82.1	-
3011.4	-953.3		J	-231.9	110.1	151.9	-82.1	-
3034.8	-969.1							
		G1	I	-1.5	-24.9	-213.9	-145.8	1
3930.1	-481.9		J	-2.7	-24.9	-110.9	-145.8	1
4090.9	-457.3							
		G2	I	-0.5	-9.1	-77.7	-53.8	
5053.3	-175.2		J	-1.0	-9.1	-40.3	-53.8	
5111.8	-166.3							
		pp imp~1	I	0.0	0.3	-0.0	-1.7	
0.3	5.9		J	0.0	0.3	-0.0	-1.7	
0.3	5.6							
		perm i~1	I	0.0	0.1	-0.0	-0.6	
0.1	1.9		J	0.0	0.1	-0.0	-0.6	
0.1	1.8							
		pp2	I	0.5	3.3	0.0	6.7	
1.7	63.9		J	0.5	3.3	0.0	6.7	
1.7	60.7							
		perm2	I	0.1	0.9	0.0	3.6	
0.1	17.1		J	0.1	0.9	0.0	3.6	
0.1	16.2							
		q3	I	88.6	-45.3	7.0	-112.8	
24.8	-1097.3		J	83.3	-45.3	7.0	-125.5	
23.9	-1052.3							
		q4-1	I	94.3	-22.7	-2.8	24.2	
104.3	-366.9		J	94.3	-22.7	-2.8	24.2	
107.0	-344.4							
		q4-2	I	3.8	23.2	-5.2	-69.8	
-50.5	445.7		J	3.8	23.2	-5.2	-69.8	
-45.4	422.8							
		q4-3	I	-1.9	-12.2	-1.4	-15.5	
-34.3	-235.4		J	-1.9	-12.2	-1.4	-15.5	
-32.9	-223.3							
		q4-4	I	0.6	3.8	1.8	23.7	
29.3	72.8		J	0.6	3.8	1.8	23.7	
27.6	69.1							
		q5x_pc	I	-147.5	11.5	-54.9	-633.8	
-322.9	3449.1							

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-273.9	3429.8		J	-137.1	27.5	-54.7	-641.8	
150.1	131.0	q5y_pc	I	1.0	6.8	5.9	-92.0	
144.2	124.2		J	1.0	6.8	5.9	-92.0	
-322.3	2846.9	q5x_ps	I	-143.0	-10.6	-46.7	-620.4	
-277.6	2850.0		J	-133.1	4.5	-46.6	-622.7	
167.4	129.3	q5y_ps	I	1.0	6.8	6.8	-94.1	
160.6	122.6		J	1.0	6.8	6.8	-94.1	
-33.9	249.7	q7	I	-72.5	2.5	-2.1	-29.9	
-31.9	247.2		J	-72.5	2.5	-2.1	-29.9	
127.0	285.1	T	I	2.3	14.8	4.2	-94.3	
122.8	270.4		J	2.3	14.8	4.2	-94.3	
-18.4	-93.6	SLVx-E~1	I	-6.5	-40.2	1.0	-20.1	
-19.4	-89.5		J	-6.5	-40.2	1.0	-19.7	
-43.0	-218.5	SLVy-E~1	I	-15.1	-93.7	2.2	-46.9	
-45.2	-208.9		J	-15.1	-93.7	2.2	-46.0	
772	1	64 Q1-1_2 Max	I	8.6	27.1	766.5	1350.9	1
7439.8	503.6		J	8.4	27.1	814.3	1346.4	1
7272.7	476.8	Min	I	-13.9	-36.3	-815.4	-2633.0	-
5069.6	-679.7		J	-14.5	-36.3	-768.6	-2641.6	-
4802.8	-643.8	Q1-3_4 Max	I	7.8	21.6	787.5	1316.6	1
7634.3	403.8		J	7.5	21.6	836.1	1398.5	1
7445.8	382.4	Min	I	-14.9	-42.3	-819.0	-2245.9	-
4962.4	-777.6		J	-15.5	-42.3	-771.7	-2234.0	-
4701.9	-735.7	Q2a-1_2 Max	I	4.7	14.7	477.4	722.2	1
0128.1	274.0		J	4.5	14.7	505.7	720.4	1
0041.9	259.4	Min	I	-8.5	-19.6	-495.0	-1553.4	-
2804.8	-369.1		J	-8.8	-19.6	-466.9	-1546.4	-
2657.2	-349.7	Q2a-3_4 Max	I	4.1	11.3	488.3	712.6	1

MIDAS

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0156.6	211.3		J	3.9	11.3	516.8	767.0	1
0056.9	200.1	Min	I	-9.0	-22.6	-494.3	-1311.9	-
2706.3	-416.5		J	-9.3	-22.6	-466.1	-1292.5	-
2564.3	-394.1							
6328.2	219.8	Q1-1 Max	I	3.4	11.9	285.1	483.3	
6282.0	208.1		J	3.3	11.9	302.5	477.2	
1860.9	-212.0	Min	I	-4.8	-10.6	-309.9	-1292.7	-
1762.6	-201.5		J	-5.1	-10.6	-292.5	-1314.0	-
6314.0	86.6	Q1-3 Max	I	2.0	4.7	309.3	486.3	
6237.1	82.0		J	1.9	4.7	327.4	543.0	
1533.3	-290.2	Min	I	-5.9	-16.1	-299.3	-642.0	-
1453.5	-274.2		J	-6.1	-16.1	-281.8	-580.4	-
1649.5	-8671.6	SLVx (RS)	I	370.9	-352.4	126.7	1967.4	
1552.3	-8443.3		J	370.9	-352.4	126.7	1967.4	
1701.1	11416.6	SLVy (RS)	I	395.0	498.1	146.3	-1409.3	-
1629.9	10989.7		J	395.0	498.1	146.3	-1409.3	
3034.9	-968.8	SLVz (RS)	I	-223.3	109.2	172.7	81.7	-
3031.0	-984.3		J	-223.3	109.2	172.7	81.7	-
4085.4	-460.4	G1	I	-3.2	-24.8	-110.9	-416.8	1
4144.2	-435.8		J	-4.4	-24.8	-7.9	-416.8	1
5109.8	-167.4	G2	I	-1.2	-9.0	-40.3	-152.1	
5131.2	-158.5		J	-1.6	-9.0	-3.0	-152.1	
0.3	5.6	pp imp~1	I	0.1	0.3	-0.0	-1.7	
0.3	5.3		J	0.1	0.3	-0.0	-1.7	
0.1	1.8	perm i~1	I	0.0	0.1	-0.0	-0.6	
0.1	1.7		J	0.0	0.1	-0.0	-0.6	
1.8	60.7	pp2	I	0.6	3.3	0.0	6.7	
1.8	57.4		J	0.6	3.3	0.0	6.7	

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.2	16.2	perm2	I	0.2	0.9	0.0	3.6
			J	0.2	0.9	0.0	3.6
0.1	15.3						
		q3	I	82.4	-46.9	7.0	-126.1
21.3	-1052.3		J	77.1	-46.9	7.0	-138.8
20.4	-1005.8						
		q4-1	I	93.9	-24.5	-2.8	22.0
107.4	-344.4		J	93.9	-24.5	-2.8	22.0
110.1	-320.1						
		q4-2	I	4.2	23.1	-5.2	-68.8
-46.6	422.8		J	4.2	23.1	-5.2	-68.8
-41.5	399.9						
		q4-3	I	-2.2	-12.2	-1.4	-14.9
-33.2	-223.3		J	-2.2	-12.2	-1.4	-14.9
-31.8	-211.3						
		q4-4	I	0.7	3.7	1.8	23.2
28.0	69.1		J	0.7	3.7	1.8	23.2
26.3	65.3						
		q5x_pc	I	-136.5	30.1	-54.7	-636.0
-285.4	3429.9		J	-125.8	45.9	-54.6	-643.9
-236.6	3392.3						
		q5y_pc	I	1.2	6.8	5.9	-94.8
142.4	124.2		J	1.2	6.8	5.9	-94.8
136.5	117.4						
		q5x_ps	I	-133.0	7.1	-46.5	-616.9
-288.9	2850.1		J	-122.9	22.0	-46.4	-619.1
-244.4	2835.7						
		q5y_ps	I	1.1	6.7	6.8	-97.2
158.8	122.6		J	1.1	6.7	6.8	-97.2
152.1	115.9						
		q7	I	-72.4	3.9	-2.1	-29.3
-32.4	247.2		J	-72.4	3.9	-2.1	-29.3
-30.4	243.4						
		T	I	2.6	14.8	4.2	-96.6
121.0	270.4		J	2.6	14.8	4.2	-96.6
116.8	255.7						
		SLVx-E~1	I	-7.3	-40.0	1.0	-19.3
-19.8	-89.5		J	-7.3	-40.0	1.0	-18.9
-20.7	-85.5						
		SLVy-E~1	I	-16.9	-93.4	2.2	-45.1


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-46.1	-208.8			J	-16.9	-93.4	2.2	-44.1		
-48.3	-199.5									
773	1	64	Q1-1_2 Max	I	8.6	27.0	814.3	1296.5	1	
7232.1	477.5			J	8.5	27.0	863.6	1296.2	1	
6976.0	450.8		Min	I	-15.0	-36.2	-768.6	-2914.3	-	
4783.0	-647.1			J	-15.7	-36.2	-722.4	-2925.8	-	
4516.2	-611.3									
			Q1-3_4 Max	I	7.5	21.5	836.1	1298.7	1	
7416.5	383.0			J	7.4	21.5	886.2	1381.9	1	
7137.6	361.7		Min	I	-16.1	-42.1	-771.7	-2487.9	-	
4682.0	-738.9			J	-16.8	-42.1	-725.1	-2476.5	-	
4421.6	-697.2									
			Q2a-1_2 Max	I	4.6	14.6	505.7	683.6	1	
0018.4	259.8			J	4.6	14.6	534.8	683.5		
9879.8	245.3		Min	I	-9.1	-19.5	-466.9	-1713.8	-	
2646.2	-351.6			J	-9.5	-19.5	-438.9	-1707.5	-	
2498.6	-332.3									
			Q2a-3_4 Max	I	3.9	11.3	516.8	698.0	1	
0041.5	200.4			J	3.8	11.3	546.1	753.5		
9889.0	189.3		Min	I	-9.7	-22.5	-466.1	-1446.2	-	
2553.4	-396.0			J	-10.0	-22.5	-438.0	-1426.5	-	
2411.4	-373.7									
			Q1-1 Max	I	3.5	11.8	302.5	429.1		
6261.6	208.3			J	3.5	11.8	320.4	424.7		
6183.0	196.6		Min	I	-5.2	-10.5	-292.5	-1415.4	-	
1755.6	-202.8			J	-5.5	-10.5	-275.1	-1438.5	-	
1657.3	-192.4									
			Q1-3 Max	I	1.7	4.6	327.4	462.2		
6236.3	82.0			J	1.6	4.6	345.9	519.5		
6126.5	77.4		Min	I	-6.3	-16.1	-281.8	-680.3	-	
1446.8	-275.3			J	-6.6	-16.1	-264.5	-616.6	-	
1367.1	-259.4									
			SLVx (RS)	I	347.3	-359.3	127.4	1945.8		
1578.6	-8443.4			J	347.3	-359.3	127.4	1945.8		
1478.3	-8191.6									
			SLVy (RS)	I	364.6	514.4	144.0	-1392.8		
1642.6	10989.9			J	364.6	514.4	144.0	-1392.8		


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
1571.6	10538.8									
		SLVz (RS)	I	-214.4	107.5	-193.8	113.9	-		
3030.0	-984.0		J	-214.4	107.5	-193.8	113.9	-		
3004.1	-998.7									
		G1	I	-4.9	-24.7	-7.9	-688.8	1		
4133.5	-438.9		J	-6.1	-24.7	95.1	-688.8	1		
4090.3	-414.4									
		G2	I	-1.8	-9.0	-3.0	-250.7			
5127.3	-159.6		J	-2.2	-9.0	34.4	-250.7			
5111.7	-150.7									
		pp imp~1	I	0.1	0.3	-0.0	-1.8			
0.3	5.3		J	0.1	0.3	-0.0	-1.8			
0.3	5.0									
		perm i~1	I	0.0	0.1	-0.0	-0.6			
0.1	1.7		J	0.0	0.1	-0.0	-0.6			
0.1	1.6									
		pp2	I	0.7	3.3	0.0	6.7			
1.9	57.4		J	0.7	3.3	0.0	6.7			
1.9	54.1									
		perm2	I	0.2	0.9	0.0	3.6			
0.2	15.3		J	0.2	0.9	0.0	3.6			
0.2	14.5									
		q3	I	76.2	-48.4	7.0	-139.3			
17.5	-1005.8		J	70.9	-48.4	7.0	-151.9			
16.6	-957.9									
		q4-1	I	93.4	-26.3	-2.8	19.9			
110.5	-320.2		J	93.4	-26.3	-2.8	19.9			
113.2	-294.1									
		q4-2	I	4.7	23.0	-5.2	-68.0			
-42.7	400.0		J	4.7	23.0	-5.2	-68.0			
-37.6	377.2									
		q4-3	I	-2.4	-12.1	-1.4	-14.3			
-32.1	-211.3		J	-2.4	-12.1	-1.4	-14.3			
-30.7	-199.3									
		q4-4	I	0.7	3.7	1.8	22.7			
26.7	65.3		J	0.7	3.7	1.8	22.7			
25.0	61.6									
		q5x_pc	I	-124.9	48.3	-54.6	-638.8			
-248.2	3392.4		J	-113.9	63.9	-54.4	-646.5			
-199.7	3336.8									

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

134.7	117.4	q5y_pc	I	1.3	6.8	5.9	-97.3	
128.8	110.7		J	1.3	6.8	5.9	-97.3	
-255.6	2835.9	q5x_ps	I	-122.4	24.3	-46.4	-614.0	
-211.3	2804.5		J	-112.0	39.0	-46.3	-616.2	
150.2	115.9	q5y_ps	I	1.3	6.7	6.8	-100.1	
143.4	109.2		J	1.3	6.7	6.8	-100.1	
-30.9	243.4	q7	I	-72.3	5.3	-2.0	-28.6	
-28.9	238.1		J	-72.3	5.3	-2.0	-28.6	
115.0	255.7	T	I	2.9	14.7	4.2	-98.8	
110.8	241.1		J	2.9	14.7	4.2	-98.8	
-21.1	-85.5	SLVx-E~1	I	-8.0	-39.9	0.9	-18.5	
-22.0	-81.7		J	-8.0	-39.9	0.9	-18.1	
-49.2	-199.5	SLVy-E~1	I	-18.7	-93.1	2.2	-43.2	
-51.4	-190.5		J	-18.7	-93.1	2.2	-42.3	
774	1	64 Q1-1_2 Max	I	8.8	26.8	863.6	1331.9	1
6928.6	451.4		J	8.8	26.8	914.4	1335.6	1
6582.0	424.9	Min	I	-16.1	-36.0	-722.5	-3195.1	-
4494.7	-614.4		J	-16.8	-36.0	-677.1	-3215.4	-
4227.9	-578.8	Q1-3_4 Max	I	7.6	21.5	886.2	1292.7	1
7102.4	362.3		J	7.5	21.5	937.8	1377.6	1
6732.0	341.0	Min	I	-17.3	-42.0	-725.1	-2744.2	-
4400.0	-700.2		J	-18.0	-42.0	-679.4	-2731.8	-
4139.6	-658.6	Q2a-1_2 Max	I	4.8	14.6	534.8	711.0	
9852.7	245.7		J	4.8	14.6	564.6	712.5	
9660.4	231.2	Min	I	-9.7	-19.4	-438.9	-1872.5	-
2486.7	-334.1		J	-10.1	-19.4	-411.1	-1871.4	-
2339.1	-314.8	Q2a-3_4 Max	I	4.0	11.2	546.1	685.7	
9870.5	189.6		J	3.9	11.2	576.1	745.8	


MIDAS

PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
9664.3	178.5								
		Min	I	-10.3	-22.4	-438.0	-1585.0	-	
2399.6	-375.4		J	-10.7	-22.4	-410.2	-1564.4	-	
2257.6	-353.2								
		Q1-1 Max	I	3.6	11.8	320.4	442.0		
6159.7	196.8		J	3.6	11.8	338.7	439.3		
6047.9	185.2								
		Min	I	-5.6	-10.5	-275.1	-1539.1	-	
1649.7	-193.6		J	-5.8	-10.5	-257.9	-1563.8	-	
1551.3	-183.2								
		Q1-3 Max	I	1.6	4.6	345.9	442.1		
6124.5	77.5		J	1.6	4.6	364.9	500.4		
5981.2	72.9								
		Min	I	-6.8	-16.0	-264.5	-717.3	-	
1359.8	-260.5		J	-7.0	-16.0	-247.4	-651.2	-	
1280.1	-244.6								
		SLVx (RS)	I	323.8	-368.2	128.8	1925.8		
1503.5	-8191.7		J	323.8	-368.2	128.8	1925.8		
1400.0	-7916.0								
		SLVy (RS)	I	334.4	530.8	142.0	-1378.1		
1583.2	10539.0		J	334.4	530.8	142.0	-1378.1		
1511.5	10064.4								
		SLVz (RS)	I	-205.2	105.0	-211.0	159.4	-	
3002.1	-998.4		J	-205.2	105.0	-211.0	159.4	-	
2958.9	-1011.9								
		G1	I	-6.5	-24.6	95.1	-959.6	1	
4074.3	-417.4		J	-7.7	-24.6	198.1	-959.6	1	
3929.1	-393.0								
		G2	I	-2.4	-9.0	34.4	-349.0		
5105.9	-151.8		J	-2.8	-9.0	71.8	-349.0		
5053.3	-142.9								
		pp imp~1	I	0.1	0.3	-0.0	-1.8		
0.3	5.0		J	0.1	0.3	-0.0	-1.8		
0.3	4.7								
		perm i~1	I	0.0	0.1	-0.0	-0.6		
0.1	1.6		J	0.0	0.1	-0.0	-0.6		
0.1	1.5								
		pp2	I	0.7	3.3	0.0	6.6		
2.0	54.1		J	0.7	3.3	0.0	6.6		
2.0	50.9								
		perm2	I	0.2	0.9	0.0	3.6		
0.3	14.5								


MIDAS

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.2	13.6		J	0.2	0.9	0.0	3.6
13.5	-957.9	q3	I	70.0	-49.8	7.0	-152.4
12.7	-908.6		J	64.7	-49.8	7.0	-165.0
113.5	-294.1	q4-1	I	92.9	-28.1	-2.8	17.7
116.3	-266.3		J	92.9	-28.1	-2.8	17.7
-38.8	377.2	q4-2	I	5.1	22.9	-5.2	-67.2
-33.7	354.5		J	5.1	22.9	-5.2	-67.2
-31.0	-199.2	q4-3	I	-2.6	-12.1	-1.5	-13.8
-29.5	-187.3		J	-2.6	-12.1	-1.5	-13.8
25.4	61.6	q4-4	I	0.8	3.7	1.8	22.2
23.6	57.9		J	0.8	3.7	1.8	22.2
-211.4	3337.0	q5x_pc	I	-112.6	66.1	-54.4	-642.1
-163.2	3263.9		J	-101.3	81.4	-54.3	-649.8
127.0	110.6	q5y_pc	I	1.4	6.8	5.9	-99.8
121.1	103.9		J	1.4	6.8	5.9	-99.8
-222.4	2804.6	q5x_ps	I	-111.2	41.2	-46.3	-611.6
-178.3	2756.7		J	-100.5	55.7	-46.1	-613.8
141.5	109.2	q5y_ps	I	1.4	6.7	6.8	-102.8
134.7	102.6		J	1.4	6.7	6.8	-102.8
-29.3	238.1	q7	I	-72.2	6.7	-2.0	-28.0
-27.3	231.5		J	-72.2	6.7	-2.0	-28.0
108.9	241.1	T	I	3.2	14.7	4.3	-100.9
104.7	226.6		J	3.2	14.7	4.3	-100.9
-22.4	-81.6	SLVx-E~1	I	-8.8	-39.7	0.9	-17.7
-23.3	-78.0		J	-8.8	-39.7	0.9	-17.3
-52.2	-190.5	SLVy-E~1	I	-20.5	-92.7	2.2	-41.3
			J	-20.5	-92.7	2.2	-40.3

MIDAS

PROJECT TITLE :


		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-54.4	-181.9									
775	1	64	Q1-1_2	Max	I	9.1	26.7	914.4	1368.5	1
6528.0	425.4				J	9.1	26.7	966.7	1376.2	1
6089.5	399.0									
4204.8	-581.7			Min	I	-17.3	-35.8	-677.1	-3472.1	-
3938.1	-552.1				J	-17.9	-35.8	-632.6	-3506.2	-
			Q1-3_4	Max	I	7.8	21.4	937.8	1338.3	1
6691.1	341.5				J	7.7	21.4	990.9	1384.8	1
6227.9	320.4									
4116.5	-661.4			Min	I	-18.6	-41.8	-679.4	-3010.7	-
3856.0	-620.0				J	-19.2	-41.8	-634.6	-2996.9	-
			Q2a-1_2	Max	I	5.0	14.5	564.6	738.1	
9629.6	231.5				J	5.0	14.5	595.0	741.2	
9382.8	217.2									
2326.3	-316.5			Min	I	-10.3	-19.4	-411.1	-2027.5	-
2178.7	-297.3				J	-10.7	-19.4	-383.5	-2035.3	-
			Q2a-3_4	Max	I	4.1	11.2	576.1	718.4	
9642.7	178.7				J	4.1	11.2	606.8	744.1	
9381.9	167.7									
2245.0	-354.7			Min	I	-11.0	-22.3	-410.2	-1726.1	-
2103.0	-332.7				J	-11.3	-22.3	-382.6	-1704.3	-
			Q1-1	Max	I	3.8	11.7	338.7	455.8	
6021.6	185.4				J	3.8	11.7	357.6	454.7	
5876.0	173.8									
1543.2	-184.2			Min	I	-6.0	-10.4	-257.9	-1662.1	-
1444.8	-173.9				J	-6.2	-10.4	-240.8	-1688.5	-
			Q1-3	Max	I	1.7	4.6	364.9	455.0	
5978.3	72.9				J	1.6	4.6	384.3	485.8	
5801.1	68.4									
1272.4	-245.6			Min	I	-7.2	-15.9	-247.4	-751.1	-
1192.7	-229.8				J	-7.4	-15.9	-230.5	-682.3	-
			SLVx (RS)		I	300.9	-379.1	130.7	1907.4	
1424.2	-7916.1				J	300.9	-379.1	130.7	1907.4	
1317.7	-7616.2									
			SLVy (RS)		I	304.7	546.9	-140.7	-1365.2	
1522.0	10064.6				J	304.7	546.9	-140.7	-1365.2	
1448.7	9567.6									

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2955.9	-1011.6	SLVz (RS)	I	-195.7	101.7	-222.0	208.8	-
			J	-195.7	101.7	-222.0	208.8	-
2899.0	-1022.8							
		G1	I	-8.2	-24.5	198.1	-1227.3	1
3908.0	-395.9		J	-9.3	-24.5	301.1	-1227.3	1
3660.7	-371.6							
		G2	I	-3.0	-8.9	71.8	-446.1	
5045.6	-143.9		J	-3.4	-8.9	109.2	-446.1	
4956.0	-135.1							
		pp imp~1	I	0.1	0.3	-0.0	-1.8	
0.3	4.7		J	0.1	0.3	-0.0	-1.8	
0.3	4.4							
		perm i~1	I	0.0	0.1	-0.0	-0.6	
0.1	1.5		J	0.0	0.1	-0.0	-0.6	
0.1	1.4							
		pp2	I	0.8	3.3	0.0	6.6	
2.1	50.9		J	0.8	3.3	0.0	6.6	
2.1	47.6							
		perm2	I	0.2	0.9	0.0	3.6	
0.3	13.6		J	0.2	0.9	0.0	3.6	
0.3	12.7							
		q3	I	63.7	-51.0	7.0	-165.4	
9.3	-908.5		J	58.5	-51.0	7.0	-178.0	
8.5	-858.0							
		q4-1	I	92.3	-29.9	-2.8	15.4	
116.6	-266.3		J	92.3	-29.9	-2.8	15.4	
119.4	-236.7							
		q4-2	I	5.6	22.8	-5.2	-66.5	
-34.9	354.5		J	5.6	22.8	-5.2	-66.5	
-29.8	331.9							
		q4-3	I	-2.9	-12.0	-1.5	-13.2	
-29.8	-187.3		J	-2.9	-12.0	-1.5	-13.2	
-28.4	-175.4							
		q4-4	I	0.9	3.7	1.8	21.8	
24.1	57.9		J	0.9	3.7	1.8	21.8	
22.3	54.3							
		q5x_pc	I	-99.7	83.3	-54.2	-646.1	
-175.0	3264.1		J	-88.1	98.5	-54.1	-653.7	
-127.1	3174.0							
		q5y_pc	I	1.6	6.7	5.9	-102.1	

MIDAS


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
119.1	103.9			J	1.6	6.7	5.9	-102.1	
113.3	97.2								
-189.5	2756.8	q5x_ps		I	-99.5	57.6	-46.1	-609.9	
-145.5	2692.6			J	-88.5	71.9	-46.0	-612.0	
132.8	102.6	q5y_ps		I	1.5	6.7	6.8	-105.4	
126.0	96.0			J	1.5	6.7	6.8	-105.4	
-27.8	231.5	q7		I	-72.0	8.1	-2.0	-27.5	
-25.8	223.5			J	-72.0	8.1	-2.0	-27.5	
102.8	226.6	T		I	3.5	14.6	4.3	-102.8	
98.6	212.1			J	3.5	14.6	4.3	-102.8	
-23.7	-77.9	SLVx-E~1		I	-9.5	-39.5	0.9	-16.8	
-24.6	-74.4			J	-9.5	-39.5	0.9	-16.4	
-55.2	-181.9	SLVy-E~1		I	-22.3	-92.3	2.2	-39.3	
-57.4	-173.7			J	-22.3	-92.3	2.2	-38.4	
776	1	64 Q1-1_2 Max		I	9.5	26.6	966.7	1407.6	1
6029.1	399.5			J	9.4	26.6	1020.4	1418.1	1
5497.8	373.2	Min		I	-18.4	-35.7	-632.6	-3743.4	-
3913.5	-554.8			J	-19.1	-35.7	-588.9	-3793.3	-
3646.7	-520.2								
6181.6	320.8	Q1-3_4 Max		I	8.0	21.3	990.9	1400.4	1
5624.7	299.8			J	8.0	21.3	1045.5	1409.4	1
3831.4	-622.6	Min		I	-19.8	-41.6	-634.6	-3268.1	-
3571.0	-581.5			J	-20.4	-41.6	-590.7	-3252.6	-
9348.5	217.4	Q2a-1_2 Max		I	5.2	14.5	595.0	765.3	
9046.4	203.1			J	5.2	14.5	626.2	769.5	
2165.1	-298.8	Min		I	-10.9	-19.3	-383.5	-2177.1	-
2017.5	-279.8			J	-11.3	-19.3	-356.2	-2195.9	-
9357.4	167.9	Q2a-3_4 Max		I	4.2	11.1	606.8	754.0	
9041.3	156.9			J	4.2	11.1	638.2	757.6	
		Min		I	-11.6	-22.2	-382.6	-1861.2	-

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2089.5	-334.1		J	-11.9	-22.2	-355.3	-1837.8	-
1947.6	-312.1							
		Q1-1 Max	I	4.0	11.7	357.6	470.8	
5846.9	174.0		J	4.0	11.7	376.9	470.8	
5667.0	162.4	Min	I	-6.3	-10.4	-240.8	-1783.6	-
1436.1	-174.9		J	-6.6	-10.4	-223.9	-1811.1	-
1337.8	-164.6							
		Q1-3 Max	I	1.7	4.6	384.3	474.4	
5797.2	68.4		J	1.7	4.6	404.2	482.6	
5585.6	63.9	Min	I	-7.6	-15.8	-230.5	-780.2	-
1184.5	-230.7		J	-7.8	-15.8	-213.7	-708.4	-
1104.8	-215.0							
		SLVx (RS)	I	278.7	-391.7	133.1	1890.6	
1341.0	-7616.3		J	278.7	-391.7	133.1	1890.6	
1231.7	-7292.1							
		SLVy (RS)	I	276.0	562.7	-140.1	-1354.0	
1458.1	9567.8		J	276.0	562.7	-140.1	-1354.0	-
1382.5	9049.6							
		SLVz (RS)	I	-186.0	97.7	-226.3	258.8	-
2895.0	-1022.6		J	-186.0	97.7	-226.3	258.8	-
2826.3	-1030.4							
		G1	I	-9.7	-24.4	301.1	-1489.8	1
3634.5	-374.4		J	-10.9	-24.4	404.1	-1489.8	1
3285.2	-350.2							
		G2	I	-3.5	-8.9	109.2	-541.3	
4946.5	-136.1		J	-4.0	-8.9	146.6	-541.3	
4819.8	-127.3							
		pp imp~1	I	0.1	0.3	-0.0	-1.8	
0.3	4.4		J	0.1	0.3	-0.0	-1.8	
0.3	4.1							
		perm i~1	I	0.0	0.1	-0.0	-0.6	
0.1	1.4		J	0.0	0.1	-0.0	-0.6	
0.1	1.3							
		pp2	I	0.8	3.2	0.0	6.6	
2.2	47.6		J	0.8	3.2	0.0	6.6	
2.2	44.4							
		perm2	I	0.2	0.9	0.0	3.6	
0.3	12.7		J	0.2	0.9	0.0	3.6	
0.3	11.9							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


4.8	-858.0	q3	I	57.5	-52.1	6.9	-178.3
			J	52.2	-52.1	6.9	-191.0
4.0	-806.4						
		q4-1	I	91.7	-31.6	-2.8	13.1
119.6	-236.8		J	91.7	-31.6	-2.8	13.1
122.4	-205.4						
		q4-2	I	6.0	22.7	-5.2	-65.8
-31.0	332.0		J	6.0	22.7	-5.2	-65.8
-25.8	309.5						
		q4-3	I	-3.1	-12.0	-1.5	-12.7
-28.7	-175.4		J	-3.1	-12.0	-1.5	-12.7
-27.2	-163.5						
		q4-4	I	0.9	3.7	1.8	21.4
22.7	54.3		J	0.9	3.7	1.8	21.4
21.0	50.6						
		q5x_pc	I	-86.2	100.1	-54.1	-650.7
-139.0	3174.1		J	-74.3	115.0	-53.9	-658.1
-91.4	3067.6						
		q5y_pc	I	1.7	6.7	5.9	-104.2
111.3	97.2		J	1.7	6.7	5.9	-104.2
105.4	90.6						
		q5x_ps	I	-87.1	73.6	-46.0	-608.8
-156.6	2692.7		J	-75.8	87.7	-45.8	-610.9
-112.9	2612.9						
		q5y_ps	I	1.7	6.6	6.8	-107.8
124.0	96.0		J	1.7	6.6	6.8	-107.8
117.2	89.4						
		q7	I	-71.9	9.5	-2.0	-26.9
-26.3	223.5		J	-71.9	9.5	-2.0	-26.9
-24.3	214.1						
		T	I	3.8	14.5	4.3	-104.7
96.6	212.1		J	3.8	14.5	4.3	-104.7
92.4	197.7						
		SLVx-E~1	I	-10.3	-39.4	0.9	-16.0
-24.9	-74.4		J	-10.3	-39.4	0.9	-15.6
-25.8	-71.1						
		SLVy-E~1	I	-24.0	-91.8	2.2	-37.3
-58.1	-173.7		J	-24.0	-91.8	2.2	-36.3
-60.3	-165.9						

MIDAS

PROJECT TITLE :


	Company				Client				
	Author				File Name				
777	1	64	Q1-1_2 Max	I	9.9	26.5	1020.4	1463.4	1
5431.2	373.6			J	9.8	26.5	1075.5	1473.9	1
4806.0	347.4		Min	I	-19.5	-35.5	-588.9	-4036.5	-
3620.7	-522.6			J	-20.2	-35.5	-546.1	-4090.0	-
3353.9	-488.2								
			Q1-3_4 Max	I	8.3	21.1	1045.5	1459.4	1
5573.1	300.2			J	8.3	21.1	1101.6	1469.0	1
4921.6	279.3		Min	I	-21.0	-41.4	-590.7	-3513.7	-
3545.0	-583.8			J	-21.7	-41.4	-547.7	-3496.2	-
3284.6	-542.9								
			Q2a-1_2 Max	I	5.4	14.4	626.2	798.4	
9008.8	203.4			J	5.4	14.4	658.0	802.6	
8650.6	189.1		Min	I	-11.5	-19.2	-356.2	-2337.4	-
2003.1	-281.1			J	-11.8	-19.2	-329.1	-2358.8	-
1855.5	-262.1								
			Q2a-3_4 Max	I	4.4	11.1	638.2	787.6	
9014.1	157.1			J	4.4	11.1	670.3	791.4	
8641.9	146.1		Min	I	-12.2	-22.1	-355.3	-1988.7	-
1933.3	-313.4			J	-12.5	-22.1	-328.3	-1963.6	-
1791.4	-291.6								
			Q1-1 Max	I	4.1	11.6	376.9	492.2	
5635.2	162.6			J	4.1	11.6	396.6	492.2	
5420.5	151.1		Min	I	-6.7	-10.3	-223.9	-1909.5	-
1328.5	-165.4			J	-6.9	-10.3	-207.2	-1937.0	-
1230.2	-155.2								
			Q1-3 Max	I	1.8	4.6	404.2	493.1	
5581.0	63.9			J	1.8	4.6	424.6	501.1	
5334.7	59.4		Min	I	-8.1	-15.8	-213.7	-803.4	-
1096.1	-215.9			J	-8.2	-15.8	-197.3	-728.3	-
1016.4	-200.3								
			SLVx (RS)	I	257.8	-405.8	135.8	1875.4	
1254.2	-7292.2			J	257.8	-405.8	135.8	1875.4	
1142.7	-6943.5								
			SLVy (RS)	I	249.0	577.8	-140.5	-1344.4	-
1390.9	9049.7			J	249.0	577.8	-140.5	-1344.4	-
1312.5	8511.5								
			SLVz (RS)	I	-176.0	-93.1	-224.5	308.1	-
2821.4	-1030.2								

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2740.7	-1033.4		J	-176.0	-93.1	-224.5	308.1	-
3254.0	-352.8	G1	I	-11.3	-24.3	404.1	-1745.0	1
2802.7	-328.8		J	-12.4	-24.3	507.2	-1745.0	1
4808.5	-128.3	G2	I	-4.1	-8.8	146.6	-633.9	
4644.8	-119.5		J	-4.5	-8.8	183.9	-633.9	
		pp imp~1	I	0.1	0.3	-0.0	-1.8	
0.3	4.1		J	0.1	0.3	-0.0	-1.8	
0.3	3.8							
		perm i~1	I	0.0	0.1	-0.0	-0.6	
0.1	1.3		J	0.0	0.1	-0.0	-0.6	
0.1	1.2							
		pp2	I	0.9	3.2	0.0	6.5	
2.3	44.4		J	0.9	3.2	0.0	6.5	
2.3	41.2							
		perm2	I	0.2	0.9	0.0	3.6	
0.4	11.9		J	0.2	0.9	0.0	3.6	
0.4	11.0							
		q3	I	51.2	-53.1	6.9	-191.1	
0.2	-806.3		J	45.9	-53.1	6.9	-203.8	
-0.6	-753.7							
		q4-1	I	91.1	-33.4	-2.9	10.7	
122.6	-205.4		J	91.1	-33.4	-2.9	10.7	
125.4	-172.4							
		q4-2	I	6.4	22.6	-5.2	-65.3	
-27.0	309.5		J	6.4	22.6	-5.2	-65.3	
-21.9	287.1							
		q4-3	I	-3.3	-11.9	-1.5	-12.2	
-27.5	-163.5		J	-3.3	-11.9	-1.5	-12.2	
-26.1	-151.8							
		q4-4	I	1.0	3.7	1.8	21.0	
21.4	50.6		J	1.0	3.7	1.8	21.0	
19.6	47.0							
		q5x_pc	I	-72.1	116.5	-53.9	-655.8	
-103.4	3067.7		J	-59.9	131.1	-53.8	-663.1	
-56.2	2945.1							
		q5y_pc	I	1.8	6.7	5.9	-106.2	
103.4	90.6		J	1.8	6.7	5.9	-106.2	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
97.5	84.0							
-124.0	2613.0	q5x_ps	I	-74.1	89.1	-45.8	-608.2	
-80.5	2517.8		J	-62.6	103.0	-45.7	-610.3	
115.1	89.4	q5y_ps	I	1.8	6.6	6.8	-110.0	
108.4	82.9		J	1.8	6.6	6.8	-110.0	
-24.8	214.1	q7	I	-71.7	10.9	-2.0	-26.4	
-22.8	203.3		J	-71.7	10.9	-2.0	-26.4	
90.4	197.7	T	I	4.0	14.5	4.3	-106.4	
86.2	183.3		J	4.0	14.5	4.3	-106.4	
-26.1	-71.1	SLVx-E~1	I	-11.1	-39.2	0.9	-15.1	
-27.0	-68.0		J	-11.1	-39.2	0.9	-14.7	
-61.0	-165.9	SLVy-E~1	I	-25.8	-91.4	2.1	-35.2	
-63.1	-158.6		J	-25.8	-91.4	2.1	-34.3	
778	1	64 Q1-1_2 Max	I	10.3	26.3	1075.5	1525.3	1
4733.7	347.8		J	10.3	26.3	1132.1	1536.0	1
4013.8	321.8	Min	I	-20.7	-35.3	-546.1	-4330.2	-
3326.6	-490.3		J	-21.3	-35.3	-504.2	-4383.9	-
3059.9	-456.1							
4865.2	279.6	Q1-3_4 Max	I	8.6	21.0	1101.6	1515.0	1
4118.2	258.8		J	8.6	21.0	1159.1	1525.5	1
3257.3	-545.1	Min	I	-22.2	-41.1	-547.7	-3745.2	-
2996.9	-504.4		J	-22.8	-41.1	-505.7	-3725.5	-
8609.8	189.3	Q2a-1_2 Max	I	5.6	14.3	658.0	833.0	
8194.9	175.2		J	5.6	14.3	690.6	837.3	
1840.4	-263.3	Min	I	-12.1	-19.1	-329.1	-2496.4	-
1692.8	-244.5		J	-12.4	-19.1	-302.3	-2517.8	-
8612.2	146.3	Q2a-3_4 Max	I	4.5	11.0	670.2	819.0	
8183.4	135.4		J	4.5	11.0	703.0	823.1	
1776.5	-292.7	Min	I	-12.8	-22.0	-328.3	-2107.4	-
			J	-13.1	-22.0	-301.6	-2080.3	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1634.5	-271.0							
		Q1-1 Max	I	4.3	11.5	396.6	515.8	
5386.1	151.2		J	4.3	11.5	416.8	515.8	
5136.2	139.8	Min	I	-7.0	-10.3	-207.2	-2033.3	-
1220.5	-155.9		J	-7.2	-10.3	-190.6	-2060.8	-
1122.2	-145.8							
		Q1-3 Max	I	1.8	4.5	424.6	511.0	
5329.4	59.4		J	1.8	4.5	445.4	518.9	
5048.0	54.9	Min	I	-8.5	-15.7	-197.3	-819.3	-
1007.4	-201.0		J	-8.6	-15.7	-181.0	-740.7	
-927.7	-185.5							
		SLVx (RS)	I	238.9	-421.3	138.7	1861.7	
1164.4	-6943.6		J	238.9	-421.3	138.7	1861.7	
1051.7	-6570.6							
		SLVy (RS)	I	224.8	592.1	-141.6	-1336.5	-
1319.7	8511.7		J	224.8	592.1	-141.6	-1336.5	-
1238.2	7954.8							
		SLVz (RS)	I	-165.8	-88.2	-218.5	356.1	-
2735.0	-1033.1		J	-165.8	-88.2	-218.5	356.1	-
2640.2	-1030.2							
		G1	I	-12.8	-24.1	507.1	-1990.9	1
2766.7	-331.2		J	-14.0	-24.1	610.2	-1990.9	1
2213.3	-307.3							
		G2	I	-4.7	-8.8	183.9	-723.1	
4631.8	-120.4		J	-5.1	-8.8	221.3	-723.1	
4431.1	-111.7							
		pp imp~1	I	0.1	0.3	-0.0	-1.8	
0.3	3.8		J	0.1	0.3	-0.0	-1.8	
0.3	3.5							
		perm i~1	I	0.0	0.1	-0.0	-0.6	
0.1	1.2		J	0.0	0.1	-0.0	-0.6	
0.1	1.1							
		pp2	I	1.0	3.2	0.0	6.5	
2.4	41.2		J	1.0	3.2	0.0	6.5	
2.4	38.1							
		perm2	I	0.3	0.9	0.0	3.6	
0.4	11.0		J	0.3	0.9	0.0	3.6	
0.4	10.2							
		q3	I	44.9	-54.0	6.9	-203.9	


MIDAS

PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-4.7	-753.7		J	39.6	-54.0	6.9	-216.6		
-5.4	-700.2								
125.6	-172.4	q4-1	I	90.4	-35.1	-2.9	8.2		
128.5	-137.6		J	90.4	-35.1	-2.9	8.2		
-23.1	287.2	q4-2	I	6.9	22.4	-5.2	-64.8		
-18.0	264.9		J	6.9	22.4	-5.2	-64.8		
-26.3	-151.8	q4-3	I	-3.6	-11.8	-1.5	-11.7		
-24.9	-140.0		J	-3.6	-11.8	-1.5	-11.7		
20.0	47.0	q4-4	I	1.1	3.6	1.8	20.6		
18.2	43.3		J	1.1	3.6	1.8	20.6		
-68.3	2945.2	q5x_pc	I	-57.4	132.3	-53.7	-661.5		
-21.4	2807.0		J	-44.9	146.7	-53.6	-668.7		
95.5	84.0	q5y_pc	I	1.9	6.6	5.9	-108.1		
89.6	77.4		J	1.9	6.6	5.9	-108.1		
-91.7	2517.9	q5x_ps	I	-60.6	104.2	-45.6	-608.3		
-48.3	2408.0		J	-48.8	117.8	-45.5	-610.3		
106.3	82.8	q5y_ps	I	1.9	6.6	6.8	-112.0		
99.5	76.4		J	1.9	6.6	6.8	-112.0		
-23.2	203.3	q7	I	-71.5	12.2	-2.0	-26.0		
-21.3	191.2		J	-71.5	12.2	-2.0	-26.0		
84.2	183.3	T	I	4.3	14.4	4.3	-108.0		
80.0	169.1		J	4.3	14.4	4.3	-108.0		
-27.3	-68.0	SLVx-E~1	I	-11.8	-38.9	0.9	-14.2		
-28.2	-65.1		J	-11.8	-38.9	0.9	-13.8		
-63.8	-158.6	SLVy-E~1	I	-27.6	-90.8	2.1	-33.1		
-65.9	-151.8		J	-27.6	-90.8	2.1	-32.2		
779	1	64	Q1-1_2 Max	I	10.7	26.2	1132.1	1582.6	1
3936.1	322.1								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3120.7	296.2		J	10.7	26.2	1190.1	1593.6	1
		Min	I	-21.7	-35.1	-504.2	-4610.4	-
3031.4	-457.9		J	-22.3	-35.1	-463.3	-4664.3	-
2764.6	-424.0							
		Q1-3_4 Max	I	9.0	20.9	1159.1	1569.3	1
4057.4	259.1		J	9.0	20.9	1218.0	1580.0	1
3214.2	238.4							
		Min	I	-23.4	-40.9	-505.7	-3961.7	-
2968.5	-506.3		J	-23.9	-40.9	-464.7	-3938.8	-
2708.1	-465.8							
		Q2a-1_2 Max	I	5.9	14.2	690.6	864.9	
8151.3	175.4		J	5.9	14.2	723.7	869.2	
7679.0	161.3							
		Min	I	-12.6	-18.9	-302.3	-2647.5	-
1677.0	-245.5		J	-12.9	-18.9	-275.8	-2669.1	-
1529.5	-229.4							
		Q2a-3_4 Max	I	4.7	10.9	703.0	849.0	
8151.5	135.6		J	4.7	10.9	736.4	853.3	
7665.6	124.7							
		Min	I	-13.3	-21.8	-301.6	-2216.1	-
1618.9	-272.1		J	-13.6	-21.8	-275.2	-2186.5	-
1477.0	-250.4							
		Q1-1 Max	I	4.5	11.5	416.8	537.2	
5099.3	139.9		J	4.5	11.5	437.4	537.2	
4813.9	128.6							
		Min	I	-7.4	-10.2	-190.6	-2151.6	-
1112.1	-146.4		J	-7.6	-10.2	-174.3	-2179.1	-
1013.7	-136.3							
		Q1-3 Max	I	1.9	4.5	445.4	528.0	
5042.2	55.0		J	1.9	4.5	466.6	536.1	
4725.5	50.5							
		Min	I	-8.8	-15.6	-181.0	-826.8	
-918.3	-186.2		J	-9.0	-15.6	-165.0	-744.5	
-838.6	-170.8							
		SLVx (RS)	I	222.7	-437.9	141.6	1849.4	
1072.7	-6570.6		J	222.7	-437.9	141.6	1849.4	
960.0	-6173.3							
		SLVy (RS)	I	204.5	605.5	-143.5	-1330.2	-
1244.4	7954.9		J	204.5	605.5	-143.5	-1330.2	-
1159.8	7380.7							
		SLVz (RS)	I	-155.5	-83.5	-211.4	402.1	-
2633.6	-1030.1		J	-155.5	-83.5	-211.4	402.1	-
2521.0	-1019.6							


MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			


2172.7	-309.5	G1	I	-14.3	-24.0	610.2	-2225.4	1
1517.4	-285.7		J	-15.4	-24.0	713.2	-2225.4	1
4416.3	-112.5	G2	I	-5.2	-8.7	221.3	-808.2	
4178.6	-103.9		J	-5.6	-8.7	258.7	-808.2	
0.3	3.5	pp imp~1	I	0.1	0.3	-0.0	-1.8	
0.3	3.2		J	0.1	0.3	-0.0	-1.8	
0.1	1.1	perm i~1	I	0.0	0.1	-0.0	-0.6	
0.1	1.0		J	0.0	0.1	-0.0	-0.6	
2.5	38.1	pp2	I	1.0	3.2	0.0	6.4	
2.5	34.9		J	1.0	3.2	0.0	6.4	
0.5	10.2	perm2	I	0.3	0.9	0.0	3.6	
0.5	9.3		J	0.3	0.9	0.0	3.6	
-9.7	-700.2	q3	I	38.5	-54.7	6.9	-216.5	
-10.5	-646.0		J	33.3	-54.7	6.9	-229.2	
128.6	-137.6	q4-1	I	89.7	-36.9	-2.9	5.7	
131.4	-101.1		J	89.7	-36.9	-2.9	5.7	
-19.2	264.9	q4-2	I	7.3	22.3	-5.1	-64.4	
-14.1	242.8		J	7.3	22.3	-5.1	-64.4	
-25.1	-140.0	q4-3	I	-3.8	-11.8	-1.5	-11.3	
-23.7	-128.4		J	-3.8	-11.8	-1.5	-11.3	
18.6	43.3	q4-4	I	1.2	3.6	1.8	20.2	
16.9	39.8		J	1.2	3.6	1.8	20.2	
-33.6	2807.2	q5x_pc	I	-42.1	147.5	-53.6	-667.7	
13.0	2654.0		J	-29.3	161.7	-53.4	-674.8	
87.5	77.4	q5y_pc	I	2.1	6.6	5.9	-109.8	
81.6	70.8		J	2.1	6.6	5.9	-109.8	

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-59.5	2408.1	q5x_ps	I	-46.5	118.8	-45.5	-608.9	
			J	-34.5	132.2	-45.4	-610.9	
-16.3	2283.8							
		q5y_ps	I	2.0	6.5	6.8	-113.9	
97.3	76.3		J	2.0	6.5	6.8	-113.9	
90.6	69.9							
		q7	I	-71.2	13.6	-2.0	-25.5	
-21.7	191.2		J	-71.2	13.6	-2.0	-25.5	
-19.8	177.8							
		T	I	4.6	14.3	4.3	-109.5	
77.9	169.1		J	4.6	14.3	4.3	-109.5	
73.7	154.9							
		SLVx-E~1	I	-12.6	-38.7	0.9	-13.3	
-28.5	-65.0		J	-12.6	-38.7	0.9	-12.9	
-29.4	-62.4							
		SLVy-E~1	I	-29.3	-90.3	2.1	-30.9	
-66.5	-151.8		J	-29.3	-90.3	2.1	-30.0	
-68.6	-145.5							
780	1	64 Q1-1_2 Max	I	11.2	26.0	1190.1	1635.2	1
3038.2	296.4		J	11.2	26.0	1249.5	1646.6	1
2126.6	270.7							
		Min	I	-22.7	-34.8	-463.3	-4873.7	-
2735.1	-425.5		J	-23.2	-34.8	-423.3	-4928.0	-
2468.4	-391.8							
		Q1-3_4 Max	I	9.3	20.8	1218.0	1621.0	1
3149.6	238.6		J	9.3	20.8	1278.4	1632.1	1
2209.7	218.1							
		Min	I	-24.4	-40.6	-464.7	-4160.8	-
2678.7	-467.5		J	-24.9	-40.6	-424.8	-4134.4	-
2418.3	-427.3							
		Q2a-1_2 Max	I	6.1	14.1	723.7	894.0	
7632.9	161.4		J	6.1	14.1	757.5	898.6	
7102.9	147.5							
		Min	I	-13.1	-18.8	-275.8	-2788.6	-
1513.1	-230.3		J	-13.3	-18.8	-249.6	-2810.3	-
1365.5	-212.1							
		Q2a-3_4 Max	I	4.9	10.9	736.4	877.2	
7631.8	124.9		J	4.9	10.9	770.5	881.7	
7088.2	114.1							
		Min	I	-13.8	-21.7	-275.3	-2313.8	-
1460.9	-251.4		J	-14.0	-21.7	-249.2	-2281.5	-
1318.9	-229.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
4774.8	128.7	Q1-1 Max	I	4.7	11.4	437.4	556.6	
			J	4.7	11.4	458.4	556.6	
4453.5	117.4	Min	I	-7.7	-10.1	-174.3	-2262.1	-
1003.2	-136.8		J	-7.8	-10.1	-158.1	-2289.6	
-904.9	-126.7							
4719.4	50.5	Q1-3 Max	I	1.9	4.5	466.6	544.1	
			J	1.9	4.5	488.3	552.5	
4367.2	46.1	Min	I	-9.2	-15.5	-165.0	-824.7	
-828.9	-171.4		J	-9.3	-15.5	-149.3	-738.4	
-749.2	-156.1							
		SLVx (RS)	I	210.3	-455.3	144.3	1838.5	
980.4	-6173.4		J	210.3	-455.3	144.3	1838.5	
869.7	-5752.2							
		SLVy (RS)	I	189.9	617.8	-146.0	-1325.3	-
1164.7	7380.8		J	189.9	617.8	-146.0	-1325.3	-
1077.3	6790.9							
		SLVz (RS)	I	-145.1	-79.7	-207.0	445.7	-
2513.7	-1019.5		J	-145.1	-79.7	-207.0	445.7	-
2378.9	-1000.1							
		G1	I	-15.8	-23.8	713.2	-2446.5	1
1472.4	-287.7		J	-16.9	-23.8	816.2	-2446.5	1
0715.0	-264.1							
		G2	I	-5.7	-8.7	258.7	-888.4	
4162.2	-104.6		J	-6.1	-8.7	296.1	-888.4	
3887.5	-96.0							
		pp imp~1	I	0.1	0.3	-0.0	-1.8	
0.3	3.2		J	0.1	0.3	-0.0	-1.8	
0.3	2.9							
		perm i~1	I	0.0	0.1	-0.0	-0.6	
0.1	1.0		J	0.0	0.1	-0.0	-0.6	
0.1	0.9							
		pp2	I	1.1	3.2	0.0	6.4	
2.6	34.9		J	1.1	3.2	0.0	6.4	
2.6	31.7							
		perm2	I	0.3	0.8	0.0	3.6	
0.5	9.3		J	0.3	0.8	0.0	3.6	
0.5	8.5							
		q3	I	32.2	-55.4	6.9	-229.0	
-15.0	-645.9		J	26.9	-55.4	6.9	-241.7	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
-15.8	-591.1							
131.5	-101.1	q4-1	I	89.0	-38.6	-2.9	3.2	
134.4	-62.9		J	89.0	-38.6	-2.9	3.2	
-15.3	242.8	q4-2	I	7.7	22.2	-5.1	-64.1	
-10.2	220.9		J	7.7	22.2	-5.1	-64.1	
-23.9	-128.4	q4-3	I	-4.0	-11.7	-1.5	-10.8	
-22.5	-116.8		J	-4.0	-11.7	-1.5	-10.8	
17.3	39.7	q4-4	I	1.2	3.6	1.8	19.9	
15.5	36.2		J	1.2	3.6	1.8	19.9	
0.5	2654.1	q5x_pc	I	-26.2	162.2	-53.4	-674.6	
46.8	2486.5		J	-13.2	176.2	-53.2	-681.5	
79.5	70.8	q5y_pc	I	2.2	6.6	5.9	-111.3	
73.6	64.4		J	2.2	6.6	5.9	-111.3	
-27.6	2283.9	q5x_ps	I	-32.0	132.8	-45.3	-610.1	
15.4	2145.8		J	-19.6	146.0	-45.2	-612.1	
88.4	69.9	q5y_ps	I	2.2	6.5	6.8	-115.6	
81.6	63.5		J	2.2	6.5	6.8	-115.6	
-20.2	177.8	q7	I	-70.9	15.0	-2.0	-25.1	
-18.3	162.9		J	-70.9	15.0	-2.0	-25.1	
71.6	154.9	T	I	4.9	14.2	4.3	-110.9	
67.4	140.8		J	4.9	14.2	4.3	-110.9	
-29.7	-62.4	SLVx-E~1	I	-13.3	-38.4	0.9	-12.3	
-30.6	-59.9		J	-13.3	-38.4	0.9	-11.9	
-69.2	-145.5	SLVy-E~1	I	-31.0	-89.7	2.1	-28.7	
-71.3	-139.9		J	-31.0	-89.7	2.1	-27.9	
781	1	64 Q1-1_2 Max	I	11.7	25.8	1249.5	1683.3	1
2039.7	270.9		J	11.7	25.8	1310.2	1695.1	1
1031.6	245.5							

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2437.9	-393.0	Min	I	-23.6	-34.6	-423.3	-5120.8	-
			J	-24.1	-34.6	-384.4	-5175.6	-
2171.1	-359.5							
		Q1-3_4 Max	I	9.7	20.6	1278.4	1668.1	1
2141.7	218.2		J	9.7	20.6	1340.2	1679.9	1
1104.6	197.8							
		Min	I	-25.4	-40.3	-424.8	-4337.5	-
2387.9	-428.8		J	-25.9	-40.3	-385.9	-4307.5	-
2127.5	-388.9							
		Q2a-1_2 Max	I	6.4	14.0	757.5	920.5	
7054.5	147.6		J	6.4	14.0	792.0	925.2	
6466.4	133.7							
		Min	I	-13.5	-18.7	-249.6	-2920.4	-
1348.6	-212.8		J	-13.7	-18.7	-223.7	-2942.4	-
1201.1	-194.8							
		Q2a-3_4 Max	I	5.1	10.8	770.5	902.8	
7052.8	114.2		J	5.1	10.8	805.2	907.5	
6451.4	103.5							
		Min	I	-14.3	-21.6	-249.2	-2397.7	-
1302.3	-230.7		J	-14.5	-21.6	-223.6	-2362.5	-
1160.3	-209.3							
		Q1-1 Max	I	4.9	11.3	458.4	573.9	
4412.4	117.5		J	4.9	11.3	479.9	573.9	
4055.0	106.3							
		Min	I	-7.9	-10.1	-158.1	-2366.5	-
-894.0	-127.1		J	-8.1	-10.1	-142.2	-2394.0	-
-795.7	-117.2							
		Q1-3 Max	I	2.0	4.4	488.3	559.3	
4361.0	46.1		J	2.0	4.4	510.4	568.3	
3973.0	41.7							
		Min	I	-9.5	-15.4	-149.3	-812.0	-
-739.2	-156.6		J	-9.6	-15.4	-133.8	-721.5	-
-659.5	-141.4							
		SLVx (RS)	I	202.6	-473.2	146.8	1829.0	
889.3	-5752.2		J	202.6	-473.2	146.8	1829.0	
783.2	-5307.4							
		SLVy (RS)	I	182.6	628.8	-149.3	-1321.9	-
1081.1	6791.0		J	182.6	628.8	-149.3	-1321.9	-
-991.5	6186.8							
		SLVz (RS)	I	-134.7	-77.4	-209.3	486.6	-
2370.9	-999.9		J	-134.7	-77.4	-209.3	486.6	-
2209.5	-970.2							
		G1	I	-17.2	-23.7	816.2	-2652.1	1

MIDAS

PROJECT TITLE :


MIDAS	Company		Client		File Name		
	Author		File Name		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0665.9	-265.8		J	-18.3	-23.7	919.2	-2652.1
9806.5	-242.4						
		G2	I	-6.2	-8.6	296.1	-963.0
3869.7	-96.6		J	-6.6	-8.6	333.4	-963.0
3557.9	-88.1						
		pp imp~1	I	0.1	0.3	-0.0	-1.8
0.3	2.9		J	0.1	0.3	-0.0	-1.8
0.3	2.6						
		perm i~1	I	0.0	0.1	-0.0	-0.6
0.1	0.9		J	0.0	0.1	-0.0	-0.6
0.1	0.8						
		pp2	I	1.2	3.1	0.0	6.3
2.7	31.7		J	1.2	3.1	0.0	6.3
2.7	28.6						
		perm2	I	0.3	0.8	0.0	3.6
0.6	8.5		J	0.3	0.8	0.0	3.6
0.6	7.7						
		q3	I	25.9	-55.9	6.9	-241.5
-20.5	-591.0		J	20.6	-55.9	6.9	-254.1
-21.3	-535.7						
		q4-1	I	88.3	-40.3	-3.0	0.6
134.4	-62.9		J	88.3	-40.3	-3.0	0.6
137.4	-23.0						
		q4-2	I	8.1	22.0	-5.1	-63.9
-11.4	220.9		J	8.1	22.0	-5.1	-63.9
-6.3	199.1						
		q4-3	I	-4.2	-11.6	-1.5	-10.4
-22.7	-116.8		J	-4.2	-11.6	-1.5	-10.4
-21.3	-105.3						
		q4-4	I	1.3	3.6	1.8	19.6
15.9	36.2		J	1.3	3.6	1.8	19.6
14.1	32.6						
		q5x_pc	I	-9.8	176.4	-53.2	-681.9
34.2	2486.6		J	3.5	190.1	-53.1	-688.7
80.2	2305.1						
		q5y_pc	I	2.3	6.5	5.9	-112.7
71.5	64.4		J	2.3	6.5	5.9	-112.7
65.6	57.9						
		q5x_ps	I	-16.8	146.3	-45.2	-612.0
4.1	2145.9						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
46.8	1994.6			J	-4.3	159.3	-45.0	-613.9	
79.4	63.5	q5y_ps		I	2.3	6.4	6.8	-117.2	
72.6	57.1			J	2.3	6.4	6.8	-117.2	
-18.7	162.9	q7		I	-70.6	16.3	-1.9	-24.7	
-16.8	146.8			J	-70.6	16.3	-1.9	-24.7	
65.3	140.8	T		I	5.1	14.1	4.3	-112.1	
61.0	126.9			J	5.1	14.1	4.3	-112.1	
-30.8	-59.9	SLVx-E~1		I	-14.0	-38.2	0.9	-11.4	
-31.7	-57.8			J	-14.0	-38.2	0.9	-11.0	
-71.9	-139.8	SLVy-E~1		I	-32.7	-89.1	2.1	-26.5	
-73.9	-134.8			J	-32.7	-89.1	2.1	-25.6	
782	1	64	Q1-1_2 Max	I	12.1	25.6	1310.2	1726.9	1
0940.9	245.6			J	12.1	25.6	1372.4	1739.5	
9835.9	220.3		Min	I	-24.5	-34.4	-384.4	-5348.7	-
2139.8	-360.5			J	-24.9	-34.4	-346.5	-5404.2	-
1873.0	-327.2								
1033.8	198.0		Q1-3_4 Max	I	10.0	20.5	1340.2	1711.0	1
9899.3	177.7			J	10.0	20.5	1403.5	1723.6	
2096.3	-390.1		Min	I	-26.4	-40.1	-385.9	-4490.1	-
1835.9	-350.5			J	-26.8	-40.1	-348.2	-4456.4	-
6416.2	133.8		Q2a-1_2 Max	I	6.6	13.9	792.0	944.3	
5769.7	120.0			J	6.6	13.9	827.0	949.3	
1183.7	-195.4		Min	I	-13.9	-18.6	-223.7	-3041.0	-
1036.1	-177.5			J	-14.0	-18.6	-198.2	-3063.2	-
6414.8	103.6		Q2a-3_4 Max	I	5.3	10.7	805.2	925.9	
5755.3	93.0			J	5.3	10.7	840.5	930.9	
1143.3	-210.0		Min	I	-14.7	-21.4	-223.6	-2466.9	-
1001.3	-188.8			J	-14.9	-21.4	-198.3	-2428.5	-
4012.0	106.4		Q1-1 Max	I	5.1	11.2	479.9	589.1	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
3618.4	95.3		J	5.1	11.2	501.8	589.1
-784.5	-117.4	Min	I	-8.2	-10.0	-142.2	-2462.6
-686.2	-107.5		J	-8.3	-10.0	-126.6	-2490.1
3966.9	41.7	Q1-3 Max	I	2.1	4.4	510.4	573.9
3543.2	37.4		J	2.1	4.4	532.9	583.7
-649.3	-141.8	Min	I	-9.8	-15.3	-133.8	-787.8
-569.6	-126.7		J	-9.9	-15.3	-118.6	-692.9
802.1	-5307.4	SLVx (RS)	I	-200.8	-491.6	148.9	1820.7
704.3	-4839.6		J	-200.8	-491.6	148.9	1820.7
-994.0	6186.9	SLVy (RS)	I	183.9	638.5	-153.6	-1319.7
-903.8	5570.2		J	183.9	638.5	-153.6	-1319.7
2200.9	-970.1	SLVz (RS)	I	-124.5	-77.4	-220.4	524.3
2009.4	-928.9		J	-124.5	-77.4	-220.4	524.3
9753.6	-243.9	G1	I	-18.6	-23.5	919.2	-2840.3
8792.2	-220.6		J	-19.6	-23.5	1022.2	-2840.3
3538.7	-88.7	G2	I	-6.7	-8.5	333.4	-1031.3
3189.9	-80.2		J	-7.1	-8.5	370.8	-1031.3
0.3	2.6	pp imp~1	I	0.1	0.3	-0.0	-1.8
0.3	2.3		J	0.1	0.3	-0.0	-1.8
0.1	0.8	perm i~1	I	0.0	0.1	-0.0	-0.6
0.1	0.8		J	0.0	0.1	-0.0	-0.6
2.8	28.6	pp2	I	1.2	3.1	0.0	6.3
2.8	25.5		J	1.2	3.1	0.0	6.3
0.6	7.7	perm2	I	0.3	0.8	0.0	3.6
0.6	6.8		J	0.3	0.8	0.0	3.6
-26.3	-535.6	q3	I	19.5	-56.3	6.8	-253.8
-27.0	-479.9		J	14.2	-56.3	6.8	-266.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
137.3	-23.0	q4-1	I	87.5	-42.0	-3.0	-2.0
			J	87.5	-42.0	-3.0	-2.0
140.3	18.6	q4-2	I	8.6	21.9	-5.1	-63.7
-7.5	199.1		J	8.6	21.9	-5.1	-63.7
-2.4	177.4	q4-3	I	-4.5	-11.5	-1.5	-10.0
-21.5	-105.3		J	-4.5	-11.5	-1.5	-10.0
-20.0	-93.9	q4-4	I	1.4	3.5	1.8	19.3
14.5	32.6		J	1.4	3.5	1.8	19.3
12.7	29.1	q5x_pc	I	7.1	190.0	-53.0	-689.8
67.4	2305.2		J	20.7	203.4	-52.9	-696.5
113.1	2110.4	q5y_pc	I	2.5	6.5	5.9	-113.9
63.4	57.9		J	2.5	6.5	5.9	-113.9
57.5	51.5	q5x_ps	I	-1.2	159.3	-45.0	-614.4
35.4	1994.7		J	11.6	172.0	-44.9	-616.3
78.0	1830.6	q5y_ps	I	2.4	6.4	6.8	-118.5
70.3	57.1		J	2.4	6.4	6.8	-118.5
63.6	50.8	q7	I	-70.3	17.7	-1.9	-24.4
-17.3	146.8		J	-70.3	17.7	-1.9	-24.4
-15.4	129.2	T	I	5.4	14.0	4.3	-113.3
58.9	126.9		J	5.4	14.0	4.3	-113.3
54.7	113.0	SLVx-E~1	I	-14.8	-37.9	0.9	-10.4
-31.9	-57.8		J	-14.8	-37.9	0.9	-10.0
-32.8	-55.9	SLVy-E~1	I	-34.5	-88.5	2.1	-24.2
-74.4	-134.8		J	-34.5	-88.5	2.1	-23.4
-76.5	-130.4	Q1-1_2 Max	I	12.6	25.4	1372.4	1766.4
783	1		J	12.6	25.4	1435.9	1779.8
9742.1	220.4	Min	I	-25.3	-34.1	-346.5	-5556.0
8539.9	195.3						
1841.0	-327.9						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1574.2	-294.9		J	-25.7	-34.1	-309.7	-5612.3	-
9826.3	177.8	Q1-3_4 Max	I	10.3	20.3	1403.5	1749.8	
8594.1	157.7		J	10.3	20.3	1468.1	1777.8	
1803.9	-351.4	Min	I	-27.3	-39.7	-348.2	-4618.2	-
1543.5	-312.2		J	-27.8	-39.7	-311.6	-4580.5	-
5718.1	120.1	Q2a-1_2 Max	I	6.9	13.8	827.0	965.6	
5013.0	106.5		J	6.9	13.8	862.7	970.9	
1018.4	-177.9	Min	I	-14.2	-18.4	-198.2	-3149.4	-
-870.8	-160.2		J	-14.4	-18.4	-173.1	-3171.9	
5717.8	93.0	Q2a-3_4 Max	I	5.4	10.6	840.5	946.5	
5000.0	82.5		J	5.4	10.6	876.4	962.7	
-983.8	-189.3	Min	I	-15.1	-21.2	-198.3	-2521.0	
-841.9	-168.3		J	-15.3	-21.2	-173.4	-2479.3	
3573.8	95.3	Q1-1 Max	I	5.3	11.1	501.8	602.2	
3143.9	84.3		J	5.3	11.1	524.0	602.2	
-674.7	-107.7	Min	I	-8.4	-9.9	-126.6	-2549.9	
-576.4	-97.9		J	-8.5	-9.9	-111.2	-2577.4	
3537.4	37.4	Q1-3 Max	I	2.1	4.4	532.9	588.0	
3077.8	33.1		J	2.1	4.4	555.8	615.0	
-559.1	-127.1	Min	I	-10.1	-15.1	-118.6	-751.1	
-479.4	-112.1		J	-10.2	-15.1	-103.7	-651.6	
722.1	-4839.6	SLVx (RS)	I	-205.2	-510.0	150.7	1813.7	
637.7	-4349.2		J	-205.2	-510.0	150.7	1813.7	
-905.0	5570.3	SLVy (RS)	I	193.8	646.7	-159.1	-1318.7	
-817.2	4942.7		J	193.8	646.7	-159.1	-1318.7	
2000.2	-928.8	SLVz (RS)	I	-114.7	-80.3	-240.1	558.3	-
1776.4	-875.0		J	-114.7	-80.3	-240.1	558.3	-
8735.9	-221.8	G1	I	-19.9	-23.3	1022.2	-3008.8	
			J	-20.9	-23.3	1125.2	-3008.8	


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
7672.4	-198.7						
		G2	I	-7.2	-8.5	370.8	-1092.4
3169.5	-80.6		J	-7.6	-8.5	408.2	-1092.4
2783.7	-72.2						
		pp imp~1	I	0.1	0.3	-0.0	-1.8
0.3	2.3		J	0.1	0.3	-0.0	-1.8
0.3	2.1						
		perm i~1	I	0.0	0.1	-0.0	-0.6
0.1	0.8		J	0.0	0.1	-0.0	-0.6
0.1	0.7						
		pp2	I	1.3	3.1	0.0	6.2
2.9	25.5		J	1.3	3.1	0.0	6.2
2.8	22.5						
		perm2	I	0.3	0.8	0.0	3.5
0.7	6.8		J	0.3	0.8	0.0	3.5
0.6	6.0						
		q3	I	13.1	-56.5	6.8	-266.0
-32.2	-479.8		J	7.9	-56.5	6.8	-278.6
-32.9	-423.8						
		q4-1	I	86.6	-43.7	-3.0	-4.7
140.2	18.6		J	86.6	-43.7	-3.0	-4.7
143.2	61.8						
		q4-2	I	9.0	21.7	-5.1	-63.6
-3.6	177.5		J	9.0	21.7	-5.1	-63.6
1.5	156.0						
		q4-3	I	-4.7	-11.4	-1.5	-9.6
-20.2	-93.9		J	-4.7	-11.4	-1.5	-9.6
-18.8	-82.6						
		q4-4	I	1.4	3.5	1.8	19.1
13.1	29.1		J	1.4	3.5	1.8	19.1
11.3	25.6						
		q5x_pc	I	24.6	203.0	-52.9	-698.2
100.1	2110.5		J	38.4	216.1	-52.7	-704.8
145.5	1902.9						
		q5y_pc	I	2.6	6.4	6.0	-115.0
55.3	51.5		J	2.6	6.4	6.0	-115.0
49.4	45.2						
		q5x_ps	I	14.9	171.8	-44.8	-617.3
66.5	1830.7		J	27.9	184.2	-44.7	-619.2
108.9	1654.4						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


61.3	50.8	q5y_ps	I	2.5	6.3	6.8	-119.7	
54.5	44.5		J	2.5	6.3	6.8	-119.7	
-15.8	129.3	q7	I	-70.0	19.0	-1.9	-24.1	
-13.9	110.4		J	-70.0	19.0	-1.9	-24.1	
52.5	113.0	T	I	5.7	13.9	4.3	-114.3	
48.3	99.2		J	5.7	13.9	4.3	-114.3	
-33.0	-55.9	SLVx-E~1	I	-15.5	-37.6	0.9	-9.4	
-33.9	-54.3		J	-15.5	-37.6	0.9	-9.0	
-76.9	-130.3	SLVy-E~1	I	-36.1	-87.8	2.1	-21.9	
-79.0	-126.6		J	-36.1	-87.8	2.1	-21.1	
784	1	64 Q1-1_2 Max	I	13.0	25.2	1435.9	1801.9	
8443.7	195.3		J	13.0	25.2	1500.8	1816.3	
7144.2	170.4	Min	I	-26.1	-33.8	-309.7	-5742.7	-
1541.5	-295.3		J	-26.5	-33.8	-282.3	-5800.1	-
1274.8	-262.6							
8519.6	157.7	Q1-3_4 Max	I	10.7	20.2	1468.1	1784.9	
7189.8	137.9		J	10.7	20.2	1534.1	1872.5	
1511.0	-312.9	Min	I	-28.3	-39.4	-311.6	-4718.6	-
1250.6	-273.9		J	-28.7	-39.4	-279.6	-4676.9	-
4960.5	106.5	Q2a-1_2 Max	I	7.1	13.7	862.7	984.3	
4196.7	92.9		J	7.1	13.7	898.9	990.1	
-852.7	-160.3	Min	I	-14.6	-18.3	-173.1	-3245.8	
-705.1	-142.8		J	-14.7	-18.3	-154.7	-3268.8	
4962.3	82.5	Q2a-3_4 Max	I	5.6	10.5	876.4	964.8	
4186.1	72.1		J	5.6	10.5	913.0	1023.0	
-824.1	-168.7	Min	I	-15.5	-21.1	-173.4	-2558.1	
-682.1	-147.9		J	-15.7	-21.1	-151.6	-2512.9	
3098.0	84.3	Q1-1 Max	I	5.5	11.1	524.0	613.2	
2631.6	73.4		J	5.5	11.1	546.7	613.2	

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-564.7	-97.9	Min	I	-8.6	-9.8	-111.2	-2628.9
			J	-8.7	-9.8	-102.3	-2656.4
-466.4	-88.2						
		Q1-3 Max	I	2.2	4.3	555.8	602.0
3072.7	33.1		J	2.2	4.3	579.1	676.1
2577.1	28.8						
		Min	I	-10.4	-15.0	-103.7	-701.1
-468.7	-112.5		J	-10.5	-15.0	-89.1	-597.0
-389.0	-97.6						
		SLVx (RS)	I	-215.9	-528.4	152.2	1808.0
654.0	-4349.2		J	-215.9	-528.4	152.2	1808.0
-589.7	-3837.0						
		SLVy (RS)	I	211.1	653.5	-166.1	-1318.8
-816.8	4942.7		J	211.1	653.5	-166.1	-1318.8
-736.8	4305.8						
		SLVz (RS)	I	-105.6	-86.0	-265.6	588.2
1766.8	-874.9		J	-105.6	-86.0	-265.6	588.2
1510.4	-807.5						
		G1	I	-21.2	-23.1	1125.2	-3155.8
7613.1	-199.6		J	-22.2	-23.1	1228.2	-3155.8
6447.6	-176.7						
		G2	I	-7.7	-8.4	408.2	-1145.8
2762.1	-72.6		J	-8.1	-8.4	445.6	-1145.8
2339.3	-64.2						
		pp imp~1	I	0.1	0.3	-0.0	-1.8
0.3	2.1		J	0.1	0.3	-0.0	-1.8
0.3	1.8						
		perm i~1	I	0.0	0.1	-0.0	-0.6
0.1	0.7		J	0.0	0.1	-0.0	-0.6
0.1	0.6						
		pp2	I	1.3	3.1	0.0	6.2
3.0	22.5		J	1.3	3.1	0.0	6.2
2.9	19.4						
		perm2	I	0.4	0.8	0.0	3.5
0.7	6.0		J	0.4	0.8	0.0	3.5
0.7	5.2						
		q3	I	6.8	-56.7	6.8	-278.0
-38.3	-423.8		J	1.5	-56.7	6.8	-290.7
-39.0	-367.6						
		q4-1	I	85.8	-45.3	-3.0	-7.5
143.1	61.8						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
146.1	106.7		J	85.8	-45.3	-3.0	-7.5
0.3	156.0	q4-2	I	9.4	21.5	-5.1	-63.6
5.4	134.7		J	9.4	21.5	-5.1	-63.6
-19.0	-82.6	q4-3	I	-4.9	-11.3	-1.5	-9.3
-17.5	-71.4		J	-4.9	-11.3	-1.5	-9.3
11.7	25.6	q4-4	I	1.5	3.5	1.8	18.9
9.9	22.2		J	1.5	3.5	1.8	18.9
132.3	1903.0	q5x_pc	I	42.5	215.4	-52.7	-707.1
177.4	1683.3		J	56.6	228.3	-52.5	-713.5
47.2	45.2	q5y_pc	I	2.7	6.4	6.0	-115.9
41.3	38.9		J	2.7	6.4	6.0	-115.9
97.3	1654.4	q5x_ps	I	31.5	183.7	-44.7	-620.9
139.5	1466.5		J	44.7	195.8	-44.5	-622.7
52.2	44.5	q5y_ps	I	2.7	6.3	6.8	-120.7
45.4	38.3		J	2.7	6.3	6.8	-120.7
-14.3	110.4	q7	I	-69.6	20.4	-1.9	-23.8
-12.5	90.2		J	-69.6	20.4	-1.9	-23.8
46.1	99.2	T	I	5.9	13.8	4.3	-115.2
41.8	85.6		J	5.9	13.8	4.3	-115.2
-34.0	-54.2	SLVx-E~1	I	-16.2	-37.3	0.9	-8.4
-34.9	-52.9		J	-16.2	-37.3	0.9	-8.0
-79.4	-126.6	SLVy-E~1	I	-37.8	-87.1	2.1	-19.6
-81.4	-123.5		J	-37.8	-87.1	2.1	-18.8
785	1	64 Q1-1_2 Max	I	13.4	25.0	1500.8	1833.7
7046.4	170.4		J	13.4	25.0	1566.9	1849.3
5649.8	145.8	Min	I	-26.8	-33.5	-282.3	-5908.1
1241.6	-262.7		J	-27.2	-33.5	-276.2	-5966.7
-974.9	-230.3						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

7114.6	137.8	Q1-3_4 Max	I	11.0	20.0	1534.1	1840.0	
			J	11.0	20.0	1601.4	1995.2	
5687.2	118.1	Min	I	-29.2	-39.1	-279.6	-4790.3	-
1217.5	-274.4		J	-29.6	-39.1	-270.0	-4806.3	
-957.1	-235.8							
		Q2a-1_2 Max	I	7.3	13.6	898.9	1000.8	
4143.7	92.9		J	7.3	13.6	935.7	1007.0	
3321.4	79.5	Min	I	-14.9	-18.1	-154.7	-3330.0	
-686.7	-142.8		J	-15.1	-18.1	-151.7	-3353.5	
-539.2	-125.4							
		Q2a-3_4 Max	I	5.8	10.5	913.0	998.4	
4148.5	72.1		J	5.8	10.5	950.1	1102.9	
3314.1	61.8	Min	I	-15.9	-20.9	-151.6	-2577.4	
-664.0	-148.1		J	-16.1	-20.9	-146.2	-2574.9	
-522.1	-127.5							
		Q1-1 Max	I	5.7	11.0	546.7	622.1	
2584.8	73.4		J	5.7	11.0	569.7	622.1	
2082.0	62.6	Min	I	-8.8	-9.8	-102.3	-2699.0	
-454.5	-88.1		J	-8.9	-9.8	-101.0	-2726.5	
-356.2	-78.5							
		Q1-3 Max	I	2.3	4.3	579.1	642.5	
2572.9	28.8		J	2.3	4.3	602.8	751.0	
2041.6	24.6	Min	I	-10.7	-14.9	-89.1	-637.2	
-378.2	-97.8		J	-10.8	-14.9	-82.5	-597.9	
-298.5	-83.1							
		SLVx (RS)	I	-232.4	-546.7	153.5	1803.4	
-603.7	-3837.0		J	-232.4	-546.7	153.5	1803.4	
-566.4	-3303.6							
		SLVy (RS)	I	234.4	658.8	-174.5	-1319.9	
-734.8	4305.8		J	234.4	658.8	-174.5	-1319.9	
-672.0	3661.2							
		SLVz (RS)	I	-97.7	-94.4	-293.2	613.4	-
1500.3	-807.4		J	-97.7	-94.4	-293.2	613.4	-
1213.5	-725.7							
		G1	I	-22.4	-22.9	1228.2	-3279.2	
6385.7	-177.4		J	-23.4	-22.9	1331.2	-3279.2	
5118.2	-154.6							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2316.8	-64.5	G2	I	-8.1	-8.3	445.6	-1190.6
			J	-8.5	-8.3	483.0	-1190.6
1857.0	-56.2						
		pp imp~1	I	0.1	0.3	-0.0	-1.8
0.3	1.8		J	0.1	0.3	-0.0	-1.8
0.3	1.5						
		perm i~1	I	0.0	0.1	-0.0	-0.6
0.1	0.6		J	0.0	0.1	-0.0	-0.6
0.1	0.5						
		pp2	I	1.4	3.1	0.0	6.1
3.1	19.4		J	1.4	3.1	0.0	6.1
3.0	16.4						
		perm2	I	0.4	0.8	0.0	3.5
0.8	5.2		J	0.4	0.8	0.0	3.5
0.7	4.4						
		q3	I	0.4	-56.7	6.8	-290.0
-44.6	-367.6		J	-4.9	-56.7	6.8	-302.7
-45.3	-311.4						
		q4-1	I	84.9	-47.0	-3.0	-10.3
145.9	106.6		J	84.9	-47.0	-3.0	-10.3
149.0	153.2						
		q4-2	I	9.8	21.3	-5.1	-63.7
4.2	134.7		J	9.8	21.3	-5.1	-63.7
9.3	113.5						
		q4-3	I	-5.1	-11.2	-1.5	-9.0
-17.7	-71.4		J	-5.1	-11.2	-1.5	-9.0
-16.2	-60.2						
		q4-4	I	1.6	3.5	1.8	18.7
10.3	22.1		J	1.6	3.5	1.8	18.7
8.5	18.7						
		q5x_pc	I	60.9	227.1	-52.5	-716.5
164.0	1683.3		J	75.2	239.8	-52.4	-722.8
208.8	1452.1						
		q5y_pc	I	2.8	6.3	6.0	-116.7
39.1	38.9		J	2.8	6.3	6.0	-116.7
33.2	32.6						
		q5x_ps	I	48.5	194.9	-44.5	-625.0
127.8	1466.6		J	62.0	206.9	-44.4	-626.8
169.8	1267.6						
		q5y_ps	I	2.8	6.2	6.8	-121.6


MIDAS

PROJECT TITLE :


MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
43.1	38.3		J	2.8	6.2	6.8	-121.6
36.4	32.2						
		q7	I	-69.2	21.7	-1.9	-23.5
-12.9	90.2		J	-69.2	21.7	-1.9	-23.5
-11.0	68.7						
		T	I	6.2	13.7	4.3	-115.9
39.6	85.6		J	6.2	13.7	4.3	-115.9
35.4	72.0						
		SLVx-E~1	I	-16.9	-37.0	0.9	-7.4
-35.1	-52.9		J	-16.9	-37.0	0.9	-7.0
-35.9	-51.9						
		SLVy-E~1	I	-39.5	-86.3	2.0	-17.2
-81.8	-123.5		J	-39.5	-86.3	2.0	-16.4
-83.8	-121.2						
786	1	64 Q1-1_2 Max	I	13.9	24.8	1566.9	1862.4
5551.1	145.7		J	13.9	24.8	1634.4	1879.4
4057.5	121.3						
		Min	I	-27.6	-33.2	-276.2	-6050.7
-941.2	-230.1		J	-28.0	-33.2	-272.7	-6110.6
-674.6	-198.0						
		Q1-3_4 Max	I	11.3	19.8	1601.4	1963.5
5612.2	118.1		J	11.3	19.8	1670.1	2139.0
4087.3	98.6						
		Min	I	-30.0	-38.7	-270.0	-4885.9
-923.7	-236.0		J	-30.5	-38.7	-266.4	-4929.4
-663.3	-197.8						
		Q2a-1_2 Max	I	7.6	13.5	935.7	1015.1
3268.5	79.5		J	7.6	13.5	973.1	1021.9
2387.8	66.2						
		Min	I	-15.2	-17.9	-151.7	-3400.9
-520.5	-125.3		J	-15.4	-17.9	-150.3	-3424.9
-373.0	-108.0						
		Q2a-3_4 Max	I	5.9	10.4	950.1	1079.7
3277.1	61.7		J	5.9	10.4	987.7	1197.0
2384.6	51.6						
		Min	I	-16.3	-20.7	-146.2	-2618.5
-503.8	-127.6		J	-16.5	-20.7	-144.7	-2635.9
-361.8	-107.1						
		Q1-1 Max	I	5.9	10.9	569.7	628.8
2034.6	62.6		J	5.9	10.9	593.1	628.8
1495.5	51.9						
		Min	I	-8.9	-9.7	-101.0	-2759.5
-344.2	-78.3						

MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-245.9	-68.8		J	-9.0	-9.7	-100.1	-2787.0
2038.6	24.6	Q1-3 Max	I	2.3	4.3	602.8	724.0
1471.5	20.4		J	2.3	4.3	626.9	841.4
-287.6	-83.3	Min	I	-11.0	-14.8	-82.5	-619.2
-207.9	-68.7		J	-11.1	-14.8	-81.5	-610.7
-577.4	-3303.6	SLVx (RS)	I	-253.7	-564.7	154.5	1800.0
-572.4	-2749.8		J	-253.7	-564.7	154.5	1800.0
-668.1	3661.2	SLVy (RS)	I	262.1	662.8	-184.2	-1321.9
-636.5	3010.4		J	262.1	662.8	-184.2	-1321.9
1203.1	-725.6	SLVz (RS)	I	-91.3	-105.1	-319.5	633.6
-890.5	-628.8		J	-91.3	-105.1	-319.5	633.6
5054.1	-155.0	G1	I	-23.6	-22.7	1331.2	-3377.1
3684.6	-132.5		J	-24.6	-22.7	1434.2	-3377.1
1833.7	-56.3	G2	I	-8.6	-8.3	483.0	-1226.1
1336.8	-48.1		J	-8.9	-8.3	520.3	-1226.1
0.3	1.5	pp imp~1	I	0.1	0.3	-0.0	-1.8
0.3	1.2		J	0.1	0.3	-0.0	-1.8
0.1	0.5	perm i~1	I	0.0	0.1	-0.0	-0.6
0.1	0.4		J	0.0	0.1	-0.0	-0.6
3.1	16.4	pp2	I	1.5	3.0	0.0	6.1
3.1	13.4		J	1.5	3.0	0.0	6.1
0.8	4.4	perm2	I	0.4	0.8	0.0	3.5
0.8	3.6		J	0.4	0.8	0.0	3.5
-51.2	-311.4	q3	I	-6.0	-56.6	6.8	-301.8
-51.8	-255.3		J	-11.2	-56.6	6.8	-314.5
148.8	153.1	q4-1	I	84.0	-48.6	-3.1	-13.1
151.8	201.3		J	84.0	-48.6	-3.1	-13.1


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


8.1	113.6	q4-2	I	10.2	21.1	-5.1	-63.8
13.2	92.6		J	10.2	21.1	-5.1	-63.8
-16.4	-60.2	q4-3	I	-5.3	-11.1	-1.5	-8.7
-15.0	-49.2		J	-5.3	-11.1	-1.5	-8.7
8.9	18.7	q4-4	I	1.6	3.4	1.8	18.5
7.1	15.3		J	1.6	3.4	1.8	18.5
195.1	1452.2	q5x_pc	I	79.8	238.3	-52.3	-726.5
239.6	1210.1		J	94.3	250.6	-52.2	-732.6
31.0	32.6	q5y_pc	I	2.9	6.3	6.0	-117.3
25.1	26.5		J	2.9	6.3	6.0	-117.3
157.9	1267.7	q5x_ps	I	66.0	205.7	-44.4	-629.8
199.7	1058.2		J	79.7	217.3	-44.2	-631.5
34.0	32.2	q5y_ps	I	2.9	6.2	6.8	-122.3
27.2	26.1		J	2.9	6.2	6.8	-122.3
-11.5	68.7	q7	I	-68.7	23.0	-1.9	-23.3
-9.6	45.9		J	-68.7	23.0	-1.9	-23.3
33.2	72.1	T	I	6.5	13.6	4.3	-116.6
29.0	58.6		J	6.5	13.6	4.3	-116.6
-36.1	-51.9	SLVx-E~1	I	-17.6	-36.7	0.9	-6.4
-36.9	-51.3		J	-17.6	-36.7	0.9	-6.0
-84.2	-121.2	SLVy-E~1	I	-41.1	-85.5	2.0	-14.8
-86.2	-119.7		J	-41.1	-85.5	2.0	-14.0
787	1	64 Q1-1_2 Max	I	14.3	24.5	1634.4	1888.2
3958.9	121.2		J	14.3	24.5	1703.1	1907.1
2368.7	97.1	Min	I	-28.3	-32.9	-272.7	-6169.6
-640.6	-197.5		J	-28.7	-32.9	-270.4	-6231.5
-374.1	-165.8	Q1-3_4 Max	I	11.7	19.6	1670.1	2115.0

MIDAS

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
4013.2	98.5		J	11.7	19.6	1740.1	2306.3
2391.3	79.6						
		Min	I	-30.9	-38.4	-266.4	-4985.3
-629.6	-197.8						
			J	-31.3	-38.4	-264.0	-5031.2
-369.3	-161.4						
		Q2a-1_2 Max	I	7.8	13.3	973.1	1027.3
2335.4	66.1						
			J	7.8	13.3	1011.0	1034.9
1396.5	53.1						
		Min	I	-15.6	-17.8	-150.3	-3458.1
-354.2	-107.8						
			J	-15.7	-17.8	-149.4	-3482.8
-206.7	-90.7						
		Q2a-3_4 Max	I	6.1	10.3	987.7	1179.8
2348.8	51.5						
			J	6.1	10.3	1026.0	1306.8
1398.5	41.7						
		Min	I	-16.7	-20.5	-144.7	-2666.4
-343.4	-107.1						
			J	-16.9	-20.5	-143.8	-2684.8
-201.5	-87.8						
		Q1-1 Max	I	6.1	10.8	593.1	633.4
1447.7	51.8						
			J	6.1	10.8	616.9	633.4
872.4	41.3						
		Min	I	-9.1	-9.6	-100.1	-2810.0
-233.8	-68.5						
			J	-9.2	-9.6	-99.5	-2837.5
-135.5	-59.0						
		Q1-3 Max	I	2.4	4.2	626.9	821.6
1470.1	20.4						
			J	2.4	4.2	651.4	948.6
867.4	16.8						
		Min	I	-11.3	-14.6	-81.5	-625.5
-196.8	-68.8						
			J	-11.4	-14.6	-80.8	-619.4
-117.2	-54.4						
		SLVx (RS)	I	-279.0	-582.4	155.5	1797.8
-579.7	-2749.8						
			J	-279.0	-582.4	155.5	1797.8
-607.9	-2176.2						
		SLVy (RS)	I	293.0	665.5	-195.0	-1324.8
-630.5	3010.4						
			J	293.0	665.5	-195.0	-1324.8
645.1	2354.7						
		SLVz (RS)	I	-87.0	-117.6	-341.6	648.4
-879.9	-628.8						
			J	-87.0	-117.6	-341.6	648.4
-551.1	-516.3						
		G1	I	-24.8	-22.5	1434.2	-3447.3
3618.9	-132.5						
			J	-25.8	-22.5	1537.2	-3447.3
2147.4	-110.2						
		G2	I	-9.0	-8.2	520.3	-1251.5
1313.0	-48.2						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
779.1	-40.1		J	-9.4	-8.2	557.7	-1251.5
0.3	1.2	pp imp~1	I	0.1	0.3	-0.0	-1.8
0.3	0.9		J	0.1	0.3	-0.0	-1.8
0.1	0.4	perm i~1	I	0.0	0.1	-0.0	-0.6
0.1	0.3		J	0.0	0.1	-0.0	-0.6
3.2	13.4	pp2	I	1.5	3.0	0.0	6.0
3.2	10.4		J	1.5	3.0	0.0	6.0
0.8	3.6	perm2	I	0.4	0.8	0.0	3.5
0.8	2.8		J	0.4	0.8	0.0	3.5
-57.9	-255.2	q3	I	-12.3	-56.4	6.8	-313.5
-58.6	-199.4		J	-17.6	-56.4	6.8	-326.1
151.6	201.2	q4-1	I	83.0	-50.2	-3.1	-16.0
154.6	250.9		J	83.0	-50.2	-3.1	-16.0
12.0	92.6	q4-2	I	10.6	20.9	-5.1	-64.0
17.0	71.9		J	10.6	20.9	-5.1	-64.0
-15.1	-49.2	q4-3	I	-5.6	-11.0	-1.5	-8.4
-13.7	-38.3		J	-5.6	-11.0	-1.5	-8.4
7.5	15.3	q4-4	I	1.7	3.4	1.8	18.4
5.7	11.9		J	1.7	3.4	1.8	18.4
225.7	1210.2	q5x_pc	I	99.1	248.8	-52.2	-736.9
269.9	957.8		J	113.9	260.8	-52.0	-742.9
22.8	26.5	q5y_pc	I	3.1	6.2	6.0	-117.7
16.9	20.3		J	3.1	6.2	6.0	-117.7
187.7	1058.3	q5x_ps	I	83.9	215.8	-44.2	-635.0
229.3	838.9		J	97.8	227.2	-44.1	-636.7
24.9	26.1	q5y_ps	I	3.0	6.1	6.8	-122.8
			J	3.0	6.1	6.8	-122.8

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
18.1	20.0						
		q7	I	-68.3	24.4	-1.8	-23.1
-10.1	45.9		J	-68.3	24.4	-1.8	-23.1
-8.2	21.8						
		T	I	6.7	13.4	4.3	-117.1
26.7	58.7		J	6.7	13.4	4.3	-117.1
22.5	45.4						
		SLVx-E~1	I	-18.3	-36.3	0.9	-5.3
-37.0	-51.3		J	-18.3	-36.3	0.9	-5.0
-37.9	-51.0						
		SLVy-E~1	I	-42.8	-84.7	2.0	-12.4
-86.4	-119.6		J	-42.8	-84.7	2.0	-11.6
-88.4	-118.9						
788	1	64	Q1-1_2 Max	I	14.7	24.3	1703.1
2278.0	96.9			J	14.7	24.3	1773.1
585.5	73.3		Min	I	-29.1	-32.6	-270.4
-340.0	-165.0			J	-29.4	-32.6	-269.4
-74.6	-133.8						
		Q1-3_4 Max	I	12.0	19.4	1740.1	2291.3
2326.5	79.4			J	12.0	19.4	1811.4
604.3	61.3		Min	I	-31.8	-38.0	-264.0
-335.3	-160.8			J	-32.2	-38.0	-263.0
-75.9	-127.8						
		Q2a-1_2 Max	I	8.0	13.2	1011.0	1037.7
1348.1	52.9			J	8.0	13.2	1049.4
349.1	40.1		Min	I	-15.9	-17.6	-149.4
-187.9	-90.3			J	-16.0	-17.6	-149.0
-40.9	-73.5						
		Q2a-3_4 Max	I	6.3	10.2	1026.0	1296.2
1367.4	41.6			J	6.3	10.2	1064.7
359.0	32.3		Min	I	-17.1	-20.3	-143.8
-182.9	-87.4			J	-17.3	-20.3	-143.3
-41.4	-69.4						
		Q1-1 Max	I	6.3	10.7	616.9	635.9
824.8	41.2			J	6.3	10.7	641.0
213.8	30.8		Min	I	-9.3	-9.5	-99.5
-123.3	-58.6			J	-9.4	-9.5	-99.3
-25.6	-49.3						

PROJECT TITLE :


	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

867.9	16.7	Q1-3 Max	I	2.4	4.2	651.4	936.6
			J	2.4	4.2	676.2	1074.1
229.5	13.5	Min	I	-11.6	-14.5	-80.8	-627.6
-106.1	-54.4		J	-11.7	-14.5	-80.5	-624.5
-26.6	-40.2						
-611.3	-2176.1	SLVx (RS)	I	-307.4	-600.0	156.3	1796.8
-669.0	-1583.5		J	-307.4	-600.0	156.3	1796.8
637.7	2354.7	SLVy (RS)	I	326.0	667.4	-207.0	-1328.4
706.7	1695.4		J	326.0	667.4	-207.0	-1328.4
-540.4	-516.3	SLVz (RS)	I	-85.5	-131.7	-357.3	657.4
-233.4	-387.5		J	-85.5	-131.7	-357.3	657.4
2080.6	-109.9	G1	I	-25.9	-22.3	1537.2	-3488.0
507.0	-87.9		J	-26.8	-22.3	1640.2	-3488.0
754.9	-40.0	G2	I	-9.4	-8.1	557.7	-1266.3
183.9	-31.9		J	-9.7	-8.1	595.1	-1266.3
0.3	0.9	pp imp~1	I	0.1	0.3	-0.0	-1.8
0.3	0.7		J	0.1	0.3	-0.0	-1.8
0.1	0.3	perm i~1	I	0.0	0.1	-0.0	-0.6
0.1	0.2		J	0.0	0.1	-0.0	-0.6
3.3	10.4	pp2	I	1.6	3.0	0.0	6.0
3.2	7.5		J	1.6	3.0	0.0	6.0
0.9	2.8	perm2	I	0.4	0.8	0.0	3.5
0.9	2.0		J	0.4	0.8	0.0	3.5
-64.9	-199.3	q3	I	-18.7	-56.0	6.8	-325.0
-65.5	-143.8		J	-24.0	-56.0	6.8	-337.7
154.3	250.9	q4-1	I	82.0	-51.8	-3.1	-18.9
157.4	302.2		J	82.0	-51.8	-3.1	-18.9
		q4-2	I	11.0	20.7	-5.1	-64.3


PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
15.8	71.9		J	11.0	20.7	-5.1	-64.3	
20.9	51.4							
		q4-3	I	-5.8	-10.9	-1.5	-8.1	
-13.8	-38.3		J	-5.8	-10.9	-1.5	-8.1	
-12.4	-27.4							
		q4-4	I	1.8	3.4	1.8	18.3	
6.0	11.9		J	1.8	3.4	1.8	18.3	
4.3	8.6							
		q5x_pc	I	118.9	258.6	-52.0	-747.8	
255.8	957.9		J	133.9	270.4	-51.9	-753.7	
299.7	695.9							
		q5y_pc	I	3.2	6.1	6.0	-118.0	
14.7	20.4		J	3.2	6.1	6.0	-118.0	
8.8	14.3							
		q5x_ps	I	102.2	225.2	-44.0	-640.9	
217.2	839.0		J	116.4	236.4	-43.9	-642.6	
258.6	610.4							
		q5y_ps	I	3.1	6.1	6.8	-123.1	
15.8	20.0		J	3.1	6.1	6.8	-123.1	
9.0	14.0							
		q7	I	-67.8	25.7	-1.8	-22.9	
-8.7	21.8		J	-67.8	25.7	-1.8	-22.9	
-6.9	-3.6							
		T	I	7.0	13.3	4.3	-117.5	
20.2	45.4		J	7.0	13.3	4.3	-117.5	
16.0	32.2							
		SLVx-E~1	I	-19.0	-36.0	0.9	-4.3	
-38.0	-51.0		J	-19.0	-36.0	0.9	-3.9	
-38.9	-51.0							
		SLVy-E~1	I	-44.4	-83.9	2.0	-9.9	
-88.7	-118.9		J	-44.4	-83.9	2.0	-9.2	
-90.7	-119.0							
789	1	64	Q1-1_2 Max	I	15.1	24.1	1773.1	1934.1
529.1	73.0			J	15.1	24.1	1797.5	1942.5
54.7	65.1		Min	I	-29.8	-32.3	-269.4	-6336.1
-46.0	-132.8			J	-29.9	-32.3	-269.3	-6359.1
-140.9	-122.3							
		Q1-3_4 Max	I	12.3	19.2	1811.4	2495.6	
570.4	61.0		J	12.3	19.2	1835.7	2568.0	

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
55.0	55.2		Min	I	-32.6	-37.6	-263.0	-5117.9
-45.4	-127.0			J	-32.7	-37.6	-262.9	-5135.1
-122.2	-115.9							
		Q2a-1_2	Max	I	8.3	13.1	1049.4	1046.9
319.6	39.9			J	8.3	13.1	1062.7	1050.2
30.0	35.6		Min	I	-16.2	-17.4	-149.0	-3531.0
-25.7	-72.9			J	-16.2	-17.4	-149.0	-3540.2
-78.3	-67.3							
		Q2a-3_4	Max	I	6.4	10.1	1064.7	1430.7
344.4	32.1			J	6.4	10.1	1077.8	1477.9
30.2	29.2		Min	I	-17.5	-20.1	-143.3	-2724.9
-24.7	-69.0			J	-17.5	-20.1	-143.3	-2731.8
-65.9	-62.9							
		Q1-1	Max	I	6.5	10.5	641.0	636.3
169.7	30.7			J	6.5	10.5	649.7	636.3
21.0	27.2		Min	I	-9.5	-9.4	-99.3	-2880.4
-16.6	-48.8			J	-9.5	-9.4	-99.3	-2889.7
-59.7	-45.7							
		Q1-3	Max	I	2.5	4.1	676.2	1070.9
232.2	13.4			J	2.5	4.1	684.5	1118.1
19.5	12.8		Min	I	-11.9	-14.3	-80.5	-626.2
-16.3	-40.1			J	-11.9	-14.3	-80.5	-625.9
-24.5	-35.3							
		SLVx (RS)		I	-331.1	-609.8	156.9	1796.9
-668.7	-1583.4			J	-331.1	-609.8	156.9	1796.9
-693.7	-1378.2							
		SLVy (RS)		I	352.5	666.3	-215.8	-1332.5
699.0	1695.3			J	352.5	666.3	-215.8	-1332.5
734.6	1471.1							
		SLVz (RS)		I	-86.7	-141.5	-362.8	660.2
-225.1	-387.5			J	-86.7	-141.5	-362.8	660.2
-172.7	-340.1							
		G1		I	-26.9	-22.1	1640.2	-3496.6
444.0	-87.3			J	-27.3	-22.1	1675.3	-3496.6
-114.5	-79.9							
		G2		I	-9.8	-8.0	595.1	-1269.4
161.0	-31.7			J	-9.9	-8.0	607.8	-1269.4
-41.6	-29.0							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


0.3	0.7	pp imp~1	I	0.2	0.3	-0.0	-1.8
0.3	0.6		J	0.2	0.3	-0.0	-1.8
0.1	0.2	perm i~1	I	0.0	0.1	-0.0	-0.6
0.1	0.2		J	0.0	0.1	-0.0	-0.6
3.3	7.5	pp2	I	1.6	2.9	0.0	5.9
3.3	6.5		J	1.6	2.9	0.0	5.9
0.9	2.0	perm2	I	0.4	0.8	0.0	3.5
0.9	1.7		J	0.4	0.8	0.0	3.5
-71.6	-143.8	q3	I	-25.0	-55.6	6.8	-336.4
-71.8	-125.0		J	-26.8	-55.6	6.8	-340.8
157.1	302.2	q4-1	I	81.1	-53.2	-3.1	-21.7
158.2	320.1		J	81.1	-53.2	-3.1	-21.7
19.7	51.4	q4-2	I	11.4	20.5	-5.1	-64.7
21.5	44.4		J	11.4	20.5	-5.1	-64.7
-12.5	-27.4	q4-3	I	-6.0	-10.8	-1.5	-7.9
-12.0	-23.8		J	-6.0	-10.8	-1.5	-7.9
4.6	8.6	q4-4	I	1.8	3.3	1.8	18.2
4.0	7.5		J	1.8	3.3	1.8	18.2
286.2	696.0	q5x_pc	I	138.7	267.9	-51.9	-758.8
301.1	605.1		J	143.9	271.8	-51.8	-760.8
6.6	14.3	q5y_pc	I	3.3	6.1	6.0	-118.2
4.6	12.3		J	3.3	6.1	6.0	-118.2
247.1	610.5	q5x_ps	I	120.6	234.2	-43.9	-647.0
261.2	530.9		J	125.5	237.9	-43.9	-647.6
6.8	14.1	q5y_ps	I	3.3	6.0	6.8	-123.2
4.5	12.0		J	3.3	6.0	6.8	-123.2

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-7.3	-3.6		q7	I	-67.3	26.9	-1.8	-22.8
				J	-67.3	26.9	-1.8	-22.8
-6.7	-12.7							
			T	I	7.2	13.2	4.3	-117.8
13.9	32.2			J	7.2	13.2	4.3	-117.8
12.4	27.8							
			SLVx-E~1	I	-19.7	-35.6	0.9	-3.2
-38.9	-51.0			J	-19.7	-35.6	0.9	-3.1
-39.2	-51.1							
			SLVy-E~1	I	-45.9	-83.1	2.0	-7.6
-90.8	-119.0			J	-45.9	-83.1	2.0	-7.3
-91.5	-119.3							
790	3	4	Q1-1_2 Max	I	280.4	19.4	2.5	20.4
419.6	1809.0			J	280.4	19.4	2.5	20.4
420.6	1790.6							
			Min	I	-1807.9	-44.1	-1.1	-46.4
1377.2	-5956.8			J	-1807.9	-44.1	-1.1	-46.4
1381.6	-5881.0							
			Q1-3_4 Max	I	273.7	15.7	2.3	16.6
556.6	2379.6			J	273.7	15.7	2.3	16.6
557.0	2371.2							
			Min	I	-1841.8	-40.0	-0.9	-42.1
1112.0	-4819.2			J	-1841.8	-40.0	-0.9	-42.1
1115.9	-4750.4							
			Q2a-1_2 Max	I	155.1	10.7	1.4	11.2
226.8	978.9			J	155.1	10.7	1.4	11.2
227.4	968.0							
			Min	I	-1068.3	-24.4	-0.6	-25.7
-766.3	-3316.8			J	-1068.3	-24.4	-0.6	-25.7
-768.8	-3272.7							
			Q2a-3_4 Max	I	149.2	8.5	1.2	8.9
320.0	1370.6			J	149.2	8.5	1.2	8.9
320.4	1363.7							
			Min	I	-1080.4	-21.7	-0.5	-22.8
-591.2	-2565.3			J	-1080.4	-21.7	-0.5	-22.8
-593.5	-2526.2							
			Q1-1 Max	I	103.4	9.2	1.0	9.7
136.7	595.9			J	103.4	9.2	1.0	9.7
137.3	584.6							
			Min	I	-657.4	-17.1	-0.5	-18.0
-625.7	-2703.9			J	-657.4	-17.1	-0.5	-18.0
-627.5	-2671.4							
			Q1-3 Max	I	83.7	4.2	0.7	4.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
242.4	1034.5		J	83.7	4.2	0.7	4.4
242.5	1032.4	Min	I	-683.8	-11.9	-0.2	-12.5
-134.5	-594.5		J	-683.8	-11.9	-0.2	-12.5
-135.5	-576.8						
		SLVx (RS)	I	-183.3	557.1	-31.9	586.3
505.5	1126.8		J	-183.3	557.1	-31.9	586.3
449.1	1911.6						
		SLVy (RS)	I	-142.1	-453.1	25.9	-476.8
-560.1	-2466.3		J	-142.1	-453.1	25.9	-476.8
-553.6	-2356.4						
		SLVz (RS)	I	393.0	-152.4	8.7	-160.4
203.9	685.3		J	393.0	-152.4	8.7	-160.4
192.9	821.0						
		G1	I	-1763.8	-34.7	2.0	-36.6
-758.3	-3316.3		J	-1763.8	-34.7	2.0	-36.6
-762.3	-3245.2						
		G2	I	-640.2	-12.6	0.7	-13.3
-275.0	-1202.7		J	-640.2	-12.6	0.7	-13.3
-276.5	-1176.9						
		pp imp~1	I	0.0	5.9	-0.3	6.2
-0.1	14.5		J	0.0	5.9	-0.3	6.2
0.6	2.5						
		perm i~1	I	0.0	1.9	-0.1	2.0
-0.0	4.7		J	0.0	1.9	-0.1	2.0
0.2	0.8						
		pp2	I	0.0	0.1	-0.0	0.2
-0.3	-0.9		J	0.0	0.1	-0.0	0.2
-0.3	-1.2						
		perm2	I	0.0	0.0	-0.0	0.0
-0.1	-0.3		J	0.0	0.0	-0.0	0.0
-0.1	-0.4						
		q3	I	13.6	48.7	-2.8	51.3
-71.6	-180.8		J	13.6	48.7	-2.8	51.3
-65.9	-280.6						
		q4-1	I	-1.1	4.1	-0.2	4.3
2.2	20.0		J	-1.1	4.1	-0.2	4.3
2.7	11.6						
		q4-2	I	1.1	-8.2	0.5	-8.6
0.9	-17.2		J	1.1	-8.2	0.5	-8.6


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.1	-0.4							
-23.7	-39.3	q4-3	I	5.6	24.2	-1.4	25.4	
-20.9	-88.8		J	5.6	24.2	-1.4	25.4	
-110.9	-100.7	q4-4	I	-0.7	145.8	-8.4	153.5	
-93.8	-399.4		J	-0.7	145.8	-8.4	153.5	
-83.5	-231.1	q5x_pc	I	44.9	48.8	-2.8	51.4	
-77.8	-331.1		J	44.9	48.8	-2.8	51.4	
251.2	255.9	q5y_pc	I	-21.2	-319.3	18.3	-336.0	
213.7	909.9		J	-21.2	-319.3	18.3	-336.0	
-107.6	-183.4	q5x_ps	I	46.2	107.8	-6.2	113.4	
-94.9	-404.2		J	46.2	107.8	-6.2	113.4	
215.0	119.4	q5y_ps	I	-19.7	-312.4	17.9	-328.7	
178.3	759.2		J	-19.7	-312.4	17.9	-328.7	
-6.6	-20.9	q7	I	3.5	2.9	-0.2	3.0	
-6.3	-26.8		J	3.5	2.9	-0.2	3.0	
-38.7	-99.0	T	I	-4.4	25.9	-1.5	27.2	
-35.7	-152.0		J	-4.4	25.9	-1.5	27.2	
0.1	70.0	SLVx-E~1	I	0.4	27.2	-1.6	28.7	
3.3	14.2		J	0.4	27.2	-1.6	28.7	
0.3	163.3	SLVy-E~1	I	1.0	63.6	-3.6	66.9	
7.8	33.1		J	1.0	63.6	-3.6	66.9	
791	3	4 Q1-1_2 Max	I	355.1	121.0	79.3	573.5	
2073.7	3096.6		J	355.1	121.0	79.3	573.5	
2066.9	3232.0	Min	I	-3359.1	-114.7	-57.3	-381.8	-
1150.8	-1718.4		J	-3359.1	-114.7	-57.3	-381.8	-
1204.0	-1849.4	Q1-3_4 Max	I	346.8	130.4	75.6	535.6	
1261.6	1883.9		J	346.8	130.4	75.6	535.6	
1270.4	2005.6	Min	I	-3448.7	-110.6	-59.2	-353.1	-

MIDAS


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
2077.8	-3102.6			J	-3448.7	-110.6	-59.2	-353.1	-
2123.7	-3281.5								
		Q2a-1_2	Max	I	200.0	65.4	42.2	300.3	
1105.6	1650.9			J	200.0	65.4	42.2	300.3	
1109.4	1729.9								
			Min	I	-1695.4	-60.3	-31.1	-209.8	
-516.5	-771.2			J	-1695.4	-60.3	-31.1	-209.8	
-552.0	-830.7								
		Q2a-3_4	Max	I	192.6	69.7	40.2	273.8	
636.6	950.5			J	192.6	69.7	40.2	273.8	
644.6	1016.6								
			Min	I	-1729.2	-58.0	-30.7	-190.1	-
1018.6	-1520.9			J	-1729.2	-58.0	-30.7	-190.1	-
1047.7	-1611.1								
		Q1-1	Max	I	132.2	37.1	28.9	223.2	
1081.8	1615.4			J	132.2	37.1	28.9	223.2	
1082.3	1658.0								
			Min	I	-1072.6	-41.4	-19.9	-149.0	
-0.0	-0.0			J	-1072.6	-41.4	-19.9	-149.0	
-9.1	0.0								
		Q1-3	Max	I	108.9	47.7	22.7	134.9	
34.7	51.8			J	108.9	47.7	22.7	134.9	
47.0	112.0								
			Min	I	-1121.9	-30.9	-20.2	-90.1	-
1017.6	-1519.5			J	-1121.9	-30.9	-20.2	-90.1	-
1030.1	-1587.5								
		SLVx (RS)		I	354.5	-1564.3	-1231.7	-5237.9	
1962.2	2930.0			J	354.5	-1564.3	-1231.7	-5237.9	
4341.4	5915.3								
		SLVy (RS)		I	290.9	-927.3	-591.3	13117.7	
1386.6	2070.5			J	290.9	-927.3	-591.3	13117.7	-
1408.2	3636.8								
		SLVz (RS)		I	1094.7	86.6	-112.4	-181.3	
208.9	312.0			J	1094.7	86.6	-112.4	-181.3	
288.4	310.1								
		G1		I	-5370.4	21.0	21.4	341.8	
-688.2	-1027.6			J	-5370.4	21.0	21.4	341.8	
-732.2	-1070.7								
		G2		I	-1948.5	7.6	7.7	124.4	
-247.6	-369.7			J	-1948.5	7.6	7.7	124.4	
-263.4	-385.3								
		pp imp~1		I	-0.0	-6.4	-4.8	-63.8	

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.7	-1.1		J	-0.0	-6.4	-4.8	-63.8
9.2	12.0						
		perm i~1	I	-0.0	-2.1	-1.6	-20.6
-0.2	-0.3		J	-0.0	-2.1	-1.6	-20.6
3.0	3.9						
		pp2	I	0.0	1.3	1.6	-0.4
-0.3	-0.4		J	0.0	1.3	1.6	-0.4
-3.6	-3.0						
		perm2	I	0.0	0.3	0.4	-0.1
-0.0	-0.1		J	0.0	0.3	0.4	-0.1
-1.0	-0.7						
		q3	I	5.7	-196.2	208.7	1282.2
305.1	455.5		J	5.7	-196.2	208.7	1282.2
-122.9	857.8						
		q4-1	I	4.0	-46.3	1.2	199.2
-7.6	-11.3		J	4.0	-46.3	1.2	199.2
-10.0	83.5						
		q4-2	I	2.6	7.1	35.0	-88.5
26.7	39.9		J	2.6	7.1	35.0	-88.5
-45.0	25.3						
		q4-3	I	-10.2	108.3	84.9	21.8
123.2	184.0		J	-10.2	108.3	84.9	21.8
-50.8	-38.0						
		q4-4	I	-5.5	26.6	-19.1	231.2
42.6	63.6		J	-5.5	26.6	-19.1	231.2
81.7	9.1						
		q5x_pc	I	0.9	324.0	844.1	529.7
487.0	727.3		J	0.9	324.0	844.1	529.7
1243.4	63.1						-
		q5y_pc	I	94.3	-861.4	-61.0	1007.2
-361.3	-539.4		J	94.3	-861.4	-61.0	1007.2
-236.2	1226.4						
		q5x_ps	I	-1.8	319.4	917.3	764.7
444.0	663.1		J	-1.8	319.4	917.3	764.7
1436.4	8.2						-
		q5y_ps	I	81.7	-775.1	-55.5	920.1
-221.7	-331.1		J	81.7	-775.1	-55.5	920.1
-107.9	1257.9						
		q7	I	-2.7	41.0	43.1	-27.8
22.1	33.1						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-66.2	-50.9		J	-2.7	41.0	43.1	-27.8	
53.7	80.2	T	I	10.6	262.5	-147.8	-694.0	
356.7	-457.9		J	10.6	262.5	-147.8	-694.0	
15.9	23.7	SLVx-E~1	I	0.7	-14.1	19.3	416.0	
-23.6	52.7		J	0.7	-14.1	19.3	416.0	
37.1	55.4	SLVy-E~1	I	1.6	-32.9	45.0	970.7	
-55.1	122.9		J	1.6	-32.9	45.0	970.7	
792	3	4 Q1-1_2 Max	I	340.1	114.5	64.4	196.2	
3652.1	119.5		J	340.1	114.5	64.4	196.2	
3767.5	293.5	Min	I	-3366.8	-115.1	-77.8	-313.3	-
2041.1	-213.8		J	-3366.8	-115.1	-77.8	-313.3	-
2135.6	-349.5							
2207.9	216.6	Q1-3_4 Max	I	332.8	108.7	76.6	160.4	
2297.3	377.5		J	332.8	108.7	76.6	160.4	
3701.1	-129.2	Min	I	-3454.8	-121.7	-71.0	-330.8	-
3826.6	-273.6		J	-3454.8	-121.7	-71.0	-330.8	-
1951.9	53.7	Q2a-1_2 Max	I	191.6	58.4	32.2	108.7	
2019.0	151.1		J	191.6	58.4	32.2	108.7	
-918.2	-114.3	Min	I	-1699.0	-62.6	-41.4	-159.2	
-962.0	-179.8		J	-1699.0	-62.6	-41.4	-159.2	
1115.2	106.6	Q2a-3_4 Max	I	184.8	54.7	38.0	85.8	
1165.1	195.7		J	184.8	54.7	38.0	85.8	
1821.2	-65.3	Min	I	-1732.0	-65.7	-37.5	-167.9	-
1883.7	-134.5		J	-1732.0	-65.7	-37.5	-167.9	-
1920.7	0.0	Q1-1 Max	I	126.4	42.1	19.0	87.8	
1962.4	39.2		J	126.4	42.1	19.0	87.8	
-0.8	-112.4	Min	I	-1076.2	-35.1	-28.3	-98.2	
-1.5	-155.1		J	-1076.2	-35.1	-28.3	-98.2	
41.7	106.2	Q1-3 Max	I	105.0	26.1	28.4	21.0	
			J	105.0	26.1	28.4	21.0	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
87.1	161.9								
		Min	I	-1121.5	-44.5	-23.5	-113.6	-	
1813.6	-2.4		J	-1121.5	-44.5	-23.5	-113.6	-	
1869.3	-30.2								
		SLVx (RS)	I	-298.9	342.6	-1448.2	-5057.1		
1747.1	-102.3		J	-298.9	342.6	-1448.2	-5057.1		
4331.3	-676.0								
		SLVy (RS)	I	-389.8	-1094.1	1136.4	11380.2	-	
2725.8	159.6		J	-389.8	-1094.1	1136.4	11380.2	-	
4815.1	2332.4								
		SLVz (RS)	I	1029.7	-184.1	-70.6	252.0		
281.2	-16.5		J	1029.7	-184.1	-70.6	252.0		
279.9	377.8								
		G1	I	-5395.1	3.0	7.8	-328.2	-	
1262.8	73.9		J	-5395.1	3.0	7.8	-328.2	-	
1278.7	67.9								
		G2	I	-1958.1	1.1	2.9	-118.7		
-459.9	26.9		J	-1958.1	1.1	2.9	-118.7		
-465.8	24.7								
		pp imp~1	I	-0.0	0.7	3.5	1.0		
-0.4	0.0		J	-0.0	0.7	3.5	1.0		
-7.6	-1.5								
		perm i~1	I	-0.0	0.2	1.1	0.3		
-0.1	0.0		J	-0.0	0.2	1.1	0.3		
-2.4	-0.5								
		pp2	I	-0.0	-0.0	-4.7	39.3		
-0.8	0.0		J	-0.0	-0.0	-4.7	39.3		
8.9	0.1								
		perm2	I	-0.0	-0.0	-1.3	10.4		
1.0	-0.1		J	-0.0	-0.0	-1.3	10.4		
3.6	-0.1								
		q3	I	-23.7	-342.6	63.7	1263.0		
531.9	-31.1		J	-23.7	-342.6	63.7	1263.0		
401.4	671.2								
		q4-1	I	-6.8	-49.1	-34.5	87.2		
-22.9	1.3		J	-6.8	-49.1	-34.5	87.2		
47.8	102.1								
		q4-2	I	-9.0	-2.8	144.6	35.1		
238.2	-13.9		J	-9.0	-2.8	144.6	35.1		
-58.2	-8.2								


MIDAS

PROJECT TITLE :


	Company		Client		File Name			
	Author		File Name		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
72.3	-4.2	q4-3	I	3.2	27.8	35.2	114.7	
0.0	-61.2		J	3.2	27.8	35.2	114.7	
-26.0	1.5	q4-4	I	7.9	26.8	-52.3	-172.5	
81.1	-53.4		J	7.9	26.8	-52.3	-172.5	
1276.6	-74.7	q5x_pc	I	-98.9	-241.8	1261.8	2060.7	
1310.0	420.9		J	-98.9	-241.8	1261.8	2060.7	-
-204.3	12.0	q5y_pc	I	-67.2	-604.6	111.7	1583.3	
-433.3	1251.3		J	-67.2	-604.6	111.7	1583.3	
1143.0	-66.9	q5x_ps	I	-89.4	-311.3	1306.0	2418.8	
1534.4	571.3		J	-89.4	-311.3	1306.0	2418.8	-
-146.4	8.6	q5y_ps	I	-55.2	-618.8	105.1	1370.2	
-361.8	1277.1		J	-55.2	-618.8	105.1	1370.2	
56.2	-3.3	q7	I	-2.1	9.5	65.4	52.2	
-77.8	-22.8		J	-2.1	9.5	65.4	52.2	
140.6	-8.2	T	I	-2.0	-281.9	129.4	395.1	
-124.8	569.6		J	-2.0	-281.9	129.4	395.1	
-37.7	2.2	SLVx-E~1	I	-0.1	-29.3	13.0	289.8	
-64.3	62.2		J	-0.1	-29.3	13.0	289.8	
-87.9	5.1	SLVy-E~1	I	-0.2	-68.3	30.4	676.2	
-150.1	145.2		J	-0.2	-68.3	30.4	676.2	
793	3	4 Q1-1_2 Max	I	269.4	36.8	1.0	71.0	
836.4	1721.3		J	269.4	36.8	1.0	71.0	
835.2	1755.1	Min	I	-1797.6	-27.5	-1.4	-52.8	-
2759.1	-5678.0		J	-1797.6	-27.5	-1.4	-52.8	-
2757.0	-5733.0	Q1-3_4 Max	I	263.0	42.9	0.8	82.7	
1119.5	2303.9		J	263.0	42.9	0.8	82.7	
1119.4	2312.2	Min	I	-1835.9	-22.0	-1.6	-42.2	-
2221.5	-4571.6		J	-1835.9	-22.0	-1.6	-42.2	-

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
2219.2	-4633.4							
		Q2a-1_2	Max	I	149.1	19.9	0.5	38.4
451.5	929.2			J	149.1	19.9	0.5	38.4
450.8	949.3							
			Min	I	-1062.8	-14.9	-0.7	-28.7
1535.6	-3160.1			J	-1062.8	-14.9	-0.7	-28.7
1534.3	-3191.9							
		Q2a-3_4	Max	I	143.4	22.9	0.4	44.2
644.0	1325.3			J	143.4	22.9	0.4	44.2
643.9	1330.8							
			Min	I	-1077.9	-11.5	-0.9	-22.1
1180.7	-2429.8			J	-1077.9	-11.5	-0.9	-22.1
1179.3	-2465.6							
		Q1-1	Max	I	99.3	10.7	0.4	20.8
271.0	557.8			J	99.3	10.7	0.4	20.8
270.4	576.6							
			Min	I	-649.7	-12.0	-0.4	-23.2
1256.1	-2585.0			J	-649.7	-12.0	-0.4	-23.2
1255.4	-2603.8							
		Q1-3	Max	I	80.5	16.4	0.2	31.5
490.1	1008.6			J	80.5	16.4	0.2	31.5
490.3	1005.1							
			Min	I	-684.5	-4.7	-0.6	-9.1
-264.0	-543.3			J	-684.5	-4.7	-0.6	-9.1
-263.1	-568.7							
		SLVx (RS)		I	-159.9	721.8	-25.2	1386.5
1004.3	2066.8			J	-159.9	721.8	-25.2	1386.5
1037.6	1621.7							
		SLVy (RS)		I	231.7	-769.4	26.9	-1477.9
-976.0	-2008.7			J	231.7	-769.4	26.9	-1477.9
1022.5	-1120.5							
		SLVz (RS)		I	365.9	181.0	-6.3	347.6
364.6	750.4			J	365.9	181.0	-6.3	347.6
373.5	569.2							
		G1		I	-1753.4	25.2	-1.0	48.6
1508.9	-3105.3			J	-1753.4	25.2	-1.0	48.6
1506.9	-3157.0							
		G2		I	-636.2	9.2	-0.4	17.7
-547.8	-1127.3			J	-636.2	9.2	-0.4	17.7
-547.0	-1146.2							
		pp imp~1		I	0.0	-0.3	0.0	-0.6
-1.0	-2.1			J	0.0	-0.3	0.0	-0.6

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-1.1	-1.5						
		perm i~1	I	0.0	-0.1	0.0	-0.2
-0.3	-0.7		J	0.0	-0.1	0.0	-0.2
-0.3	-0.5						
		pp2	I	-0.0	-3.4	0.1	-6.4
-0.0	-0.1		J	-0.0	-3.4	0.1	-6.4
-0.3	6.8						
		perm2	I	-0.0	-0.9	0.0	-1.7
0.8	1.7		J	-0.0	-0.9	0.0	-1.7
0.8	3.5						
		q3	I	-7.1	63.5	-2.2	121.9
-103.7	-213.4		J	-7.1	63.5	-2.2	121.9
-99.1	-343.8						
		q4-1	I	3.9	-167.5	5.9	-321.8
-213.5	-439.5		J	3.9	-167.5	5.9	-321.8
-225.6	-95.0						
		q4-2	I	5.2	-23.4	0.8	-45.0
-46.6	-95.8		J	5.2	-23.4	0.8	-45.0
-48.2	-47.6						
		q4-3	I	1.4	12.3	-0.4	23.7
6.2	12.7		J	1.4	12.3	-0.4	23.7
7.1	-12.7						
		q4-4	I	-1.8	-3.8	0.1	-7.3
5.0	10.3		J	-1.8	-3.8	0.1	-7.3
4.7	18.1						
		q5x_pc	I	53.1	-320.3	11.2	-615.2
-584.2	-1202.2		J	53.1	-320.3	11.2	-615.2
-607.2	-543.7						
		q5y_pc	I	-5.9	-6.9	0.2	-13.3
-57.1	-117.4		J	-5.9	-6.9	0.2	-13.3
-57.6	-103.2						
		q5x_ps	I	45.0	-281.0	9.8	-539.8
-502.7	-1034.6		J	45.0	-281.0	9.8	-539.8
-522.9	-456.8						
		q5y_ps	I	-6.8	-6.8	0.2	-13.1
-59.2	-121.8		J	-6.8	-6.8	0.2	-13.1
-59.7	-107.8						
		q7	I	1.2	6.5	-0.2	12.5
-4.9	-10.1		J	1.2	6.5	-0.2	12.5
-4.4	-23.4						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


-63.2	-130.0		T	I	-4.2	-15.0	0.5	-28.9	
				J	-4.2	-15.0	0.5	-28.9	
-64.3	-99.2								
			SLVx-E~1	I	-1.0	40.7	-1.4	78.1	
30.4	62.6			J	-1.0	40.7	-1.4	78.1	
33.4	-20.9								
			SLVy-E~1	I	-2.4	94.9	-3.3	182.2	
71.0	146.1			J	-2.4	94.9	-3.3	182.2	
77.8	-48.9								
795	3	4	Q1-1_2 Max	I	32.6	12.9	1490.8	0.0	
6112.4	52.8			J	32.6	12.9	1490.8	0.0	
0.0	0.0								
			Min	I	-24.3	-17.3	-369.7	-0.0	-
1515.8	-70.8			J	-24.3	-17.3	-369.7	-0.0	
-0.0	-0.0								
			Q1-3_4 Max	I	38.0	10.3	1291.3	0.0	
5294.5	42.2			J	38.0	10.3	1291.3	0.0	
0.0	0.0								
			Min	I	-19.4	-20.1	-367.2	-0.0	-
1505.3	-82.5			J	-19.4	-20.1	-367.2	-0.0	
-0.0	-0.0								
			Q2a-1_2 Max	I	17.6	7.0	834.2	0.0	
3420.3	28.7			J	17.6	7.0	834.2	0.0	
0.0	0.0								
			Min	I	-13.2	-9.3	-204.3	-0.0	
-837.6	-38.2			J	-13.2	-9.3	-204.3	-0.0	
-0.0	-0.0								
			Q2a-3_4 Max	I	20.3	5.4	696.5	0.0	
2855.5	22.1			J	20.3	5.4	696.5	0.0	
0.0	0.0								
			Min	I	-10.2	-10.8	-200.4	-0.0	
-821.5	-44.1			J	-10.2	-10.8	-200.4	-0.0	
-0.0	-0.0								
			Q1-1 Max	I	9.5	5.6	638.4	0.0	
2617.5	23.1			J	9.5	5.6	638.4	0.0	
0.0	0.0								
			Min	I	-10.6	-5.0	-132.0	-0.0	
-541.3	-20.6			J	-10.6	-5.0	-132.0	-0.0	
-0.0	-0.0								
			Q1-3 Max	I	14.5	2.2	248.2	0.0	
1017.5	9.1			J	14.5	2.2	248.2	0.0	
0.0	0.0								
			Min	I	-4.2	-7.7	-119.3	-0.0	

MIDAS

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-489.0	-31.4		J	-4.2	-7.7	-119.3	-0.0
-0.0	-0.0						
1275.4	-1386.6	SLVx (RS)	I	638.2	-338.2	-311.1	0.0
-0.0	-0.0		J	638.2	-338.2	-311.1	0.0
1282.3	1478.0	SLVy (RS)	I	-680.3	360.5	312.8	-0.0
0.0	-0.0		J	-680.3	360.5	312.8	-0.0
1001.8	-347.6	SLVz (RS)	I	160.0	-84.8	-244.3	-0.0
0.0	-0.0		J	160.0	-84.8	-244.3	-0.0
4832.1	-48.4	G1	I	22.3	-11.8	1178.6	0.0
-0.0	0.0		J	22.3	-11.8	1178.6	0.0
1753.7	-17.6	G2	I	8.1	-4.3	427.7	0.0
-0.0	-0.0		J	8.1	-4.3	427.7	0.0
1.5	0.6	pp imp~1	I	-0.3	0.1	0.4	0.0
0.0	0.0		J	-0.3	0.1	0.4	0.0
0.5	0.2	perm i~1	I	-0.1	0.0	0.1	0.0
0.0	0.0		J	-0.1	0.0	0.1	0.0
0.1	6.4	pp2	I	-3.0	1.6	0.0	0.0
0.0	-0.0		J	-3.0	1.6	0.0	0.0
-1.1	1.7	perm2	I	-0.8	0.4	-0.3	0.0
0.0	-0.0		J	-0.8	0.4	-0.3	0.0
160.3	-121.9	q3	I	56.1	-29.7	39.1	0.0
-0.0	0.0		J	56.1	-29.7	39.1	0.0
302.3	321.8	q4-1	I	-148.1	78.5	73.7	0.0
-0.0	-0.0		J	-148.1	78.5	73.7	0.0
59.3	45.0	q4-2	I	-20.7	11.0	14.5	-0.0
0.0	0.0		J	-20.7	11.0	14.5	-0.0
-11.1	-23.7	q4-3	I	10.9	-5.8	-2.7	-0.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	0.0		J	10.9	-5.8	-2.7	-0.0
-4.5	7.3	q4-4	I	-3.4	1.8	-1.1	-0.0
0.0	-0.0		J	-3.4	1.8	-1.1	-0.0
762.7	615.2	q5x_pc	I	-283.2	150.1	186.0	-0.0
-0.0	-0.0		J	-283.2	150.1	186.0	-0.0
91.3	13.3	q5y_pc	I	-6.1	3.2	22.3	0.0
0.0	-0.0		J	-6.1	3.2	22.3	0.0
657.4	539.9	q5x_ps	I	-248.5	131.7	160.3	0.0
-0.0	0.0		J	-248.5	131.7	160.3	0.0
95.7	13.2	q5y_ps	I	-6.1	3.2	23.4	0.0
-0.0	-0.0		J	-6.1	3.2	23.4	0.0
5.2	-12.5	q7	I	5.8	-3.0	1.3	0.0
0.0	0.0		J	5.8	-3.0	1.3	0.0
97.6	28.9	T	I	-13.3	7.0	23.8	0.0
-0.0	-0.0		J	-13.3	7.0	23.8	0.0
-42.3	-78.1	SLVx-E~1	I	35.9	-19.0	-10.3	0.0
-0.0	-0.0		J	35.9	-19.0	-10.3	0.0
-98.8	-182.2	SLVy-E~1	I	83.9	-44.4	-24.1	0.0
-0.0	-0.0		J	83.9	-44.4	-24.1	0.0
796	3	4 Q1-1_2 Max	I	0.0	0.0	810.5	0.0
1945.3	0.0		J	0.0	0.0	810.5	0.0
0.0	0.0		I	-0.0	-0.0	-321.3	-0.0
-771.2	-0.0	Min	J	-0.0	-0.0	-321.3	-0.0
-0.0	-0.0		I	0.0	0.0	1112.4	0.0
2669.7	0.0	Q1-3_4 Max	J	0.0	0.0	1112.4	0.0
0.0	0.0		I	-0.0	-0.0	-212.4	-0.0
-509.7	-0.0	Min	J	-0.0	-0.0	-212.4	-0.0
-0.0	-0.0		I	0.0	0.0	1112.4	0.0

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
1182.0	0.0	Q2a-1_2 Max	I	0.0	0.0	492.5	0.0
			J	0.0	0.0	492.5	0.0
0.0	0.0	Min	I	-0.0	-0.0	-181.1	-0.0
-434.6	-0.0		J	-0.0	-0.0	-181.1	-0.0
-0.0	-0.0						
1646.3	0.0	Q2a-3_4 Max	I	0.0	0.0	685.9	0.0
			J	0.0	0.0	685.9	0.0
0.0	0.0	Min	I	-0.0	-0.0	-112.9	-0.0
-270.9	-0.0		J	-0.0	-0.0	-112.9	-0.0
-0.0	-0.0						
275.1	0.0	Q1-1 Max	I	0.0	0.0	114.6	0.0
			J	0.0	0.0	114.6	0.0
0.0	0.0	Min	I	-0.0	-0.0	-170.8	-0.0
-409.9	-0.0		J	-0.0	-0.0	-170.8	-0.0
-0.0	-0.0						
1313.5	0.0	Q1-3 Max	I	0.0	0.0	547.3	0.0
			J	0.0	0.0	547.3	0.0
0.0	0.0	Min	I	-0.0	-0.0	-9.2	-0.0
-22.0	-0.0		J	-0.0	-0.0	-9.2	-0.0
-0.0	-0.0						
1044.2	-0.0	SLVx (RS)	I	-0.0	-0.0	435.1	-0.0
			J	-0.0	-0.0	435.1	-0.0
-0.0	0.0						
1036.3	-0.0	SLVy (RS)	I	0.0	-0.0	-431.8	0.0
			J	0.0	-0.0	-431.8	0.0
0.0	0.0						
-395.0	0.0	SLVz (RS)	I	0.0	0.0	-164.6	-0.0
			J	0.0	0.0	-164.6	-0.0
-0.0	-0.0						
1379.7	-0.0	G1	I	-0.0	-0.0	574.9	0.0
			J	-0.0	-0.0	574.9	0.0
0.0	0.0						
500.3	-0.0	G2	I	-0.0	-0.0	208.5	0.0
			J	-0.0	-0.0	208.5	0.0
0.0	0.0						
-0.9	0.0	pp imp~1	I	0.0	0.0	-0.4	0.0
			J	0.0	0.0	-0.4	0.0
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-0.3	0.0	perm i~1	I	0.0	0.0	-0.1	0.0
			J	0.0	0.0	-0.1	0.0
0.0	0.0						
		pp2	I	-0.0	0.0	0.0	0.0
0.0	0.0		J	-0.0	0.0	0.0	0.0
-0.0	0.0						
		perm2	I	-0.0	0.0	0.3	0.0
0.7	0.0		J	-0.0	0.0	0.3	0.0
0.0	-0.0						
		q3	I	-0.0	-0.0	-32.0	-0.0
-76.9	-0.0		J	-0.0	-0.0	-32.0	-0.0
-0.0	0.0						
		q4-1	I	-0.0	-0.0	-77.6	-0.0
-186.3	-0.0		J	-0.0	-0.0	-77.6	-0.0
-0.0	0.0						
		q4-2	I	0.0	0.0	-19.7	0.0
-47.2	0.0		J	0.0	0.0	-19.7	0.0
0.0	0.0						
		q4-3	I	0.0	0.0	1.3	0.0
3.1	0.0		J	0.0	0.0	1.3	0.0
0.0	-0.0						
		q4-4	I	0.0	0.0	2.9	0.0
6.9	0.0		J	0.0	0.0	2.9	0.0
0.0	-0.0						
		q5x_pc	I	0.0	-0.0	-239.1	0.0
-573.9	-0.0		J	0.0	-0.0	-239.1	0.0
0.0	0.0						
		q5y_pc	I	-0.0	-0.0	-16.4	-0.0
-39.2	-0.0		J	-0.0	-0.0	-16.4	-0.0
-0.0	0.0						
		q5x_ps	I	-0.0	-0.0	-205.3	0.0
-492.8	-0.0		J	-0.0	-0.0	-205.3	0.0
0.0	-0.0						
		q5y_ps	I	-0.0	-0.0	-16.5	-0.0
-39.7	-0.0		J	-0.0	-0.0	-16.5	-0.0
0.0	-0.0						
		q7	I	0.0	0.0	-2.5	0.0
-6.0	0.0		J	0.0	0.0	-2.5	0.0
0.0	-0.0						
		T	I	-0.0	-0.0	-19.6	-0.0


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-47.0	-0.0			J	-0.0	-0.0	-19.6	-0.0	
-0.0	0.0								
		SLVx-E~1		I	-0.0	-0.0	11.4	-0.0	
27.3	-0.0			J	-0.0	-0.0	11.4	-0.0	
-0.0	0.0								
		SLVy-E~1		I	-0.0	-0.0	26.5	-0.0	
63.7	-0.0			J	-0.0	-0.0	26.5	-0.0	
-0.0	0.0								
797	3	4	Q1-1_2 Max	I	0.0	31.9	215.6	28.8	
517.6	76.7			J	0.0	31.9	215.6	28.8	
0.0	0.0		Min	I	-0.0	-52.4	-1850.6	-17.6	-
4441.5	-125.7			J	-0.0	-52.4	-1850.6	-17.6	
-0.0	-0.0								
		Q1-3_4 Max		I	0.0	19.9	216.2	35.6	
518.9	47.7			J	0.0	19.9	216.2	35.6	
0.0	0.0		Min	I	-0.0	-64.7	-2254.9	-10.9	-
5411.7	-155.2			J	-0.0	-64.7	-2254.9	-10.9	
-0.0	-0.0								
		Q2a-1_2 Max		I	0.0	17.9	121.4	14.2	
291.4	42.9			J	0.0	17.9	121.4	14.2	
0.0	0.0		Min	I	-0.0	-25.8	-896.3	-9.8	-
2151.1	-61.9			J	-0.0	-25.8	-896.3	-9.8	
-0.0	-0.0								
		Q2a-3_4 Max		I	0.0	10.4	118.3	17.5	
283.9	25.0			J	0.0	10.4	118.3	17.5	
0.0	0.0		Min	I	-0.0	-31.8	-1128.3	-5.7	-
2708.0	-76.2			J	-0.0	-31.8	-1128.3	-5.7	
-0.0	-0.0								
		Q1-1 Max		I	0.0	16.0	82.4	4.6	
197.8	38.4			J	0.0	16.0	82.4	4.6	
0.0	0.0		Min	I	-0.0	-8.4	-241.6	-8.8	
-579.9	-20.2			J	-0.0	-8.4	-241.6	-8.8	
-0.0	-0.0								
		Q1-3 Max		I	0.0	1.7	60.9	14.2	
146.2	4.2			J	0.0	1.7	60.9	14.2	
0.0	0.0		Min	I	-0.0	-25.8	-939.0	-1.0	-
2253.6	-62.0			J	-0.0	-25.8	-939.0	-1.0	

MIDAS

PROJECT TITLE :


	Company				Client			
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	-0.0							
1091.9	-2807.9	SLVx (RS)	I	0.0	-1170.0	455.0	643.5	
			J	0.0	-1170.0	455.0	643.5	
-0.0	-0.0							
1728.5	4517.8	SLVy (RS)	I	-0.0	1882.4	-720.2	-1035.3	-
			J	-0.0	1882.4	-720.2	-1035.3	
0.0	-0.0							
1346.1	250.6	SLVz (RS)	I	-0.0	104.4	560.9	-57.4	
			J	-0.0	104.4	560.9	-57.4	
0.0	0.0							
7106.5	-160.0	G1	I	0.0	-66.7	-2961.1	36.7	-
			J	0.0	-66.7	-2961.1	36.7	
-0.0	0.0							
2580.0	-57.8	G2	I	0.0	-24.1	-1075.0	13.3	-
			J	0.0	-24.1	-1075.0	13.3	
-0.0	0.0							
-0.2	1.6	pp imp~1	I	-0.0	0.7	-0.1	-0.4	
			J	-0.0	0.7	-0.1	-0.4	
0.0	0.0							
-0.1	0.5	perm i~1	I	-0.0	0.2	-0.0	-0.1	
			J	-0.0	0.2	-0.0	-0.1	
0.0	0.0							
-0.4	19.3	pp2	I	-0.0	8.0	-0.2	-4.4	
			J	-0.0	8.0	-0.2	-4.4	
0.0	0.0							
0.5	5.1	perm2	I	-0.0	2.1	0.2	-1.2	
			J	-0.0	2.1	0.2	-1.2	
0.0	0.0							
237.9	225.4	q3	I	-0.0	93.9	99.1	-51.7	
			J	-0.0	93.9	99.1	-51.7	
0.0	-0.0							
-19.6	-17.7	q4-1	I	0.0	-7.4	-8.2	4.0	
			J	0.0	-7.4	-8.2	4.0	
-0.0	0.0							
108.5	24.3	q4-2	I	-0.0	10.1	45.2	-5.6	
			J	-0.0	10.1	45.2	-5.6	
0.0	0.0							
40.0	93.1	q4-3	I	-0.0	38.8	16.7	-21.3	
			J	-0.0	38.8	16.7	-21.3	
0.0	-0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-3.5	-57.8	q4-4	I	0.0	-24.1	-1.5	13.2
-0.0	0.0		J	0.0	-24.1	-1.5	13.2
520.7	829.2	q5x_pc	I	-0.0	345.5	217.0	-190.0
0.0	0.0		J	-0.0	345.5	217.0	-190.0
-183.0	75.0	q5y_pc	I	-0.0	31.3	-76.2	-17.2
0.0	-0.0		J	-0.0	31.3	-76.2	-17.2
465.2	928.0	q5x_ps	I	-0.0	386.7	193.8	-212.7
0.0	0.0		J	-0.0	386.7	193.8	-212.7
-139.5	-49.0	q5y_ps	I	0.0	-20.4	-58.1	11.2
-0.0	-0.0		J	0.0	-20.4	-58.1	11.2
25.7	42.1	q7	I	-0.0	17.5	10.7	-9.6
0.0	0.0		J	-0.0	17.5	10.7	-9.6
68.1	-131.1	T	I	0.0	-54.6	28.4	30.0
-0.0	-0.0		J	0.0	-54.6	28.4	30.0
-19.0	110.7	SLVx-E~1	I	-0.0	46.1	-7.9	-25.4
0.0	-0.0		J	-0.0	46.1	-7.9	-25.4
-44.2	258.4	SLVy-E~1	I	-0.0	107.6	-18.4	-59.2
0.0	-0.0		J	-0.0	107.6	-18.4	-59.2
798	3	4 Q1-1_2 Max	I	67.7	88.8	138.7	63.5
360.9	213.2		J	67.7	88.8	138.7	63.5
44.3	0.0	Min	I	-80.6	-115.5	-2154.2	-48.9
5170.0	-277.3		J	-80.6	-115.5	-2154.2	-48.9
-37.2	-0.0						
365.8	206.0	Q1-3_4 Max	I	79.2	85.9	140.0	63.2
40.8	0.0		J	79.2	85.9	140.0	63.2
4356.7	-275.7	Min	I	-74.2	-114.9	-1810.1	-47.2
-43.6	-0.0		J	-74.2	-114.9	-1810.1	-47.2
198.3	117.1	Q2a-1_2 Max	I	33.6	48.8	75.9	32.6


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
				J	33.6	48.8	75.9	32.6	
23.5	0.0								
			Min	I	-42.7	-59.3	-1126.6	-26.8	-
2700.4	-142.4			J	-42.7	-59.3	-1126.6	-26.8	
-18.5	-0.0								
			Q2a-3_4 Max	I	39.3	46.4	75.9	32.0	
199.3	111.4			J	39.3	46.4	75.9	32.0	
21.6	0.0								
			Min	I	-39.4	-58.1	-903.2	-25.5	-
2172.5	-139.4			J	-39.4	-58.1	-903.2	-25.5	
-21.6	-0.0								
			Q1-1 Max	I	19.6	33.1	44.2	21.6	
116.3	79.3			J	19.6	33.1	44.2	21.6	
16.0	0.0								
			Min	I	-29.2	-39.3	-929.6	-18.2	-
2223.5	-94.3			J	-29.2	-39.3	-929.6	-18.2	
-10.8	-0.0								
			Q1-3 Max	I	29.1	25.1	49.7	18.9	
131.1	60.3			J	29.1	25.1	49.7	18.9	
13.3	0.0								
			Min	I	-24.1	-34.4	-203.1	-13.8	-
-501.3	-82.7			J	-24.1	-34.4	-203.1	-13.8	
-16.0	-0.0								
			SLVx (RS)	I	-1435.8	-963.3	-321.8	529.8	
-608.1	-2312.0			J	-1435.8	-963.3	-321.8	529.8	
789.7	0.0								
			SLVy (RS)	I	1171.4	2873.7	452.2	-1580.5	
-752.8	6896.8			J	1171.4	2873.7	452.2	-1580.5	
-644.2	-0.0								
			SLVz (RS)	I	-68.5	108.1	471.7	-59.5	
1140.5	259.5			J	-68.5	108.1	471.7	-59.5	
37.7	0.0								
			G1	I	7.6	-70.1	-2434.0	38.5	-
5845.8	-168.2			J	7.6	-70.1	-2434.0	38.5	
-4.2	0.0								
			G2	I	2.8	-25.3	-883.1	13.9	-
2120.9	-60.8			J	2.8	-25.3	-883.1	13.9	
-1.6	0.0								
			pp imp~1	I	3.5	-0.3	0.1	0.1	
-1.7	-0.6			J	3.5	-0.3	0.1	0.1	
-1.9	0.0								
			perm i~1	I	1.1	-0.1	0.0	0.0	
-0.6	-0.2								


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.6	0.0		J	1.1	-0.1	0.0	0.0
3.0	20.0	pp2	I	-4.7	8.3	0.2	-4.6
2.6	-0.0		J	-4.7	8.3	0.2	-4.6
0.2	5.3	perm2	I	-1.3	2.2	-0.2	-1.2
0.7	0.0		J	-1.3	2.2	-0.2	-1.2
-340.9	1037.6	q3	I	83.6	432.3	-122.9	-237.8
-46.0	-0.0		J	83.6	432.3	-122.9	-237.8
20.7	104.9	q4-1	I	-31.6	43.7	1.4	-24.0
17.4	-0.0		J	-31.6	43.7	1.4	-24.0
-209.6	10.8	q4-2	I	144.5	4.5	-54.2	-2.5
-79.5	-0.0		J	144.5	4.5	-54.2	-2.5
-50.8	21.6	q4-3	I	33.6	9.0	-13.5	-4.9
-18.5	0.0		J	33.6	9.0	-13.5	-4.9
52.1	-114.7	q4-4	I	-53.7	-47.8	9.4	26.3
29.6	0.0		J	-53.7	-47.8	9.4	26.3
1458.6	1231.5	q5x_pc	I	1273.8	513.1	-315.9	-282.2
-700.6	-0.0		J	1273.8	513.1	-315.9	-282.2
-59.1	1508.2	q5y_pc	I	146.8	628.4	9.0	-345.6
-80.8	-0.0		J	146.8	628.4	9.0	-345.6
1406.9	1490.8	q5x_ps	I	1322.0	621.2	-283.2	-341.6
-727.1	-0.0		J	1322.0	621.2	-283.2	-341.6
-70.4	1419.2	q5y_ps	I	141.1	591.3	3.0	-325.2
-77.6	-0.0		J	141.1	591.3	3.0	-325.2
-66.3	10.2	q7	I	64.7	4.2	-12.8	-2.3
-35.6	-0.0		J	64.7	4.2	-12.8	-2.3
-152.9	526.2	T	I	145.7	219.3	-30.3	-120.6
			J	145.7	219.3	-30.3	-120.6

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-80.1	-0.0						
10.7	179.1	SLVx-E~1	I	14.7	74.6	7.8	-41.0
-8.1	0.0		J	14.7	74.6	7.8	-41.0
24.9	417.9	SLVy-E~1	I	34.3	174.1	18.2	-95.8
-18.9	-0.0		J	34.3	174.1	18.2	-95.8
799	3	4 Q1-1_2 Max	I	80.6	115.5	2154.2	0.0
5170.2	277.3		J	80.6	115.5	2154.2	0.0
0.0	0.0	Min	I	-67.7	-88.8	-138.7	-0.0
-332.9	-213.1		J	-67.7	-88.8	-138.7	-0.0
-0.0	-0.0						
4344.2	275.6	Q1-3_4 Max	I	74.2	114.9	1810.1	0.0
0.0	0.0		J	74.2	114.9	1810.1	0.0
-336.0	-206.0	Min	I	-79.2	-85.8	-140.0	-0.0
-0.0	-0.0		J	-79.2	-85.8	-140.0	-0.0
2703.7	142.4	Q2a-1_2 Max	I	42.7	59.3	1126.6	0.0
0.0	0.0		J	42.7	59.3	1126.6	0.0
-182.2	-117.0	Min	I	-33.6	-48.8	-75.9	-0.0
-0.0	-0.0		J	-33.6	-48.8	-75.9	-0.0
2167.7	139.4	Q2a-3_4 Max	I	39.4	58.1	903.2	0.0
0.0	0.0		J	39.4	58.1	903.2	0.0
-182.2	-111.4	Min	I	-39.3	-46.4	-75.9	-0.0
-0.0	-0.0		J	-39.3	-46.4	-75.9	-0.0
2230.9	94.3	Q1-1 Max	I	29.2	39.3	929.6	0.0
0.0	0.0		J	29.2	39.3	929.6	0.0
-106.1	-79.3	Min	I	-19.6	-33.1	-44.2	-0.0
-0.0	-0.0		J	-19.6	-33.1	-44.2	-0.0
487.5	82.7	Q1-3 Max	I	24.1	34.4	203.1	0.0
0.0	0.0		J	24.1	34.4	203.1	0.0
-119.4	-60.3	Min	I	-29.1	-25.1	-49.7	-0.0
-0.0	-0.0		J	-29.1	-25.1	-49.7	-0.0

PROJECT TITLE :


	Company				Client			
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
772.2	2312.2	SLVx (RS)	I	1435.7	963.4	321.8	0.0	
0.0	-0.0		J	1435.7	963.4	321.8	0.0	
1085.2	-6895.8	SLVy (RS)	I	-1171.3	-2873.2	-452.2	0.0	-
0.0	-0.0		J	-1171.3	-2873.2	-452.2	0.0	
1132.0	-259.5	SLVz (RS)	I	68.5	-108.1	-471.7	-0.0	-
0.0	0.0		J	68.5	-108.1	-471.7	-0.0	
5841.6	168.2	G1	I	-7.6	70.1	2434.0	-0.0	
-0.0	-0.0		J	-7.6	70.1	2434.0	-0.0	
2119.3	60.8	G2	I	-2.8	25.3	883.1	0.0	
-0.0	0.0		J	-2.8	25.3	883.1	0.0	
-0.2	0.6	pp imp~1	I	-3.5	0.3	-0.1	0.0	
0.0	0.0		J	-3.5	0.3	-0.1	0.0	
-0.1	0.2	perm i~1	I	-1.1	0.1	-0.0	0.0	
0.0	0.0		J	-1.1	0.1	-0.0	0.0	
-0.4	-20.0	pp2	I	4.7	-8.3	-0.2	0.0	
0.0	0.0		J	4.7	-8.3	-0.2	0.0	
0.5	-5.3	perm2	I	1.3	-2.2	0.2	0.0	
0.0	0.0		J	1.3	-2.2	0.2	0.0	
294.9	-1037.5	q3	I	-83.6	-432.3	122.9	-0.0	
-0.0	-0.0		J	-83.6	-432.3	122.9	-0.0	
-3.3	-104.9	q4-1	I	31.6	-43.7	-1.4	0.0	
-0.0	-0.0		J	31.6	-43.7	-1.4	0.0	
130.1	-10.8	q4-2	I	-144.5	-4.5	54.2	-0.0	
-0.0	0.0		J	-144.5	-4.5	54.2	-0.0	
32.4	-21.6	q4-3	I	-33.6	-9.0	13.5	0.0	
0.0	0.0		J	-33.6	-9.0	13.5	0.0	
		q4-4	I	53.7	47.8	-9.4	-0.0	

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-22.5	114.7		J	53.7	47.8	-9.4	-0.0
0.0	0.0						
758.1	-1231.5	q5x_pc	I	-1273.7	-513.1	315.9	-0.0
0.0	-0.0		J	-1273.7	-513.1	315.9	-0.0
-21.7	-1508.0	q5y_pc	I	-146.8	-628.4	-9.0	0.0
0.0	-0.0		J	-146.8	-628.4	-9.0	0.0
679.8	-1490.7	q5x_ps	I	-1322.0	-621.1	283.2	0.0
0.0	-0.0		J	-1322.0	-621.1	283.2	0.0
-7.1	-1419.0	q5y_ps	I	-141.1	-591.2	-3.0	0.0
-0.0	-0.0		J	-141.1	-591.2	-3.0	0.0
30.7	-10.2	q7	I	-64.7	-4.2	12.8	0.0
0.0	0.0		J	-64.7	-4.2	12.8	0.0
72.8	-526.1	T	I	-145.7	-219.2	30.3	0.0
0.0	-0.0		J	-145.7	-219.2	30.3	0.0
-18.8	-179.1	SLVx-E~1	I	-14.7	-74.6	-7.8	0.0
-0.0	-0.0		J	-14.7	-74.6	-7.8	0.0
-43.8	-417.8	SLVy-E~1	I	-34.3	-174.1	-18.2	0.0
0.0	-0.0		J	-34.3	-174.1	-18.2	0.0
800	3	4 Q1-1_2 Max	I	0.0	52.4	1850.6	0.0
4441.5	125.7		J	0.0	52.4	1850.6	0.0
0.0	0.0	Min	I	-0.0	-31.9	-215.6	-0.0
-517.6	-76.6		J	-0.0	-31.9	-215.6	-0.0
-0.0	-0.0						
5411.7	155.2	Q1-3_4 Max	I	0.0	64.6	2254.9	0.0
0.0	0.0		J	0.0	64.6	2254.9	0.0
-518.9	-47.7	Min	I	-0.0	-19.9	-216.2	-0.0
-0.0	-0.0		J	-0.0	-19.9	-216.2	-0.0
2151.1	61.9	Q2a-1_2 Max	I	0.0	25.8	896.3	0.0
0.0	0.0		J	0.0	25.8	896.3	0.0

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-291.4	-42.9	Min	I	-0.0	-17.9	-121.4	-0.0	
			J	-0.0	-17.9	-121.4	-0.0	
-0.0	-0.0							
2708.0	76.2	Q2a-3_4 Max	I	0.0	31.7	1128.3	0.0	
			J	0.0	31.7	1128.3	0.0	
0.0	0.0							
-283.9	-25.0	Min	I	-0.0	-10.4	-118.3	-0.0	
			J	-0.0	-10.4	-118.3	-0.0	
-0.0	-0.0							
579.9	20.2	Q1-1 Max	I	0.0	8.4	241.6	0.0	
			J	0.0	8.4	241.6	0.0	
0.0	0.0							
-197.8	-38.4	Min	I	-0.0	-16.0	-82.4	-0.0	
			J	-0.0	-16.0	-82.4	-0.0	
-0.0	-0.0							
2253.6	62.0	Q1-3 Max	I	0.0	25.8	939.0	0.0	
			J	0.0	25.8	939.0	0.0	
0.0	0.0							
-146.2	-4.2	Min	I	-0.0	-1.7	-60.9	-0.0	
			J	-0.0	-1.7	-60.9	-0.0	
-0.0	-0.0							
1091.9	2807.6	SLVx (RS)	I	-0.0	1169.9	-455.0	-0.0	-
			J	-0.0	1169.9	-455.0	-0.0	
-0.0	0.0							
1728.5	-4518.7	SLVy (RS)	I	0.0	-1882.8	720.2	-0.0	
			J	0.0	-1882.8	720.2	-0.0	
0.0	0.0							
1346.1	-250.6	SLVz (RS)	I	0.0	-104.4	-560.9	0.0	-
			J	0.0	-104.4	-560.9	0.0	
0.0	-0.0							
7106.5	160.0	G1	I	-0.0	66.7	2961.1	0.0	
			J	-0.0	66.7	2961.1	0.0	
-0.0	-0.0							
2580.0	57.8	G2	I	-0.0	24.1	1075.0	-0.0	
			J	-0.0	24.1	1075.0	-0.0	
-0.0	-0.0							
0.2	-1.6	pp imp~1	I	0.0	-0.7	0.1	0.0	
			J	0.0	-0.7	0.1	0.0	
0.0	-0.0							
0.1	-0.5	perm i~1	I	0.0	-0.2	0.0	0.0	
			J	0.0	-0.2	0.0	0.0	
0.0	0.0							

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.4	-19.3	pp2	I	0.0	-8.0	0.2	0.0
0.0	0.0		J	0.0	-8.0	0.2	0.0
-0.5	-5.1	perm2	I	0.0	-2.1	-0.2	0.0
0.0	0.0		J	0.0	-2.1	-0.2	0.0
-237.9	-225.5	q3	I	0.0	-94.0	-99.1	0.0
0.0	0.0		J	0.0	-94.0	-99.1	0.0
19.6	17.7	q4-1	I	-0.0	7.4	8.2	0.0
-0.0	0.0		J	-0.0	7.4	8.2	0.0
-108.5	-24.3	q4-2	I	0.0	-10.1	-45.2	-0.0
0.0	-0.0		J	0.0	-10.1	-45.2	-0.0
-40.0	-93.1	q4-3	I	0.0	-38.8	-16.7	0.0
0.0	-0.0		J	0.0	-38.8	-16.7	0.0
3.5	57.8	q4-4	I	-0.0	24.1	1.5	0.0
0.0	-0.0		J	-0.0	24.1	1.5	0.0
-520.7	-829.2	q5x_pc	I	0.0	-345.5	-217.0	0.0
0.0	0.0		J	0.0	-345.5	-217.0	0.0
183.0	-75.2	q5y_pc	I	0.0	-31.3	76.2	0.0
0.0	0.0		J	0.0	-31.3	76.2	0.0
-465.2	-928.0	q5x_ps	I	0.0	-386.7	-193.8	-0.0
-0.0	0.0		J	0.0	-386.7	-193.8	-0.0
139.5	48.8	q5y_ps	I	-0.0	20.3	58.1	-0.0
-0.0	0.0		J	-0.0	20.3	58.1	-0.0
-25.7	-42.1	q7	I	0.0	-17.5	-10.7	0.0
0.0	-0.0		J	0.0	-17.5	-10.7	0.0
-68.1	131.0	T	I	-0.0	54.6	-28.4	-0.0
0.0	0.0		J	-0.0	54.6	-28.4	-0.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
19.0	-110.7	SLVx-E~1	I	0.0	-46.1	7.9	-0.0
0.0	0.0		J	0.0	-46.1	7.9	-0.0
44.2	-258.4	SLVy-E~1	I	0.0	-107.7	18.4	-0.0
-0.0	0.0		J	0.0	-107.7	18.4	-0.0
801	3	4 Q1-1_2 Max	I	87.5	125.7	137.9	0.0
0.0	0.0		J	87.5	125.7	137.9	0.0
5178.3	399.2	Min	I	-91.4	-166.3	-2157.6	-0.0
-0.0	-0.0		J	-91.4	-166.3	-2157.6	-0.0
-331.1	-301.6						
0.0	0.0	Q1-3_4 Max	I	83.8	122.9	137.9	0.0
4346.9	375.2		J	83.8	122.9	137.9	0.0
-0.0	-0.0	Min	I	-101.0	-156.3	-1811.2	-0.0
-331.0	-294.9		J	-101.0	-156.3	-1811.2	-0.0
0.0	0.0	Q2a-1_2 Max	I	46.7	69.1	75.2	0.0
2708.7	205.6		J	46.7	69.1	75.2	0.0
-0.0	-0.0	Min	I	-48.1	-85.7	-1128.6	-0.0
-180.6	-165.7		J	-48.1	-85.7	-1128.6	-0.0
0.0	0.0	Q2a-3_4 Max	I	45.1	66.5	74.5	0.0
2170.1	189.1		J	45.1	66.5	74.5	0.0
-0.0	-0.0	Min	I	-51.7	-78.8	-904.2	-0.0
-178.7	-159.7		J	-51.7	-78.8	-904.2	-0.0
0.0	0.0	Q1-1 Max	I	30.6	45.7	44.1	0.0
2236.3	151.8		J	30.6	45.7	44.1	0.0
-0.0	-0.0	Min	I	-29.0	-63.3	-931.8	-0.0
-105.9	-109.7		J	-29.0	-63.3	-931.8	-0.0
0.0	0.0	Q1-3 Max	I	28.6	37.9	47.8	0.0
482.4	89.9		J	28.6	37.9	47.8	0.0
-0.0	-0.0	Min	I	-35.6	-37.5	-201.0	-0.0
-114.8	-91.0		J	-35.6	-37.5	-201.0	-0.0
-0.0	0.0	SLVx (RS)	I	1973.4	1164.7	-619.2	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1486.1	-2795.2		J	1973.4	1164.7	-619.2	0.0
0.0	0.0	SLVy (RS)	I	-617.3	-3061.2	502.2	0.0
1205.2	7346.9		J	-617.3	-3061.2	502.2	0.0
0.0	-0.0	SLVz (RS)	I	81.2	73.2	491.2	0.0
1178.9	-175.7		J	81.2	73.2	491.2	0.0
0.0	0.0	G1	I	-29.4	-74.3	-2427.6	0.0
5826.2	178.2		J	-29.4	-74.3	-2427.6	0.0
0.0	-0.0	G2	I	-10.6	-27.0	-881.6	0.0
2115.8	64.8		J	-10.6	-27.0	-881.6	0.0
0.0	-0.0	pp imp~1	I	8.0	13.5	0.2	0.0
-0.6	-32.5		J	8.0	13.5	0.2	0.0
0.0	0.0	perm i~1	I	2.6	4.4	0.1	0.0
-0.2	-10.5		J	2.6	4.4	0.1	0.0
0.0	0.0	pp2	I	-2.0	-0.2	0.1	0.0
-0.2	0.6		J	-2.0	-0.2	0.1	0.0
0.0	0.0	perm2	I	-0.5	-0.1	0.0	0.0
-0.1	0.2		J	-0.5	-0.1	0.0	0.0
-0.0	0.0	q3	I	46.9	-408.4	-111.4	0.0
267.3	980.3		J	46.9	-408.4	-111.4	0.0
0.0	0.0	q4-1	I	37.8	-54.9	4.9	0.0
-11.6	131.7		J	37.8	-54.9	4.9	0.0
-0.0	0.0	q4-2	I	-25.4	5.9	-8.7	-0.0
20.8	-14.1		J	-25.4	5.9	-8.7	-0.0
0.0	0.0	q4-3	I	-137.2	-9.7	-51.2	-0.0
122.9	23.2		J	-137.2	-9.7	-51.2	-0.0
0.0	-0.0	q4-4	I	-11.5	-32.8	-18.7	-0.0
			J	-11.5	-32.8	-18.7	-0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
44.8	78.8						
0.0	-0.0	q5x_pc	I	-738.9	-370.9	-181.9	0.0
436.6	890.1		J	-738.9	-370.9	-181.9	0.0
0.0	-0.0	q5y_pc	I	749.6	-424.2	182.4	0.0
-437.8	1018.0		J	749.6	-424.2	182.4	0.0
-0.0	-0.0	q5x_ps	I	-775.8	-451.5	-167.1	-0.0
401.1	1083.6		J	-775.8	-451.5	-167.1	-0.0
-0.0	0.0	q5y_ps	I	674.9	-384.3	123.9	0.0
-297.3	922.2		J	674.9	-384.3	123.9	0.0
0.0	-0.0	q7	I	-58.0	-0.7	-9.6	0.0
23.1	1.7		J	-58.0	-0.7	-9.6	0.0
-0.0	0.0	T	I	-135.8	279.0	-14.8	-0.0
35.5	-669.6		J	-135.8	279.0	-14.8	-0.0
0.0	0.0	SLVx-E~1	I	1.0	-98.6	-5.6	0.0
13.4	236.6		J	1.0	-98.6	-5.6	0.0
0.0	-0.0	SLVy-E~1	I	2.3	-230.1	-13.1	0.0
31.4	552.2		J	2.3	-230.1	-13.1	0.0
802	3	4 Q1-1_2 Max	I	0.0	41.1	1843.3	0.0
4424.0	98.6		J	0.0	41.1	1843.3	0.0
0.0	0.0	Min	I	-0.0	-79.4	-232.8	-0.0
-558.7	-190.6		J	-0.0	-79.4	-232.8	-0.0
-0.0	-0.0	Q1-3_4 Max	I	0.0	34.4	2254.3	0.0
5410.3	82.5		J	0.0	34.4	2254.3	0.0
0.0	0.0	Min	I	-0.0	-72.3	-234.1	-0.0
-561.7	-173.6		J	-0.0	-72.3	-234.1	-0.0
-0.0	-0.0	Q2a-1_2 Max	I	0.0	22.6	889.9	0.0
2135.7	54.1		J	0.0	22.6	889.9	0.0
0.0	0.0	Min	I	-0.0	-42.9	-131.0	-0.0
-314.5	-103.0						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	-0.0		J	-0.0	-42.9	-131.0	-0.0
2702.0	45.3	Q2a-3_4 Max	I	0.0	18.9	1125.8	0.0
0.0	0.0		J	0.0	18.9	1125.8	0.0
-307.7	-91.3	Min	I	-0.0	-38.0	-128.2	-0.0
-0.0	-0.0		J	-0.0	-38.0	-128.2	-0.0
550.8	45.3	Q1-1 Max	I	0.0	18.9	229.5	0.0
0.0	0.0		J	0.0	18.9	229.5	0.0
-212.0	-76.2	Min	I	-0.0	-31.7	-88.3	-0.0
-0.0	-0.0		J	-0.0	-31.7	-88.3	-0.0
2259.9	16.3	Q1-3 Max	I	0.0	6.8	941.6	0.0
0.0	0.0		J	0.0	6.8	941.6	0.0
-161.6	-50.3	Min	I	-0.0	-21.0	-67.3	-0.0
-0.0	-0.0		J	-0.0	-21.0	-67.3	-0.0
2090.7	2470.8	SLVx (RS)	I	-0.0	1029.5	-871.1	-0.0
0.0	-0.0		J	-0.0	1029.5	-871.1	-0.0
1377.0	-5869.0	SLVy (RS)	I	0.0	-2445.4	-573.7	-0.0
0.0	0.0		J	0.0	-2445.4	-573.7	-0.0
1460.1	157.0	SLVz (RS)	I	-0.0	65.4	-608.4	-0.0
0.0	0.0		J	-0.0	65.4	-608.4	-0.0
7062.9	-163.5	G1	I	0.0	-68.1	2942.9	0.0
-0.0	-0.0		J	0.0	-68.1	2942.9	0.0
2560.7	-59.5	G2	I	0.0	-24.8	1067.0	-0.0
0.0	-0.0		J	0.0	-24.8	1067.0	-0.0
0.7	31.3	pp imp~1	I	-0.0	13.1	0.3	-0.0
0.0	0.0		J	-0.0	13.1	0.3	-0.0
0.2	10.1	perm i~1	I	-0.0	4.2	0.1	0.0
0.0	-0.0		J	-0.0	4.2	0.1	0.0
		pp2	I	-0.0	0.4	0.1	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.2	1.0		J	-0.0	0.4	0.1	0.0
0.0	0.0						
		perm2	I	-0.0	0.1	0.0	0.0
0.0	0.3		J	-0.0	0.1	0.0	0.0
0.0	0.0						
		q3	I	0.0	-125.8	-117.0	-0.0
-280.9	-302.0		J	0.0	-125.8	-117.0	-0.0
0.0	-0.0						
		q4-1	I	0.0	-28.1	0.8	0.0
1.9	-67.5		J	0.0	-28.1	0.8	0.0
0.0	0.0						
		q4-2	I	-0.0	31.0	-11.3	0.0
-27.2	74.4		J	-0.0	31.0	-11.3	0.0
-0.0	-0.0						
		q4-3	I	-0.0	0.6	-41.0	0.0
-98.5	1.5		J	-0.0	0.6	-41.0	0.0
-0.0	0.0						
		q4-4	I	0.0	-63.5	-13.2	0.0
-31.7	-152.4		J	0.0	-63.5	-13.2	0.0
-0.0	-0.0						
		q5x_pc	I	-0.0	150.2	-182.8	0.0
-438.7	360.5		J	-0.0	150.2	-182.8	0.0
-0.0	-0.0						
		q5y_pc	I	0.0	4.5	88.1	-0.0
211.4	10.8		J	0.0	4.5	88.1	-0.0
0.0	0.0						
		q5x_ps	I	-0.0	132.9	-165.4	0.0
-396.9	318.9		J	-0.0	132.9	-165.4	0.0
0.0	0.0						
		q5y_ps	I	0.0	0.9	42.2	-0.0
101.2	2.2		J	0.0	0.9	42.2	-0.0
0.0	0.0						
		q7	I	-0.0	12.3	-7.0	0.0
-16.7	29.5		J	-0.0	12.3	-7.0	0.0
0.0	0.0						
		T	I	-0.0	10.2	-25.4	-0.0
-61.0	24.4		J	-0.0	10.2	-25.4	-0.0
-0.0	0.0						
		SLVx-E~1	I	0.0	-74.7	-6.3	-0.0
-15.1	-179.4						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	0.0			J	0.0	-74.7	-6.3	-0.0
-35.3	-418.5		SLVy-E~1	I	0.0	-174.4	-14.7	-0.0
-0.0	-0.0			J	0.0	-174.4	-14.7	-0.0
803	3	4	Q1-1_2 Max	I	0.0	79.4	232.8	22.6
558.7	190.5			J	0.0	79.4	232.8	22.6
0.0	0.0		Min	I	-0.0	-41.1	-1843.3	-43.7
4424.0	-98.6			J	-0.0	-41.1	-1843.3	-43.7
-0.0	-0.0							
561.7	173.5		Q1-3_4 Max	I	0.0	72.3	234.1	18.9
0.0	0.0			J	0.0	72.3	234.1	18.9
5410.3	-82.4		Min	I	-0.0	-34.4	-2254.3	-39.8
-0.0	-0.0			J	-0.0	-34.4	-2254.3	-39.8
314.5	103.0		Q2a-1_2 Max	I	0.0	42.9	131.0	12.4
0.0	0.0			J	0.0	42.9	131.0	12.4
2135.7	-54.1		Min	I	-0.0	-22.6	-889.9	-23.6
-0.0	-0.0			J	-0.0	-22.6	-889.9	-23.6
307.7	91.3		Q2a-3_4 Max	I	0.0	38.0	128.2	10.4
0.0	0.0			J	0.0	38.0	128.2	10.4
2702.0	-45.3		Min	I	-0.0	-18.9	-1125.8	-20.9
-0.0	-0.0			J	-0.0	-18.9	-1125.8	-20.9
212.0	76.2		Q1-1 Max	I	0.0	31.7	88.3	10.4
0.0	0.0			J	0.0	31.7	88.3	10.4
-550.8	-45.3		Min	I	-0.0	-18.9	-229.5	-17.5
-0.0	-0.0			J	-0.0	-18.9	-229.5	-17.5
161.6	50.3		Q1-3 Max	I	0.0	21.0	67.3	3.7
0.0	0.0			J	0.0	21.0	67.3	3.7
2259.9	-16.3		Min	I	-0.0	-6.8	-941.6	-11.5
-0.0	-0.0			J	-0.0	-6.8	-941.6	-11.5
2090.7	-2470.6		SLVx(RS)	I	0.0	-1029.4	871.1	566.2
-0.0	0.0			J	0.0	-1029.4	871.1	566.2


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


1377.0	5868.3	SLVy (RS)	I	-0.0	2445.1	573.7	-1344.8	
0.0	-0.0		J	-0.0	2445.1	573.7	-1344.8	
1460.1	-157.0	SLVz (RS)	I	0.0	-65.4	608.4	36.0	
-0.0	0.0		J	0.0	-65.4	608.4	36.0	
7062.9	163.5	G1	I	-0.0	68.1	-2942.9	-37.5	-
0.0	0.0		J	-0.0	68.1	-2942.9	-37.5	
2560.7	59.5	G2	I	-0.0	24.8	-1067.0	-13.6	-
0.0	0.0		J	-0.0	24.8	-1067.0	-13.6	
-0.7	-31.3	pp imp~1	I	0.0	-13.1	-0.3	7.2	
-0.0	0.0		J	0.0	-13.1	-0.3	7.2	
-0.2	-10.1	perm i~1	I	0.0	-4.2	-0.1	2.3	
-0.0	0.0		J	0.0	-4.2	-0.1	2.3	
-0.2	-1.0	pp2	I	0.0	-0.4	-0.1	0.2	
-0.0	0.0		J	0.0	-0.4	-0.1	0.2	
-0.0	-0.3	perm2	I	0.0	-0.1	-0.0	0.1	
-0.0	0.0		J	0.0	-0.1	-0.0	0.1	
280.9	301.9	q3	I	-0.0	125.8	117.0	-69.2	
0.0	-0.0		J	-0.0	125.8	117.0	-69.2	
-1.9	67.5	q4-1	I	-0.0	28.1	-0.8	-15.5	
0.0	-0.0		J	-0.0	28.1	-0.8	-15.5	
27.2	-74.4	q4-2	I	0.0	-31.0	11.3	17.1	
-0.0	-0.0		J	0.0	-31.0	11.3	17.1	
98.5	-1.5	q4-3	I	-0.0	-0.6	41.0	0.3	
-0.0	-0.0		J	-0.0	-0.6	41.0	0.3	
31.7	152.4	q4-4	I	-0.0	63.5	13.2	-34.9	
0.0	0.0		J	-0.0	63.5	13.2	-34.9	

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
438.7	-360.6	q5x_pc	I	0.0	-150.3	182.8	82.6	
			J	0.0	-150.3	182.8	82.6	
-0.0	-0.0							
-211.4	-10.9	q5y_pc	I	0.0	-4.5	-88.1	2.5	
			J	0.0	-4.5	-88.1	2.5	
-0.0	-0.0							
396.9	-319.1	q5x_ps	I	0.0	-133.0	165.4	73.1	
			J	0.0	-133.0	165.4	73.1	
-0.0	-0.0							
-101.2	-2.3	q5y_ps	I	0.0	-1.0	-42.2	0.5	
			J	0.0	-1.0	-42.2	0.5	
0.0	0.0							
16.7	-29.5	q7	I	0.0	-12.3	7.0	6.8	
			J	0.0	-12.3	7.0	6.8	
-0.0	-0.0							
61.0	-24.3	T	I	0.0	-10.1	25.4	5.6	
			J	0.0	-10.1	25.4	5.6	
-0.0	0.0							
15.1	179.3	SLVx-E~1	I	-0.0	74.7	6.3	-41.1	
			J	-0.0	74.7	6.3	-41.1	
0.0	-0.0							
35.3	418.4	SLVy-E~1	I	-0.0	174.3	14.7	-95.9	
			J	-0.0	174.3	14.7	-95.9	
0.0	-0.0							
804	3	4 Q1-1_2 Max	I	91.4	166.3	137.9	69.1	
363.6	399.2		J	91.4	166.3	137.9	69.1	
48.1	0.0	Min	I	-87.5	-125.7	-2157.6	-91.5	-
5185.9	-301.6		J	-87.5	-125.7	-2157.6	-91.5	
-50.3	-0.0							
365.8	375.3	Q1-3_4 Max	I	101.0	156.4	137.9	67.6	
			J	101.0	156.4	137.9	67.6	
46.1	0.0	Min	I	-83.8	-122.9	-1811.2	-86.0	-
4368.9	-294.9		J	-83.8	-122.9	-1811.2	-86.0	
-55.5	-0.0							
199.5	205.6	Q2a-1_2 Max	I	48.1	85.7	75.2	38.0	
			J	48.1	85.7	75.2	38.0	
25.7	0.0	Min	I	-46.7	-69.1	-1128.6	-47.1	-
2708.1	-165.8		J	-46.7	-69.1	-1128.6	-47.1	
-26.4	-0.0							


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
198.8	189.1	Q2a-3_4 Max	I	51.7	78.8	74.5	36.6	
			J	51.7	78.8	74.5	36.6	
24.8	0.0							
2179.0	-159.7	Min	I	-45.1	-66.5	-904.2	-43.3	-
			J	-45.1	-66.5	-904.2	-43.3	
-28.4	-0.0							
117.8	151.9	Q1-1 Max	I	29.0	63.3	44.1	25.1	
			J	29.0	63.3	44.1	25.1	
16.8	0.0							
2231.6	-109.7	Min	I	-30.6	-45.7	-931.8	-34.8	-
			J	-30.6	-45.7	-931.8	-34.8	
-16.0	-0.0							
128.7	89.9	Q1-3 Max	I	35.6	37.5	47.8	20.9	
			J	35.6	37.5	47.8	20.9	
15.8	0.0							
-498.6	-91.0	Min	I	-28.6	-37.9	-201.0	-20.6	
			J	-28.6	-37.9	-201.0	-20.6	
-19.6	-0.0							
-887.4	-2795.5	SLVx (RS)	I	-1973.7	-1164.8	-619.2	640.6	
			J	-1973.7	-1164.8	-619.2	640.6	
1085.5	-0.0							
1076.0	7347.8	SLVy (RS)	I	617.4	3061.6	502.2	-1683.9	
			J	617.4	3061.6	502.2	-1683.9	
-339.6	0.0							
1186.5	-175.7	SLVz (RS)	I	-81.2	-73.2	491.2	40.3	
			J	-81.2	-73.2	491.2	40.3	
44.6	0.0							
5842.3	178.2	G1	I	29.4	74.3	-2427.6	-40.8	-
			J	29.4	74.3	-2427.6	-40.8	
-16.2	-0.0							
2121.6	64.8	G2	I	10.6	27.0	-881.6	-14.9	-
			J	10.6	27.0	-881.6	-14.9	
-5.8	-0.0							
5.0	-32.5	pp imp~1	I	-8.0	-13.5	0.2	7.4	
			J	-8.0	-13.5	0.2	7.4	
4.4	0.0							
1.6	-10.5	perm i~1	I	-2.6	-4.4	0.1	2.4	
			J	-2.6	-4.4	0.1	2.4	
1.4	0.0							
-0.8	0.6	pp2	I	2.0	0.2	0.1	-0.1	
			J	2.0	0.2	0.1	-0.1	

MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-1.1	0.0						
		perm2	I	0.5	0.1	0.0	-0.0
-0.2	0.2		J	0.5	0.1	0.0	-0.0
-0.3	0.0						
		q3	I	-46.9	408.5	-111.4	-224.7
-241.5	980.4		J	-46.9	408.5	-111.4	-224.7
25.8	0.0						
		q4-1	I	-37.8	54.9	4.9	-30.2
32.4	131.7		J	-37.8	54.9	4.9	-30.2
20.8	0.0						
		q4-2	I	25.4	-5.9	-8.7	3.2
-34.8	-14.1		J	25.4	-5.9	-8.7	3.2
-14.0	-0.0						
		q4-3	I	137.2	9.7	-51.2	-5.3
-198.4	23.2		J	137.2	9.7	-51.2	-5.3
-75.5	-0.0						
		q4-4	I	11.5	32.8	-18.7	-18.1
-51.1	78.8		J	11.5	32.8	-18.7	-18.1
-6.3	0.0						
		q5x_pc	I	738.9	371.0	-181.9	-204.0
-843.0	890.3		J	738.9	371.0	-181.9	-204.0
-406.4	0.0						
		q5y_pc	I	-749.7	424.2	182.4	-233.3
850.1	1018.1		J	-749.7	424.2	182.4	-233.3
412.3	0.0						
		q5x_ps	I	775.9	451.6	-167.1	-248.4
-827.8	1083.8		J	775.9	451.6	-167.1	-248.4
-426.7	0.0						
		q5y_ps	I	-674.9	384.3	123.9	-211.4
668.5	922.4		J	-674.9	384.3	123.9	-211.4
371.2	0.0						
		q7	I	58.0	0.7	-9.6	-0.4
-55.0	1.7		J	58.0	0.7	-9.6	-0.4
-31.9	-0.0						
		T	I	135.8	-279.1	-14.8	153.5
-110.2	-669.7		J	135.8	-279.1	-14.8	153.5
-74.7	0.0						
		SLVx-E~1	I	-1.0	98.6	-5.6	-54.2
-12.9	236.7		J	-1.0	98.6	-5.6	-54.2
0.5	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

-30.1	552.2	SLVy-E~1	I	-2.3	230.1	-13.1	-126.6
1.3	0.0		J	-2.3	230.1	-13.1	-126.6
805	3	4 Q1-1_2 Max	I	0.0	0.0	773.6	0.0
1856.6	0.0		J	0.0	0.0	773.6	0.0
0.0	0.0	Min	I	-0.0	-0.0	-343.1	-0.0
-823.5	-0.0		J	-0.0	-0.0	-343.1	-0.0
-0.0	-0.0						
2572.3	0.0	Q1-3_4 Max	I	0.0	0.0	1071.8	0.0
0.0	0.0		J	0.0	0.0	1071.8	0.0
-549.0	-0.0	Min	I	-0.0	-0.0	-228.8	-0.0
-0.0	-0.0		J	-0.0	-0.0	-228.8	-0.0
1126.9	0.0	Q2a-1_2 Max	I	0.0	0.0	469.5	0.0
0.0	0.0		J	0.0	0.0	469.5	0.0
-463.8	-0.0	Min	I	-0.0	-0.0	-193.3	-0.0
-0.0	-0.0		J	-0.0	-0.0	-193.3	-0.0
1587.1	0.0	Q2a-3_4 Max	I	0.0	0.0	661.3	0.0
0.0	0.0		J	0.0	0.0	661.3	0.0
-291.6	-0.0	Min	I	-0.0	-0.0	-121.5	-0.0
-0.0	-0.0		J	-0.0	-0.0	-121.5	-0.0
250.5	0.0	Q1-1 Max	I	0.0	0.0	104.4	0.0
0.0	0.0		J	0.0	0.0	104.4	0.0
-433.7	-0.0	Min	I	-0.0	-0.0	-180.7	-0.0
-0.0	-0.0		J	-0.0	-0.0	-180.7	-0.0
1271.7	0.0	Q1-3 Max	I	0.0	0.0	529.9	0.0
0.0	0.0		J	0.0	0.0	529.9	0.0
-21.5	-0.0	Min	I	-0.0	-0.0	-9.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-9.0	-0.0
963.7	-0.0	SLVx (RS)	I	0.0	-0.0	401.5	0.0
-0.0	0.0		J	0.0	-0.0	401.5	0.0
		SLVy (RS)	I	0.0	-0.0	-435.0	-0.0


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1044.0	-0.0		J	0.0	-0.0	-435.0	-0.0
-0.0	0.0						
		SLVz (RS)	I	0.0	-0.0	-171.5	-0.0
-411.5	-0.0		J	0.0	-0.0	-171.5	-0.0
0.0	0.0						
		G1	I	0.0	0.0	523.4	-0.0
1256.1	0.0		J	0.0	0.0	523.4	-0.0
0.0	0.0						
		G2	I	-0.0	-0.0	190.1	-0.0
456.4	-0.0		J	-0.0	-0.0	190.1	-0.0
0.0	0.0						
		pp imp~1	I	0.0	-0.0	0.4	-0.0
1.0	-0.0		J	0.0	-0.0	0.4	-0.0
-0.0	-0.0						
		perm i~1	I	0.0	-0.0	0.1	0.0
0.3	-0.0		J	0.0	-0.0	0.1	0.0
0.0	0.0						
		pp2	I	0.0	0.0	-0.2	0.0
-0.5	0.0		J	0.0	0.0	-0.2	0.0
0.0	-0.0						
		perm2	I	0.0	0.0	-0.1	0.0
-0.1	0.0		J	0.0	0.0	-0.1	0.0
0.0	0.0						
		q3	I	0.0	0.0	-55.5	-0.0
-133.3	-0.0		J	0.0	0.0	-55.5	-0.0
0.0	-0.0						
		q4-1	I	0.0	-0.0	2.6	-0.0
6.3	-0.0		J	0.0	-0.0	2.6	-0.0
0.0	0.0						
		q4-2	I	0.0	0.0	-0.7	0.0
-1.8	0.0		J	0.0	0.0	-0.7	0.0
0.0	-0.0						
		q4-3	I	0.0	0.0	-18.3	0.0
-44.0	-0.0		J	0.0	0.0	-18.3	0.0
0.0	-0.0						
		q4-4	I	-0.0	0.0	-66.9	-0.0
-160.5	0.0		J	-0.0	0.0	-66.9	-0.0
-0.0	-0.0						
		q5x_pc	I	0.0	0.0	-83.0	-0.0
-199.2	0.0						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	-0.0		J	0.0	0.0	-83.0	-0.0
398.6	-0.0	q5y_pc	I	0.0	0.0	166.1	-0.0
-0.0	-0.0		J	0.0	0.0	166.1	-0.0
-230.6	-0.0	q5x_ps	I	0.0	0.0	-96.1	0.0
0.0	-0.0		J	0.0	0.0	-96.1	0.0
335.6	-0.0	q5y_ps	I	0.0	0.0	139.8	-0.0
0.0	-0.0		J	0.0	0.0	139.8	-0.0
-16.0	-0.0	q7	I	0.0	0.0	-6.7	0.0
0.0	-0.0		J	0.0	0.0	-6.7	0.0
-55.0	0.0	T	I	-0.0	-0.0	-22.9	-0.0
-0.0	0.0		J	-0.0	-0.0	-22.9	-0.0
5.1	0.0	SLVx-E~1	I	-0.0	0.0	2.1	-0.0
0.0	-0.0		J	-0.0	0.0	2.1	-0.0
12.0	-0.0	SLVy-E~1	I	-0.0	-0.0	5.0	0.0
0.0	0.0		J	-0.0	-0.0	5.0	0.0
806	3	4 Q1-1_2 Max	I	42.3	12.5	1554.4	0.0
5751.2	46.4		J	42.3	12.5	1554.4	0.0
0.0	0.0	Min	I	-18.7	-5.5	-387.8	-0.0
1434.8	-20.4		J	-18.7	-5.5	-387.8	-0.0
-0.0	-0.0						
5004.2	42.1	Q1-3_4 Max	I	38.4	11.4	1352.5	0.0
0.0	0.0		J	38.4	11.4	1352.5	0.0
1422.5	-16.6	Min	I	-15.1	-4.5	-384.5	-0.0
-0.0	-0.0		J	-15.1	-4.5	-384.5	-0.0
3216.7	25.7	Q2a-1_2 Max	I	23.5	7.0	869.4	0.0
0.0	0.0		J	23.5	7.0	869.4	0.0
-793.3	-11.2	Min	I	-10.3	-3.0	-214.4	-0.0
-0.0	-0.0		J	-10.3	-3.0	-214.4	-0.0
		Q2a-3_4 Max	I	20.8	6.2	729.7	0.0

MIDAS

PROJECT TITLE :


MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
2699.8	22.8		J	20.8	6.2	729.7	0.0
0.0	0.0						
		Min	I	-8.2	-2.4	-209.8	-0.0
-776.4	-8.9						
			J	-8.2	-2.4	-209.8	-0.0
-0.0	-0.0						
		Q1-1 Max	I	16.4	4.9	662.5	0.0
2451.1	18.0						
			J	16.4	4.9	662.5	0.0
0.0	0.0						
		Min	I	-8.9	-2.6	-139.1	-0.0
-514.6	-9.7						
			J	-8.9	-2.6	-139.1	-0.0
-0.0	-0.0						
		Q1-3 Max	I	11.4	3.4	265.7	0.0
983.0	12.5						
			J	11.4	3.4	265.7	0.0
0.0	0.0						
		Min	I	-4.0	-1.2	-124.2	-0.0
-459.5	-4.4						
			J	-4.0	-1.2	-124.2	-0.0
-0.0	-0.0						
		SLVx (RS)	I	-535.1	-158.5	-281.9	-0.0
1043.0	-586.3						
			J	-535.1	-158.5	-281.9	-0.0
-0.0	-0.0						
		SLVy (RS)	I	435.1	128.9	380.5	0.0
1408.0	476.8						
			J	435.1	128.9	380.5	0.0
-0.0	-0.0						
		SLVz (RS)	I	146.4	43.4	-270.5	0.0
1001.0	160.4						
			J	146.4	43.4	-270.5	0.0
0.0	-0.0						
		G1	I	33.4	9.9	1240.4	0.0
4589.6	36.6						
			J	33.4	9.9	1240.4	0.0
0.0	0.0						
		G2	I	12.1	3.6	450.1	-0.0
1665.3	13.3						
			J	12.1	3.6	450.1	-0.0
-0.0	-0.0						
		pp imp~1	I	-5.6	-1.7	-0.4	0.0
-1.6	-6.2						
			J	-5.6	-1.7	-0.4	0.0
-0.0	-0.0						
		perm i~1	I	-1.8	-0.5	-0.1	0.0
-0.5	-2.0						
			J	-1.8	-0.5	-0.1	0.0
-0.0	-0.0						
		pp2	I	-0.1	-0.0	0.2	0.0
0.7	-0.2						
			J	-0.1	-0.0	0.2	0.0
0.0	0.0						

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.2	-0.0	perm2	I	-0.0	-0.0	0.1	0.0
			J	-0.0	-0.0	0.1	0.0
0.0	0.0						
155.0	-51.3	q3	I	-46.8	-13.9	41.9	0.0
			J	-46.8	-13.9	41.9	0.0
-0.0	0.0						
-5.6	-4.3	q4-1	I	-3.9	-1.2	-1.5	0.0
			J	-3.9	-1.2	-1.5	0.0
0.0	-0.0						
-1.4	8.6	q4-2	I	7.9	2.3	-0.4	-0.0
			J	7.9	2.3	-0.4	-0.0
0.0	0.0						
47.2	-25.4	q4-3	I	-23.2	-6.9	12.8	-0.0
			J	-23.2	-6.9	12.8	-0.0
-0.0	0.0						
249.8	-153.5	q4-4	I	-140.1	-41.5	67.5	0.0
			J	-140.1	-41.5	67.5	0.0
-0.0	0.0						
140.9	-51.4	q5x_pc	I	-46.9	-13.9	38.1	0.0
			J	-46.9	-13.9	38.1	0.0
-0.0	0.0						
-536.1	336.0	q5y_pc	I	306.7	90.8	-144.9	0.0
			J	306.7	90.8	-144.9	0.0
0.0	0.0						
184.6	-113.4	q5x_ps	I	-103.5	-30.7	49.9	-0.0
			J	-103.5	-30.7	49.9	-0.0
-0.0	-0.0						
-444.3	328.7	q5y_ps	I	300.0	88.9	-120.1	0.0
			J	300.0	88.9	-120.1	0.0
0.0	0.0						
11.6	-3.0	q7	I	-2.8	-0.8	3.1	-0.0
			J	-2.8	-0.8	3.1	-0.0
0.0	0.0						
101.2	-27.2	T	I	-24.8	-7.4	27.3	0.0
			J	-24.8	-7.4	27.3	0.0
0.0	-0.0						
-9.4	-28.7	SLVx-E~1	I	-26.2	-7.7	-2.6	0.0
			J	-26.2	-7.7	-2.6	0.0
-0.0	0.0						
		SLVy-E~1	I	-61.0	-18.1	-6.0	-0.0

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-22.0	-66.9			J	-61.0	-18.1	-6.0	-0.0	
0.0	-0.0								
807	3	4	Q1-1_2	Max	I	18.7	5.5	387.8	6.9
1429.5	20.4				J	18.7	5.5	387.8	6.9
23.3	0.0			Min	I	-42.3	-12.5	-1554.4	-3.0
5731.5	-46.4				J	-42.3	-12.5	-1554.4	-3.0
-10.3	-0.0								
			Q1-3_4	Max	I	15.1	4.5	384.5	6.2
1419.2	16.6				J	15.1	4.5	384.5	6.2
21.1	0.0			Min	I	-38.4	-11.4	-1352.5	-2.5
4986.6	-42.0				J	-38.4	-11.4	-1352.5	-2.5
-8.3	-0.0								
			Q2a-1_2	Max	I	10.3	3.0	214.4	3.8
790.3	11.2				J	10.3	3.0	214.4	3.8
12.9	0.0			Min	I	-23.5	-7.0	-869.4	-1.7
3205.4	-25.7				J	-23.5	-7.0	-869.4	-1.7
-5.6	-0.0								
			Q2a-3_4	Max	I	8.2	2.4	209.8	3.4
774.7	8.9				J	8.2	2.4	209.8	3.4
11.4	0.0			Min	I	-20.8	-6.2	-729.7	-1.3
2690.0	-22.8				J	-20.8	-6.2	-729.7	-1.3
-4.5	-0.0								
			Q1-1	Max	I	8.9	2.6	139.1	2.7
511.6	9.7				J	8.9	2.6	139.1	2.7
9.0	0.0			Min	I	-16.4	-4.9	-662.5	-1.4
2442.8	-18.0				J	-16.4	-4.9	-662.5	-1.4
-4.9	-0.0								
			Q1-3	Max	I	4.0	1.2	124.2	1.9
460.3	4.4				J	4.0	1.2	124.2	1.9
6.3	0.0			Min	I	-11.4	-3.4	-265.7	-0.7
-978.7	-12.5				J	-11.4	-3.4	-265.7	-0.7
-2.2	-0.0								
			SLVx (RS)		I	535.2	158.5	281.9	-87.2
1296.4	586.5				J	535.2	158.5	281.9	-87.2
-294.4	-0.0								
			SLVy (RS)		I	-435.2	-128.9	-380.5	70.9
1443.2	-476.9				J	-435.2	-128.9	-380.5	70.9

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
239.4	0.0						
1037.0	-160.4	SLVz (RS)	I	-146.4	-43.4	270.5	23.8
80.5	0.0		J	-146.4	-43.4	270.5	23.8
4571.3	-36.6	G1	I	-33.4	-9.9	-1240.4	5.4
18.4	0.0		J	-33.4	-9.9	-1240.4	5.4
1658.6	-13.3	G2	I	-12.1	-3.6	-450.1	2.0
6.7	-0.0		J	-12.1	-3.6	-450.1	2.0
-1.5	6.2	pp imp~1	I	5.6	1.7	0.4	-0.9
-3.1	-0.0		J	5.6	1.7	0.4	-0.9
-0.5	2.0	perm i~1	I	1.8	0.5	0.1	-0.3
-1.0	-0.0		J	1.8	0.5	0.1	-0.3
-0.8	0.2	pp2	I	0.1	0.0	-0.2	-0.0
-0.1	0.0		J	0.1	0.0	-0.2	-0.0
-0.2	0.0	perm2	I	0.0	0.0	-0.1	-0.0
-0.0	0.0		J	0.0	0.0	-0.1	-0.0
-180.7	51.3	q3	I	46.8	13.9	-41.9	-7.6
-25.7	-0.0		J	46.8	13.9	-41.9	-7.6
3.4	4.3	q4-1	I	3.9	1.2	1.5	-0.6
-2.2	0.0		J	3.9	1.2	1.5	-0.6
5.7	-8.6	q4-2	I	-7.9	-2.3	0.4	1.3
4.3	-0.0		J	-7.9	-2.3	0.4	1.3
-60.0	25.4	q4-3	I	23.2	6.9	-12.8	-3.8
-12.8	0.0		J	23.2	6.9	-12.8	-3.8
-326.9	153.5	q4-4	I	140.1	41.5	-67.5	-22.8
-77.0	0.0		J	140.1	41.5	-67.5	-22.8
-166.7	51.4	q5x_pc	I	46.9	13.9	-38.1	-7.6
-25.8	0.0		J	46.9	13.9	-38.1	-7.6

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


704.7	-336.1		q5y_pc	I	-306.7	-90.8	144.9	50.0	
168.7	-0.0			J	-306.7	-90.8	144.9	50.0	
-241.5	113.4		q5x_ps	I	103.5	30.7	-49.9	-16.9	
-56.9	-0.0			J	103.5	30.7	-49.9	-16.9	
609.3	-328.8		q5y_ps	I	-300.0	-88.9	120.1	48.9	
165.0	-0.0			J	-300.0	-88.9	120.1	48.9	
-13.1	3.0		q7	I	2.8	0.8	-3.1	-0.5	
-1.5	-0.0			J	2.8	0.8	-3.1	-0.5	
-114.8	27.2		T	I	24.9	7.4	-27.3	-4.0	
-13.7	-0.0			J	24.9	7.4	-27.3	-4.0	
-4.9	28.7		SLVx-E~1	I	26.2	7.7	2.6	-4.3	
-14.4	0.0			J	26.2	7.7	2.6	-4.3	
-11.5	66.9		SLVy-E~1	I	61.0	18.1	6.0	-9.9	
-33.6	0.0			J	61.0	18.1	6.0	-9.9	
808	3	4	Q1-1_2 Max	I	0.0	0.0	343.1	0.0	
823.5	0.0			J	0.0	0.0	343.1	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-773.6	-0.0	-
1856.6	-0.0			J	-0.0	-0.0	-773.6	-0.0	
-0.0	-0.0								
549.0	0.0		Q1-3_4 Max	I	0.0	0.0	228.7	0.0	
0.0	0.0			J	0.0	0.0	228.7	0.0	
2572.3	-0.0		Min	I	-0.0	-0.0	-1071.8	-0.0	-
-0.0	-0.0			J	-0.0	-0.0	-1071.8	-0.0	
463.8	0.0		Q2a-1_2 Max	I	0.0	0.0	193.3	0.0	
0.0	0.0			J	0.0	0.0	193.3	0.0	
1126.9	-0.0		Min	I	-0.0	-0.0	-469.5	-0.0	-
-0.0	-0.0			J	-0.0	-0.0	-469.5	-0.0	
291.6	0.0		Q2a-3_4 Max	I	0.0	0.0	121.5	0.0	
				J	0.0	0.0	121.5	0.0	

MIDAS

PROJECT TITLE :


	Company			Client					
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
0.0	0.0								
1587.1	-0.0	Min	I	-0.0	-0.0	-661.3	-0.0	-	
-0.0	-0.0		J	-0.0	-0.0	-661.3	-0.0		
433.7	0.0	Q1-1 Max	I	0.0	0.0	180.7	0.0		
0.0	0.0		J	0.0	0.0	180.7	0.0		
-250.5	-0.0	Min	I	-0.0	-0.0	-104.4	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-104.4	-0.0		
21.5	0.0	Q1-3 Max	I	0.0	0.0	9.0	0.0		
0.0	0.0		J	0.0	0.0	9.0	0.0		
1271.7	-0.0	Min	I	-0.0	-0.0	-529.9	-0.0	-	
-0.0	-0.0		J	-0.0	-0.0	-529.9	-0.0		
-963.7	-0.0	SLVx (RS)	I	-0.0	-0.0	-401.5	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-401.5	-0.0		
1044.0	0.0	SLVy (RS)	I	-0.0	-0.0	435.0	0.0		
-0.0	0.0		J	-0.0	-0.0	435.0	0.0		
411.5	0.0	SLVz (RS)	I	0.0	0.0	171.5	-0.0		
0.0	-0.0		J	0.0	0.0	171.5	-0.0		
1256.1	0.0	G1	I	0.0	0.0	-523.4	0.0	-	
0.0	0.0		J	0.0	0.0	-523.4	0.0		
-456.4	0.0	G2	I	0.0	0.0	-190.1	0.0		
0.0	0.0		J	0.0	0.0	-190.1	0.0		
-1.0	-0.0	pp imp~1	I	-0.0	0.0	-0.4	-0.0		
0.0	-0.0		J	-0.0	0.0	-0.4	-0.0		
-0.3	-0.0	perm i~1	I	0.0	-0.0	-0.1	-0.0		
0.0	-0.0		J	0.0	-0.0	-0.1	-0.0		
0.5	0.0	pp2	I	0.0	0.0	0.2	0.0		
0.0	0.0		J	0.0	0.0	0.2	0.0		
0.1	0.0	perm2	I	0.0	0.0	0.1	0.0		

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	0.0		J	0.0	0.0	0.1	0.0
133.3	0.0	q3	I	0.0	0.0	55.5	0.0
0.0	0.0		J	0.0	0.0	55.5	0.0
-6.3	0.0	q4-1	I	0.0	0.0	-2.6	0.0
0.0	0.0		J	0.0	0.0	-2.6	0.0
1.8	-0.0	q4-2	I	-0.0	-0.0	0.7	-0.0
-0.0	-0.0		J	-0.0	-0.0	0.7	-0.0
44.0	0.0	q4-3	I	0.0	0.0	18.3	0.0
0.0	0.0		J	0.0	0.0	18.3	0.0
160.5	0.0	q4-4	I	0.0	0.0	66.9	0.0
0.0	0.0		J	0.0	0.0	66.9	0.0
199.2	0.0	q5x_pc	I	0.0	-0.0	83.0	0.0
0.0	0.0		J	0.0	-0.0	83.0	0.0
-398.6	-0.0	q5y_pc	I	-0.0	-0.0	-166.1	-0.0
-0.0	-0.0		J	-0.0	-0.0	-166.1	-0.0
230.6	0.0	q5x_ps	I	0.0	0.0	96.1	0.0
0.0	0.0		J	0.0	0.0	96.1	0.0
-335.6	-0.0	q5y_ps	I	-0.0	-0.0	-139.8	-0.0
-0.0	-0.0		J	-0.0	-0.0	-139.8	-0.0
16.0	0.0	q7	I	0.0	0.0	6.7	0.0
0.0	0.0		J	0.0	0.0	6.7	0.0
55.0	0.0	T	I	0.0	0.0	22.9	0.0
0.0	0.0		J	0.0	0.0	22.9	0.0
-5.1	0.0	SLVx-E~1	I	0.0	0.0	-2.1	0.0
0.0	0.0		J	0.0	0.0	-2.1	0.0
-12.0	0.0	SLVy-E~1	I	0.0	0.0	-5.0	0.0
			J	0.0	0.0	-5.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
0.0	0.0									
810	3	4	Q1-1_2	Max	I	4.9	1.0	170.9	83.0	
1029.9	2.7				J	4.9	1.0	170.9	83.0	
28.4	2.7									
2134.9	-2.0			Min	I	-6.5	-0.7	-294.9	-104.4	-
-260.8	-3.6				J	-6.5	-0.7	-294.9	-104.4	
			Q1-3_4	Max	I	3.9	1.1	116.4	57.6	
692.2	3.1				J	3.9	1.1	116.4	57.6	
27.2	2.1									
2992.9	-1.6			Min	I	-7.6	-0.6	-422.5	-154.2	-
-281.6	-4.2				J	-7.6	-0.6	-422.5	-154.2	
			Q2a-1_2	Max	I	2.6	0.5	95.9	46.4	
579.1	1.5				J	2.6	0.5	95.9	46.4	
15.7	1.4									
1290.9	-1.1			Min	I	-3.5	-0.4	-177.2	-61.9	-
-156.2	-1.9				J	-3.5	-0.4	-177.2	-61.9	
			Q2a-3_4	Max	I	2.0	0.6	61.7	30.5	
367.3	1.7				J	2.0	0.6	61.7	30.5	
14.8	1.1									
1843.3	-0.8			Min	I	-4.1	-0.3	-259.8	-94.3	-
-168.6	-2.2				J	-4.1	-0.3	-259.8	-94.3	
			Q1-1	Max	I	2.1	0.3	88.2	41.9	
538.7	0.8				J	2.1	0.3	88.2	41.9	
10.7	1.2									
-268.1	-0.9			Min	I	-1.9	-0.3	-31.9	-8.9	
-82.0	-1.0				J	-1.9	-0.3	-31.9	-8.9	
			Q1-3	Max	I	0.8	0.4	4.9	2.5	
29.4	1.2				J	0.8	0.4	4.9	2.5	
7.8	0.5									
1486.2	-0.3			Min	I	-2.9	-0.1	-211.7	-78.8	-
-114.3	-1.6				J	-2.9	-0.1	-211.7	-78.8	
			SLVx (RS)		I	-127.7	18.9	-172.3	-89.5	-
1178.3	52.7				J	-127.7	18.9	-172.3	-89.5	
-65.1	-69.9									
			SLVy (RS)		I	136.1	-20.1	164.7	93.2	
1140.6	-56.1				J	136.1	-20.1	164.7	93.2	
74.9	74.5									


MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
425.1	13.2	SLVz (RS)	I	-32.0	4.7	58.0	-24.1	
			J	-32.0	4.7	58.0	-24.1	
52.9	-17.5							
1409.9	1.8	G1	I	-4.5	0.7	-178.6	-49.2	-
			J	-4.5	0.7	-178.6	-49.2	
-249.2	-2.4							
-511.2	0.7	G2	I	-1.6	0.2	-64.7	-17.8	
			J	-1.6	0.2	-64.7	-17.8	
-90.4	-0.9							
1.1	-0.0	pp imp~1	I	0.1	-0.0	0.2	0.1	
			J	0.1	-0.0	0.2	0.1	
0.0	0.0							
0.3	-0.0	perm i~1	I	0.0	-0.0	0.1	0.0	
			J	0.0	-0.0	0.1	0.0	
0.0	0.0							
-0.4	-0.2	pp2	I	0.6	-0.1	-0.1	0.1	
			J	0.6	-0.1	-0.1	0.1	
0.1	0.3							
-1.0	-0.1	perm2	I	0.2	-0.0	-0.2	-0.0	
			J	0.2	-0.0	-0.2	-0.0	
0.0	0.1							
101.1	4.6	q3	I	-11.2	1.7	15.8	4.1	
			J	-11.2	1.7	15.8	4.1	
-1.6	-6.1							
201.9	-12.2	q4-1	I	29.6	-4.4	29.3	18.9	
			J	29.6	-4.4	29.3	18.9	
11.7	16.2							
53.0	-1.7	q4-2	I	4.1	-0.6	7.7	4.1	
			J	4.1	-0.6	7.7	4.1	
2.7	2.3							
-2.3	0.9	q4-3	I	-2.2	0.3	-0.3	-0.6	
			J	-2.2	0.3	-0.3	-0.6	
-0.4	-1.2							
-8.5	-0.3	q4-4	I	0.7	-0.1	-1.3	-0.3	
			J	0.7	-0.1	-1.3	-0.3	
-0.2	0.4							
640.8	-23.4	q5x_pc	I	56.7	-8.4	93.5	51.1	
			J	56.7	-8.4	93.5	51.1	
33.2	31.0							
		q5y_pc	I	1.2	-0.2	7.2	3.3	

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
47.0	-0.5			J	1.2	-0.2	7.2	3.3
0.5	0.7							
549.6	-20.5	q5x_ps		I	49.7	-7.3	80.1	44.1
28.7	27.2			J	49.7	-7.3	80.1	44.1
47.7	-0.5	q5y_ps		I	1.2	-0.2	7.3	3.4
0.4	0.7			J	1.2	-0.2	7.3	3.4
7.8	0.5	q7		I	-1.2	0.2	1.2	0.2
0.0	-0.6			J	-1.2	0.2	1.2	0.2
55.1	-1.1	T		I	2.7	-0.4	8.3	4.1
1.2	1.5			J	2.7	-0.4	8.3	4.1
-27.5	3.0	SLVx-E~1		I	-7.2	1.1	-3.9	-3.2
-2.4	-3.9			J	-7.2	1.1	-3.9	-3.2
-64.2	6.9	SLVy-E~1		I	-16.8	2.5	-9.0	-7.6
-5.7	-9.2			J	-16.8	2.5	-9.0	-7.6
814	3	4	Q1-1_2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		Q1-3_4 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		Q2a-1_2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		Q2a-3_4 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
0.0	0.0	Q1-1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	Q1-3 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	-76.3	0.0	-0.0	-0.0
0.0	0.0		J	-76.3	0.0	-0.0	-0.0
-0.0	-0.0	SLVy (RS)	I	76.8	0.0	-0.0	0.0
-0.0	-0.0		J	76.8	0.0	-0.0	0.0
0.0	0.0	SLVz (RS)	I	107.3	0.0	0.0	0.0
0.0	0.0		J	107.3	0.0	0.0	0.0
-0.0	-0.0	G1	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
-0.0	-0.0	G2	I	-0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	0.0
0.0	0.0	pp imp~1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	perm i~1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	pp2	I	-551.6	0.0	0.0	-0.0
0.0	0.0		J	-551.6	0.0	0.0	-0.0
0.0	0.0	perm2	I	-213.1	0.0	0.0	0.0
0.0	0.0		J	-213.1	0.0	0.0	0.0

PROJECT TITLE :


	Company	Client
	Author	File Name
		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

0.0	0.0	q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	q4-1	I	0.0	-0.0	0.0	-0.0
-0.0	-0.0		J	0.0	-0.0	0.0	-0.0
-0.0	-0.0	q4-2	I	-0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	0.0
0.0	0.0	q4-3	I	0.0	0.0	-0.0	0.0
0.0	0.0		J	0.0	0.0	-0.0	0.0
-0.0	0.0	q4-4	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	q5x_pc	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0	q5y_pc	I	0.0	0.0	0.0	0.0
-0.0	-0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	q5x_ps	I	-0.0	-0.0	0.0	0.0
-0.0	-0.0		J	-0.0	-0.0	0.0	0.0
-0.0	-0.0	q5y_ps	I	-0.0	-0.0	-0.0	0.0
-0.0	0.0		J	-0.0	-0.0	-0.0	0.0
0.0	0.0	q7	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	T	I	-0.0	0.0	-0.0	0.0
-0.0	-0.0		J	-0.0	0.0	-0.0	0.0
0.0	0.0	SLVx-E~1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	SLVy-E~1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company				Client			
	Author				File Name			
815 6.7	3 8.3	4	Q1-1_2 Max	I	0.3	1.7	0.2	1.5
				J	0.3	1.7	0.2	1.5
5.6	0.0		Min	I	-0.1	-0.5	-0.1	-5.9
-1.8	-2.2			J	-0.1	-0.5	-0.1	-5.9
-1.5	-0.0							
			Q1-3_4 Max	I	0.3	1.3	0.2	2.0
5.2	6.4			J	0.3	1.3	0.2	2.0
4.3	0.0		Min	I	-0.1	-0.6	-0.1	-4.5
-2.3	-2.9			J	-0.1	-0.6	-0.1	-4.5
-1.9	-0.0							
			Q2a-1_2 Max	I	0.2	1.0	0.1	0.8
3.7	4.6			J	0.2	1.0	0.1	0.8
3.1	0.0		Min	I	-0.0	-0.2	-0.0	-3.2
-0.9	-1.1			J	-0.0	-0.2	-0.0	-3.2
-0.8	-0.0							
			Q2a-3_4 Max	I	0.1	0.7	0.1	1.1
2.7	3.4			J	0.1	0.7	0.1	1.1
2.3	0.0		Min	I	-0.1	-0.3	-0.0	-2.4
-1.3	-1.5			J	-0.1	-0.3	-0.0	-2.4
-1.0	-0.0							
			Q1-1 Max	I	0.2	0.8	0.1	0.4
3.1	3.8			J	0.2	0.8	0.1	0.4
2.6	0.0		Min	I	-0.0	-0.1	-0.0	-2.7
-0.4	-0.6			J	-0.0	-0.1	-0.0	-2.7
-0.4	-0.0							
			Q1-3 Max	I	0.0	0.1	0.0	0.9
0.4	0.5			J	0.0	0.1	0.0	0.9
0.4	0.0		Min	I	-0.1	-0.3	-0.0	-0.4
-1.0	-1.2			J	-0.1	-0.3	-0.0	-0.4
-0.8	-0.0							
			SLVx (RS)	I	17.9	88.4	-53.9	-302.3
452.7	425.3			J	17.9	88.4	-53.9	-302.3
295.3	0.9							
			SLVy (RS)	I	-25.2	-124.7	-144.5	449.1
1036.5	-599.6			J	-25.2	-124.7	-144.5	449.1
-425.4	-1.2							
			SLVz (RS)	I	12.3	61.0	94.4	-215.3
584.8	293.3							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
216.7	0.6		J	12.3	61.0	94.4	-215.3
		G1	I	0.2	1.0	0.1	-3.4
3.8	4.7		J	0.2	1.0	0.1	-3.4
3.2	0.0						
		G2	I	0.1	0.4	0.0	-1.2
1.4	1.7		J	0.1	0.4	0.0	-1.2
1.2	0.0						
		pp imp~1	I	0.0	0.0	0.0	-0.0
0.0	0.0		J	0.0	0.0	0.0	-0.0
0.0	0.0						
		perm i~1	I	0.0	0.0	0.0	-0.0
0.0	0.0		J	0.0	0.0	0.0	-0.0
0.0	0.0						
		pp2	I	-0.4	-2.2	-350.2	110.3
1896.8	-10.5		J	-0.4	-2.2	-350.2	110.3
-215.8	-0.0						
		perm2	I	-0.1	-0.6	-131.3	40.6
-712.5	-2.8		J	-0.1	-0.6	-131.3	40.6
-82.3	-0.0						
		q3	I	-0.1	-0.5	-0.1	1.8
-2.1	-2.6		J	-0.1	-0.5	-0.1	1.8
-1.7	-0.0						
		q4-1	I	0.3	1.7	0.2	-5.8
6.7	8.3		J	0.3	1.7	0.2	-5.8
5.6	0.0						
		q4-2	I	0.1	0.2	0.0	-0.9
1.0	1.2		J	0.1	0.2	0.0	-0.9
0.8	0.0						
		q4-3	I	-0.0	-0.1	-0.0	0.4
-0.5	-0.6		J	-0.0	-0.1	-0.0	0.4
-0.4	-0.0						
		q4-4	I	0.0	0.0	0.0	-0.1
0.1	0.2		J	0.0	0.0	0.0	-0.1
0.1	0.0						
		q5x_pc	I	0.7	3.4	0.5	-11.5
13.2	16.3		J	0.7	3.4	0.5	-11.5
11.0	0.0						
		q5y_pc	I	0.0	0.1	0.0	-0.3
0.4	0.5		J	0.0	0.1	0.0	-0.3


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.3	0.0							
11.6	14.2	q5x_ps	I	0.6	3.0	0.4	-10.1	
9.6	0.0		J	0.6	3.0	0.4	-10.1	
0.4	0.5	q5y_ps	I	0.0	0.1	0.0	-0.4	
0.3	0.0		J	0.0	0.1	0.0	-0.4	
-0.2	-0.3	q7	I	-0.0	-0.1	-0.0	0.2	
-0.2	-0.0		J	-0.0	-0.1	-0.0	0.2	
0.7	0.9	T	I	0.0	0.2	0.0	-0.6	
0.6	0.0		J	0.0	0.2	0.0	-0.6	
-1.6	-1.9	SLVx-E~1	I	-0.1	-0.4	-0.1	1.4	
-1.3	-0.0		J	-0.1	-0.4	-0.1	1.4	
-3.7	-4.5	SLVy-E~1	I	-0.2	-0.9	-0.1	3.2	
-3.0	-0.0		J	-0.2	-0.9	-0.1	3.2	
816	7	43 Q1-1_2 Max	I	355.1	87.5	104.7	573.6	
3027.5	3880.3		J	355.1	87.5	104.7	573.6	
3130.0	3932.9	Min	I	-3359.1	-91.4	-102.5	-381.9	-
3095.4	-2645.3		J	-3359.1	-91.4	-102.5	-381.9	-
3200.1	-2696.1							
3192.8	2960.3	Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
3300.9	3021.2		J	346.8	83.8	99.5	535.6	
2941.0	-3361.8	Min	I	-3448.7	-101.0	-108.1	-353.2	-
3040.5	-3394.9		J	-3448.7	-101.0	-108.1	-353.2	-
1647.7	1930.9	Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
1703.5	1961.7		J	200.0	46.7	53.5	300.3	
1580.4	-1348.2	Min	I	-1695.4	-48.1	-55.8	-209.9	-
1633.8	-1379.6		J	-1695.4	-48.1	-55.8	-209.9	-
1722.6	1423.9	Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
1780.9	1458.6		J	192.6	45.1	50.2	273.8	
1482.5	-1655.3	Min	I	-1729.2	-51.7	-58.3	-190.1	-
			J	-1729.2	-51.7	-58.3	-190.1	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
1532.7	-1677.7							
		Q1-1 Max	I	132.2	30.6	38.5	223.2	
932.7	1715.9		J	132.2	30.6	38.5	223.2	
964.3	1734.2							
		Min	I	-1072.6	-29.0	-31.6	-149.0	-
1137.1	-555.7		J	-1072.6	-29.0	-31.6	-149.0	-
1175.6	-577.9							
		Q1-3 Max	I	108.9	28.6	23.9	134.9	
1163.8	113.0		J	108.9	28.6	23.9	134.9	
1203.2	131.8							
		Min	I	-1121.9	-35.6	-39.4	-90.2	
-707.7	-1309.2		J	-1121.9	-35.6	-39.4	-90.2	
-731.7	-1318.1							
		SLVx (RS)	I	391.6	2428.4	-453.4	-5237.5	
9656.0	-62226.2		J	391.6	2428.4	-453.4	-5237.5	1
0068.4	-64595.2							
		SLVy (RS)	I	321.6	827.7	1314.0	13118.1	-2
9644.3	-17400.2		J	321.6	827.7	1314.0	13118.1	-3
0827.7	-18165.8							
		SLVz (RS)	I	1642.7	134.0	162.7	-181.3	
-502.3	-786.8		J	1642.7	134.0	162.7	-181.3	
-660.6	-896.4							
		G1	I	-10953.2	-29.4	6.1	341.7	
-182.8	-366.3		J	-11145.7	-29.4	6.1	341.7	
-188.9	-336.9							
		G2	I	-1948.5	-10.6	2.2	124.3	
-65.8	-130.6		J	-1948.5	-10.6	2.2	124.3	
-68.0	-120.0							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
14.0	-237.6		J	-0.0	8.0	-0.5	-63.8	
14.5	-245.6							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
4.5	-76.5		J	-0.0	2.6	-0.2	-20.6	
4.7	-79.1							
		pp2	I	0.0	-2.0	0.7	-0.4	
-19.4	57.3		J	0.0	-2.0	0.7	-0.4	
-20.0	59.3							
		perm2	I	0.0	-0.5	0.2	-0.1	
-5.5	15.3		J	0.0	-0.5	0.2	-0.1	
-5.7	15.8							
		q3	I	5.7	46.9	282.7	1282.3	-


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
8354.1	-837.1		J	5.7	46.9	282.7	1282.3	-
8636.8	-884.0							
		q4-1	I	4.0	37.8	26.7	199.2	
-790.3	-1129.8		J	4.0	37.8	26.7	199.2	
-817.0	-1167.6							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-742.4	798.4		J	2.6	-25.4	25.1	-88.5	
-767.5	823.8							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-303.8	4275.3		J	-10.2	-137.2	10.3	21.7	
-314.1	4412.4							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
905.9	415.4		J	-5.5	-11.5	-30.7	231.2	
936.5	426.8							
		q5x_pc	I	0.9	-738.9	521.2	529.5	-1
5402.5	22711.0		J	0.9	-738.9	521.2	529.5	-1
5923.8	23450.0							
		q5y_pc	I	94.3	749.7	428.8	1007.6	-1
2670.2	-22802.7		J	94.3	749.7	428.8	1007.6	-1
3099.0	-23552.3							
		q5x_ps	I	-1.8	-775.9	584.6	764.5	-1
7274.1	23725.2		J	-1.8	-775.9	584.6	764.5	-1
7858.7	24501.0							
		q5y_ps	I	81.7	674.9	385.3	920.4	-1
1385.2	-20342.9		J	81.7	674.9	385.3	920.4	-1
1770.5	-21017.8							
		q7	I	-2.7	-58.0	13.0	-27.8	
-384.4	1753.9		J	-2.7	-58.0	13.0	-27.8	
-397.4	1812.0							
		T	I	10.6	-135.8	-268.9	-694.2	
7947.2	4110.8		J	10.6	-135.8	-268.9	-694.2	
8216.1	4246.7							
		SLVx-E~1	I	0.7	1.0	23.9	416.0	
-706.0	-0.9		J	0.7	1.0	23.9	416.0	
-729.9	-1.9							
		SLVy-E~1	I	1.6	2.3	55.7	970.7	-
1647.3	-2.0		J	1.6	2.3	55.7	970.7	-
1703.0	-4.4							
817	7	43	Q1-1_2 Max	I	355.1	87.5	104.7	573.6
3130.0	3932.9							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
3201.7	3970.5		J	355.1	87.5	104.7	573.6	
		Min	I	-3359.1	-91.4	-102.5	-381.9	-
3200.1	-2696.1		J	-3359.1	-91.4	-102.5	-381.9	-
3273.4	-2732.0							
		Q1-3_4 Max	I	346.8	83.8	99.5	535.6	
3300.9	3021.2		J	346.8	83.8	99.5	535.6	
3376.5	3064.3	Min	I	-3448.7	-101.0	-108.1	-353.2	-
3040.5	-3394.9		J	-3448.7	-101.0	-108.1	-353.2	-
3110.2	-3423.6							
		Q2a-1_2 Max	I	200.0	46.7	53.5	300.3	
1703.5	1961.7		J	200.0	46.7	53.5	300.3	
1742.6	1983.7	Min	I	-1695.4	-48.1	-55.8	-209.9	-
1633.8	-1379.6		J	-1695.4	-48.1	-55.8	-209.9	-
1671.3	-1401.8							
		Q2a-3_4 Max	I	192.6	45.1	50.2	273.8	
1780.9	1458.6		J	192.6	45.1	50.2	273.8	
1821.8	1483.2	Min	I	-1729.2	-51.7	-58.3	-190.1	-
1532.7	-1677.7		J	-1729.2	-51.7	-58.3	-190.1	-
1567.8	-1697.2							
		Q1-1 Max	I	132.2	30.6	38.5	223.2	
964.3	1734.2		J	132.2	30.6	38.5	223.2	
986.4	1747.4	Min	I	-1072.6	-29.0	-31.6	-149.0	-
1175.6	-577.9		J	-1072.6	-29.0	-31.6	-149.0	-
1202.5	-593.4							
		Q1-3 Max	I	108.9	28.6	23.9	134.9	
1203.2	131.8		J	108.9	28.6	23.9	134.9	
1230.8	145.4	Min	I	-1121.9	-35.6	-39.4	-90.2	
-731.7	-1318.1		J	-1121.9	-35.6	-39.4	-90.2	
-748.4	-1328.2							
		SLVx (RS)	I	391.7	2428.9	-453.7	-5237.5	1
0068.4	-64595.2		J	391.7	2428.9	-453.7	-5237.5	1
0359.2	-66256.2							
		SLVy (RS)	I	321.7	828.0	1314.7	13118.1	-3
0827.7	-18165.8		J	321.7	828.0	1314.7	13118.1	-3
1662.3	-18705.0							
		SLVz (RS)	I	1643.8	135.0	163.6	-181.3	
-660.6	-896.4		J	1643.8	135.0	163.6	-181.3	
-773.0	-977.1							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


-188.9	-336.9	G1	I	-11145.7	-29.4	6.1	341.7	
			J	-11280.4	-29.4	6.1	341.7	
-193.2	-316.3							
		G2	I	-1948.5	-10.6	2.2	124.3	
-68.0	-120.0		J	-1948.5	-10.6	2.2	124.3	
-69.5	-112.6							
		pp imp~1	I	-0.0	8.0	-0.5	-63.8	
14.5	-245.6		J	-0.0	8.0	-0.5	-63.8	
14.8	-251.2							
		perm i~1	I	-0.0	2.6	-0.2	-20.6	
4.7	-79.1		J	-0.0	2.6	-0.2	-20.6	
4.8	-80.9							
		pp2	I	0.0	-2.0	0.7	-0.4	
-20.0	59.3		J	0.0	-2.0	0.7	-0.4	
-20.5	60.7							
		perm2	I	0.0	-0.5	0.2	-0.1	
-5.7	15.8		J	0.0	-0.5	0.2	-0.1	
-5.8	16.2							
		q3	I	5.7	46.9	282.7	1282.3	-
8636.8	-884.0		J	5.7	46.9	282.7	1282.3	-
8834.7	-916.8							
		q4-1	I	4.0	37.8	26.7	199.2	
-817.0	-1167.6		J	4.0	37.8	26.7	199.2	
-835.8	-1194.0							
		q4-2	I	2.6	-25.4	25.1	-88.5	
-767.5	823.8		J	2.6	-25.4	25.1	-88.5	
-785.1	841.6							
		q4-3	I	-10.2	-137.2	10.3	21.7	
-314.1	4412.4		J	-10.2	-137.2	10.3	21.7	
-321.3	4508.5							
		q4-4	I	-5.5	-11.5	-30.7	231.2	
936.5	426.8		J	-5.5	-11.5	-30.7	231.2	
958.0	434.9							
		q5x_pc	I	0.9	-738.9	521.2	529.5	-1
5923.8	23450.0		J	0.9	-738.9	521.2	529.5	-1
6288.6	23967.2							
		q5y_pc	I	94.3	749.7	428.8	1007.6	-1
3099.0	-23552.3		J	94.3	749.7	428.8	1007.6	-1
3399.1	-24077.1							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
7858.7	24501.0	q5x_ps	I	-1.8	-775.9	584.6	764.5	-1
			J	-1.8	-775.9	584.6	764.5	-1
8267.9	25044.1							
		q5y_ps	I	81.7	674.9	385.3	920.4	-1
1770.5	-21017.8		J	81.7	674.9	385.3	920.4	-1
2040.2	-21490.3							
		q7	I	-2.7	-58.0	13.0	-27.8	
-397.4	1812.0		J	-2.7	-58.0	13.0	-27.8	
-406.5	1852.6							
		T	I	10.6	-135.8	-268.9	-694.2	
8216.1	4246.7		J	10.6	-135.8	-268.9	-694.2	
8404.3	4341.8							
		SLVx-E~1	I	0.7	1.0	23.9	416.0	
-729.9	-1.9		J	0.7	1.0	23.9	416.0	
-746.6	-2.6							
		SLVy-E~1	I	1.6	2.3	55.7	970.7	-
1703.0	-4.4		J	1.6	2.3	55.7	970.7	-
1742.0	-6.0							
818	3	4 Q1-1_2 Max	I	0.0	1.6	0.0	17.4	
0.0	1.9		J	0.0	1.6	0.0	17.4	
0.0	0.0							
		Min	I	-0.0	-6.7	-0.0	-4.1	
-0.0	-8.0		J	-0.0	-6.7	-0.0	-4.1	
-0.0	-0.0							
		Q1-3_4 Max	I	0.0	1.0	0.0	22.9	
0.0	1.1		J	0.0	1.0	0.0	22.9	
0.0	0.0							
		Min	I	-0.0	-8.8	-0.0	-2.5	
-0.0	-10.6		J	-0.0	-8.8	-0.0	-2.5	
-0.0	-0.0							
		Q2a-1_2 Max	I	0.0	0.9	0.0	10.6	
0.0	1.1		J	0.0	0.9	0.0	10.6	
0.0	0.0							
		Min	I	-0.0	-4.1	-0.0	-2.3	
-0.0	-4.9		J	-0.0	-4.1	-0.0	-2.3	
-0.0	-0.0							
		Q2a-3_4 Max	I	0.0	0.5	0.0	14.0	
0.0	0.6		J	0.0	0.5	0.0	14.0	
0.0	0.0							
		Min	I	-0.0	-5.4	-0.0	-1.3	
-0.0	-6.5		J	-0.0	-5.4	-0.0	-1.3	
-0.0	-0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
			Q1-1 Max	I	0.0	0.8	0.0	2.9
0.0	1.0			J	0.0	0.8	0.0	2.9
0.0	0.0		Min	I	-0.0	-1.1	-0.0	-2.2
-0.0	-1.3			J	-0.0	-1.1	-0.0	-2.2
-0.0	-0.0							
			Q1-3 Max	I	0.0	0.1	0.0	11.0
0.0	0.1			J	0.0	0.1	0.0	11.0
0.0	0.0		Min	I	-0.0	-4.2	-0.0	-0.2
-0.0	-5.1			J	-0.0	-4.2	-0.0	-0.2
-0.0	-0.0							
			SLVx (RS)	I	-0.4	-269.3	363.2	1067.9
435.7	-323.2			J	-0.4	-269.3	363.2	1067.9
1.5	0.0							
			SLVy (RS)	I	-1.2	-875.8	-253.2	3553.2
-304.1	-1051.0			J	-1.2	-875.8	-253.2	3553.2
4.9	0.0							
			SLVz (RS)	I	0.1	83.4	-601.2	-628.0
-721.2	100.0			J	0.1	83.4	-601.2	-628.0
-0.9	-0.0							
			G1	I	-0.0	-5.5	0.0	14.3
0.0	-6.6			J	-0.0	-5.5	0.0	14.3
0.0	0.0							
			G2	I	-0.0	-2.0	0.0	5.2
0.0	-2.4			J	-0.0	-2.0	0.0	5.2
0.0	0.0							
			pp imp~1	I	0.0	0.0	-0.0	-0.0
-0.0	0.0			J	0.0	0.0	-0.0	-0.0
-0.0	-0.0							
			perm i~1	I	0.0	0.0	-0.0	-0.0
-0.0	0.0			J	0.0	0.0	-0.0	-0.0
-0.0	-0.0							
			pp2	I	0.0	7.9	-2810.7	-369.5
3373.3	9.5			J	0.0	7.9	-2810.7	-369.5
-0.5	-0.0							
			perm2	I	0.0	3.0	-905.9	-92.3
1087.2	3.7			J	0.0	3.0	-905.9	-92.3
-0.1	-0.0							
			q3	I	-0.0	-0.7	0.0	1.7
0.0	-0.8			J	-0.0	-0.7	0.0	1.7

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	0.0						
-0.0	3.4	q4-1	I	0.0	2.8	-0.0	-7.3
-0.0	-0.0		J	0.0	2.8	-0.0	-7.3
-0.0	0.5	q4-2	I	0.0	0.5	-0.0	-1.2
-0.0	-0.0		J	0.0	0.5	-0.0	-1.2
0.0	-0.2	q4-3	I	-0.0	-0.2	0.0	0.5
0.0	0.0		J	-0.0	-0.2	0.0	0.5
-0.0	0.0	q4-4	I	0.0	0.0	-0.0	-0.1
-0.0	-0.0		J	0.0	0.0	-0.0	-0.1
-0.0	7.2	q5x_pc	I	0.0	6.0	-0.0	-15.6
-0.0	-0.0		J	0.0	6.0	-0.0	-15.6
-0.0	0.2	q5y_pc	I	0.0	0.2	-0.0	-0.5
-0.0	-0.0		J	0.0	0.2	-0.0	-0.5
-0.0	6.3	q5x_ps	I	0.0	5.2	-0.0	-13.6
-0.0	-0.0		J	0.0	5.2	-0.0	-13.6
-0.0	0.2	q5y_ps	I	0.0	0.2	-0.0	-0.5
-0.0	-0.0		J	0.0	0.2	-0.0	-0.5
0.0	-0.1	q7	I	-0.0	-0.1	0.0	0.2
0.0	0.0		J	-0.0	-0.1	0.0	0.2
-0.0	0.4	T	I	0.0	0.3	-0.0	-0.9
-0.0	-0.0		J	0.0	0.3	-0.0	-0.9
0.0	-0.8	SLVx-E~1	I	-0.0	-0.6	0.0	1.6
0.0	0.0		J	-0.0	-0.6	0.0	1.6
0.0	-1.8	SLVy-E~1	I	-0.0	-1.5	0.0	3.8
0.0	0.0		J	-0.0	-1.5	0.0	3.8
820	3	4	Q1-1_2 Max	I	2.3	22.8	1499.6
529.5	2.0			J	2.3	22.8	1499.6
263.1	39.1						


MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
1036.8	-2.7	Min	I	-3.1	-30.6	-313.7	-876.5	-
			J	-3.1	-30.6	-313.7	-876.5	-
2650.8	-29.1							
		Q1-3_4 Max	I	1.8	18.2	1381.0	2623.6	
357.6	1.6		J	1.8	18.2	1381.0	2623.6	
252.9	45.5							
		Min	I	-3.6	-35.7	-309.9	-588.0	-
1463.4	-3.1		J	-3.6	-35.7	-309.9	-588.0	-
2883.7	-23.3							
		Q2a-1_2 Max	I	1.2	12.4	853.1	1132.6	
297.5	1.1		J	1.2	12.4	853.1	1132.6	
145.4	21.1							
		Min	I	-1.7	-16.5	-173.6	-492.5	
-625.8	-1.5		J	-1.7	-16.5	-173.6	-492.5	-
1591.8	-15.8							
		Q2a-3_4 Max	I	1.0	9.5	765.5	1614.5	
189.7	0.8		J	1.0	9.5	765.5	1614.5	
137.5	24.3							
		Min	I	-1.9	-19.0	-169.2	-311.8	
-900.8	-1.7		J	-1.9	-19.0	-169.2	-311.8	-
1732.9	-12.2							
		Q1-1 Max	I	1.0	10.0	603.5	236.1	
275.7	0.9		J	1.0	10.0	603.5	236.1	
99.1	11.4							
		Min	I	-0.9	-8.9	-113.6	-460.2	
-124.7	-0.8		J	-0.9	-8.9	-113.6	-460.2	
-817.0	-12.8							
		Q1-3 Max	I	0.4	3.9	365.0	1301.6	
15.2	0.3		J	0.4	3.9	365.0	1301.6	
73.2	17.4							
		Min	I	-1.4	-13.6	-98.7	-26.8	
-728.8	-1.2		J	-1.4	-13.6	-98.7	-26.8	-
1184.1	-5.0							
		SLVx (RS)	I	-60.2	-599.1	-152.0	1289.2	
-593.2	-52.7		J	-60.2	-599.1	-152.0	1289.2	
-433.2	765.3							
		SLVy (RS)	I	64.2	638.6	-189.1	-1347.8	
577.5	56.1		J	64.2	638.6	-189.1	-1347.8	
483.9	-815.7							
		SLVz (RS)	I	-15.1	-150.2	-279.0	-410.1	
207.0	-13.2		J	-15.1	-150.2	-279.0	-410.1	
543.3	191.9							
		G1	I	-2.1	-20.9	1357.1	1256.1	

MIDAS

PROJECT TITLE :


	Company			Client				
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-668.2	-1.8		J	-2.1	-20.9	1357.1	1256.1	-
2521.0	26.7							
		G2	I	-0.8	-7.6	492.5	455.5	
-242.3	-0.7		J	-0.8	-7.6	492.5	455.5	
-914.6	9.7							
		pp imp~1	I	0.0	0.3	0.2	-1.1	
0.5	0.0		J	0.0	0.3	0.2	-1.1	
0.3	-0.3							
		perm i~1	I	0.0	0.1	0.1	-0.4	
0.2	0.0		J	0.0	0.1	0.1	-0.4	
0.1	-0.1							
		pp2	I	0.3	2.8	0.1	-1.4	
-0.2	0.2		J	0.3	2.8	0.1	-1.4	
-0.3	-3.6							
		perm2	I	0.1	0.7	-0.1	0.4	
-0.5	0.1		J	0.1	0.7	-0.1	0.4	
-0.3	-0.9							
		q3	I	-5.3	-52.7	23.3	-53.9	
49.4	-4.6		J	-5.3	-52.7	23.3	-53.9	
17.6	67.3							
		q4-1	I	14.0	139.1	44.5	-264.8	
103.8	12.2		J	14.0	139.1	44.5	-264.8	
43.0	-177.6							
		q4-2	I	2.0	19.5	6.7	-58.6	
26.8	1.7		J	2.0	19.5	6.7	-58.6	
17.6	-24.9							
		q4-3	I	-1.0	-10.2	-2.4	8.6	
-1.4	-0.9		J	-1.0	-10.2	-2.4	8.6	
1.9	13.1							
		q4-4	I	0.3	3.2	0.2	5.4	
-4.1	0.3		J	0.3	3.2	0.2	5.4	
-4.4	-4.0							
		q5x_pc	I	26.7	265.8	92.5	-728.1	
324.6	23.4		J	26.7	265.8	92.5	-728.1	
198.3	-339.6							
		q5y_pc	I	0.6	5.8	15.1	-44.5	
23.7	0.5		J	0.6	5.8	15.1	-44.5	
3.1	-7.4							
		q5x_ps	I	23.4	233.3	80.2	-627.8	
278.5	20.5							

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
169.0	-298.0		J	23.4	233.3	80.2	-627.8	
24.1	0.5	q5y_ps	I	0.6	5.7	16.1	-45.0	
2.1	-7.3		J	0.6	5.7	16.1	-45.0	
3.7	-0.5	q7	I	-0.5	-5.4	0.1	-3.3	
3.6	6.9		J	-0.5	-5.4	0.1	-3.3	
27.8	1.1	T	I	1.3	12.5	15.5	-55.8	
6.7	-15.9		J	1.3	12.5	15.5	-55.8	
-14.5	-3.0	SLVx-E~1	I	-3.4	-33.7	-6.5	45.6	
-5.6	43.1		J	-3.4	-33.7	-6.5	45.6	
-33.7	-6.9	SLVy-E~1	I	-7.9	-78.7	-15.1	106.4	
-13.1	100.6		J	-7.9	-78.7	-15.1	106.4	
821	3	4 Q1-1_2 Max	I	6.3	1.5	154.3	78.3	
1161.4	8.4		J	6.3	1.5	154.3	78.3	
268.7	3.6	Min	I	-4.7	-2.1	-517.7	-99.9	-
3490.7	-11.3		J	-4.7	-2.1	-517.7	-99.9	
-23.9	-2.7							
753.8	6.7	Q1-3_4 Max	I	7.3	1.2	98.9	111.4	
297.7	4.2		J	7.3	1.2	98.9	111.4	
4706.7	-13.1	Min	I	-3.7	-2.4	-690.7	-71.2	-
-22.5	-2.1		J	-3.7	-2.4	-690.7	-71.2	
656.0	4.6	Q2a-1_2 Max	I	3.4	0.8	87.3	45.9	
161.9	1.9		J	3.4	0.8	87.3	45.9	
2128.1	-6.1	Min	I	-2.5	-1.1	-316.1	-55.5	-
-13.2	-1.4		J	-2.5	-1.1	-316.1	-55.5	
401.1	3.5	Q2a-3_4 Max	I	3.9	0.6	52.6	67.2	
179.8	2.2		J	3.9	0.6	52.6	67.2	
2904.8	-7.0	Min	I	-2.0	-1.3	-426.5	-37.4	-
-12.2	-1.1		J	-2.0	-1.3	-426.5	-37.4	
626.7	3.7	Q1-1 Max	I	1.8	0.7	84.1	10.5	


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
78.5	1.0		J	1.8	0.7	84.1	10.5
-537.4	-3.3	Min	I	-2.0	-0.6	-83.4	-48.6
-9.2	-1.2		J	-2.0	-0.6	-83.4	-48.6
32.9	1.4	Q1-3 Max	I	2.8	0.3	4.3	59.3
125.1	1.6		J	2.8	0.3	4.3	59.3
2297.5	-5.0	Min	I	-0.8	-0.9	-335.6	-3.1
-6.1	-0.5		J	-0.8	-0.9	-335.6	-3.1
1826.3	-220.4	SLVx (RS)	I	122.7	-40.3	-263.8	77.6
78.9	69.9		J	122.7	-40.3	-263.8	77.6
1843.4	234.9	SLVy (RS)	I	-130.8	42.9	267.7	-79.9
-89.0	-74.5		J	-130.8	42.9	267.7	-79.9
718.0	-55.3	SLVz (RS)	I	30.8	-10.1	106.9	18.7
-55.0	17.5		J	30.8	-10.1	106.9	18.7
2603.1	-7.7	G1	I	4.3	-1.4	-396.3	6.2
253.9	2.4		J	4.3	-1.4	-396.3	6.2
-944.0	-2.8	G2	I	1.6	-0.5	-143.7	2.2
92.1	0.9		J	1.6	-0.5	-143.7	2.2
1.6	0.1	pp imp~1	I	-0.1	0.0	0.2	-0.1
-0.1	-0.0		J	-0.1	0.0	0.2	-0.1
0.5	0.0	perm i~1	I	-0.0	0.0	0.1	-0.0
-0.0	-0.0		J	-0.0	0.0	0.1	-0.0
0.4	1.0	pp2	I	-0.6	0.2	0.1	-0.1
-0.1	-0.3		J	-0.6	0.2	0.1	-0.1
-1.1	0.3	perm2	I	-0.2	0.0	-0.1	0.0
-0.0	-0.1		J	-0.2	0.0	-0.1	0.0
118.0	-19.4	q3	I	10.8	-3.5	16.2	-4.3
0.9	6.1		J	10.8	-3.5	16.2	-4.3

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
333.8	51.2	q4-1	I	-28.5	9.3	48.4	-16.6
			J	-28.5	9.3	48.4	-16.6
-14.8	-16.2						
82.8	7.2	q4-2	I	-4.0	1.3	11.9	-3.6
			J	-4.0	1.3	11.9	-3.6
-3.4	-2.3						
-6.6	-3.8	q4-3	I	2.1	-0.7	-1.0	0.6
			J	2.1	-0.7	-1.0	0.6
0.5	1.2						
-11.3	1.2	q4-4	I	-0.6	0.2	-1.6	0.3
			J	-0.6	0.2	-1.6	0.3
0.3	-0.4						
1008.7	97.8	q5x_pc	I	-54.4	17.9	145.7	-44.7
			J	-54.4	17.9	145.7	-44.7
-41.4	-31.0						
65.3	2.1	q5y_pc	I	-1.2	0.4	9.2	-3.2
			J	-1.2	0.4	9.2	-3.2
-1.0	-0.7						
866.8	85.8	q5x_ps	I	-47.8	15.7	125.2	-38.5
			J	-47.8	15.7	125.2	-38.5
-35.7	-27.2						
65.8	2.1	q5y_ps	I	-1.2	0.4	9.3	-3.3
			J	-1.2	0.4	9.3	-3.3
-1.0	-0.7						
9.2	-2.0	q7	I	1.1	-0.4	1.3	-0.2
			J	1.1	-0.4	1.3	-0.2
-0.1	0.6						
79.6	4.6	T	I	-2.6	0.8	11.3	-3.8
			J	-2.6	0.8	11.3	-3.8
-1.9	-1.5						
-51.2	-12.4	SLVx-E~1	I	6.9	-2.3	-7.5	2.8
			J	6.9	-2.3	-7.5	2.8
2.9	3.9						
-119.5	-29.0	SLVy-E~1	I	16.1	-5.3	-17.5	6.5
			J	16.1	-5.3	-17.5	6.5
6.9	9.2						
822	3	4 Q1-1_2 Max	I	0.2	1.7	0.1	0.4
8.8	2.2		J	0.2	1.7	0.1	0.4
9.4	3.4						
-2.3	-8.3	Min	I	-0.6	-0.4	-0.2	-1.6

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-2.5	-12.8		J	-0.6	-0.4	-0.2	-1.6
6.8	2.9	Q1-3_4 Max	I	0.2	1.3	0.1	0.6
7.3	4.4		J	0.2	1.3	0.1	0.6
-3.0	-6.4	Min	I	-0.4	-0.6	-0.2	-1.2
-3.2	-9.9		J	-0.4	-0.6	-0.2	-1.2
4.8	1.1	Q2a-1_2 Max	I	0.1	0.9	0.0	0.2
5.2	1.8		J	0.1	0.9	0.0	0.2
-1.2	-4.6	Min	I	-0.3	-0.2	-0.1	-0.9
-1.3	-7.0		J	-0.3	-0.2	-0.1	-0.9
3.6	1.5	Q2a-3_4 Max	I	0.1	0.7	0.0	0.3
3.8	2.4		J	0.1	0.7	0.0	0.3
-1.6	-3.4	Min	I	-0.2	-0.3	-0.1	-0.7
-1.8	-5.2		J	-0.2	-0.3	-0.1	-0.7
4.0	0.6	Q1-1 Max	I	0.0	0.8	0.0	0.1
4.3	0.8		J	0.0	0.8	0.0	0.1
-0.6	-3.8	Min	I	-0.3	-0.1	-0.1	-0.7
-0.6	-5.9		J	-0.3	-0.1	-0.1	-0.7
0.6	1.2	Q1-3 Max	I	0.1	0.1	0.0	0.2
0.6	1.9		J	0.1	0.1	0.0	0.2
-1.3	-0.5	Min	I	-0.0	-0.2	-0.0	-0.1
-1.4	-0.8		J	-0.0	-0.2	-0.0	-0.1
524.9	-425.3	SLVx (RS)	I	-29.7	85.2	119.0	-144.2
774.0	-655.5		J	-29.7	85.2	119.0	-144.2
1100.6	599.6	SLVy (RS)	I	41.9	-120.1	207.7	254.2
1631.1	924.1		J	41.9	-120.1	207.7	254.2
584.5	-293.3	SLVz (RS)	I	-20.5	58.7	-198.1	-216.3
1092.6	-452.0		J	-20.5	58.7	-198.1	-216.3
5.0	-4.7	G1	I	-0.3	0.9	-0.1	-0.9
			J	-0.3	0.9	-0.1	-0.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
5.4	-7.3							
		G2	I	-0.1	0.3	-0.0	-0.3	
1.8	-1.7		J	-0.1	0.3	-0.0	-0.3	
2.0	-2.6							
		pp imp~1	I	-0.0	0.0	-0.0	-0.0	
0.0	-0.0		J	-0.0	0.0	-0.0	-0.0	
0.0	-0.0							
		perm i~1	I	-0.0	0.0	-0.0	-0.0	
0.0	-0.0		J	-0.0	0.0	-0.0	-0.0	
0.0	-0.0							
		pp2	I	0.7	-2.1	901.8	-873.1	-
1687.5	10.5		J	0.7	-2.1	901.8	-873.1	-
4124.0	16.1							
		perm2	I	0.2	-0.6	344.4	-328.7	
-633.5	2.8		J	0.2	-0.6	344.4	-328.7	-
1563.9	4.3							
		q3	I	0.2	-0.5	0.1	0.5	
-2.7	2.6		J	0.2	-0.5	0.1	0.5	
-2.9	3.9							
		q4-1	I	-0.6	1.7	-0.2	-1.6	
8.7	-8.3		J	-0.6	1.7	-0.2	-1.6	
9.4	-12.7							
		q4-2	I	-0.1	0.2	-0.0	-0.2	
1.3	-1.2		J	-0.1	0.2	-0.0	-0.2	
1.4	-1.9							
		q4-3	I	0.0	-0.1	0.0	0.1	
-0.6	0.6		J	0.0	-0.1	0.0	0.1	
-0.7	0.9							
		q4-4	I	-0.0	0.0	-0.0	-0.0	
0.2	-0.2		J	-0.0	0.0	-0.0	-0.0	
0.2	-0.2							
		q5x_pc	I	-1.1	3.3	-0.5	-3.2	
17.2	-16.3		J	-1.1	3.3	-0.5	-3.2	
18.5	-25.1							
		q5y_pc	I	-0.0	0.1	-0.0	-0.1	
0.5	-0.5		J	-0.0	0.1	-0.0	-0.1	
0.6	-0.8							
		q5x_ps	I	-1.0	2.9	-0.4	-2.8	
15.1	-14.2		J	-1.0	2.9	-0.4	-2.8	
16.2	-22.0							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


0.5	-0.5	q5y_ps	I	-0.0	0.1	-0.0	-0.1
0.6	-0.8		J	-0.0	0.1	-0.0	-0.1
-0.3	0.3	q7	I	0.0	-0.1	0.0	0.1
-0.3	0.4		J	0.0	-0.1	0.0	0.1
0.9	-0.9	T	I	-0.1	0.2	-0.0	-0.2
1.0	-1.4		J	-0.1	0.2	-0.0	-0.2
-2.1	1.9	SLVx-E~1	I	0.1	-0.4	0.1	0.4
-2.2	3.0		J	0.1	-0.4	0.1	0.4
-4.8	4.5	SLVy-E~1	I	0.3	-0.9	0.1	0.9
-5.1	7.0		J	0.3	-0.9	0.1	0.9
823	3	4 Q1-1_2 Max	I	1.6	1.8	0.2	1.2
8.7	0.0		J	1.6	1.8	0.2	1.2
7.0	3.5	Min	I	-5.9	-0.5	-0.1	-4.7
-2.3	-0.0		J	-5.9	-0.5	-0.1	-4.7
-1.8	-13.3	Q1-3_4 Max	I	2.0	1.4	0.2	1.6
6.8	0.0		J	2.0	1.4	0.2	1.6
5.4	4.6	Min	I	-4.6	-0.6	-0.1	-3.6
-3.0	-0.0		J	-4.6	-0.6	-0.1	-3.6
-2.4	-10.3	Q2a-1_2 Max	I	0.8	1.0	0.1	0.6
4.8	0.0		J	0.8	1.0	0.1	0.6
3.9	1.8	Min	I	-3.3	-0.3	-0.0	-2.6
-1.2	-0.0		J	-3.3	-0.3	-0.0	-2.6
-1.0	-7.4	Q2a-3_4 Max	I	1.1	0.7	0.1	0.9
3.5	0.0		J	1.1	0.7	0.1	0.9
2.8	2.5	Min	I	-2.4	-0.3	-0.0	-1.9
-1.6	-0.0		J	-2.4	-0.3	-0.0	-1.9
-1.3	-5.4	Q1-1 Max	I	0.4	0.8	0.1	0.3
4.0	0.0		J	0.4	0.8	0.1	0.3
3.2	0.9						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
			Min	I	-2.7	-0.1	-0.0	-2.1
-0.6	-0.0			J	-2.7	-0.1	-0.0	-2.1
			Q1-3 Max	I	0.9	0.1	0.0	0.7
0.6	0.0			J	0.9	0.1	0.0	0.7
0.4	2.0		Min	I	-0.4	-0.3	-0.0	-0.3
-1.3	-0.0			J	-0.4	-0.3	-0.0	-0.3
-1.0	-0.8		SLVx (RS)	I	-303.8	94.6	76.0	-240.2
442.6	0.9			J	-303.8	94.6	76.0	-240.2
-673.7	-685.3		SLVy (RS)	I	428.3	-133.3	-159.7	319.4
-609.2	-1.2			J	428.3	-133.3	-159.7	319.4
1562.0	966.1		SLVz (RS)	I	-209.5	65.2	-134.6	-163.2
296.4	0.6			J	-209.5	65.2	-134.6	-163.2
1039.6	-472.5		G1	I	-3.4	1.1	0.1	-2.7
5.0	0.0			J	-3.4	1.1	0.1	-2.7
4.0	-7.6		G2	I	-1.2	0.4	0.0	-1.0
1.8	0.0			J	-1.2	0.4	0.0	-1.0
1.5	-2.8		pp imp~1	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
0.0	-0.0		perm i~1	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
0.0	-0.0		pp2	I	7.5	-2.3	573.0	-55.5
213.5	-0.0			J	7.5	-2.3	573.0	-55.5
3944.0	16.8		perm2	I	2.0	-0.6	216.9	-21.0
83.3	-0.0			J	2.0	-0.6	216.9	-21.0
1490.5	4.5		q3	I	1.8	-0.6	-0.1	1.4
-2.7	-0.0			J	1.8	-0.6	-0.1	1.4
-2.2	4.1		q4-1	I	-5.9	1.8	0.2	-4.6
8.7	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
7.0	-13.3		J	-5.9	1.8	0.2	-4.6
1.3	0.0	q4-2	I	-0.9	0.3	0.0	-0.7
1.0	-1.9		J	-0.9	0.3	0.0	-0.7
-0.6	-0.0	q4-3	I	0.4	-0.1	-0.0	0.3
-0.5	0.9		J	0.4	-0.1	-0.0	0.3
0.2	0.0	q4-4	I	-0.1	0.0	0.0	-0.1
0.1	-0.3		J	-0.1	0.0	0.0	-0.1
17.2	0.0	q5x_pc	I	-11.6	3.6	0.5	-9.2
13.8	-26.2		J	-11.6	3.6	0.5	-9.2
0.5	0.0	q5y_pc	I	-0.4	0.1	0.0	-0.3
0.4	-0.8		J	-0.4	0.1	0.0	-0.3
15.0	0.0	q5x_ps	I	-10.2	3.2	0.4	-8.0
12.1	-23.0		J	-10.2	3.2	0.4	-8.0
0.5	0.0	q5y_ps	I	-0.4	0.1	0.0	-0.3
0.4	-0.8		J	-0.4	0.1	0.0	-0.3
-0.3	-0.0	q7	I	0.2	-0.1	-0.0	0.2
-0.2	0.5		J	0.2	-0.1	-0.0	0.2
0.9	0.0	T	I	-0.6	0.2	0.0	-0.5
0.7	-1.4		J	-0.6	0.2	0.0	-0.5
-2.0	-0.0	SLVx-E~1	I	1.4	-0.4	-0.1	1.1
-1.6	3.1		J	1.4	-0.4	-0.1	1.1
-4.8	-0.0	SLVy-E~1	I	3.2	-1.0	-0.1	2.5
-3.8	7.3		J	3.2	-1.0	-0.1	2.5
824	1	64	Q1-1_2 Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	0.0
-0.0	-0.0			J	-0.0	-0.0	0.0
-0.0	-0.0						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	0.0	Q1-3_4 Max	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	0.0
			J	-0.0	-0.0	-0.0	0.0
-0.0	-0.0						
0.0	0.0	Q2a-1_2 Max	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	0.0
			J	-0.0	-0.0	-0.0	0.0
-0.0	-0.0						
0.0	0.0	Q2a-3_4 Max	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	0.0
			J	-0.0	-0.0	-0.0	0.0
-0.0	-0.0						
0.0	0.0	Q1-1 Max	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Min	I	0.0	-0.0	-0.0	0.0
			J	0.0	-0.0	-0.0	0.0
-0.0	-0.0						
0.0	0.0	Q1-3 Max	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	-0.0	Min	I	-0.0	-0.0	-0.0	0.0
			J	-0.0	-0.0	-0.0	0.0
-0.0	-0.0						
-0.0	-0.0	SLVx (RS)	I	12.5	-11.9	6.0	0.0
			J	12.5	-11.9	6.0	0.0
-4.5	8.9						
0.0	0.0	SLVy (RS)	I	-8.3	-18.0	-3.1	0.0
			J	-8.3	-18.0	-3.1	0.0
2.3	13.5						
0.0	0.0	SLVz (RS)	I	4.0	4.8	22.9	0.0
			J	4.0	4.8	22.9	0.0
-17.2	-3.6						
0.0	-0.0	G1	I	0.0	0.0	-0.0	0.0
			J	-1.4	0.0	78.0	0.0
-29.2	-0.0						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	0.0	G2	I	0.0	-0.0	-0.0	0.0
-10.6	0.0		J	-0.5	-0.0	28.3	0.0
0.0	0.0	pp imp~1	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	perm i~1	I	0.0	-0.0	0.0	0.0
0.0	0.0		J	0.0	-0.0	0.0	0.0
0.0	0.0	pp2	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	perm2	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	q3	I	0.0	-0.0	-0.0	0.0
4.6	0.0		J	-4.0	-0.0	-0.0	-9.6
0.0	0.0	q4-1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q4-2	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q4-3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q4-4	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5x_pc	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q5y_pc	I	0.0	-0.0	-0.0	0.0
-1.5	5.3		J	3.0	-14.1	0.1	7.1
0.0	-0.0	q5x_ps	I	0.0	-0.0	0.0	0.0
2.1	1.1		J	-13.3	-2.9	-0.2	0.4
		q5y_ps	I	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company						Client
		Author						File Name
0.0	-0.0			J	2.9	-13.3	0.1	2.0
-0.4	5.0							
			q7	I	0.0	-0.0	0.0	0.0
0.0	-0.0			J	0.0	-0.0	0.0	0.0
0.0	0.0							
			T	I	-0.0	0.0	0.0	0.0
0.0	0.0			J	-0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx-E~1	I	0.0	-0.0	0.0	0.0
0.0	-0.0			J	0.0	-0.0	0.0	0.5
0.0	-27.0							
			SLVy-E~1	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	1.1
0.0	-63.0							
825	1	64	Q1-1_2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	0.0
-0.0	-0.0							
			Q1-3_4 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	0.0
-0.0	-0.0							
			Q2a-1_2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	0.0
0.0	-0.0							
			Q2a-3_4 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	0.0
0.0	-0.0							
			Q1-1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	0.0
0.0	-0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	-0.0		J	-0.0	-0.0	-0.0	0.0
0.0	0.0	Q1-3 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	Min	I	-0.0	-0.0	-0.0	0.0
0.0	-0.0		J	-0.0	-0.0	-0.0	0.0
-4.2	12.8	SLVx (RS)	I	10.7	17.1	-5.6	-0.0
0.0	0.0		J	10.7	17.1	-5.6	-0.0
-9.3	-12.6	SLVy (RS)	I	-10.6	-16.8	-12.4	-0.0
0.0	0.0		J	-10.6	-16.8	-12.4	-0.0
-5.6	7.8	SLVz (RS)	I	5.3	10.3	-7.4	0.0
0.0	0.0		J	5.3	10.3	-7.4	0.0
-29.2	-0.0	G1	I	0.7	-0.0	-78.0	0.0
0.0	0.0		J	-0.0	-0.0	-0.0	0.0
-10.6	-0.0	G2	I	0.3	-0.0	-28.3	0.0
0.0	0.0		J	-0.0	-0.0	0.0	0.0
0.0	0.0	pp imp~1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	perm i~1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	pp2	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	perm2	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-4.6	-0.0	q3	I	4.0	0.0	-0.0	9.6
0.0	-0.0		J	-0.0	0.0	-0.0	0.0
0.0	-0.0	q4-1	I	-0.0	-0.0	0.0	0.0
0.0	0.0		J	-0.0	-0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

0.0	0.0	q4-2	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q4-3	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q4-4	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
5.7	-3.3	q5x_pc	I	-11.5	-8.7	-0.1	4.4
0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	q5y_pc	I	-0.0	-0.0	-0.0	0.0
0.0	0.0		J	-0.0	-0.0	-0.0	0.0
1.6	-3.1	q5x_ps	I	-10.9	-8.2	-0.1	1.2
0.0	-0.0		J	-0.0	-0.0	0.0	0.0
0.0	-0.0	q5y_ps	I	-0.0	-0.0	-0.0	0.0
0.0	0.0		J	-0.0	-0.0	-0.0	0.0
0.0	0.0	q7	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	T	I	-0.0	-0.0	-0.0	0.0
0.0	0.0		J	-0.0	-0.0	-0.0	0.0
0.0	27.0	SLVx-E~1	I	-0.0	-0.0	0.0	-0.2
0.0	-0.0		J	-0.0	-0.0	0.0	0.0
0.0	63.0	SLVy-E~1	I	-0.0	-0.0	0.0	-0.6
0.0	-0.0		J	-0.0	-0.0	0.0	0.0
826	3	4 Q1-1_2 Max	I	0.0	0.0	1.6	0.0
4.1	0.0		J	0.0	0.0	1.6	0.0
2.1	0.0	Min	I	-0.0	0.0	-6.7	-0.0
-17.4	-0.0		J	-0.0	0.0	-6.7	0.0
-8.7	-0.0	Q1-3_4 Max	I	0.0	0.0	1.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
2.5	0.0		J	0.0	0.0	1.0	0.0
1.2	0.0						
		Min	I	-0.0	0.0	-8.8	-0.0
-22.9	-0.0						
			J	-0.0	0.0	-8.8	0.0
-11.5	-0.0						
		Q2a-1_2 Max	I	0.0	0.0	0.9	0.0
2.3	0.0						
			J	0.0	0.0	0.9	0.0
1.2	0.0						
		Min	I	-0.0	0.0	-4.1	-0.0
-10.6	-0.0						
			J	-0.0	0.0	-4.1	0.0
-5.3	-0.0						
		Q2a-3_4 Max	I	0.0	0.0	0.5	0.0
1.3	0.0						
			J	0.0	0.0	0.5	0.0
0.6	0.0						
		Min	I	-0.0	0.0	-5.4	-0.0
-14.0	-0.0						
			J	-0.0	0.0	-5.4	0.0
-7.0	-0.0						
		Q1-1 Max	I	0.0	0.0	0.8	0.0
2.2	0.0						
			J	0.0	0.0	0.8	0.0
1.1	0.0						
		Min	I	-0.0	0.0	-1.1	-0.0
-2.9	-0.0						
			J	-0.0	0.0	-1.1	0.0
-1.4	-0.0						
		Q1-3 Max	I	0.0	0.0	0.1	0.0
0.2	0.0						
			J	0.0	0.0	0.1	0.0
0.1	0.0						
		Min	I	-0.0	0.0	-4.2	-0.0
-11.0	-0.0						
			J	-0.0	0.0	-4.2	0.0
-5.5	-0.0						
		SLVx (RS)	I	-195.8	0.0	-269.3	0.0
-700.3	0.0						
			J	-195.8	0.0	-269.3	0.0
-350.1	-0.0						
		SLVy (RS)	I	-292.8	0.0	-875.8	0.0
2277.2	-0.0						-
			J	-292.8	0.0	-875.8	-0.0
1138.6	0.0						
		SLVz (RS)	I	-298.9	0.0	83.4	0.0
216.7	0.0						
			J	-298.9	0.0	83.4	-0.0
108.4	0.0						
		G1	I	0.0	0.0	-5.5	0.0
-14.3	-0.0						
			J	0.0	0.0	-5.5	0.0
-7.1	-0.0						
		G2	I	0.0	0.0	-2.0	0.0
-5.2	-0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-2.6	-0.0		J	-0.0	0.0	-2.0	0.0
0.0	-0.0	pp imp~1	I	-0.0	0.0	0.0	-0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	perm i~1	I	-0.0	0.0	0.0	-0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
20.5	0.0	pp2	I	-1455.2	0.0	7.9	0.0
10.3	0.0		J	-1455.2	0.0	7.9	0.0
7.9	0.0	perm2	I	-465.0	0.0	3.0	0.0
4.0	0.0		J	-465.0	0.0	3.0	0.0
-1.7	0.0	q3	I	0.0	0.0	-0.7	0.0
-0.8	0.0		J	0.0	0.0	-0.7	0.0
7.3	-0.0	q4-1	I	-0.0	0.0	2.8	-0.0
3.6	0.0		J	0.0	0.0	2.8	0.0
1.2	-0.0	q4-2	I	-0.0	0.0	0.5	-0.0
0.6	0.0		J	-0.0	0.0	0.5	0.0
-0.5	0.0	q4-3	I	0.0	0.0	-0.2	0.0
-0.2	0.0		J	0.0	0.0	-0.2	0.0
0.1	-0.0	q4-4	I	-0.0	0.0	0.0	-0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
15.6	-0.0	q5x_pc	I	-0.0	0.0	6.0	-0.0
7.8	0.0		J	0.0	0.0	6.0	0.0
0.5	-0.0	q5y_pc	I	-0.0	0.0	0.2	-0.0
0.3	0.0		J	0.0	0.0	0.2	0.0
13.6	-0.0	q5x_ps	I	-0.0	0.0	5.2	-0.0
6.8	0.0		J	0.0	0.0	5.2	0.0
0.5	-0.0	q5y_ps	I	-0.0	0.0	0.2	-0.0
			J	0.0	0.0	0.2	0.0

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.3	0.0						
-0.2	0.0		q7	I	0.0	0.0	-0.1 0.0
-0.1	0.0			J	0.0	0.0	-0.1 0.0
0.9	-0.0		T	I	-0.0	0.0	0.3 -0.0
0.4	0.0			J	-0.0	0.0	0.3 0.0
-1.6	0.0		SLVx-E~1	I	0.0	0.0	-0.6 0.0
-0.8	-0.0			J	-0.0	0.0	-0.6 0.0
-3.8	0.0		SLVy-E~1	I	0.0	0.0	-1.5 0.0
-1.9	-0.0			J	0.0	0.0	-1.5 0.0
827	3	4	Q1-1_2 Max	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0 0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0 0.0
-0.0	-0.0		Q1-3_4 Max	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0 0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0 0.0
-0.0	-0.0		Q2a-1_2 Max	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0		Min	I	0.0	-0.0	-0.0 0.0
-0.0	-0.0			J	0.0	-0.0	-0.0 0.0
-0.0	-0.0		Q2a-3_4 Max	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0		Min	I	0.0	-0.0	-0.0 0.0
-0.0	-0.0			J	0.0	-0.0	-0.0 0.0
-0.0	-0.0		Q1-1 Max	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0		Min	I	0.0	-0.0	-0.0 0.0
-0.0	-0.0			J	0.0	-0.0	-0.0 0.0
-0.0	-0.0			J	0.0	-0.0	-0.0 0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

0.0	0.0	Q1-3 Max	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Min	I	0.0	-0.0	-0.0	0.0
			J	0.0	-0.0	-0.0	0.0
-0.0	-0.0						
0.0	0.0	SLVx (RS)	I	191.8	0.0	0.0	-0.0
			J	191.8	0.0	0.0	-0.0
0.0	0.0						
-0.0	0.0	SLVy (RS)	I	-228.0	-0.0	0.0	-0.0
			J	-228.0	-0.0	0.0	-0.0
-0.0	-0.0						
0.0	-0.0	SLVz (RS)	I	-320.6	-0.0	-0.0	-0.0
			J	-320.6	-0.0	-0.0	-0.0
0.0	0.0						
-0.0	-0.0	G1	I	0.0	-0.0	-0.0	0.0
			J	0.0	-0.0	-0.0	0.0
-0.0	-0.0						
-0.0	-0.0	G2	I	0.0	-0.0	0.0	0.0
			J	0.0	-0.0	0.0	0.0
-0.0	-0.0						
0.0	0.0	pp imp~1	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	perm i~1	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	0.0	pp2	I	-1355.5	-0.0	-0.0	0.0
			J	-1355.5	-0.0	-0.0	0.0
0.0	0.0						
-0.0	0.0	perm2	I	-440.9	-0.0	-0.0	0.0
			J	-440.9	-0.0	-0.0	0.0
0.0	0.0						
-0.0	-0.0	q3	I	0.0	-0.0	-0.0	0.0
			J	0.0	-0.0	-0.0	0.0
0.0	0.0						
-0.0	-0.0	q4-1	I	-0.0	-0.0	-0.0	0.0
			J	-0.0	-0.0	-0.0	0.0
-0.0	-0.0						
0.0	0.0	q4-2	I	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS		Company		Client		File Name	
		Author		File Name		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	q4-3		I	0.0	-0.0	-0.0
0.0	0.0			J	0.0	-0.0	0.0
0.0	0.0	q4-4		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
-0.0	0.0	q5x_pc		I	-0.0	0.0	0.0
-0.0	0.0			J	-0.0	0.0	0.0
0.0	0.0	q5y_pc		I	0.0	0.0	0.0
-0.0	0.0			J	0.0	0.0	0.0
-0.0	-0.0	q5x_ps		I	-0.0	-0.0	-0.0
-0.0	0.0			J	-0.0	-0.0	0.0
0.0	0.0	q5y_ps		I	0.0	0.0	0.0
-0.0	0.0			J	0.0	0.0	0.0
0.0	0.0	q7		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
-0.0	0.0	T		I	0.0	0.0	0.0
-0.0	-0.0			J	0.0	0.0	0.0
0.0	-0.0	SLVx-E~1		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
-0.0	0.0	SLVy-E~1		I	0.0	-0.0	-0.0
0.0	-0.0			J	0.0	-0.0	0.0
828	3	4	Q1-1_2 Max	I	1.6	0.0	0.0
17.4	0.0			J	1.6	0.0	0.0
17.4	0.0		Min	I	-6.7	-0.0	-0.0
-4.1	-0.0			J	-6.7	-0.0	-0.0
-4.1	-0.0						
22.9	0.0		Q1-3_4 Max	I	1.0	0.0	0.0
				J	1.0	0.0	0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
22.9	0.0						
		Min	I	-8.8	-0.0	-0.0	-0.0
-2.5	-0.0		J	-8.8	-0.0	-0.0	-0.0
-2.5	-0.0						
		Q2a-1_2 Max	I	0.9	0.0	0.0	0.0
10.6	0.0		J	0.9	0.0	0.0	0.0
10.6	0.0						
		Min	I	-4.1	-0.0	-0.0	-0.0
-2.3	-0.0		J	-4.1	-0.0	-0.0	-0.0
-2.3	-0.0						
		Q2a-3_4 Max	I	0.5	0.0	0.0	0.0
14.0	0.0		J	0.5	0.0	0.0	0.0
14.0	0.0						
		Min	I	-5.4	-0.0	-0.0	-0.0
-1.3	-0.0		J	-5.4	-0.0	-0.0	-0.0
-1.3	-0.0						
		Q1-1 Max	I	0.8	0.0	0.0	0.0
2.9	0.0		J	0.8	0.0	0.0	0.0
2.9	0.0						
		Min	I	-1.1	-0.0	-0.0	-0.0
-2.2	-0.0		J	-1.1	-0.0	-0.0	-0.0
-2.2	-0.0						
		Q1-3 Max	I	0.1	0.0	0.0	0.0
11.0	0.0		J	0.1	0.0	0.0	0.0
11.0	0.0						
		Min	I	-4.2	-0.0	-0.0	-0.0
-0.2	-0.0		J	-4.2	-0.0	-0.0	-0.0
-0.2	-0.0						
		SLVx (RS)	I	-269.3	0.0	-195.8	0.0
1008.3	0.0		J	-269.3	0.0	-195.8	0.0
700.3	0.0						
		SLVy (RS)	I	-875.8	0.0	-292.8	-0.0
2904.4	0.0		J	-875.8	0.0	-292.8	-0.0
2277.2	0.0						
		SLVz (RS)	I	83.4	-0.0	-298.9	0.0
-987.0	-0.0		J	83.4	-0.0	-298.9	0.0
-216.7	0.0						
		G1	I	-5.5	0.0	0.0	-0.0
14.3	0.0		J	-5.5	0.0	0.0	-0.0
14.3	0.0						
		G2	I	-2.0	0.0	0.0	-0.0
5.2	0.0		J	-2.0	0.0	0.0	-0.0
5.2	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

-0.0	-0.0	pp imp~1	I	0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	0.0	-0.0	-0.0	-0.0	
-0.0	-0.0	perm i~1	I	0.0	0.0	-0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	-0.0	-0.0	
5113.7	-0.0	pp2	I	7.9	-0.0	-1455.2	0.0	-
-20.5	0.0		J	7.9	-0.0	-1455.2	0.0	
1635.4	-0.0	perm2	I	3.0	-0.0	-465.0	0.0	-
-7.9	0.0		J	3.0	-0.0	-465.0	0.0	
1.7	0.0	q3	I	-0.7	0.0	0.0	0.0	
1.7	0.0		J	-0.7	0.0	0.0	0.0	
-7.3	-0.0	q4-1	I	2.8	-0.0	-0.0	-0.0	
-7.3	-0.0		J	2.8	-0.0	-0.0	-0.0	
-1.2	-0.0	q4-2	I	0.5	-0.0	-0.0	-0.0	
-1.2	-0.0		J	0.5	-0.0	-0.0	-0.0	
0.5	0.0	q4-3	I	-0.2	0.0	0.0	0.0	
0.5	0.0		J	-0.2	0.0	0.0	0.0	
-0.1	-0.0	q4-4	I	0.0	-0.0	-0.0	-0.0	
-0.1	-0.0		J	0.0	-0.0	-0.0	-0.0	
-15.6	-0.0	q5x_pc	I	6.0	-0.0	-0.0	-0.0	
-15.6	-0.0		J	6.0	-0.0	-0.0	-0.0	
-0.5	-0.0	q5y_pc	I	0.2	-0.0	-0.0	-0.0	
-0.5	-0.0		J	0.2	-0.0	-0.0	-0.0	
-13.6	-0.0	q5x_ps	I	5.2	-0.0	-0.0	-0.0	
-13.6	-0.0		J	5.2	-0.0	-0.0	-0.0	
-0.5	-0.0	q5y_ps	I	0.2	-0.0	-0.0	-0.0	
-0.5	-0.0		J	0.2	-0.0	-0.0	-0.0	

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.2	0.0	q7	I	-0.1	0.0	0.0	0.0
			J	-0.1	0.0	0.0	0.0
0.2	0.0						
		T	I	0.3	-0.0	-0.0	-0.0
-0.9	-0.0		J	0.3	-0.0	-0.0	-0.0
-0.9	-0.0						
		SLVx-E~1	I	-0.6	0.0	0.0	0.0
1.6	0.0		J	-0.6	0.0	0.0	0.0
1.6	0.0						
		SLVy-E~1	I	-1.5	0.0	0.0	0.0
3.8	0.0		J	-1.5	0.0	0.0	0.0
3.8	0.0						
829	3	4	Q1-1_2 Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0
-0.0	-0.0						
		Q1-3_4 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		Q2a-1_2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	0.0	-0.0
-0.0	-0.0						
		Q2a-3_4 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	0.0	-0.0
-0.0	-0.0						
		Q1-1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	0.0	0.0
-0.0	-0.0		J	-0.0	-0.0	0.0	0.0
-0.0	-0.0						
		Q1-3 Max	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	0.0	0.0
-0.0	-0.0						
			J	-0.0	-0.0	0.0	0.0
-0.0	-0.0						
		SLVx (RS)	I	0.0	0.0	191.8	-0.0
671.3	0.0						
			J	0.0	0.0	191.8	-0.0
0.0	-0.0						
		SLVy (RS)	I	-0.0	-0.0	-228.0	0.0
-798.1	-0.0						
			J	-0.0	-0.0	-228.0	0.0
-0.0	-0.0						
		SLVz (RS)	I	0.0	0.0	-320.6	-0.0
1122.3	0.0						
			J	0.0	0.0	-320.6	-0.0
0.0	0.0						
		G1	I	-0.0	-0.0	-0.0	0.0
-0.0	-0.0						
			J	-0.0	-0.0	-0.0	0.0
-0.0	0.0						
		G2	I	-0.0	-0.0	0.0	0.0
-0.0	-0.0						
			J	-0.0	-0.0	0.0	0.0
-0.0	0.0						
		pp imp~1	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		perm i~1	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		pp2	I	0.0	0.0	-1355.5	-0.0
4744.2	0.0						
			J	0.0	0.0	-1355.5	-0.0
0.0	-0.0						
		perm2	I	0.0	0.0	-440.9	-0.0
1543.1	0.0						
			J	0.0	0.0	-440.9	-0.0
0.0	0.0						
		q3	I	0.0	0.0	0.0	-0.0
0.0	0.0						
			J	0.0	0.0	0.0	-0.0
0.0	-0.0						
		q4-1	I	-0.0	0.0	0.0	0.0
-0.0	-0.0						
			J	-0.0	0.0	0.0	0.0
-0.0	-0.0						
		q4-2	I	0.0	-0.0	0.0	0.0
-0.0	-0.0						
			J	0.0	-0.0	0.0	0.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	0.0						
		q4-3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q4-4	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5x_pc	I	0.0	-0.0	0.0	0.0
-0.0	-0.0		J	0.0	-0.0	0.0	0.0
-0.0	0.0						
		q5y_pc	I	0.0	-0.0	0.0	0.0
-0.0	-0.0		J	0.0	-0.0	0.0	0.0
-0.0	0.0						
		q5x_ps	I	0.0	-0.0	0.0	0.0
-0.0	-0.0		J	0.0	-0.0	0.0	0.0
-0.0	0.0						
		q5y_ps	I	0.0	0.0	0.0	0.0
-0.0	-0.0		J	0.0	0.0	0.0	0.0
-0.0	0.0						
		q7	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		T	I	0.0	-0.0	0.0	0.0
-0.0	-0.0		J	0.0	-0.0	0.0	0.0
-0.0	0.0						
		SLVx-E~1	I	0.0	0.0	0.0	-0.0
0.0	0.0		J	0.0	0.0	0.0	-0.0
0.0	0.0						
		SLVy-E~1	I	0.0	0.0	0.0	-0.0
0.0	0.0		J	0.0	0.0	0.0	-0.0
0.0	0.0						
830	3	4	Q1-1_2 Max	I	321.3	0.0	0.0
0.0	0.0			J	321.3	0.0	0.0
0.0	0.0		Min	I	-810.5	0.0	-0.0
-0.0	-0.0			J	-810.5	0.0	0.0
0.0	0.0						
			Q1-3_4 Max	I	212.4	0.0	0.0
0.0	0.0			J	212.4	0.0	0.0
0.0	0.0		Min	I	-1112.4	0.0	-0.0


PROJECT TITLE :

MIDAS		Company					Client
		Author					File Name
-0.0	-0.0		J	-1112.4	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q2a-1_2 Max	I	181.1	0.0	0.0	0.0
0.0	0.0		J	181.1	0.0	0.0	0.0
-0.0	-0.0	Min	I	-492.5	0.0	-0.0	0.0
0.0	0.0		J	-492.5	0.0	0.0	0.0
0.0	0.0	Q2a-3_4 Max	I	112.9	0.0	0.0	0.0
0.0	0.0		J	112.9	0.0	0.0	0.0
-0.0	-0.0	Min	I	-685.9	0.0	-0.0	0.0
0.0	0.0		J	-685.9	0.0	0.0	0.0
0.0	0.0	Q1-1 Max	I	170.8	0.0	0.0	0.0
0.0	0.0		J	170.8	0.0	0.0	0.0
-0.0	0.0	Min	I	-114.6	0.0	0.0	0.0
0.0	0.0		J	-114.6	0.0	0.0	0.0
0.0	0.0	Q1-3 Max	I	9.2	0.0	0.0	0.0
0.0	0.0		J	9.2	0.0	0.0	0.0
-0.0	-0.0	Min	I	-547.3	0.0	0.0	0.0
0.0	0.0		J	-547.3	0.0	0.0	0.0
0.0	-0.0	SLVx (RS)	I	-435.1	-0.0	0.0	0.0
0.0	0.0		J	-435.1	0.0	0.0	0.0
-0.0	0.0	SLVy (RS)	I	431.8	0.0	-0.0	0.0
0.0	0.0		J	431.8	0.0	0.0	0.0
0.0	-0.0	SLVz (RS)	I	164.6	-0.0	0.0	0.0
0.0	0.0		J	164.6	0.0	0.0	0.0
-0.0	0.0	G1	I	-574.9	0.0	-0.0	0.0
0.0	0.0		J	-574.9	0.0	0.0	0.0
-0.0	0.0	G2	I	-208.5	0.0	0.0	0.0
0.0	0.0		J	-208.5	0.0	0.0	0.0
		pp imp~1	I	0.4	0.0	0.0	0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	0.0		J	0.4	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	perm i~1	I	0.1	0.0	0.0	0.0
0.0	0.0		J	0.1	0.0	0.0	0.0
0.0	0.0						
0.0	-0.0	pp2	I	-0.0	-0.0	0.0	0.0
0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	0.0						
0.0	-0.0	perm2	I	-0.3	0.0	0.0	0.0
0.0	0.0		J	-0.3	0.0	0.0	0.0
0.0	0.0						
0.0	-0.0	q3	I	32.0	0.0	0.0	0.0
0.0	0.0		J	32.0	0.0	0.0	0.0
0.0	0.0						
-0.0	0.0	q4-1	I	77.6	0.0	-0.0	0.0
0.0	0.0		J	77.6	0.0	0.0	0.0
0.0	0.0						
-0.0	0.0	q4-2	I	19.7	0.0	0.0	0.0
0.0	0.0		J	19.7	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q4-3	I	-1.3	0.0	0.0	0.0
0.0	0.0		J	-1.3	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q4-4	I	-2.9	0.0	0.0	0.0
0.0	0.0		J	-2.9	0.0	0.0	0.0
0.0	0.0						
-0.0	0.0	q5x_pc	I	239.1	0.0	-0.0	0.0
0.0	0.0		J	239.1	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5y_pc	I	16.4	0.0	0.0	0.0
0.0	0.0		J	16.4	0.0	0.0	0.0
0.0	0.0						
-0.0	0.0	q5x_ps	I	205.3	0.0	-0.0	0.0
0.0	0.0		J	205.3	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5y_ps	I	16.5	0.0	0.0	0.0
0.0	0.0		J	16.5	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q7	I	2.5	0.0	0.0	0.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	0.0		J	2.5	0.0	0.0	0.0
-0.0	0.0	T	I	19.6	0.0	0.0	0.0
0.0	0.0		J	19.6	0.0	0.0	0.0
0.0	-0.0	SLVx-E~1	I	-11.4	0.0	0.0	0.0
0.0	0.0		J	-11.4	0.0	0.0	0.0
0.0	-0.0	SLVy-E~1	I	-26.5	0.0	0.0	0.0
0.0	0.0		J	-26.5	0.0	0.0	0.0
831	3	4	Q1-1_2 Max	I	369.7	27.5	0.0
0.0	15.1			J	369.7	27.5	0.0
0.0	0.0		Min	I	-1490.8	-36.9	-0.0
-0.0	-20.3			J	-1490.8	-36.9	0.0
0.0	0.0		Q1-3_4 Max	I	367.2	22.0	0.0
0.0	12.1			J	367.2	22.0	0.0
0.0	0.0		Min	I	-1291.3	-43.0	-0.0
-0.0	-23.6			J	-1291.3	-43.0	0.0
0.0	0.0		Q2a-1_2 Max	I	204.3	14.9	0.0
0.0	8.2			J	204.3	14.9	0.0
0.0	0.0		Min	I	-834.2	-19.9	-0.0
-0.0	-10.9			J	-834.2	-19.9	0.0
0.0	0.0		Q2a-3_4 Max	I	200.4	11.5	0.0
0.0	6.3			J	200.4	11.5	0.0
0.0	0.0		Min	I	-696.5	-23.0	-0.0
-0.0	-12.6			J	-696.5	-23.0	0.0
0.0	0.0		Q1-1 Max	I	132.0	12.1	0.0
0.0	6.6			J	132.0	12.1	0.0
0.0	0.0		Min	I	-638.4	-10.7	0.0
-0.0	-5.9			J	-638.4	-10.7	0.0
0.0	0.0		Q1-3 Max	I	119.3	4.7	0.0
0.0	2.6			J	119.3	4.7	0.0

PROJECT TITLE :

MIDAS	Company					Client		
	Author					File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	0.0							
		Min	I	-248.2	-16.4	0.0	0.0	
-0.0	-9.0		J	-248.2	-16.4	0.0	0.0	
0.0	0.0							
		SLVx (RS)	I	311.1	-722.3	0.0	0.0	
0.0	-397.3		J	311.1	-722.3	0.0	0.0	
0.0	0.0							
		SLVy (RS)	I	-312.8	769.9	-0.0	0.0	
-0.0	423.4		J	-312.8	769.9	0.0	0.0	
0.0	0.0							
		SLVz (RS)	I	244.3	-181.1	0.0	0.0	
0.0	-99.6		J	244.3	-181.1	0.0	0.0	
0.0	0.0							
		G1	I	-1178.6	-25.2	-0.0	0.0	
-0.0	-13.9		J	-1178.6	-25.2	0.0	0.0	
0.0	0.0							
		G2	I	-427.7	-9.2	0.0	0.0	
-0.0	-5.0		J	-427.7	-9.2	0.0	0.0	
0.0	0.0							
		pp imp~1	I	-0.4	0.3	0.0	0.0	
0.0	0.2		J	-0.4	0.3	0.0	0.0	
0.0	0.0							
		perm i~1	I	-0.1	0.1	0.0	0.0	
0.0	0.1		J	-0.1	0.1	0.0	0.0	
0.0	0.0							
		pp2	I	-0.0	3.4	0.0	0.0	
0.0	1.8		J	-0.0	3.4	0.0	0.0	
0.0	0.0							
		perm2	I	0.3	0.9	0.0	0.0	
0.0	0.5		J	0.3	0.9	0.0	0.0	
0.0	0.0							
		q3	I	-39.1	-63.5	0.0	0.0	
0.0	-34.9		J	-39.1	-63.5	0.0	0.0	
0.0	0.0							
		q4-1	I	-73.7	167.7	-0.0	0.0	
-0.0	92.2		J	-73.7	167.7	0.0	0.0	
0.0	0.0							
		q4-2	I	-14.5	23.5	0.0	0.0	
-0.0	12.9		J	-14.5	23.5	0.0	0.0	
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	-6.8	q4-3	I	2.7	-12.4	0.0	0.0
0.0	0.0		J	2.7	-12.4	0.0	0.0
0.0	2.1	q4-4	I	1.1	3.8	0.0	0.0
0.0	0.0		J	1.1	3.8	0.0	0.0
-0.0	176.3	q5x_pc	I	-186.0	320.5	-0.0	0.0
0.0	0.0		J	-186.0	320.5	0.0	0.0
0.0	3.8	q5y_pc	I	-22.3	6.9	0.0	0.0
0.0	0.0		J	-22.3	6.9	0.0	0.0
-0.0	154.7	q5x_ps	I	-160.3	281.2	-0.0	0.0
0.0	0.0		J	-160.3	281.2	0.0	0.0
0.0	3.8	q5y_ps	I	-23.4	6.9	0.0	0.0
0.0	0.0		J	-23.4	6.9	0.0	0.0
0.0	-3.6	q7	I	-1.3	-6.5	0.0	0.0
0.0	0.0		J	-1.3	-6.5	0.0	0.0
-0.0	8.3	T	I	-23.8	15.0	0.0	0.0
0.0	0.0		J	-23.8	15.0	0.0	0.0
0.0	-22.4	SLVx-E~1	I	10.3	-40.7	0.0	0.0
0.0	0.0		J	10.3	-40.7	0.0	0.0
0.0	-52.2	SLVy-E~1	I	24.1	-94.9	0.0	0.0
0.0	0.0		J	24.1	-94.9	0.0	0.0
832	3	4	Q1-1_2 Max	I	215.6	0.0	52.4
28.8	0.0			J	215.6	0.0	52.4
0.0	0.0		Min	I	-1850.6	-0.0	-31.9
-17.6	-0.0			J	-1850.6	0.0	-31.9
0.0	0.0		Q1-3_4 Max	I	216.2	0.0	64.7
35.6	0.0			J	216.2	0.0	64.6
0.0	0.0		Min	I	-2254.9	-0.0	-19.9
-10.9	-0.0			J	-2254.9	0.0	-19.9

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	0.0							
14.2	0.0	Q2a-1_2	Max	I	121.4	0.0	25.8	0.0
0.0	0.0			J	121.4	0.0	25.8	0.0
-9.8	-0.0		Min	I	-896.3	0.0	-17.9	0.0
0.0	0.0			J	-896.3	0.0	-17.9	0.0
17.5	0.0	Q2a-3_4	Max	I	118.3	0.0	31.8	0.0
0.0	0.0			J	118.3	0.0	31.7	0.0
-5.7	-0.0		Min	I	-1128.3	-0.0	-10.4	0.0
0.0	0.0			J	-1128.3	0.0	-10.4	0.0
4.6	0.0	Q1-1	Max	I	82.4	0.0	8.4	0.0
0.0	0.0			J	82.4	0.0	8.4	0.0
-8.8	-0.0		Min	I	-241.6	0.0	-16.0	0.0
0.0	0.0			J	-241.6	0.0	-16.0	0.0
14.2	0.0	Q1-3	Max	I	60.9	0.0	25.8	0.0
0.0	0.0			J	60.9	0.0	25.8	0.0
-1.0	-0.0		Min	I	-939.0	-0.0	-1.7	0.0
0.0	0.0			J	-939.0	0.0	-1.7	0.0
643.5	-0.0	SLVx (RS)		I	455.0	-0.0	1170.0	0.0
0.0	0.0			J	455.0	0.0	1169.9	0.0
1035.3	0.0	SLVy (RS)		I	-720.2	0.0	-1882.4	0.0
0.0	0.0			J	-720.2	0.0	-1882.8	0.0
-57.4	0.0	SLVz (RS)		I	560.9	0.0	-104.4	0.0
0.0	0.0			J	560.9	0.0	-104.4	0.0
36.7	-0.0	G1		I	-2961.1	-0.0	66.7	0.0
0.0	0.0			J	-2961.1	0.0	66.7	0.0
13.3	-0.0	G2		I	-1075.0	0.0	24.1	0.0
0.0	0.0			J	-1075.0	0.0	24.1	0.0
-0.4	0.0	pp imp~1		I	-0.1	0.0	-0.7	0.0
				J	-0.1	0.0	-0.7	0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	0.0						
-0.1	0.0	perm i~1	I	-0.0	0.0	-0.2	0.0
0.0	0.0		J	-0.0	0.0	-0.2	0.0
-4.4	-0.0	pp2	I	-0.2	0.0	-8.0	0.0
0.0	0.0		J	-0.2	0.0	-8.0	0.0
-1.2	0.0	perm2	I	0.2	0.0	-2.1	0.0
0.0	0.0		J	0.2	0.0	-2.1	0.0
-51.7	0.0	q3	I	99.1	0.0	-93.9	0.0
0.0	0.0		J	99.1	0.0	-94.0	0.0
4.0	-0.0	q4-1	I	-8.2	0.0	7.4	0.0
0.0	0.0		J	-8.2	0.0	7.4	0.0
-5.6	0.0	q4-2	I	45.2	0.0	-10.1	0.0
0.0	0.0		J	45.2	0.0	-10.1	0.0
-21.3	0.0	q4-3	I	16.7	0.0	-38.8	0.0
0.0	0.0		J	16.7	0.0	-38.8	0.0
13.2	-0.0	q4-4	I	-1.5	0.0	24.1	0.0
0.0	0.0		J	-1.5	0.0	24.1	0.0
-190.0	0.0	q5x_pc	I	217.0	0.0	-345.5	0.0
0.0	0.0		J	217.0	0.0	-345.5	0.0
-17.2	0.0	q5y_pc	I	-76.2	0.0	-31.3	0.0
0.0	0.0		J	-76.2	0.0	-31.3	0.0
-212.7	0.0	q5x_ps	I	193.8	0.0	-386.7	0.0
0.0	0.0		J	193.8	0.0	-386.7	0.0
11.2	0.0	q5y_ps	I	-58.1	0.0	20.4	0.0
0.0	0.0		J	-58.1	0.0	20.3	0.0
-9.6	0.0	q7	I	10.7	0.0	-17.5	0.0
0.0	0.0		J	10.7	0.0	-17.5	0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


30.0	0.0		T	I	28.4	0.0	54.6	0.0
0.0	0.0			J	28.4	0.0	54.6	0.0
-25.4	0.0		SLVx-E~1	I	-7.9	0.0	-46.1	0.0
0.0	0.0			J	-7.9	0.0	-46.1	0.0
-59.2	0.0		SLVy-E~1	I	-18.4	0.0	-107.6	0.0
0.0	0.0			J	-18.4	0.0	-107.7	0.0
833	3	4	Q1-1_2 Max	I	138.7	67.7	88.8	0.0
48.9	37.2			J	138.7	67.7	88.8	0.0
0.0	0.0		Min	I	-2154.2	-80.6	-115.5	0.0
-63.5	-44.3			J	-2154.2	-80.6	-115.5	0.0
0.0	0.0							
47.2	43.6		Q1-3_4 Max	I	140.0	79.2	85.9	0.0
0.0	0.0			J	140.0	79.2	85.8	0.0
-63.2	-40.8		Min	I	-1810.1	-74.2	-114.9	0.0
0.0	0.0			J	-1810.1	-74.2	-114.9	0.0
26.8	18.5		Q2a-1_2 Max	I	75.9	33.6	48.8	0.0
0.0	0.0			J	75.9	33.6	48.8	0.0
-32.6	-23.5		Min	I	-1126.6	-42.7	-59.3	0.0
0.0	0.0			J	-1126.6	-42.7	-59.3	0.0
25.5	21.6		Q2a-3_4 Max	I	75.9	39.3	46.4	0.0
0.0	0.0			J	75.9	39.3	46.4	0.0
-32.0	-21.6		Min	I	-903.2	-39.4	-58.1	0.0
0.0	0.0			J	-903.2	-39.4	-58.1	0.0
18.2	10.8		Q1-1 Max	I	44.2	19.6	33.1	0.0
0.0	0.0			J	44.2	19.6	33.1	0.0
-21.6	-16.0		Min	I	-929.6	-29.2	-39.3	0.0
0.0	0.0			J	-929.6	-29.2	-39.3	0.0
13.8	16.0		Q1-3 Max	I	49.7	29.1	25.1	0.0
0.0	0.0			J	49.7	29.1	25.1	0.0
			Min	I	-203.1	-24.1	-34.4	0.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-18.9	-13.3		J	-203.1	-24.1	-34.4	0.0
0.0	0.0						
		SLVx (RS)	I	-321.8	-1435.8	-963.3	0.0
-529.8	-789.7		J	-321.8	-1435.7	-963.4	0.0
0.0	0.0						
		SLVy (RS)	I	452.2	1171.4	2873.7	0.0
1580.5	644.2		J	452.2	1171.3	2873.2	0.0
0.0	0.0						
		SLVz (RS)	I	471.7	-68.5	108.1	0.0
59.5	-37.7		J	471.7	-68.5	108.1	0.0
0.0	0.0						
		G1	I	-2434.0	7.6	-70.1	0.0
-38.5	4.2		J	-2434.0	7.6	-70.1	0.0
0.0	0.0						
		G2	I	-883.1	2.8	-25.3	0.0
-13.9	1.6		J	-883.1	2.8	-25.3	0.0
0.0	0.0						
		pp imp~1	I	0.1	3.5	-0.3	0.0
-0.1	1.9		J	0.1	3.5	-0.3	0.0
0.0	0.0						
		perm i~1	I	0.0	1.1	-0.1	0.0
-0.0	0.6		J	0.0	1.1	-0.1	0.0
0.0	0.0						
		pp2	I	0.2	-4.7	8.3	0.0
4.6	-2.6		J	0.2	-4.7	8.3	0.0
0.0	0.0						
		perm2	I	-0.2	-1.3	2.2	0.0
1.2	-0.7		J	-0.2	-1.3	2.2	0.0
0.0	0.0						
		q3	I	-122.9	83.6	432.3	0.0
237.8	46.0		J	-122.9	83.6	432.3	0.0
0.0	0.0						
		q4-1	I	1.4	-31.6	43.7	0.0
24.0	-17.4		J	1.4	-31.6	43.7	0.0
0.0	0.0						
		q4-2	I	-54.2	144.5	4.5	0.0
2.5	79.5		J	-54.2	144.5	4.5	0.0
0.0	0.0						
		q4-3	I	-13.5	33.6	9.0	0.0
4.9	18.5						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	0.0		J	-13.5	33.6	9.0	0.0
-26.3	-29.6	q4-4	I	9.4	-53.7	-47.8	0.0
0.0	0.0		J	9.4	-53.7	-47.8	0.0
282.2	700.6	q5x_pc	I	-315.9	1273.8	513.1	0.0
0.0	0.0		J	-315.9	1273.7	513.1	0.0
345.6	80.8	q5y_pc	I	9.0	146.8	628.4	0.0
0.0	0.0		J	9.0	146.8	628.4	0.0
341.6	727.1	q5x_ps	I	-283.2	1322.0	621.2	0.0
0.0	0.0		J	-283.2	1322.0	621.1	0.0
325.2	77.6	q5y_ps	I	3.0	141.1	591.3	0.0
0.0	0.0		J	3.0	141.1	591.2	0.0
2.3	35.6	q7	I	-12.8	64.7	4.2	0.0
0.0	0.0		J	-12.8	64.7	4.2	0.0
120.6	80.1	T	I	-30.3	145.7	219.3	0.0
0.0	0.0		J	-30.3	145.7	219.2	0.0
41.0	8.1	SLVx-E~1	I	7.8	14.7	74.6	0.0
0.0	0.0		J	7.8	14.7	74.6	0.0
95.8	18.9	SLVy-E~1	I	18.2	34.3	174.1	0.0
0.0	0.0		J	18.2	34.3	174.1	0.0
834	3	4 Q1-1_2 Max	I	232.8	0.0	41.1	0.0
22.6	0.0		J	232.8	0.0	41.1	0.0
0.0	0.0		I	-1843.3	-0.0	-79.4	0.0
-43.7	-0.0	Min	J	-1843.3	0.0	-79.4	0.0
0.0	0.0		I	234.1	0.0	34.4	0.0
18.9	0.0	Q1-3_4 Max	J	234.1	0.0	34.4	0.0
0.0	0.0		I	-2254.3	-0.0	-72.3	0.0
-39.8	-0.0	Min	J	-2254.3	0.0	-72.3	0.0
0.0	0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
12.4	0.0	Q2a-1_2 Max	I	131.0	0.0	22.6	0.0
			J	131.0	0.0	22.6	0.0
0.0	0.0	Min	I	-889.9	-0.0	-42.9	0.0
-23.6	-0.0		J	-889.9	0.0	-42.9	0.0
0.0	0.0						
10.4	0.0	Q2a-3_4 Max	I	128.2	0.0	18.9	0.0
			J	128.2	0.0	18.9	0.0
0.0	0.0	Min	I	-1125.8	-0.0	-38.0	0.0
-20.9	-0.0		J	-1125.8	0.0	-38.0	0.0
0.0	0.0						
10.4	0.0	Q1-1 Max	I	88.3	0.0	18.9	0.0
			J	88.3	0.0	18.9	0.0
0.0	0.0	Min	I	-229.5	0.0	-31.7	0.0
-17.5	-0.0		J	-229.5	0.0	-31.7	0.0
0.0	0.0						
3.7	0.0	Q1-3 Max	I	67.3	0.0	6.8	0.0
			J	67.3	0.0	6.8	0.0
0.0	0.0	Min	I	-941.6	-0.0	-21.0	0.0
-11.5	-0.0		J	-941.6	0.0	-21.0	0.0
0.0	0.0						
566.2	-0.0	SLVx (RS)	I	871.1	-0.0	1029.4	0.0
			J	871.1	0.0	1029.5	0.0
0.0	0.0						
1344.8	-0.0	SLVy (RS)	I	573.7	-0.0	-2445.1	0.0
			J	573.7	0.0	-2445.4	0.0
0.0	0.0						
36.0	-0.0	SLVz (RS)	I	608.4	0.0	65.4	0.0
			J	608.4	0.0	65.4	0.0
0.0	0.0						
-37.5	-0.0	G1	I	-2942.9	0.0	-68.1	0.0
			J	-2942.9	0.0	-68.1	0.0
0.0	0.0						
-13.6	-0.0	G2	I	-1067.0	0.0	-24.8	0.0
			J	-1067.0	0.0	-24.8	0.0
0.0	0.0						
7.2	-0.0	pp imp~1	I	-0.3	0.0	13.1	0.0
			J	-0.3	0.0	13.1	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
2.3	-0.0	perm i~1	I	-0.1	0.0	4.2	0.0
0.0	0.0		J	-0.1	0.0	4.2	0.0
0.2	0.0	pp2	I	-0.1	0.0	0.4	0.0
0.0	0.0		J	-0.1	0.0	0.4	0.0
0.1	0.0	perm2	I	-0.0	0.0	0.1	0.0
0.0	0.0		J	-0.0	0.0	0.1	0.0
-69.2	-0.0	q3	I	117.0	0.0	-125.8	0.0
0.0	0.0		J	117.0	0.0	-125.8	0.0
-15.5	-0.0	q4-1	I	-0.8	0.0	-28.1	0.0
0.0	0.0		J	-0.8	0.0	-28.1	0.0
17.1	0.0	q4-2	I	11.3	0.0	31.0	0.0
0.0	0.0		J	11.3	0.0	31.0	0.0
0.3	0.0	q4-3	I	41.0	0.0	0.6	0.0
0.0	0.0		J	41.0	0.0	0.6	0.0
-34.9	0.0	q4-4	I	13.2	0.0	-63.5	0.0
0.0	0.0		J	13.2	0.0	-63.5	0.0
82.6	0.0	q5x_pc	I	182.8	0.0	150.3	0.0
0.0	0.0		J	182.8	0.0	150.2	0.0
2.5	-0.0	q5y_pc	I	-88.1	-0.0	4.5	0.0
0.0	0.0		J	-88.1	0.0	4.5	0.0
73.1	0.0	q5x_ps	I	165.4	0.0	133.0	0.0
0.0	0.0		J	165.4	0.0	132.9	0.0
0.5	-0.0	q5y_ps	I	-42.2	-0.0	1.0	0.0
0.0	0.0		J	-42.2	0.0	0.9	0.0
6.8	0.0	q7	I	7.0	0.0	12.3	0.0
0.0	0.0		J	7.0	0.0	12.3	0.0
		T	I	25.4	0.0	10.1	0.0


MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT				
5.6	0.0			J	25.4	0.0	10.2	0.0
0.0	0.0							
-41.1	0.0		SLVx-E~1	I	6.3	0.0	-74.7	0.0
0.0	0.0			J	6.3	0.0	-74.7	0.0
-95.9	0.0		SLVy-E~1	I	14.7	0.0	-174.3	0.0
0.0	0.0			J	14.7	0.0	-174.4	0.0
835	3	4	Q1-1_2 Max	I	137.9	91.4	166.3	0.0
91.5	50.3			J	137.9	91.4	166.3	0.0
0.0	0.0		Min	I	-2157.6	-87.5	-125.7	0.0
-69.1	-48.1			J	-2157.6	-87.5	-125.7	0.0
0.0	0.0							
86.0	55.5		Q1-3_4 Max	I	137.9	101.0	156.4	0.0
0.0	0.0			J	137.9	101.0	156.3	0.0
-67.6	-46.1		Min	I	-1811.2	-83.8	-122.9	0.0
0.0	0.0			J	-1811.2	-83.8	-122.9	0.0
47.1	26.4		Q2a-1_2 Max	I	75.2	48.1	85.7	0.0
0.0	0.0			J	75.2	48.1	85.7	0.0
-38.0	-25.7		Min	I	-1128.6	-46.7	-69.1	0.0
0.0	0.0			J	-1128.6	-46.7	-69.1	0.0
43.3	28.4		Q2a-3_4 Max	I	74.5	51.7	78.8	0.0
0.0	0.0			J	74.5	51.7	78.8	0.0
-36.6	-24.8		Min	I	-904.2	-45.1	-66.5	0.0
0.0	0.0			J	-904.2	-45.1	-66.5	0.0
34.8	16.0		Q1-1 Max	I	44.1	29.0	63.3	0.0
0.0	0.0			J	44.1	29.0	63.3	0.0
-25.1	-16.8		Min	I	-931.8	-30.6	-45.7	0.0
0.0	0.0			J	-931.8	-30.6	-45.7	0.0
20.6	19.6		Q1-3 Max	I	47.8	35.6	37.5	0.0
0.0	0.0			J	47.8	35.6	37.5	0.0
-20.9	-15.8		Min	I	-201.0	-28.6	-37.9	0.0
				J	-201.0	-28.6	-37.9	0.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	0.0						
-640.6	-1085.5	SLVx (RS)	I	-619.2	-1973.7	-1164.8	0.0
0.0	0.0		J	-619.2	-1973.4	-1164.7	0.0
1683.9	339.6	SLVy (RS)	I	502.2	617.4	3061.6	0.0
0.0	0.0		J	502.2	617.3	3061.2	0.0
-40.3	-44.6	SLVz (RS)	I	491.2	-81.2	-73.2	0.0
0.0	0.0		J	491.2	-81.2	-73.2	0.0
40.8	16.2	G1	I	-2427.6	29.4	74.3	0.0
0.0	0.0		J	-2427.6	29.4	74.3	0.0
14.9	5.8	G2	I	-881.6	10.6	27.0	0.0
0.0	0.0		J	-881.6	10.6	27.0	0.0
-7.4	-4.4	pp imp~1	I	0.2	-8.0	-13.5	0.0
0.0	0.0		J	0.2	-8.0	-13.5	0.0
-2.4	-1.4	perm i~1	I	0.1	-2.6	-4.4	0.0
0.0	0.0		J	0.1	-2.6	-4.4	0.0
0.1	1.1	pp2	I	0.1	2.0	0.2	0.0
0.0	0.0		J	0.1	2.0	0.2	0.0
0.0	0.3	perm2	I	0.0	0.5	0.1	0.0
0.0	0.0		J	0.0	0.5	0.1	0.0
224.7	-25.8	q3	I	-111.4	-46.9	408.5	0.0
0.0	0.0		J	-111.4	-46.9	408.4	0.0
30.2	-20.8	q4-1	I	4.9	-37.8	54.9	0.0
0.0	0.0		J	4.9	-37.8	54.9	0.0
-3.2	14.0	q4-2	I	-8.7	25.4	-5.9	0.0
0.0	0.0		J	-8.7	25.4	-5.9	0.0
5.3	75.5	q4-3	I	-51.2	137.2	9.7	0.0
0.0	0.0		J	-51.2	137.2	9.7	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
18.1	6.3	q4-4	I	-18.7	11.5	32.8	0.0
0.0	0.0		J	-18.7	11.5	32.8	0.0
204.0	406.4	q5x_pc	I	-181.9	738.9	371.0	0.0
0.0	0.0		J	-181.9	738.9	370.9	0.0
233.3	-412.3	q5y_pc	I	182.4	-749.7	424.2	0.0
0.0	0.0		J	182.4	-749.6	424.2	0.0
248.4	426.7	q5x_ps	I	-167.1	775.9	451.6	0.0
0.0	0.0		J	-167.1	775.8	451.5	0.0
211.4	-371.2	q5y_ps	I	123.9	-674.9	384.3	0.0
0.0	0.0		J	123.9	-674.9	384.3	0.0
0.4	31.9	q7	I	-9.6	58.0	0.7	0.0
0.0	0.0		J	-9.6	58.0	0.7	0.0
-153.5	74.7	T	I	-14.8	135.8	-279.1	0.0
0.0	0.0		J	-14.8	135.8	-279.0	0.0
54.2	-0.5	SLVx-E~1	I	-5.6	-1.0	98.6	0.0
0.0	0.0		J	-5.6	-1.0	98.6	0.0
126.6	-1.3	SLVy-E~1	I	-13.1	-2.3	230.1	0.0
0.0	0.0		J	-13.1	-2.3	230.1	0.0
836	3	4 Q1-1_2 Max	I	343.1	0.0	0.0	0.0
0.0	0.0		J	343.1	0.0	0.0	0.0
0.0	0.0	Min	I	-773.6	-0.0	0.0	0.0
-0.0	-0.0		J	-773.6	0.0	0.0	0.0
0.0	0.0	Q1-3_4 Max	I	228.7	0.0	0.0	0.0
0.0	0.0		J	228.8	0.0	0.0	0.0
0.0	0.0	Min	I	-1071.8	-0.0	0.0	0.0
-0.0	-0.0		J	-1071.8	0.0	0.0	0.0
0.0	0.0	Q2a-1_2 Max	I	193.3	0.0	0.0	0.0
0.0	0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	0.0		J	193.3	0.0	0.0	0.0
-0.0	-0.0	Min	I	-469.5	-0.0	0.0	0.0
0.0	0.0		J	-469.5	0.0	0.0	0.0
0.0	0.0	Q2a-3_4 Max	I	121.5	0.0	0.0	0.0
0.0	0.0		J	121.5	0.0	0.0	0.0
-0.0	-0.0	Min	I	-661.3	-0.0	0.0	0.0
0.0	0.0		J	-661.3	0.0	0.0	0.0
0.0	0.0	Q1-1 Max	I	180.7	0.0	0.0	0.0
0.0	0.0		J	180.7	0.0	0.0	0.0
-0.0	-0.0	Min	I	-104.4	0.0	0.0	0.0
0.0	0.0		J	-104.4	0.0	0.0	0.0
0.0	0.0	Q1-3 Max	I	9.0	0.0	0.0	0.0
0.0	0.0		J	9.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-529.9	0.0	0.0	0.0
0.0	0.0		J	-529.9	0.0	0.0	0.0
-0.0	-0.0	SLVx (RS)	I	-401.5	-0.0	-0.0	0.0
0.0	0.0		J	-401.5	0.0	0.0	0.0
0.0	-0.0	SLVy (RS)	I	435.0	-0.0	0.0	0.0
0.0	0.0		J	435.0	0.0	0.0	0.0
-0.0	0.0	SLVz (RS)	I	171.5	-0.0	-0.0	0.0
0.0	0.0		J	171.5	0.0	0.0	0.0
0.0	0.0	G1	I	-523.4	0.0	0.0	0.0
0.0	0.0		J	-523.4	0.0	0.0	0.0
0.0	0.0	G2	I	-190.1	0.0	0.0	0.0
0.0	0.0		J	-190.1	0.0	0.0	0.0
-0.0	-0.0	pp imp~1	I	-0.4	-0.0	-0.0	0.0
0.0	0.0		J	-0.4	0.0	0.0	0.0
-0.0	-0.0	perm i~1	I	-0.1	0.0	-0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
0.0	0.0		J	-0.1	0.0	0.0	0.0
0.0	0.0	pp2	I	0.2	0.0	0.0	0.0
0.0	0.0		J	0.2	0.0	0.0	0.0
0.0	0.0	perm2	I	0.1	0.0	0.0	0.0
0.0	0.0		J	0.1	0.0	0.0	0.0
0.0	0.0	q3	I	55.5	0.0	0.0	0.0
0.0	0.0		J	55.5	0.0	0.0	0.0
0.0	0.0	q4-1	I	-2.6	0.0	0.0	0.0
0.0	0.0		J	-2.6	0.0	0.0	0.0
0.0	0.0	q4-2	I	0.7	0.0	0.0	0.0
-0.0	-0.0		J	0.7	0.0	0.0	0.0
0.0	0.0	q4-3	I	18.3	0.0	0.0	0.0
0.0	0.0		J	18.3	0.0	0.0	0.0
0.0	0.0	q4-4	I	66.9	0.0	0.0	0.0
0.0	0.0		J	66.9	0.0	0.0	0.0
0.0	0.0	q5x_pc	I	83.0	0.0	0.0	0.0
0.0	0.0		J	83.0	0.0	0.0	0.0
0.0	0.0	q5y_pc	I	-166.1	-0.0	-0.0	0.0
-0.0	-0.0		J	-166.1	0.0	0.0	0.0
0.0	0.0	q5x_ps	I	96.1	0.0	0.0	0.0
0.0	0.0		J	96.1	0.0	0.0	0.0
0.0	0.0	q5y_ps	I	-139.8	-0.0	-0.0	0.0
-0.0	-0.0		J	-139.8	0.0	0.0	0.0
0.0	0.0	q7	I	6.7	0.0	0.0	0.0
0.0	0.0		J	6.7	0.0	0.0	0.0
0.0	0.0	T	I	22.9	0.0	0.0	0.0
0.0	0.0		J	22.9	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	0.0						
			SLVx-E~1	I	-2.1	0.0	0.0
0.0	0.0			J	-2.1	0.0	0.0
0.0	0.0						
			SLVy-E~1	I	-5.0	0.0	0.0
0.0	0.0			J	-5.0	0.0	0.0
0.0	0.0						
837	3	4	Q1-1_2 Max	I	387.8	19.5	0.0
0.0	10.7			J	387.8	19.5	0.0
0.0	0.0						
			Min	I	-1554.4	-44.1	0.0
-0.0	-24.3			J	-1554.4	-44.2	0.0
0.0	0.0						
			Q1-3_4 Max	I	384.5	15.8	0.0
0.0	8.7			J	384.5	15.8	0.0
0.0	0.0						
			Min	I	-1352.5	-40.0	0.0
-0.0	-22.0			J	-1352.5	-40.0	0.0
0.0	0.0						
			Q2a-1_2 Max	I	214.4	10.7	0.0
0.0	5.9			J	214.4	10.7	0.0
0.0	0.0						
			Min	I	-869.4	-24.5	0.0
-0.0	-13.5			J	-869.4	-24.5	0.0
0.0	0.0						
			Q2a-3_4 Max	I	209.8	8.5	0.0
0.0	4.7			J	209.8	8.5	0.0
0.0	0.0						
			Min	I	-729.7	-21.7	0.0
-0.0	-11.9			J	-729.7	-21.7	0.0
0.0	0.0						
			Q1-1 Max	I	139.1	9.2	0.0
0.0	5.1			J	139.1	9.2	0.0
0.0	0.0						
			Min	I	-662.5	-17.1	0.0
-0.0	-9.4			J	-662.5	-17.1	0.0
0.0	0.0						
			Q1-3 Max	I	124.2	4.2	0.0
0.0	2.3			J	124.2	4.2	0.0
0.0	0.0						
			Min	I	-265.7	-11.9	0.0
-0.0	-6.5			J	-265.7	-11.9	0.0
0.0	0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	307.0	SLVx (RS)	I	281.9	558.2	-0.0	0.0
			J	281.9	558.0	0.0	0.0
0.0	0.0						
0.0	-249.6	SLVy (RS)	I	-380.5	-453.9	0.0	0.0
			J	-380.5	-453.8	0.0	0.0
0.0	0.0						
-0.0	-84.0	SLVz (RS)	I	270.5	-152.7	-0.0	0.0
			J	270.5	-152.7	0.0	0.0
0.0	0.0						
0.0	-19.1	G1	I	-1240.4	-34.8	0.0	0.0
			J	-1240.4	-34.8	0.0	0.0
0.0	0.0						
0.0	-6.9	G2	I	-450.1	-12.6	0.0	0.0
			J	-450.1	-12.6	0.0	0.0
0.0	0.0						
-0.0	3.2	pp imp~1	I	0.4	5.9	-0.0	0.0
			J	0.4	5.9	0.0	0.0
0.0	0.0						
-0.0	1.0	perm i~1	I	0.1	1.9	-0.0	0.0
			J	0.1	1.9	0.0	0.0
0.0	0.0						
0.0	0.1	pp2	I	-0.2	0.1	0.0	0.0
			J	-0.2	0.1	0.0	0.0
0.0	0.0						
0.0	0.0	perm2	I	-0.1	0.0	0.0	0.0
			J	-0.1	0.0	0.0	0.0
0.0	0.0						
0.0	26.8	q3	I	-41.9	48.8	0.0	0.0
			J	-41.9	48.8	0.0	0.0
0.0	0.0						
0.0	2.3	q4-1	I	1.5	4.1	0.0	0.0
			J	1.5	4.1	0.0	0.0
0.0	0.0						
-0.0	-4.5	q4-2	I	0.4	-8.2	0.0	0.0
			J	0.4	-8.2	0.0	0.0
0.0	0.0						
0.0	13.3	q4-3	I	-12.8	24.2	0.0	0.0
			J	-12.8	24.2	0.0	0.0
0.0	0.0						
		q4-4	I	-67.5	146.1	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client		File Name		
	Author		File Name		PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	80.4		J	-67.5	146.1	0.0	0.0
0.0	0.0						
0.0	26.9	q5x_pc	I	-38.1	48.9	0.0	0.0
0.0	0.0		J	-38.1	48.9	0.0	0.0
-0.0	-175.9	q5y_pc	I	144.9	-319.9	-0.0	0.0
0.0	0.0		J	144.9	-319.8	0.0	0.0
0.0	59.4	q5x_ps	I	-49.9	108.0	0.0	0.0
0.0	0.0		J	-49.9	108.0	0.0	0.0
-0.0	-172.1	q5y_ps	I	120.1	-312.9	-0.0	0.0
0.0	0.0		J	120.1	-312.9	0.0	0.0
0.0	1.6	q7	I	-3.1	2.9	0.0	0.0
0.0	0.0		J	-3.1	2.9	0.0	0.0
0.0	14.3	T	I	-27.3	25.9	0.0	0.0
0.0	0.0		J	-27.3	25.9	0.0	0.0
0.0	15.0	SLVx-E~1	I	2.6	27.3	0.0	0.0
0.0	0.0		J	2.6	27.3	0.0	0.0
0.0	35.0	SLVy-E~1	I	6.0	63.7	0.0	0.0
0.0	0.0		J	6.0	63.7	0.0	0.0
838	3	4	Q1-1_2 Max	I	0.0	3.5	0.0
0.0	1.9			J	0.0	3.5	0.0
0.0	1.0		Min	I	-0.0	-10.5	-0.0
-0.0	-5.8			J	-0.0	-10.5	-0.0
-0.0	-2.9						
0.0	2.6		Q1-3_4 Max	I	0.0	4.7	0.0
0.0	1.3			J	0.0	4.7	0.0
-0.0	-4.6		Min	I	-0.0	-8.3	-0.0
-0.0	-2.3			J	-0.0	-8.3	-0.0
0.0	1.0		Q2a-1_2 Max	I	0.0	1.9	0.0
0.0	0.5			J	0.0	1.9	0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
-0.0	-3.2	Min	I	-0.0	-5.8	-0.0	-0.0
			J	-0.0	-5.8	-0.0	-0.0
-0.0	-1.6						
0.0	1.4	Q2a-3_4 Max	I	0.0	2.6	0.0	0.0
0.0	0.7		J	0.0	2.6	0.0	0.0
-0.0	-2.4	Min	I	-0.0	-4.4	-0.0	-0.0
-0.0	-1.2		J	-0.0	-4.4	-0.0	-0.0
0.0	0.5	Q1-1 Max	I	0.0	1.0	0.0	0.0
0.0	0.3		J	0.0	1.0	0.0	0.0
-0.0	-2.6	Min	I	-0.0	-4.8	-0.0	-0.0
-0.0	-1.3		J	-0.0	-4.8	-0.0	-0.0
0.0	1.1	Q1-3 Max	I	0.0	2.0	0.0	0.0
0.0	0.6		J	0.0	2.0	0.0	0.0
-0.0	-0.5	Min	I	-0.0	-0.8	-0.0	-0.0
-0.0	-0.2		J	-0.0	-0.8	-0.0	-0.0
-0.0	-175.5	SLVx (RS)	I	194.4	-319.1	-0.0	0.0
0.0	-87.7		J	194.4	-319.1	-0.0	0.0
0.0	-296.1	SLVy (RS)	I	-91.1	-538.4	0.0	0.0
0.0	-148.1		J	-91.1	-538.4	0.0	0.0
-0.0	85.7	SLVz (RS)	I	-882.2	155.7	-0.0	-0.0
-0.0	42.8		J	-882.2	155.7	-0.0	-0.0
0.0	-2.8	G1	I	0.0	-5.2	0.0	-0.0
0.0	-1.4		J	0.0	-5.2	0.0	-0.0
0.0	-1.0	G2	I	0.0	-1.9	0.0	0.0
0.0	-0.5		J	0.0	-1.9	0.0	0.0
-0.0	0.2	pp imp~1	I	-1680.0	0.4	-0.0	0.0
-0.0	0.1		J	-1680.0	0.4	-0.0	0.0
-0.0	0.1	perm i~1	I	-541.0	0.1	-0.0	0.0
-0.0	0.0		J	-541.0	0.1	-0.0	0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.0	-0.0	pp2	I	0.0	-0.0	0.0	0.0
0.0	-0.0		J	0.0	-0.0	0.0	0.0
0.0	-0.0	perm2	I	0.0	-0.0	0.0	0.0
0.0	-0.0		J	0.0	-0.0	0.0	0.0
0.0	-0.0	q3	I	0.0	-3.3	0.0	0.0
0.0	-1.8		J	0.0	-3.3	0.0	0.0
0.0	-0.9	q4-1	I	0.0	-0.2	0.0	0.0
0.0	-0.1		J	0.0	-0.2	0.0	0.0
0.0	-0.1	q4-2	I	0.0	0.4	-0.0	-0.0
-0.0	0.2		J	0.0	0.4	-0.0	-0.0
-0.0	0.1	q4-3	I	-0.0	-1.5	0.0	-0.0
0.0	-0.8		J	-0.0	-1.5	0.0	-0.0
0.0	-0.4	q4-4	I	0.0	-8.8	0.0	-0.0
0.0	-4.9		J	0.0	-8.8	0.0	-0.0
0.0	-2.4	q5x_pc	I	0.0	-5.8	0.0	-0.0
0.0	-3.2		J	0.0	-5.8	0.0	-0.0
0.0	-1.6	q5y_pc	I	0.0	23.1	-0.0	-0.0
-0.0	12.7		J	0.0	23.1	-0.0	-0.0
-0.0	6.4	q5x_ps	I	0.0	-6.7	0.0	-0.0
0.0	-3.7		J	0.0	-6.7	0.0	-0.0
0.0	-1.9	q5y_ps	I	-0.0	18.7	-0.0	0.0
-0.0	10.3		J	-0.0	18.7	-0.0	0.0
-0.0	5.1	q7	I	0.0	-0.2	0.0	-0.0
0.0	-0.1		J	0.0	-0.2	0.0	-0.0
0.0	-0.1	T	I	0.0	-1.7	0.0	0.0
0.0	-1.0		J	0.0	-1.7	0.0	0.0
0.0	-0.5						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	-2.2		SLVx-E~1	I	0.0	-3.9	0.0
				J	0.0	-3.9	0.0
0.0	-1.1						
			SLVy-E~1	I	-0.0	-9.2	0.0
0.0	-5.0			J	-0.0	-9.2	0.0
0.0	-2.5						
839	3	4	Q1-1_2 Max	I	0.0	6.9	0.0
0.0	9.0			J	0.0	6.9	0.0
0.0	0.0		Min	I	-0.0	-1.8	-0.0
-0.0	-2.4			J	-0.0	-1.8	-0.0
-0.0	-0.0						
			Q1-3_4 Max	I	0.0	5.4	0.0
0.0	7.0			J	0.0	5.4	0.0
0.0	0.0		Min	I	-0.0	-2.4	-0.0
-0.0	-3.1			J	-0.0	-2.4	-0.0
-0.0	-0.0						
			Q2a-1_2 Max	I	0.0	3.8	0.0
0.0	5.0			J	0.0	3.8	0.0
0.0	0.0		Min	I	-0.0	-0.9	-0.0
-0.0	-1.2			J	-0.0	-0.9	-0.0
-0.0	-0.0						
			Q2a-3_4 Max	I	0.0	2.8	0.0
0.0	3.6			J	0.0	2.8	0.0
0.0	0.0		Min	I	-0.0	-1.3	-0.0
-0.0	-1.7			J	-0.0	-1.3	-0.0
-0.0	-0.0						
			Q1-1 Max	I	0.0	3.2	0.0
0.0	4.1			J	0.0	3.2	0.0
0.0	0.0		Min	I	-0.0	-0.5	-0.0
-0.0	-0.6			J	-0.0	-0.5	-0.0
-0.0	-0.0						
			Q1-3 Max	I	0.0	0.4	0.0
0.0	0.6			J	0.0	0.4	0.0
0.0	0.0		Min	I	-0.0	-1.0	-0.0
-0.0	-1.3			J	-0.0	-1.0	-0.0
-0.0	-0.0						
			SLVx (RS)	I	-127.4	354.9	0.0
0.0	461.4						-0.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	0.0		J	-127.4	354.9	0.0	-0.0
-0.0	-650.4	SLVy (RS)	I	302.9	-500.3	-0.0	0.0
-0.0	-0.0		J	302.9	-500.3	-0.0	0.0
0.0	318.1	SLVz (RS)	I	228.5	244.7	0.0	0.0
0.0	0.0		J	228.5	244.7	0.0	0.0
-0.0	5.1	G1	I	0.0	3.9	0.0	0.0
-0.0	0.0		J	0.0	3.9	0.0	0.0
-0.0	1.9	G2	I	0.0	1.4	-0.0	0.0
-0.0	-0.0		J	0.0	1.4	-0.0	0.0
0.0	0.0	pp imp~1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	perm i~1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-11.3	pp2	I	-923.2	-8.7	0.0	0.0
0.0	-0.0		J	-923.2	-8.7	0.0	0.0
0.0	-3.1	perm2	I	-348.2	-2.4	-0.0	0.0
0.0	-0.0		J	-348.2	-2.4	-0.0	0.0
0.0	-2.8	q3	I	0.0	-2.1	0.0	0.0
0.0	-0.0		J	0.0	-2.1	0.0	0.0
-0.0	9.0	q4-1	I	0.0	6.9	-0.0	0.0
-0.0	-0.0		J	0.0	6.9	-0.0	0.0
-0.0	1.3	q4-2	I	0.0	1.0	-0.0	0.0
0.0	0.0		J	0.0	1.0	-0.0	0.0
0.0	-0.6	q4-3	I	0.0	-0.5	0.0	0.0
0.0	0.0		J	0.0	-0.5	0.0	0.0
0.0	0.2	q4-4	I	0.0	0.1	0.0	0.0
			J	0.0	0.1	0.0	0.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	0.0						
-0.0	17.7	q5x_pc	I	0.0	13.6	-0.0	0.0
-0.0	-0.0		J	0.0	13.6	-0.0	0.0
-0.0	0.5	q5y_pc	I	0.0	0.4	0.0	0.0
0.0	-0.0		J	0.0	0.4	0.0	0.0
-0.0	15.5	q5x_ps	I	0.0	11.9	-0.0	0.0
-0.0	0.0		J	0.0	11.9	-0.0	0.0
-0.0	0.5	q5y_ps	I	0.0	0.4	0.0	0.0
-0.0	0.0		J	0.0	0.4	0.0	0.0
0.0	-0.3	q7	I	0.0	-0.2	0.0	0.0
0.0	0.0		J	0.0	-0.2	0.0	0.0
-0.0	1.0	T	I	0.0	0.7	-0.0	0.0
-0.0	0.0		J	0.0	0.7	-0.0	0.0
0.0	-2.1	SLVx-E~1	I	0.0	-1.6	0.0	0.0
0.0	0.0		J	0.0	-1.6	0.0	0.0
0.0	-4.9	SLVy-E~1	I	0.0	-3.8	0.0	0.0
-0.0	0.0		J	0.0	-3.8	0.0	0.0
840	3	4 Q1-1_2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	0.0
-0.0	-0.0	Q1-3_4 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	0.0
-0.0	-0.0	Q2a-1_2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	-0.0		J	-0.0	-0.0	-0.0	0.0
		Q2a-3_4 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	0.0
-0.0	-0.0						
		Q1-1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
-0.0	-0.0						
		Q1-3 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
-0.0	-0.0						
		SLVx (RS)	I	-76.3	-0.0	0.0	0.0
0.0	0.0		J	-76.3	-0.0	0.0	0.0
0.0	0.0						
		SLVy (RS)	I	76.8	-0.0	-0.0	-0.0
-0.0	-0.0		J	76.8	-0.0	-0.0	-0.0
0.0	-0.0						
		SLVz (RS)	I	107.3	0.0	0.0	0.0
0.0	0.0		J	107.3	0.0	0.0	0.0
0.0	0.0						
		G1	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
-0.0	0.0						
		G2	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0						
		pp imp~1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		perm i~1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		pp2	I	-551.6	0.0	0.0	0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	0.0		J	-551.6	0.0	0.0	0.0
0.0	-0.0						
0.0	0.0	perm2	I	-213.1	0.0	0.0	0.0
0.0	-0.0		J	-213.1	0.0	0.0	0.0
0.0	0.0	q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	q4-1	I	0.0	-0.0	-0.0	0.0
-0.0	0.0		J	0.0	-0.0	-0.0	0.0
-0.0	-0.0	q4-2	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0	q4-3	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	0.0	q4-4	I	0.0	0.0	-0.0	0.0
0.0	0.0		J	0.0	0.0	-0.0	0.0
-0.0	-0.0	q5x_pc	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
-0.0	-0.0	q5y_pc	I	0.0	0.0	-0.0	0.0
0.0	0.0		J	0.0	0.0	-0.0	0.0
-0.0	-0.0	q5x_ps	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
-0.0	-0.0	q5y_ps	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	q7	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	T	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	SLVx-E~1	I	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	-0.0			J	0.0	0.0	0.0
0.0	0.0		SLVy-E~1	I	0.0	0.0	0.0
-0.0	-0.0			J	0.0	0.0	0.0
841	3	4	Q1-1_2 Max	I	0.0	0.0	1.6
2.1	0.0			J	0.0	0.0	1.6
0.0	0.0		Min	I	-0.0	-0.0	-6.7
-8.7	-0.0			J	-0.0	-0.0	-6.7
-0.0	-0.0						
1.2	0.0		Q1-3_4 Max	I	0.0	0.0	1.0
0.0	0.0			J	0.0	0.0	1.0
-11.5	-0.0		Min	I	-0.0	-0.0	-8.8
-0.0	-0.0			J	-0.0	-0.0	-8.8
1.2	0.0		Q2a-1_2 Max	I	0.0	0.0	0.9
0.0	0.0			J	0.0	0.0	0.9
-5.3	-0.0		Min	I	-0.0	-0.0	-4.1
-0.0	-0.0			J	-0.0	-0.0	-4.1
0.6	0.0		Q2a-3_4 Max	I	0.0	0.0	0.5
0.0	0.0			J	0.0	0.0	0.5
-7.0	-0.0		Min	I	-0.0	-0.0	-5.4
-0.0	-0.0			J	-0.0	-0.0	-5.4
1.1	0.0		Q1-1 Max	I	0.0	0.0	0.8
0.0	0.0			J	0.0	0.0	0.8
-1.4	-0.0		Min	I	-0.0	-0.0	-1.1
-0.0	-0.0			J	-0.0	-0.0	-1.1
0.1	0.0		Q1-3 Max	I	0.0	0.0	0.1
0.0	0.0			J	0.0	0.0	0.1
-5.5	-0.0		Min	I	-0.0	-0.0	-4.2
-0.0	-0.0			J	-0.0	-0.0	-4.2
-350.1	-0.0		SLVx (RS)	I	-195.8	0.0	-269.3
-0.0	-0.0			J	-195.8	0.0	-269.3

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

1138.6	0.0	SLVy (RS)	I	-292.8	-0.0	-875.8	-0.0	-
			J	-292.8	-0.0	-875.8	-0.0	
0.0	0.0							
108.4	0.0	SLVz (RS)	I	-298.9	0.0	83.4	-0.0	
			J	-298.9	0.0	83.4	-0.0	
-0.0	-0.0							
-7.1	-0.0	G1	I	0.0	-0.0	-5.5	0.0	
			J	0.0	-0.0	-5.5	0.0	
0.0	0.0							
-2.6	-0.0	G2	I	0.0	-0.0	-2.0	0.0	
			J	0.0	-0.0	-2.0	0.0	
0.0	-0.0							
0.0	0.0	pp imp~1	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
0.0	0.0	perm i~1	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
10.3	-0.0	pp2	I	-1455.2	0.0	7.9	0.0	
			J	-1455.2	0.0	7.9	0.0	
-0.0	0.0							
4.0	-0.0	perm2	I	-465.0	0.0	3.0	0.0	
			J	-465.0	0.0	3.0	0.0	
0.0	-0.0							
-0.8	-0.0	q3	I	0.0	0.0	-0.7	0.0	
			J	0.0	0.0	-0.7	0.0	
0.0	0.0							
3.6	0.0	q4-1	I	0.0	-0.0	2.8	0.0	
			J	0.0	-0.0	2.8	0.0	
0.0	0.0							
0.6	0.0	q4-2	I	0.0	0.0	0.5	0.0	
			J	0.0	0.0	0.5	0.0	
0.0	0.0							
-0.2	0.0	q4-3	I	0.0	0.0	-0.2	0.0	
			J	0.0	0.0	-0.2	0.0	
0.0	0.0							
0.0	0.0	q4-4	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
7.8	0.0	q5x_pc	I	0.0	-0.0	6.0	0.0
0.0	0.0		J	0.0	-0.0	6.0	0.0
0.3	0.0	q5y_pc	I	0.0	0.0	0.2	0.0
0.0	0.0		J	0.0	0.0	0.2	0.0
6.8	0.0	q5x_ps	I	0.0	-0.0	5.2	0.0
0.0	-0.0		J	0.0	-0.0	5.2	0.0
0.3	0.0	q5y_ps	I	0.0	0.0	0.2	0.0
0.0	0.0		J	0.0	0.0	0.2	0.0
-0.1	0.0	q7	I	0.0	0.0	-0.1	0.0
0.0	0.0		J	0.0	0.0	-0.1	0.0
0.4	0.0	T	I	-0.0	0.0	0.3	0.0
0.0	0.0		J	-0.0	0.0	0.3	0.0
-0.8	0.0	SLVx-E~1	I	-0.0	0.0	-0.6	0.0
-0.0	-0.0		J	-0.0	0.0	-0.6	0.0
-1.9	-0.0	SLVy-E~1	I	0.0	0.0	-1.5	0.0
-0.0	-0.0		J	0.0	0.0	-1.5	0.0
842	3	4 Q1-1_2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0	Q1-3_4 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0	Q2a-1_2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

0.0	0.0	Q2a-3_4 Max	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
-0.0	-0.0						
		Q1-1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
-0.0	-0.0						
		Q1-3 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
-0.0	-0.0						
		SLVx (RS)	I	191.8	-0.0	-0.0	0.0
-0.0	-0.0		J	191.8	-0.0	-0.0	0.0
0.0	-0.0						
		SLVy (RS)	I	-228.0	-0.0	-0.0	-0.0
0.0	0.0		J	-228.0	-0.0	-0.0	-0.0
-0.0	0.0						
		SLVz (RS)	I	-320.6	-0.0	0.0	0.0
0.0	0.0		J	-320.6	-0.0	0.0	0.0
-0.0	0.0						
		G1	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	0.0						
		G2	I	0.0	0.0	-0.0	0.0
0.0	0.0		J	0.0	0.0	-0.0	0.0
0.0	0.0						
		pp imp~1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		perm i~1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		pp2	I	-1355.5	-0.0	0.0	0.0
0.0	0.0		J	-1355.5	-0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
-0.0	-0.0						
		perm2	I	-440.9	0.0	-0.0	0.0
-0.0	-0.0		J	-440.9	0.0	-0.0	0.0
-0.0	-0.0						
		q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0						
		q4-1	I	0.0	-0.0	0.0	0.0
0.0	-0.0		J	0.0	-0.0	0.0	0.0
-0.0	0.0						
		q4-2	I	0.0	-0.0	-0.0	0.0
-0.0	-0.0		J	0.0	-0.0	-0.0	0.0
0.0	-0.0						
		q4-3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0						
		q4-4	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q5x_pc	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0						
		q5y_pc	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
0.0	0.0						
		q5x_ps	I	0.0	-0.0	-0.0	0.0
0.0	0.0		J	0.0	-0.0	-0.0	0.0
0.0	-0.0						
		q5y_ps	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		q7	I	0.0	-0.0	0.0	0.0
0.0	0.0		J	0.0	-0.0	0.0	0.0
0.0	0.0						
		T	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		SLVx-E~1	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		


0.0	-0.0		SLVy-E~1	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
-0.0	0.0							
843	3	4	Q1-1_2 Max	I	0.0	3.5	0.0	0.0
0.0	1.0			J	0.0	3.5	0.0	0.0
0.0	0.0		Min	I	-0.0	-10.5	-0.0	0.0
-0.0	-2.9			J	-0.0	-10.5	-0.0	0.0
-0.0	-0.0							
			Q1-3_4 Max	I	0.0	4.7	0.0	0.0
0.0	1.3			J	0.0	4.7	0.0	0.0
0.0	0.0		Min	I	-0.0	-8.3	-0.0	0.0
-0.0	-2.3			J	-0.0	-8.3	-0.0	0.0
-0.0	-0.0							
			Q2a-1_2 Max	I	0.0	1.9	0.0	0.0
0.0	0.5			J	0.0	1.9	0.0	0.0
0.0	0.0		Min	I	-0.0	-5.8	-0.0	0.0
-0.0	-1.6			J	-0.0	-5.8	-0.0	0.0
-0.0	-0.0							
			Q2a-3_4 Max	I	0.0	2.6	0.0	0.0
0.0	0.7			J	0.0	2.6	0.0	0.0
0.0	0.0		Min	I	-0.0	-4.4	-0.0	0.0
-0.0	-1.2			J	-0.0	-4.4	-0.0	0.0
-0.0	-0.0							
			Q1-1 Max	I	0.0	1.0	0.0	0.0
0.0	0.3			J	0.0	1.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-4.8	-0.0	0.0
-0.0	-1.3			J	-0.0	-4.8	-0.0	0.0
-0.0	-0.0							
			Q1-3 Max	I	0.0	2.0	0.0	0.0
0.0	0.6			J	0.0	2.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.8	-0.0	0.0
-0.0	-0.2			J	-0.0	-0.8	-0.0	0.0
-0.0	-0.0							
			SLVx (RS)	I	194.4	-319.1	-0.0	-0.0
-0.0	-87.7			J	194.4	-319.1	-0.0	-0.0
-0.0	0.0							
			SLVy (RS)	I	-91.1	-538.4	0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	-148.1		J	-91.1	-538.4	0.0	-0.0
0.0	-0.0						
0.0	42.8	SLVz (RS)	I	-882.2	155.7	-0.0	0.0
-0.0	-0.0		J	-882.2	155.7	-0.0	0.0
0.0	-1.4	G1	I	0.0	-5.2	0.0	0.0
0.0	0.0		J	0.0	-5.2	0.0	0.0
0.0	-0.5	G2	I	0.0	-1.9	0.0	0.0
0.0	0.0		J	0.0	-1.9	0.0	0.0
-0.0	0.1	pp imp~1	I	-1680.0	0.4	-0.0	0.0
-0.0	-0.0		J	-1680.0	0.4	-0.0	0.0
-0.0	0.0	perm i~1	I	-541.0	0.1	-0.0	0.0
-0.0	-0.0		J	-541.0	0.1	-0.0	0.0
0.0	-0.0	pp2	I	0.0	-0.0	0.0	0.0
0.0	0.0		J	0.0	-0.0	0.0	0.0
0.0	-0.0	perm2	I	0.0	-0.0	0.0	0.0
0.0	0.0		J	0.0	-0.0	0.0	0.0
0.0	-0.9	q3	I	0.0	-3.3	0.0	0.0
0.0	0.0		J	0.0	-3.3	0.0	0.0
0.0	-0.1	q4-1	I	0.0	-0.2	0.0	0.0
0.0	0.0		J	0.0	-0.2	0.0	0.0
-0.0	0.1	q4-2	I	0.0	0.4	-0.0	0.0
-0.0	0.0		J	0.0	0.4	-0.0	0.0
0.0	-0.4	q4-3	I	0.0	-1.5	0.0	0.0
0.0	0.0		J	0.0	-1.5	0.0	0.0
0.0	-2.4	q4-4	I	0.0	-8.8	-0.0	0.0
0.0	0.0		J	0.0	-8.8	-0.0	0.0
0.0	-1.6	q5x_pc	I	0.0	-5.8	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT	
0.0	0.0		J	0.0	-5.8	0.0	0.0
-0.0	6.4	q5y_pc	I	0.0	23.1	-0.0	-0.0
-0.0	-0.0		J	0.0	23.1	-0.0	-0.0
0.0	-1.9	q5x_ps	I	0.0	-6.7	0.0	0.0
0.0	0.0		J	0.0	-6.7	0.0	0.0
-0.0	5.1	q5y_ps	I	0.0	18.7	-0.0	0.0
-0.0	-0.0		J	0.0	18.7	-0.0	0.0
0.0	-0.1	q7	I	0.0	-0.2	0.0	0.0
0.0	0.0		J	0.0	-0.2	0.0	0.0
0.0	-0.5	T	I	0.0	-1.7	0.0	0.0
0.0	0.0		J	0.0	-1.7	0.0	0.0
0.0	-1.1	SLVx-E~1	I	0.0	-3.9	0.0	0.0
0.0	-0.0		J	0.0	-3.9	0.0	0.0
0.0	-2.5	SLVy-E~1	I	0.0	-9.2	0.0	0.0
0.0	-0.0		J	0.0	-9.2	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


REACTION FORCES & MOMENTS DEFAULT PRINTOUT.
kN , m

Unit System :

Node MZ	LC		FX	FY	FZ	MX	MY
294	Q1-1_2	Max	7.9	20.2	1808.2	1577.9	175.1
18.8		Min	-3.5	-52.5	-280.4	-4125.8	-997.7
-6.2							
	Q1-3_4	Max	7.1	17.6	1841.9	2278.1	127.9
16.1		Min	-2.8	-46.2	-273.7	-3198.0	-1266.5
-6.0							
	Q2a-1_2	Max	4.4	11.0	1068.4	820.0	98.9
10.6		Min	-1.9	-29.3	-155.1	-2243.4	-618.6
-3.4							
	Q2a-3_4	Max	3.9	9.7	1080.5	1261.4	70.5
8.7		Min	-1.5	-25.1	-149.2	-1651.3	-790.7
-3.5							
	Q1-1	Max	3.1	9.1	657.6	385.9	87.5
8.1		Min	-1.6	-21.4	-103.4	-1893.2	-212.6
-2.6							
	Q1-3	Max	2.1	5.4	683.6	1025.9	37.8
3.3		Min	-0.7	-11.8	-83.7	-262.0	-597.7
-2.3							
	SLVx (RS)		1443.7	-1135.6	-358.1	36902.4	36424.2
273.5	SLVy (RS)		-602.5	-1588.2	235.2	46260.6	-14424.1
444.1	SLVz (RS)		-251.3	246.1	-2912.6	-1835.5	-1458.3
-105.2							
	G1		6.2	-39.4	9688.1	-1571.8	-781.5
13.1	G2		2.3	-14.3	640.2	-570.2	-283.9
4.8	pp imp~1		-1.0	6.2	1680.0	-241.2	1302.2
-1.8	perm i~1		-0.3	2.0	541.0	-77.7	419.3
-0.6	pp2		-0.0	0.1	-0.0	-6.6	-0.9
-0.0	perm2		-0.0	0.0	-0.0	-1.7	-0.2
-0.0	q3		-8.7	44.8	-13.6	-2058.2	-302.3
-10.0	q4-1		-0.7	3.8	1.1	-139.7	-31.1
-0.9	q4-2		1.5	-7.6	-1.1	301.0	58.8
1.8	q4-3		-4.3	22.3	-5.6	-974.1	-156.6
-5.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-30.6	q4-4		-26.1	134.9	0.7	-5743.8	-986.9
171.0	q5x_pc		-364.5	81.1	-44.9	-2845.2	-7874.5
64.0	q5y_pc		37.2	-474.3	21.2	16262.3	1725.2
-22.4	q5x_ps		-19.3	99.5	-46.2	-4352.3	-680.5
65.7	q5y_ps		55.8	-289.2	19.7	12214.4	2108.0
-0.6	q7		-0.5	2.6	-3.5	-131.6	-14.6
-5.3	T		-4.6	23.8	4.4	-1094.7	-169.5
-3.9	SLVx-E~1		-4.9	22.9	-0.4	-892.0	-193.8
-9.1	SLVy-E~1		-11.4	53.5	-1.0	-2081.3	-452.2
519	Q1-1_2	Max	57.3	121.0	3359.1	3429.5	1996.3
381.9		Min	-79.4	-114.8	-355.1	-4346.6	-3069.1
-573.5	Q1-3_4	Max	59.2	130.4	3448.7	3767.6	2738.9
353.2		Min	-75.6	-110.6	-346.8	-3793.3	-2434.6
-535.7	Q2a-1_2	Max	31.1	65.4	1695.4	1779.2	1006.7
209.9		Min	-42.2	-60.3	-200.0	-2317.7	-1590.6
-300.3	Q2a-3_4	Max	30.7	69.7	1729.2	1900.7	1396.4
190.1		Min	-40.2	-58.0	-192.6	-1983.3	-1224.0
-273.8	Q1-1	Max	19.9	37.1	1072.6	911.6	155.3
149.0		Min	-28.9	-41.4	-132.2	-1791.1	-1353.0
-223.2	Q1-3	Max	20.2	47.7	1121.9	1358.5	1205.3
90.2		Min	-22.7	-30.9	-108.9	-701.4	-199.6
-134.9	SLVx (RS)		1650.2	-1839.0	-391.7	49983.3	44708.6
5237.5	SLVy (RS)		-951.8	-1228.1	-321.7	30892.9	-19950.2
3118.1	SLVz (RS)		156.3	-143.3	-1643.8	944.0	813.1
181.3	G1		-21.5	21.0	11280.4	370.3	15.5
-341.7	G2		-7.7	7.6	1948.5	132.2	4.9
-124.3	pp imp~1		4.8	-6.4	0.0	200.5	152.1
63.8	perm i~1		1.6	-2.1	0.0	64.6	49.0
20.6	pp2		-1.6	1.3	-0.0	-39.0	-50.8
0.4	perm2		-0.4	0.3	-0.0	-10.2	-13.8


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		

0.1								
	q3		-208.8	-196.3	-5.7	5677.8	-6830.5	-
1282.3								
	q4-1		-1.2	-46.3	-4.0	1457.1	-30.0	
-199.2								
	q4-2		-35.0	7.1	-2.6	-262.4	-1120.6	
88.5								
	q4-3		-84.9	108.3	10.2	-3567.2	-2775.7	
-21.7								
	q4-4		19.1	26.6	5.5	-894.4	554.0	
-231.2								
	q5x_pc		-844.3	323.9	-0.9	-10850.4	-26870.3	
-529.5								
	q5y_pc		60.9	-861.5	-94.3	27461.2	2264.3	-
1007.6								
	q5x_ps		-917.4	319.4	1.8	-10643.9	-29114.1	
-764.5								
	q5y_ps		55.4	-775.2	-81.7	24555.7	1954.0	
-920.4								
	q7		-43.1	41.0	2.7	-1313.1	-1368.6	
27.8								
	T		147.9	262.5	-10.6	-8284.0	4567.1	
694.2								
	SLVx-E~1		-19.3	-14.1	-0.7	417.6	-618.9	
-416.0								
	SLVy-E~1		-45.0	-32.9	-1.6	974.3	-1444.1	
-970.7								
630	Q1-1_2	Max	1.6	0.8	0.0	0.0	0.0	
0.0		Min	-6.2	-3.0	0.0	0.0	0.0	
0.0								
	Q1-3_4	Max	2.1	1.0	0.0	0.0	0.0	
0.0		Min	-4.8	-2.3	0.0	0.0	0.0	
0.0								
	Q2a-1_2	Max	0.9	0.4	0.0	0.0	0.0	
0.0		Min	-3.4	-1.7	0.0	0.0	0.0	
0.0								
	Q2a-3_4	Max	1.2	0.6	0.0	0.0	0.0	
0.0		Min	-2.5	-1.2	0.0	0.0	0.0	
0.0								
	Q1-1	Max	0.4	0.2	0.0	0.0	0.0	
0.0		Min	-2.9	-1.4	0.0	0.0	0.0	
0.0								
	Q1-3	Max	0.9	0.4	0.0	0.0	0.0	
0.0		Min	-0.4	-0.2	0.0	0.0	0.0	
0.0								
	SLVx (RS)		103.2	50.3	0.0	0.0	0.0	
0.0								
	SLVy (RS)		-64.6	-31.5	0.0	0.0	0.0	
0.0								
	SLVz (RS)		18.0	8.8	0.0	0.0	0.0	
0.0								
	G1		-3.5	-1.7	0.0	0.0	0.0	
0.0								


MIDAS

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
	G2		-1.3	-0.6	0.0	0.0	0.0
0.0	pp imp~1		-0.0	-0.0	0.0	0.0	0.0
0.0	perm i~1		-0.0	-0.0	0.0	0.0	0.0
0.0	pp2		7.8	3.8	0.0	0.0	0.0
0.0	perm2		2.1	1.0	0.0	0.0	0.0
0.0	q3		1.9	0.9	0.0	0.0	0.0
0.0	q4-1		-6.2	-3.0	0.0	0.0	0.0
0.0	q4-2		-0.9	-0.4	0.0	0.0	0.0
0.0	q4-3		0.4	0.2	0.0	0.0	0.0
0.0	q4-4		-0.1	-0.1	0.0	0.0	0.0
0.0	q5x_pc		-12.2	-6.0	0.0	0.0	0.0
0.0	q5y_pc		-0.4	-0.2	0.0	0.0	0.0
0.0	q5x_ps		-10.7	-5.2	0.0	0.0	0.0
0.0	q5y_ps		-0.4	-0.2	0.0	0.0	0.0
0.0	q7		0.2	0.1	0.0	0.0	0.0
0.0	T		-0.7	-0.3	0.0	0.0	0.0
0.0	SLVx-E~1		1.5	0.7	0.0	0.0	0.0
0.0	SLVy-E~1		3.4	1.7	0.0	0.0	0.0
798	Q1-1_2	Max	37.7	16.8	1797.5	872.1	2506.2
42.8		Min	-25.5	-12.1	-269.4	-6016.9	-1402.8
-39.1							
	Q1-3_4	Max	39.5	16.0	1836.2	472.1	3746.0
56.8		Min	-20.6	-11.1	-263.0	-7569.5	-941.6
-30.1							
	Q2a-1_2	Max	20.5	9.2	1062.7	495.0	1476.8
22.2		Min	-13.9	-6.7	-149.1	-3675.2	-766.6
-20.9							
	Q2a-3_4	Max	21.3	8.8	1078.1	247.0	2249.9
29.2		Min	-10.8	-6.2	-143.4	-4655.9	-489.1
-15.6							
	Q1-1	Max	12.6	6.1	649.3	479.7	189.8
7.4		Min	-11.0	-4.8	-99.3	-1182.8	-722.5
-17.8							
	Q1-3	Max	14.1	5.4	684.8	35.1	1880.6
24.7		Min	-4.4	-4.1	-80.5	-3562.1	-93.1

MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			
-6.8	SLVx (RS)	2237.8	-1051.2	695.5	16487.5	35065.8	
1248.6	SLVy (RS)	-1789.7	-2805.7	665.9	46095.5	-31488.9	
2802.1	SLVz (RS)	523.5	-333.0	-1635.4	2449.7	6051.4	
1038.8	G1	23.8	7.3	8320.2	-5218.0	1678.3	
26.1	G2	8.7	2.6	636.2	-1892.8	608.9	
9.5	pp imp~1	-0.3	-0.1	-0.0	4.0	-6.1	
-0.5	perm i~1	-0.1	-0.0	-0.0	1.3	-2.0	
-0.2	pp2	-6.9	1.6	4285.5	7923.6	-1832.9	
18.9	perm2	-1.4	1.2	1467.2	2930.9	-861.9	
4.0	q3	55.8	24.3	7.1	-258.8	819.0	
95.5	q4-1	-145.6	-62.8	-3.9	1467.0	-2789.6	
-258.2	q4-2	-20.3	-8.7	-5.2	254.8	-421.6	
-36.3	q4-3	10.8	4.7	-1.4	-84.0	189.5	
18.9	q4-4	-3.3	-1.5	1.8	8.0	-46.6	
-5.7	q5x_pc	-277.5	-119.2	-53.1	3310.8	-5656.1	
-495.9	q5y_pc	-5.9	-2.5	5.9	118.0	-168.7	
-11.3	q5x_ps	-243.6	-104.7	-45.0	2880.9	-4946.8	
-435.0	q5y_ps	-5.8	-2.4	6.8	117.3	-168.6	
-11.1	q7	5.7	2.5	-1.2	-28.0	88.0	
9.9	T	-12.9	-5.5	4.2	188.2	-300.7	
-23.7	SLVx-E~1	35.4	15.3	1.0	-319.2	648.3	
62.4	SLVy-E~1	82.6	35.7	2.4	-744.7	1512.7	
145.6							
799	Q1-1_2	Max	77.8	114.6	3366.8	3202.9	2224.5
313.3		Min	-64.4	-115.1	-340.2	-3165.6	-3148.1
-196.2							
	Q1-3_4	Max	71.0	108.8	3454.8	3336.2	3217.5
330.8		Min	-76.6	-121.7	-332.8	-3058.2	-2174.4
-160.5							
	Q2a-1_2	Max	41.4	58.4	1699.0	1748.8	1115.0
159.2		Min	-32.1	-62.6	-191.6	-1613.5	-1576.5
-108.7							
	Q2a-3_4	Max	37.5	54.7	1732.0	1803.7	1580.7
167.9		Min	-38.0	-65.7	-184.8	-1544.2	-1014.5
-85.8							


MIDAS

PROJECT TITLE :


MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT			

98.2	Q1-1	Max	28.3	42.1	1076.2	1032.7	447.9	
-87.8		Min	-19.0	-35.1	-126.4	-1134.4	-1518.9	
113.6	Q1-3	Max	23.5	26.1	1121.5	1195.5	1310.7	
-21.0		Min	-28.4	-44.6	-105.0	-788.5	-22.5	
5057.1	SLVx	(RS)	1738.5	-547.5	337.6	10460.0	44049.8	
1380.7	SLVy	(RS)	-1427.6	-1395.2	450.1	35258.7	-33001.9	-1
-252.0	SLVz	(RS)	113.1	249.5	-1573.9	-1046.1	-614.8	
328.2	G1		-7.8	3.0	10701.0	-156.9	1041.1	
118.7	G2		-2.9	1.1	1958.1	-57.3	377.9	
-1.0	pp imp~1		-3.5	0.7	0.0	-20.3	-98.2	
-0.3	perm i~1		-1.1	0.2	0.0	-6.5	-31.6	
-39.3	pp2		4.7	-0.0	0.0	1.1	133.5	
-10.4	perm2		1.3	-0.0	0.0	0.1	34.7	
1263.1	q3		-63.7	-342.7	23.7	9661.2	-2321.2	-
-87.3	q4-1		34.5	-49.1	6.8	1379.6	991.8	
-35.1	q4-2		-144.6	-2.8	9.0	93.2	-4301.5	
-114.7	q4-3		-35.2	27.8	-3.2	-777.1	-1062.7	
172.5	q4-4		52.3	26.8	-7.9	-755.1	1494.8	
2060.8	q5x_pc		-1372.8	-248.3	98.9	6965.2	-38370.1	-
1471.9	q5y_pc		-98.7	-827.6	67.2	20356.9	-2736.9	-
2418.9	q5x_ps		-1306.1	-311.4	89.4	8816.1	-37844.4	-
1370.4	q5y_ps		-105.1	-618.9	55.2	17383.1	-2806.1	-
-52.2	q7		-65.4	9.5	2.1	-263.5	-1893.4	
-395.2	T		-129.4	-281.9	2.0	7930.3	-3778.1	
-289.8	SLVx-E~1		-13.0	-29.3	0.1	821.1	-328.1	
-676.3	SLVy-E~1		-30.4	-68.4	0.2	1915.8	-765.6	
807	Q1-1_2	Max	3.4	5.8	0.0	0.0	0.0	
0.0		Min	-0.8	-1.4	0.0	0.0	0.0	
0.0								
0.0	Q1-3_4	Max	4.5	7.6	0.0	0.0	0.0	
0.0		Min	-0.5	-0.8	0.0	0.0	0.0	


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0	Q2a-1_2	Max	2.1	3.5	0.0	0.0	0.0
0.0		Min	-0.5	-0.8	0.0	0.0	0.0
0.0	Q2a-3_4	Max	2.7	4.7	0.0	0.0	0.0
0.0		Min	-0.3	-0.4	0.0	0.0	0.0
0.0	Q1-1	Max	0.6	0.9	0.0	0.0	0.0
0.0		Min	-0.4	-0.7	0.0	0.0	0.0
0.0	Q1-3	Max	2.2	3.7	0.0	0.0	0.0
0.0		Min	-0.0	-0.1	0.0	0.0	0.0
0.0	SLVx (RS)		13.2	-25.7	0.0	0.0	0.0
0.0	SLVy (RS)		-25.0	-57.0	0.0	0.0	0.0
0.0	SLVz (RS)		2.0	4.0	0.0	0.0	0.0
0.0	G1		2.8	4.7	0.0	0.0	0.0
0.0	G2		1.0	1.7	0.0	0.0	0.0
0.0	pp imp~1		-0.0	-0.0	0.0	0.0	0.0
0.0	perm i~1		-0.0	-0.0	0.0	0.0	0.0
0.0	pp2		-4.0	-6.8	0.0	0.0	0.0
0.0	perm2		-1.5	-2.6	0.0	0.0	0.0
0.0	q3		0.3	0.6	0.0	0.0	0.0
0.0	q4-1		-1.4	-2.4	0.0	0.0	0.0
0.0	q4-2		-0.2	-0.4	0.0	0.0	0.0
0.0	q4-3		0.1	0.2	0.0	0.0	0.0
0.0	q4-4		-0.0	-0.0	0.0	0.0	0.0
0.0	q5x_pc		-3.0	-5.2	0.0	0.0	0.0
0.0	q5y_pc		-0.1	-0.2	0.0	0.0	0.0
0.0	q5x_ps		-2.7	-4.5	0.0	0.0	0.0
0.0	q5y_ps		-0.1	-0.2	0.0	0.0	0.0
0.0	q7		0.0	0.1	0.0	0.0	0.0
0.0	T		-0.2	-0.3	0.0	0.0	0.0
0.0	SLVx-E~1		0.3	0.5	0.0	0.0	0.0
0.0	SLVy-E~1		0.7	1.3	0.0	0.0	0.0
810	Q1-1_2	Max	0.0	10.5	0.0	0.0	0.0

PROJECT TITLE :

	Company				Client			
	Author				File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT		
0.0		Min	0.0	-3.5	0.0	0.0	0.0	0.0
0.0								
0.0	Q1-3_4	Max	0.0	8.3	0.0	0.0	0.0	0.0
0.0		Min	0.0	-4.7	0.0	0.0	0.0	0.0
0.0								
0.0	Q2a-1_2	Max	0.0	5.8	0.0	0.0	0.0	0.0
0.0		Min	0.0	-1.9	0.0	0.0	0.0	0.0
0.0								
0.0	Q2a-3_4	Max	0.0	4.4	0.0	0.0	0.0	0.0
0.0		Min	0.0	-2.6	0.0	0.0	0.0	0.0
0.0								
0.0	Q1-1	Max	0.0	4.8	0.0	0.0	0.0	0.0
0.0		Min	0.0	-1.0	0.0	0.0	0.0	0.0
0.0								
0.0	Q1-3	Max	0.0	0.8	0.0	0.0	0.0	0.0
0.0		Min	0.0	-2.0	0.0	0.0	0.0	0.0
0.0								
0.0	SLVx	(RS)	0.0	-167.8	0.0	0.0	0.0	0.0
0.0	SLVy	(RS)	0.0	-163.5	0.0	0.0	0.0	0.0
0.0	SLVz	(RS)	0.0	1.3	0.0	0.0	0.0	0.0
0.0								
0.0	G1		0.0	5.2	0.0	0.0	0.0	0.0
0.0								
0.0	G2		0.0	1.9	0.0	0.0	0.0	0.0
0.0								
0.0	pp imp~1		0.0	-0.4	0.0	0.0	0.0	0.0
0.0								
0.0	perm i~1		0.0	-0.1	0.0	0.0	0.0	0.0
0.0								
0.0	pp2		0.0	0.0	0.0	0.0	0.0	0.0
0.0								
0.0	perm2		0.0	0.0	0.0	0.0	0.0	0.0
0.0								
0.0	q3		0.0	3.3	0.0	0.0	0.0	0.0
0.0								
0.0	q4-1		0.0	0.2	0.0	0.0	0.0	0.0
0.0								
0.0	q4-2		0.0	-0.4	0.0	0.0	0.0	0.0
0.0								
0.0	q4-3		0.0	1.5	0.0	0.0	0.0	0.0
0.0								
0.0	q4-4		0.0	8.8	0.0	0.0	0.0	0.0
0.0								
0.0	q5x_pc		0.0	5.8	0.0	0.0	0.0	0.0
0.0								
0.0	q5y_pc		0.0	-23.1	0.0	0.0	0.0	0.0
0.0								
0.0	q5x_ps		0.0	6.7	0.0	0.0	0.0	0.0
0.0								
0.0	q5y_ps		0.0	-18.7	0.0	0.0	0.0	0.0
0.0								
0.0	q7		0.0	0.2	0.0	0.0	0.0	0.0
0.0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT


0.0	T	0.0	1.7	0.0	0.0	0.0
0.0	SLVx-E~1	0.0	3.9	0.0	0.0	0.0
0.0	SLVy-E~1	0.0	9.2	0.0	0.0	0.0
0.0						

SUMMATION OF REACTION FORCES


LC	SUM-FX	SUM-FY	SUM-FZ
-----	-----	-----	-----
SLVx (RS)	4914.2	-3672.8	959.0
SLVy (RS)	-3238.2	-4586.5	819.0
SLVz (RS)	651.4	453.7	-5359.8
G1	-0.0	0.0	39989.7
G2	-0.0	0.0	5183.0
pp imp~1	0.0	-0.0	1680.0
perm i~1	0.0	-0.0	541.0
pp2	0.0	-0.0	4285.5
perm2	0.0	0.0	1467.2
q3	-223.2	-465.1	11.5
q4-1	-120.6	-159.6	0.0
q4-2	-199.6	-13.3	0.0
q4-3	-113.2	164.9	-0.0
q4-4	41.8	195.6	-0.0
q5x_pc	-2874.4	32.2	0.0
q5y_pc	-6.9	-2189.4	0.0
q5x_ps	-2499.7	-0.1	-0.0
q5y_ps	-0.1	-1704.8	0.0
q7	-103.0	55.9	-0.0
T	0.1	-0.0	-0.0
SLVx-E~1	-0.0	-0.0	-0.0
SLVy-E~1	-0.0	-0.1	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1101_A_AP_NOT_TABULATO_1_OUTPUT