

	PROGETTISTA  <i>Tecnologia Ricerca Rischi</i>	COMMESSA	UNITA' -
	LOCALITA' REGIONE LIGURIA	DIS-MEC-D-15010	
	PROGETTO / IMPIANTO FSRU Alto Tirreno e Collegamento alla Rete Nazionale Gasdotti		Rev. 0

Rif. TRR: 72438

**EMERGENZA GAS
INCREMENTO DI CAPACITÀ DI RIGASSIFICAZIONE (DL 17.05.2022, n. 50)**

FSRU Alto Tirreno e Collegamento alla Rete Nazionale Gasdotti

**Rapporto Preliminare di Sicurezza
per la fase di Nulla Osta di Fattibilità (NOF)
ai sensi del D.Lgs. 105/15**


**Allegato C.7.11
Planimetria Classificazione Aree A Rischio Di Esplosione**

0	Emissione	TRR	G.Romano	G. Lanza	Giugno 2023
Rev.	Descrizione	Elaborato	Verificato	Approvato	Data

Illustration 1.4a Hazardous Areas Plan

Key

- Area Classification Zone 0 - An area in which an explosive atmosphere is present continuously or for long period.
- Area Classification Zone 1 - An area in which an explosive atmosphere is likely to occur in normal operation.
- Area Classification Zone 2 - An area in which an explosive atmosphere is not likely to occur during normal operation and, if it does occur, is likely to do so only infrequently and will exist for a short period only.



R

Illustration 1.4b Hazardous Areas Plan - Midship

