

IMMISSIONE - STATO DI PROGETTO - VENTO 4 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC_05	4 m/s	44.2	35.5	70	60	OK	OK
RC_18	4 m/s	50.5	41.3	70	60	OK	OK
RC_19	4 m/s	53.8	44.4	70	60	OK	OK
RC_23	4 m/s	31.3	30.4	70	60	OK	OK
RC_34	4 m/s	31.0	29.9	70	60	OK	OK
RC_48	4 m/s	40.6	33.1	70	60	OK	OK
RC_57	4 m/s	46.0	34.4	70	60	OK	OK
RC_65	4 m/s	31.0	30.2	70	60	OK	OK
RC_79	4 m/s	37.2	30.3	70	60	OK	OK
RC_80	4 m/s	35.0	30.4	70	60	OK	OK
RC_81	4 m/s	30.6	29.4	70	60	OK	OK
RC_82	4 m/s	36.8	30.6	70	60	OK	OK
RC_85	4 m/s	42.6	34.4	70	60	OK	OK
RC_91	4 m/s	35.4	31.7	70	60	OK	OK
RC_96	4 m/s	39.0	31.6	70	60	OK	OK
RC_102	4 m/s	31.8	30.8	70	60	OK	OK
RC_103	4 m/s	37.9	31.9	70	60	OK	OK
RC_108	4 m/s	37.2	31.5	70	60	OK	OK
RC_111	4 m/s	39.1	32.4	70	60	OK	OK
RC_114	4 m/s	40.7	32.8	70	60	OK	OK
RC_115	4 m/s	46.6	35.0	70	60	OK	OK
RC_116	4 m/s	35.7	31.3	70	60	OK	OK
RC_124	4 m/s	42.8	32.8	70	60	OK	OK
RC_126	4 m/s	45.7	34.2	70	60	OK	OK
RC_127	4 m/s	43.9	33.5	70	60	OK	OK
RC_128	4 m/s	45.1	33.7	70	60	OK	OK
RC_131	4 m/s	49.2	36.2	70	60	OK	OK
RC_137	4 m/s	31.6	29.9	70	60	OK	OK
RC_140	4 m/s	31.0	30.2	70	60	OK	OK
RC_144	4 m/s	42.3	34.2	70	60	OK	OK
RC_146	4 m/s	53.4	44.0	70	60	OK	OK
RC_147	4 m/s	49.4	40.1	70	60	OK	OK
RC_149	4 m/s	57.1	47.6	70	60	OK	OK
RC_150	4 m/s	38.0	31.9	70	60	OK	OK
RC_154	4 m/s	51.4	42.1	70	60	OK	OK
RC_155	4 m/s	52.3	42.9	70	60	OK	OK
RC_159	4 m/s	33.0	30.2	70	60	OK	OK
RC_167	4 m/s	44.1	35.5	70	60	OK	OK
RC_168	4 m/s	32.9	30.0	70	60	OK	OK
RC_172	4 m/s	42.2	34.1	70	60	OK	OK
RC_174	4 m/s	43.2	34.9	70	60	OK	OK
RC_196	4 m/s	40.7	32.7	70	60	OK	OK
RC_200	4 m/s	32.6	30.9	70	60	OK	OK
RC_201	4 m/s	51.0	41.7	70	60	OK	OK
RC_202	4 m/s	39.8	33.2	70	60	OK	OK
RC_204	4 m/s	35.3	31.4	70	60	OK	OK
RC_211	4 m/s	31.7	31.3	70	60	OK	OK
RC_225	4 m/s	30.4	29.4	70	60	OK	OK
RC_230	4 m/s	30.4	29.9	70	60	OK	OK
RC_232	4 m/s	32.4	29.8	70	60	OK	OK
RC_233	4 m/s	30.5	30.3	70	60	OK	OK
RC_235	4 m/s	30.3	30.2	70	60	OK	OK
RC_237	4 m/s	30.3	29.4	70	60	OK	OK
RC_238	4 m/s	31.2	29.9	70	60	OK	OK
RC_239	4 m/s	29.9	29.7	70	60	OK	OK
RC_247	4 m/s	33.3	30.5	70	60	OK	OK
RC_252	4 m/s	33.0	29.9	70	60	OK	OK
RC_258	4 m/s	48.2	39.0	70	60	OK	OK
RC_259	4 m/s	30.8	29.3	70	60	OK	OK
RC_261	4 m/s	33.7	30.3	70	60	OK	OK
RC_262	4 m/s	45.5	35.2	70	60	OK	OK
RC_269	4 m/s	31.4	30.7	70	60	OK	OK
RC_280	4 m/s	54.0	44.5	70	60	OK	OK
RC_291	4 m/s	33.4	30.1	70	60	OK	OK
RC_294	4 m/s	30.4	29.7	70	60	OK	OK
RC_295	4 m/s	42.4	34.2	70	60	OK	OK
RC_296	4 m/s	37.0	31.0	70	60	OK	OK
RC_297	4 m/s	34.4	30.5	70	60	OK	OK
RC_298	4 m/s	30.5	30.0	70	60	OK	OK
RC_300	4 m/s	56.4	46.2	70	60	OK	OK

IMMISSIONE - STATO DI PROGETTO - VENTO 5 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC_05	5 m/s	44.3	36.0	70	60	OK	OK
RC_18	5 m/s	50.6	41.4	70	60	OK	OK
RC_19	5 m/s	53.8	44.5	70	60	OK	OK
RC_23	5 m/s	32.8	32.1	70	60	OK	OK
RC_34	5 m/s	32.4	31.6	70	60	OK	OK
RC_48	5 m/s	40.7	34.0	70	60	OK	OK
RC_57	5 m/s	46.1	35.2	70	60	OK	OK
RC_65	5 m/s	32.6	32.0	70	60	OK	OK
RC_79	5 m/s	37.6	31.8	70	60	OK	OK
RC_80	5 m/s	35.6	31.8	70	60	OK	OK
RC_81	5 m/s	31.9	31.0	70	60	OK	OK
RC_82	5 m/s	37.1	31.7	70	60	OK	OK
RC_85	5 m/s	42.7	34.9	70	60	OK	OK
RC_91	5 m/s	36.3	33.5	70	60	OK	OK
RC_96	5 m/s	39.3	33.1	70	60	OK	OK
RC_102	5 m/s	33.3	32.6	70	60	OK	OK
RC_103	5 m/s	38.3	33.3	70	60	OK	OK
RC_108	5 m/s	37.6	32.8	70	60	OK	OK
RC_111	5 m/s	39.4	33.5	70	60	OK	OK
RC_114	5 m/s	41.0	34.3	70	60	OK	OK
RC_115	5 m/s	46.7	35.8	70	60	OK	OK
RC_116	5 m/s	36.2	32.6	70	60	OK	OK
RC_124	5 m/s	42.9	34.0	70	60	OK	OK
RC_126	5 m/s	45.8	35.1	70	60	OK	OK
RC_127	5 m/s	44.0	34.8	70	60	OK	OK
RC_128	5 m/s	45.2	34.8	70	60	OK	OK
RC_131	5 m/s	49.2	36.8	70	60	OK	OK
RC_137	5 m/s	32.7	31.5	70	60	OK	OK
RC_140	5 m/s	32.6	32.0	70	60	OK	OK
RC_144	5 m/s	42.4	34.9	70	60	OK	OK
RC_146	5 m/s	53.4	44.0	70	60	OK	OK
RC_147	5 m/s	49.5	40.3	70	60	OK	OK
RC_149	5 m/s	57.1	47.6	70	60	OK	OK
RC_150	5 m/s	38.3	33.1	70	60	OK	OK
RC_154	5 m/s	51.4	42.2	70	60	OK	OK
RC_155	5 m/s	52.3	43.0	70	60	OK	OK
RC_159	5 m/s	33.9	31.9	70	60	OK	OK
RC_167	5 m/s	44.1	36.0	70	60	OK	OK
RC_168	5 m/s	33.8	31.6	70	60	OK	OK
RC_172	5 m/s	42.3	34.9	70	60	OK	OK
RC_174	5 m/s	43.3	35.5	70	60	OK	OK
RC_196	5 m/s	41.0	34.4	70	60	OK	OK
RC_200	5 m/s	33.9	32.7	70	60	OK	OK
RC_201	5 m/s	51.1	41.8	70	60	OK	OK
RC_202	5 m/s	40.1	34.3	70	60	OK	OK
RC_204	5 m/s	36.0	33.0	70	60	OK	OK
RC_211	5 m/s	33.6	33.4	70	60	OK	OK
RC_225	5 m/s	31.7	31.0	70	60	OK	OK
RC_230	5 m/s	32.0	31.7	70	60	OK	OK
RC_232	5 m/s	33.3	31.3	70	60	OK	OK
RC_233	5 m/s	32.3	32.2	70	60	OK	OK
RC_235	5 m/s	32.1	32.1	70	60	OK	OK
RC_237	5 m/s	31.7	31.1	70	60	OK	OK
RC_238	5 m/s	32.6	31.6	70	60	OK	OK
RC_239	5 m/s	31.6	31.5	70	60	OK	OK
RC_247	5 m/s	34.2	32.2	70	60	OK	OK
RC_252	5 m/s	33.8	31.5	70	60	OK	OK
RC_258	5 m/s	48.2	39.2	70	60	OK	OK
RC_259	5 m/s	32.0	30.9	70	60	OK	OK
RC_261	5 m/s	34.5	31.9	70	60	OK	OK
RC_262	5 m/s	45.5	35.6	70	60	OK	OK
RC_269	5 m/s	33.1	32.6	70	60	OK	OK
RC_280	5 m/s	54.0	44.6	70	60	OK	OK
RC_291	5 m/s	34.2	31.6	70	60	OK	OK
RC_294	5 m/s	32.0	31.5	70	60	OK	OK
RC_295	5 m/s	42.5	34.7	70	60	OK	OK
RC_296	5 m/s	37.3	32.1	70	60	OK	OK
RC_297	5 m/s	35.1	32.0	70	60	OK	OK
RC_298	5 m/s	32.2	31.9	70	60	OK	OK
RC_300	5 m/s	56.4	46.3	70	60	OK	OK

IMMISSIONE - STATO DI PROGETTO - VENTO 6 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC_05	6 m/s	44.4	36.5	70	60	OK	OK
RC_18	6 m/s	50.6	41.8	70	60	OK	OK
RC_19	6 m/s	53.9	44.6	70	60	OK	OK
RC_23	6 m/s	35.0	34.6	70	60	OK	OK
RC_34	6 m/s	34.4	33.9	70	60	OK	OK
RC_48	6 m/s	41.1	35.4	70	60	OK	OK
RC_57	6 m/s	46.2	36.6	70	60	OK	OK
RC_65	6 m/s	34.8	34.5	70	60	OK	OK
RC_79	6 m/s	38.2	33.9	70	60	OK	OK
RC_80	6 m/s	36.5	33.8	70	60	OK	OK
RC_81	6 m/s	33.6	33.0	70	60	OK	OK
RC_82	6 m/s	37.6	33.2	70	60	OK	OK
RC_85	6 m/s	42.9	35.8	70	60	OK	OK
RC_91	6 m/s	37.8	36.1	70	60	OK	OK
RC_96	6 m/s	40.0	35.5	70	60	OK	OK
RC_102	6 m/s	35.7	35.3	70	60	OK	OK
RC_103	6 m/s	39.2	35.5	70	60	OK	OK
RC_108	6 m/s	38.3	34.7	70	60	OK	OK
RC_111	6 m/s	39.9	35.2	70	60	OK	OK
RC_114	6 m/s	41.7	37.0	70	60	OK	OK
RC_115	6 m/s	46.9	37.5	70	60	OK	OK
RC_116	6 m/s	37.4	34.9	70	60	OK	OK
RC_124	6 m/s	43.2	35.9	70	60	OK	OK
RC_126	6 m/s	46.0	36.6	70	60	OK	OK
RC_127	6 m/s	44.4	37.2	70	60	OK	OK
RC_128	6 m/s	45.4	36.8	70	60	OK	OK
RC_131	6 m/s	49.3	38.2	70	60	OK	OK
RC_137	6 m/s	34.5	33.7	70	60	OK	OK
RC_140	6 m/s	34.8	34.5	70	60	OK	OK
RC_144	6 m/s	42.6	36.2	70	60	OK	OK
RC_146	6 m/s	53.4	44.2	70	60	OK	OK
RC_147	6 m/s	49.5	40.7	70	60	OK	OK
RC_149	6 m/s	57.1	47.7	70	60	OK	OK
RC_150	6 m/s	39.0	34.9	70	60	OK	OK
RC_154	6 m/s	51.5	42.4	70	60	OK	OK
RC_155	6 m/s	52.4	43.2	70	60	OK	OK
RC_159	6 m/s	35.4	34.0	70	60	OK	OK
RC_167	6 m/s	44.3	36.8	70	60	OK	OK
RC_168	6 m/s	35.1	33.6	70	60	OK	OK
RC_172	6 m/s	42.5	36.1	70	60	OK	OK
RC_174	6 m/s	43.5	36.5	70	60	OK	OK
RC_196	6 m/s	41.8	37.1	70	60	OK	OK
RC_200	6 m/s	36.0	35.3	70	60	OK	OK
RC_201	6 m/s	51.1	42.1	70	60	OK	OK
RC_202	6 m/s	40.7	36.3	70	60	OK	OK
RC_204	6 m/s	37.4	35.4	70	60	OK	OK
RC_211	6 m/s	36.4	36.3	70	60	OK	OK
RC_225	6 m/s	33.5	33.0	70	60	OK	OK
RC_230	6 m/s	34.3	34.1	70	60	OK	OK
RC_232	6 m/s	34.7	33.3	70	60	OK	OK
RC_233	6 m/s	34.9	34.8	70	60	OK	OK
RC_235	6 m/s	34.7	34.6	70	60	OK	OK
RC_237	6 m/s	33.6	33.2	70	60	OK	OK
RC_238	6 m/s	34.5	33.9	70	60	OK	OK
RC_239	6 m/s	33.9	33.8	70	60	OK	OK
RC_247	6 m/s	35.8	34.5	70	60	OK	OK
RC_252	6 m/s	35.1	33.5	70	60	OK	OK
RC_258	6 m/s	48.2	39.5	70	60	OK	OK
RC_259	6 m/s	33.5	32.8	70	60	OK	OK
RC_261	6 m/s	35.8	34.0	70	60	OK	OK
RC_262	6 m/s	45.6	36.3	70	60	OK	OK
RC_269	6 m/s	35.5	35.2	70	60	OK	OK
RC_280	6 m/s	54.0	44.7	70	60	OK	OK
RC_291	6 m/s	35.4	33.6	70	60	OK	OK
RC_294	6 m/s	34.0	33.7	70	60	OK	OK
RC_295	6 m/s	42.6	35.6	70	60	OK	OK
RC_296	6 m/s	37.8	33.5	70	60	OK	OK
RC_297	6 m/s	36.2	33.9	70	60	OK	OK
RC_298	6 m/s	34.5	34.3	70	60	OK	OK
RC_300	6 m/s	56.4	46.4	70	60	OK	OK

IMMISSIONE - STATO DI PROGETTO - VENTO 7 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC_05	7 m/s	44.5	37.3	70	60	OK	OK
RC_18	7 m/s	50.7	42.4	70	60	OK	OK
RC_19	7 m/s	53.9	45.0	70	60	OK	OK
RC_23	7 m/s	37.4	37.2	70	60	OK	OK
RC_34	7 m/s	36.5	36.3	70	60	OK	OK
RC_48	7 m/s	41.6	37.1	70	60	OK	OK
RC_57	7 m/s	46.4	38.3	70	60	OK	OK
RC_65	7 m/s	37.2	37.0	70	60	OK	OK
RC_79	7 m/s	39.2	36.1	70	60	OK	OK
RC_80	7 m/s	37.7	35.8	70	60	OK	OK
RC_81	7 m/s	35.4	35.1	70	60	OK	OK
RC_82	7 m/s	38.2	34.7	70	60	OK	OK
RC_85	7 m/s	43.1	37.0	70	60	OK	OK
RC_91	7 m/s	39.7	38.7	70	60	OK	OK
RC_96	7 m/s	41.1	38.0	70	60	OK	OK
RC_102	7 m/s	38.2	38.0	70	60	OK	OK
RC_103	7 m/s	40.3	37.9	70	60	OK	OK
RC_108	7 m/s	39.4	36.8	70	60	OK	OK
RC_111	7 m/s	40.6	37.1	70	60	OK	OK
RC_114	7 m/s	42.9	39.8	70	60	OK	OK
RC_115	7 m/s	47.2	39.7	70	60	OK	OK
RC_116	7 m/s	38.9	37.3	70	60	OK	OK
RC_124	7 m/s	43.7	38.1	70	60	OK	OK
RC_126	7 m/s	46.2	38.6	70	60	OK	OK
RC_127	7 m/s	45.0	39.8	70	60	OK	OK
RC_128	7 m/s	45.8	39.1	70	60	OK	OK
RC_131	7 m/s	49.5	39.9	70	60	OK	OK
RC_137	7 m/s	36.5	36.0	70	60	OK	OK
RC_140	7 m/s	37.2	37.0	70	60	OK	OK
RC_144	7 m/s	43.0	37.7	70	60	OK	OK
RC_146	7 m/s	53.5	44.4	70	60	OK	OK
RC_147	7 m/s	49.6	41.2	70	60	OK	OK
RC_149	7 m/s	57.1	47.8	70	60	OK	OK
RC_150	7 m/s	39.9	36.9	70	60	OK	OK
RC_154	7 m/s	51.5	42.8	70	60	OK	OK
RC_155	7 m/s	52.4	43.5	70	60	OK	OK
RC_159	7 m/s	37.1	36.3	70	60	OK	OK
RC_167	7 m/s	44.5	37.9	70	60	OK	OK
RC_168	7 m/s	36.7	35.7	70	60	OK	OK
RC_172	7 m/s	42.9	37.6	70	60	OK	OK
RC_174	7 m/s	43.8	37.8	70	60	OK	OK
RC_196	7 m/s	42.9	39.9	70	60	OK	OK
RC_200	7 m/s	38.4	38.0	70	60	OK	OK
RC_201	7 m/s	51.2	42.6	70	60	OK	OK
RC_202	7 m/s	41.7	38.5	70	60	OK	OK
RC_204	7 m/s	39.2	38.0	70	60	OK	OK
RC_211	7 m/s	39.1	39.1	70	60	OK	OK
RC_225	7 m/s	35.4	35.1	70	60	OK	OK
RC_230	7 m/s	36.6	36.5	70	60	OK	OK
RC_232	7 m/s	36.2	35.3	70	60	OK	OK
RC_233	7 m/s	37.4	37.4	70	60	OK	OK
RC_235	7 m/s	37.2	37.2	70	60	OK	OK
RC_237	7 m/s	35.5	35.3	70	60	OK	OK
RC_238	7 m/s	36.6	36.2	70	60	OK	OK
RC_239	7 m/s	36.2	36.2	70	60	OK	OK
RC_247	7 m/s	37.7	36.8	70	60	OK	OK
RC_252	7 m/s	36.6	35.6	70	60	OK	OK
RC_258	7 m/s	48.3	39.9	70	60	OK	OK
RC_259	7 m/s	35.2	34.7	70	60	OK	OK
RC_261	7 m/s	37.3	36.2	70	60	OK	OK
RC_262	7 m/s	45.7	37.2	70	60	OK	OK
RC_269	7 m/s	38.0	37.9	70	60	OK	OK
RC_280	7 m/s	54.0	44.8	70	60	OK	OK
RC_291	7 m/s	36.9	35.7	70	60	OK	OK
RC_294	7 m/s	36.2	36.0	70	60	OK	OK
RC_295	7 m/s	42.9	36.6	70	60	OK	OK
RC_296	7 m/s	38.4	35.1	70	60	OK	OK
RC_297	7 m/s	37.6	36.1	70	60	OK	OK
RC_298	7 m/s	36.8	36.7	70	60	OK	OK
RC_300	7 m/s	56.4	46.6	70	60	OK	OK

IMMISSIONE - STATO DI PROGETTO - VENTO 8 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC_05	8 m/s	44.7	38.2	70	60	OK	OK
RC_18	8 m/s	50.8	42.8	70	60	OK	OK
RC_19	8 m/s	54.0	45.2	70	60	OK	OK
RC_23	8 m/s	39.7	38.4	70	60	OK	OK
RC_34	8 m/s	38.7	37.6	70	60	OK	OK
RC_48	8 m/s	42.4	38.2	70	60	OK	OK
RC_57	8 m/s	46.8	39.1	70	60	OK	OK
RC_65	8 m/s	39.5	38.1	70	60	OK	OK
RC_79	8 m/s	40.3	37.2	70	60	OK	OK
RC_80	8 m/s	39.1	37.0	70	60	OK	OK
RC_81	8 m/s	37.3	36.4	70	60	OK	OK
RC_82	8 m/s	39.0	36.1	70	60	OK	OK
RC_85	8 m/s	43.5	38.0	70	60	OK	OK
RC_91	8 m/s	41.8	39.5	70	60	OK	OK
RC_96	8 m/s	42.4	39.0	70	60	OK	OK
RC_102	8 m/s	40.6	38.9	70	60	OK	OK
RC_103	8 m/s	41.8	38.9	70	60	OK	OK
RC_108	8 m/s	40.7	38.0	70	60	OK	OK
RC_111	8 m/s	41.7	38.2	70	60	OK	OK
RC_114	8 m/s	44.3	40.9	70	60	OK	OK
RC_115	8 m/s	47.7	40.9	70	60	OK	OK
RC_116	8 m/s	40.6	38.6	70	60	OK	OK
RC_124	8 m/s	44.4	39.1	70	60	OK	OK
RC_126	8 m/s	46.6	39.4	70	60	OK	OK
RC_127	8 m/s	45.9	40.5	70	60	OK	OK
RC_128	8 m/s	46.4	39.9	70	60	OK	OK
RC_131	8 m/s	49.7	40.6	70	60	OK	OK
RC_137	8 m/s	38.5	37.3	70	60	OK	OK
RC_140	8 m/s	39.5	38.1	70	60	OK	OK
RC_144	8 m/s	43.6	38.7	70	60	OK	OK
RC_146	8 m/s	53.5	44.6	70	60	OK	OK
RC_147	8 m/s	49.7	41.7	70	60	OK	OK
RC_149	8 m/s	57.2	47.9	70	60	OK	OK
RC_150	8 m/s	41.0	38.3	70	60	OK	OK
RC_154	8 m/s	51.6	43.2	70	60	OK	OK
RC_155	8 m/s	52.5	43.8	70	60	OK	OK
RC_159	8 m/s	39.0	38.0	70	60	OK	OK
RC_167	8 m/s	44.8	39.0	70	60	OK	OK
RC_168	8 m/s	38.5	37.5	70	60	OK	OK
RC_172	8 m/s	43.5	39.0	70	60	OK	OK
RC_174	8 m/s	44.2	39.1	70	60	OK	OK
RC_196	8 m/s	44.3	40.7	70	60	OK	OK
RC_200	8 m/s	40.7	39.5	70	60	OK	OK
RC_201	8 m/s	51.3	43.1	70	60	OK	OK
RC_202	8 m/s	42.9	39.6	70	60	OK	OK
RC_204	8 m/s	41.1	39.2	70	60	OK	OK
RC_211	8 m/s	41.7	40.2	70	60	OK	OK
RC_225	8 m/s	37.4	36.7	70	60	OK	OK
RC_230	8 m/s	38.8	37.7	70	60	OK	OK
RC_232	8 m/s	38.0	36.6	70	60	OK	OK
RC_233	8 m/s	39.8	38.6	70	60	OK	OK
RC_235	8 m/s	39.6	38.4	70	60	OK	OK
RC_237	8 m/s	37.5	36.7	70	60	OK	OK
RC_238	8 m/s	38.7	37.5	70	60	OK	OK
RC_239	8 m/s	38.4	37.6	70	60	OK	OK
RC_247	8 m/s	39.6	38.1	70	60	OK	OK
RC_252	8 m/s	38.3	37.0	70	60	OK	OK
RC_258	8 m/s	48.4	40.4	70	60	OK	OK
RC_259	8 m/s	37.0	36.2	70	60	OK	OK
RC_261	8 m/s	39.1	37.5	70	60	OK	OK
RC_262	8 m/s	45.9	38.1	70	60	OK	OK
RC_269	8 m/s	40.4	38.9	70	60	OK	OK
RC_280	8 m/s	54.1	45.0	70	60	OK	OK
RC_291	8 m/s	38.5	37.1	70	60	OK	OK
RC_294	8 m/s	38.3	37.4	70	60	OK	OK
RC_295	8 m/s	43.2	37.6	70	60	OK	OK
RC_296	8 m/s	39.3	36.4	70	60	OK	OK
RC_297	8 m/s	39.2	37.4	70	60	OK	OK
RC_298	8 m/s	39.1	38.1	70	60	OK	OK
RC_300	8 m/s	56.5	46.8	70	60	OK	OK

IMMISSIONE - STATO DI PROGETTO - VENTO 9 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC_05	9 m/s	44.9	39.1	70	60	OK	OK
RC_18	9 m/s	50.9	43.3	70	60	OK	OK
RC_19	9 m/s	54.0	45.4	70	60	OK	OK
RC_23	9 m/s	41.1	39.4	70	60	OK	OK
RC_34	9 m/s	40.1	38.8	70	60	OK	OK
RC_48	9 m/s	43.0	39.1	70	60	OK	OK
RC_57	9 m/s	47.1	39.9	70	60	OK	OK
RC_65	9 m/s	40.9	39.1	70	60	OK	OK
RC_79	9 m/s	41.3	38.3	70	60	OK	OK
RC_80	9 m/s	40.2	38.1	70	60	OK	OK
RC_81	9 m/s	38.7	37.7	70	60	OK	OK
RC_82	9 m/s	39.8	37.4	70	60	OK	OK
RC_85	9 m/s	43.9	39.0	70	60	OK	OK
RC_91	9 m/s	43.0	40.2	70	60	OK	OK
RC_96	9 m/s	43.3	39.9	70	60	OK	OK
RC_102	9 m/s	41.9	39.8	70	60	OK	OK
RC_103	9 m/s	42.7	39.8	70	60	OK	OK
RC_108	9 m/s	41.6	39.0	70	60	OK	OK
RC_111	9 m/s	42.4	39.2	70	60	OK	OK
RC_114	9 m/s	45.1	41.6	70	60	OK	OK
RC_115	9 m/s	48.0	41.6	70	60	OK	OK
RC_116	9 m/s	41.6	39.6	70	60	OK	OK
RC_124	9 m/s	45.0	39.9	70	60	OK	OK
RC_126	9 m/s	47.0	40.2	70	60	OK	OK
RC_127	9 m/s	46.4	41.1	70	60	OK	OK
RC_128	9 m/s	46.8	40.6	70	60	OK	OK
RC_131	9 m/s	49.9	41.2	70	60	OK	OK
RC_137	9 m/s	39.8	38.4	70	60	OK	OK
RC_140	9 m/s	40.9	39.0	70	60	OK	OK
RC_144	9 m/s	44.1	39.6	70	60	OK	OK
RC_146	9 m/s	53.6	44.9	70	60	OK	OK
RC_147	9 m/s	49.8	42.1	70	60	OK	OK
RC_149	9 m/s	57.2	48.0	70	60	OK	OK
RC_150	9 m/s	41.9	39.4	70	60	OK	OK
RC_154	9 m/s	51.7	43.5	70	60	OK	OK
RC_155	9 m/s	52.5	44.1	70	60	OK	OK
RC_159	9 m/s	40.3	39.3	70	60	OK	OK
RC_167	9 m/s	45.1	40.0	70	60	OK	OK
RC_168	9 m/s	39.7	38.8	70	60	OK	OK
RC_172	9 m/s	44.0	40.0	70	60	OK	OK
RC_174	9 m/s	44.6	40.1	70	60	OK	OK
RC_196	9 m/s	45.2	41.4	70	60	OK	OK
RC_200	9 m/s	42.0	40.5	70	60	OK	OK
RC_201	9 m/s	51.4	43.5	70	60	OK	OK
RC_202	9 m/s	43.7	40.4	70	60	OK	OK
RC_204	9 m/s	42.3	40.1	70	60	OK	OK
RC_211	9 m/s	43.0	41.2	70	60	OK	OK
RC_225	9 m/s	38.7	38.0	70	60	OK	OK
RC_230	9 m/s	40.2	38.8	70	60	OK	OK
RC_232	9 m/s	39.2	37.9	70	60	OK	OK
RC_233	9 m/s	41.2	39.5	70	60	OK	OK
RC_235	9 m/s	41.0	39.5	70	60	OK	OK
RC_237	9 m/s	38.9	38.0	70	60	OK	OK
RC_238	9 m/s	40.0	38.6	70	60	OK	OK
RC_239	9 m/s	39.9	38.8	70	60	OK	OK
RC_247	9 m/s	40.9	39.2	70	60	OK	OK
RC_252	9 m/s	39.6	38.3	70	60	OK	OK
RC_258	9 m/s	48.5	41.0	70	60	OK	OK
RC_259	9 m/s	38.4	37.6	70	60	OK	OK
RC_261	9 m/s	40.3	38.6	70	60	OK	OK
RC_262	9 m/s	46.1	39.0	70	60	OK	OK
RC_269	9 m/s	41.8	39.8	70	60	OK	OK
RC_280	9 m/s	54.1	45.2	70	60	OK	OK
RC_291	9 m/s	39.7	38.3	70	60	OK	OK
RC_294	9 m/s	39.7	38.6	70	60	OK	OK
RC_295	9 m/s	43.6	38.6	70	60	OK	OK
RC_296	9 m/s	40.1	37.7	70	60	OK	OK
RC_297	9 m/s	40.3	38.6	70	60	OK	OK
RC_298	9 m/s	40.5	39.2	70	60	OK	OK
RC_300	9 m/s	56.5	46.9	70	60	OK	OK

IMMISSIONE - STATO DI PROGETTO - VENTO 10 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC_05	10 m/s	45.2	40.1	70	60	OK	OK
RC_18	10 m/s	51.0	43.7	70	60	OK	OK
RC_19	10 m/s	54.0	45.6	70	60	OK	OK
RC_23	10 m/s	41.7	40.3	70	60	OK	OK
RC_34	10 m/s	40.8	39.8	70	60	OK	OK
RC_48	10 m/s	43.4	40.1	70	60	OK	OK
RC_57	10 m/s	47.2	40.7	70	60	OK	OK
RC_65	10 m/s	41.5	40.0	70	60	OK	OK
RC_79	10 m/s	41.9	39.4	70	60	OK	OK
RC_80	10 m/s	41.0	39.3	70	60	OK	OK
RC_81	10 m/s	39.8	39.0	70	60	OK	OK
RC_82	10 m/s	40.7	38.7	70	60	OK	OK
RC_85	10 m/s	44.2	39.9	70	60	OK	OK
RC_91	10 m/s	43.4	41.0	70	60	OK	OK
RC_96	10 m/s	43.7	40.7	70	60	OK	OK
RC_102	10 m/s	42.5	40.6	70	60	OK	OK
RC_103	10 m/s	43.2	40.6	70	60	OK	OK
RC_108	10 m/s	42.2	40.0	70	60	OK	OK
RC_111	10 m/s	42.9	40.2	70	60	OK	OK
RC_114	10 m/s	45.4	42.1	70	60	OK	OK
RC_115	10 m/s	48.1	42.2	70	60	OK	OK
RC_116	10 m/s	42.2	40.5	70	60	OK	OK
RC_124	10 m/s	45.3	40.7	70	60	OK	OK
RC_126	10 m/s	47.2	40.9	70	60	OK	OK
RC_127	10 m/s	46.6	41.7	70	60	OK	OK
RC_128	10 m/s	47.0	41.3	70	60	OK	OK
RC_131	10 m/s	50.0	41.8	70	60	OK	OK
RC_137	10 m/s	40.7	39.5	70	60	OK	OK
RC_140	10 m/s	41.5	40.0	70	60	OK	OK
RC_144	10 m/s	44.4	40.5	70	60	OK	OK
RC_146	10 m/s	53.6	45.1	70	60	OK	OK
RC_147	10 m/s	49.9	42.6	70	60	OK	OK
RC_149	10 m/s	57.2	48.1	70	60	OK	OK
RC_150	10 m/s	42.4	40.3	70	60	OK	OK
RC_154	10 m/s	51.7	43.9	70	60	OK	OK
RC_155	10 m/s	52.6	44.4	70	60	OK	OK
RC_159	10 m/s	41.0	40.2	70	60	OK	OK
RC_167	10 m/s	45.4	40.8	70	60	OK	OK
RC_168	10 m/s	40.6	39.8	70	60	OK	OK
RC_172	10 m/s	44.3	40.8	70	60	OK	OK
RC_174	10 m/s	44.9	40.9	70	60	OK	OK
RC_196	10 m/s	45.5	41.9	70	60	OK	OK
RC_200	10 m/s	42.5	41.2	70	60	OK	OK
RC_201	10 m/s	51.4	43.8	70	60	OK	OK
RC_202	10 m/s	44.0	41.1	70	60	OK	OK
RC_204	10 m/s	42.8	40.9	70	60	OK	OK
RC_211	10 m/s	43.5	41.8	70	60	OK	OK
RC_225	10 m/s	39.8	39.2	70	60	OK	OK
RC_230	10 m/s	41.0	39.8	70	60	OK	OK
RC_232	10 m/s	40.2	39.1	70	60	OK	OK
RC_233	10 m/s	41.8	40.4	70	60	OK	OK
RC_235	10 m/s	41.6	40.3	70	60	OK	OK
RC_237	10 m/s	39.9	39.2	70	60	OK	OK
RC_238	10 m/s	40.8	39.6	70	60	OK	OK
RC_239	10 m/s	40.7	39.8	70	60	OK	OK
RC_247	10 m/s	41.5	40.2	70	60	OK	OK
RC_252	10 m/s	40.4	39.4	70	60	OK	OK
RC_258	10 m/s	48.6	41.6	70	60	OK	OK
RC_259	10 m/s	39.5	38.9	70	60	OK	OK
RC_261	10 m/s	41.1	39.7	70	60	OK	OK
RC_262	10 m/s	46.3	40.0	70	60	OK	OK
RC_269	10 m/s	42.3	40.6	70	60	OK	OK
RC_280	10 m/s	54.1	45.4	70	60	OK	OK
RC_291	10 m/s	40.6	39.4	70	60	OK	OK
RC_294	10 m/s	40.6	39.7	70	60	OK	OK
RC_295	10 m/s	43.9	39.7	70	60	OK	OK
RC_296	10 m/s	40.9	39.0	70	60	OK	OK
RC_297	10 m/s	41.1	39.6	70	60	OK	OK
RC_298	10 m/s	41.2	40.2	70	60	OK	OK
RC_300	10 m/s	56.5	47.1	70	60	OK	OK

IMMISSIONE - STATO DI PROGETTO - VENTO 11 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC_05	11 m/s	45.6	41.2	70	60	OK	OK
RC_18	11 m/s	51.1	44.2	70	60	OK	OK
RC_19	11 m/s	54.1	46.0	70	60	OK	OK
RC_23	11 m/s	42.5	41.3	70	60	OK	OK
RC_34	11 m/s	41.8	40.9	70	60	OK	OK
RC_48	11 m/s	43.9	41.2	70	60	OK	OK
RC_57	11 m/s	47.5	41.6	70	60	OK	OK
RC_65	11 m/s	42.3	41.1	70	60	OK	OK
RC_79	11 m/s	42.6	40.7	70	60	OK	OK
RC_80	11 m/s	41.9	40.6	70	60	OK	OK
RC_81	11 m/s	40.9	40.3	70	60	OK	OK
RC_82	11 m/s	41.6	40.1	70	60	OK	OK
RC_85	11 m/s	44.7	41.1	70	60	OK	OK
RC_91	11 m/s	44.0	41.9	70	60	OK	OK
RC_96	11 m/s	44.2	41.7	70	60	OK	OK
RC_102	11 m/s	43.1	41.6	70	60	OK	OK
RC_103	11 m/s	43.7	41.6	70	60	OK	OK
RC_108	11 m/s	42.9	41.1	70	60	OK	OK
RC_111	11 m/s	43.5	41.2	70	60	OK	OK
RC_114	11 m/s	45.7	42.8	70	60	OK	OK
RC_115	11 m/s	48.3	42.9	70	60	OK	OK
RC_116	11 m/s	42.9	41.5	70	60	OK	OK
RC_124	11 m/s	45.6	41.7	70	60	OK	OK
RC_126	11 m/s	47.4	41.8	70	60	OK	OK
RC_127	11 m/s	46.9	42.5	70	60	OK	OK
RC_128	11 m/s	47.3	42.1	70	60	OK	OK
RC_131	11 m/s	50.1	42.6	70	60	OK	OK
RC_137	11 m/s	41.6	40.7	70	60	OK	OK
RC_140	11 m/s	42.3	41.1	70	60	OK	OK
RC_144	11 m/s	44.8	41.5	70	60	OK	OK
RC_146	11 m/s	53.7	45.5	70	60	OK	OK
RC_147	11 m/s	50.0	43.3	70	60	OK	OK
RC_149	11 m/s	57.2	48.3	70	60	OK	OK
RC_150	11 m/s	43.1	41.4	70	60	OK	OK
RC_154	11 m/s	51.8	44.4	70	60	OK	OK
RC_155	11 m/s	52.6	44.9	70	60	OK	OK
RC_159	11 m/s	41.9	41.3	70	60	OK	OK
RC_167	11 m/s	45.7	41.7	70	60	OK	OK
RC_168	11 m/s	41.6	40.9	70	60	OK	OK
RC_172	11 m/s	44.8	41.8	70	60	OK	OK
RC_174	11 m/s	45.3	41.8	70	60	OK	OK
RC_196	11 m/s	45.8	42.7	70	60	OK	OK
RC_200	11 m/s	43.1	42.1	70	60	OK	OK
RC_201	11 m/s	51.5	44.3	70	60	OK	OK
RC_202	11 m/s	44.5	42.0	70	60	OK	OK
RC_204	11 m/s	43.4	41.8	70	60	OK	OK
RC_211	11 m/s	44.0	42.5	70	60	OK	OK
RC_225	11 m/s	40.9	40.5	70	60	OK	OK
RC_230	11 m/s	41.9	40.9	70	60	OK	OK
RC_232	11 m/s	41.2	40.4	70	60	OK	OK
RC_233	11 m/s	42.6	41.4	70	60	OK	OK
RC_235	11 m/s	42.4	41.4	70	60	OK	OK
RC_237	11 m/s	41.1	40.5	70	60	OK	OK
RC_238	11 m/s	41.7	40.8	70	60	OK	OK
RC_239	11 m/s	41.6	41.0	70	60	OK	OK
RC_247	11 m/s	42.3	41.2	70	60	OK	OK
RC_252	11 m/s	41.4	40.6	70	60	OK	OK
RC_258	11 m/s	48.8	42.4	70	60	OK	OK
RC_259	11 m/s	40.7	40.3	70	60	OK	OK
RC_261	11 m/s	41.9	40.8	70	60	OK	OK
RC_262	11 m/s	46.6	41.1	70	60	OK	OK
RC_269	11 m/s	43.0	41.6	70	60	OK	OK
RC_280	11 m/s	54.2	45.8	70	60	OK	OK
RC_291	11 m/s	41.6	40.7	70	60	OK	OK
RC_294	11 m/s	41.6	40.8	70	60	OK	OK
RC_295	11 m/s	44.4	40.8	70	60	OK	OK
RC_296	11 m/s	41.8	40.3	70	60	OK	OK
RC_297	11 m/s	41.9	40.8	70	60	OK	OK
RC_298	11 m/s	42.1	41.2	70	60	OK	OK
RC_300	11 m/s	56.6	47.4	70	60	OK	OK

IMMISSIONE - STATO DI PROGETTO - VENTO 12 m/s

RICETTORE	Velocita' del vento	Leq Diurno (dBA)	Leq Notturno (dBA)	Limite Diurno (dBA)	Limite Notturno (dBA)	Rispetto Limite Diurno	Rispetto Limite Notturno
RC_05	12 m/s	46.0	42.4	70	60	OK	OK
RC_18	12 m/s	51.3	44.8	70	60	OK	OK
RC_19	12 m/s	54.2	46.4	70	60	OK	OK
RC_23	12 m/s	43.4	42.5	70	60	OK	OK
RC_34	12 m/s	42.8	42.2	70	60	OK	OK
RC_48	12 m/s	44.6	42.4	70	60	OK	OK
RC_57	12 m/s	47.8	42.7	70	60	OK	OK
RC_65	12 m/s	43.3	42.3	70	60	OK	OK
RC_79	12 m/s	43.5	42.0	70	60	OK	OK
RC_80	12 m/s	42.9	41.9	70	60	OK	OK
RC_81	12 m/s	42.2	41.7	70	60	OK	OK
RC_82	12 m/s	42.7	41.6	70	60	OK	OK
RC_85	12 m/s	45.2	42.3	70	60	OK	OK
RC_91	12 m/s	44.6	42.9	70	60	OK	OK
RC_96	12 m/s	44.8	42.8	70	60	OK	OK
RC_102	12 m/s	43.9	42.7	70	60	OK	OK
RC_103	12 m/s	44.4	42.7	70	60	OK	OK
RC_108	12 m/s	43.7	42.3	70	60	OK	OK
RC_111	12 m/s	44.2	42.4	70	60	OK	OK
RC_114	12 m/s	46.2	43.7	70	60	OK	OK
RC_115	12 m/s	48.6	43.7	70	60	OK	OK
RC_116	12 m/s	43.7	42.6	70	60	OK	OK
RC_124	12 m/s	46.1	42.8	70	60	OK	OK
RC_126	12 m/s	47.7	42.9	70	60	OK	OK
RC_127	12 m/s	47.3	43.4	70	60	OK	OK
RC_128	12 m/s	47.6	43.1	70	60	OK	OK
RC_131	12 m/s	50.3	43.5	70	60	OK	OK
RC_137	12 m/s	42.7	42.0	70	60	OK	OK
RC_140	12 m/s	43.3	42.3	70	60	OK	OK
RC_144	12 m/s	45.4	42.6	70	60	OK	OK
RC_146	12 m/s	53.7	46.0	70	60	OK	OK
RC_147	12 m/s	50.2	44.0	70	60	OK	OK
RC_149	12 m/s	57.2	48.6	70	60	OK	OK
RC_150	12 m/s	43.9	42.5	70	60	OK	OK
RC_154	12 m/s	51.9	45.0	70	60	OK	OK
RC_155	12 m/s	52.7	45.4	70	60	OK	OK
RC_159	12 m/s	43.0	42.4	70	60	OK	OK
RC_167	12 m/s	46.2	42.8	70	60	OK	OK
RC_168	12 m/s	42.7	42.2	70	60	OK	OK
RC_172	12 m/s	45.3	42.8	70	60	OK	OK
RC_174	12 m/s	45.8	42.9	70	60	OK	OK
RC_196	12 m/s	46.3	43.6	70	60	OK	OK
RC_200	12 m/s	43.9	43.1	70	60	OK	OK
RC_201	12 m/s	51.6	44.9	70	60	OK	OK
RC_202	12 m/s	45.1	43.0	70	60	OK	OK
RC_204	12 m/s	44.2	42.8	70	60	OK	OK
RC_211	12 m/s	44.7	43.4	70	60	OK	OK
RC_225	12 m/s	42.2	41.9	70	60	OK	OK
RC_230	12 m/s	42.9	42.2	70	60	OK	OK
RC_232	12 m/s	42.4	41.8	70	60	OK	OK
RC_233	12 m/s	43.5	42.6	70	60	OK	OK
RC_235	12 m/s	43.3	42.5	70	60	OK	OK
RC_237	12 m/s	42.3	41.9	70	60	OK	OK
RC_238	12 m/s	42.8	42.1	70	60	OK	OK
RC_239	12 m/s	42.7	42.2	70	60	OK	OK
RC_247	12 m/s	43.3	42.4	70	60	OK	OK
RC_252	12 m/s	42.6	42.0	70	60	OK	OK
RC_258	12 m/s	49.0	43.3	70	60	OK	OK
RC_259	12 m/s	42.0	41.7	70	60	OK	OK
RC_261	12 m/s	43.0	42.1	70	60	OK	OK
RC_262	12 m/s	47.0	42.3	70	60	OK	OK
RC_269	12 m/s	43.8	42.7	70	60	OK	OK
RC_280	12 m/s	54.2	46.2	70	60	OK	OK
RC_291	12 m/s	42.7	42.0	70	60	OK	OK
RC_294	12 m/s	42.7	42.1	70	60	OK	OK
RC_295	12 m/s	45.0	42.1	70	60	OK	OK
RC_296	12 m/s	42.9	41.7	70	60	OK	OK
RC_297	12 m/s	43.0	42.1	70	60	OK	OK
RC_298	12 m/s	43.1	42.4	70	60	OK	OK
RC_300	12 m/s	56.6	47.7	70	60	OK	OK